

STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.692 mW/g, SAR (10g): 0.492 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed; WITH EXTENDED BATTERY

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.571 mW/g, SAR (10g): 0.409 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed; WITH EXTENDED BATTERY

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.249 mW/g, SAR (10g): 0.141 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed; WITH EXTENDED BATTERY

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.116 mW/g, SAR (10g): 0.0696 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed; WITH EXTENDED BATTERY

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.89 mW/g, **SAR (10g): 1.20 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Open; WITH EXTENDED BATTERY

Conducted Power = 27.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.32 mW/g, **SAR (10g): 0.823 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Open; WITH EXTENDED BATTERY

Conducted Power = 27.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.787 mW/g, **SAR (10g): 0.438 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open; WITH EXTENDED BATTERY

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.52 mW/g, **SAR (10g): 0.652 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open; WITH EXTENDED BATTERY

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001

