



RF EXPOSURE REPORT

REPORT NO.: SA980224H03A

MODEL NO.: MCLT77N159

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT : Hon Hai PRECISION IND.CO.,LTD

ADDRESS : 5F-1,5 Hsin-An Road Hsinchu, Science-Based
Industrial Park Taiwan, R.O.C.

ISSUED BY: Bureau Veritas Consumer Products Services
(H.K.) Ltd., Taoyuan Branch

LAB ADDRESS: No. 81-1, Lu Liao Keng, 9th Ling, Wu Lung
Tsuen, Chiung Lin Hsiang, Hsin Chu Hsien 307,
Taiwan



No SAR Evaluation Required if power is below the following threshold:

Tunable Range		Center of Tunable Band (GHz)	60/f SAR Limitation (mW)
F(GHz) Low	F(GHz) High		
2.402	2.480	2.441	24.19

Maximum measured transmitter power:

Pout Conducted (dBm)	Pout Conducted (mW)	Maximum Antenna Gain (dBi)	Pout EIRP (mW)
-6.07	0.247	1.94	0.386

Threshold for no SAR evaluation is 24.19 mW

Maximum TX Power is 0.247 mW Conducted and 0.386 mW EIRP

Conclusion: No SAR evaluation required since maximum Transmitter Pout (both conducted and EIRP) is below FCC threshold