



香港商立德國際商品試驗有限公司桃園分公司

A D T

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

WWAN Test Record

BV ADT No: **170428E06** REPORT No: **RF'170428E06** DATE: **6/23/2017**
 EUT: **LTE_Cat9 PCI Express M.** MODEL: **T77W676** SAMPLE NO.: **E170510-008-035-008**
 Transmitter or Receiver operation mode: **LTE B26**
 AMBIENT TEMPERATURE: **19** °C RELATIVE HUMIDITY: **70** %RH
 TEST STANDARD: **FCC Part 90S** TEST SITE: **OVEN 1**
 TEST PERSONNEL: **Weiwei Lo**
 APPROVED BY: _____

Radiated power(e.r.p)

LTE Band 26 1.4M QPSK 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26697	814.7	20.77	1.30	22.07	161.06
26740	819	21.10	1.17	22.27	168.66
26783	823.3	21.19	1.05	22.24	167.49
Limit	EIRP 30 dBm/10MHz				

LTE Band 26 3M QPSK 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26705	815.5	20.84	1.29	22.13	163.31
26740	819	21.39	1.17	22.56	180.30
26775	822.5	21.29	1.06	22.35	171.79
Limit	EIRP 30 dBm/10MHz				

LTE Band 26 5M QPSK 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26715	816.5	20.96	1.28	22.24	167.49
26740	819	21.44	1.17	22.61	182.39
26765	821.5	21.39	1.07	22.46	176.20
Limit	EIRP 30 dBm/10MHz				



香港商立德國際商品試驗有限公司桃園分公司

A D T

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

LTE Band 26 10M QPSK 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26740	819	21.05	1.25	22.30	169.82
Limit	EIRP 30 dBm/10MHz				



香港商立德國際商品試驗有限公司桃園分公司

A D T

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

WWAN Test Record

BV ADT No: **170428E06** REPORT No: **RF'170428E06** DATE: **6/23/2017**
 EUT: **LTE_Cat9 PCI Express M.** MODEL: **T77W676** SAMPLE NO.: **E170510-008-035-008**
 Transmitter or Receiver operation mode: **LTE B26**
 AMBIENT TEMPERATURE: **19** °C RELATIVE HUMIDITY: **70** %RH
 TEST STANDARD: **FCC Part 90S** TEST SITE: **OVEN 1**
 TEST PERSONNEL: **Weiwei Lo**
 APPROVED BY: _____

Radiated power(e.r.p)

LTE Band 26 1.4M 16QAM 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26697	814.7	19.20	1.30	20.50	112.20
26740	819	19.91	1.17	21.08	128.23
26783	823.3	19.95	1.05	21.00	125.89
Limit	EIRP 30 dBm/10MHz				

LTE Band 26 3M 16QAM 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26705	815.5	19.98	1.29	21.27	133.97
26740	819	19.98	1.17	21.15	130.32
26775	822.5	19.95	1.06	21.01	126.18
Limit	EIRP 30 dBm/10MHz				

LTE Band 26 5M 16QAM 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26715	816.5	19.37	1.28	20.65	116.14
26740	819	20.81	1.17	21.98	157.76
26765	821.5	21.36	1.07	22.43	174.98
Limit	EIRP 30 dBm/10MHz				



香港商立德國際商品試驗有限公司桃園分公司

A D T

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

LTE Band 26 10M 16QAM 1RB Mode

ERP POWER					
Channel No.	FREQUENCY (MHz)	S.G Value (dBm)	Correction Factor (dB)	ERP POWER	
				dBm	mW
26740	819	20.71	1.25	21.96	157.04
Limit	EIRP 30 dBm/10MHz				