




Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	10 dB
97 dBV	0.37 dB	VBW	3 MHz		
	6.012024 ms	SWT	1 s	Unit	dBV




Date: 16.MAY.2014 07:37:35

Time of One Pulse – Advertising Mode – 6.012024 ms
Total Duty Cycle = 6.012024 ms / 100 ms = 6.012024%
The maximum 20 dB Peak to Average Ratio can be used



Delta 1 [T1] RBW 1 MHz RF Att 10 dB
Ref Lvl 0.68 dB VBW 3 MHz
97 dBV 2.004008 ms SWT 200 ms Unit dBV




Center 2.475 GHz 20 ms/

Date: 16.MAY.2014 07:34:22

Time of One Pulse – Pairing Mode – 2.004005 ms



Delta 1 [T1] RBW 1 MHz RF Att 10 dB
Ref Lvl 0.05 dB VBW 3 MHz
97 dBV 98.597194 ms SWT 200 ms Unit dBV



Date: 16.MAY.2014 07:34:49

Time between pulses in pairing mode = 95.597194 ms
Total Duty Cycle = 2.0004005 ms / 98.597194 ms = 2.03%
The maximum 20 dB Peak to Average Ratio can be used