




Delta 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl 1.05 dB VBW 3 MHz
92 dBV 1.963928 ms SWT 20 ms Unit dBV




Date: 19.AUG.2014 07:50:35

Time of One Pulse – Advertising Mode



Delta 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -0.77 dB VBW 3 MHz
92 dBmV 400.801603 ms SWT 1 s Unit dBmV




Date: 19.AUG.2014 07:49:44

Number of Pulses in Worst Case 100 ms Period – Advertising Mode
The duty cycle is less than 10%, thus the full 20 dB peak to average ratio is allowed.

$$\text{Duty Cycle} = 1.963928 \text{ ms} / 100 \text{ ms} = 1.963928\%$$



Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	20 dB
92 dBV	-2.50 dB	VBW	3 MHz		
	1.082164 ms	SWT	10 ms	Unit	dBV




Date: 19.AUG.2014 07:45:35

Time of One Pulse - Pairing Mode



Delta 1 [T1] RBW 1 MHz RF Att 20 dB
Ref Lvl -1.38 dB VBW 3 MHz
92 dBμV 101.402806 ms SWT 200 ms Unit dBμV



Date: 19.AUG.2014 07:40:36

Number of Pulses in Worst Case 100 ms Period – Pairing Mode
The duty cycle is less than 10%, thus the full 20 dB peak to average ratio is allowed.

$$\text{Duty Cycle} = (1.082164 * 8) \text{ ms} / 100 \text{ ms} = 8.657312\%$$