



Made in China

Evaluation sample -not for resale

Manual Pairing Instructions

1. Press and hold in Key A and Key B for 3 seconds on the Parker set-top box to initiate the pairing window.
2. Press and hold in the MENU key on the Tracer remote for 3 seconds to complete the pairing process.
3. Press the Select key to clear the On Screen display



www.xfinity.com

Model	General Name
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)
UIC-ATM1000 (480x480)	UIC-ATM1000 (480x480)

FCC ID: MGS-4167

This device complies with part 15 of the FCC rules. Operation is subject to the following conditions:
1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.









