




Max/Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	0 dB
102 dB μ V	0.60 dB	VBW	1 MHz		
92 dB μ V	2.104208 ms	SWT	50 ms	Unit	dB μ V




Date: 19.FEB.2013 08:38:09

Time of One Pulse for Acquisition Mode = 2.104208 mS



Max/Ref Lvl Delta 1 [T1] RBW 1 MHz RF Att 0 dB
102 dBV -1.03 dB VBW 1 MHz
92 dBV 2.805611 ms SWT 200 ms Unit dBV




Date: 19.FEB.2013 08:35:28

Plot Showing the Pulse only Shows up Once per 100 mS in Acquisition Mode



Max/Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	0 dB
102 dBV	1.70 dB	VBW	1 MHz		
92 dBV	1.202405 ms	SWT	50 ms	Unit	dBV




Date: 19.FEB.2013 08:37:19

Time of One Pulse for Data Mode = 1.202405 mS



Max/Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	0 dB
102 dBV	-0.26 dB	VBW	1 MHz		
92 dBV	1.603206 ms	SWT	200 ms	Unit	dBV



Date: 19.FEB.2013 08:36:12

Plot Showing the Pulse only Shows up Once per 100 mS in Data Mode

Both modes are under 10% duty cycle so the maximum 20 dB peak to average ratio can be applied to the peak reading.