

EQUIPMENT: Enabler-A
FCC ID: MIVCDP10EAM

PROJECT NO.: 1L0435RUS2

Section 7. Frequency Stability

NAME OF TEST: Frequency Stability	PARA. NO.: 2.1055
TESTED BY: David Light	DATE: 8/9/2001

Test Results: Complies.

Measurement Data: See attached table.

Standard Test Frequency: 836.01 MHz
Standard Test Voltage: 115 Vac

Equipment Used:

Measurement Uncertainty: 1×10^{-12} ppm

Temperature: 22 °C

Relative Humidity: 50 %

EQUIPMENT: *Enabler-A*
FCC ID: *MIVCDP10EAM*

PROJECT NO.: 1L0435RUS2

Test Data – Frequency Stability



Dallas Headquarters:
802 N. Kealy
Lewisville, TX 75057
Tel: (972) 436-9600
Fax: (972) 436-2667

Frequency Stability

Client: Enfora W.O.# 1L0435R
EUT: Enabler-A S/N: None
Date: 8/9/2001 Tech: Light

Test Equipment used: 1026-283

Temperature	Voltage	Frequency Error
20 °C	115 VAC	-180 Hz
20 °C	98 VAC	-180 Hz
20 °C	132 VAC	-180 Hz
10 °C	115 Vac	+74 Hz
0 °C	115 Vac	+203 Hz
-10 °C	115 Vac	+84 Hz
-20 °C	115 Vac	-84 Hz
-30 °C	115 Vac	-95 Hz
30 °C	115 Vac	-177 Hz
40 °C	115 Vac	-166 Hz
50 °C	115 Vac	-175 Hz