

ADI / AT-401 parts List

列印日期: 1999/03/16
 列印時間: 15:29:54
 MODEL: TR-410/S00

誠洲股份有限公司

>>> BILL OF MATERIAL (工程別) <<<
 Rev: B ECN: 2113 MCN:

BOM315
 頁數: 1
 有效日期: 1999/03/16

SUB-ASSY NO.	DESCRIPTION	Rev.	ECN.	MCN.	ALL.
. A5503S005A	CPU BOARD		021		
. A5504S006A	DTMF BOARD		297		
. A5571S004A	RF BOARD		2113		
. A5572S005A	IF BOARD				
. E5571S008A	ELECTRICAL PARTS				
. F5571S009A	MECHANICAL PARTS		013		
. P9019P003A	COM. PARTS (S-SMT/B)		F81		

***** 列印結束 *****

ADI Communications Corp.
 FCCID: MKDAT-401
 Exhibit #: 5

列印日期: 1999/03/16
 列印時間: 15:29:55
 MODEL P/N : K5571----S00
 MODEL NAME: TR-410/S00

誠洲股份有限公司

>>> BILL OF MATERIAL (工程別) <<<
 ECN: 2113 MCN: ALL: Parent P/N : K5571----S00
 Parent name: TR-410/S00

BOM315
 頁數: 1
 ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
1		A5503S005A	CPU BOARD	EA	1.0000				
2		A5504S006A	DTMF BOARD	EA	1.0000				
3		A5571S004A	RF BOARD	EA	1.0000				
4		A5572S005A	IF BOARD	EA	1.0000				
5		E5571S008A	ELECTRICAL PARTS	EA	1.0000				
6		F5571S009A	MECHANICAL PARTS	EA	1.0000				
7		P9019P003A	COM. PARTS (S-SMT/B)	EA	1.0000				

列印日期: 1999/03/16

列印時間: 15:29:55

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:Z113

MCN:

>>> BILL OF MATERIAL (工程別) <<<

ALL:

Parent P/N :A5503S005A

Parent name:CPU BOARD

ECN:021

MCN:

BOM315

頁數: 2

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
1		BC176G002U	P.C.B. FLEXIBLE, 0351002B	EA	1.0000		V	M101	E
2		BC232F004M	P.C.B. CPU	EA	1.0000		V	PCB	S
3	021	KLO87A005A	MICROPHONE WM-60AT	EA	1.0000		V	N101	E
4	009	CT105C309	CAP TAN,1 uF ,16V ,M,SMD(STD)	EA	1.0000		V	C121	S
5		DL0342005H	LED, SMD, YELLOW/GREEN,LT1E73A	EA	4.0000		V	Q119	Q120
								Q121	Q122 S
6		DL0392000C	LED, SMD, YELLOW/GREEN,CL-200YG-C-Y5	EA	2.0000		V	Q117	Q118 S
8		GA102K515	CAP MONO(50V)-SMD,1000 PF ,X7R,K,0805	EA	6.0000		V	C107	C109
								C110	C111
								C113	C120 S
9		GA1042612	CAP MONO(50V)-SMD,0.1 uF ,Z5U,M,0805	EA	1.0000		V	C104	S
11		GA223X519	CAP MONO(50V)-SMD,0.022 uF ,X7R,K,0805	EA	1.0000		V	C112	S
13		GA390A410	CAP MONO(50V)-SMD,39 PF ,NPO,J,0805	EA	2.0000		V	C114	C115 S
14		GA473Z613	CAP MONO(50V)-SMD,0.047 uF ,Z5U,M,0805	EA	1.0000		V	C101	S
17		RD102W161	RES C-F,1K Ω ,1/10W,J,SMD	EA	3.0000		V	R108	R116
								R121	S
18		RD103W162	RES C-F,10K Ω ,1/10W,J,SMD	EA	9.0000		V	R103	R104
								R105	R110
								R111	R112
								R119	R120
								R127	S
19	010	RD123W168	RES C-F,12K Ω ,1/10W,J,SMD	EA	1.0000		V	R102	S
20		RD134W162	RES C-F,130K Ω ,1/10W,J,SMD	EA	1.0000		V	R133	S
21		RD220W162	RES C-F,22 Ω ,1/10W,J,SMD	EA	1.0000		V	R129	S
22		RD223W165	RES C-F,22K Ω ,1/10W,J,SMD	EA	1.0000		V	R125	S
23		RD183W166	RES C-F,18K Ω ,1/10W,J,SMD	EA	1.0000		V	R134	S
24		RD274W161	RES C-F,270K Ω ,1/10W,J,SMD	EA	1.0000		V	R132	S
26		RD333W165	RES C-F,33K Ω ,1/10W,J,SMD	EA	1.0000		V	R126	S
29		RD470W161	RES C-F,47 Ω ,1/10W,J,SMD	EA	1.0000		V	R128	S
32		RD473W164	RES C-F,47K Ω ,1/10W,J,SMD	EA	5.0000		V	R101	R107

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
33		RD564W169	RES C-F,560K Ω ,1/10W,J,SMD	EA	1.0000			R117	S
34		RD105W164	RES C-F,1M Ω ,1/10W,J,SMD	EA	1.0000			R122	S
41	rd2	UA122A071J	IC NJM2904M, DMP-8 TE3	EA	1.0000			R131	S
	rd2	UA122A071X	IC LINEAR BA10358F	EA	1.0000	N		R130	S
43		UX052B477A	IC CPU ROM UPD75308GF-Y63-3B9	EA	1.0000			Q103	S
45		XS0362000J	CERAMIC RESONATOR 3.58MHZ,SMDCSACMGC	EA	1.0000			*	S
46		AW003X003	WIRE, AWG28, BLACK, L=56mm	EA	1.0000			Q101	S
47		AW003X906H	WIRE, AWG28, WHITE, L=20mm	EA	1.0000			X101	S
48		AW003X922H	WIRE, AWG28, WHITE, L=12mm	EA	2.0000			SPK	E
49	009	TS0902066J	TR. S-SIGNAL-SMT, RT1N441M,T11	EA	1.0000			SPK+	E
		TS18020600	TR. S-SIGNAL, DTC144EUA SC70DIGITAL TR. SW.	EA	1.0000	N		MIC	E
50		UM088A076H	IC EEPROM, 4X1, XL93LC66-3	EA	1.0000			Q102	S
51		UR1802169F	IC PERIP. VOLTAGEDETECTOR,S-8054KN-CB -1	EA	1.0000			*	S
52	rd2	DP029C064R	DIODE, ARRAY-SMT, DAP202U-T106	EA	1.0000			Q104	S
53	004	JF015B132X	CON.-SMD, FEMALE BOARD TO BOARD, 13P,	EA	1.0000			Q105	S
								Q109	S
								CON1	S

列印日期: 1999/03/16
 列印時間: 15:29:59
 MODEL P/N :K5571----S00
 MODEL NAME:TR-410/S00

ECN:2113

MCN:

誠洲股份有限公司
 >>> BILL OF MATERIAL (工程別) <<<
 ALL: Parent P/N :A5504S006A
 Parent name:DTMF BOARD

ECN:297

MCN:

BOM315
 頁數: 3
 ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
1	003	BC232G003	P.C.B. DTMF	EA	1.0000			PCB	S
2	003	GA102X418	CAP MOND(50V)-SMD,1000 PF ,X7R,J,0805	EA	2.0000		V	C105	C106 S
3	003	GA104Z612	CAP MOND(50V)-SMD,0.1 uF ,25V,M,0805	EA	1.0000		V	C104	S
4	003	GA223X519	CAP MOND(50V)-SMD,0.022 uF,X7R,K,0805	EA	1.0000		V	C103	S
5	003	GA390A410	CAP MOND(50V)-SMD,39 PF ,NPO,J,0805	EA	2.0000		V	C101	C102 S
6	003	RD103W162	RES C-F,10K Ω ,1/10W,J,SMD	EA	1.0000		V	R109	S
7	003	RD104W163	RES C-F,100K Ω ,1/10W,J,SMD	EA	2.0000		V	R101	R102 S
8	003	RD224W166	RES C-F,220K Ω ,1/10W,J,SMD	EA	1.0000		V	R108	S
9	003	RD332W164	RES C-F,3.3K Ω ,1/10W,J,SMD	EA	1.0000		V	R103	S
11	015	UA127A076C	IC LINEAR-SMT, CM888D-S1	EA	1.0000		V	U101	E
12	003	XS0362000J	CERAMIC RESONATOR 3.58MHZ,SMDCSACMGC	EA	1.0000		V	X101	S
13	004	JF015A133K	CON.-SMD, MALE BOARD TOBOARD, 13P,	EA	1.0000			CON1	S

列印日期: 1999/03/16

列印時間: 15:30:00

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:Z113

MCN:

ALL:

Parent P/N :A5571S004A

ECN:Z113

MCN:

Parent name:RF BOARD

誠洲股份有限公司

>>> BILL OF MATERIAL (工程別) <<<

BOM315

頁數: 4

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
1		AV245C003	CON. ASS'Y, 4P (WIRE),ZHR-4-4P-SZN HARNESS	EA	1.0000		V	W402	E
2		AV246L005	CON. ASS'Y, 13P (WIRE),ZHR-13-13-SZN HARNESS	EA	1.0000		V	W401	E
3		BC185T014	P.C.B. RF+CH SW,+SOL	EA	1.0000		U	PCB	S
4		CA100C015	CAP TRIMMER,10 PF ,SMD	EA	1.0000		V	C432	S
5		CA309C005	CAP TRIMMER,3 PF ,SMD	EA	4.0000		V	C447	C450
								C456	C459
6		CA609C019L	CAP TRIMMER,6 PF ,SMD	EA	2.0000		V	C465	C526
7		CC106C336	CAP E/C-SMD,10 uF ,16V ,M,RADIAL	EA	1.0000		V	C429	S
8		CC226A331	CAP E/C-SMD,22 uF ,6.3V,M,RADIAL	EA	1.0000		V	C430	S
9		CR476C016	CAP. ELECT, 47UF 16V	EA	1.0000		V	C497	E
10		CT106B39B	CAP TAN,10 uF ,10V ,M,SMD(UNSTD)	EA	1.0000		V	C425	S
11		CC476A330	CAP E/C-SMD,47 uF ,6.3V,M,RADIAL	EA	1.0000		V	C404	S

12	CT475B399	CAP TAN,4.7 uF ,10V ,M,SMD(UNSTD)	EA	2.0000	V	C509	C512	S
13	0P059A0650	DIODE, 1SS314-TPH3	EA	2.0000	V	Q420	Q421	S
14	0P052A0680	DIODE, 1SS315(TPH3)	EA	2.0000	V	Q429	Q430	S
15	0P055A0610	DIODE, 1SV214-TPH2	EA	3.0000	V	Q403 Q409	Q404	S
16	0P048A0610	DIODE, 1SV229(TPH3)	EA	2.0000	V	Q407	Q408	S
17	DZ024Z008C	DZ024Z008C	EA	1.0000		Q433		S
	DZ024Z008E	ZENER DIODE, SMT, 200mW 2.4V, RD2.4MB	EA	1.0000		*		
	DZ024Z008D	ZENER DIODE, SMT, SC-59, 200mW 2.4V, DZC22.4X	EA	1.0000		*		
18	GA100A118	CAP MONO(50V)-SMD, 10 PF ,NPO,D,0805	EA	1.0000	V	C518		S
19	GA101H413	CAP MONO(50V)-SMD, 100 PF ,UJ ,J,0805	EA	5.0000	V	C401 C421 C423	C413 C422	S
20	GA102X515	CAP MONO(50V)-SMD, 1000 PF ,X7R,K,0805	EA	41.0000	V	C405 C407 C409 C411 C420 C433 C441 C444 C462 C473 C488 C491 C494 C498 C507 C510 C513 C515 C519 C522 C524	C406 C408 C410 C419 C427 C436 C442 C453 C471 C487 C489 C493 C496 C499 C508 C511 C514 C516 C521 C523	S
21	GA103X516	CAP MONO(50V)-SMD, 0.01 uF ,X7R,K,0805	EA	2.0000	V	C437	C439	S
22	GA109A010	CAP MONO(50V)-SMD, 1 PF ,NPO,C,0805	EA	7.0000	V	C435 C457 C472 C504	C449 C458 C501	S
23	GA109H013	CAP MONO(50V)-SMD, 1 PF ,UJ ,C,0805	EA	1.0000	V	C418		S

列印日期: 1999/03/16

列印時間: 15:30:01

MODEL P/N :X5571----S00

MODEL NAME:TR-410/S00

ECN:2113

MCN:

ALL:

誠洲股份有限公司

>>> BILL OF MATERIAL (工程別) <<<

Parent P/N :A5571S004A

Parent name:RF BOARD

ECN:2113

MCN:

BOM315

頁數: 5

ALL: .

ITEM	ECN	PARTS NO.	Option Paired	DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
24	2113	GA120A415		CAP MONO(50V)-SMD, 12 PF ,NPO,J,0805	EA	1.0000		V	C517	S
25		GA150A414		CAP MONO(50V)-SMD, 15 PF ,NPO,J,0805	EA	2.0000		V	C452	S
26		GA150H116		CAP MONO(50V)-SMD, 15 PF ,UJ ,D,0805	EA	3.0000		V	C402	S

27	GA159A015	CAP MONO(50V)-SMD,1.5 PF ,NPO,C,0805	EA	2.0000	V	C416 C448		S
28	GA180A413	CAP MONO(50V)-SMD,18 PF ,NPO,J,0805	EA	1.0000	V	C461	C525	S
29	GA222X518	CAP MONO(50V)-SMD,2200 PF ,X7R,K,0805	EA	1.0000	V	C426		S
30	GA209H010	CAP MONO(50V)-SMD,2 PF ,UJ ,C,0805	EA	1.0000	V	C417		S
31	GA224Y920	CAP MONO(50V)-SMD,0.22 uF ,Y5V,2,1206	EA	1.0000	V	C428		S
32	GA270A417	CAP MONO(50V)-SMD,27 PF ,NPO,J,0805	EA	1.0000	V	C470		S
33	GA270H410	CAP MONO(50V)-SMD,27 PF ,UJ ,J,0805	EA	1.0000	V	C431		S
34	GA309A014	CAP MONO(50V)-SMD,3 PF ,NPO,C,0805	EA	3.0000	V	C464 C486	C466	S
35	GA470A411	CAP MONO(50V)-SMD,47 PF ,NPO,J,0805	EA	1.0000	V	C440		S
36	GA683X515	CAP MONO(50V)-SMD,0.068 uF ,X7R,K,0805	EA	1.0000	V	C424		S
37	GA508A017	CAP MONO(50V)-SMD,0.5 PF ,NPO,C,0805	EA	1.0000	V	C443		S
38	GA508H010	CAP MONO(50V)-SMD,0.5 PF ,UJ ,C,0805	EA	1.0000	V	C414		S
39	GA509A018	CAP MONO(50V)-SMD,5 PF ,NPO,C,0805	EA	9.0000	V	C446 C469 C490 C502 C505	C463 C485 C492 C503	S
40	GA609A112	CAP MONO(50V)-SMD,6 PF ,NPO,D,0805	EA	3.0000	V	C438 C520	C468	S
41	GA609H115	CAP MONO(50V)-SMD,6 PF ,UJ ,D,0805	EA	1.0000	V	C415		S
42	GA709A119	CAP MONO(50V)-SMD,7 PF ,NPO,D,0805	EA	4.0000	V	C451 C467	C454 C495	S
43	GA809A116	CAP MONO(50V)-SMD,8 PF ,NPO,D,0805	EA	3.0000	V	C445 C506	C460	S
44	JJ0110005J	JACK, EXT SPEAKER,HSJ 0836-01-310	EA	1.0000	V	J403		E
45	JJ0120006J	JACK, EXT MIC,HSJ 0838-01-010	EA	1.0000	V	J402		E
46	LJ0510001T	COIL, IFT, 21.8MHZ 823.05MHZ, 332PM-T1012Z	EA	1.0000	V	L408		E
47	LK175C007	CHOKE, 30+/-3nH,SC-0.5*3*2.5T-5R	EA	3.0000	V	L401 L423	L404	E
48	LK175D006	CHOKE, 43+/-3nH,SC-0.5*3*3.5T-5R	EA	1.0000	V	L424		E
49	LP109X321	COIL PEAKING,1 uH ,SMD 322522,M,TAPING	EA	5.0000	V	L402 L405 L426	L403 L407	S
50	LK175I001	FERRITE BEAD-CHIP,SB-Y-201209	EA	3.0000	V	L421 L428	L427	S
51	LK175K009	CHOKE, 19+/-3nHSC-0.5*3*1.5T-5R	EA	12.0000	V	L406 L410 L412 L414 L416 L422	L409 L411 L413 L415 L417 L425	E
52	RD000W162	RES C-F, 0 Ω ,1/10W,J,SMD	EA	1.0000	V	R445		S
53	RD100W169	RES C-F,10 Ω ,1/10W,J,SMD	EA	2.0000	V	R446	R451	S
54	RD101W160	RES C-F,100 Ω ,1/10W,J,SMD	EA	7.0000	V	R430 R434 R440 R487	R432 R436 R479	S

列印時間: 15:30:04

>>> BILL OF MATERIAL (工程別) <<<

頁數: 6

MODEL P/N :K5571----S00

ECN:2113

MCN:

ALL:

Parent P/N :A5571S004A

ECN:2113

MCN:

ALL:

MODEL NAME:TR-410/S00

Parent name:RF BOARD

ITEM	ECN	PARTS NO.	Option Paired	DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程	
55		RD102W161		RES C-F,1K Ω ,1/10W,J,SMD	EA	9.0000		V	R402 R437 R456 R471 R482	R435 R439 R457 R478	
56		RD103W162		RES C-F,10K Ω ,1/10W,J,SMD	EA	14.0000		V	R407 R410 R416 R420 R422 R444 R481	R409 R413 R418 R421 R427 R467 R484	S
57		RD104W163		RES C-F,100K Ω ,1/10W,J,SMD	EA	1.0000		V	R491		S
58		RD121W166		RES C-F,120 Ω ,1/10W,J,SMD	EA	2.0000		V	R405	R408	S
59		RD153W167		RES C-F,15K Ω ,1/10W,J,SMD	EA	3.0000		V	R406 R454	R449	S
60		RD221W163		RES C-F,220 Ω ,1/10W,J,SMD	EA	4.0000		V	R442 R452	R447 R489	S
61		RD222W164		RES C-F,2.2K Ω ,1/10W,J,SMD	EA	6.0000		V	R401 R415 R429	R414 R426 R433	S
62		RD223W165		RES C-F,22K Ω ,1/10W,J,SMD	EA	5.0000		V	R423 R425 R485	R424 R483	S
63		RD229W161		RES C-F,2.2 Ω ,1/10W,J,SMD	EA	1.0000		V	R474		S
64		RD331W163		RES C-F,330 Ω ,1/10W,J,SMD	EA	4.0000		V	R412 R453	R448 R469	S
65		RD333W165		RES C-F,33K Ω ,1/10W,J,SMD	EA	1.0000		V	R443		S
66		RD391W161		RES C-F,390 Ω ,1/10W,J,SMD	EA	1.0000		V	R404		S
67		RD470W161		RES C-F,47 Ω ,1/10W,J,SMD	EA	2.0000		V	R403	R411	S
68		RD471W162		RES C-F,470 Ω ,1/10W,J,SMD	EA	3.0000		V	R472 R475	R473	S
69		RD472W163		RES C-F,4.7K Ω ,1/10W,J,SMD	EA	6.0000		V	R417 R450 R468	R419 R455 R486	S
70		RD473W164		RES C-F,47K Ω ,1/10W,J,SMD	EA	3.0000		V	R431 R477	R476	S
71		RD479W160		RES C-F,4.7 Ω ,1/10W,J,SMD	EA	1.0000		V	R480		S
72		RD684W162		RES C-F,680K Ω ,1/10W,J,SMD	EA	2.0000		V	R438	R458	S
73		R0821W165		RES C-F,820 Ω ,1/10W,J,SMD	EA	1.0000		V	R428		S
74		TF043B0610		MOS FET, 2SK50B(K52) T1B	EA	1.0000		V	Q410		S
		TF043B1680		MOS FET, 2SK50B(K53) T1B	EA	1.0000	N	V	*		
75		TP1422092E		TR. POWER, 2SC3357(RE) T1B	EA	1.0000		V	Q428		S
		TP1422199E		TR. POWER, 2SC3357(RF) T1B	EA	1.0000	N	V	*		
76		TS0892062I		TR. S-SIGNAL-SMT, RT1N140M,T11	EA	2.0000		V	Q422	Q432	S
77		TS0922068I		TR. S-SIGNAL-SMT, RT1P441M,T11	EA	1.0000		V	Q413		S
78		TS093G068B		TR. S-SIGNAL SMT, 2SA1162GRTE85L	EA	1.0000		V	Q431		S
79		TS094Y0618		TR. S-SIGNAL, 2SC2714Y TE85L	EA	1.0000		V	Q414		S
80		TS095Z0618		TR. S-SIGNAL, 2SC3120 TE85L	EA	2.0000		V	Q417	Q423	S
		TS114Z063E		TR. S-SIGNAL, 2SC3545KT28	EA	1.0000	N	V	*		
81		TS100Z0660		TR. S-SIGNAL, FMG1 T-14B	EA	1.0000		V	Q606		S

82 TS1032069E TR. S-SIGNAL, 29C3356R24 T1B EA 3.0000 V Q405 Q411

誠洲股份有限公司

列印日期: 1999/03/16

列印時間: 15:30:06

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:2113

MCN:

>>> BILL OF MATERIAL (工程別) <<<

ALL:

Parent P/N :A55715004A

Parent name:RF BOARD

ECN:2113

MCN:

BOM315

頁數: 7

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
83		TS1042060B	TR. S-SIGNAL, 29C3429 SMT	EA	2.0000		V	Q427 Q418	S Q419
84		TS10620620	TR. S-SIGNAL, DA204K SMT	EA	1.0000		V	Q412	S
85		TS10720630	TR. S-SIGNAL, FMA4 SMT	EA	1.0000		V	Q434	S
86		UA186A332U	POWER MODULE M67749M, 7W,430-450MHZ	EA	1.0000		V	Q402	E
		UA186A332E	POWER MODULE, 430-450MHZ,	EA	1.0000		V	*	
87		UA128A077F	IC LINEAR, MB1504PF ER	EA	1.0000		V	Q401	S
88		VP102A013	VR-SMD, 1K,4Ω	EA	1.0000		V	R470	S
89		XS064B001U	CRYSTAL, +-10ppm, 6.4MHZ	EA	1.0000		V	X401	E
90		XS230B002U	CRYSTAL FILTER, 23.05MHZ	EA	2.0000		V	F401	F402 E
92		AW003X223H	WIRE, AWG28, RED, L=50mm	EA	1.0000		V	B+ C50B	E
93		KS9992991	JUMP WIRE	EA	1.0000			ANT WIRE	E
		AW001A907	BARE WIRE, 0.6	KG	0.0002	N		+	
94		MX018A034	COVER, SHIELD	EA	1.0000		V	COVER SH	E
96		MX027A007	COVER, SHIELD, A	EA	1.0000		V	COVER SH	E
97		MX028A037	COVER,SHIELD B	EA	1.0000		V	COVER SH	E
98		MX032A005	PAD, CONDUCTION	EA	3.0000		V	PAD_CON	E
99		MX039A002	CONTACT-GND	EA	1.0000		V	CONTACT_G	E
100		PY001A007	TAPE	EA	1.0000		V	TAPE	E
101		PY126A01B	SPACER	EA	2.0000		V	F401	F402 E
102		GA200A416	CAP MONO(50V)-SMD,20 PF ,NPO,J,0805	EA	1.0000		V	C434	S

列印日期: 1999/03/16

列印時間: 15:30:08

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:2113

MCN:

>>> BILL OF MATERIAL (工程別) <<<

ALL:

Parent P/N :A55725005A

ECN:

MCN:

Parent name:IF BOARD

BOM315

頁數: 8

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
2		8C178N008M	P.C.B. IF+VOL+SCL+ LAMP	EA	1.0000		V	PCB	S
6		8R008B501A	SW. ROTARY, S.P.D.T.SRBM1L CR(SNH11Z)	EA	1.0000		V	S203	E
7		8N012A503F	SW. TACT, S.P.S.T.SKHHLN1520-DC	EA	2.0000		V	S201	S202 E
8		8U002S505	SW. VR(A TYPE), 10K	EA	1.0000		V	R271	E
9		CC225F335	CAP E/C-SMD,2.2 uF ,50V ,M,RADIAL	EA	2.0000		V	C235	C251 S
10		CC226A331	CAP E/C-SMD,22 uF ,6.3V,M,RADIAL	EA	2.0000		V	C201	C218 S
11		CC474F333	CAP E/C-SMD,0.47 uF ,50V ,M,RADIAL	EA	1.0000		V	C243	S
12		CC4750336	CAP E/C-SMD,4.7 uF ,25V ,M,RADIAL	EA	1.0000		V	C222	S
13		CC476A330	CAP E/C-SMD,47 uF ,6.3V,M,RADIAL	EA	3.0000		V	C260	C262 S
								C265	S
14		CR107C002	CAP. ELECT-S 100UF 16V16MS7100	EA	3.0000		V	C237	C239 S
								C269	E
15		CT476V390	CAP TAN,47 uF ,7V ,M,SMD(UNSTD)	EA	1.0000		V	C215	S
16		D10402062P	LED, RED+GREEN, 3.5D, LN15WP	EA	1.0000		V	Q210	E
17		DP017A0611	DIODE, M2846, T11	EA	4.0000		V	Q227	Q228 S
								Q230	Q234 S
		DP029C064R	DIODE, ARRAY-SMT, DAP202U-T106	EA	1.0000	N	V	*	
18		DP018A0621	DIODE, M2848, T11	EA	5.0000		V	Q211	Q215 S
								Q219	Q222 S
								Q233	
		DP029B065R	DIODE, ARRAY-SMT, DAN202U-T106	EA	1.0000	N	V	*	
19		DP026A063P	DIODE, MA714	EA	1.0000		V	Q207	S
20		DR015F224G	DIODE, REC, 1A 100V, 1N4002Vf=1.1V	EA	2.0000		V	Q240	Q242 E
21		DZ075Z004C	ZENER DIODE, 150mW 7.5V,MA8075-TX SMD	EA	1.0000		V	Q224	S
		DZ075Z004E	ZENER DIODE, SMT, 200mW 7.5V,RD7.5MB2	EA	1.0000		*		
		DZ075Z004O	ZENER DIODE, SMT,SC-59,200mW 7.5V, Q2C27.5Y	EA	1.0000		*		
22		GA100A118	CAP MONO(50V)-SMD,10 PF ,NPO,D,0805	EA	1.0000		V	C234	S
23		GA101A410	CAP MONO(50V)-SMD,100 PF ,NPO,J,0805	EA	2.0000		V	C232	C238 S
24		GA102X515	CAP MONO(50V)-SMD,1000 PF ,X7R,K,0805	EA	24.0000		V	C203	C219 S
								C221	C224 S
								C226	C244 S
								C245	C258 S
								C259	C261 S

								C263	C264	
								C266	C267	
								C268	C270	
								C271	C277	
								C278	C279	
								C281	C282	
								C283	C285	S
25	GA103X516	CAP MONO(50V)-SMD,0.01 uF ,X7R,K,0805	EA	4.0000	V		C210	C241		
26	GA104X520	CAP MONO(50V)-SMD,0.1 uF ,X7R,K,1206	EA	4.0000	V		C247	C272	S	
							C225	C227		
							C249	C254	S	
28	GA123X512	CAP MONO(50V)-SMD,0.012 uF,X7R,K,0805	EA	1.0000	V		C236		S	
29	GA222X518	CAP MONO(50V)-SMD,2200 PF ,X7R,K,0805	EA	2.0000	V		C242	C253	S	
30	GA223X519	CAP MONO(50V)-SMD,0.022 uF,X7R,K,0805	EA	9.0000	V		C202	C204	S	
							C207	C214		
							C228	C229		
							C231	C233		
							C246		S	
31	GA224Y920	CAP MONO(50V)-SMD,0.22 uF ,Y5V,Z,1206	EA	3.0000	V		C208	C209		

列印日期: 1999/03/16

列印時間: 15:30:10

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:Z113

MCN:

>>> BILL OF MATERIAL (工程別) <<<

誠洲股份有限公司

Parent P/N :A5572S005A

Parent name:IF BOARD

ECN:

MCN:

BOM315

頁數: 9

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
								C220	S
32		GA240A418	CAP MONO(50V)-SMD,24 PF ,NPO,J,0805	EA	1.0000		V	C217	S
33		GA331A413	CAP MONO(50V)-SMD,330 PF ,NPO,J,0805	EA	3.0000		V	C205	C206
								C211	S
34		GA470A411	CAP MONO(50V)-SMD,47 PF ,NPO,J,0805	EA	2.0000		V	C216	C274
35		GA471A412	CAP MONO(50V)-SMD,470 PF ,NPO,J,0805	EA	1.0000		V	C257	S
36		GA472X517	CAP MONO(50V)-SMD,4700 PF ,X7R,K,0805	EA	2.0000		V	C248	C256
37		GA473X521	CAP MONO(50V)-SMD,0.047 uF,X7R,K,1206	EA	5.0000		V	C212	C213
								C223	C230
								C240	S
38		GA680A418	CAP MONO(50V)-SMD,68 PF ,NPO,J,0805	EA	1.0000		V	C250	S
39		GA683X515	CAP MONO(50V)-SMD,0.068 uF,X7R,K,0805	EA	2.0000		V	C252	C273
40		JA059A040X	CON. 4P (JACK), B4B-2R	EA	1.0000		V	J202	E
41		JA060A099X	CON. 5P (JACK), B9B-2R	EA	1.0000		V	J203	E
42		JA061A139X	CON. 13P (JACK), B13B-2R	EA	1.0000		V	J201	E
43		JJ004A009	JACK, DC POWER	EA	1.0000		V	J204	E
44		UA131A073N	IC LINEAR, TK10487MT1	EA	1.0000		V	Q201	S
45		LJ053E001T	COIL, IFT, 660UF 455KHZ,5PLC-P10032	EA	1.0000		V	L201	E
46		LK1751001	FERRITE BEAD-CHIP,SB-Y-201209	EA	3.0000		V	L202	L203
								L204	S
47		RD000M162	RES C-F, 0 Ω ,1/10W,J,SMD	EA	8.0000		V	C286	C287
								R208	R226
								R245	R260
								R285	R306

48	RD101W160	RES C-F,100 Ω ,1/10W,J,SMD	EA	4.0000	V	R204	R227	
49	RD102W161	RES C-F,1K Ω ,1/10W,J,SMD	EA	12.0000	V	R286 R201 R217 R220 R243 R264 R309	R312 R212 R219 R221 R254 R274 R317	S
50	RD103W162	RES C-F,10K Ω ,1/10W,J,SMD	EA	11.0000	V	R211 R230 R265 R278 R293 R313	R228 R240 R277 R279 R310	S
51	RD104W163	RES C-F,100K Ω ,1/10W,J,SMD	EA	4.0000	V	R251 R273	R253 R297	S
52	RD121W166	RES C-F,120 Ω ,1/10W,J,SMD	EA	2.0000	V	R248	R324	S
53	RD151W165	RES C-F,150 Ω ,1/10W,J,SMD	EA	2.0000	V	R272	R275	S
55	RD154W168	RES C-F,150K Ω ,1/10W,J,SMD	EA	2.0000	V	R267	R268	S
56	RD184W167	RES C-F,180K Ω ,1/10W,J,SMD	EA	1.0000	V	R235		S
57	RD221W163	RES C-F,220 Ω ,1/10W,J,SMD	EA	1.0000	V	R319		S
58	RD222W164	RES C-F,2.2K Ω ,1/10W,J,SMD	EA	1.0000	V	R290		S
59	RD223W165	RES C-F,22K Ω ,1/10W,J,SMD	EA	7.0000	V	R214 R280 R302 R308	R233 R283 R305	S
60	RD224W166	RES C-F,220K Ω ,1/10W,J,SMD	EA	3.0000	V	R232 R263	R250	S

列印日期: 1999/03/16

列印時間: 15:30:12

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

誠洲股份有限公司

>>> BILL OF MATERIAL (工程別) <<<

BOM315

頁數: 10

ECN:2113

MCN:

ALL:

Parent P/N :A5572S005A

ECN:

MCN:

Parent name:IF BOARD

ALL:

ITEM	ECN	PARTS NO.	Option Paired	DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
61		RD229W161		RES C-F,2.2 Ω ,1/10W,J,SMD	EA	2.0000		V	R247	R315 S
62		RD272W169		RES C-F,2.7K Ω ,1/10W,J,SMD	EA	1.0000		V	R261	S
63		RD331W163		RES C-F,330 Ω ,1/10W,J,SMD	EA	1.0000		V	R325	S
64		RD332W164		RES C-F,3.3K Ω ,1/10W,J,SMD	EA	2.0000		V	R206	R216 S
65		RD333W165		RES C-F,33K Ω ,1/10W,J,SMD	EA	6.0000		V	R209 R289 R299	R222 R291 R301 S
67		RD470W161		RES C-F,47 Ω ,1/10W,J,SMD	EA	1.0000		V	R229	S
68		RD471W162		RES C-F,470 Ω ,1/10W,J,SMD	EA	5.0000		V	R202 R292 R318	R246 R311 S
69		RD472W163		RES C-F,4.7K Ω ,1/10W,J,SMD	EA	6.0000		V	R215 R262 R270	R241 R269 R314 S
70		RD473W164		RES C-F,47K Ω ,1/10W,J,SMD	EA	6.0000		V	R203	R242 S

71	RD474W165	RES C-F,470K Ω ,1/10W,J,SMD	EA	9.0000	V	R264 R296 R210 R231 R236 R288 R295	R276 R298 R213 R234 R237 R294	S
73	RD561W166	RES C-F,560 Ω ,1/10W,J,SMD	EA	1.0000	V	R223		S
74	TS0922068I	TR. S-SIGNAL-SMT, RT1P441M,T11	EA	1.0000	V	Q200		S
75	RD681W169	RES C-F,680 Ω ,1/10W,J,SMD	EA	1.0000	V	R249		S
76	RD822W166	RES C-F,8.2K Ω ,1/10W,J,SMD	EA	2.0000	V	R224	R225	S
77	TP1400092E	TR. POWER, 25B798(DL) T18	EA	4.0000	V	Q205 Q236	Q217 Q238	S
	TP1400199E	TR. POWER, 25B798(DK)	EA	1.0000	N	V	*	
	TP1402090P	TR. POWER, BCX52 SOT-89	EA	1.0000	N	V	*	
78	TS088F061I	TR. S-SIGNAL-SMT, 2SC4154F,T11	EA	8.0000	V	Q206 Q212 Q216 Q221	Q208 Q213 Q220 Q235	S
79	TS0892062I	TR. S-SIGNAL-SMT, RT1N140M,T11	EA	1.0000	V	Q204		S
80	TS0902066I	TR. S-SIGNAL-SMT, RT1N441M,T11	EA	4.0000	V	Q218 Q237	Q226 Q247	S
81	TS0912067I	TR. S-SIGNAL-SMT, RT1P434M,T11	EA	2.0000	V	Q231	Q232	S
82	TS1062062D	TR. S-SIGNAL, DA204K SMT	EA	1.0000	V	Q241		S
83	TS0982064D	TR. S-SIGNAL, DTA123YU T-106	EA	1.0000	V	Q223		S
84	TS0992065D	TR. S-SIGNAL, FMA2 T-148	EA	2.0000	V	Q214	Q225	S
85	TS1012067D	TR. S-SIGNAL, FMG2 T-148	EA	1.0000	V	Q229		S
86	UA121A070B	1C LINEAR, TA7368F	EA	1.0000	V	Q202		S
87	UA123A072J	1C NJM4558M, DMP-8 TE3	EA	1.0000	V	Q203		S
	UA123A072X	1C LINEAR BA4558F	EA	1.0000	V	*		
88	UA124A073U	1C LINEAR, M5236(ML)-600C	EA	1.0000	V	Q239		S
89	VF1031100N	VR. V09LN8.5F-B10K	EA	1.0000	V	R218		E
90	VP103A014	VR-SMD, 10K, 4 Ω	EA	2.0000	V	R304	R316	S
91	VP204A012	VR-SMD, 200K, 4 Ω	EA	1.0000	V	R303		S
92	VP502A011	VR-SMD, 5K, 4 Ω	EA	1.0000	V	R207		S
93	VP503A012	VR-SMD, 50K, 4 Ω	EA	4.0000	V	R281 R284	R282 R287	S

列印日期: 1999/03/16

列印時間: 15:30:14

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:2113

MCN:

ALL:

洲洲股份有限公司

>>> BILL OF MATERIAL (工程別) <<<<

Parent P/N :A5572S005A

Parent name:1F BOARD

ECN:

MCN:

BOM315

頁數: 11

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
94		XS005E001J	CERAMIC FILTER, CFUM455E	EA	1.0000			F201	E
		XS005E001K	CERAMIC FILTER, KBF455PS-15A	EA	1.0000			*	
		XS005E001N	CERAMIC FILTER, ULF-8P15	EA	1.0000			*	
95		XS226B005U	CRYSTAL, 22.595MHZ	EA	1.0000		V	X201	E
96		AW003X401H	WIRE, 28AWG, YELLOW, L=30mm	EA	1.0000		V	E CH_SM	E
97		AW003X304H	WIRE, AWG28, ORANGE, L=25mm	EA	1.0000		V	F CH_SM	E

98	AW003X906H	WIRE, AWG28, WHITE, L=20mm	EA	1.0000	V	G CH_SW	E
99	AW003X207H	WIRE, AWG28, RED, L=65mm	EA	1.0000	V	I VOL_SW	E
100	AW003X210H	WIRE, AWG28, RED, L=55mm	EA	1.0000	V	H VOL_SW	E
101	MX011A040	FRAME,KNOB	EA	1.0000	V	FRAME_X	E
102	MX012A012	CONTACT, MAIN	EA	1.0000	V	CONTACT	E
103	MX013A000	NUT, LOCK	EA	2.0000	V	LOCK NUT	E
104	PY001A007	TAPE	EA	1.0000	V	TAPE	E
105	RD479M160	RES C-F,4.7 Ω , 1/10W, J, SMD	EA	1.0000	V	R307	S
106	RD624M164	RES C-F,620K Ω , 1/10W, J, SMD	EA	1.0000	V	R244	S
107	NX003A008	SHEET, INSULATION	EA	1.0000	V	Z201 TOP	D
108	NX004A009	SHEET, INSULATION GLUE	EA	1.0000	V	Z201 BOT	D

列印日期: 1999/03/16
 列印時間: 15:30:15
 MODEL P/N :K5571----S00
 MODEL NAME:TR-410/S00

ECN:2113

MCN:

>>> BILL OF MATERIAL (工程別) <<<

ALL:

Parent P/N :E5571S008A

Parent name:ELECTRICAL PARTS

ECN:

MCN:

BOM315
 頁數: 12
 ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
1		BY804B001B	SPEAKER, 8 OHM, T02BS14Y0010	EA	1.0000		V	SPEAKER	0

列印日期: 1999/03/16

列印時間: 15:30:15

MODEL P/N :K5571----S00

MODEL NAME:TR-410/S00

ECN:Z113

MCN:

>>> BILL OF MATERIAL (工程別) <<<

ALL:

Parent P/N :F5571S009A

ECN:013

MCN:

Parent name:MECHANICAL PARTS

BOM315

頁數: 13

ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
1	Z87	MX002A035	COVER REAR	EA	1.0000			RR COVER	E
2		MX003A010	CLAMP	EA	1.0000		V	RR COVER	E
3		MX006A026	CONTACT, B	EA	1.0000		V	BATT GND	E
4	Z107	MX007A014	SHEET,GND CONTACT	EA	1.0000			ANT JACK	E
5		MX024A004	STUD, SCREW	EA	2.0000		V	FIXED_RF	E
6	Z88	MX026A019	JACK ANT (BNC)	EA	1.0000			ANT JACK	E
7		MX074A009	ANT, BNC (UHF)	EA	1.0000		V	ANT	E
8		MX002A010	STRING, HANG	EA	1.0000		V	STRINGST	E
10	Z85	MX132A003	LABEL, LOGO	EA	1.0000		V	LOGO	E
11	005	MX150A010	LABEL, S/N	EA	1.0000		V	GIFT BOX	E
13	013	MX135A019	MESH,SPK	EA	1.0000			SPK	E
14		MX136A007	DOUBLE, TAPE	EA	1.0000		V	FR COVER	E
15	008	MX218A013	MANUAL (AT-201/401)	EA	1.0000			GIFT BOX	E
16		PR001A004	SILICA GEL	EA	1.0000		V	GIFT BOX	E
17		PY179A003	PLASTIC	EA	1.0000		V	U_TYPE C	E
18		PY014A003	COVER, MIC, SPK	EA	1.0000		V	SPKNIC C	E
19		PY015A004	COVER, DC, I/P	EA	1.0000		V	DC JACK	E
20		PY016A005	KEY, LOCK	EA	1.0000		V	BATT PAC	E
21	Z102	PY017A051	COVER,KNOB SQ	EA	1.0000			SQL COV	E
22		PY029A027	BAG, ANTI-STATIC	EA	1.0000		V	MAIN	E
23		PY073A039	PACK, BATTERY (9V)	EA	1.0000		V	GIFT BOX	E
24		PY181A008	KNOB, VOLUME	EA	1.0000		V	VOL_SW C	E
25		PY182A009	KNOB, CHANNEL	EA	1.0000		V	CH_SW C	E
26		PY128A010	ZEBRA, RUBBER, STRIP	EA	2.0000		V	LCD CONN	E
28		PY160A001	GUIDE, LIGHT	EA	1.0000		V	LCD BOTT	E
29		PY161A044	PANEL,DISPLAY(AT-401)	EA	1.0000		V	LCD PANN	E
30	009	PY162A029	PANEL,FRONT	EA	1.0000			FR COVER	E
31		PY163A004	KEY PAD (16KEY)	EA	1.0000		V	NUMBER K	E
32		PY164A005	KEY PAD (3KEY)	EA	1.0000		V	SW_K	E
33		SA202A203	M-SCREW, M2*3, Ni	EA	11.0000		V	IF*3	MAIN*4
								RF*4	E
34		SA260B208	M-SCREW, CBS M2.6x6 Ni	EA	2.0000		V	POWER	E
35		SA262B103	M-SCREW M2.6x3 BLACK	EA	2.0000		V	RR COVER	E
36		SM170A106	T-SCREW Ø1.7x3 "P" TITE BLACK	EA	8.0000		V	CPU*8	E
37		SM200B101	T-SCREW Ø2x14 "P" TITE BLACK	EA	2.0000		V	FR_RRR	E
39		MX057A006	SHEET, PACKAGE	EA	1.0000		V	COVER_B	E
40		MX061A003	CARTON	EA	0.1000		V	CARTON	E
41	005	MX059A066	BOX GIFT	EA	1.0000			GIFT BOX	E
42		ZV029A004	LABEL	EA	0.1000		V	CARTON	E
43	005	ZV085A066	BAR CODE LABEL, 153X103mm	EA	0.2000		V	CARTON	E
44	003	MX103A017	NUT, ANT	EA	1.0000			BNT TCN	E
46		PY180A007	BUTTON, PTT	EA	1.0000		V	PTT	E
48	Z99	KM022X008U	UNIT LCD UTS-G248J	EA	1.0000		V	Q106	E

列印日期: 1999/03/16
列印時間: 15:30:18
MODEL P/N :K5571----500
MODEL NAME:TR-410/S00

ECN:2113

MCN:

誠洲股份有限公司
>>> BILL OF MATERIAL (工程別) <<<

ALL:

Parent P/N :P9019P003A

ECN:F81

MCN:

Parent name:COM. PARTS (S-SMT/B)

BOM315
頁數: 14
ALL:

ITEM	ECN	PARTS NO.	Option Paired DESCRIPTION	E/M	QTY	SAF	STU	LOCATION	工程
5001	F81	ZB028A003	SOLDER BAR SN63A-370 63% 0.5KG	KG	0.0030		V	MZB01	C
5002	F89	ZB030B010R	SOLDER WIRE1.0mm	EA	0.0040			MZB02	C
5003	F58	ZB0038001	SOLDER CREAMSN63 ABO M-293T 0.5KG	KG	0.0006		V	MZB03	S
5004	F81	ZE031C004U	FLUX AR-620-2	L	0.0020		V	MZE01	C
5007	F81	ZV170A010	LABEL, BLANK 10x10mm PL	EA	1.0000		V	MZV01	C
	F81	ZV115A075	LABEL	EA	1.0000		V	*	
5009	F81	ZE001D033	ADHESIVE HEAT CURINGIR-100	EA	0.0001		V	MZE02	C
5010	F81	ZE026A0110	FLUX, RF-800	L	0.0050		V	MZE03	C

***** 列印結束 *****