

|                 |                                                                                |                                            |       |          |             |
|-----------------|--------------------------------------------------------------------------------|--------------------------------------------|-------|----------|-------------|
| 1003B585000000  | CB585Finished CB radio(MXT115)                                                 |                                            |       |          |             |
| Item code       | Item Name                                                                      | Item Specification                         | Unit  | Quantity |             |
| 2004B585000001  | CB585Semi-finished CB radio                                                    | PCB03                                      | piece | 1.000000 |             |
| 2007B585000001  | CB585CB radio Microphone                                                       | PCB01                                      | piece | 1.000000 |             |
| 34207080910003  | UC708Microphone bracket (ROHS)                                                 |                                            | piece | 1.000000 |             |
| 34207080910001  | UC708 button Microphone bracket (ROHS)                                         | ABS black                                  | piece | 1        |             |
| 34207080910000  | UC708 upper Microphone bracket (ROHS)                                          | ABS black                                  | piece | 1        |             |
| 34600300802223  | * cross recessed screw with oval head (R                                       | Φ3*8BM( silver ) head wideth6mm            | piece | 2        |             |
| 34630250242102  | hexagon nut (RoHS)                                                             | Φ6.2*М3*2.5mm                              | piece | 2        |             |
| 39080235500000  | UC708 double sides adhesive tape (ROHS)                                        | 46.5*35.5mm (L*W) thick: 1mm/用3M胶          | piece | 1        | 模组          |
| 39142632362350  | CB585 carton (4 sets/ROHS)                                                     | size: 263*236*235/Material: 5 piles/K2     | piece | 0.25     |             |
| 39120257000000  | RP709 velcro(hard)-- customer-supplied                                         | 2.5*7cm                                    | piece | 2        |             |
| 39120257000002  | RP709 velcro(hard)-- customer-supplied                                         | total 42 meters of a budle                 | piece | 0.001667 | 子母件         |
| 39120257000001  | RP709 velcro(soft)-- customer-supplied                                         | 2.5*7cm                                    | piece | 2        |             |
| 39120257000003  | RP709 velcro(soft)-- customer-supplied                                         | 42 meters of a buckle                      | piece | 0.001667 | 子母件         |
| 35040800600000  | Battery bag/RoHS                                                               | 80*60mm (L*W)                              | piece | 1        |             |
| 3303B585B00100  | CB585 (MXT115) model label of bottom cover                                     | English/15*30mm/PET/black base silver word | piece | 1        |             |
| 3308RP709000008 | RP709Velcro specification                                                      | size: 76x76mm/80Gtwo-side offset paper     | piece | 1        |             |
| 3501B585000000  | CB585 (MXT115) color box (ROHS)                                                | size: 246x228x52/Material: box 300 gram    | piece | 1        |             |
| 3503B585000001  | CB585 (MXT115)Fast refer to the operation                                      | 159x116mm/English/80gtwo-side offset pap   | piece | 1        |             |
| 3503B585000000  | CB585 (MXT115) user manual ROHS                                                | English/117x80mm/face cover157 art paper   | piece | 1        |             |
| 3303B585000000  | CB585 (MXT115)Microphone back cover model                                      | PET/black base silver word/ size: 19.9*    | piece | 1        |             |
| 3303B581121001  | CB581shell Scutcheons (M/ROHS)                                                 | 25*10/black basewhite writer/sigle-side    | piece | 1        |             |
| 3309B585000000  | CB585CB radio color box carton bar coded                                       | size43*13mm/in triplicate/Material:Env     | piece | 3        |             |
| 33037084167600  | UC708MicrophoneshellNameplate label (MIDI                                      | PVC/length: 41.6mmwidth: 7.6mm/without     | piece | 1        |             |
| 3308T20S000000  | T20S Bluetooth headset transparent stick                                       | diameter30mm(circle)                       | piece | 2        |             |
| 3308RP709000005 | RP709 Using the vegetable parchmentROHS                                        | Materials:parchment paper/ size250x210mm   | piece | 0.5      |             |
| 91305           | MIDLANDsdhesive tape                                                           | thicker48mm/length80 meters                | piece | 0.017    |             |
| 3502B585000000  | CB585Blister boxROHS                                                           | one set                                    | piece | 1        |             |
| 3308B585000001  | CB585 Magnetic tags( customer-supplied)                                        | stick inside the Blister box               | piece | 1        |             |
| 3224B585000001  | CB585 CB radio power线 (with ) -ROHS                                            | red & black Doubling /With the fuse 3A/1   | piece | 1        |             |
|                 |                                                                                |                                            |       |          |             |
|                 |                                                                                |                                            |       |          |             |
|                 |                                                                                |                                            |       |          |             |
| 2007B585000001  | CB585CB radio Microphone                                                       |                                            |       |          |             |
| Item code       | Item Name                                                                      | Item Specification                         | Unit  | Quantity |             |
| 2001B585428001  | CB585CB radio Microphonesemi-finished pla                                      | PCB01                                      | piece | 1        |             |
| 3227B585000001  | CB-585Microphone Slingshot curve (with USB dust cover/soft/ROHS)--要外发3400B5850 |                                            | piece | 1        |             |
| 34610240701222  | *Cross recessed pan head screws (RoHS)                                         | Φ2.3*7*5PWB( silver heat treatment)        | piece | 1        |             |
| 34207080910002  | UC708MicrophoneHang buckle (ROHS)                                              | ABS black                                  | piece | 1        |             |
| 3400B585211001  | CB585Microphonebottom shell (ROHS)                                             | ABS/ black                                 | piece | 1        |             |
| 3400B585211000  | CB585Microphoneshell (ROHS)                                                    | ABS/ black                                 | piece | 1        |             |
| 36020330000001  | 250speaker mesh (RoHS)                                                         | Φ33mm                                      | piece | 1        |             |
| 34543436300001  | counterweight iron components (ROHS)                                           |                                            | piece | 2        |             |
| 34543436300000  | counterweight iron components (ROHS)--库                                        | 34*36*3                                    | piece | 3        |             |
| 39079125000000  | sponge pad (ROHS)                                                              | width9mm*length125mm* thick 1mm            | piece | 1        | 模组          |
| 3403B585030000  | CB585Microphone PTT button (ROHS)                                              | ABS/ black                                 | piece | 1        |             |
| 34057080000000  | UC708 Microphone PTT button (ROHS)                                             | silica gel                                 | piece | 1        |             |
| 3403B585050000  | CB585Microphone silicom buttonsROHS                                            | silica gel +print(▲▼)                      | piece | 1        |             |
| 34610200801211  | *Cross recessed pan head screws                                                | Φ2*8PA ( black)                            | piece | 3        |             |
| 2001B585428001  | CB585CB radio Microphone semi-finished radio                                   |                                            |       |          |             |
| Item code       | Item Name                                                                      | Item Specification                         | Unit  | Quantity |             |
| 30021026530603  | Chip capacitor102P (ROHS)                                                      | 0603±10% 50V X5R/X7R                       | piece | 3        | C1.C2.C3    |
| 30012223110603  | chip resistor2K2 (ROHS)                                                        | 0603±5% 1/10W (Yageo)                      | piece | 1        | R2          |
| 30013923110603  | chip resistor3K9 (ROHS)                                                        | 0603±5% 1/10W (Yageo)                      | piece | 1        | R1          |
| 30011023110603  | chip resistor1K (ROHS)                                                         | 0603±5% 1/10W (Yageo)                      | piece | 1        | R3          |
| 31500111300000  | 327 plug-in touch power plate (RoHS)                                           | 6*3.5mm model: SKHLLDA010                  | piece | 3        | SW1.SW2.SW3 |
| 31719745206020  | 3107/4508 Microphone (带杆pin)                                                   | 9.7*4.5mm (Φ*H) 60±2dB                     | piece | 1        | MIC1        |
| 3600B585428001  | CB585CB radio Microphone plate (ROHS)                                          | PCB01/piles number:单 piles/ size: 118.9    | piece | 1        |             |
|                 |                                                                                |                                            |       |          |             |

|                 |                                           |                                          |       |          |            |
|-----------------|-------------------------------------------|------------------------------------------|-------|----------|------------|
| 2004B585000001  | CB585Semi-finished CB radio               |                                          |       |          |            |
| Item code       | Item Name                                 | Item Specification                       | Unit  | Quantity |            |
| 2001B585411003  | CB585semi-finished CB radio transceiver   | PCB03                                    | piece | 1        |            |
| 2014B585000000  | CB585 shells sets                         |                                          | piece | 1        |            |
| 3404B581000000  | CB-581knob(ROHS)                          | ABS black                                | piece | 1        |            |
| 34630620100000  | CB radiovolume potentiometer nut (RoHS)   | M701-2.0                                 | piece | 1        |            |
| 3400B585000003  | CB-585shell(ROHS)                         | printMIDLAND加word符                       |       |          |            |
| 3400B585000000  | CB-585shell(ROHS)                         | ABS black                                | piece | 1        |            |
| 3401B583000000  | CB-583 mirro surface(ROHS)                | 亚克力/length47±0.1mm thick 0.65mm/含双       | piece | 1        |            |
| 3403B585000000  | CB-585shell buttons(ROHS)                 | silica gel ( black+print)                | piece | 1        |            |
| 34610234704211  | * cross recessed countersunk head tappin  | Φ2.3*5FA( black)                         | piece | 3        |            |
| 2001B581423000  | CB581 CB radio Knob semi-finished plate   | PCB00                                    | piece | 1        |            |
| 3600B581423000  | CB581 CB radio Knob plate (ROHS)          | PCB00/ size: 47.5*77.6mm/40PCS/2 piles   | piece | 1        |            |
| 31411032001020  | CB168Volume Knob (with power switch) -ROH | R087DONS-KQ15C6.0-A103-00A (length泰尔)    | piece | 1        |            |
| 32212000050600  | 5芯Single side band socket flat cable (RO  | AWG#24/Wire 100mm/5P/pin距2.0mm           | piece | 1        |            |
| 2001B585402001  | CB585 CB radio semi-finished press plate  | PCB01                                    | piece | 1        |            |
| 3306B585000000  | CB585(MXT115) crystle protective film (RO |                                          | piece | 1        |            |
| 39070150071010  | sponge pad ( single side of gum)          | 15*7*1mm                                 | piece | 1        |            |
| 3420B585000002  | CB585shell overlay (ROHS)                 | Spray gun metal color (color number: PM  | piece | 1        |            |
| 3420B585000001  | CB585shell overlay (ROHS)                 | ABSwhite                                 | piece | 1        | 模组         |
| 2014B581010000  | CB-581button shell components             |                                          | piece | 1        |            |
| 31912000022031  | Single side band socket flat cable (ROHS  | AWG#28, 线length60mm, 2P (red & black)    | piece | 1        |            |
| 31705000013020  | speaker ( 豊勤/ROHS)                        | Φ50/inpedance: 8Ω/3W/model : 50CP08M3    | piece | 1        |            |
| 36020450000000  | speaker mesh (用于358/359radio upper cove   | Φ45mm                                    | piece | 1        |            |
| 3400B581010000  | CB-581button shell(ROHS)                  | ABS black                                | piece | 1        | 模组         |
| 2014B581020000  | CB-581 bracket sets                       |                                          | piece | 1        |            |
| 34207080210001  | UC708 external fixed bracket (ROHS)       | ABS black                                | piece | 2        |            |
| 34207080210000  | UC708 internal fixed bracket(ROHS)        | ABS black                                | piece | 2        |            |
| 3420B581000000  | CB-581 iron bracket (ROHS)                | SPCC ( black print) T=1.6 painting pe    | piece | 1        | 模组         |
| 2014B583010000  | CB583 aluminium processing shell          |                                          | piece | 1        |            |
| 3454B583000000  | CB583 aluminium shell (ROHS)              |                                          | piece | 1        |            |
| 31981000100100  | UC708antenna head (ROHS)                  | Φ16*26.5mm SL16-KY-8A 5/8-24             | piece | 1        | 模组         |
| 34600200604321  | T6 plum blossom thread countersunk headsc | M2*6 black                               | piece | 6        |            |
| 34600200454222  | *Cross recessed pan head screws (ROHS)    | Φ2*5mmPM( silver )                       | piece | 11       |            |
| 32210500240406  | 12芯 soft flat cable (Positive and negati  | 0.5*12*40mm/线口/补强板length度: 4/4/8/8       | piece | 1        |            |
| 3224B585000000  | CB585power wire (ROHS)                    |                                          | piece | 1        |            |
| 39193680000000  | Super heat-conducting strip               | 8.5*5.5*5mm                              | piece | 2        |            |
| 2001B585414001  | CB585 CB radio USBsemi-charging plate (RO | PCB01                                    | piece | 1        |            |
| 346002050501221 | *Cross recessed pan head screws (ROHS)    | Φ2.5*5PM( black)                         | piece | 1        |            |
| 3420B585000000  | CB-585 USB Circuit board fixed piece (ROH | SPCC NI-PLATED                           | piece | 1        |            |
| 39192201000120  | Super heat-conducting strip               | 1.51*22*10MM                             | piece | 1        |            |
| 3452B585080000  | CB585Audio amplifier heat sink(ROHS)      |                                          | piece | 1        |            |
| 36047080011000  | UC708 Microphone cover A(ROHS)            | sponge / inner diameter Φ9.2±0.2mm/ou    | piece | 1        |            |
| 32220504000000  | Φ5 Tin-coated line (ROHS)                 | Φ0.5*40mm                                | piece | 1        |            |
| 2001B585402001  | CB585 CB radio semi-finished press plate  | (ROHS)                                   |       |          |            |
| Item code       | Item Name                                 | Item Specification                       | Unit  | Quantity |            |
| 2009B585402001  | CB585 CB radio semi-finished press plate  | PCB01                                    | piece | 1        |            |
| 3601B585000001  | CB585 crystle (ROHS)                      | GDS-FF-3216WP/ shape size12*49.5/45 SQMM | piece | 1        | DS1        |
| 3402B581000000  | CB581 Back plate component (ROHS)         | 49*12*2.5mm/±2mm                         | piece | 1        |            |
| 2009B585402001  | CB585 CB radio semi-finished press plate  | (patch/ROHS)                             |       |          |            |
| Item code       | Item Name                                 | Item Specification                       | Unit  | Quantity |            |
| 3600B585402001  | CB585 CB radio press plate (ROHS)         | PCB01/piles number:2 piles/ size: 69.3*9 | piece | 1        |            |
| 30021026530603  | Chip capacitor102P (ROHS)                 | 0603±10% 50V X5R/X7R                     | piece | 2        | C1. C4     |
| 30022256530603  | Chip capacitor225P (RoHS)                 | 0603±10% 10V                             | piece | 1        | C2         |
| 30021036530603  | Chip capacitor103P (ROHS)                 | 0603±10% 50V X5R/X7R                     | piece | 3        | C3. C5. C6 |
| 30021049500603  | Chip capacitor104P (ROHS)                 | 0603±10% 50V X5R/X7R                     | piece | 1        | C7         |
| 31920500700001  | Patch single 12 core (Lift the cover unde | 0.5*12P                                  | piece | 1        | J1         |
| 30130700000603  | patch Light emitting diode trichromatic   | 0603/HQ19-2333BGRC                       | piece | 2        | LED3. LED4 |
| 3020DTC1144181  | chip triodeDTC114EETL/RoHS                | SOT-523                                  | piece | 3        | Q1. Q2. Q3 |

子母件

子件

模组

子件

模组

模组

模组

|                |                                                      |                                          |       |           |                                                                                        |
|----------------|------------------------------------------------------|------------------------------------------|-------|-----------|----------------------------------------------------------------------------------------|
| 30011033110603 | chip resistor10K (ROHS)                              | 0603±5% 1/10W (Yageo)                    | piece | 7         | R1. R3. R6. R9. R10. R13. R14                                                          |
| 30011023110603 | chip resistor1K (ROHS)                               | 0603±5% 1/10W (Yageo)                    | piece | 1         | R2. R7                                                                                 |
| 30014723110603 | chip resistor4K7 (ROHS)                              | 0603±5% 1/10W(Yageo)                     | piece | 2         | R4. R8                                                                                 |
| 30011013110603 | chip resistor101R (ROHS)                             | 0603±5% 1/10W (Yageo)                    | piece | 4         | R5. R15. R16. R17                                                                      |
| 31500101200000 | patch touch power (826) ROHS                         | 6*3.5*5mm                                | piece | 4         | SW1. SW2. SW3. SW4                                                                     |
| 3030TM17220000 | patch LCD driver chip TM1722 (ROHS)                  | SOP-24                                   | piece | 1         | U1                                                                                     |
| 2001B585414001 | CB585 CB radio USBsemi-charging plate (ROHS)         |                                          |       |           |                                                                                        |
| Item code      | Item Name                                            | Item Specification                       | Unit  | Quantity  |                                                                                        |
| 2009B585414001 | CB585 CB radio USBsemi-charging plate (patch/ROHS)   | PCB01                                    | piece | 1         |                                                                                        |
| 31042277220808 | Plug-in electrolytic capacitor220uF (RoHS)           | 6.3*7mm±20% 16V                          | piece | 1         | E2                                                                                     |
| 31044757120406 | Plug-in electrolytic capacitor4uF7 (diffi)           | 4*6mm ±20% 10V                           | piece | 1         | E3                                                                                     |
| 3194UT770M0000 | Plug-in USB socket (ROHS)                            | KL-UAF-05                                | piece | 1         | USB1                                                                                   |
| 3191B585000000 | CB585 flat cable ROHS                                | 4P separation distance2.0mm, AWG #24 lan | piece | 1         |                                                                                        |
| 2009B585414001 | CB585 CB radio USBsemi-charging plate (patch/ROHS)   |                                          |       |           |                                                                                        |
| Item code      | Item Name                                            | Item Specification                       | Unit  | Quantity  |                                                                                        |
| 3600B585414001 | CB585Car charger plate(ROHS)                         | PCB01/piles number:2 piles/ size: 171*82 | piece | 1         |                                                                                        |
| 30021059500603 | Chip capacitor105P (ROHS) -common use                | 0603±10% 16V X5R/X7R                     | piece | 1         | C1                                                                                     |
| 30021049500603 | Chip capacitor104P (ROHS)                            | 0603±10% 50V X5R/X7R                     | piece | 2         | C2. C3                                                                                 |
| 3010SS340014AA | patch Schottky diodeSS34(ROHS)                       | SMA D0-214AA 3A/40V                      | piece | 1         | D1                                                                                     |
| 30022260001206 | Chip capacitor226P(ROHS)                             | 1206 X5R ±10% 16V                        | piece | 1         | E1                                                                                     |
| 30066820001000 | patchHigh Current Power Inductors6.8uH- (            | 10*10.2*4.2MM                            | piece | 1         | L1                                                                                     |
| 30010003311206 | chip resistor0R(ROHS)                                | 1206±5% 1/4W                             | piece | 1         | R1                                                                                     |
| 30013933110603 | chip resistor39K (ROHS)                              | 0603±5% 1/10W(Yageo)                     | piece | 1         | R2                                                                                     |
| 30016833110603 | chip resistor68K (ROHS)                              | 0603±5% 1/10W                            | piece | 1         | R3                                                                                     |
| 30014733110603 | chip resistor47K (ROHS)                              | 0603±5% 1/10W(Yageo)                     | piece | 2         | R4. R5                                                                                 |
| 30011023110603 | chip resistor1K (ROHS)                               | 0603±5% 1/10W (Yageo)                    | piece | 2         | R6. R7                                                                                 |
| 3030X8512C1000 | CX8812powerIC(ROHS)                                  | SOP-8/5V 3.1A                            | piece | 1         | U1                                                                                     |
| 2001B585411003 | CB585semi-finished CB radio transceiver (ROHS)       |                                          |       |           |                                                                                        |
| Item code      | Item Name                                            | Item Specification                       | Unit  | Quantity  |                                                                                        |
| 31043377321012 | Plug-in electrolytic capacitor330uF-ROHS             | 8*11.5mm ±20% 25V                        | piece | 4         | E1. E4. E5. E9                                                                         |
| 31041067220511 | Plug-in electrolytic capacitor10uF                   | 5*11mm ±20% 16V                          | piece | 1         | E2                                                                                     |
| 31044777421013 | Plug-in electrolytic capacitor470uF (ROHS)           | 10*13mm ±20% 35V                         | piece | 1         | E3                                                                                     |
| 31041077220607 | Plug-in electrolytic capacitor100uF(ROHS)            | 6.3*7mm ±20% 16V                         | piece | 1         | E8                                                                                     |
| 31044767420608 | Plug-in electrolytic capacitor47uF(ROHS)             | 6.3*8mm ±20% 35V                         | piece | 1         | E10                                                                                    |
| 3030UTC1517000 | UTC1517Plug-in audio power amplifierIC (R            | DIP-18-300                               | piece | 1         | U1                                                                                     |
| 31933500001132 | 4 pim plug-in headset socket(ROHS)                   | PJ3270 Φ3.5mm                            | piece | 1         | J3                                                                                     |
| 31922000051001 | plug-in no core socket (ROHS)                        | 2.0*5P                                   | piece | 1         | J1                                                                                     |
| 31972600100000 | Plug-in RJ11 network interface (ROHS) -Ba            | 6pin/90° /Y5722-6P6C                     | piece | 1         | J4                                                                                     |
| 31060000003508 | Plug-in magnetic bead inductance1.8uH(ROH            | WBRH-35908                               | piece | 2         | L8. L10                                                                                |
| 2009B585411003 | CB585semi-finished CB radio transceiver              | PCB03                                    | piece | 1         |                                                                                        |
| 2009B585411003 | CB585semi-finished CB radio transceiver (patch/ROHS) |                                          |       |           |                                                                                        |
| Item code      | Item Name                                            | Item Specification                       | Unit  | Quantity  |                                                                                        |
| 2009B585411003 | CB585semi-finished CB radio transceiver              | PCB03                                    |       |           |                                                                                        |
| Item code      | Item Name                                            | Item Specification                       | Unit  | Quantity  | 插件1                                                                                    |
| 300220A2510603 | Chip capacitor2P (ROHS)                              | 0603±0.25P 50V COG/NPO                   | piece | 1.000000  | C26                                                                                    |
| 30022205510603 | Chip capacitor22P (ROHS)                             | 0603±5% 50V COG/NPO(Murata)              | piece | 2.000000  | C5. C6                                                                                 |
| 30024705510603 | Chip capacitor47P (ROHS)                             | 0603±5% 50V COG/NPO (Murata)             | piece | 1.000000  | C25                                                                                    |
| 30024715510603 | Chip capacitor471P (ROHS)                            | 0603±5% 50V COG/NPO                      | piece | 9.000000  | C47. C55. C64. C67. C104. C105. C108. R40. C141                                        |
| 30021015510603 | Chip capacitor101P (ROHS)                            | 0603±5% 50V COG/NPO                      | piece | 4.000000  | C3. C103. C148. C149                                                                   |
| 30021026530603 | Chip capacitor102P (ROHS)                            | 0603±10% 50V X5R/X7R                     | piece | 23.000000 | C7. C24. C33. C35. C36. C37. C39. C45. C56. C58. C68. C72. C73. C75. C76. C81. C82. C9 |
| 30021036530603 | Chip capacitor103P (ROHS)                            | 0603±10% 50V X5R/X7R                     | piece | 12.000000 | 2. C94. C95. C99. C112. C111                                                           |
|                |                                                      |                                          |       |           | C9. C30. C31. C34. C65. C71. C91. C100. C113. C125. C145. C110                         |
|                |                                                      |                                          |       |           | C27. C28. C29. C38. C40. C46. C50. C51. C54. C61. C66. C89. C90. C93. C109. C114. C11  |
| 30021049500603 | Chip capacitor104P (ROHS)                            | 0603±10% 50V X5R/X7R                     | piece | 33.000000 | 5. C116. C118. C119. C120. C121. C123. C124. C126. C128. C129. C130. C134. C135. C1    |
| 30021046530805 | Chip capacitor104P (ROHS)                            | 0805±10% 50V X5R/X7R                     | piece | 1.000000  | 36. C144. C140                                                                         |
| 30021059500603 | Chip capacitor105P (ROHS) -common use                | 0603±10% 16V X5R/X7R                     | piece | 6.000000  | C41                                                                                    |
|                |                                                      |                                          |       |           | C42. C43. C49. C60. C96. C98                                                           |

|                |                                           |                                         |       |           |                                                                 |
|----------------|-------------------------------------------|-----------------------------------------|-------|-----------|-----------------------------------------------------------------|
| 30023305510805 | Chip capacitor33P                         | 0805±5% 50V COG/NPO                     | piece | 1.000000  | C44                                                             |
| 30021205510603 | Chip capacitor12P (ROHS)                  | 0603±5% 50V COG/NPO(Murata)             | piece | 1.000000  | C57                                                             |
| 30021002510603 | Chip capacitor10P (ROHS)                  | 0603±0.5P 50V COG/NPO                   | piece | 1.000000  | C59                                                             |
| 30041066030805 | Chip capacitor106P (ROHS) -common use/对   | 0805±10% 10V                            | piece | 8.000000  | C74. C122. C127. C133. C137. E6. C22. C70                       |
| 30011013110603 | chip resistor101R (ROHS)                  | 0603±5% 1/10W (Yageo)                   | piece | 4.000000  | R1. R41. R43. R66                                               |
| 30024759101206 | Chip capacitor475P (ROHS)                 | 1206+80%-20% 16V                        | piece | 1.000000  | C117                                                            |
| 300290A2510603 | Chip capacitor9P (ROHS)                   | 0603±0.25P 50V COG/NPO                  | piece | 2.000000  | C131. C132                                                      |
| 3010A592000805 | chip diodeBA592/ROHS-take placeHVU131     | SOD-323                                 | piece | 3.000000  | D1. D2. D4                                                      |
| 3010AV99W14080 | chip diodeBAV99W(ROHS)                    | SOD-323 (PHILIPS)                       | piece | 1.000000  | D3                                                              |
| 3010S40000D523 | chip power diode1SS400 (RoHS)             | SOD-523, EMD2, MARKING: A               | piece | 1.000000  | D5                                                              |
| 30105408001206 | chip diode5408(ROHS)                      | 1206                                    | piece | 1.000000  | D6                                                              |
| 30104148000805 | chip diodeLL4148-ROHS                     | 0805                                    | piece | 2.000000  | D7. D16                                                         |
| 3020BAV7014080 | chip triodeBAV70(ROHS)                    | SOT323                                  | piece | 1.000000  | D8                                                              |
| 3010S111010603 | chip diode MA2S111(4148/RoHS)             | SOD-523/ (0603)                         | piece | 1.000000  | D9                                                              |
| 30011533110603 | chip resistor15K (ROHS)                   | 0603±5% 1/10W (Yageo)                   | piece | 2.000000  | R2. R96                                                         |
| 30011053110603 | chip resistor1M (ROHS)                    | 0603±5% 1/10W                           | piece | 2.000000  | R70. R113                                                       |
| 30012213110603 | chip resistor221R (ROHS)                  | 0603±5% 1/10W (Yageo)                   | piece | 3.000000  | R4. R23. R24                                                    |
| 30012243110603 | chip resistor220K (ROHS)                  | 0603±5% 1/10W (Yageo)                   | piece | 1.000000  | R108                                                            |
| 30011023110603 | chip resistor1K (ROHS)                    | 0603±5% 1/10W (Yageo)                   | piece | 12.000000 | R6. R29. R60. R89. R104. R105. R109. R110. R115. R116. R55. R79 |
| 30011043110603 | chip resistor100K (ROHS)                  | 0603±5% 1/10W (Yageo)                   | piece | 1.000000  | R46                                                             |
| 30013313110603 | chip resistor331R (ROHS)                  | 0603±5% 1/10W                           | piece | 1.000000  | R8                                                              |
| 30014703210805 | chip resistor47R(ROHS)                    | 0805±5% 1/8W                            | piece | 3.000000  | R9. R10. R11                                                    |
| 30016823110603 | chip resistor6K8 (ROHS)                   | 0603±5% 1/10W                           | piece | 1.000000  | R12                                                             |
| 30014733110603 | chip resistor47K (ROHS)                   | 0603±5% 1/10W(Yageo)                    | piece | 7.000000  | R13. R45. R47. R106. R107. R52. R62                             |
| 30013333110603 | chip resistor33K (ROHS)                   | 0603±5% 1/10W(Yageo)                    | piece | 2.000000  | R14. R31                                                        |
| 30014713110603 | chip resistor471R(ROHS)                   | 0603±5% 1/10W (Yageo)                   | piece | 3.000000  | R15. R30. R37                                                   |
| 30010003110603 | chip resistor0R (ROHS)                    | 0603±5% 1/10W (Yageo)                   | piece | 7.000000  | R18. R22. R39. R83. R73. R78. R16                               |
| 30011033110603 | chip resistor10K (ROHS)                   | 0603±5% 1/10W (Yageo)                   | piece | 12.000000 | R20. R26. R32. R33. R53. R77. R84. R111. R112. R114. R63. R72   |
| 30012203110603 | chip resistor22R (ROHS)                   | 0603±5% 1/10W (Yageo)                   | piece | 3.000000  | R27. R49. R50                                                   |
| 30018223110603 | chip resistor8K2(ROHS)                    | 0603±5% 1/10W                           | piece | 1.000000  | R28                                                             |
| 30011223110603 | chip resistor1K2 (ROHS)                   | 0603±5% 1/10W                           | piece | 1.000000  | R34                                                             |
| 30012223110603 | chip resistor2K2 (ROHS)                   | 0603±5% 1/10W (Yageo)                   | piece | 6.000000  | R35. R56. R57. R65. R101. R102                                  |
| 30015603110603 | chip resistor56R (ROHS)                   | 0603±5% 1/10W                           | piece | 2.000000  | R36. R38                                                        |
| 300102A1011206 | SMD precision resistor0R2                 | 1206±1% 1/2W (RLC32-R200FTP)            | piece | 4.000000  | R42. R44. R51. R54                                              |
| 30011243110603 | chip resistor120K (ROHS)                  | 0603±5% 1/10W (Yageo)                   | piece | 2.000000  | R91. R48                                                        |
| 30011541120603 | SMD precision resistor150K (ROHS)         | 0603±1% 1/10W                           | piece | 7.000000  | R59. R61. R64. R71. R87. R92. R19                               |
| 30014723110603 | chip resistor4K7 (ROHS)                   | 0603±5% 1/10W(Yageo)                    | piece | 3.000000  | R67. R74. R75                                                   |
| 30013933110603 | chip resistor39K (ROHS)                   | 0603±5% 1/10W(Yageo)                    | piece | 1.000000  | R90                                                             |
| 30011003210805 | chip resistor10R (ROHS)                   | 0805±5% 1/8W (Yageo)                    | piece | 6.000000  | R94. R95. R98. R99. R100. R103                                  |
| 30017533110603 | chip resistor75K                          | 0603±5% 1/10W                           | piece | 1.000000  | R97                                                             |
| 3030DA1846S000 | SMT chipAT1846S (ROHS)                    | QFN-32                                  | piece | 1.000000  | U2                                                              |
| 3030JM29046000 | SMT blockNJM2904V-ROHS (manufacturer: JRC | SSOP-8                                  | piece | 1.000000  | U4                                                              |
| 303024C64A1000 | SMT blockFT24C64A (ROHS)                  | SOP-8                                   | piece | 1.000000  | U5                                                              |
| 3031078L082040 | Patch three-terminal regulator tubeCJ78L0 | SOT-89-3L                               | piece | 1.000000  | U6                                                              |
| 3030MB95F63611 | SMT blockMB95F636KPMC-G-SNE2 (ROHS)       | LQFP-32/Workshop burning/CB585 software | piece | 1.000000  | U7                                                              |
| 316013000330D6 | patch removing crystal 13.00MHz(VCTCX0)-R | 3225/KDSbrand                           | piece | 1.000000  | X1                                                              |
| 316016000330D0 | SMD crystal 16MHZ (RoHS)                  | 5032 9PF ±10PPM                         | piece | 1.000000  | X2                                                              |
| 3020SC42264022 | chip triode2SC4226 (R25)/RoHS             | SOT-323                                 | piece | 2.000000  | Q4. Q5                                                          |
| 3021AF09MS015  | The patch field effect tubeAFT09MS015NT1  | PLD-1.5W-2/136-94 MHz 16W 12.5V         | piece | 1.000000  | Q6                                                              |
| 30200ORD012000 | Push pipe RD01MUS2-T113-ROHS              | SOT-89                                  | piece | 1.000000  | Q7                                                              |
| 3020A1576A4210 | chip triode2SA1576A (ROHS) -placed30202SP | SOT-323                                 | piece | 3.000000  | Q8. Q18. Q20                                                    |
| 3020BC847C4000 | chip triodeBC847CW (RoHS)                 | SOT-323                                 | piece | 3.000000  | Q2. Q3. Q10                                                     |
| 3020BFG5200000 | chip triodeBFG520 (ROHS)                  | SOT-143B/N36                            | piece | 1.000000  | Q1                                                              |
| 30061010050603 | SMT magnetic bead inductance101RT-ROHS    | 0603 inpedance: 101R                    | piece | 4.000000  | L26. L27. L28. L41                                              |
| 30062226030603 | strips laminated inductance 2nH2-ROHS     | 0603 ±0.3                               | piece | 1.000000  | L20                                                             |
| 30068223030603 | 'strips laminated inductance 8nH2(ROHS)   | 0603 ±5%                                | piece | 1.000000  | L19                                                             |
| 30061053011008 | Patch wire wound inductorsluH-ROHS/顺络     | 1008 ±5%                                | piece | 1.000000  | L18                                                             |
| 30070501505001 | chip inductor5T (UC708) /ROHS             | GW3730/18.5NH                           | piece | 1.000000  | L17                                                             |
| 30021805510805 | Chip capacitor18P                         | 0805±5% 50V COG/NPO                     | piece | 1.000000  | L16                                                             |

## MXT115 BOM

|                |                                           |                                          |       |          |                              |
|----------------|-------------------------------------------|------------------------------------------|-------|----------|------------------------------|
| 30061010050805 | SMT magnetic bead inductance101RT-ROHS    | 0805 inpedance: 101R                     | piece | 5.000000 | L15. L22. L29. L30. L31      |
| 300618330R0805 | Patch wire wound inductors18nH(high frequ | 0805 ±5%                                 | piece | 2.000000 | L11. L12                     |
| 30063343010805 | Patch wire wound inductors330NH (ROHS)    | 0805                                     | piece | 1.000000 | L9                           |
| 30065633030603 | strips laminated inductance 56nH (ROHS)   | 0603 ±5%                                 | piece | 1.000000 | L7                           |
| 30061833010603 | Patch wire wound inductors18nH(high frequ | 0603 ±5%                                 | piece | 1.000000 | L6                           |
| 30062743010603 | Patch wire wound inductors270NH (ROHS)    | 0603                                     | piece | 1.000000 | L5                           |
| 30070501504002 | chip inductor4T (UC708)/ROHS              | GW3730/12.5NH                            | piece | 3.000000 | L2. L4. L3                   |
| 30070501503002 | chip inductor3T (UC708) /ROHS             | GW3730/8NH                               | piece | 2.000000 | L1. L13                      |
| 30061043020603 | patch hf wire wound inductors100nH (RoHS  | 0603 ±5%                                 | piece | 2.000000 | L24. L25                     |
| 30042256110805 | Chip capacitor225P (ROHS)                 | 0805±10% 10V                             | piece | 1.000000 | E7                           |
| 3021SK18241010 | The patch field effect tube2SK1824/ROHS   | SOT-523                                  | piece | 1.000000 | Q9                           |
| 3020SC41814010 | chip triode2SC4181 (Use 3020KTC4075Y00 af | SOT-323                                  | piece | 1.000000 | Q13                          |
| 3020DTC1144181 | chip triodeDTC114EETL/RoHS                | SOT-523                                  | piece | 6.000000 | Q14. Q15. Q19. Q21. Q11. Q22 |
| 30311P362R7000 | Patch low dropout voltage regulator tubeX | (3.6V) SOT-89                            | piece | 1.000000 | Q16                          |
| 3031078L052040 | Patch three-terminal regulator tubeCJ78L0 | SOT-89-3L                                | piece | 2.000000 | Q17. Q23                     |
| 300250A2510805 | Chip capacitor5P (ROHS)                   | 0805±0.25P 50V COG/NPO                   | piece | 3.000000 | C77. C88. C23                |
| 3600B585411003 | CB585CB radio transceiver (ROHS)          | PCB03/piles number:4 piles/ size: 206*93 | piece | 1.000000 |                              |
| 31920500700001 | Patch single 12 core (Lift the cover unde | 0.5*12P                                  | piece | 1.000000 | J7                           |
| 30021505510603 | Chip capacitor15P (ROHS)                  | 0603±5% 50V COG/NPO                      | piece | 1.000000 | C69                          |
| 30061010051812 | SMT magnetic bead inductance101RT (ROHS)  | 1812                                     | piece | 1.000000 | L14                          |
| 30012723110603 | chip resistor2K7 (ROHS)                   | 0603±5% 1/10W (Yageo)                    | piece | 1.000000 | R68                          |
| 31922000021010 | plug-in 2 cores socket (ROHS)             | 2.0*2P                                   | piece | 1.000000 | SPK1                         |
| 3020DTA114B001 | chip triodeDTA114EE (RoHS)                | SOT-523                                  | piece | 2.000000 | T24. Q12                     |
| 300210A1510805 | Chip capacitor1P                          | 0805±0.1P 50V COG/NPO                    | piece | 1.000000 | C4                           |
| 300290A2510805 | Chip capacitor9P                          | 0805±0.25P 50V COG/NPO                   | piece | 1.000000 | C20                          |
| 30021805510603 | Chip capacitor18P (ROHS)                  | 0603±5% 50V COG/NPO (Murata)             | piece | 1.000000 | C97                          |
| 30012043110603 | chip resistor200K                         | 0603±5% 1/10W                            | piece | 2.000000 | R3. R17                      |
| 30085033003040 | chip adjustable resistor50K (ROHS)        | 4.0*3.0*1.6mm (EVM3GSX50B54)             | piece | 1.000000 | RV1                          |
| 3004106623A001 | Chip capacitor106P-ROHS (manufacturer: Ya | 1206 ±10% 16V Material: X7R              | piece | 2.000000 | C142. C143                   |
| 30021505510805 | Chip capacitor15P                         | 0805±5% 50V COG/NPO                      | piece | 1.000000 | C87                          |
| 30011043210805 | chip resistor100K                         | 0805±5% 1/8W                             | piece | 1.000000 | R7                           |
| 30024715510805 | Chip capacitor471P (ROHS)                 | 0805±5% 50V COG/NPO                      | piece | 1.000000 | C2                           |
| 300230A2510805 | Chip capacitor3P                          | 0805±0.25P 50V COG/NPO                   | piece | 2.000000 | C8. C19                      |
| 300220A2510805 | Chip capacitor2P                          | 0805±0.25P 50V COG/NPO                   | piece | 1.000000 | C10                          |
| 34526607070000 | 6607Intercom fin                          |                                          | piece | 1.000000 |                              |
| 30041066010603 | Chip capacitor106P (ROHS)                 | 0603±20% 6V3                             | piece | 5.000000 | R69. C101. C102. C106. C107  |