

Intertek Testing Services


RF VOLTAGE

EUT: WUB1500
Manuf: AboCom
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:835418/012
Date: ^{1.20V} ~~1.2V~~ 60Hz 22°C 60%RH transmitted at low channel
_{copy} 10. Apr 02 15:11

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: WUB1500
Manuf: AboCom
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:835418/012
Date: ^{120V} ~~12V~~ 60Hz 22°C 60%RH transmitted at low channel
_{10µm} 10. Apr 02 15:04

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WUB1500
Manuf: AboCom
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:835418/012
Date: ^{120V} _{120V} 10. Apr 02 15:17
~~12V~~ 60Hz 22°C 60%RH transmitted at middle channel

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: WUB1500
Manuf: AboCom
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:835418/012
Date: ^{170V} _{109V} 10. Apr 02 15:23
^{±2V} 60Hz 22'C 60%RH transmitted at middle channel

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: WUB1500
Manuf: AboCom
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:835418/012
Date: ^{170V} ~~10V~~ 10. Apr 02 15:34
_{10V} ±2V 60Hz 22°C 60%RH transmitted at high channel

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services
RF VOLTAGE

EUT: WUB1500
Manuf: AboCom
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: SN:835418/012
Date: ^{120V} ~~12V~~ 60Hz 22'C 60%RH transmitted at high channel
10. Apr 02 15:29

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s

