

Rhein Tech Laboratories, Inc.
360 Herndon Parkway
Suite 1400
Herndon, VA 20170
<http://www.rheintech.com>

Client: Vocollect, Inc.
Model: T2X/TT-601_R WF
Standards: FCC 15.247 & RSS-210
FCC ID: MQOTT601-10000
Report #: 2006053

Appendix E: Label and Label Location

Please refer to the following pages for a sample of the label and location.

A

DWG.
REV.

I000470

C

B

A

6

5

4

3

2

1

REVISIONS				
REV	ECO NO	DESCRIPTION	REV BY/DATE	APVD BY/DATE
A	?	INITIAL RELEASE	DMW 01 JUN 06	CI 01 JUN 06

SPECIFICATIONS

1.0 PART NUMBER: I000470

2.0 MATERIAL (SEE 2.1 THRU 2.5 BELOW)

2.1 TYPE: WHITE TRANS-THERMAL (THERMAL PAPER W/PSA) OR EQUIV

2.2 COLOR: BASE: BLACK
NOMENCLATURE: WHITE
FIELDS: WHITE

2.3 FINISH: NONE

2.4 ADHESIVE: 3M 467 2MIL OR EQUIV

2.5 MUST CONTAIN NO PARAMAGNETIC SUBSTANCES

3.0 SIZE: AS SHOWN

4.0 FORM: ROLL

5.0 CERTIFICATION: CERTIFICATION IS NOT REQUIRED WITH SHIPMENT, A PACKING LIST WILL SUFFICE PROVIDED IT CONTAINS THE FOLLOWING INFORMATION:

5.1 VOCOLLECT PART NUMBER AND REVISION LEVEL

5.2 PURCHASE ORDER NUMBER

5.3 QUANTITY SHIPPED

5.4 DATE SHIPPED

6.0 SPECIAL CONSIDERATIONS: ANY DEVIATION TO THIS SPECIFICATION WILL NOT BE ACCEPTED WITHOUT WRITTEN APPROVAL FROM VOCOLLECT, INC.

7.0 ARTWORK FOR REFERENCE ONLY, USE AGENCY SUPPLIED ARTWORK.

Vocollect Inc. Pittsburgh, PA
Made in U.S.A

FCC ID: MQOTT601-10000

IC: 2570A-TT601100

S/N:

PART-REV:

MODEL:

BLACK

FONT HT .07"
WHITE

Font ht .04"
White

Font HT .05
WHITE

DECEMBER 9, 2008

R0.08

0.10 TYP

1.98

1.67

1.00

1.20

FC

RoHS
2002/95/EC

CE 0336

FIELD WHITE

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED		APPROVALS		DATE	
		DRAWN BY D WAXLER		01 JUN 06	
		RESP ENGINEER C IBARRA		01 JUN 06	
X	+/-0.015	DRAWING NOTES UNLESS OTHERWISE SPECIFIED: D1) DWG TO BE INTERPRETED PER ANSI Y14.5. D2) DO NOT SCALE DRAWING. D3) PRO/E CAD DRAWING, NO MANUAL CHANGES PERMITTED. D4) ORTHOGRAPHIC PROJECTIONS ARE THIRD ANGLE. D5) REVISIONS CHANGES ARE INDICATED BY TRIANGLED LETTERS. D6) BREAK & DEBURR ALL SHARP EDGES EXCEPT AS NOTED. D7) TOLERANCES & LIMITS APPLY OVER ADDITIVE FINISH. D8) RMS FINISH 32 /EXCEPT AS NOTED.			
XX	+/-0.010				
XXX	+/-0.005				
FRAC	0-6 +/-1/32 6-UP +/-1/16				
ANGLE	+/-0.5°				
NOM HOLE SIZE ---- TOL					
Ø.000-.080	+/-0.002/-/.002				
Ø.081-.100	+/-0.003/-/.002				
Ø.101-.300	+/-0.004/-/.003				
Ø.301-.500	+/-0.005/-/.003				
Ø.501-.700	+/-0.006/-/.004				
Ø.701-.900	+/-0.007/-/.005				
Ø.901- UP	STD FAB TOL				

USE OR REPRODUCTION OF THIS DRAWING OR THE INFORMATION CONTAINED HEREIN FOR THE PURPOSE OF MANUFACTURING THE ARTICLE OR ARTICLES SHOWN OR ANY OTHER PURPOSE IS EXPRESSLY PROHIBITED EXCEPT ON WRITTEN PERMISSION OF VOCOLLECT.		DWG TITLE LABEL, ROHS T2X TERMINAL, S/N, REGULATORY AND COUNTRY		DRAWING NO. I000470		DWG. REV. A	
SCALE: 2/I		C		I000470		A	
				SHEET NO 1 OF 1			

ID Label Location

