

CHIP AND PIN MOBILE PAYMENT DEVICE XCE_E25C / XCE-25-C

INSTALLATION GUIDE



1. BEFORE STARTING

On the top of xCE_E25C (also called xCE-25-C), there is a micro USB port and reset pin hole (Figure 1) covered under the protection cover (Figure 2); this port is used for battery charging, debugging, firmware update and key injection.

NOTE: The battery of xCE_E25C is built-in and rechargeable.



Figure 1



Figure 2

- Operating Temperature: 0°C to 40°C
- Battery Pack: 3.7V, 1050mAh
- Input: 5V, 500mA

2. POWER ON/OFF THE DEVICE

Pressing the power button once, battery capacity will be displayed.

To power on the device, press and hold the Power key for five seconds until the buzzer sound is heard, and screen is activated.

To power off the device, press and hold the Power key for five seconds until the buzzer sound is heard, and screen becomes blank.



Figure 3

NOTE: xCE_E25C will power off itself automatically if unused for 5 minutes.

3. CONNECTING TO SMART DEVICES

Once xCE_E25C is powered on, Bluetooth will be searchable. From the connecting device's Bluetooth settings, pair and connect to xCE_E25C.

4. USING THE MAGNETIC CARD READER

Find the magnetic card reader slot on the right side of the device (Figure 4). Swipe the card

through the slot with magnetic stripe side facing the same direction as the keypad (Figure 5).



Figure 4



Figure 5

5. USING THE IC CARD READER

Find the IC card reader slot on the bottom of the device (Figure 6). Insert an IC card into the slot with the chip side facing the same direction as the keypad (Figure 7).









6. USING THE CONTACTLESS CARD READER

Place the contactless card on top of the contactless logo (Figure 8).



Figure 8

7. USING THE KEY PAD

Press Cancel(X) key to terminate any current function and press the Enter(O) key to confirm a value or an option. Press the numeric key to enter the desirable numbers.

FEDERAL COMMUNICATION COMMISSION INTERFERENCE STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note:This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement:

The product comply with the FCC portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

CAUTION

RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.



XAC Automation Corporation 886-3-577-2738 www.xac.com.tw

The above information is the exclusive intellectual property of XAC Automation Corporation and shall not be disclosed, distributed or reproduced without permission of XAC Automation Corporation.

XAC AUTOMATION CORP. shall not be held liable for technical and editorial omissions or errors made herein; nor for incidental or consequential damages resulting from the furnishing, performance or use of his material.