

P/N 189334000

First Data
 MODEL: FD-35-ZKA
 RATED: 5 VDC === 500 mA
 H/N: XXXXXXXXXXXXXXXX
 P/N: XXXXXXXXXXXX

TUV Rheinland
 PCI Approved
 PIN Entry Device
 PINPAD FD-35
 PCI Approval No.: X-XXXXX

FCC
 FCC ID: MOT-FD35
 ICES-003 Class A

CE
 Made in China

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.


Printed by XAC,

49.70±0.1

35.0±0.1

R0.75

LINER, ROLL TYPE (NOTE 5)



LABEL AND LINER ASS'Y

TABLE

P/N	MODEL
001731064	FD-35
001753064	FD-35-ZKA

NOTES

- 1.) SURFACE MATERIAL: PET 0.05mmTHK.(+/-10%) WITH BACK ACRYLIC ADHESIVE.
- 2.) PRINT: PERMANENT BLACK OPAQUE INK.
- 3.) FINISH: SURFACE WITH PET COATING.
- 4.) TOTAL THICKNESS TO BE 0.13±0.02mm.
- 5.) LINER SPEC: ROLL TYPE, GLASSING PAPER, 82 gm/㎡ (REF.) SURFACE WITH SILICON COATING.
- 6.) LABEL MARKING TO COMPLY WITH UL'S RECOGNIZED COMPONENT MARKING AND LABELING SYSTEMS. ALL LABEL MATERIAL AND ADHESIVE MUST BE UL COMPLIANT/CERTIFIED.
- 7.) FINISHED: MEET XAC'S RoHS REQUIREMENT
- 8.) BLANK LABEL USE: P/N XXXXXXXXX
- 9.) MODEL & H/N & P/N: TEXT HEIGHT 1.1MM
 H/N: For Hardware Number(PCI Requirement)

				UNLESS OTHERWISE SPECIFIED TOLERANCES ARE :		MODEL NO FD-35		0 ← mm → 20		XAC XAC Automation Corp. A Partner You Can Trust	
				X. ±0.35 ANGLE ±0.5° .X ±0.20 RADIUS R0.5 .XX ±0.10 .XXX±0.05		APPROVED		DATE		DO NOT SCALE DRAWING	
				MATERIAL : SEE NOTE		CHECKED		DATE		TITLE LABEL ASS'Y RATING FD35(ROHS)	
				FINISH : SEE NOTE		DESIGNER KEVIN YANG		DATE 2011/07/08		THIRD ANGLE PROJECTION PAPER SIZE: A4	
REV	LTR	DATE	EC NO.	REV.	DESCRIPTION	DESIGNER	APPROVED	DWG NO. 189334000A02		VER. A02	