




RSE TX above 1GHz Result

Appendix E.2

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT Y_4TX
Setting 96
06-K-3-10
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4568G	60.58	74.00	-13.42	7.50	3	Horizontal	277	2.04	-
AV	5.444G	48.03	54.00	-5.97	7.48	3	Horizontal	277	2.04	-
PK	5.464G	60.40	68.20	-7.80	7.52	3	Horizontal	277	2.04	-
PK	5.576G	117.20	Inf	-Inf	7.56	3	Horizontal	277	2.04	-
AV	5.5744G	105.79	Inf	-Inf	7.57	3	Horizontal	277	2.04	-
PK	5.7768G	60.57	68.20	-7.63	7.92	3	Horizontal	277	2.04	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT Y_4TX
Setting 96
06-K-3
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16012G	58.81	74.00	-15.19	16.90	3	Vertical	251	1.94	-
AV	11.16198G	45.53	54.00	-8.47	16.90	3	Vertical	251	1.94	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT Y_4TX
Setting 96
06-K-3
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15976G	58.44	74.00	-15.56	16.90	3	Horizontal	343	1.48	-
AV	11.14884G	45.43	54.00	-8.57	16.92	3	Horizontal	343	1.48	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5700MHz_TX




EUT Y_4TX
 Setting 69
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.694G	122.07	Inf	-Inf	7.93	3	Vertical	304	1.62	-
AV	5.6922G	109.95	Inf	-Inf	7.93	3	Vertical	304	1.62	-
PK	5.7258G	66.75	68.20	-1.45	7.99	3	Vertical	304	1.62	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5700MHz_TX



EUT Y_4TX
 Setting 69
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.691G	113.42	Inf	-Inf	7.93	3	Horizontal	174	1.41	-
AV	5.6916G	101.45	Inf	-Inf	7.93	3	Horizontal	174	1.41	-
PK	5.7474G	60.81	68.20	-7.39	8.02	3	Horizontal	174	1.41	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5700MHz_TX



EUT Y_4TX
 Setting 69
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40136G	58.23	74.00	-15.77	16.69	3	Vertical	331	1.49	-
AV	11.39942G	44.99	54.00	-9.01	16.69	3	Vertical	331	1.49	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5700MHz_TX



EUT Y_4TX
 Setting 69
 06-K-3
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39732G	58.32	74.00	-15.68	16.69	3	Horizontal	177	1.89	-
AV	11.39676G	44.92	54.00	-9.08	16.69	3	Horizontal	177	1.89	-




RSE TX above 1GHz Result

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 02-J-5-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	57.60	74.00	-16.40	8.45	3	Vertical	306	1.66	-
AV	5.4596G	45.81	54.00	-8.19	8.45	3	Vertical	306	1.66	-
PK	5.4692G	58.09	68.20	-10.11	8.46	3	Vertical	306	1.66	-
PK	5.7236G	128.58	Inf	-Inf	8.78	3	Vertical	306	1.66	-
AV	5.7212G	116.39	Inf	-Inf	8.78	3	Vertical	306	1.66	-
PK	5.8544G	59.88	68.20	-8.32	8.90	3	Vertical	306	1.66	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 96
06-K-3-10
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4464G	60.41	74.00	-13.59	7.48	3	Horizontal	323	1.77	-
AV	5.4548G	47.92	54.00	-6.08	7.49	3	Horizontal	323	1.77	-
PK	5.4668G	59.69	68.20	-8.51	7.52	3	Horizontal	323	1.77	-
PK	5.7104G	117.54	Inf	-Inf	7.78	3	Horizontal	323	1.77	-
AV	5.7128G	105.11	Inf	-Inf	7.79	3	Horizontal	323	1.77	-
PK	5.8784G	60.90	68.20	-7.30	8.11	3	Horizontal	323	1.77	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 96
06-K-3
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43994G	58.24	74.00	-15.76	16.66	3	Vertical	206	1.93	-
AV	11.43262G	45.05	54.00	-8.95	16.66	3	Vertical	206	1.93	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 96
06-K-3
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4343G	58.27	74.00	-15.73	16.66	3	Horizontal	220	2.29	-
AV	11.42632G	45.04	54.00	-8.96	16.67	3	Horizontal	220	2.29	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5745MHz_TX



EUT Y_4TX
 Setting 96
 02-J-5-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	62.46	68.20	-5.74	8.65	3	Vertical	57	1.58	-
PK	5.74G	128.30	Inf	-Inf	8.80	3	Vertical	57	1.58	-
AV	5.741G	116.04	Inf	-Inf	8.80	3	Vertical	57	1.58	-
PK	5.957G	59.59	68.20	-8.61	8.92	3	Vertical	57	1.58	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5745MHz_TX



EUT Y_4TX
 Setting 96
 06-K-3-10
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.585G	60.84	68.20	-7.36	7.56	3	Horizontal	350	2.07	-
PK	5.738G	115.99	Inf	-Inf	7.84	3	Horizontal	350	2.07	-
AV	5.738G	104.82	Inf	-Inf	7.84	3	Horizontal	350	2.07	-
PK	5.986G	60.73	68.20	-7.47	8.39	3	Horizontal	350	2.07	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5745MHz_TX



EUT Y_4TX
Setting 96
06-K-3
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48452G	58.36	74.00	-15.64	16.62	3	Vertical	159	1.68	-
AV	11.49876G	44.52	54.00	-9.48	16.61	3	Vertical	159	1.68	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5745MHz_TX




EUT Y_4TX
Setting 96
06-K-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49596G	58.46	74.00	-15.54	16.61	3	Horizontal	194	1.64	-
AV	11.48624G	44.40	54.00	-9.60	16.62	3	Horizontal	194	1.64	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/05/2019

5785MHz_TX




EUT Y_4TX
Setting 96
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	62.02	68.20	-6.18	8.66	3	Vertical	61	1.90	-
PK	5.79G	129.25	Inf	-Inf	8.88	3	Vertical	61	1.90	-
AV	5.793G	117.34	Inf	-Inf	8.89	3	Vertical	61	1.90	-
PK	5.93G	59.04	68.20	-9.16	8.93	3	Vertical	61	1.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

30/07/2019

5785MHz_TX



EUT Y_4TX
Setting 96
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.622G	61.38	68.20	-6.82	7.59	3	Horizontal	164	1.67	-
PK	5.794G	120.60	Inf	-Inf	7.96	3	Horizontal	164	1.67	-
AV	5.794G	109.76	Inf	-Inf	7.96	3	Horizontal	164	1.67	-
PK	5.985G	61.13	68.20	-7.07	8.39	3	Horizontal	164	1.67	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5785MHz_TX



EUT Y_4TX
Setting 96
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57732G	58.69	74.00	-15.31	16.53	3	Vertical	351	1.50	-
AV	11.57132G	45.28	54.00	-8.72	16.54	3	Vertical	351	1.50	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5785MHz_TX




EUT Y_4TX
Setting 96
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.5805G	58.25	74.00	-15.75	16.53	3	Horizontal	112	1.50	-
AV	11.57054G	45.26	54.00	-8.74	16.54	3	Horizontal	112	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

23/05/2019

5825MHz_TX




EUT_Y_4TX
 Setting 96
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.644G	62.47	68.20	-5.73	8.66	3	Vertical	36	1.51	-
PK	5.816G	125.75	Inf	-Inf	8.91	3	Vertical	36	1.51	-
AV	5.816G	114.44	Inf	-Inf	8.91	3	Vertical	36	1.51	-
PK	5.961G	59.10	68.20	-9.10	8.93	3	Vertical	36	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

30/07/2019

5825MHz_TX



EUT Y_4TX
Setting 96
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.609G	60.74	68.20	-7.46	7.57	3	Horizontal	356	1.71	-
PK	5.834G	117.84	Inf	-Inf	8.03	3	Horizontal	356	1.71	-
AV	5.833G	106.86	Inf	-Inf	8.03	3	Horizontal	356	1.71	-
PK	5.933G	60.51	68.20	-7.69	8.25	3	Horizontal	356	1.71	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5825MHz_TX



EUT Y_4TX
Setting 96
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.64538G	58.50	74.00	-15.50	16.47	3	Vertical	177	1.50	-
AV	11.64286G	44.98	54.00	-9.02	16.47	3	Vertical	177	1.50	-



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/07/2019

5825MHz_TX




EUT Y_4TX
Setting 96
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65252G	58.45	74.00	-15.55	16.47	3	Horizontal	177	1.50	-
AV	11.65534G	44.97	54.00	-9.03	16.47	3	Horizontal	177	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/05/2019

5510MHz_TX




EUT_Y_4TX
Setting 72
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	61.11	74.00	-12.89	8.45	3	Vertical	346	1.77	-
AV	5.46G	47.05	54.00	-6.95	8.45	3	Vertical	346	1.77	-
PK	5.4692G	66.93	68.20	-1.27	8.46	3	Vertical	346	1.77	-
PK	5.5142G	120.93	Inf	-Inf	8.53	3	Vertical	346	1.77	-
AV	5.504G	106.34	Inf	-Inf	8.52	3	Vertical	346	1.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

30/07/2019

5510MHz_TX



EUT Y_4TX
Setting 72
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.459G	62.36	74.00	-11.64	7.51	3	Horizontal	152	2.45	-
AV	5.4584G	48.48	54.00	-5.52	7.51	3	Horizontal	152	2.45	-
PK	5.462G	65.27	68.20	-2.93	7.51	3	Horizontal	152	2.45	-
PK	5.5238G	114.32	Inf	-Inf	7.59	3	Horizontal	152	2.45	-
AV	5.528G	102.56	Inf	-Inf	7.59	3	Horizontal	152	2.45	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5510MHz_TX



EUT Y_4TX
Setting 72
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01946G	58.67	74.00	-15.33	17.03	3	Vertical	158	2.27	-
AV	11.01334G	44.84	54.00	-9.16	17.05	3	Vertical	158	2.27	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5510MHz_TX




EUT_Y_4TX
Setting 72
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00788G	58.61	74.00	-15.39	17.04	3	Horizontal	177	1.50	-
AV	11.0185G	44.87	54.00	-9.13	17.03	3	Horizontal	177	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/05/2019

5550MHz_TX




EUT_Y_4TX
Setting 89
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	65.87	74.00	-8.13	8.45	3	Vertical	347	1.78	-
AV	5.4596G	48.68	54.00	-5.32	8.45	3	Vertical	347	1.78	-
PK	5.4692G	67.63	68.20	-0.57	8.46	3	Vertical	347	1.78	-
PK	5.5468G	123.63	Inf	-Inf	8.55	3	Vertical	347	1.78	-
AV	5.5436G	111.22	Inf	-Inf	8.55	3	Vertical	347	1.78	-
PK	5.7428G	62.10	68.20	-6.10	8.82	3	Vertical	347	1.78	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

30/07/2019

5550MHz_TX



EUT Y_4TX
Setting 89
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4364G	60.42	74.00	-13.58	7.45	3	Horizontal	205	2.35	-
AV	5.4588G	47.96	54.00	-6.04	7.51	3	Horizontal	205	2.35	-
PK	5.4652G	62.67	68.20	-5.53	7.52	3	Horizontal	205	2.35	-
PK	5.5332G	118.29	Inf	-Inf	7.59	3	Horizontal	205	2.35	-
AV	5.5332G	105.98	Inf	-Inf	7.59	3	Horizontal	205	2.35	-
PK	5.7292G	60.38	68.20	-7.82	7.83	3	Horizontal	205	2.35	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5550MHz_TX



EUT_Y_4TX
Setting 89
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0955G	59.13	74.00	-14.87	16.96	3	Vertical	289	1.02	-
AV	11.08596G	44.99	54.00	-9.01	16.98	3	Vertical	289	1.02	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5550MHz_TX



EUT_Y_4TX
Setting 89
06-S-5
FSP


Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.09538G	58.91	74.00	-15.09	16.97	3	Horizontal	88	1.96	-
AV	11.08806G	44.99	54.00	-9.01	16.96	3	Horizontal	88	1.96	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/05/2019

5670MHz_TX



EUT_Y_4TX
 Setting 73
 02-J-5-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6742G	121.43	Inf	-Inf	8.70	3	Vertical	353	1.80	-
AV	5.676G	108.59	Inf	-Inf	8.72	3	Vertical	353	1.80	-
PK	5.7282G	67.76	68.20	-0.44	8.80	3	Vertical	353	1.80	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

30/07/2019

5670MHz_TX



EUT Y_4TX
Setting 73
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6664G	113.22	Inf	-Inf	7.68	3	Horizontal	164	1.80	-
AV	5.6622G	96.90	Inf	-Inf	7.68	3	Horizontal	164	1.80	-
PK	5.7528G	62.32	68.20	-5.88	7.87	3	Horizontal	164	1.80	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5670MHz_TX



EUT Y_4TX
Setting 73
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.33604G	58.20	74.00	-15.80	16.75	3	Vertical	236	1.99	-
AV	11.34426G	44.23	54.00	-9.77	16.74	3	Vertical	236	1.99	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5670MHz_TX




EUT Y_4TX
Setting 73
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34636G	58.73	74.00	-15.27	16.74	3	Horizontal	73	2.32	-
AV	11.35452G	44.20	54.00	-9.80	16.74	3	Horizontal	73	2.32	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/05/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 02-J-5-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	58.07	74.00	-15.93	8.45	3	Vertical	304	1.78	-
AV	5.46G	45.62	54.00	-8.38	8.45	3	Vertical	304	1.78	-
PK	5.4664G	59.16	68.20	-9.04	8.46	3	Vertical	304	1.78	-
PK	5.716G	126.39	Inf	-Inf	8.77	3	Vertical	304	1.78	-
AV	5.7052G	113.47	Inf	-Inf	8.76	3	Vertical	304	1.78	-
PK	5.8624G	61.99	68.20	-6.21	8.91	3	Vertical	304	1.78	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

30/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-5-5-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.44G	60.28	74.00	-13.72	7.46	3	Horizontal	168	1.93	-
AV	5.446G	47.45	54.00	-6.55	7.48	3	Horizontal	168	1.93	-
PK	5.47G	59.63	68.20	-8.57	7.54	3	Horizontal	168	1.93	-
PK	5.7028G	116.18	Inf	-Inf	7.77	3	Horizontal	168	1.93	-
AV	5.7028G	101.23	Inf	-Inf	7.77	3	Horizontal	168	1.93	-
PK	5.8996G	60.72	68.20	-7.48	8.15	3	Horizontal	168	1.93	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 96
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4284G	57.92	74.00	-16.08	16.67	3	Vertical	282	2.21	-
AV	11.41496G	44.23	54.00	-9.77	16.68	3	Vertical	282	2.21	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42336G	58.20	74.00	-15.80	16.67	3	Horizontal	334	2.25	-
AV	11.42852G	44.16	54.00	-9.84	16.67	3	Horizontal	334	2.25	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/05/2019

5755MHz_TX



EUT Y_4TX
Setting 92
02-J-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	67.79	68.20	-0.41	8.67	3	Vertical	353	1.92	-
PK	5.742G	124.90	Inf	-Inf	8.81	3	Vertical	353	1.92	-
AV	5.74G	112.78	Inf	-Inf	8.80	3	Vertical	353	1.92	-
PK	5.969G	58.96	68.20	-9.24	8.93	3	Vertical	353	1.92	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

30/07/2019

5755MHz_TX



EUT_Y_4TX
Setting 92
06-5-5-10
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	63.49	68.20	-4.71	7.65	3	Horizontal	349	1.75	-
PK	5.77G	116.81	Inf	-Inf	7.90	3	Horizontal	349	1.75	-
AV	5.767G	103.85	Inf	-Inf	7.90	3	Horizontal	349	1.75	-
PK	5.957G	61.12	68.20	-7.08	8.31	3	Horizontal	349	1.75	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5755MHz_TX




EUT Y_4TX
Setting 92
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49632G	57.76	74.00	-16.24	16.61	3	Vertical	8	1.76	-
AV	11.51174G	43.85	54.00	-10.15	16.60	3	Vertical	8	1.76	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5755MHz_TX




EUT Y_4TX
Setting 92
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49662G	57.15	74.00	-16.85	16.61	3	Horizontal	260	1.80	-
AV	11.50562G	43.78	54.00	-10.22	16.59	3	Horizontal	260	1.80	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

23/05/2019

5795MHz_TX




EUT_Y_4TX
Setting 96
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.648G	62.81	68.20	-5.39	8.67	3	Vertical	175	1.84	-
PK	5.79G	125.30	Inf	-Inf	8.88	3	Vertical	175	1.84	-
AV	5.791G	113.03	Inf	-Inf	8.88	3	Vertical	175	1.84	-
PK	5.931G	61.18	68.20	-7.02	8.93	3	Vertical	175	1.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

30/07/2019

5795MHz_TX



EUT Y_4TX
Setting 96
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.604G	61.63	68.20	-6.57	7.56	3	Horizontal	161	1.81	-
PK	5.81G	115.08	Inf	-Inf	7.99	3	Horizontal	161	1.81	-
AV	5.777G	102.65	Inf	-Inf	7.92	3	Horizontal	161	1.81	-
PK	5.989G	60.99	68.20	-7.21	8.40	3	Horizontal	161	1.81	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5795MHz_TX



EUT Y_4TX
Setting 96
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59436G	58.12	74.00	-15.88	16.53	3	Vertical	175	1.30	-
AV	11.5936G	44.02	54.00	-9.98	16.53	3	Vertical	175	1.30	-



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/07/2019

5795MHz_TX




EUT Y_4TX
Setting 96
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58944G	58.93	74.00	-15.07	16.52	3	Horizontal	17	2.48	-
AV	11.59404G	44.05	54.00	-9.95	16.53	3	Horizontal	17	2.48	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/05/2019

5530MHz_TX




EUT Y_4TX
Setting 72
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.285G	58.19	68.20	-10.01	8.19	3	Vertical	274	1.49	-
PK	5.454G	64.87	74.00	-9.13	8.44	3	Vertical	274	1.49	-
AV	5.46G	49.71	54.00	-4.29	8.45	3	Vertical	274	1.49	-
PK	5.469G	67.96	68.20	-0.24	8.46	3	Vertical	274	1.49	-
PK	5.543G	116.51	Inf	-Inf	8.55	3	Vertical	274	1.49	-
AV	5.544G	103.89	Inf	-Inf	8.55	3	Vertical	274	1.49	-
PK	5.759G	60.07	68.20	-8.13	8.85	3	Vertical	274	1.49	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

30/07/2019

5530MHz_TX



EUT Y_4TX
Setting 72
06-5-5-10
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.338G	59.30	68.20	-8.90	7.17	3	Horizontal	171	1.93	-
PK	5.457G	60.86	74.00	-13.14	7.50	3	Horizontal	171	1.93	-
AV	5.458G	48.07	54.00	-5.93	7.51	3	Horizontal	171	1.93	-
PK	5.47G	63.42	68.20	-4.78	7.54	3	Horizontal	171	1.93	-
PK	5.531G	111.33	Inf	-Inf	7.59	3	Horizontal	171	1.93	-
AV	5.532G	99.20	Inf	-Inf	7.59	3	Horizontal	171	1.93	-
PK	5.771G	59.98	68.20	-8.22	7.90	3	Horizontal	171	1.93	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5530MHz_TX



EUT_Y_4TX
Setting 72
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.051666G	58.65	74.00	-15.35	17.01	3	Vertical	250	2.29	-
AV	11.06942G	44.94	54.00	-9.06	16.98	3	Vertical	250	2.29	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5530MHz_TX



EUT Y_4TX
Setting 72
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.07182G	58.65	74.00	-15.35	16.99	3	Horizontal	18	2.21	-
AV	11.06846G	45.01	54.00	-8.99	16.98	3	Horizontal	18	2.21	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/05/2019

5610MHz_TX




EUT_Y_4TX
Setting 80
02-J-5-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	60.98	74.00	-13.02	8.45	3	Vertical	353	1.90	-
AV	5.46G	47.31	54.00	-6.69	8.45	3	Vertical	353	1.90	-
PK	5.468G	62.88	68.20	-5.32	8.46	3	Vertical	353	1.90	-
PK	5.612G	119.47	Inf	-Inf	8.61	3	Vertical	353	1.90	-
AV	5.615G	106.38	Inf	-Inf	8.61	3	Vertical	353	1.90	-
PK	5.737G	67.82	68.20	-0.38	8.81	3	Vertical	353	1.90	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

30/07/2019

5610MHz_TX



EUT_Y_4TX
Setting 80
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.447G	60.49	74.00	-13.51	7.48	3	Horizontal	166	2.17	-
AV	5.459G	47.48	54.00	-6.52	7.51	3	Horizontal	166	2.17	-
PK	5.467G	60.06	68.20	-8.14	7.52	3	Horizontal	166	2.17	-
PK	5.611G	110.27	Inf	-Inf	7.58	3	Horizontal	166	2.17	-
AV	5.611G	98.68	Inf	-Inf	7.58	3	Horizontal	166	2.17	-
PK	5.727G	61.27	68.20	-6.93	7.82	3	Horizontal	166	2.17	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5610MHz_TX



EUT_Y_4TX
Setting 80
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.2281G	58.01	74.00	-15.99	16.84	3	Vertical	282	1.69	-
AV	11.2284G	44.44	54.00	-9.56	16.84	3	Vertical	282	1.69	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5610MHz_TX



EUT Y_4TX
Setting 80
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21952G	58.28	74.00	-15.72	16.86	3	Horizontal	90	1.44	-
AV	11.23458G	44.47	54.00	-9.53	16.84	3	Horizontal	90	1.44	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

23/05/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 90
 02-J-5-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4584G	59.65	74.00	-14.35	8.45	3	Vertical	356	1.79	-
AV	5.4596G	46.49	54.00	-7.51	8.45	3	Vertical	356	1.79	-
PK	5.462G	60.48	68.20	-7.72	8.45	3	Vertical	356	1.79	-
PK	5.6744G	122.70	Inf	-Inf	8.70	3	Vertical	356	1.79	-
AV	5.6816G	109.82	Inf	-Inf	8.72	3	Vertical	356	1.79	-
PK	5.8508G	66.86	68.20	-1.34	8.90	3	Vertical	356	1.79	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

30/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 90
06-5-5-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3912G	59.62	74.00	-14.38	7.33	3	Horizontal	23	2.51	-
AV	5.4572G	47.53	54.00	-6.47	7.50	3	Horizontal	23	2.51	-
PK	5.4644G	60.40	68.20	-7.80	7.52	3	Horizontal	23	2.51	-
PK	5.6636G	115.19	Inf	-Inf	7.68	3	Horizontal	23	2.51	-
AV	5.7212G	97.27	Inf	-Inf	7.80	3	Horizontal	23	2.51	-
PK	5.85G	63.09	68.20	-5.11	8.06	3	Horizontal	23	2.51	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 90
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38006G	57.85	74.00	-16.15	16.71	3	Vertical	93	1.33	-
AV	11.37868G	44.24	54.00	-9.76	16.71	3	Vertical	93	1.33	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 90
06-S-5
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.36986G	57.70	74.00	-16.30	16.71	3	Horizontal	181	2.41	-
AV	11.3806G	44.21	54.00	-9.79	16.71	3	Horizontal	181	2.41	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

03/07/2019

5775MHz_TX



EUT_Y_2TX
 Setting 86
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.633G	67.45	68.20	-0.75	7.85	3	Vertical	43	1.86	-
PK	5.783G	120.17	Inf	-Inf	8.07	3	Vertical	43	1.86	-
AV	5.783G	107.62	Inf	-Inf	8.07	3	Vertical	43	1.86	-
PK	5.93G	65.64	68.20	-2.56	8.38	3	Vertical	43	1.86	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

30/07/2019

5775MHz_TX




EUT Y_2TX
 Setting 86
 06-5-5-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	65.12	68.20	-3.08	7.63	3	Horizontal	206	2.33	-
PK	5.8G	112.39	Inf	-Inf	7.97	3	Horizontal	206	2.33	-
AV	5.802G	100.12	Inf	-Inf	7.97	3	Horizontal	206	2.33	-
PK	5.936G	60.72	68.20	-7.48	8.25	3	Horizontal	206	2.33	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5775MHz_TX



EUT Y_2TX
Setting 86
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.54616G	58.17	74.00	-15.83	16.56	3	Vertical	49	1.74	-
AV	11.55816G	43.94	54.00	-10.06	16.56	3	Vertical	49	1.74	-



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

29/07/2019

5775MHz_TX




EUT_Y_2TX
Setting 86
06-S-5
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.565G	57.87	74.00	-16.13	16.55	3	Horizontal	332	2.23	-
AV	11.55348G	43.92	54.00	-10.08	16.56	3	Horizontal	332	2.23	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

04/07/2019

5570MHz_TX




EUT_Y_4TX
Setting 68
06-K-3-10
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.2612G	60.41	68.20	-7.79	7.42	3	Vertical	2	1.68	-
PK	5.4516G	65.68	74.00	-8.32	7.55	3	Vertical	2	1.68	-
AV	5.4596G	52.48	54.00	-1.52	7.57	3	Vertical	2	1.68	-
PK	5.466G	67.25	68.20	-0.95	7.57	3	Vertical	2	1.68	-
PK	5.5572G	115.05	Inf	-Inf	7.71	3	Vertical	2	1.68	-
AV	5.5572G	102.64	Inf	-Inf	7.71	3	Vertical	2	1.68	-
PK	5.7396G	67.59	68.20	-0.61	8.00	3	Vertical	2	1.68	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

30/07/2019

5570MHz_TX




EUT Y_4TX
Setting 68
06-5-5-10
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3268G	58.66	68.20	-9.54	7.15	3	Horizontal	207	2.61	-
PK	5.4548G	60.74	74.00	-13.26	7.49	3	Horizontal	207	2.61	-
AV	5.458G	48.31	54.00	-5.69	7.51	3	Horizontal	207	2.61	-
PK	5.4692G	61.03	68.20	-7.17	7.54	3	Horizontal	207	2.61	-
PK	5.5348G	109.71	Inf	-Inf	7.59	3	Horizontal	207	2.61	-
AV	5.5348G	97.38	Inf	-Inf	7.59	3	Horizontal	207	2.61	-
PK	5.946G	60.56	68.20	-7.64	8.28	3	Horizontal	207	2.61	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

29/07/2019

5570MHz_TX



EUT_Y_4TX
Setting 68
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15152G	59.01	74.00	-14.99	17.37	3	Vertical	221	2.42	-
AV	11.12746G	45.15	54.00	-8.85	17.37	3	Vertical	221	2.42	-



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

29/07/2019

5570MHz_TX



EUT Y_4TX
 Setting 68
 06-S-5
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.14558G	58.51	74.00	-15.49	16.92	3	Horizontal	199	1.07	-
AV	11.12914G	44.68	54.00	-9.32	16.93	3	Horizontal	199	1.07	-



RSE TX above 1GHz Result

Appendix E.3

For 2T2S and 4T2S Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.94	54.00	-0.06	7.33	3	Vertical	91	1.83	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5180MHz_TX



EUT_Y_2TX
 Setting 97
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1496G	70.17	74.00	-3.83	7.33	3	Vertical	282	1.84	-
AV	5.15G	53.56	54.00	-0.44	7.33	3	Vertical	282	1.84	-
PK	5.1868G	118.51	Inf	-Inf	7.28	3	Vertical	282	1.84	-
AV	5.1836G	104.71	Inf	-Inf	7.28	3	Vertical	282	1.84	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5180MHz_TX



EUT Y_2TX
 Setting 97
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.00	74.00	-12.00	7.33	3	Horizontal	316	1.92	-
AV	5.15G	47.98	54.00	-6.02	7.33	3	Horizontal	316	1.92	-
PK	5.1792G	108.13	Inf	-Inf	7.28	3	Horizontal	316	1.92	-
AV	5.1852G	94.91	Inf	-Inf	7.28	3	Horizontal	316	1.92	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5180MHz_TX



EUT Y_2TX
 Setting 97
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5268G	63.28	74.00	-10.72	18.11	3	Vertical	75	1.50	-
AV	15.53196G	49.89	54.00	-4.11	18.08	3	Vertical	75	1.50	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5180MHz_TX



EUT Y_2TX
Setting 97
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.53982G	62.99	74.00	-11.01	18.05	3	Horizontal	345	2.32	-
AV	15.52866G	50.11	54.00	-3.89	18.10	3	Horizontal	345	2.32	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5200MHz_TX




EUT_Y_2TX
 Setting 114
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	70.74	74.00	-3.26	7.33	3	Vertical	91	1.83	-
AV	5.15G	53.94	54.00	-0.06	7.33	3	Vertical	91	1.83	-
PK	5.1976G	122.11	Inf	-Inf	7.25	3	Vertical	91	1.83	-
AV	5.2036G	107.96	Inf	-Inf	7.24	3	Vertical	91	1.83	-

802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5200MHz_TX



EUT_Y_2TX
Setting 114
06-K-3-10
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1452G	61.15	74.00	-12.85	7.34	3	Horizontal	326	1.50	-
AV	5.1492G	47.22	54.00	-6.78	7.33	3	Horizontal	326	1.50	-
PK	5.2068G	111.16	Inf	-Inf	7.24	3	Horizontal	326	1.50	-
AV	5.2048G	97.30	Inf	-Inf	7.24	3	Horizontal	326	1.50	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5200MHz_TX



EUT_Y_2TX
Setting 114
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.60272G	62.80	74.00	-11.20	17.83	3	Vertical	251	1.80	-
AV	15.59968G	49.91	54.00	-4.09	17.83	3	Vertical	251	1.80	-



802.11ax HEW20_Nss2,(MCS0)_2TX

31/07/2019

5200MHz_TX




EUT_Y_2TX
Setting 114
06-K-3
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.58986G	64.15	74.00	-9.85	17.87	3	Horizontal	164	2.28	-
AV	15.5856G	49.93	54.00	-4.07	17.89	3	Horizontal	164	2.28	-

802.11ax HEW20_Nss2,(MCS0)_2TX

26/07/2019

5240MHz_TX




EUT_Y_2TX
Setting 120
06-K-3-10
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.147G	68.04	74.00	-5.96	7.32	3	Vertical	259	1.50	-
AV	5.15G	53.38	54.00	-0.62	7.32	3	Vertical	259	1.50	-
PK	5.2352G	122.47	Inf	-Inf	7.39	3	Vertical	259	1.50	-
AV	5.2352G	110.37	Inf	-Inf	7.39	3	Vertical	259	1.50	-
PK	5.3552G	67.00	74.00	-7.00	7.47	3	Vertical	259	1.50	-
AV	5.35G	52.30	54.00	-1.70	7.47	3	Vertical	259	1.50	-

802.11ax HEW20_Nss2,(MCS0)_2TX

26/07/2019

5240MHz_TX



EUT_Y_2TX
 Setting 120
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	61.34	74.00	-12.66	7.32	3	Horizontal	316	1.87	-
AV	5.1476G	48.57	54.00	-5.43	7.32	3	Horizontal	316	1.87	-
PK	5.2466G	113.98	Inf	-Inf	7.41	3	Horizontal	316	1.87	-
AV	5.2424G	101.97	Inf	-Inf	7.41	3	Horizontal	316	1.87	-
PK	5.3528G	61.56	74.00	-12.44	7.47	3	Horizontal	316	1.87	-
AV	5.35G	48.06	54.00	-5.94	7.47	3	Horizontal	316	1.87	-



802.11ax HEW20_Nss2,(MCS0)_2TX

26/07/2019

5240MHz_TX



EUT_Y_2TX
Setting 120
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.72062G	61.97	74.00	-12.03	17.39	3	Vertical	333	1.78	-
AV	15.72432G	48.81	54.00	-5.19	17.37	3	Vertical	333	1.78	-



802.11ax HEW20_Nss2,(MCS0)_2TX

26/07/2019

5240MHz_TX



EUT_Y_2TX
Setting 120
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.71844G	62.17	74.00	-11.83	17.40	3	Horizontal	358	1.50	-
AV	15.7227G	48.62	54.00	-5.38	17.38	3	Horizontal	358	1.50	-



802.11ax HEW40_Nss2,(MCS0)_2TX

31/07/2019

5190MHz_TX



EUT Y_2TX
 Setting 90
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	72.63	74.00	-1.37	7.34	3	Vertical	91	1.91	-
AV	5.15G	53.35	54.00	-0.65	7.33	3	Vertical	91	1.91	-
PK	5.1944G	114.42	Inf	-Inf	7.25	3	Vertical	91	1.91	-
AV	5.196G	100.39	Inf	-Inf	7.26	3	Vertical	91	1.91	-



802.11ax HEW40_Nss2,(MCS0)_2TX

31/07/2019

5190MHz_TX



EUT_Y_2TX
 Setting 90
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	64.46	74.00	-9.54	7.32	3	Horizontal	321	1.81	-
AV	5.148G	48.29	54.00	-5.71	7.32	3	Horizontal	321	1.81	-
PK	5.1868G	105.52	Inf	-Inf	7.36	3	Horizontal	321	1.81	-
AV	5.198G	91.30	Inf	-Inf	7.37	3	Horizontal	321	1.81	-



802.11ax HEW40_Nss2,(MCS0)_2TX

31/07/2019

5190MHz_TX



EUT Y_2TX
Setting 90
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.56846G	63.18	74.00	-10.82	17.96	3	Vertical	37	1.62	-
AV	15.57314G	49.93	54.00	-4.07	17.94	3	Vertical	37	1.62	-



802.11ax HEW40_Nss2,(MCS0)_2TX

31/07/2019

5190MHz_TX




EUT Y_2TX
Setting 90
06-K-3
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57092G	63.69	74.00	-10.31	17.95	3	Horizontal	328	1.98	-
AV	15.57254G	49.83	54.00	-4.17	17.94	3	Horizontal	328	1.98	-

802.11ax HEW40_Nss2,(MCS0)_2TX

26/07/2019

5230MHz_TX



EUT_Y_2TX
Setting 107
06-K-3-10
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	69.08	74.00	-4.92	7.32	3	Vertical	259	1.50	-
AV	5.15G	53.86	54.00	-0.14	7.32	3	Vertical	259	1.50	-
PK	5.2276G	118.32	Inf	-Inf	7.40	3	Vertical	259	1.50	-
AV	5.2342G	105.78	Inf	-Inf	7.39	3	Vertical	259	1.50	-
PK	5.353G	64.00	74.00	-10.00	7.47	3	Vertical	259	1.50	-
AV	5.35G	50.41	54.00	-3.59	7.47	3	Vertical	259	1.50	-



802.11ax HEW40_Nss2,(MCS0)_2TX

26/07/2019

5230MHz_TX




EUT_Y_2TX
 Setting 107
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	62.31	74.00	-11.69	7.32	3	Horizontal	316	1.88	-
AV	5.15G	48.72	54.00	-5.28	7.32	3	Horizontal	316	1.88	-
PK	5.2246G	109.91	Inf	-Inf	7.38	3	Horizontal	316	1.88	-
AV	5.2426G	97.08	Inf	-Inf	7.41	3	Horizontal	316	1.88	-
PK	5.3704G	59.87	74.00	-14.13	7.48	3	Horizontal	316	1.88	-
AV	5.353G	47.69	54.00	-6.31	7.47	3	Horizontal	316	1.88	-

802.11ax HEW40_Nss2,(MCS0)_2TX

26/07/2019

5230MHz_TX




EUT Y_2TX
Setting 107
06-K-3
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68516G	62.97	74.00	-11.03	17.53	3	Vertical	332	1.43	-
AV	15.69232G	48.85	54.00	-5.15	17.50	3	Vertical	332	1.43	-

802.11ax HEW40_Nss2,(MCS0)_2TX

26/07/2019

5230MHz_TX



EUT Y_2TX
Setting 107
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.69432G	62.66	74.00	-11.34	17.49	3	Horizontal	336	2.12	-
AV	15.68582G	48.99	54.00	-5.01	17.53	3	Horizontal	336	2.12	-



802.11ax HEW80_Nss2,(MCS0)_2TX

31/07/2019

5210MHz_TX



EUT_Y_2TX
 Setting 90
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	73.47	74.00	-0.53	7.32	3	Vertical	285	1.95	-
AV	5.15G	53.36	54.00	-0.64	7.32	3	Vertical	285	1.95	-
PK	5.2124G	112.43	Inf	-Inf	7.38	3	Vertical	285	1.95	-
AV	5.2412G	98.60	Inf	-Inf	7.39	3	Vertical	285	1.95	-
PK	5.3532G	61.34	74.00	-12.66	7.47	3	Vertical	285	1.95	-
AV	5.35G	49.27	54.00	-4.73	7.47	3	Vertical	285	1.95	-



802.11ax HEW80_Nss2,(MCS0)_2TX

31/07/2019

5210MHz_TX




EUT Y_2TX
 Setting 90
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1476G	64.52	74.00	-9.48	7.33	3	Horizontal	324	1.90	-
AV	5.1452G	47.75	54.00	-6.25	7.34	3	Horizontal	324	1.90	-
PK	5.2252G	102.12	Inf	-Inf	7.21	3	Horizontal	324	1.90	-
AV	5.2396G	88.57	Inf	-Inf	7.17	3	Horizontal	324	1.90	-
PK	5.3828G	60.20	74.00	-13.80	7.32	3	Horizontal	324	1.90	-
AV	5.3724G	46.58	54.00	-7.42	7.28	3	Horizontal	324	1.90	-

802.11ax HEW80_Nss2,(MCS0)_2TX

31/07/2019

5210MHz_TX



EUT Y_2TX
Setting 90
06-K-3
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63246G	62.96	74.00	-11.04	17.72	3	Vertical	161	1.76	-
AV	15.62592G	49.86	54.00	-4.14	17.75	3	Vertical	161	1.76	-



802.11ax HEW80_Nss2,(MCS0)_2TX

31/07/2019

5210MHz_TX




EUT Y_2TX
 Setting 90
 06-K-3
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.63172G	63.02	74.00	-10.98	17.72	3	Horizontal	315	1.72	-
AV	15.63138G	49.39	54.00	-4.61	17.72	3	Horizontal	315	1.72	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5500MHz_TX



EUT Y_4TX
 Setting 75
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4538G	61.27	74.00	-12.73	7.55	3	Vertical	266	1.66	-
AV	5.4598G	48.87	54.00	-5.13	7.57	3	Vertical	266	1.66	-
PK	5.4682G	66.61	68.20	-1.59	7.57	3	Vertical	266	1.66	-
PK	5.4958G	118.34	Inf	-Inf	7.60	3	Vertical	266	1.66	-
AV	5.4982G	106.11	Inf	-Inf	7.60	3	Vertical	266	1.66	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5500MHz_TX



EUT_Y_4TX
 Setting 75
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	60.99	74.00	-13.01	7.57	3	Horizontal	207	2.60	-
AV	5.4574G	48.06	54.00	-5.94	7.56	3	Horizontal	207	2.60	-
PK	5.47G	62.68	68.20	-5.52	7.58	3	Horizontal	207	2.60	-
PK	5.5048G	113.75	Inf	-Inf	7.61	3	Horizontal	207	2.60	-
AV	5.506G	101.83	Inf	-Inf	7.62	3	Horizontal	207	2.60	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5500MHz_TX



EUT_Y_4TX
 Setting 75
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00494G	59.19	74.00	-14.81	17.04	3	Vertical	316	2.29	-
AV	11.001G	46.10	54.00	-7.90	17.05	3	Vertical	316	2.29	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5500MHz_TX



EUT Y_4TX
 Setting 75
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.9975G	58.87	74.00	-15.13	17.05	3	Horizontal	150	1.47	-
AV	10.9998G	45.86	54.00	-8.14	17.05	3	Horizontal	150	1.47	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT_Y_4TX
 Setting 96
 06-K-3-13
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	63.77	74.00	-10.23	7.55	3	Vertical	62	1.56	-
AV	5.4592G	51.39	54.00	-2.61	7.57	3	Vertical	62	1.56	-
PK	5.4656G	63.21	68.20	-4.99	7.57	3	Vertical	62	1.56	-
PK	5.5832G	126.09	Inf	-Inf	7.76	3	Vertical	62	1.56	-
AV	5.584G	113.88	Inf	-Inf	7.77	3	Vertical	62	1.56	-
PK	5.744G	64.53	68.20	-3.67	8.01	3	Vertical	62	1.56	-




RSE TX above 1GHz Result

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT Y_4TX
 Setting 96
 06-K-3-13
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3928G	60.65	74.00	-13.35	7.51	3	Horizontal	202	2.77	-
AV	5.452G	48.19	54.00	-5.81	7.55	3	Horizontal	202	2.77	-
PK	5.4688G	60.06	68.20	-8.14	7.58	3	Horizontal	202	2.77	-
PK	5.5712G	118.28	Inf	-Inf	7.73	3	Horizontal	202	2.77	-
AV	5.5712G	106.22	Inf	-Inf	7.73	3	Horizontal	202	2.77	-
PK	5.7768G	60.08	68.20	-8.12	8.06	3	Horizontal	202	2.77	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT Y_4TX
 Setting 96
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16076G	58.36	74.00	-15.64	16.90	3	Vertical	340	2.40	-
AV	11.15604G	45.49	54.00	-8.51	16.91	3	Vertical	340	2.40	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5580MHz_TX



EUT Y_4TX
 Setting 96
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16128G	58.34	74.00	-15.66	16.90	3	Horizontal	135	1.21	-
AV	11.15998G	45.40	54.00	-8.60	16.90	3	Horizontal	135	1.21	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5700MHz_TX




EUT Y_4TX
 Setting 68
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7008G	118.96	Inf	-Inf	7.94	3	Vertical	309	1.80	-
AV	5.7032G	106.99	Inf	-Inf	7.94	3	Vertical	309	1.80	-
PK	5.7256G	65.27	68.20	-2.93	7.99	3	Vertical	309	1.80	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5700MHz_TX



EUT_Y_4TX
Setting 68
06-K-3-10
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7032G	112.09	Inf	-Inf	7.77	3	Horizontal	165	1.99	-
AV	5.7024G	100.07	Inf	-Inf	7.76	3	Horizontal	165	1.99	-
PK	5.7256G	64.07	68.20	-4.13	7.82	3	Horizontal	165	1.99	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5700MHz_TX



EUT Y_4TX
 Setting 68
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40708G	58.37	74.00	-15.63	16.68	3	Vertical	275	2.45	-
AV	11.39292G	44.99	54.00	-9.01	16.71	3	Vertical	275	2.45	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5700MHz_TX



EUT Y_4TX
 Setting 68
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3948G	58.09	74.00	-15.91	16.71	3	Horizontal	66	1.87	-
AV	11.394G	44.87	54.00	-9.13	16.71	3	Horizontal	66	1.87	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
 Setting 96
 06-K-3-13
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.712G	126.43	Inf	-Inf	7.96	3	Vertical	306	1.82	-
AV	5.716G	114.41	Inf	-Inf	7.96	3	Vertical	306	1.82	-
PK	5.9024G	64.47	68.20	-3.73	8.31	3	Vertical	306	1.82	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-K-3-13
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7264G	118.66	Inf	-Inf	7.99	3	Horizontal	166	2.05	-
AV	5.7256G	106.64	Inf	-Inf	7.99	3	Horizontal	166	2.05	-
PK	5.896G	64.28	68.20	-3.92	8.30	3	Horizontal	166	2.05	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43996G	57.91	74.00	-16.09	16.66	3	Vertical	313	2.31	-
AV	11.43216G	44.68	54.00	-9.32	16.66	3	Vertical	313	2.31	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5720MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-K-3
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43376G	58.01	74.00	-15.99	16.66	3	Horizontal	179	1.92	-
AV	11.43112G	44.75	54.00	-9.25	16.67	3	Horizontal	179	1.92	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5745MHz_TX




EUT Y_4TX
 Setting 102
 06-K-3-13
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	67.53	68.20	-0.67	7.86	3	Vertical	310	1.69	-
PK	5.746G	129.12	Inf	-Inf	8.01	3	Vertical	310	1.69	-
AV	5.743G	116.47	Inf	-Inf	8.01	3	Vertical	310	1.69	-
PK	5.956G	64.37	68.20	-3.83	8.44	3	Vertical	310	1.69	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5745MHz_TX



EUT_Y_4TX
Setting 102
06-K-3-13
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.585G	64.46	68.20	-3.74	7.56	3	Horizontal	328	1.57	-
PK	5.738G	119.39	Inf	-Inf	7.84	3	Horizontal	328	1.57	-
AV	5.738G	107.94	Inf	-Inf	7.84	3	Horizontal	328	1.57	-
PK	5.969G	63.59	68.20	-4.61	8.34	3	Horizontal	328	1.57	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5745MHz_TX




EUT Y_4TX
Setting 102
06-K-3
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4912G	57.82	74.00	-16.18	16.62	3	Vertical	260	2.04	-
AV	11.4888G	44.58	54.00	-9.42	16.61	3	Vertical	260	2.04	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5745MHz_TX




EUT Y_4TX
 Setting 102
 06-K-3
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.49004G	57.81	74.00	-16.19	16.62	3	Horizontal	327	1.41	-
AV	11.49484G	44.62	54.00	-9.38	16.62	3	Horizontal	327	1.41	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

04/07/2019

5785MHz_TX




EUT Y_4TX
 Setting 108
 06-K-3-13
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.628G	66.37	68.20	-1.83	7.83	3	Vertical	308	1.77	-
PK	5.782G	127.13	Inf	-Inf	8.06	3	Vertical	308	1.77	-
AV	5.786G	115.57	Inf	-Inf	8.07	3	Vertical	308	1.77	-
PK	5.974G	64.98	68.20	-3.22	8.47	3	Vertical	308	1.77	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

30/07/2019

5785MHz_TX



EUT_Y_4TX
 Setting 108
 06-5-5-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.624G	63.23	68.20	-4.97	7.60	3	Horizontal	168	1.84	-
PK	5.789G	119.93	Inf	-Inf	7.95	3	Horizontal	168	1.84	-
AV	5.786G	108.65	Inf	-Inf	7.94	3	Horizontal	168	1.84	-
PK	5.955G	60.59	68.20	-7.61	8.31	3	Horizontal	168	1.84	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5785MHz_TX



EUT_Y_4TX
 Setting 108
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.56534G	58.81	74.00	-15.19	16.55	3	Vertical	177	1.50	-
AV	11.5664G	44.95	54.00	-9.05	16.55	3	Vertical	177	1.50	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5785MHz_TX




EUT Y_4TX
Setting 108
06-S-5
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.57268G	58.68	74.00	-15.32	16.54	3	Horizontal	151	2.12	-
AV	11.57212G	45.01	54.00	-8.99	16.54	3	Horizontal	151	2.12	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

04/07/2019

5825MHz_TX




EUT_Y_4TX
Setting 108
06-K-3-13
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.601G	66.47	68.20	-1.73	7.79	3	Vertical	310	1.81	-
PK	5.824G	126.43	Inf	-Inf	8.14	3	Vertical	310	1.81	-
AV	5.823G	114.03	Inf	-Inf	8.14	3	Vertical	310	1.81	-
PK	5.925G	64.39	68.20	-3.81	8.37	3	Vertical	310	1.81	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

30/07/2019

5825MHz_TX



EUT Y_4TX
 Setting 108
 06-5-5-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.64G	63.13	68.20	-5.07	7.63	3	Horizontal	305	1.71	-
PK	5.829G	125.24	Inf	-Inf	8.02	3	Horizontal	305	1.71	-
AV	5.818G	113.47	Inf	-Inf	8.00	3	Horizontal	305	1.71	-
PK	5.951G	61.22	68.20	-6.98	8.29	3	Horizontal	305	1.71	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5825MHz_TX



EUT Y_4TX
Setting 108
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65072G	58.11	74.00	-15.89	16.47	3	Vertical	120	1.23	-
AV	11.65388G	44.96	54.00	-9.04	16.47	3	Vertical	120	1.23	-



802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/07/2019

5825MHz_TX




EUT Y_4TX
 Setting 108
 06-S-5
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65238G	58.17	74.00	-15.83	16.47	3	Horizontal	114	2.29	-
AV	11.65298G	44.94	54.00	-9.06	16.47	3	Horizontal	114	2.29	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5510MHz_TX



EUT_Y_4TX
 Setting 74
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4566G	66.50	74.00	-7.50	7.56	3	Vertical	5	1.79	-
AV	5.46G	49.89	54.00	-4.11	7.57	3	Vertical	5	1.79	-
PK	5.4686G	67.35	68.20	-0.85	7.57	3	Vertical	5	1.79	-
PK	5.525G	117.93	Inf	-Inf	7.65	3	Vertical	5	1.79	-
AV	5.504G	104.09	Inf	-Inf	7.61	3	Vertical	5	1.79	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5510MHz_TX



EUT_Y_4TX
 Setting 74
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	62.10	74.00	-11.90	7.57	3	Horizontal	203	2.75	-
AV	5.4584G	48.69	54.00	-5.31	7.57	3	Horizontal	203	2.75	-
PK	5.4674G	63.73	68.20	-4.47	7.57	3	Horizontal	203	2.75	-
PK	5.5052G	111.39	Inf	-Inf	7.61	3	Horizontal	203	2.75	-
AV	5.516G	98.37	Inf	-Inf	7.62	3	Horizontal	203	2.75	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5510MHz_TX



EUT_Y_4TX
Setting 74
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01858G	58.45	74.00	-15.55	17.03	3	Vertical	113	1.01	-
AV	11.0199G	44.72	54.00	-9.28	17.03	3	Vertical	113	1.01	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5510MHz_TX



EUT_Y_4TX
 Setting 74
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.02234G	58.68	74.00	-15.32	17.03	3	Horizontal	259	1.98	-
AV	11.01712G	44.64	54.00	-9.36	17.04	3	Horizontal	259	1.98	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5550MHz_TX



EUT_Y_4TX
 Setting 89
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	63.90	74.00	-10.10	7.56	3	Vertical	359	1.67	-
AV	5.4596G	49.87	54.00	-4.13	7.57	3	Vertical	359	1.67	-
PK	5.47G	68.00	68.20	-0.20	7.58	3	Vertical	359	1.67	-
PK	5.5572G	121.11	Inf	-Inf	7.71	3	Vertical	359	1.67	-
AV	5.542G	108.58	Inf	-Inf	7.68	3	Vertical	359	1.67	-
PK	5.7276G	62.35	68.20	-5.85	7.99	3	Vertical	359	1.67	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5550MHz_TX



EUT_Y_4TX
Setting 89
06-K-3-10
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4532G	61.81	74.00	-12.19	7.55	3	Horizontal	167	2.41	-
AV	5.4588G	48.20	54.00	-5.80	7.57	3	Horizontal	167	2.41	-
PK	5.47G	61.66	68.20	-6.54	7.58	3	Horizontal	167	2.41	-
PK	5.5444G	116.85	Inf	-Inf	7.68	3	Horizontal	167	2.41	-
AV	5.542G	103.67	Inf	-Inf	7.68	3	Horizontal	167	2.41	-
PK	5.7324G	61.09	68.20	-7.11	7.99	3	Horizontal	167	2.41	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5550MHz_TX



EUT Y_4TX
 Setting 89
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.10062G	58.96	74.00	-15.04	16.96	3	Vertical	355	1.73	-
AV	11.1045G	44.88	54.00	-9.12	16.96	3	Vertical	355	1.73	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5550MHz_TX



EUT Y_4TX
 Setting 89
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.10238G	58.96	74.00	-15.04	16.96	3	Horizontal	127	1.53	-
AV	11.09648G	44.88	54.00	-9.12	16.96	3	Horizontal	127	1.53	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5670MHz_TX



EUT_Y_4TX
 Setting 73
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.685G	118.69	Inf	-Inf	7.92	3	Vertical	308	1.74	-
AV	5.6766G	105.25	Inf	-Inf	7.91	3	Vertical	308	1.74	-
PK	5.7282G	67.20	68.20	-1.00	7.99	3	Vertical	308	1.74	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5670MHz_TX



EUT_Y_4TX
 Setting 73
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6838G	110.53	Inf	-Inf	7.92	3	Horizontal	175	2.31	-
AV	5.6784G	97.41	Inf	-Inf	7.91	3	Horizontal	175	2.31	-
PK	5.7264G	61.49	68.20	-6.71	7.99	3	Horizontal	175	2.31	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5670MHz_TX



EUT Y_4TX
 Setting 73
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34126G	58.57	74.00	-15.43	17.25	3	Vertical	20	1.75	-
AV	11.34386G	44.63	54.00	-9.37	17.24	3	Vertical	20	1.75	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5670MHz_TX



EUT_Y_4TX
Setting 73
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.33628G	58.49	74.00	-15.51	17.25	3	Horizontal	331	1.98	-
AV	11.34342G	44.70	54.00	-9.30	17.25	3	Horizontal	331	1.98	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
 Setting 96
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7132G	123.86	Inf	-Inf	7.96	3	Vertical	310	1.80	-
AV	5.7108G	111.40	Inf	-Inf	7.96	3	Vertical	310	1.80	-
PK	5.8556G	62.76	68.20	-5.44	8.22	3	Vertical	310	1.80	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7092G	115.70	Inf	-Inf	7.96	3	Horizontal	163	2.37	-
AV	5.7076G	103.19	Inf	-Inf	7.95	3	Horizontal	163	2.37	-
PK	5.8732G	61.53	68.20	-6.67	8.25	3	Horizontal	163	2.37	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34004G	58.50	74.00	-15.50	16.75	3	Vertical	36	1.44	-
AV	11.34144G	44.11	54.00	-9.89	16.74	3	Vertical	36	1.44	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 96
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.3361G	57.89	74.00	-16.11	16.75	3	Horizontal	343	1.23	-
AV	11.34222G	44.14	54.00	-9.86	16.74	3	Horizontal	343	1.23	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

04/07/2019

5755MHz_TX




EUT Y_4TX
 Setting 90
 06-K-3-13
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	67.61	68.20	-0.59	7.86	3	Vertical	308	1.81	-
PK	5.746G	122.90	Inf	-Inf	8.01	3	Vertical	308	1.81	-
AV	5.752G	109.88	Inf	-Inf	8.01	3	Vertical	308	1.81	-
PK	5.949G	61.65	68.20	-6.55	8.42	3	Vertical	308	1.81	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

30/07/2019

5755MHz_TX



EUT Y_4TX
 Setting 90
 06-5-5-13
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.629G	66.09	68.20	-2.11	7.61	3	Horizontal	38	1.50	-
PK	5.75G	120.64	Inf	-Inf	7.87	3	Horizontal	38	1.50	-
AV	5.768G	106.96	Inf	-Inf	7.91	3	Horizontal	38	1.50	-
PK	5.947G	60.58	68.20	-7.62	8.28	3	Horizontal	38	1.50	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5755MHz_TX



EUT Y_4TX
 Setting 90
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50658G	57.78	74.00	-16.22	16.59	3	Vertical	324	1.69	-
AV	11.5028G	43.67	54.00	-10.33	16.60	3	Vertical	324	1.69	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5755MHz_TX



EUT Y_4TX
 Setting 90
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50364G	58.09	74.00	-15.91	16.60	3	Horizontal	3	1.90	-
AV	11.50796G	43.74	54.00	-10.26	16.59	3	Horizontal	3	1.90	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

08/07/2019

5795MHz_TX




EUT_Y_4TX
 Setting 107
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	67.65	68.20	-0.55	7.86	3	Vertical	306	1.77	-
PK	5.782G	124.38	Inf	-Inf	8.06	3	Vertical	306	1.77	-
AV	5.789G	110.82	Inf	-Inf	8.07	3	Vertical	306	1.77	-
PK	5.929G	65.52	68.20	-2.68	8.37	3	Vertical	306	1.77	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

30/07/2019

5795MHz_TX



EUT_Y_4TX
Setting 107
06-K-3-10
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.636G	61.87	68.20	-6.33	7.85	3	Horizontal	201	2.05	-
PK	5.788G	116.46	Inf	-Inf	8.07	3	Horizontal	201	2.05	-
AV	5.789G	103.50	Inf	-Inf	8.07	3	Horizontal	201	2.05	-
PK	5.963G	60.88	68.20	-7.32	8.45	3	Horizontal	201	2.05	-



802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5795MHz_TX




EUT_Y_4TX
 Setting 107
 06-S-5
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59326G	59.19	74.00	-14.81	16.53	3	Vertical	232	1.28	-
AV	11.5914G	44.11	54.00	-9.89	16.53	3	Vertical	232	1.28	-

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/07/2019

5795MHz_TX



EUT Y_4TX
 Setting 107
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59444G	58.09	74.00	-15.91	16.53	3	Horizontal	141	2.20	-
AV	11.58758G	44.07	54.00	-9.93	16.52	3	Horizontal	141	2.20	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

08/07/2019

5530MHz_TX




EUT Y_4TX
 Setting 72
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.307G	59.75	68.20	-8.45	7.44	3	Vertical	360	1.67	-
PK	5.459G	65.60	74.00	-8.40	7.57	3	Vertical	360	1.67	-
AV	5.46G	51.06	54.00	-2.94	7.57	3	Vertical	360	1.67	-
PK	5.47G	66.77	68.20	-1.43	7.58	3	Vertical	360	1.67	-
PK	5.552G	114.27	Inf	-Inf	7.70	3	Vertical	360	1.67	-
AV	5.54G	101.95	Inf	-Inf	7.68	3	Vertical	360	1.67	-
PK	5.734G	61.75	68.20	-6.45	7.99	3	Vertical	360	1.67	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

08/07/2019

5530MHz_TX



EUT_Y_4TX
 Setting 72
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.346G	60.04	68.20	-8.16	7.48	3	Horizontal	166	2.57	-
PK	5.459G	62.26	74.00	-11.74	7.57	3	Horizontal	166	2.57	-
AV	5.46G	48.70	54.00	-5.30	7.57	3	Horizontal	166	2.57	-
PK	5.469G	64.15	68.20	-4.05	7.58	3	Horizontal	166	2.57	-
PK	5.542G	109.75	Inf	-Inf	7.68	3	Horizontal	166	2.57	-
AV	5.542G	97.05	Inf	-Inf	7.68	3	Horizontal	166	2.57	-
PK	5.75G	61.26	68.20	-6.94	8.02	3	Horizontal	166	2.57	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5530MHz_TX



EUT_Y_4TX
 Setting 72
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.05726G	59.16	74.00	-14.84	17.00	3	Vertical	255	2.28	-
AV	11.06396G	44.92	54.00	-9.08	16.99	3	Vertical	255	2.28	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5530MHz_TX



EUT Y_4TX
 Setting 72
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.06404G	58.79	74.00	-15.21	16.99	3	Horizontal	242	1.57	-
AV	11.06236G	44.88	54.00	-9.12	16.99	3	Horizontal	242	1.57	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

08/07/2019

5610MHz_TX




EUT_Y_4TX
 Setting 80
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.458G	63.05	74.00	-10.95	7.56	3	Vertical	360	1.85	-
AV	5.46G	49.19	54.00	-4.81	7.57	3	Vertical	360	1.85	-
PK	5.466G	62.28	68.20	-5.92	7.57	3	Vertical	360	1.85	-
PK	5.588G	118.95	Inf	-Inf	7.76	3	Vertical	360	1.85	-
AV	5.6G	103.90	Inf	-Inf	7.79	3	Vertical	360	1.85	-
PK	5.726G	67.52	68.20	-0.68	7.99	3	Vertical	360	1.85	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

08/07/2019

5610MHz_TX



EUT_Y_4TX
 Setting 80
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.383G	61.14	74.00	-12.86	7.50	3	Horizontal	203	2.65	-
AV	5.458G	48.21	54.00	-5.79	7.56	3	Horizontal	203	2.65	-
PK	5.47G	61.39	68.20	-6.81	7.58	3	Horizontal	203	2.65	-
PK	5.6G	114.28	Inf	-Inf	7.79	3	Horizontal	203	2.65	-
AV	5.597G	101.55	Inf	-Inf	7.79	3	Horizontal	203	2.65	-
PK	5.729G	64.66	68.20	-3.54	7.99	3	Horizontal	203	2.65	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5610MHz_TX



EUT Y_4TX
 Setting 80
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21792G	58.01	74.00	-15.99	16.86	3	Vertical	55	1.91	-
AV	11.22474G	44.41	54.00	-9.59	16.84	3	Vertical	55	1.91	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5610MHz_TX



EUT Y_4TX
Setting 80
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22274G	58.43	74.00	-15.57	16.85	3	Horizontal	34	1.25	-
AV	11.21844G	44.43	54.00	-9.57	16.86	3	Horizontal	34	1.25	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

08/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 89
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	61.26	74.00	-12.74	7.55	3	Vertical	305	1.85	-
AV	5.4584G	48.45	54.00	-5.55	7.57	3	Vertical	305	1.85	-
PK	5.4656G	61.04	68.20	-7.16	7.57	3	Vertical	305	1.85	-
PK	5.7044G	120.13	Inf	-Inf	7.95	3	Vertical	305	1.85	-
AV	5.6828G	106.97	Inf	-Inf	7.92	3	Vertical	305	1.85	-
PK	5.8544G	67.86	68.20	-0.34	8.22	3	Vertical	305	1.85	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

08/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 89
 06-K-3-10
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4452G	60.84	74.00	-13.16	7.56	3	Horizontal	175	2.38	-
AV	5.45G	48.06	54.00	-5.94	7.55	3	Horizontal	175	2.38	-
PK	5.4656G	60.34	68.20	-7.86	7.57	3	Horizontal	175	2.38	-
PK	5.6588G	114.19	Inf	-Inf	7.88	3	Horizontal	175	2.38	-
AV	5.6804G	98.98	Inf	-Inf	7.91	3	Horizontal	175	2.38	-
PK	5.852G	63.43	68.20	-4.77	8.20	3	Horizontal	175	2.38	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 89
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37956G	58.02	74.00	-15.98	16.71	3	Vertical	106	1.68	-
AV	11.38374G	44.17	54.00	-9.83	16.71	3	Vertical	106	1.68	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
 Setting 89
 06-S-5
 FSP
 #01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37868G	57.65	74.00	-16.35	16.71	3	Horizontal	241	1.22	-
AV	11.3761G	44.13	54.00	-9.87	16.72	3	Horizontal	241	1.22	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

03/07/2019

5775MHz_TX




EUT_Y_2TX
 Setting 88
 06-K-3-10
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	68.11	68.20	-0.09	7.86	3	Vertical	71	2.51	-
PK	5.757G	117.14	Inf	-Inf	8.02	3	Vertical	71	2.51	-
AV	5.766G	103.19	Inf	-Inf	8.04	3	Vertical	71	2.51	-
PK	5.931G	63.36	68.20	-4.84	8.38	3	Vertical	71	2.51	-

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

30/07/2019

5775MHz_TX



EUT_Y_2TX
Setting 88
06-5-5-10
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.639G	63.34	68.20	-4.86	7.63	3	Horizontal	213	2.11	-
PK	5.787G	109.21	Inf	-Inf	7.94	3	Horizontal	213	2.11	-
AV	5.79G	96.49	Inf	-Inf	7.94	3	Horizontal	213	2.11	-
PK	5.982G	62.37	68.20	-5.83	8.38	3	Horizontal	213	2.11	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5775MHz_TX



EUT_Y_2TX
Setting 88
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55032G	58.02	74.00	-15.98	16.56	3	Vertical	4	1.69	-
AV	11.55442G	43.84	54.00	-10.16	16.56	3	Vertical	4	1.69	-



802.11ax HEW80-BF_Nss2,(MCS0)_4TX

29/07/2019

5775MHz_TX




EUT_Y_2TX
 Setting 88
 06-S-5
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.55434G	57.36	74.00	-16.64	16.56	3	Horizontal	14	1.58	-
AV	11.55172G	43.79	54.00	-10.21	16.56	3	Horizontal	14	1.58	-

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

29/07/2019

5570MHz_TX




EUT_Y_2TX
Setting 70
06-5-5-10
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.25G	59.87	68.20	-8.33	7.15	3	Vertical	193	1.50	-
PK	5.4548G	65.03	74.00	-8.97	7.49	3	Vertical	193	1.50	-
AV	5.458G	51.09	54.00	-2.91	7.51	3	Vertical	193	1.50	-
PK	5.4676G	67.98	68.20	-0.22	7.53	3	Vertical	193	1.50	-
PK	5.5604G	113.78	Inf	-Inf	7.57	3	Vertical	193	1.50	-
AV	5.5636G	100.30	Inf	-Inf	7.57	3	Vertical	193	1.50	-
PK	5.7252G	68.11	68.20	-0.09	7.82	3	Vertical	193	1.50	-

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

30/07/2019

5570MHz_TX



EUT_Y_2TX
Setting 70
06-5-5-10
FSP
#01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.282G	58.95	68.20	-9.25	7.10	3	Horizontal	163	1.88	-
PK	5.4564G	66.66	74.00	-7.34	7.50	3	Horizontal	163	1.88	-
AV	5.458G	49.57	54.00	-4.43	7.51	3	Horizontal	163	1.88	-
PK	5.466G	64.22	68.20	-3.98	7.52	3	Horizontal	163	1.88	-
PK	5.4932G	106.58	Inf	-Inf	7.58	3	Horizontal	163	1.88	-
AV	5.6036G	93.69	Inf	-Inf	7.56	3	Horizontal	163	1.88	-
PK	5.778G	68.07	68.20	-0.13	7.93	3	Horizontal	163	1.88	-



802.11ax HEW160-BF_Nss2,(MCS0)_4TX

29/07/2019

5570MHz_TX



EUT_Y_2TX
Setting 70
06-S-5
FSP
#01


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.14102G	59.02	74.00	-14.98	16.92	3	Vertical	79	1.61	-
AV	11.13778G	44.43	54.00	-9.57	16.93	3	Vertical	79	1.61	-



802.11ax HEW160-BF_Nss2,(MCS0)_4TX

29/07/2019

5570MHz_TX



EUT Y_2TX
 Setting 70
 06-S-5
 FSP
 #01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.13744G	58.73	74.00	-15.27	16.93	3	Horizontal	82	1.73	-
AV	11.1362G	44.44	54.00	-9.56	16.93	3	Horizontal	82	1.73	-



RSE Co-location Result

Appendix F

