

owner's manual

nüvifone™

smartphone with personal navigator

Cover image not available

Set Up Your Your nüvifone

Power button: Press and hold to turn on/off your nüvifone; press and release to lock the screen. Headphone/ audio out jack microSD: Volume up/down card slot (under flap) Touchscreen : View Map Mini-USB Camera connector Microphone

Stone?

	Steps?
 Slide the battery cover off the back of your n\u00fcvifone. 	2
Insert the SIM card in the slot at the top of the battery compartment.	Takes? 1 minute
3. Slide the battery cover onto the back of your nüvifone.	
Install the Battery	Steps?
1. Locate the lithium-ion battery that came in the product box.	4
2. Locate the metal contacts on the end of the lithium-ion	Takes?
battery.	1 minute
 Insert the battery so the metal contacts on the battery match up with the metal contacts inside the battery compartment. The Garmin[®] logo will face up. 	

Charge the Battery

Install the SIM Card

1. Insert the correct plug-in into the AC power cable.

Steps?

2. Connect the small USB end of the AC power cable to the USB port on the side of your nüvifone.

4. Slide the battery cover onto the back of your nüvifone.

Takes?
1 minute

3. Plug in the AC power cable into a power outlet.

You can also charge your nüvifone using the USB cable that came with your device. Connect the USB cable to your nüvifone and to an available USB port on your computer.

Set Up Your nüvifone

Steps?

Install microSD Card (Optional)

) T. 1 . 0 1. On the side of your nüvifone, lift up the rectangular plastic cover and slide it over to reveal the microSD card slot.

Takes?
1 minute

- 2. Insert the microSD card.
- 3. Push the plastic cover back into place.

Steps?

3

Takes?

1 minute

Screen shot must show 10-digit phone number

Ma	ke a	Pho	ne	Call

Steps? 1. Touch the call icon on the main menu.

- 2. Enter the phone number using the touch keypad.
- 3. Touch to dial the phone number.

Takes? 1 minute

The first time you select the **2** call icon, the system defaults to the Dial page. After you make or receive a call, the system defaults to the Call History page.

Add a Contact

Steps?

- Touch the action on the main menu.
- Touch the Contacts tab.

Takes? 1 minute

Touch the add contact icon and enter the contact information.

2. Press and hold the "1" key to connect to the AT&T

Set Up Voicemail

Steps?

1. Touch the acall icon on the main menu.

Takes? 2 minutes

- Voicemail system.
- Create your password.
- Record your name.
- Record a greeting.

Call Voicemail

- 1. Touch the acall icon on the main menu.
- 2. Touch and hold the "1" key.

You can also touch without entering a number to call

Steps?

your voicemail.

Send a Text Message

Takes? 2 minutes

- 1. Touch the text message icon on the main menu.
- 2. Touch New Message.
- 3. Touch anywhere inside the To box to enter recipient information.
- 4. Touch anywhere inside the Message box to open the touch keypad.
- Touch <Options button> to enter a location to send a location message. See page XX for more information on sending location messages.

Steps?

5. Touch Send.

Receive a Text Message

Takes? 1 minute

Send an E-Mail

- 1. Touch the <insert icon> e-mail icon on the main menu.
- 2.

Send an Instant Message

You must have a Gmail account through Google to use instant messenger. For more information, go to http://gmail.com.

- 1. Touch the IM icon on the main menu.
- Enter your username and password for your Gmail account.
- Touch Sign In.

- 4. Touch the status bar at the top of the screen to change your status and send a message.
- 5. Touch <Options button> to add or remove a contact, or to sign out of instant messenger.

Lock Your nüvifone

You can lock the touch screen on your nüvifone to prevent accidental taps.

- 1. With your nüvifone powered on, press the **Power** button.
- 2. To unlock the touch screen, double tap the **Unlock** icon.

Specifications

Manufacturer: Garmin

Product Name: nüvifone

Model: G60

Physical size: $W \times H \times D$: $XX \times XX \times XX$ in. $(XX \times XX \times XX)$ mm)

Weight: X oz. (X g)

Display: X in. diagonal, XXX × XXX pixels; 64K colors; bright QVGA TFT landscape display; white backlight; touch screen

Case: Not waterproof (IPXO)

Operating temperature range: 5°F–158°F (-15°C–55°C)

Nominal operating temperature: 77°F (25°C)

Storing temperature range: -40°F–185°F (-40°C–85°C)

AC charger operating temperature range: 32°F-122°F (0°C-50°C)

Data storage: Internal memory and optional removable microSD card. Data stored indefinitely.

Computer interface: USB 2.0 full speed mass storage

Operating system: Garmin

Charge time: Approximately 4 hours

Power input: Vehicle power using included vehicle power cable or AC power using an optional accessory

Usage: 5 W max.

Battery manufacturer: TD HiTech Energy, Inc.

Battery life: Up to 4 hours

Battery type: Non-user-replaceable rechargeable lithium-ion battery

GPS receiver: High-sensitivity with HotFix

Acquisition times*:

Warm: <1 sec

Cold: <38 sec

Factory Reset: <45 sec

*Average acquisition times for a stationary receiver with a clear view of the sky.

Battery Warnings

If these guidelines are not followed, the internal lithium ion battery may experience a shortened life span or may present a risk of damage to the GPS unit, fire, chemical burn, electrolyte leak, and/or injury.

- Contact your local waste disposal department to properly dispose of the unit/battery.
- Do not leave the unit exposed to a heat source or in a high temperature location, such as in the sun in an unattended vehicle on a hot day. To prevent damage, remove the unit from the vehicle or store it out of direct sunlight, such as in the glove box.
- Do not puncture or incinerate.
- When storing the unit for a limited length of time, store within the following temperature range: -4° to 140°F (-20° to 60°C). When storing the unit for an extended time, store within the following temperature range: 32° to 77°F (0° to 25°C).
- Do not operate the unit outside of the following temperature range: -4° to 131°F (-20° to 55°C).

Refer to the Specifications section in your product's owner's manual to determine if the lithiumion battery in your specific Garmin product is replaceable.

If this unit contains a non-user-replaceable, rechargeable lithium-ion battery, do not remove or attempt to remove the battery.

If this unit contains a replaceable, rechargeable lithium-ion battery, the following warnings also apply:

- Do not recharge the battery out of the unit or disassemble the battery.
- Keep the used battery away from children. Do not disassemble, puncture, or damage the battery.
- Only replace with a Garmin lithium-ion battery pack. Using another battery presents a risk of fire or explosion. To purchase a replacement battery, see your Garmin dealer or the Garmin Web site.

WARNING: This product, its packaging, and its components contain chemicals known to the State of California to cause cancer, birth defects, or reproductive harm. This notice is provided in accordance with California's Proposition 65. See www.garmin.com/prop65 for more information.

Important Information

MAP DATA INFORMATION: One of the goals of Garmin is to provide customers with the most complete and accurate cartography that is available to us at a reasonable cost. We use a combination of governmental and private data sources, which we identify in product literature and copyright messages displayed to the consumer. Virtually all data sources contain some inaccurate or incomplete data. In some countries, complete and accurate map information is either not available or is prohibitively expensive.

NOTICE REGARDING WINDSHIELD MOUNTING LEGAL RESTRICTIONS:

State law in Minnesota and California prohibits or restricts drivers from using suction mounts on their windshields while operating motor vehicles. (See California Vehicle Code 26708(a); Minnesota Statutes Section 169.71) Other Garmin dashboard or friction mount options should be used when driving in those states. Many other states have enacted restrictions against placing "non-transparent material" upon the windshield or placing objects upon the windshield that obstruct the driver's vision (for example, New Jersey law currently prohibits windshield objects that "unduly interfere" with the driver's vision to the front or sides). Check your state and local laws and ordinances where you drive before using the suction cup mount on your windshield.

IT IS THE USER'S RESPONSIBILITY TO USE THE GARMIN UNIT AND MOUNTING OPTIONS IN SUCH A MANNER THAT THE USER IS IN COMPLIANCE WITH ALL APPLICABLE LAWS AND ORDINANCES.

Remember to always mount your Garmin unit in a location that does not obstruct the driver's view of the road. Garmin does not assume any responsibility for any fines, penalties, or damages that may be incurred as a result of disregarding this notice or as a result of any state or local law or ordinance relating to the use of your Garmin unit.

The California Electronic Waste Recycling Act of 2003 requires the recycling of certain electronics. For more information on the applicability to this product, see www.erecycle.org.

Caring for the Screen

Clean the screen with water, isopropyl alcohol, or eyeglass cleaner: do not use cleaners containing ammonia, which can harm the coating on the screen. If the unit has a touch screen, follow these guidelines

- as well:The touch screen is intended for finger operation.
- Although a PDA stylus may also be used to operate the touch screen, never attempt this while operating a vehicle.
- Never use a hard or sharp object to operate the touch screen or damage may result.

Disposing Your Mobile Device and Accessories

Please do not dispose of mobile devices or electrical accessories (such as chargers, headsets, or batteries) with your household waste. These items should be disposed of in accordance with the national collection and recycling schemes operated by your local or regional authority. Alternatively, you may return unwanted mobile devices and electrical accessories to any Garmin dealer.

Product packaging and user's guides should only be disposed of in accordance with national collection and recycling requirements. Please contact your regional authorities for more details.

FCC Compliance

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and may cause harmful interference to radio communications if not installed and used in accordance with the instructions. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet that is on a different circuit from the GPS unit.
- Consult the dealer or an experienced radio/TV technician for help.

This product does not contain any user-serviceable parts. Repairs should only be made by an authorized Garmin service center. Unauthorized repairs or

modifications could result in permanent damage to the equipment, and void your warranty and your authority to operate this device under Part 15 regulations.

Industry Canada Compliance

Category I radiocommunication devices comply with Industry Canada Standard RSS-210. Category II radiocommunication devices comply with Industry Canada Standard RSS-310.

Declaration of Conformity (DoC)

Hereby, Garmin, declares that this nüvifone is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

To view the full Declaration of Conformity, see the Garmin Web site for your Garmin product: www.garmin.com/products/nuvifone. Click Manuals, and then select the Declaration of Conformity link.

Specific Absorption Rate Data

This model wireless phone meets the government's requirements for exposure to radio waves.

Your wireless phone is a radio transmitter and receiver. It is designed and manufactured not to exceed limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission (FCC) of the U.S. Government and by the Canadian regulatory authorities. These limits are part of the comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age or health.

The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate (SAR). The SAR limit set by the FCC and by the Canadian regulatory authorities is 1.6 watts/kg (W/kg). Tests for SAR are conducted using standard operating positions accepted by the FCC and by Industry Canada with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the

network. In general, the closer you are to a wireless base station, the lower the power output.

Before a phone model is available for sale to the public in the U.S. and Canada, it must be tested and certified to the FCC and Industry Canada that it does not exceed the limit established by each government for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) reported to the FCC and available for review by Industry Canada. The highest SAR value for this model phone when tested for use at the ear is 1.26 W/kg, and when worn on the body, as described in this owner's manual, is .583 W/kg. For body worn operation, this phone has been tested and meets the FCC RF exposure guidelines for use with an accessory that contains no metal and the positions the handset a minimum of 2 cm from the body. Use of other enhancements may not ensure compliance with FCC RF exposure guidelines. If you do not use a body-worn accessory and are not holding the phone at the ear, position the handset a minimum of 2 cm from your body when the phone is switched on.

While there may be differences between the SAR levels of various phones and at various positions, they all meet the governmental requirements for safe exposure. Please note that improvements to this product model could cause differences in the SAR value for later products; in all cases, products are designed to be within the guidelines.

Additional information on SAR can be found on the Cellular Telecommunications & Internet Association

(CTIA) Web site at http://www.phonefacts.net or at the Canadian Wireless Telecommunications
Association (CWTA) Web site at http://www.cwta.ca.



NOTE: In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 W/kg averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.



NOTE: The SAR information includes the Garmin testing protocol, assessment procedure, and measurement uncertainty range for this product.

Total System Reliability Validation

Determine by inspection that the following information is made available to the user by one or more of (a) printed on the label for the battery, (b) printed on the label for the host device, (c) printed in the owner's manual, and/or (d) posted in a help file or Internet web site.

- Do not disassemble or open crush, bend or deform, puncture or shred.
- Do not modify or remanufacture, attempt to insert foreign objects into the battery, immerse or expose to water or other liquids, expose to fire, explosion or other hazard.
- Only use the battery for the system for which it is specified.

- Only use the battery with a charging system
 that has been qualified with the system per this
 standard. Use of an unqualified battery or charger
 may present a risk of fire, explosion, leakage, or
 other hazard
- Do not short circuit a battery or allow metallic conductive objects to contact battery terminals.
- Replace the battery only with another battery that has been qualified with the system per this standard, IEEE-Std-1725-200x. Use of an unqualified battery may present a risk of fire, explosion, leakage or other hazard.
- Promptly dispose of used batteries in accordance with local regulations.
- Battery usage by children should be supervised.
- Avoid dropping the phone or battery. If the phone or battery is dropped, especially on a hard surface, and the user suspects damage, take it to a service center for inspection.
- Improper battery use may result in a fire, explosion or other hazard.
- For those host devices that utilize a USB port as a charging source, the host device's user manual shall include a statement that the phone shall only be connected to products that bear the USB-IF logo or have completed the USB-IF compliance program.

© 2008 Garmin Ltd. or its subsidiaries

Garmin International, Inc. 1200 East 151st Street, Olathe, Kansas 66062, USA Tel. (913) 397.8200 or (800) 800.1020 Fax (913) 397.8282 Garmin (Europe) Ltd. Liberty House Hounsdown Business Park, Southampton, Hampshire, SO40 9RB UK Tel. +44 (0) 870.8501241 (outside the UK) 0808 2380000 (within the UK) Fax +44 (0) 870.8501251 Garmin Corporation No. 68, Jangshu 2nd Road, Shijr, Taipei County, Taiwan Tel. 886/2.2642.9199 Fax 886/2.2642.9099

All rights reserved. Except as expressly provided herein, no part of this manual may be reproduced, copied, transmitted, disseminated, downloaded or stored in any storage medium, for any purpose without the express prior written consent of Garmin. Garmin hereby grants permission to download a single copy of this manual onto a hard drive or other electronic storage medium to be viewed and to print one copy of this manual or of any revision hereto, provided that such electronic or printed copy of this manual must contain the complete text of this copyright notice and provided further that any unauthorized commercial distribution of this manual or any revision hereto is strictly prohibited.

Information in this document is subject to change without notice. Garmin reserves the right to change or improve its products and to make changes in the content without obligation to notify any person or organization of such changes or improvements. Visit the Garmin Web site (www.garmin.com) for current updates and supplemental information concerning the use and operation of this and other Garmin products.

Garmin®, the Garmin logo, and MapSource® are trademarks of Garmin Ltd. or its subsidiaries, registered in the USA and other countries. myGarmin™ are trademarks of Garmin Ltd. or its subsidiaries. These trademarks may not be used without the express permission of Garmin.

Ciao!

Bluetooth

Google

YellowPages.com

WhitePages.com

January 2009

Part Number 190-00XX-XX Rev. A

Printed in Taiwan



For the latest free software updates (excluding map data) throughout the life of your Garmin products, visit the Garmin Web site at www.garmin.com.



© 2008 Garmin Ltd. or its subsidiaries

Garmin International, Inc. 1200 East 151st Street, Olathe, Kansas 66062, USA

Garmin (Europe) Ltd. Liberty House, Hounsdown Business Park, Southampton, Hampshire, SO40 9RB UK

Garmin Corporation

No. 68, Jangshu 2nd Road, Shijr, Taipei County, Taiwan

www.garmin.com

Part Number 190-00XXX-XX Rev. A