### Request for Modular/Limited Modular Approval

Date: November 1, 2021		
Subject: Manufacturer's Declaration for		
Confidentiality Request for: MSQ-NFCAWM001		
8 Basic Requirements – FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the F		
Modular Approval Requirement	Require	ment Met
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)	⊠ - YES	□ - NO(*)
Details: < The module contains a metal shield which covers all RF components and circuitry. The top of the board next to antenna connector>	shield is loca	ted on the
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)	⊠ - YES	□ - NO(*)
Details: < All modulation and data inputs are buffered by circuitry on the transmitter chip, please n of the NFC chip.>	refer to the bl	ock diagram
3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	⊠ - YES	□ - NO(*)
Details: < The module contains its own power supply regulation. Please refer to the block diagram	of the NFC o	chip >
4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	⊠ - YES	□ - NO(*)
Details: < The module connects to its antenna using an FPC connector which is considered a non- of antennas tested and approved with this device may be found in User Manual provided with the ap		nector. A list
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	⊠ - YES	□ - NO(*)
Details: < The module was tested stand-alone as shown in test setup photographs filed with this app	olication>	

	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748).  If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.  If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	⊠ - YES	□ - NO(*)
	Details: < There is a label on the module as shown in the labeling exhibit filed with this application instructions are shown in the installation manual filed with this application.>	ı. Host specij	fic labeling
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: < The module complies with FCC Part 15C requirements. Instructions to the OEM install installation manual filed with this application.>	ler are provid	ed in the
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
	Details: < The module meets Portable exclusion levels as shown in the RF exposure information fi	led with this d	application.>

Limited Module Desc	ription – When	Applicable
---------------------	----------------	------------

\* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Met		
<ol> <li>For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.</li> </ol>	⊠ - Provided in Separate Cover Letter □ - N/A		
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
2. For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate  Cover Letter  ☐ - N/A		
Details: <example -n="" a=""></example>			

Split Modular Requirements  Requirement Provided in Manual		ıual
<ol> <li>For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.</li> </ol>	☐ - Provided in Separate Cover Letter	⊠ - N/A
Details: <example -="" a="" n=""></example>		

OF	M Integration Manual Gu	idance – KDB 996369 D03 Section 2		
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.				
Requirement	1			
Kequii eiiieiit		□ - No,		
		If No, and LMA applies, the applicant	can optionally choose to	
		not make the following detailed info pu	ıblic. However there still	
Is this module intended for	M tmg	needs to be basic integration instruction	ns for a users manual and	
sale to third parties?	⊠ - YES	the information below must still be ind		
		description. <u>If the applicant wishes to k</u> this will require a separate statement co		
		module is not for sale to third partie	es and that integration	
		instructions are internal confide	ential documents.	
		nual – See KDB 996369 D03, Section 2 formation to be in the installation manual	Modular transmitter	
		for all these items indicating clearly when		
For example information on to	ace antenna design could	indicate "Not Applicable". Also if a modu	ıle is limited to only a	
grantees own products and not	intended for sale to third p	parties, the user instructions may not need	l to be detailed and the	
following items can be place  1. List of applicable FCC rules. I		ription, but this should include a cover let	ter as cited above.	
	elated to the transmitter.	2		
2. Summarize the specific operati		96369 D03, Section 2.3		
a. Conditions such	as limits on antennas, cable	e loss, reduction of power for point to point		
	DR 006360 D03 Section 2	4		
Limited Module Procedures. K     a. Describe alterna	*	4 uses to verify the host meets the necessary		
a. Describe alterna limiting condition		aces to verify the most meets the necessary	✓ A 11 14 1	
b. When RF expos	ure evaluation is necessary,	state how control will be maintained such	<ul><li>☑ - All Items shown to the left are provided in</li></ul>	
	is ensured, such as Class II	for new hosts, etc.	the Modular Integration	
4. Trace antenna designs. KDB 9 a. Layout of trace		onnectors, isolation requirements, tests for	Guide (or UM) for Full	
		edures for ensuring compliance. If	Modular Approval	
confidential, the	method used to keep confid	dential must be identified and information	(MA) or LMA.	
	operational description.		☐ - An LMA applies	
5. RF exposure considerations. K		6 Ilow host manufacturers to use the	and is approved ONLY	
		ssary: first to the host manufacturer to	for use by the grantee in	
define condition	is (mobile, portable – xx cm	from body) and second additional text	their own products, and	
	ovided to the end user in the	host product manuals.	not intended for sale to 3 <sup>rd</sup> parties as provided in	
3 separate cover letter				
		ist shall also identify the antenna types	Therefore the	
(monopole, PIF	A, dipole, etc – note that "or	mni-directional" is not considered a type)	information shown to	
7. Label and compliance information			the left is found in the theory of operation.	
	ntegrators that they need to go in the state of the state	provide a physical or e-label stating	or operation.	
		ents. KDB 996369 D03, Section 2.9		
a. Test modes that should be taken into consideration by host integrators including				
		simultaneous configurations.		
b. Provide informa  9. Additional testing, Part 15 Sub	nation on how to configure test			
7. Additional testing, I art 13 300	part D discianiler. KDD 990	507 D05, Section 2.10		
Sincerely,				
Jankson Jr	<u></u>			
By:				
(Signat	ture/Title <sup>1</sup> )	(Print name)		

<sup>1</sup> - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.