


Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 9.747GHz, Emax: 48.44dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.679GHz, Emax: 47.63dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.784GHz, Emax: 52.33dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.928GHz, Emax: 52.39dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 26.108GHz, Emax: 51.70dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 25.972GHz, Emax: 52.12dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.438GHz, Emax: 102.67dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.438GHz, Emax: 112.31dBuV/m, REW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 122.325MHz, Emax: 31.34dBuV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 36.132MHz, Emax: 32.47dBµV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b chl1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223,
Freq: 818.838MHz, Emax: 49.69dBuV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223,
Freq: 820.441MHz, Emax: 46.16dBuV/m, RBW: 100kHz



Page 1/1 7/16/2008 7:44AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 3.198GHz, Emax: 46.70dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 11:57AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to S15.247 / LP 0002, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Freq: 2.538GHz, Emax: 51.45dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 11:51AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11b chl1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 7.471GHz, Emax: 51.49dBuV/m, RBW: 1MHz



Page 1/1 7/16/2008 7:55AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 7.255GHz, Emax: 52.04dBuV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b chl1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 10.982GHz, Emax: 48.21dBµV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b chl1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.487GHz, Emax: 48.17dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.784GHz, Emax: 51.69dBuV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.868GHz, Emax: 52.40dBuV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 26.398GHz, Emax: 52.22dBuV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 25.921GHz, Emax: 51.95dBuV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b chl1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.463GHz, Emax: 103.98dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.463GHz, Emax: 112.47dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 119.259MHz, Emax: 33.07dBµV/m, RBW: 100kHz



Page 1/1 7/16/2008 8:36AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 35.792MHz, Emax: 33.86dBμV/m, RBW: 100kHz



Page 1/1 7/16/2008 8:42AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g chl
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223,
Freq: 799.599MHz, Emax: 42.93dBµV/m, RBW: 100kHz



Page 1/1 7/16/2008 7:36AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31

Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g chl
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223,
Freq: 799.599MHz, Emax: 44.27dB μ V/m, RBW: 100kHz



Page 1/1 7/16/2008 7:26AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 3.214GHz, Emax: 54.72dB μ V/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 3.216GHz, Emax: 53.91dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 7.984GHz, Emax: 53.12dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 8.000GHz, Emax: 53.15dBµV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 11.968GHz, Emax: 48.73dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 11.968GHz, Emax: 49.00dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 17.651GHz, Emax: 52.40dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.