

Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Freq: 17.820GHz, Emax: 52.55dBµV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 26.347GHz, Emax: 52.69dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 25.359GHz, Emax: 51.96dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.419GHz, Emax: 98.49dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.419GHz, Emax: 106.90dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 180.581MHz, Emax: 33.80dBμV/m, RBW: 100kHz



Page 1/1 7/16/2008 8:37AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 36.132MHz, Emax: 32.97dBμV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223,
Freq: 807.615MHz, Emax: 43.92dBμV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223,
Freq: 807.615MHz, Emax: 38.14dBμV/m, RBW: 100kHz



Page 1/1 7/16/2008 7:28AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HLO25, amplif.
Freq: 3.248GHz, Emax: 49.77dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 2:40PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 3.248GHz, Emax: 52.76dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.671GHz, Emax: 52.75dBuV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.663GHz, Emax: 52.88dBuV/m, RBW: 1MHz



Page 1/1 7/16/2008 3:15PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.567GHz, Emax: 48.29dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.551GHz, Emax: 49.21dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.820GHz, Emax: 52.22dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.808GHz, Emax: 52.38dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 24.728GHz, Emax: 52.17dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 25.768GHz, Emax: 52.34dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.444GHz, Emax: 98.61dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Carrier power (Field Strength)


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025
Freq: 2.444GHz, Emax: 107.52dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 36.132MHz, Emax: 32.85dBμV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq: 35.792MHz, Emax: 35.96dBμV/m, RBW: 100kHz



Page 1/1 7/16/2008 8:41AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223,
Freq: 817.234MHz, Emax: 41.48dBμV/m, RBW: 100kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223,
Freq: 815.631MHz, Emax: 38.98dBμV/m, RBW: 100kHz



Page 1/1 7/16/2008 7:29AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 2.000GHz, Emax: 46.47dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 2:45PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 2.536GHz, Emax: 54.65dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 2:50PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.848GHz, Emax: 52.98dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002


Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.295GHz, Emax: 52.43dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 3:16PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.583GHz, Emax: 48.08dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.559GHz, Emax: 48.55dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.820GHz, Emax: 52.30dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength


FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.747GHz, Emax: 52.88dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 24.626GHz, Emax: 52.25dBμV/m, RBW: 1MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP 0002

Order Number: W6D20806-9177 802.11g ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL025, amplif.
Freq: 25.631GHz, Emax: 51.96dBμV/m, RBW: 1MHz



Page 1/1 7/16/2008 3:10PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.