

Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:120.621MHz Emax:24.95dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 9:46AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:88.597MHz Emax:29.54dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 9:44AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:240.080MHz Emax:37.84dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 7:58AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:1.000GHz Emax:37.42dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 7:53AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:3.952GHz Emax:36.79dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:41PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:3.248GHz Emax:42.35dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:33PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:7.800GHz Emax:46.34dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:6.501GHz Emax:48.72dB μ V/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:11.615GHz Emax:51.35dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:42PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:11.279GHz Emax:50.31dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:17.832GHz Emax:52.91dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:42PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:17.808GHz Emax:52.62dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:30PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:120.962MHz Emax:26.25dB μ V/m RBW: 100 kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:88.597MHz Emax:29.28dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 9:45AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:240.080MHz Emax:37.89dBµV/m RBW: 100 kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:799.599MHz Emax:36.89dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 7:55AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:3.285GHz Emax:36.62dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:40PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:3.285GHz Emax:41.23dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:34PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:7.631GHz Emax:46.26dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:7.743GHz Emax:46.41dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:11.992GHz Emax:51.13dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:37PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:11.655GHz Emax:51.29dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:17.844GHz Emax:52.66dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:37PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11b ch11
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:17.680GHz Emax:52.73dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:166.273MHz Emax:25.67dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 9:42AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:88.597MHz Emax:29.46dB μ V/m RBW: 100 kHz



Page 1/1 7/16/2008 9:42AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g chl
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:998.397MHz Emax:38.09dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 8:01AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31

Field Strength under normal conditions
FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g chl
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:799.599MHz Emax:36.73dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 8:09AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:3.218GHz Emax:38.76dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:47PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31


Field Strength under normal conditions
FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:3.218GHz Emax:43.05dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:7.727GHz Emax:46.56dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:6.437GHz Emax:50.09dBμV/m RBW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:11.928GHz Emax:51.15dBμV/m REW: 1 MHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6D20806-9177-C-1
FCC ID: MSQ-PCIG31

Field Strength under normal conditions
FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:11.591GHz Emax:50.64dBμV/m REW: 1 MHz



Page 1/1 7/16/2008 3:00PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:17.747GHz Emax:52.50dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 2:48PM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch1
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL25, ampl.
Freq:17.832GHz Emax:52.61dBμV/m RBW: 1 MHz



Page 1/1 7/16/2008 3:00PM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:119.259MHz Emax:24.89dBμV/m RBW: 100 kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002


Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HK 116
Freq:88.597MHz Emax:30.03dBuV/m RBW: 100 kHz



Page 1/1 7/16/2008 9:43AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions


FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:879.760MHz Emax:38.91dBuV/m RBW: 100 kHz



Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6D20806-9177-C-1

FCC ID: MSQ-PCIG31

Field Strength under normal conditions

FCC RULES PART 15, SUBPART B / LP 0002

Order Number: W6D20806-9177 802.11g ch6
Test Site / Operator: WTS / Brian
Temperature: Temp.: 23.9°C
Comment 1: Ant.: HL 223, ampl.
Freq:1.000GHz Emax:38.72dBμV/m RBW: 100 kHz



Page 1/1 7/16/2008 8:08AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.