



802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 108
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	59.59	74.00	-14.41	50.39	3	Vertical	152	1.90	-	34.00	5.92	30.72
AV	5.4124G	47.56	54.00	-6.44	38.37	3	Vertical	152	1.90	-	34.00	5.91	30.72
PK	5.4676G	60.11	68.20	-8.09	50.86	3	Vertical	152	1.90	-	34.00	5.97	30.72
PK	5.7184G	113.69	Inf	-Inf	104.62	3	Vertical	152	1.90	-	33.86	6.10	30.89
AV	5.7196G	101.63	Inf	-Inf	92.56	3	Vertical	152	1.90	-	33.86	6.10	30.89
PK	5.9092G	60.88	68.20	-7.32	51.59	3	Vertical	152	1.90	-	34.12	6.20	31.03


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 108
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	60.62	74.00	-13.38	51.39	3	Horizontal	344	1.19	-	34.00	5.95	30.72
AV	5.4268G	48.36	54.00	-5.64	39.15	3	Horizontal	344	1.19	-	34.00	5.93	30.72
PK	5.4628G	59.81	68.20	-8.39	50.57	3	Horizontal	344	1.19	-	34.00	5.96	30.72
PK	5.7148G	118.88	Inf	-Inf	109.79	3	Horizontal	344	1.19	-	33.87	6.10	30.88
AV	5.7148G	108.03	Inf	-Inf	98.94	3	Horizontal	344	1.19	-	33.87	6.10	30.88
PK	5.8552G	66.26	68.20	-1.94	57.27	3	Horizontal	344	1.19	-	33.83	6.15	30.99


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_2TX
 Setting 108
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42048G	62.88	74.00	-11.12	57.96	3	Vertical	208	2.26	-	38.84	8.80	42.72
AV	11.4276G	46.12	54.00	-7.88	41.18	3	Vertical	208	2.26	-	38.86	8.80	42.72
PK	17.1128G	55.62	68.20	-12.58	45.06	3	Vertical	217	1.59	-	41.48	10.89	41.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
 Setting 108
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42024G	59.21	74.00	-14.79	54.29	3	Horizontal	251	1.80	-	38.84	8.80	42.72
AV	11.4004G	42.69	54.00	-11.31	37.82	3	Horizontal	251	1.80	-	38.80	8.79	42.72
PK	17.1316G	56.37	68.20	-11.83	45.70	3	Horizontal	221	1.18	-	41.59	10.90	41.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 105
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	62.59	68.94	-6.35	53.52	3	Vertical	290	2.18	-	33.80	6.10	30.83
PK	5.758G	112.30	Inf	-Inf	103.32	3	Vertical	290	2.18	-	33.80	6.10	30.92
AV	5.744G	99.87	Inf	-Inf	90.87	3	Vertical	290	2.18	-	33.81	6.10	30.91
PK	5.987G	59.47	68.20	-8.73	50.07	3	Vertical	290	2.18	-	34.20	6.29	31.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 105
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.95	68.20	-1.25	57.88	3	Horizontal	199	1.79	-	33.80	6.10	30.83
PK	5.74G	118.26	Inf	-Inf	109.24	3	Horizontal	199	1.79	-	33.82	6.10	30.90
AV	5.74G	106.37	Inf	-Inf	97.35	3	Horizontal	199	1.79	-	33.82	6.10	30.90
PK	5.988G	59.46	68.20	-8.74	50.06	3	Horizontal	199	1.79	-	34.20	6.29	31.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 105
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51032G	60.62	74.00	-13.38	55.49	3	Vertical	208	2.76	-	39.03	8.83	42.73
AV	11.51208G	45.23	54.00	-8.77	40.09	3	Vertical	208	2.76	-	39.04	8.83	42.73
PK	17.2617G	56.93	68.20	-11.27	45.52	3	Vertical	181	1.32	-	42.31	10.94	41.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 105
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5104G	59.97	74.00	-14.03	54.84	3	Horizontal	126	1.71	-	39.03	8.83	42.73
AV	11.51144G	44.27	54.00	-9.73	39.14	3	Horizontal	126	1.71	-	39.03	8.83	42.73
PK	17.26886G	57.48	68.20	-10.72	46.04	3	Horizontal	110	2.69	-	42.34	10.94	41.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 105
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.582G	59.61	68.20	-8.59	50.37	3	Vertical	64	2.85	-	33.94	6.08	30.78
PK	5.796G	112.90	Inf	-Inf	103.94	3	Vertical	64	2.85	-	33.80	6.10	30.94
AV	5.793G	97.68	Inf	-Inf	88.72	3	Vertical	64	2.85	-	33.80	6.10	30.94
PK	5.926G	61.60	68.20	-6.60	52.27	3	Vertical	64	2.85	-	34.15	6.22	31.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 105
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	61.81	68.20	-6.39	52.59	3	Horizontal	332	1.00	-	33.92	6.09	30.79
PK	5.801G	118.73	Inf	-Inf	109.79	3	Horizontal	332	1.00	-	33.80	6.09	30.95
AV	5.801G	105.91	Inf	-Inf	96.97	3	Horizontal	332	1.00	-	33.80	6.09	30.95
PK	5.924G	67.29	68.94	-1.65	57.96	3	Horizontal	332	1.00	-	34.15	6.22	31.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 105
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57528G	60.44	74.00	-13.56	55.09	3	Vertical	323	1.71	-	39.23	8.85	42.73
AV	11.57888G	43.08	54.00	-10.92	37.72	3	Vertical	323	1.71	-	39.24	8.85	42.73
PK	17.38072G	57.06	68.20	-11.14	44.97	3	Vertical	305	2.18	-	42.98	10.98	41.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 105
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59048G	58.76	74.00	-15.24	53.37	3	Horizontal	121	1.80	-	39.27	8.86	42.74
AV	11.57904G	41.46	54.00	-12.54	36.10	3	Horizontal	121	1.80	-	39.24	8.85	42.73
PK	17.38642G	57.73	68.20	-10.47	45.59	3	Horizontal	158	2.55	-	43.02	10.99	41.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 76
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	69.91	74.00	-4.09	61.32	3	Vertical	165	2.17	-	33.56	5.76	30.73
AV	5.116G	51.84	54.00	-2.16	43.28	3	Vertical	165	2.17	-	33.53	5.76	30.73
PK	5.214G	103.86	Inf	-Inf	95.08	3	Vertical	165	2.17	-	33.70	5.81	30.73
AV	5.212G	92.07	Inf	-Inf	83.29	3	Vertical	165	2.17	-	33.70	5.81	30.73
PK	5.409G	59.65	74.00	-14.35	50.46	3	Vertical	165	2.17	-	34.00	5.91	30.72
AV	5.353G	47.23	54.00	-6.77	38.16	3	Vertical	165	2.17	-	33.91	5.88	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 76
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.30	74.00	-7.70	57.65	3	Horizontal	225	1.74	-	33.60	5.78	30.73
AV	5.15G	53.50	54.00	-0.50	44.85	3	Horizontal	225	1.74	-	33.60	5.78	30.73
PK	5.186G	111.85	Inf	-Inf	103.12	3	Horizontal	225	1.74	-	33.67	5.79	30.73
AV	5.226G	98.66	Inf	-Inf	89.88	3	Horizontal	225	1.74	-	33.70	5.81	30.73
PK	5.401G	60.13	74.00	-13.87	50.95	3	Horizontal	225	1.74	-	34.00	5.90	30.72
AV	5.35G	47.53	54.00	-6.47	38.47	3	Horizontal	225	1.74	-	33.90	5.88	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 76
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41832G	52.84	68.20	-15.36	48.38	3	Vertical	278	2.10	-	38.60	8.45	42.59
PK	15.62392G	52.47	74.00	-21.53	46.56	3	Vertical	355	2.29	-	37.50	10.35	41.94
AV	15.63076G	39.08	54.00	-14.92	33.17	3	Vertical	355	2.29	-	37.50	10.35	41.94

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 76
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4146G	52.11	68.20	-16.09	47.65	3	Horizontal	75	3.00	-	38.60	8.45	42.59
PK	15.62832G	52.02	74.00	-21.98	46.11	3	Horizontal	348	2.55	-	37.50	10.35	41.94
AV	15.62568G	39.02	54.00	-14.98	33.11	3	Horizontal	348	2.55	-	37.50	10.35	41.94

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 89
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.068G	59.96	74.00	-14.04	51.46	3	Vertical	161	1.80	-	33.50	5.73	30.73
AV	5.149G	47.39	54.00	-6.61	38.75	3	Vertical	161	1.80	-	33.60	5.77	30.73
PK	5.303G	106.78	Inf	-Inf	97.84	3	Vertical	161	1.80	-	33.81	5.85	30.72
AV	5.3G	95.13	Inf	-Inf	86.20	3	Vertical	161	1.80	-	33.80	5.85	30.72
PK	5.357G	62.58	74.00	-11.42	53.51	3	Vertical	161	1.80	-	33.91	5.88	30.72
AV	5.35G	51.56	54.00	-2.44	42.50	3	Vertical	161	1.80	-	33.90	5.88	30.72
PK	5.475G	59.37	68.20	-8.83	50.12	3	Vertical	161	1.80	-	34.00	5.97	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 89
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.20	74.00	-10.80	54.56	3	Horizontal	360	1.80	-	33.60	5.77	30.73
AV	5.145G	50.36	54.00	-3.64	41.73	3	Horizontal	360	1.80	-	33.59	5.77	30.73
PK	5.271G	111.22	Inf	-Inf	102.36	3	Horizontal	360	1.80	-	33.74	5.84	30.72
AV	5.273G	98.64	Inf	-Inf	89.77	3	Horizontal	360	1.80	-	33.75	5.84	30.72
PK	5.35G	65.25	74.00	-8.75	56.19	3	Horizontal	360	1.80	-	33.90	5.88	30.72
AV	5.35G	53.38	54.00	-0.62	44.32	3	Horizontal	360	1.80	-	33.90	5.88	30.72
PK	5.467G	59.96	68.20	-8.24	50.71	3	Horizontal	360	1.80	-	34.00	5.97	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 89
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.56416G	52.56	68.20	-15.64	48.14	3	Vertical	318	1.43	-	38.54	8.50	42.62
PK	15.85632G	51.85	74.00	-22.15	45.89	3	Vertical	161	1.05	-	37.39	10.44	41.87
AV	15.85448G	39.01	54.00	-14.99	33.05	3	Vertical	161	1.05	-	37.39	10.44	41.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 89
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57176G	53.30	68.20	-14.90	48.89	3	Horizontal	63	1.80	-	38.53	8.50	42.62
PK	15.85232G	52.56	74.00	-21.44	46.59	3	Horizontal	92	2.79	-	37.40	10.44	41.87
AV	15.85648G	39.06	54.00	-14.94	33.10	3	Horizontal	92	2.79	-	37.39	10.44	41.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 83
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	59.43	68.20	-8.77	50.50	3	Vertical	159	1.80	-	33.80	5.85	30.72
AV	5.35G	46.80	54.00	-7.20	37.75	3	Vertical	159	1.80	-	33.90	5.87	30.72
PK	5.46G	60.87	74.00	-13.13	51.63	3	Vertical	159	1.80	-	34.00	5.96	30.72
AV	5.46G	49.87	54.00	-4.13	40.63	3	Vertical	159	1.80	-	34.00	5.96	30.72
PK	5.469G	63.24	68.20	-4.96	53.99	3	Vertical	159	1.80	-	34.00	5.97	30.72
PK	5.538G	104.89	Inf	-Inf	95.60	3	Vertical	159	1.80	-	34.00	6.04	30.75
AV	5.557G	92.91	Inf	-Inf	83.62	3	Vertical	159	1.80	-	33.99	6.06	30.76
PK	5.747G	59.55	68.20	-8.65	50.55	3	Vertical	159	1.80	-	33.81	6.10	30.91

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 83
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	59.78	68.20	-8.42	50.82	3	Horizontal	344	1.00	-	33.82	5.86	30.72
AV	5.35G	47.78	54.00	-6.22	38.73	3	Horizontal	344	1.00	-	33.90	5.87	30.72
PK	5.436G	66.53	74.00	-7.47	57.31	3	Horizontal	344	1.00	-	34.00	5.94	30.72
AV	5.451G	53.74	54.00	-0.26	44.51	3	Horizontal	344	1.00	-	34.00	5.95	30.72
PK	5.466G	65.71	68.20	-2.49	56.46	3	Horizontal	344	1.00	-	34.00	5.97	30.72
PK	5.558G	111.88	Inf	-Inf	102.60	3	Horizontal	344	1.00	-	33.98	6.06	30.76
AV	5.557G	99.67	Inf	-Inf	90.38	3	Horizontal	344	1.00	-	33.99	6.06	30.76
PK	5.772G	59.83	68.20	-8.37	50.86	3	Horizontal	344	1.00	-	33.80	6.10	30.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 83
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05884G	52.76	74.00	-21.24	48.10	3	Vertical	106	1.81	-	38.66	8.67	42.67
AV	11.0544G	38.70	54.00	-15.30	34.05	3	Vertical	106	1.81	-	38.65	8.67	42.67
PK	16.58484G	54.23	68.20	-13.97	46.10	3	Vertical	26	2.46	-	39.35	10.70	41.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 83
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06928G	52.72	74.00	-21.28	48.05	3	Horizontal	226	1.68	-	38.67	8.67	42.67
AV	11.05152G	38.71	54.00	-15.29	34.06	3	Horizontal	226	1.68	-	38.65	8.67	42.67
PK	16.59252G	54.48	68.20	-13.72	46.31	3	Horizontal	114	1.09	-	39.38	10.71	41.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 99
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	59.96	68.20	-8.24	50.98	3	Vertical	29	2.16	-	33.84	5.86	30.72
PK	5.4588G	62.03	74.00	-11.97	52.79	3	Vertical	29	2.16	-	34.00	5.96	30.72
AV	5.4576G	49.93	54.00	-4.07	40.69	3	Vertical	29	2.16	-	34.00	5.96	30.72
PK	5.4684G	62.00	68.20	-6.20	52.75	3	Vertical	29	2.16	-	34.00	5.97	30.72
PK	5.6064G	109.29	Inf	-Inf	100.10	3	Vertical	29	2.16	-	33.89	6.10	30.80
AV	5.598G	97.04	Inf	-Inf	87.83	3	Vertical	29	2.16	-	33.90	6.10	30.79
PK	5.7264G	64.38	68.20	-3.82	55.32	3	Vertical	29	2.16	-	33.85	6.10	30.89

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 99
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3376G	60.63	68.20	-7.57	51.60	3	Horizontal	200	1.85	-	33.88	5.87	30.72
PK	5.454G	65.43	74.00	-8.57	56.20	3	Horizontal	200	1.85	-	34.00	5.95	30.72
AV	5.46G	53.11	54.00	-0.89	43.87	3	Horizontal	200	1.85	-	34.00	5.96	30.72
PK	5.466G	65.70	68.20	-2.50	56.45	3	Horizontal	200	1.85	-	34.00	5.97	30.72
PK	5.5992G	115.30	Inf	-Inf	106.10	3	Horizontal	200	1.85	-	33.90	6.10	30.80
AV	5.6004G	104.24	Inf	-Inf	95.04	3	Horizontal	200	1.85	-	33.90	6.10	30.80
PK	5.7324G	64.04	68.20	-4.16	55.00	3	Horizontal	200	1.85	-	33.84	6.10	30.90

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23176G	53.50	74.00	-20.50	48.66	3	Vertical	222	1.65	-	38.80	8.73	42.69
AV	11.2032G	41.02	54.00	-12.98	36.19	3	Vertical	222	1.65	-	38.80	8.72	42.69
PK	16.84304G	56.16	68.20	-12.04	46.67	3	Vertical	278	1.78	-	40.53	10.80	41.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT X_2TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20136G	52.63	74.00	-21.37	47.80	3	Horizontal	120	1.80	-	38.80	8.72	42.69
AV	11.2088G	39.05	54.00	-14.95	34.22	3	Horizontal	120	1.80	-	38.80	8.72	42.69
PK	16.82088G	56.13	68.20	-12.07	46.73	3	Horizontal	127	1.32	-	40.46	10.79	41.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
 Setting 106
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	60.47	74.00	-13.53	51.25	3	Vertical	152	2.40	-	34.00	5.94	30.72
AV	5.3972G	47.75	54.00	-6.25	38.58	3	Vertical	152	2.40	-	33.99	5.90	30.72
PK	5.462G	59.38	68.20	-8.82	50.14	3	Vertical	152	2.40	-	34.00	5.96	30.72
PK	5.6972G	108.60	Inf	-Inf	99.48	3	Vertical	152	2.40	-	33.89	6.10	30.87
AV	5.6984G	96.64	Inf	-Inf	87.51	3	Vertical	152	2.40	-	33.90	6.10	30.87
PK	5.8988G	60.75	68.20	-7.45	51.49	3	Vertical	152	2.40	-	34.09	6.19	31.02

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 106
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.93	74.00	-9.07	55.69	3	Horizontal	342	1.80	-	34.00	5.96	30.72
AV	5.4428G	51.15	54.00	-2.85	41.93	3	Horizontal	342	1.80	-	34.00	5.94	30.72
PK	5.468G	64.37	68.20	-3.83	55.12	3	Horizontal	342	1.80	-	34.00	5.97	30.72
PK	5.696G	116.19	Inf	-Inf	107.07	3	Horizontal	342	1.80	-	33.89	6.10	30.87
AV	5.696G	105.55	Inf	-Inf	96.43	3	Horizontal	342	1.80	-	33.89	6.10	30.87
PK	5.8616G	67.59	68.20	-0.61	58.56	3	Horizontal	342	1.80	-	33.87	6.15	30.99

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_2TX
Setting 106
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39488G	57.81	74.00	-16.19	52.94	3	Vertical	211	1.74	-	38.80	8.79	42.72
AV	11.38776G	44.06	54.00	-9.94	39.18	3	Vertical	211	1.74	-	38.80	8.79	42.71
PK	17.07568G	56.42	68.20	-11.78	46.05	3	Vertical	217	2.37	-	41.30	10.88	41.81


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_2TX
 Setting 106
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38496G	54.34	74.00	-19.66	49.47	3	Horizontal	130	1.84	-	38.80	8.78	42.71
AV	11.36528G	40.99	54.00	-13.01	36.12	3	Horizontal	130	1.84	-	38.80	8.78	42.71
PK	17.0636G	56.60	68.20	-11.60	46.28	3	Horizontal	94	1.07	-	41.25	10.87	41.80


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TnomVnom



EUT_X_2TX
 Setting 106
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	60.47	74.00	-13.53	51.25	3	Vertical	152	2.40	-	34.00	5.94	30.72
AV	5.3972G	47.75	54.00	-6.25	38.58	3	Vertical	152	2.40	-	33.99	5.90	30.72
PK	5.462G	59.38	68.20	-8.82	50.14	3	Vertical	152	2.40	-	34.00	5.96	30.72
PK	5.6972G	108.60	Inf	-Inf	99.48	3	Vertical	152	2.40	-	33.89	6.10	30.87
AV	5.6984G	96.64	Inf	-Inf	87.51	3	Vertical	152	2.40	-	33.90	6.10	30.87
PK	5.8988G	60.75	68.20	-7.45	51.49	3	Vertical	152	2.40	-	34.09	6.19	31.02


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TnomVnom



EUT_X_2TX
 Setting 106
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.93	74.00	-9.07	55.69	3	Horizontal	342	1.80	-	34.00	5.96	30.72
AV	5.4428G	51.15	54.00	-2.85	41.93	3	Horizontal	342	1.80	-	34.00	5.94	30.72
PK	5.468G	64.37	68.20	-3.83	55.12	3	Horizontal	342	1.80	-	34.00	5.97	30.72
PK	5.696G	116.19	Inf	-Inf	107.07	3	Horizontal	342	1.80	-	33.89	6.10	30.87
AV	5.696G	105.55	Inf	-Inf	96.43	3	Horizontal	342	1.80	-	33.89	6.10	30.87
PK	5.8616G	67.59	68.20	-0.61	58.56	3	Horizontal	342	1.80	-	33.87	6.15	30.99


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TnomVnom



EUT X_2TX
 Setting 106
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39488G	57.81	74.00	-16.19	52.94	3	Vertical	211	1.74	-	38.80	8.79	42.72
AV	11.38776G	44.06	54.00	-9.94	39.18	3	Vertical	211	1.74	-	38.80	8.79	42.71
PK	17.07568G	56.42	68.20	-11.78	46.05	3	Vertical	217	2.37	-	41.30	10.88	41.81

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.725-5.85GHz_TnomVnom




EUT X_2TX
 Setting 106
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38496G	54.34	74.00	-19.66	49.47	3	Horizontal	130	1.84	-	38.80	8.78	42.71
AV	11.36528G	40.99	54.00	-13.01	36.12	3	Horizontal	130	1.84	-	38.80	8.78	42.71
PK	17.0636G	56.60	68.20	-11.60	46.28	3	Horizontal	94	1.07	-	41.25	10.87	41.80

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 101
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.77	68.20	-4.43	54.69	3	Vertical	298	1.80	-	33.81	6.10	30.83
PK	5.759G	112.80	Inf	-Inf	103.82	3	Vertical	298	1.80	-	33.80	6.10	30.92
AV	5.76G	99.44	Inf	-Inf	90.46	3	Vertical	298	1.80	-	33.80	6.10	30.92
PK	5.926G	64.97	68.20	-3.23	55.64	3	Vertical	298	1.80	-	34.15	6.22	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 101
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.77	68.20	-0.43	58.69	3	Horizontal	334	1.80	-	33.81	6.10	30.83
PK	5.741G	116.52	Inf	-Inf	107.50	3	Horizontal	334	1.80	-	33.82	6.10	30.90
AV	5.766G	102.29	Inf	-Inf	93.31	3	Horizontal	334	1.80	-	33.80	6.10	30.92
PK	5.925G	64.68	68.20	-3.52	55.35	3	Horizontal	334	1.80	-	34.15	6.22	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 101
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54024G	53.14	74.00	-20.86	47.91	3	Vertical	221	1.80	-	39.12	8.84	42.73
AV	11.53264G	39.57	54.00	-14.43	34.36	3	Vertical	221	1.80	-	39.10	8.84	42.73
PK	17.33708G	57.83	68.20	-10.37	46.00	3	Vertical	191	2.60	-	42.72	10.97	41.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 101
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5672G	52.95	74.00	-21.05	47.63	3	Horizontal	242	1.14	-	39.20	8.85	42.73
AV	11.53176G	39.16	54.00	-14.84	33.95	3	Horizontal	242	1.14	-	39.10	8.84	42.73
PK	17.31172G	57.61	68.20	-10.59	45.93	3	Horizontal	221	1.89	-	42.57	10.96	41.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 57
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0932G	65.34	74.00	-8.66	60.21	3	Vertical	273.3	1.13	-	31.99	5.59	32.45
AV	5.138G	53.63	54.00	-0.37	48.53	3	Vertical	273.3	1.13	-	31.92	5.64	32.46
PK	5.2596G	96.83	Inf	-Inf	91.95	3	Vertical	273.3	1.13	-	31.56	5.79	32.47
AV	5.2532G	85.44	Inf	-Inf	80.54	3	Vertical	273.3	1.13	-	31.59	5.78	32.47
PK	5.3844G	67.14	74.00	-6.86	62.21	3	Vertical	273.3	1.13	-	31.44	5.98	32.49
AV	5.378G	52.61	54.00	-1.39	47.72	3	Vertical	273.3	1.13	-	31.41	5.97	32.49
PK	5.5396G	57.45	68.20	-10.75	52.04	3	Vertical	273.3	1.13	-	31.90	6.00	32.49

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 57
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	64.41	74.00	-9.59	59.31	3	Horizontal	360	1.00	-	31.93	5.63	32.46
AV	5.1332G	53.73	54.00	-0.27	48.63	3	Horizontal	360	1.00	-	31.93	5.63	32.46
PK	5.1844G	108.26	Inf	-Inf	103.21	3	Horizontal	360	1.00	-	31.83	5.68	32.46
AV	5.2308G	94.31	Inf	-Inf	89.35	3	Horizontal	360	1.00	-	31.68	5.75	32.47
PK	5.3764G	60.10	74.00	-13.90	55.22	3	Horizontal	360	1.00	-	31.41	5.96	32.49
AV	5.378G	49.83	54.00	-4.17	44.94	3	Horizontal	360	1.00	-	31.41	5.97	32.49
PK	5.4948G	59.13	68.20	-9.07	53.75	3	Horizontal	360	1.00	-	31.88	6.00	32.50

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 57
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49092G	52.28	68.20	-15.92	47.82	3	Vertical	349	2.81	-	38.60	8.47	42.61
PK	15.75876G	51.79	74.00	-22.21	45.79	3	Vertical	291	1.77	-	37.50	10.40	41.90
AV	15.744G	41.18	54.00	-12.82	35.18	3	Vertical	291	1.77	-	37.50	10.40	41.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 57
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50684G	51.79	68.20	-16.41	47.33	3	Horizontal	88	2.14	-	38.59	8.48	42.61
PK	15.74776G	52.44	74.00	-21.56	46.44	3	Horizontal	156	1.15	-	37.50	10.40	41.90
AV	15.75448G	41.23	54.00	-12.77	35.23	3	Horizontal	156	1.15	-	37.50	10.40	41.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 65
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	60.32	68.20	-7.88	51.34	3	Vertical	152	2.29	-	33.84	5.86	30.72
PK	5.442G	64.62	74.00	-9.38	55.40	3	Vertical	152	2.29	-	34.00	5.94	30.72
AV	5.4436G	50.97	54.00	-3.03	41.75	3	Vertical	152	2.29	-	34.00	5.94	30.72
PK	5.4612G	65.27	68.20	-2.93	56.03	3	Vertical	152	2.29	-	34.00	5.96	30.72
PK	5.5044G	100.32	Inf	-Inf	91.04	3	Vertical	152	2.29	-	34.00	6.00	30.72
AV	5.506G	89.04	Inf	-Inf	79.75	3	Vertical	152	2.29	-	34.00	6.01	30.72
PK	5.7572G	62.28	68.20	-5.92	53.30	3	Vertical	152	2.29	-	33.80	6.10	30.92

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 65
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.234G	60.19	68.20	-8.01	51.40	3	Horizontal	206	1.02	-	33.70	5.82	30.73
PK	5.4196G	64.52	74.00	-9.48	55.32	3	Horizontal	206	1.02	-	34.00	5.92	30.72
PK	5.466G	64.37	68.20	-3.83	55.12	3	Horizontal	206	1.02	-	34.00	5.97	30.72
AV	5.4436G	53.31	54.00	-0.69	44.09	3	Horizontal	206	1.02	-	34.00	5.94	30.72
PK	5.4948G	107.76	Inf	-Inf	98.49	3	Horizontal	206	1.02	-	34.00	5.99	30.72
AV	5.4948G	94.45	Inf	-Inf	85.18	3	Horizontal	206	1.02	-	34.00	5.99	30.72
PK	5.7716G	59.96	68.20	-8.24	50.99	3	Horizontal	206	1.02	-	33.80	6.10	30.93

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 65
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14216G	51.93	74.00	-22.07	47.17	3	Vertical	88	2.16	-	38.74	8.70	42.68
AV	11.14612G	38.58	54.00	-15.42	33.81	3	Vertical	88	2.16	-	38.75	8.70	42.68
PK	16.714G	53.83	68.20	-14.37	45.25	3	Vertical	189	1.31	-	39.71	10.75	41.88

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT X_2TX
Setting 65
02-F-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13748G	52.19	74.00	-21.81	47.43	3	Horizontal	58	2.11	-	38.74	8.70	42.68
AV	11.142G	38.57	54.00	-15.43	33.81	3	Horizontal	58	2.11	-	38.74	8.70	42.68
PK	16.70164G	54.93	68.20	-13.27	46.46	3	Horizontal	195	2.44	-	39.61	10.75	41.89



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.73804G	37.49	54.00	-16.51	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7405G	44.54	74.00	-29.46	-7.55	3	Vertical	129	1.52	-	52.09	25.12	3.74	36.41
AV	1.74065G	33.20	54.00	-20.80	-7.54	3	Vertical	129	1.52	"Worst"	40.74	25.13	3.74	36.41

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.74044G	46.49	74.00	-27.51	-7.55	3	Horizontal	246	1.51	-	54.04	25.12	3.74	36.41
AV	1.73804G	37.49	54.00	-16.51	-7.57	3	Horizontal	246	1.51	"Worst"	45.06	25.10	3.74	36.41