


802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	58.35	74.00	-15.65	53.53	3	Horizontal	61	2.27	-	31.80	5.00	31.98
AV	5.1482G	45.99	54.00	-8.01	41.16	3	Horizontal	61	2.27	-	31.81	5.00	31.98
PK	5.2352G	115.98	Inf	-Inf	111.53	3	Horizontal	61	2.27	-	31.46	5.00	32.01
AV	5.2382G	103.09	Inf	-Inf	98.65	3	Horizontal	61	2.27	-	31.45	5.00	32.01
PK	5.3684G	57.67	74.00	-16.33	53.29	3	Horizontal	61	2.27	-	31.45	5.00	32.07
AV	5.3834G	44.84	54.00	-9.16	40.35	3	Horizontal	61	2.27	-	31.57	5.00	32.08

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.729G	58.20	74.00	-15.80	44.54	3	Vertical	136.5	1.73	-	37.51	10.46	34.31
AV	15.72292G	44.01	54.00	-9.99	30.33	3	Vertical	136.5	1.62	-	37.53	10.46	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71876G	58.41	74.00	-15.59	44.72	3	Horizontal	175	3.00	-	37.54	10.46	34.31
AV	15.72304G	44.02	54.00	-9.98	30.34	3	Horizontal	175	3.00	-	37.53	10.46	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.10	74.00	-13.90	55.28	3	Vertical	359.3	2.26	-	31.80	5.00	31.98
AV	5.15G	47.72	54.00	-6.28	42.90	3	Vertical	359.3	2.26	-	31.80	5.00	31.98
PK	5.2654G	121.45	Inf	-Inf	117.11	3	Vertical	359.3	2.26	-	31.37	5.00	32.03
AV	5.2582G	108.42	Inf	-Inf	104.06	3	Vertical	359.3	2.26	-	31.38	5.00	32.02
PK	5.3524G	62.59	74.00	-11.41	58.34	3	Vertical	359.3	2.26	-	31.32	5.00	32.07
AV	5.3536G	48.93	54.00	-5.07	44.67	3	Vertical	359.3	2.26	-	31.33	5.00	32.07

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	57.69	74.00	-16.31	52.75	3	Horizontal	62	2.30	-	31.90	5.00	31.96
AV	5.15G	45.32	54.00	-8.68	40.50	3	Horizontal	62	2.30	-	31.80	5.00	31.98
PK	5.2564G	116.15	Inf	-Inf	111.78	3	Horizontal	62	2.30	-	31.39	5.00	32.02
AV	5.2648G	103.41	Inf	-Inf	99.07	3	Horizontal	62	2.30	-	31.37	5.00	32.03
PK	5.3506G	58.52	74.00	-15.48	54.28	3	Horizontal	62	2.30	-	31.30	5.00	32.06
AV	5.353G	45.86	54.00	-8.14	41.61	3	Horizontal	62	2.30	-	31.32	5.00	32.07

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78392G	57.41	74.00	-16.59	43.90	3	Vertical	259	2.64	-	37.35	10.49	34.33
AV	15.77448G	43.69	54.00	-10.31	30.15	3	Vertical	259	2.64	-	37.38	10.49	34.33

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77768G	56.87	74.00	-17.13	43.34	3	Horizontal	280	1.96	-	37.37	10.49	34.33
AV	15.77196G	43.71	54.00	-10.29	30.17	3	Horizontal	280	1.96	-	37.38	10.49	34.33

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 101
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	120.66	Inf	-Inf	116.38	3	Vertical	357	1.03	-	31.32	5.00	32.04
AV	5.2984G	107.75	Inf	-Inf	103.49	3	Vertical	357	1.03	-	31.30	5.00	32.04
PK	5.3504G	69.11	74.00	-4.89	64.87	3	Vertical	357	1.03	-	31.30	5.00	32.06
AV	5.35G	52.86	54.00	-1.14	48.62	3	Vertical	357	1.03	-	31.30	5.00	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 101
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	114.98	Inf	-Inf	110.72	3	Horizontal	64.8	2.23	-	31.30	5.00	32.04
AV	5.2984G	101.71	Inf	-Inf	97.45	3	Horizontal	64.8	2.23	-	31.30	5.00	32.04
PK	5.3508G	64.74	74.00	-9.26	60.49	3	Horizontal	64.8	2.23	-	31.31	5.00	32.06
AV	5.35G	48.73	54.00	-5.27	44.49	3	Horizontal	64.8	2.23	-	31.30	5.00	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 101
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9026G	56.97	74.00	-17.03	43.69	3	Vertical	200	1.35	-	37.11	10.55	34.38
AV	15.90464G	43.55	54.00	-10.45	30.27	3	Vertical	200	1.35	-	37.11	10.55	34.38

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 101
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8962G	57.77	74.00	-16.23	44.49	3	Horizontal	296	2.73	-	37.11	10.55	34.38
AV	15.90532G	43.63	54.00	-10.37	30.34	3	Horizontal	296	2.73	-	37.12	10.55	34.38

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	117.91	Inf	-Inf	113.66	3	Vertical	12	2.25	-	31.30	5.00	32.05
AV	5.3216G	104.83	Inf	-Inf	100.58	3	Vertical	12	2.25	-	31.30	5.00	32.05
PK	5.3508G	71.91	74.00	-2.09	67.66	3	Vertical	12	2.25	-	31.31	5.00	32.06
AV	5.35G	53.81	54.00	-0.19	49.57	3	Vertical	12	2.25	-	31.30	5.00	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	112.23	Inf	-Inf	107.98	3	Horizontal	76	2.23	-	31.30	5.00	32.05
AV	5.3224G	98.71	Inf	-Inf	94.46	3	Horizontal	76	2.23	-	31.30	5.00	32.05
PK	5.35G	65.22	74.00	-8.78	60.98	3	Horizontal	76	2.23	-	31.30	5.00	32.06
AV	5.35G	49.34	54.00	-4.66	45.10	3	Horizontal	76	2.23	-	31.30	5.00	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96348G	58.57	74.00	-15.43	44.93	3	Vertical	258	2.36	-	37.47	10.58	34.41
AV	15.96542G	44.82	54.00	-9.18	31.18	3	Vertical	258	2.36	-	37.47	10.58	34.41

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95958G	58.10	74.00	-15.90	44.44	3	Horizontal	37	1.71	-	37.48	10.58	34.40
AV	15.95968G	44.73	54.00	-9.27	31.07	3	Horizontal	37	1.71	-	37.48	10.58	34.40

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.77	74.00	-12.23	57.12	3	Vertical	32	2.20	-	31.70	5.06	32.11
AV	5.4596G	48.03	54.00	-5.97	43.38	3	Vertical	32	2.20	-	31.70	5.06	32.11
PK	5.47G	68.03	68.20	-0.17	63.38	3	Vertical	32	2.20	-	31.70	5.07	32.12
PK	5.5008G	117.06	Inf	-Inf	112.39	3	Vertical	32	2.20	-	31.70	5.10	32.13
AV	5.5056G	104.05	Inf	-Inf	99.38	3	Vertical	32	2.20	-	31.69	5.11	32.13

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.43	74.00	-14.57	54.78	3	Horizontal	78	2.41	-	31.70	5.06	32.11
AV	5.46G	45.60	54.00	-8.40	40.95	3	Horizontal	78	2.41	-	31.70	5.06	32.11
PK	5.4692G	65.94	68.20	-2.26	61.29	3	Horizontal	78	2.41	-	31.70	5.07	32.12
PK	5.492G	112.24	Inf	-Inf	107.58	3	Horizontal	78	2.41	-	31.70	5.09	32.13
AV	5.5052G	98.97	Inf	-Inf	94.30	3	Horizontal	78	2.41	-	31.69	5.11	32.13

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 84
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99388G	57.24	74.00	-16.76	43.18	3	Vertical	308	2.32	-	40.19	8.10	34.23
AV	10.99544G	43.53	54.00	-10.47	29.46	3	Vertical	308	2.32	-	40.20	8.10	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 84
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00896G	57.80	74.00	-16.20	43.77	3	Horizontal	182	2.59	-	40.16	8.10	34.23
AV	11.0051G	43.68	54.00	-10.32	29.63	3	Horizontal	182	2.59	-	40.18	8.10	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3912G	61.32	74.00	-12.68	56.77	3	Vertical	19	2.26	-	31.63	5.00	32.08
PK	5.468G	62.57	68.20	-5.63	57.92	3	Vertical	19	2.26	-	31.70	5.07	32.12
AV	5.4584G	48.16	54.00	-5.84	43.51	3	Vertical	19	2.26	-	31.70	5.06	32.11
PK	5.584G	122.28	Inf	-Inf	117.68	3	Vertical	19	2.26	-	31.60	5.18	32.18
AV	5.5816G	109.65	Inf	-Inf	105.05	3	Vertical	19	2.26	-	31.60	5.18	32.18
PK	5.7264G	60.49	68.20	-7.71	55.65	3	Vertical	19	2.26	-	31.85	5.26	32.27

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	58.08	74.00	-15.92	53.44	3	Horizontal	79	2.28	-	31.70	5.05	32.11
PK	5.4656G	58.99	68.20	-9.21	54.33	3	Horizontal	79	2.28	-	31.70	5.07	32.11
AV	5.46G	45.49	54.00	-8.51	40.84	3	Horizontal	79	2.28	-	31.70	5.06	32.11
PK	5.572G	117.40	Inf	-Inf	112.80	3	Horizontal	79	2.28	-	31.60	5.17	32.17
AV	5.5824G	104.58	Inf	-Inf	99.98	3	Horizontal	79	2.28	-	31.60	5.18	32.18
PK	5.7368G	58.33	68.20	-9.87	53.46	3	Horizontal	79	2.28	-	31.87	5.27	32.27

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16096G	56.31	74.00	-17.69	42.73	3	Vertical	155	1.87	-	39.68	8.16	34.26
AV	11.15562G	42.88	54.00	-11.12	29.28	3	Vertical	155	1.87	-	39.69	8.16	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1507G	56.60	74.00	-17.40	42.99	3	Horizontal	163	1.51	-	39.70	8.16	34.25
AV	11.1714G	42.75	54.00	-11.25	29.18	3	Horizontal	163	1.51	-	39.66	8.17	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 77
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	114.71	Inf	-Inf	109.91	3	Vertical	20	2.38	-	31.80	5.25	32.25
AV	5.7016G	101.88	Inf	-Inf	97.08	3	Vertical	20	2.38	-	31.80	5.25	32.25
PK	5.7256G	67.86	68.20	-0.34	63.02	3	Vertical	20	2.38	-	31.85	5.26	32.27

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 77
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	110.17	Inf	-Inf	105.39	3	Horizontal	79	2.28	-	31.77	5.25	32.24
AV	5.7008G	96.23	Inf	-Inf	91.43	3	Horizontal	79	2.28	-	31.80	5.25	32.25
PK	5.7252G	64.90	68.20	-3.30	60.06	3	Horizontal	79	2.28	-	31.85	5.26	32.27

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 77
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40664G	56.08	74.00	-17.92	42.33	3	Vertical	331	1.44	-	39.79	8.26	34.30
AV	11.4066G	42.50	54.00	-11.50	28.75	3	Vertical	331	1.44	-	39.79	8.26	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 77
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39224G	55.69	74.00	-18.31	41.94	3	Horizontal	44	1.31	-	39.78	8.26	34.29
AV	11.39248G	42.56	54.00	-11.44	28.81	3	Horizontal	44	1.31	-	39.78	8.26	34.29

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	122.39	Inf	-Inf	117.55	3	Vertical	204	2.17	-	31.84	5.26	32.26
AV	5.724G	109.06	Inf	-Inf	104.21	3	Vertical	204	2.17	-	31.85	5.26	32.26
PK	5.8728G	60.81	68.20	-7.39	55.69	3	Vertical	204	2.17	-	32.10	5.37	32.35

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	116.02	Inf	-Inf	111.19	3	Horizontal	80	2.19	-	31.83	5.26	32.26
AV	5.7176G	103.10	Inf	-Inf	98.26	3	Horizontal	80	2.19	-	31.84	5.26	32.26
PK	5.8568G	58.49	68.20	-9.71	53.37	3	Horizontal	80	2.19	-	32.10	5.36	32.34

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44884G	55.88	74.00	-18.12	42.20	3	Vertical	160	1.68	-	39.70	8.28	34.30
AV	11.44272G	42.33	54.00	-11.67	28.64	3	Vertical	160	1.68	-	39.71	8.28	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43984G	56.68	74.00	-17.32	42.98	3	Horizontal	298	2.85	-	39.72	8.28	34.30
AV	11.4476G	42.25	54.00	-11.75	28.57	3	Horizontal	298	2.85	-	39.70	8.28	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	62.61	68.20	-5.59	58.01	3	Vertical	194	2.40	-	31.60	5.22	32.22
PK	5.746G	121.58	Inf	-Inf	116.70	3	Vertical	194	2.40	-	31.89	5.27	32.28
AV	5.747G	110.19	Inf	-Inf	105.31	3	Vertical	194	2.40	-	31.89	5.27	32.28
PK	5.97G	61.34	68.20	-6.86	56.02	3	Vertical	194	2.40	-	32.26	5.47	32.41

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.03	68.20	-6.17	57.43	3	Horizontal	74	2.24	-	31.60	5.22	32.22
PK	5.747G	116.05	Inf	-Inf	111.17	3	Horizontal	74	2.24	-	31.89	5.27	32.28
AV	5.748G	103.85	Inf	-Inf	98.96	3	Horizontal	74	2.24	-	31.90	5.27	32.28
PK	5.99G	58.47	68.20	-9.73	53.18	3	Horizontal	74	2.24	-	32.22	5.49	32.42

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4906G	55.07	74.00	-18.93	40.78	3	Vertical	90	1.90	-	40.30	8.30	34.31
AV	11.48488G	42.30	54.00	-11.70	28.02	3	Vertical	90	1.90	-	40.30	8.29	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48664G	55.64	74.00	-18.36	41.36	3	Horizontal	353	1.97	-	40.30	8.29	34.31
AV	11.4856G	42.31	54.00	-11.69	28.03	3	Horizontal	353	1.97	-	40.30	8.29	34.31

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	60.44	68.20	-7.76	55.83	3	Vertical	200	2.20	-	31.60	5.20	32.19
PK	5.783G	121.50	Inf	-Inf	116.61	3	Vertical	200	2.20	-	31.90	5.29	32.30
AV	5.787G	110.22	Inf	-Inf	105.33	3	Vertical	200	2.20	-	31.90	5.29	32.30
PK	6.025G	60.06	68.20	-8.14	54.70	3	Vertical	200	2.20	-	32.30	5.50	32.44

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	57.86	68.20	-10.34	53.25	3	Horizontal	92	2.18	-	31.60	5.20	32.19
PK	5.784G	111.38	Inf	-Inf	106.49	3	Horizontal	92	2.18	-	31.90	5.29	32.30
AV	5.787G	99.49	Inf	-Inf	94.60	3	Horizontal	92	2.18	-	31.90	5.29	32.30
PK	5.935G	58.03	68.20	-10.17	52.74	3	Horizontal	92	2.18	-	32.24	5.44	32.39

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57856G	54.69	74.00	-19.31	40.60	3	Vertical	330	1.43	-	40.06	8.33	34.30
AV	11.57264G	41.94	54.00	-12.06	27.83	3	Vertical	330	1.43	-	40.08	8.33	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56428G	55.27	74.00	-18.73	41.13	3	Horizontal	55	2.17	-	40.11	8.33	34.30
AV	11.56936G	42.00	54.00	-12.00	27.88	3	Horizontal	55	2.17	-	40.09	8.33	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	60.38	68.20	-7.82	55.79	3	Vertical	198	2.16	-	31.60	5.17	32.18
PK	5.823G	121.74	Inf	-Inf	116.75	3	Vertical	198	2.16	-	31.99	5.32	32.32
AV	5.821G	109.50	Inf	-Inf	104.52	3	Vertical	198	2.16	-	31.98	5.32	32.32
PK	5.924G	64.13	68.94	-4.81	58.89	3	Vertical	198	2.16	-	32.20	5.42	32.38

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.43	68.20	-8.77	54.82	3	Horizontal	75	2.28	-	31.60	5.22	32.21
PK	5.821G	116.51	Inf	-Inf	111.53	3	Horizontal	75	2.28	-	31.98	5.32	32.32
AV	5.823G	103.10	Inf	-Inf	98.11	3	Horizontal	75	2.28	-	31.99	5.32	32.32
PK	5.928G	59.11	68.20	-9.09	53.86	3	Horizontal	75	2.28	-	32.21	5.43	32.39

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6454G	53.75	74.00	-20.25	39.99	3	Vertical	182	1.93	-	39.68	8.36	34.28
AV	11.65564G	40.38	54.00	-13.62	26.69	3	Vertical	182	1.93	-	39.61	8.36	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64864G	54.37	74.00	-19.63	40.63	3	Horizontal	231	1.90	-	39.66	8.36	34.28
AV	11.6428G	40.38	54.00	-13.62	26.60	3	Horizontal	231	1.90	-	39.70	8.36	34.28

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 82
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	73.23	74.00	-0.77	68.39	3	Vertical	1	1.00	-	31.81	5.00	31.97
AV	5.1498G	52.54	54.00	-1.46	47.72	3	Vertical	1	1.00	-	31.80	5.00	31.98
PK	5.184G	113.42	Inf	-Inf	108.75	3	Vertical	1	1.00	-	31.66	5.00	31.99
AV	5.184G	100.10	Inf	-Inf	95.43	3	Vertical	1	1.00	-	31.66	5.00	31.99

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 82
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	72.12	74.00	-1.88	67.29	3	Horizontal	62	2.32	-	31.81	5.00	31.98
AV	5.1498G	52.18	54.00	-1.82	47.36	3	Horizontal	62	2.32	-	31.80	5.00	31.98
PK	5.1846G	108.57	Inf	-Inf	103.90	3	Horizontal	62	2.32	-	31.66	5.00	31.99
AV	5.1978G	95.88	Inf	-Inf	91.27	3	Horizontal	62	2.32	-	31.61	5.00	32.00

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 82
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57572G	59.17	74.00	-14.83	45.31	3	Vertical	290	1.52	-	37.72	10.39	34.25
AV	15.56872G	44.84	54.00	-9.16	30.95	3	Vertical	290	1.52	-	37.76	10.38	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 82
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.569G	58.77	74.00	-15.23	44.88	3	Horizontal	345	1.14	-	37.76	10.38	34.25
AV	15.57196G	44.95	54.00	-9.05	31.07	3	Horizontal	345	1.14	-	37.74	10.39	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 99
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	73.11	74.00	-0.89	68.27	3	Vertical	33	2.31	-	31.81	5.00	31.97
AV	5.15G	53.38	54.00	-0.62	48.56	3	Vertical	33	2.31	-	31.80	5.00	31.98
PK	5.2354G	116.99	Inf	-Inf	112.54	3	Vertical	33	2.31	-	31.46	5.00	32.01
AV	5.233G	104.70	Inf	-Inf	100.24	3	Vertical	33	2.31	-	31.47	5.00	32.01
PK	5.3662G	62.36	74.00	-11.64	58.00	3	Vertical	33	2.31	-	31.43	5.00	32.07
AV	5.35G	49.30	54.00	-4.70	45.06	3	Vertical	33	2.31	-	31.30	5.00	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 99
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.38	74.00	-8.62	60.56	3	Horizontal	62	2.34	-	31.80	5.00	31.98
AV	5.15G	51.02	54.00	-2.98	46.20	3	Horizontal	62	2.34	-	31.80	5.00	31.98
PK	5.2246G	113.19	Inf	-Inf	108.70	3	Horizontal	62	2.34	-	31.50	5.00	32.01
AV	5.2324G	99.07	Inf	-Inf	94.61	3	Horizontal	62	2.34	-	31.47	5.00	32.01
PK	5.3542G	59.10	74.00	-14.90	54.84	3	Horizontal	62	2.34	-	31.33	5.00	32.07
AV	5.3536G	45.72	54.00	-8.28	41.46	3	Horizontal	62	2.34	-	31.33	5.00	32.07

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 99
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68648G	57.69	74.00	-16.31	43.94	3	Vertical	253	2.51	-	37.60	10.44	34.29
AV	15.68168G	43.89	54.00	-10.11	30.14	3	Vertical	253	2.51	-	37.60	10.44	34.29

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 99
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68908G	57.69	74.00	-16.31	43.95	3	Horizontal	247	1.50	-	37.60	10.44	34.30
AV	15.6818G	43.94	54.00	-10.06	30.19	3	Horizontal	247	1.50	-	37.60	10.44	34.29

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 97
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	61.37	74.00	-12.63	56.45	3	Vertical	2	1.00	-	31.89	5.00	31.97
AV	5.15G	48.33	54.00	-5.67	43.51	3	Vertical	2	1.00	-	31.80	5.00	31.98
PK	5.2658G	119.00	Inf	-Inf	114.66	3	Vertical	2	1.00	-	31.37	5.00	32.03
AV	5.2778G	104.57	Inf	-Inf	100.26	3	Vertical	2	1.00	-	31.34	5.00	32.03
PK	5.351G	68.82	74.00	-5.18	64.57	3	Vertical	2	1.00	-	31.31	5.00	32.06
AV	5.35G	53.55	54.00	-0.45	49.31	3	Vertical	2	1.00	-	31.30	5.00	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 97
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	59.13	74.00	-14.87	54.26	3	Horizontal	72	2.35	-	31.84	5.00	31.97
AV	5.1494G	45.90	54.00	-8.10	41.08	3	Horizontal	72	2.35	-	31.80	5.00	31.98
PK	5.2658G	112.74	Inf	-Inf	108.40	3	Horizontal	72	2.35	-	31.37	5.00	32.03
AV	5.2724G	99.14	Inf	-Inf	94.81	3	Horizontal	72	2.35	-	31.36	5.00	32.03
PK	5.35G	65.71	74.00	-8.29	61.47	3	Horizontal	72	2.35	-	31.30	5.00	32.06
AV	5.3504G	50.70	54.00	-3.30	46.46	3	Horizontal	72	2.35	-	31.30	5.00	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 97
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80768G	58.28	74.00	-15.72	44.34	3	Vertical	212	2.14	-	37.78	10.50	34.34
AV	15.807G	44.70	54.00	-9.30	30.75	3	Vertical	212	2.14	-	37.79	10.50	34.34

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 97
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8162G	58.77	74.00	-15.23	44.84	3	Horizontal	195	2.29	-	37.77	10.51	34.35
AV	15.81428G	44.69	54.00	-9.31	30.76	3	Horizontal	195	2.29	-	37.77	10.51	34.35

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 79
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	114.68	Inf	-Inf	110.43	3	Vertical	34	2.20	-	31.30	5.00	32.05
AV	5.3124G	100.19	Inf	-Inf	95.94	3	Vertical	34	2.20	-	31.30	5.00	32.05
PK	5.3508G	73.98	74.00	-0.02	69.73	3	Vertical	34	2.20	-	31.31	5.00	32.06
AV	5.35G	51.46	54.00	-2.54	47.22	3	Vertical	34	2.20	-	31.30	5.00	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT_V_2TX
Setting 79
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	108.01	Inf	-Inf	103.76	3	Horizontal	77	2.32	-	31.30	5.00	32.05
AV	5.3136G	94.18	Inf	-Inf	89.93	3	Horizontal	77	2.32	-	31.30	5.00	32.05
PK	5.3508G	68.37	74.00	-5.63	64.12	3	Horizontal	77	2.32	-	31.31	5.00	32.06
AV	5.3526G	47.84	54.00	-6.16	43.59	3	Horizontal	77	2.32	-	31.32	5.00	32.07

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 79
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93036G	58.39	74.00	-15.61	44.67	3	Vertical	40	2.21	-	37.54	10.57	34.39
AV	15.92916G	44.28	54.00	-9.72	30.57	3	Vertical	40	2.21	-	37.54	10.56	34.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 79
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93288G	57.98	74.00	-16.02	44.27	3	Horizontal	311	1.61	-	37.53	10.57	34.39
AV	15.93144G	44.29	54.00	-9.71	30.57	3	Horizontal	311	1.61	-	37.54	10.57	34.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 73
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.20	74.00	-8.80	60.55	3	Vertical	21	2.19	-	31.70	5.06	32.11
AV	5.4584G	47.93	54.00	-6.07	43.28	3	Vertical	21	2.19	-	31.70	5.06	32.11
PK	5.4686G	67.56	68.20	-0.64	62.91	3	Vertical	21	2.19	-	31.70	5.07	32.12
PK	5.5088G	111.87	Inf	-Inf	107.22	3	Vertical	21	2.19	-	31.68	5.11	32.14
AV	5.5022G	99.08	Inf	-Inf	94.41	3	Vertical	21	2.19	-	31.70	5.10	32.13

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 73
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.27	74.00	-12.73	56.62	3	Horizontal	77	2.18	-	31.70	5.06	32.11
AV	5.459G	45.74	54.00	-8.26	41.09	3	Horizontal	77	2.18	-	31.70	5.06	32.11
PK	5.4698G	66.02	68.20	-2.18	61.37	3	Horizontal	77	2.18	-	31.70	5.07	32.12
PK	5.522G	108.54	Inf	-Inf	103.90	3	Horizontal	77	2.18	-	31.66	5.12	32.14
AV	5.507G	93.98	Inf	-Inf	89.31	3	Horizontal	77	2.18	-	31.69	5.11	32.13

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 73
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02492G	58.15	74.00	-15.85	44.17	3	Vertical	274	2.26	-	40.10	8.11	34.23
AV	11.02172G	43.02	54.00	-10.98	29.03	3	Vertical	274	2.26	-	40.11	8.11	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 73
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02184G	56.34	74.00	-17.66	42.35	3	Horizontal	358	1.57	-	40.11	8.11	34.23
AV	11.02316G	43.00	54.00	-11.00	29.01	3	Horizontal	358	1.57	-	40.11	8.11	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 92
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.51	74.00	-9.49	59.86	3	Vertical	340	2.26	-	31.70	5.06	32.11
AV	5.4594G	49.57	54.00	-4.43	44.92	3	Vertical	340	2.26	-	31.70	5.06	32.11
PK	5.469G	66.83	68.20	-1.37	62.18	3	Vertical	340	2.26	-	31.70	5.07	32.12
PK	5.5548G	116.43	Inf	-Inf	111.84	3	Vertical	340	2.26	-	31.60	5.15	32.16
AV	5.547G	103.44	Inf	-Inf	98.84	3	Vertical	340	2.26	-	31.61	5.15	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 92
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	62.76	74.00	-11.24	58.11	3	Horizontal	79	2.28	-	31.70	5.06	32.11
AV	5.46G	47.42	54.00	-6.58	42.77	3	Horizontal	79	2.28	-	31.70	5.06	32.11
PK	5.4696G	64.35	68.20	-3.85	59.70	3	Horizontal	79	2.28	-	31.70	5.07	32.12
PK	5.5608G	113.03	Inf	-Inf	108.44	3	Horizontal	79	2.28	-	31.60	5.16	32.17
AV	5.547G	99.31	Inf	-Inf	94.71	3	Horizontal	79	2.28	-	31.61	5.15	32.16

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 92
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09636G	56.58	74.00	-17.42	42.88	3	Vertical	141	2.95	-	39.81	8.14	34.25
AV	11.09616G	42.64	54.00	-11.36	28.93	3	Vertical	141	2.95	-	39.82	8.14	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 92
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09272G	55.71	74.00	-18.29	41.98	3	Horizontal	215	1.89	-	39.83	8.14	34.24
AV	11.09228G	42.58	54.00	-11.42	28.85	3	Horizontal	215	1.89	-	39.83	8.14	34.24

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6658G	115.46	Inf	-Inf	110.80	3	Vertical	7	2.20	-	31.66	5.23	32.23
AV	5.676G	100.43	Inf	-Inf	95.73	3	Vertical	7	2.20	-	31.70	5.24	32.24
PK	5.7282G	67.24	68.20	-0.96	62.39	3	Vertical	7	2.20	-	31.86	5.26	32.27

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	108.63	Inf	-Inf	103.97	3	Horizontal	83	2.31	-	31.66	5.23	32.23
AV	5.6736G	95.59	Inf	-Inf	90.89	3	Horizontal	83	2.31	-	31.69	5.24	32.23
PK	5.7288G	65.03	68.20	-3.17	60.18	3	Horizontal	83	2.31	-	31.86	5.26	32.27

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34064G	57.13	74.00	-16.87	43.49	3	Vertical	220	2.13	-	39.68	8.24	34.28
AV	11.34072G	42.62	54.00	-11.38	28.98	3	Vertical	220	2.13	-	39.68	8.24	34.28

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34228G	56.62	74.00	-17.38	42.98	3	Horizontal	294	1.47	-	39.68	8.24	34.28
AV	11.34868G	42.61	54.00	-11.39	28.96	3	Horizontal	294	1.47	-	39.70	8.24	34.29

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz_TnomVnom




EUT_V_2TX
Setting 104
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	61.00	74.00	-13.00	56.37	3	Vertical	15	2.09	-	31.70	5.04	32.11
AV	5.4532G	47.97	54.00	-6.03	43.33	3	Vertical	15	2.09	-	31.70	5.05	32.11
PK	5.4652G	61.03	68.20	-7.17	56.37	3	Vertical	15	2.09	-	31.70	5.07	32.11
PK	5.7148G	119.07	Inf	-Inf	114.24	3	Vertical	15	2.09	-	31.83	5.26	32.26
AV	5.7136G	105.99	Inf	-Inf	101.16	3	Vertical	15	2.09	-	31.83	5.26	32.26
PK	5.8576G	66.57	68.20	-1.63	61.45	3	Vertical	15	2.09	-	32.10	5.36	32.34

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz_TnomVnom




EUT_V_2TX
Setting 104
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	58.21	74.00	-15.79	53.57	3	Horizontal	81	2.20	-	31.70	5.05	32.11
AV	5.4472G	45.38	54.00	-8.62	40.74	3	Horizontal	81	2.20	-	31.70	5.05	32.11
PK	5.4652G	58.09	68.20	-10.11	53.43	3	Horizontal	81	2.20	-	31.70	5.07	32.11
PK	5.7016G	113.70	Inf	-Inf	108.90	3	Horizontal	81	2.20	-	31.80	5.25	32.25
AV	5.7064G	100.71	Inf	-Inf	95.90	3	Horizontal	81	2.20	-	31.81	5.25	32.25
PK	5.8528G	61.20	68.20	-7.00	56.09	3	Horizontal	81	2.20	-	32.10	5.35	32.34

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42168G	56.33	74.00	-17.67	42.60	3	Vertical	213	2.89	-	39.76	8.27	34.30
AV	11.42772G	42.69	54.00	-11.31	28.98	3	Vertical	213	2.89	-	39.74	8.27	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42076G	55.63	74.00	-18.37	41.90	3	Horizontal	152	1.43	-	39.76	8.27	34.30
AV	11.41544G	42.56	54.00	-11.44	28.82	3	Horizontal	152	1.43	-	39.77	8.27	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 102
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.56	68.20	-0.64	62.96	3	Vertical	207	2.16	-	31.60	5.22	32.22
PK	5.773G	117.19	Inf	-Inf	112.29	3	Vertical	207	2.16	-	31.90	5.29	32.29
AV	5.751G	105.40	Inf	-Inf	100.50	3	Vertical	207	2.16	-	31.90	5.28	32.28
PK	5.928G	60.53	68.20	-7.67	55.28	3	Vertical	207	2.16	-	32.21	5.43	32.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 102
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.02	68.20	-3.18	60.42	3	Horizontal	78	2.21	-	31.60	5.22	32.22
PK	5.76G	112.81	Inf	-Inf	107.92	3	Horizontal	78	2.21	-	31.90	5.28	32.29
AV	5.751G	100.18	Inf	-Inf	95.28	3	Horizontal	78	2.21	-	31.90	5.28	32.28
PK	5.929G	58.92	68.20	-9.28	53.66	3	Horizontal	78	2.21	-	32.22	5.43	32.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 102
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5128G	55.90	74.00	-18.10	41.64	3	Vertical	44	1.04	-	40.26	8.31	34.31
AV	11.50524G	42.22	54.00	-11.78	27.95	3	Vertical	44	1.04	-	40.28	8.30	34.31

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 102
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51212G	55.48	74.00	-18.52	41.23	3	Horizontal	65	2.86	-	40.26	8.30	34.31
AV	11.50372G	42.35	54.00	-11.65	28.07	3	Horizontal	65	2.86	-	40.29	8.30	34.31

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 106
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.38	68.20	-0.82	62.78	3	Vertical	199	2.21	-	31.60	5.22	32.22
PK	5.806G	119.48	Inf	-Inf	114.56	3	Vertical	199	2.21	-	31.92	5.31	32.31
AV	5.789G	106.89	Inf	-Inf	102.00	3	Vertical	199	2.21	-	31.90	5.29	32.30
PK	5.931G	67.11	68.20	-1.09	61.85	3	Vertical	199	2.21	-	32.22	5.43	32.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 106
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	61.53	68.20	-6.67	56.92	3	Horizontal	82	2.30	-	31.60	5.22	32.21
PK	5.8G	112.34	Inf	-Inf	107.45	3	Horizontal	82	2.30	-	31.90	5.30	32.31
AV	5.794G	99.85	Inf	-Inf	94.96	3	Horizontal	82	2.30	-	31.90	5.30	32.31
PK	5.926G	62.56	68.20	-5.64	57.32	3	Horizontal	82	2.30	-	32.20	5.43	32.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 106
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59684G	54.69	74.00	-19.31	40.63	3	Vertical	56	1.47	-	40.01	8.34	34.29
AV	11.59084G	41.79	54.00	-12.21	27.71	3	Vertical	56	1.47	-	40.03	8.34	34.29

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 106
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59004G	56.08	74.00	-17.92	42.00	3	Horizontal	23	2.36	-	40.03	8.34	34.29
AV	11.58056G	41.90	54.00	-12.10	27.81	3	Horizontal	23	2.36	-	40.06	8.33	34.30

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	70.47	74.00	-3.53	65.63	3	Vertical	1	1.03	-	31.81	5.00	31.97
AV	5.15G	53.78	54.00	-0.22	48.96	3	Vertical	1	1.03	-	31.80	5.00	31.98
PK	5.189G	110.22	Inf	-Inf	105.57	3	Vertical	1	1.03	-	31.64	5.00	31.99
AV	5.22G	97.02	Inf	-Inf	92.51	3	Vertical	1	1.03	-	31.52	5.00	32.01
PK	5.359G	60.82	74.00	-13.18	56.52	3	Vertical	1	1.03	-	31.37	5.00	32.07
AV	5.361G	47.92	54.00	-6.08	43.60	3	Vertical	1	1.03	-	31.39	5.00	32.07

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	73.44	74.00	-0.56	68.60	3	Horizontal	66	2.27	-	31.81	5.00	31.97
AV	5.15G	53.20	54.00	-0.80	48.38	3	Horizontal	66	2.27	-	31.80	5.00	31.98
PK	5.219G	105.67	Inf	-Inf	101.16	3	Horizontal	66	2.27	-	31.52	5.00	32.01
AV	5.198G	92.60	Inf	-Inf	87.99	3	Horizontal	66	2.27	-	31.61	5.00	32.00
PK	5.376G	58.27	74.00	-15.73	53.84	3	Horizontal	66	2.27	-	31.51	5.00	32.08
AV	5.35G	45.99	54.00	-8.01	41.75	3	Horizontal	66	2.27	-	31.30	5.00	32.06

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 84
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63536G	58.02	74.00	-15.98	44.27	3	Vertical	345	2.83	-	37.60	10.42	34.27
AV	15.62108G	44.33	54.00	-9.67	30.59	3	Vertical	345	2.83	-	37.60	10.41	34.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 84
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62112G	57.92	74.00	-16.08	44.18	3	Horizontal	68	1.94	-	37.60	10.41	34.27
AV	15.62012G	44.29	54.00	-9.71	30.55	3	Horizontal	68	1.94	-	37.60	10.41	34.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.95	74.00	-12.05	57.13	3	Vertical	0	1.01	-	31.80	5.00	31.98
AV	5.149G	48.55	54.00	-5.45	43.73	3	Vertical	0	1.01	-	31.80	5.00	31.98
PK	5.277G	110.66	Inf	-Inf	106.34	3	Vertical	0	1.01	-	31.35	5.00	32.03
AV	5.278G	97.90	Inf	-Inf	93.59	3	Vertical	0	1.01	-	31.34	5.00	32.03
PK	5.35G	71.43	74.00	-2.57	67.19	3	Vertical	0	1.01	-	31.30	5.00	32.06
AV	5.35G	53.85	54.00	-0.15	49.61	3	Vertical	0	1.01	-	31.30	5.00	32.06
PK	5.469G	59.46	68.20	-8.74	54.81	3	Vertical	0	1.01	-	31.70	5.07	32.12

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 84
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.14	74.00	-14.86	54.32	3	Horizontal	72	2.35	-	31.80	5.00	31.98
AV	5.15G	46.06	54.00	-7.94	41.24	3	Horizontal	72	2.35	-	31.80	5.00	31.98
PK	5.276G	106.03	Inf	-Inf	101.71	3	Horizontal	72	2.35	-	31.35	5.00	32.03
AV	5.278G	92.51	Inf	-Inf	88.20	3	Horizontal	72	2.35	-	31.34	5.00	32.03
PK	5.351G	70.28	74.00	-3.72	66.03	3	Horizontal	72	2.35	-	31.31	5.00	32.06
AV	5.35G	51.61	54.00	-2.39	47.37	3	Horizontal	72	2.35	-	31.30	5.00	32.06
PK	5.475G	58.22	68.20	-9.98	53.56	3	Horizontal	72	2.35	-	31.70	5.08	32.12

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 84
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8666G	57.93	74.00	-16.07	44.10	3	Vertical	347	1.01	-	37.67	10.53	34.37
AV	15.86604G	44.33	54.00	-9.67	30.50	3	Vertical	347	1.01	-	37.67	10.53	34.37

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 84
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86256G	58.19	74.00	-15.81	44.36	3	Horizontal	358	2.72	-	37.67	10.53	34.37
AV	15.86236G	44.30	54.00	-9.70	30.45	3	Horizontal	358	2.72	-	37.68	10.53	34.36

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 78
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	58.28	68.20	-9.92	54.03	3	Vertical	0	1.01	-	31.30	5.00	32.05
PK	5.458G	67.66	74.00	-6.34	63.01	3	Vertical	0	1.01	-	31.70	5.06	32.11
AV	5.46G	49.39	54.00	-4.61	44.74	3	Vertical	0	1.01	-	31.70	5.06	32.11
PK	5.469G	68.18	68.20	-0.02	63.53	3	Vertical	0	1.01	-	31.70	5.07	32.12
PK	5.539G	109.61	Inf	-Inf	105.00	3	Vertical	0	1.01	-	31.62	5.14	32.15
AV	5.541G	95.14	Inf	-Inf	90.53	3	Vertical	0	1.01	-	31.62	5.14	32.15
PK	5.765G	59.47	68.20	-8.73	54.58	3	Vertical	0	1.01	-	31.90	5.28	32.29

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 78
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	57.86	68.20	-10.34	53.61	3	Horizontal	80	2.27	-	31.30	5.00	32.05
PK	5.46G	62.69	74.00	-11.31	58.04	3	Horizontal	80	2.27	-	31.70	5.06	32.11
AV	5.456G	46.68	54.00	-7.32	42.03	3	Horizontal	80	2.27	-	31.70	5.06	32.11
PK	5.469G	63.79	68.20	-4.41	59.14	3	Horizontal	80	2.27	-	31.70	5.07	32.12
PK	5.544G	105.48	Inf	-Inf	100.89	3	Horizontal	80	2.27	-	31.61	5.14	32.16
AV	5.542G	92.00	Inf	-Inf	87.40	3	Horizontal	80	2.27	-	31.62	5.14	32.16
PK	5.727G	58.53	68.20	-9.67	53.69	3	Horizontal	80	2.27	-	31.85	5.26	32.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 78
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06748G	56.27	74.00	-17.73	42.45	3	Vertical	56	1.33	-	39.93	8.13	34.24
AV	11.06712G	42.85	54.00	-11.15	29.03	3	Vertical	56	1.33	-	39.93	8.13	34.24

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 78
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0682G	56.72	74.00	-17.28	42.90	3	Horizontal	230	1.05	-	39.93	8.13	34.24
AV	11.06464G	42.75	54.00	-11.25	28.92	3	Horizontal	230	1.05	-	39.94	8.13	34.24

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 90
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.439G	66.72	74.00	-7.28	62.08	3	Vertical	0	1.01	-	31.70	5.04	32.10
PK	5.47G	66.70	68.20	-1.50	62.05	3	Vertical	0	1.01	-	31.70	5.07	32.12
AV	5.46G	51.63	54.00	-2.37	46.98	3	Vertical	0	1.01	-	31.70	5.06	32.11
PK	5.619G	112.09	Inf	-Inf	107.48	3	Vertical	0	1.01	-	31.60	5.21	32.20
AV	5.598G	98.17	Inf	-Inf	93.56	3	Vertical	0	1.01	-	31.60	5.20	32.19
PK	5.732G	67.16	68.20	-1.04	62.30	3	Vertical	0	1.01	-	31.86	5.27	32.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 90
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.27	74.00	-10.73	58.62	3	Horizontal	79	2.25	-	31.70	5.06	32.11
AV	5.46G	48.73	54.00	-5.27	44.08	3	Horizontal	79	2.25	-	31.70	5.06	32.11
PK	5.465G	63.48	68.20	-4.72	58.83	3	Horizontal	79	2.25	-	31.70	5.06	32.11
PK	5.606G	109.05	Inf	-Inf	104.44	3	Horizontal	79	2.25	-	31.60	5.20	32.19
AV	5.597G	95.48	Inf	-Inf	90.87	3	Horizontal	79	2.25	-	31.60	5.20	32.19
PK	5.729G	65.79	68.20	-2.41	60.94	3	Horizontal	79	2.25	-	31.86	5.26	32.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 90
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2232G	56.11	74.00	-17.89	42.59	3	Vertical	117	1.83	-	39.60	8.19	34.27
AV	11.22552G	42.25	54.00	-11.75	28.73	3	Vertical	117	1.83	-	39.60	8.19	34.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 90
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21328G	55.53	74.00	-18.47	42.00	3	Horizontal	150	2.81	-	39.60	8.19	34.26
AV	11.21992G	42.31	54.00	-11.69	28.79	3	Horizontal	150	2.81	-	39.60	8.19	34.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz_TnomVnom




EUT_V_2TX
Setting 97
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.66	74.00	-12.34	57.01	3	Vertical	20	2.17	-	31.70	5.06	32.11
AV	5.46G	48.55	54.00	-5.45	43.90	3	Vertical	20	2.17	-	31.70	5.06	32.11
PK	5.465G	62.77	68.20	-5.43	58.12	3	Vertical	20	2.17	-	31.70	5.06	32.11
PK	5.682G	114.39	Inf	-Inf	109.66	3	Vertical	20	2.17	-	31.73	5.24	32.24
AV	5.702G	100.67	Inf	-Inf	95.87	3	Vertical	20	2.17	-	31.80	5.25	32.25
PK	5.851G	67.87	68.20	-0.33	62.76	3	Vertical	20	2.17	-	32.10	5.35	32.34

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz_TnomVnom




EUT V_2TX
Setting 97
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	57.31	74.00	-16.69	52.66	3	Horizontal	80	2.31	-	31.70	5.06	32.11
AV	5.459G	45.33	54.00	-8.67	40.68	3	Horizontal	80	2.31	-	31.70	5.06	32.11
PK	5.462G	58.10	68.20	-10.10	53.45	3	Horizontal	80	2.31	-	31.70	5.06	32.11
PK	5.699G	107.86	Inf	-Inf	103.06	3	Horizontal	80	2.31	-	31.80	5.25	32.25
AV	5.702G	94.99	Inf	-Inf	90.19	3	Horizontal	80	2.31	-	31.80	5.25	32.25
PK	5.852G	61.03	68.20	-7.17	55.92	3	Horizontal	80	2.31	-	32.10	5.35	32.34

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz_TnomVnom




EUT Y_2TX
Setting 97
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38544G	56.37	74.00	-17.63	42.64	3	Vertical	200	2.44	-	39.77	8.25	34.29
AV	11.38524G	42.65	54.00	-11.35	28.92	3	Vertical	200	2.44	-	39.77	8.25	34.29

802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz_TnomVnom




EUT Y_2TX
Setting 97
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38504G	56.56	74.00	-17.44	42.83	3	Horizontal	87	2.69	-	39.77	8.25	34.29
AV	11.38592G	42.67	54.00	-11.33	28.94	3	Horizontal	87	2.69	-	39.77	8.25	34.29

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 96
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.93	68.20	-0.27	63.33	3	Vertical	200	2.21	-	31.60	5.22	32.22
PK	5.754G	112.40	Inf	-Inf	107.50	3	Vertical	200	2.21	-	31.90	5.28	32.28
AV	5.785G	100.49	Inf	-Inf	95.60	3	Vertical	200	2.21	-	31.90	5.29	32.30
PK	5.931G	66.81	68.20	-1.39	61.55	3	Vertical	200	2.21	-	32.22	5.43	32.39

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 96
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	67.54	68.20	-0.66	62.94	3	Horizontal	77	2.30	-	31.60	5.21	32.21
PK	5.754G	106.94	Inf	-Inf	102.04	3	Horizontal	77	2.30	-	31.90	5.28	32.28
AV	5.787G	94.63	Inf	-Inf	89.74	3	Horizontal	77	2.30	-	31.90	5.29	32.30
PK	5.925G	62.51	68.20	-5.69	57.27	3	Horizontal	77	2.30	-	32.20	5.42	32.38

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 96
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54568G	55.39	74.00	-18.61	41.21	3	Vertical	181	2.41	-	40.16	8.32	34.30
AV	11.54188G	42.08	54.00	-11.92	27.89	3	Vertical	181	2.41	-	40.17	8.32	34.30

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 96
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55G	55.03	74.00	-18.97	40.86	3	Horizontal	13	2.16	-	40.15	8.32	34.30
AV	11.55044G	41.99	54.00	-12.01	27.82	3	Horizontal	13	2.16	-	40.15	8.32	34.30

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz_TnomVnom




EUT_V_2TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	72.76	74.00	-1.24	67.86	3	Vertical	32	2.14	-	31.87	5.00	31.97
AV	5.146G	53.06	54.00	-0.94	48.21	3	Vertical	32	2.14	-	31.82	5.00	31.97
PK	5.2676G	107.85	Inf	-Inf	103.52	3	Vertical	32	2.14	-	31.36	5.00	32.03
AV	5.2724G	95.17	Inf	-Inf	90.84	3	Vertical	32	2.14	-	31.36	5.00	32.03
PK	5.3748G	73.42	74.00	-0.58	68.99	3	Vertical	32	2.14	-	31.50	5.00	32.07
AV	5.4068G	52.97	54.00	-1.03	48.35	3	Vertical	32	2.14	-	31.70	5.01	32.09
PK	5.4644G	66.83	68.20	-1.37	62.18	3	Vertical	32	2.14	-	31.70	5.06	32.11

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz_TnomVnom




EUT_V_2TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	69.91	74.00	-4.09	64.95	3	Horizontal	78	2.38	-	31.92	5.00	31.96
AV	5.1492G	51.84	54.00	-2.16	47.02	3	Horizontal	78	2.38	-	31.80	5.00	31.98
PK	5.226G	102.70	Inf	-Inf	98.21	3	Horizontal	78	2.38	-	31.50	5.00	32.01
AV	5.2724G	89.78	Inf	-Inf	85.45	3	Horizontal	78	2.38	-	31.36	5.00	32.03
PK	5.394G	72.14	74.00	-1.86	67.57	3	Horizontal	78	2.38	-	31.65	5.00	32.08
AV	5.3636G	51.96	54.00	-2.04	47.62	3	Horizontal	78	2.38	-	31.41	5.00	32.07
PK	5.466G	65.77	68.20	-2.43	61.12	3	Horizontal	78	2.38	-	31.70	5.07	32.12

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74932G	58.83	74.00	-15.17	44.88	3	Vertical	147	1.25	-	37.80	10.47	34.32
AV	15.75484G	45.03	54.00	-8.97	31.07	3	Vertical	147	1.25	-	37.80	10.48	34.32

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74372G	58.67	74.00	-15.33	44.72	3	Horizontal	210	1.41	-	37.80	10.47	34.32
AV	15.74504G	45.05	54.00	-8.95	31.10	3	Horizontal	210	1.41	-	37.80	10.47	34.32

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TnomVnom




EUT_V_2TX
Setting 78
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	60.31	68.20	-7.89	56.07	3	Vertical	338	2.49	-	31.30	5.00	32.06
PK	5.442G	70.08	74.00	-3.92	65.44	3	Vertical	338	2.49	-	31.70	5.04	32.10
AV	5.4196G	51.38	54.00	-2.62	46.75	3	Vertical	338	2.49	-	31.70	5.02	32.09
PK	5.4628G	68.15	68.20	-0.05	63.50	3	Vertical	338	2.49	-	31.70	5.06	32.11
PK	5.5364G	106.08	Inf	-Inf	101.46	3	Vertical	338	2.49	-	31.63	5.14	32.15
AV	5.5444G	93.75	Inf	-Inf	89.16	3	Vertical	338	2.49	-	31.61	5.14	32.16
PK	5.7748G	65.25	68.20	-2.95	60.35	3	Vertical	338	2.49	-	31.90	5.29	32.29

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TnomVnom




EUT_V_2TX
Setting 78
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	58.54	68.20	-9.66	54.30	3	Horizontal	79	2.19	-	31.30	5.00	32.06
PK	5.4548G	66.04	74.00	-7.96	61.40	3	Horizontal	79	2.19	-	31.70	5.05	32.11
AV	5.4532G	47.83	54.00	-6.17	43.19	3	Horizontal	79	2.19	-	31.70	5.05	32.11
PK	5.4644G	64.90	68.20	-3.30	60.25	3	Horizontal	79	2.19	-	31.70	5.06	32.11
PK	5.5796G	102.64	Inf	-Inf	98.04	3	Horizontal	79	2.19	-	31.60	5.18	32.18
AV	5.5428G	89.01	Inf	-Inf	84.42	3	Horizontal	79	2.19	-	31.61	5.14	32.16
PK	5.7268G	63.67	68.20	-4.53	58.83	3	Horizontal	79	2.19	-	31.85	5.26	32.27

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TnomVnom




EUT Y_2TX
Setting 78
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13676G	56.23	74.00	-17.77	42.60	3	Vertical	119	2.06	-	39.73	8.15	34.25
AV	11.1366G	42.58	54.00	-11.42	28.95	3	Vertical	119	2.06	-	39.73	8.15	34.25

802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TnomVnom



EUT Y_2TX
Setting 78
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1422G	56.57	74.00	-17.43	42.94	3	Horizontal	49	1.99	-	39.72	8.16	34.25
AV	11.1422G	42.64	54.00	-11.36	29.01	3	Horizontal	49	1.99	-	39.72	8.16	34.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Vertical	219	1.05	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 88
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	71.84	74.00	-2.16	67.12	3	Vertical	219	1.05	-	31.70	5.00	31.98
AV	5.15G	53.98	54.00	-0.02	49.26	3	Vertical	219	1.05	-	31.70	5.00	31.98
PK	5.1724G	119.88	Inf	-Inf	115.30	3	Vertical	219	1.05	-	31.57	5.00	31.99
AV	5.1716G	109.06	Inf	-Inf	104.48	3	Vertical	219	1.05	-	31.57	5.00	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 88
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	66.09	74.00	-7.91	61.36	3	Horizontal	66	2.16	-	31.71	5.00	31.98
AV	5.1492G	48.50	54.00	-5.50	43.78	3	Horizontal	66	2.16	-	31.70	5.00	31.98
PK	5.1844G	114.66	Inf	-Inf	110.16	3	Horizontal	66	2.16	-	31.49	5.00	31.99
AV	5.1872G	102.54	Inf	-Inf	98.05	3	Horizontal	66	2.16	-	31.48	5.00	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 88
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53084G	59.23	74.00	-14.77	44.54	3	Vertical	349	1.67	-	38.55	10.37	34.23
AV	15.53104G	46.39	54.00	-7.61	31.71	3	Vertical	349	1.67	-	38.54	10.37	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
 Setting 88
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5416G	59.72	74.00	-14.28	45.10	3	Horizontal	352	1.30	-	38.49	10.37	34.24
AV	15.5414G	46.30	54.00	-7.70	31.68	3	Horizontal	352	1.30	-	38.49	10.37	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 103
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.46	74.00	-0.54	68.74	3	Vertical	0.9	2.44	-	31.70	5.00	31.98
AV	5.15G	53.34	54.00	-0.66	48.62	3	Vertical	0.9	2.44	-	31.70	5.00	31.98
PK	5.209G	121.70	Inf	-Inf	117.35	3	Vertical	0.9	2.44	-	31.35	5.00	32.00
AV	5.209G	111.45	Inf	-Inf	107.10	3	Vertical	0.9	2.44	-	31.35	5.00	32.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 103
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.20	74.00	-10.80	58.48	3	Horizontal	115	2.44	-	31.70	5.00	31.98
AV	5.15G	46.70	54.00	-7.30	41.98	3	Horizontal	115	2.44	-	31.70	5.00	31.98
PK	5.203G	115.81	Inf	-Inf	111.43	3	Horizontal	115	2.44	-	31.38	5.00	32.00
AV	5.1946G	103.99	Inf	-Inf	99.56	3	Horizontal	115	2.44	-	31.43	5.00	32.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 103
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6074G	58.97	74.00	-15.03	44.66	3	Vertical	181	1.93	-	38.17	10.40	34.26
AV	15.60512G	46.34	54.00	-7.66	32.02	3	Vertical	181	1.93	-	38.18	10.40	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 103
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60508G	58.97	74.00	-15.03	44.65	3	Horizontal	331	2.93	-	38.18	10.40	34.26
AV	15.60948G	46.41	54.00	-7.59	32.11	3	Horizontal	331	2.93	-	38.16	10.40	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	62.70	74.00	-11.30	57.89	3	Vertical	352	1.24	-	31.78	5.00	31.97
AV	5.1476G	49.74	54.00	-4.26	45.00	3	Vertical	352	1.24	-	31.71	5.00	31.97
PK	5.2454G	123.13	Inf	-Inf	119.02	3	Vertical	352	1.24	-	31.13	5.00	32.02
AV	5.2484G	112.64	Inf	-Inf	108.55	3	Vertical	352	1.24	-	31.11	5.00	32.02
PK	5.3582G	60.11	74.00	-13.89	56.03	3	Vertical	352	1.24	-	31.15	5.00	32.07
AV	5.35G	48.56	54.00	-5.44	44.52	3	Vertical	352	1.24	-	31.10	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.72	74.00	-14.28	54.98	3	Horizontal	62	2.15	-	31.71	5.00	31.97
AV	5.1446G	46.52	54.00	-7.48	41.76	3	Horizontal	62	2.15	-	31.73	5.00	31.97
PK	5.2418G	117.54	Inf	-Inf	113.41	3	Horizontal	62	2.15	-	31.15	5.00	32.02
AV	5.2424G	105.60	Inf	-Inf	101.47	3	Horizontal	62	2.15	-	31.15	5.00	32.02
PK	5.3552G	56.82	74.00	-17.18	52.76	3	Horizontal	62	2.15	-	31.13	5.00	32.07
AV	5.3846G	44.87	54.00	-9.13	40.64	3	Horizontal	62	2.15	-	31.31	5.00	32.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7278G	59.36	74.00	-14.64	45.41	3	Vertical	147	2.36	-	37.80	10.46	34.31
AV	15.7162G	45.66	54.00	-8.34	31.71	3	Vertical	147	2.36	-	37.80	10.46	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72052G	58.24	74.00	-15.76	44.29	3	Horizontal	3	1.86	-	37.80	10.46	34.31
AV	15.72036G	45.56	54.00	-8.44	31.61	3	Horizontal	3	1.86	-	37.80	10.46	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	60.20	74.00	-13.80	55.44	3	Vertical	16	2.28	-	31.73	5.00	31.97
AV	5.15G	48.80	54.00	-5.20	44.08	3	Vertical	16	2.28	-	31.70	5.00	31.98
PK	5.2546G	124.34	Inf	-Inf	120.26	3	Vertical	16	2.28	-	31.10	5.00	32.02
AV	5.2522G	113.23	Inf	-Inf	109.15	3	Vertical	16	2.28	-	31.10	5.00	32.02
PK	5.3524G	62.02	74.00	-11.98	57.98	3	Vertical	16	2.28	-	31.11	5.00	32.07
AV	5.3518G	50.25	54.00	-3.75	46.20	3	Vertical	16	2.28	-	31.11	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	58.27	74.00	-15.73	53.49	3	Horizontal	73	2.08	-	31.75	5.00	31.97
AV	5.1484G	45.80	54.00	-8.20	41.07	3	Horizontal	73	2.08	-	31.71	5.00	31.98
PK	5.2522G	117.23	Inf	-Inf	113.15	3	Horizontal	73	2.08	-	31.10	5.00	32.02
AV	5.2546G	105.13	Inf	-Inf	101.05	3	Horizontal	73	2.08	-	31.10	5.00	32.02
PK	5.368G	58.41	74.00	-15.59	54.27	3	Horizontal	73	2.08	-	31.21	5.00	32.07
AV	5.3518G	46.32	54.00	-7.68	42.27	3	Horizontal	73	2.08	-	31.11	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7812G	58.37	74.00	-15.63	44.41	3	Vertical	59	1.80	-	37.80	10.49	34.33
AV	15.78076G	45.43	54.00	-8.57	31.47	3	Vertical	59	1.80	-	37.80	10.49	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78184G	59.04	74.00	-14.96	45.08	3	Horizontal	292	1.75	-	37.80	10.49	34.33
AV	15.78444G	45.51	54.00	-8.49	31.55	3	Horizontal	292	1.75	-	37.80	10.49	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 100
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	122.37	Inf	-Inf	118.32	3	Vertical	201	1.00	-	31.10	5.00	32.05
AV	5.308G	111.26	Inf	-Inf	107.21	3	Vertical	201	1.00	-	31.10	5.00	32.05
PK	5.3528G	70.76	74.00	-3.24	66.71	3	Vertical	201	1.00	-	31.12	5.00	32.07
AV	5.35G	53.52	54.00	-0.48	49.48	3	Vertical	201	1.00	-	31.10	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 100
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	115.95	Inf	-Inf	111.90	3	Horizontal	246	2.20	-	31.10	5.00	32.05
AV	5.3088G	104.08	Inf	-Inf	100.03	3	Horizontal	246	2.20	-	31.10	5.00	32.05
PK	5.3544G	65.85	74.00	-8.15	61.79	3	Horizontal	246	2.20	-	31.13	5.00	32.07
AV	5.3512G	48.95	54.00	-5.05	44.90	3	Horizontal	246	2.20	-	31.11	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 100
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89504G	57.72	74.00	-16.28	43.94	3	Vertical	77	1.95	-	37.61	10.55	34.38
AV	15.89552G	44.73	54.00	-9.27	30.95	3	Vertical	77	1.95	-	37.61	10.55	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 100
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90508G	58.00	74.00	-16.00	44.24	3	Horizontal	68	1.17	-	37.59	10.55	34.38
AV	15.89936G	44.72	54.00	-9.28	30.95	3	Horizontal	68	1.17	-	37.60	10.55	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	119.87	Inf	-Inf	115.82	3	Vertical	360	2.29	-	31.10	5.00	32.05
AV	5.3228G	107.37	Inf	-Inf	103.32	3	Vertical	360	2.29	-	31.10	5.00	32.05
PK	5.3524G	72.93	74.00	-1.07	68.89	3	Vertical	360	2.29	-	31.11	5.00	32.07
AV	5.3502G	53.82	54.00	-0.18	49.78	3	Vertical	360	2.29	-	31.10	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 89
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3278G	111.84	Inf	-Inf	107.79	3	Horizontal	62	2.25	-	31.10	5.00	32.05
AV	5.3286G	99.61	Inf	-Inf	95.56	3	Horizontal	62	2.25	-	31.10	5.00	32.05
PK	5.3554G	67.14	74.00	-6.86	63.08	3	Horizontal	62	2.25	-	31.13	5.00	32.07
AV	5.35G	49.70	54.00	-4.30	45.66	3	Horizontal	62	2.25	-	31.10	5.00	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9604G	57.15	74.00	-16.85	43.49	3	Vertical	130	1.40	-	37.48	10.58	34.40
AV	15.96G	44.42	54.00	-9.58	30.76	3	Vertical	130	1.40	-	37.48	10.58	34.40

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 89
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96096G	58.14	74.00	-15.86	44.48	3	Horizontal	304	2.37	-	37.48	10.58	34.40
AV	15.96092G	44.51	54.00	-9.49	30.85	3	Horizontal	304	2.37	-	37.48	10.58	34.40

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 84
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	64.10	74.00	-9.90	59.65	3	Vertical	214	1.97	-	31.50	5.06	32.11
AV	5.4582G	46.69	54.00	-7.31	42.24	3	Vertical	214	1.97	-	31.50	5.06	32.11
PK	5.4658G	67.66	68.20	-0.54	63.20	3	Vertical	214	1.97	-	31.50	5.07	32.11
PK	5.4932G	117.26	Inf	-Inf	112.80	3	Vertical	214	1.97	-	31.50	5.09	32.13
AV	5.4916G	105.76	Inf	-Inf	101.30	3	Vertical	214	1.97	-	31.50	5.09	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 84
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	58.68	74.00	-15.32	54.23	3	Horizontal	61	1.00	-	31.50	5.06	32.11
AV	5.4596G	45.03	54.00	-8.97	40.58	3	Horizontal	61	1.00	-	31.50	5.06	32.11
PK	5.4662G	63.05	68.20	-5.15	58.60	3	Horizontal	61	1.00	-	31.50	5.07	32.12
PK	5.503G	112.76	Inf	-Inf	108.29	3	Horizontal	61	1.00	-	31.50	5.10	32.13
AV	5.5026G	100.19	Inf	-Inf	95.72	3	Horizontal	61	1.00	-	31.50	5.10	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 84
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99084G	57.07	74.00	-16.93	43.01	3	Vertical	172	2.63	-	40.19	8.10	34.23
AV	11.00532G	43.77	54.00	-10.23	29.72	3	Vertical	172	2.63	-	40.18	8.10	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 84
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99764G	56.54	74.00	-17.46	42.47	3	Horizontal	83	1.08	-	40.20	8.10	34.23
AV	10.99208G	43.95	54.00	-10.05	29.89	3	Horizontal	83	1.08	-	40.19	8.10	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 108
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3856G	59.72	74.00	-14.28	55.49	3	Vertical	348	2.03	-	31.31	5.00	32.08
PK	5.4696G	60.56	68.20	-7.64	56.11	3	Vertical	348	2.03	-	31.50	5.07	32.12
AV	5.456G	47.87	54.00	-6.13	43.42	3	Vertical	348	2.03	-	31.50	5.06	32.11
PK	5.5728G	122.12	Inf	-Inf	117.57	3	Vertical	348	2.03	-	31.55	5.17	32.17
AV	5.5728G	111.36	Inf	-Inf	106.81	3	Vertical	348	2.03	-	31.55	5.17	32.17
PK	5.7384G	58.73	68.20	-9.47	53.78	3	Vertical	348	2.03	-	31.95	5.27	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 108
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3864G	58.94	74.00	-15.06	54.70	3	Horizontal	81	2.89	-	31.32	5.00	32.08
PK	5.4688G	56.62	68.20	-11.58	52.17	3	Horizontal	81	2.89	-	31.50	5.07	32.12
AV	5.4344G	44.93	54.00	-9.07	40.53	3	Horizontal	81	2.89	-	31.47	5.03	32.10
PK	5.5768G	117.13	Inf	-Inf	112.58	3	Horizontal	81	2.89	-	31.55	5.18	32.18
AV	5.5768G	107.20	Inf	-Inf	102.65	3	Horizontal	81	2.89	-	31.55	5.18	32.18
PK	5.7304G	57.19	68.20	-11.01	52.27	3	Horizontal	81	2.89	-	31.92	5.27	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16276G	57.54	74.00	-16.46	43.96	3	Vertical	144	1.80	-	39.67	8.17	34.26
AV	11.1626G	43.24	54.00	-10.76	29.66	3	Vertical	144	1.80	-	39.67	8.17	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16424G	56.06	74.00	-17.94	42.48	3	Horizontal	218	2.73	-	39.67	8.17	34.26
AV	11.16408G	43.11	54.00	-10.89	29.53	3	Horizontal	218	2.73	-	39.67	8.17	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 74
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	115.73	Inf	-Inf	110.92	3	Vertical	224	2.10	-	31.81	5.25	32.25
AV	5.707G	103.82	Inf	-Inf	98.99	3	Vertical	224	2.10	-	31.83	5.25	32.25
PK	5.7252G	68.17	68.20	-0.03	63.28	3	Vertical	224	2.10	-	31.90	5.26	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 74
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6912G	109.20	Inf	-Inf	104.43	3	Horizontal	219	3.00	-	31.76	5.25	32.24
AV	5.6914G	96.72	Inf	-Inf	91.94	3	Horizontal	219	3.00	-	31.77	5.25	32.24
PK	5.7254G	61.51	68.20	-6.69	56.62	3	Horizontal	219	3.00	-	31.90	5.26	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 74
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40468G	55.44	74.00	-18.56	41.68	3	Vertical	130	2.30	-	39.79	8.26	34.29
AV	11.40684G	43.02	54.00	-10.98	29.27	3	Vertical	130	2.30	-	39.79	8.26	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 74
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40712G	55.80	74.00	-18.20	42.05	3	Horizontal	13	2.82	-	39.79	8.26	34.30
AV	11.40664G	42.92	54.00	-11.08	29.17	3	Horizontal	13	2.82	-	39.79	8.26	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	123.04	Inf	-Inf	118.14	3	Vertical	11	2.14	-	31.91	5.26	32.27
AV	5.7248G	112.42	Inf	-Inf	107.52	3	Vertical	11	2.14	-	31.90	5.26	32.26
PK	5.85G	59.79	68.20	-8.41	54.78	3	Vertical	11	2.14	-	32.00	5.35	32.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	116.93	Inf	-Inf	112.04	3	Horizontal	69	1.32	-	31.90	5.26	32.27
AV	5.7224G	104.51	Inf	-Inf	99.62	3	Horizontal	69	1.32	-	31.89	5.26	32.26
PK	5.8688G	56.84	68.20	-11.36	51.78	3	Horizontal	69	1.32	-	32.04	5.37	32.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44304G	56.04	74.00	-17.96	42.35	3	Vertical	345	1.77	-	39.71	8.28	34.30
AV	11.44448G	43.06	54.00	-10.94	29.37	3	Vertical	345	1.77	-	39.71	8.28	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44652G	55.56	74.00	-18.44	41.87	3	Horizontal	2	2.84	-	39.71	8.28	34.30
AV	11.44684G	43.23	54.00	-10.77	29.54	3	Horizontal	2	2.84	-	39.71	8.28	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.12	68.20	-7.08	56.52	3	Vertical	169.7	2.58	-	31.60	5.22	32.22
PK	5.75G	122.57	Inf	-Inf	117.57	3	Vertical	169.7	2.58	-	32.00	5.28	32.28
AV	5.754G	112.26	Inf	-Inf	107.26	3	Vertical	169.7	2.58	-	32.00	5.28	32.28
PK	5.926G	59.03	68.20	-9.17	53.84	3	Vertical	169.7	2.58	-	32.15	5.43	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 104
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.514G	57.35	68.20	-10.85	52.88	3	Horizontal	68	1.16	-	31.50	5.11	32.14
PK	5.754G	117.85	Inf	-Inf	112.85	3	Horizontal	68	1.16	-	32.00	5.28	32.28
AV	5.754G	108.06	Inf	-Inf	103.06	3	Horizontal	68	1.16	-	32.00	5.28	32.28
PK	5.985G	57.31	68.20	-10.89	52.04	3	Horizontal	68	1.16	-	32.20	5.49	32.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4885G	56.05	74.00	-17.95	42.44	3	Vertical	128	2.04	-	39.62	8.30	34.31
AV	11.48876G	43.33	54.00	-10.67	29.72	3	Vertical	128	2.04	-	39.62	8.30	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49G	56.82	74.00	-17.18	43.21	3	Horizontal	246	2.53	-	39.62	8.30	34.31
AV	11.4872G	43.31	54.00	-10.69	29.70	3	Horizontal	246	2.53	-	39.63	8.29	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.547G	61.09	68.20	-7.11	56.60	3	Vertical	13	2.35	-	31.50	5.15	32.16
PK	5.777G	124.58	Inf	-Inf	119.59	3	Vertical	13	2.35	-	32.00	5.29	32.30
AV	5.783G	112.69	Inf	-Inf	107.70	3	Vertical	13	2.35	-	32.00	5.29	32.30
PK	6.035G	61.45	68.20	-6.75	55.99	3	Vertical	13	2.35	-	32.41	5.50	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	58.01	68.20	-10.19	53.41	3	Horizontal	21	2.21	-	31.60	5.22	32.22
PK	5.787G	111.56	Inf	-Inf	106.57	3	Horizontal	21	2.21	-	32.00	5.29	32.30
AV	5.794G	100.69	Inf	-Inf	95.70	3	Horizontal	21	2.21	-	32.00	5.30	32.31
PK	6.013G	57.84	68.20	-10.36	52.50	3	Horizontal	21	2.21	-	32.28	5.50	32.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57732G	55.40	74.00	-18.60	41.85	3	Vertical	355	2.55	-	39.52	8.33	34.30
AV	11.57824G	42.98	54.00	-11.02	29.43	3	Vertical	355	2.55	-	39.52	8.33	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57816G	56.18	74.00	-17.82	42.63	3	Horizontal	225	1.85	-	39.52	8.33	34.30
AV	11.57784G	43.08	54.00	-10.92	29.53	3	Horizontal	225	1.85	-	39.52	8.33	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.582G	59.27	68.20	-8.93	54.71	3	Vertical	194.7	2.40	-	31.56	5.18	32.18
PK	5.832G	124.20	Inf	-Inf	119.20	3	Vertical	194.7	2.40	-	32.00	5.33	32.33
AV	5.832G	113.48	Inf	-Inf	108.48	3	Vertical	194.7	2.40	-	32.00	5.33	32.33
PK	5.927G	65.79	68.20	-2.41	60.60	3	Vertical	194.7	2.40	-	32.15	5.43	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	57.58	68.20	-10.62	52.99	3	Horizontal	77	2.23	-	31.58	5.19	32.18
PK	5.829G	115.91	Inf	-Inf	110.91	3	Horizontal	77	2.23	-	32.00	5.33	32.33
AV	5.826G	104.50	Inf	-Inf	99.50	3	Horizontal	77	2.23	-	32.00	5.33	32.33
PK	5.926G	60.62	68.20	-7.58	55.43	3	Horizontal	77	2.23	-	32.15	5.43	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6546G	56.01	74.00	-17.99	42.59	3	Vertical	112	2.79	-	39.34	8.36	34.28
AV	11.64424G	43.01	54.00	-10.99	29.56	3	Vertical	112	2.79	-	39.37	8.36	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.645G	56.61	74.00	-17.39	43.16	3	Horizontal	251	1.49	-	39.37	8.36	34.28
AV	11.6446G	42.92	54.00	-11.08	29.47	3	Horizontal	251	1.49	-	39.37	8.36	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.18	74.00	-0.82	68.46	3	Vertical	352	1.05	-	31.70	5.00	31.98
AV	5.1484G	53.89	54.00	-0.11	49.16	3	Vertical	352	1.05	-	31.71	5.00	31.98
PK	5.2068G	118.80	Inf	-Inf	114.44	3	Vertical	352	1.05	-	31.36	5.00	32.00
AV	5.2076G	105.23	Inf	-Inf	100.88	3	Vertical	352	1.05	-	31.35	5.00	32.00

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	69.14	74.00	-4.86	64.38	3	Horizontal	66	1.12	-	31.73	5.00	31.97
AV	5.1484G	48.81	54.00	-5.19	44.08	3	Horizontal	66	1.12	-	31.71	5.00	31.98
PK	5.1932G	109.55	Inf	-Inf	105.11	3	Horizontal	66	1.12	-	31.44	5.00	32.00
AV	5.1724G	97.65	Inf	-Inf	93.07	3	Horizontal	66	1.12	-	31.57	5.00	31.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5734G	58.69	74.00	-15.31	44.22	3	Vertical	240	1.87	-	38.33	10.39	34.25
AV	15.57208G	45.70	54.00	-8.30	31.22	3	Vertical	240	1.87	-	38.34	10.39	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 81
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57112G	59.05	74.00	-14.95	44.57	3	Horizontal	108	2.88	-	38.34	10.39	34.25
AV	15.57104G	45.90	54.00	-8.10	31.42	3	Horizontal	108	2.88	-	38.34	10.39	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 95
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.77	74.00	-9.23	60.02	3	Vertical	37	1.00	-	31.72	5.00	31.97
AV	5.15G	50.65	54.00	-3.35	45.93	3	Vertical	37	1.00	-	31.70	5.00	31.98
PK	5.2366G	118.15	Inf	-Inf	113.98	3	Vertical	37	1.00	-	31.18	5.00	32.01
AV	5.2222G	105.61	Inf	-Inf	101.35	3	Vertical	37	1.00	-	31.27	5.00	32.01
PK	5.377G	60.18	74.00	-13.82	56.00	3	Vertical	37	1.00	-	31.26	5.00	32.08
AV	5.35G	47.28	54.00	-6.72	43.24	3	Vertical	37	1.00	-	31.10	5.00	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 95
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	63.40	74.00	-10.60	58.64	3	Horizontal	71	2.29	-	31.73	5.00	31.97
AV	5.1496G	48.46	54.00	-5.54	43.74	3	Horizontal	71	2.29	-	31.70	5.00	31.98
PK	5.2252G	113.91	Inf	-Inf	109.67	3	Horizontal	71	2.29	-	31.25	5.00	32.01
AV	5.2252G	101.69	Inf	-Inf	97.45	3	Horizontal	71	2.29	-	31.25	5.00	32.01
PK	5.3776G	57.92	74.00	-16.08	53.73	3	Horizontal	71	2.29	-	31.27	5.00	32.08
AV	5.3512G	45.03	54.00	-8.97	40.98	3	Horizontal	71	2.29	-	31.11	5.00	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 95
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68328G	58.24	74.00	-15.76	44.22	3	Vertical	129	2.16	-	37.87	10.44	34.29
AV	15.68104G	45.29	54.00	-8.71	31.26	3	Vertical	129	2.16	-	37.88	10.44	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 95
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6812G	58.45	74.00	-15.55	44.42	3	Horizontal	37	1.35	-	37.88	10.44	34.29
AV	15.68068G	45.37	54.00	-8.63	31.34	3	Horizontal	37	1.35	-	37.88	10.44	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 94
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.64	74.00	-13.36	55.92	3	Vertical	0	2.29	-	31.70	5.00	31.98
AV	5.1494G	48.11	54.00	-5.89	43.39	3	Vertical	0	2.29	-	31.70	5.00	31.98
PK	5.282G	117.93	Inf	-Inf	113.86	3	Vertical	0	2.29	-	31.10	5.00	32.03
AV	5.2856G	105.15	Inf	-Inf	101.09	3	Vertical	0	2.29	-	31.10	5.00	32.04
PK	5.3516G	69.99	74.00	-4.01	65.94	3	Vertical	0	2.29	-	31.11	5.00	32.06
AV	5.3546G	51.73	54.00	-2.27	47.67	3	Vertical	0	2.29	-	31.13	5.00	32.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 94
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	58.03	74.00	-15.97	53.25	3	Horizontal	70	2.11	-	31.75	5.00	31.97
AV	5.1488G	45.43	54.00	-8.57	40.70	3	Horizontal	70	2.11	-	31.71	5.00	31.98
PK	5.2718G	113.30	Inf	-Inf	109.23	3	Horizontal	70	2.11	-	31.10	5.00	32.03
AV	5.2688G	99.28	Inf	-Inf	95.21	3	Horizontal	70	2.11	-	31.10	5.00	32.03
PK	5.354G	62.14	74.00	-11.86	58.09	3	Horizontal	70	2.11	-	31.12	5.00	32.07
AV	5.3504G	47.05	54.00	-6.95	43.01	3	Horizontal	70	2.11	-	31.10	5.00	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 94
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.802G	58.31	74.00	-15.69	44.35	3	Vertical	38	2.00	-	37.80	10.50	34.34
AV	15.81896G	44.69	54.00	-9.31	30.77	3	Vertical	38	2.00	-	37.76	10.51	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 94
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80792G	57.86	74.00	-16.14	43.92	3	Horizontal	315	1.48	-	37.78	10.50	34.34
AV	15.80708G	44.68	54.00	-9.32	30.73	3	Horizontal	315	1.48	-	37.79	10.50	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 82
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	114.96	Inf	-Inf	110.91	3	Vertical	360	1.00	-	31.10	5.00	32.05
AV	5.3044G	102.13	Inf	-Inf	98.07	3	Vertical	360	1.00	-	31.10	5.00	32.04
PK	5.35G	72.82	74.00	-1.18	68.78	3	Vertical	360	1.00	-	31.10	5.00	32.06
AV	5.352G	53.19	54.00	-0.81	49.14	3	Vertical	360	1.00	-	31.11	5.00	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 82
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	109.60	Inf	-Inf	105.54	3	Horizontal	65	1.02	-	31.10	5.00	32.04
AV	5.3012G	96.55	Inf	-Inf	92.49	3	Horizontal	65	1.02	-	31.10	5.00	32.04
PK	5.3504G	68.93	74.00	-5.07	64.89	3	Horizontal	65	1.02	-	31.10	5.00	32.06
AV	5.3512G	47.47	54.00	-6.53	43.42	3	Horizontal	65	1.02	-	31.11	5.00	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 82
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92304G	57.90	74.00	-16.10	44.18	3	Vertical	327	1.43	-	37.55	10.56	34.39
AV	15.92396G	44.21	54.00	-9.79	30.49	3	Vertical	327	1.43	-	37.55	10.56	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 82
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92384G	57.70	74.00	-16.30	43.98	3	Horizontal	68	1.38	-	37.55	10.56	34.39
AV	15.92696G	44.17	54.00	-9.83	30.45	3	Horizontal	68	1.38	-	37.55	10.56	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.99	74.00	-14.01	55.54	3	Vertical	27	2.24	-	31.50	5.06	32.11
AV	5.4584G	46.83	54.00	-7.17	42.38	3	Vertical	27	2.24	-	31.50	5.06	32.11
PK	5.4624G	68.09	68.20	-0.11	63.64	3	Vertical	27	2.24	-	31.50	5.06	32.11
PK	5.5104G	116.28	Inf	-Inf	111.81	3	Vertical	27	2.24	-	31.50	5.11	32.14
AV	5.5136G	103.74	Inf	-Inf	99.27	3	Vertical	27	2.24	-	31.50	5.11	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_V_2TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.02	74.00	-10.98	58.57	3	Horizontal	72	2.28	-	31.50	5.06	32.11
AV	5.4588G	44.81	54.00	-9.19	40.36	3	Horizontal	72	2.28	-	31.50	5.06	32.11
PK	5.468G	64.58	68.20	-3.62	60.13	3	Horizontal	72	2.28	-	31.50	5.07	32.12
PK	5.5144G	107.08	Inf	-Inf	102.61	3	Horizontal	72	2.28	-	31.50	5.11	32.14
AV	5.506G	94.95	Inf	-Inf	90.47	3	Horizontal	72	2.28	-	31.50	5.11	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 75
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02448G	56.37	74.00	-17.63	42.39	3	Vertical	81	1.03	-	40.10	8.11	34.23
AV	11.02276G	43.11	54.00	-10.89	29.12	3	Vertical	81	1.03	-	40.11	8.11	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT Y_2TX
Setting 75
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02804G	56.45	74.00	-17.55	42.48	3	Horizontal	120	2.72	-	40.09	8.11	34.23
AV	11.02108G	43.17	54.00	-10.83	29.17	3	Horizontal	120	2.72	-	40.12	8.11	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 95
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.65	74.00	-10.35	59.20	3	Vertical	72	2.28	-	31.50	5.06	32.11
AV	5.4576G	48.53	54.00	-5.47	44.08	3	Vertical	72	2.28	-	31.50	5.06	32.11
PK	5.4642G	67.54	68.20	-0.66	63.09	3	Vertical	72	2.28	-	31.50	5.06	32.11
PK	5.5512G	114.97	Inf	-Inf	110.48	3	Vertical	72	2.28	-	31.50	5.15	32.16
AV	5.5458G	103.44	Inf	-Inf	98.95	3	Vertical	72	2.28	-	31.50	5.15	32.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 95
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	63.16	74.00	-10.84	58.71	3	Horizontal	264	2.26	-	31.50	5.06	32.11
AV	5.4486G	46.72	54.00	-7.28	42.28	3	Horizontal	264	2.26	-	31.50	5.05	32.11
PK	5.4696G	65.12	68.20	-3.08	60.67	3	Horizontal	264	2.26	-	31.50	5.07	32.12
PK	5.5686G	111.40	Inf	-Inf	106.86	3	Horizontal	264	2.26	-	31.54	5.17	32.17
AV	5.5608G	99.44	Inf	-Inf	94.93	3	Horizontal	264	2.26	-	31.52	5.16	32.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 95
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10252G	56.56	74.00	-17.44	42.88	3	Vertical	155	2.34	-	39.79	8.14	34.25
AV	11.10228G	42.66	54.00	-11.34	28.97	3	Vertical	155	2.34	-	39.80	8.14	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT Y_2TX
Setting 95
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10148G	55.84	74.00	-18.16	42.15	3	Horizontal	184	1.24	-	39.80	8.14	34.25
AV	11.09656G	42.79	54.00	-11.21	29.09	3	Horizontal	184	1.24	-	39.81	8.14	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 83
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6838G	117.16	Inf	-Inf	112.42	3	Vertical	216	2.09	-	31.74	5.24	32.24
AV	5.6838G	104.02	Inf	-Inf	99.28	3	Vertical	216	2.09	-	31.74	5.24	32.24
PK	5.7258G	68.08	68.20	-0.12	63.19	3	Vertical	216	2.09	-	31.90	5.26	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 83
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6784G	110.24	Inf	-Inf	105.53	3	Horizontal	82	2.34	-	31.71	5.24	32.24
AV	5.6802G	97.47	Inf	-Inf	92.75	3	Horizontal	82	2.34	-	31.72	5.24	32.24
PK	5.7288G	63.74	68.20	-4.46	58.83	3	Horizontal	82	2.34	-	31.92	5.26	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 83
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.346G	55.71	74.00	-18.29	42.07	3	Vertical	167	1.54	-	39.69	8.24	34.29
AV	11.34092G	42.60	54.00	-11.40	28.96	3	Vertical	167	1.54	-	39.68	8.24	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 83
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34844G	55.69	74.00	-18.31	42.04	3	Horizontal	118	2.57	-	39.70	8.24	34.29
AV	11.34856G	42.59	54.00	-11.41	28.94	3	Horizontal	118	2.57	-	39.70	8.24	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT_V_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4172G	61.18	74.00	-12.82	56.82	3	Vertical	17	2.04	-	31.43	5.02	32.09
PK	5.4688G	60.48	68.20	-7.72	56.03	3	Vertical	17	2.04	-	31.50	5.07	32.12
AV	5.46G	47.91	54.00	-6.09	43.46	3	Vertical	17	2.04	-	31.50	5.06	32.11
PK	5.7052G	121.43	Inf	-Inf	116.61	3	Vertical	17	2.04	-	31.82	5.25	32.25
AV	5.7004G	108.18	Inf	-Inf	103.38	3	Vertical	17	2.04	-	31.80	5.25	32.25
PK	5.8516G	67.34	68.20	-0.86	62.33	3	Vertical	17	2.04	-	32.00	5.35	32.34

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT V_2TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	57.39	74.00	-16.61	53.00	3	Horizontal	264	2.16	-	31.46	5.03	32.10
AV	5.4136G	45.01	54.00	-8.99	40.66	3	Horizontal	264	2.16	-	31.43	5.01	32.09
PK	5.4664G	57.04	68.20	-11.16	52.59	3	Horizontal	264	2.16	-	31.50	5.07	32.12
PK	5.6932G	112.29	Inf	-Inf	107.52	3	Horizontal	264	2.16	-	31.77	5.25	32.25
AV	5.692G	100.89	Inf	-Inf	96.12	3	Horizontal	264	2.16	-	31.77	5.25	32.25
PK	5.8588G	63.97	68.20	-4.23	58.94	3	Horizontal	264	2.16	-	32.02	5.36	32.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41448G	56.16	74.00	-17.84	42.42	3	Vertical	5	2.35	-	39.77	8.27	34.30
AV	11.413G	42.57	54.00	-11.43	28.83	3	Vertical	5	2.35	-	39.77	8.27	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz_TnomVnom




EUT Y_2TX
Setting 108
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42036G	56.03	74.00	-17.97	42.30	3	Horizontal	278	2.09	-	39.76	8.27	34.30
AV	11.4216G	42.63	54.00	-11.37	28.90	3	Horizontal	278	2.09	-	39.76	8.27	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 101
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.54	68.20	-0.66	62.94	3	Vertical	360	2.27	-	31.60	5.22	32.22
PK	5.748G	118.47	Inf	-Inf	113.49	3	Vertical	360	2.27	-	31.99	5.27	32.28
AV	5.74G	106.23	Inf	-Inf	101.27	3	Vertical	360	2.27	-	31.96	5.27	32.27
PK	5.926G	59.48	68.20	-8.72	54.29	3	Vertical	360	2.27	-	32.15	5.43	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 101
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.77	68.20	-6.43	57.17	3	Horizontal	84.7	3.00	-	31.60	5.22	32.22
PK	5.737G	113.71	Inf	-Inf	108.76	3	Horizontal	84.7	3.00	-	31.95	5.27	32.27
AV	5.738G	101.53	Inf	-Inf	96.58	3	Horizontal	84.7	3.00	-	31.95	5.27	32.27
PK	5.968G	57.58	68.20	-10.62	52.32	3	Horizontal	84.7	3.00	-	32.20	5.47	32.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 101
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50388G	56.10	74.00	-17.90	42.51	3	Vertical	255	1.55	-	39.60	8.30	34.31
AV	11.50356G	43.29	54.00	-10.71	29.70	3	Vertical	255	1.55	-	39.60	8.30	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 101
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51372G	56.00	74.00	-18.00	42.41	3	Horizontal	184	1.58	-	39.59	8.31	34.31
AV	11.5152G	43.19	54.00	-10.81	29.61	3	Horizontal	184	1.58	-	39.58	8.31	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.63	68.20	-4.57	59.03	3	Vertical	16	2.19	-	31.60	5.22	32.22
PK	5.788G	120.23	Inf	-Inf	115.24	3	Vertical	16	2.19	-	32.00	5.29	32.30
AV	5.791G	107.17	Inf	-Inf	102.17	3	Vertical	16	2.19	-	32.00	5.30	32.30
PK	5.926G	68.12	68.20	-0.08	62.93	3	Vertical	16	2.19	-	32.15	5.43	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.00	68.20	-9.20	54.40	3	Horizontal	85	2.43	-	31.60	5.22	32.22
PK	5.788G	112.48	Inf	-Inf	107.49	3	Horizontal	85	2.43	-	32.00	5.29	32.30
AV	5.789G	100.00	Inf	-Inf	95.01	3	Horizontal	85	2.43	-	32.00	5.29	32.30
PK	5.93G	60.95	68.20	-7.25	55.75	3	Horizontal	85	2.43	-	32.16	5.43	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59248G	55.92	74.00	-18.08	42.36	3	Vertical	298	2.50	-	39.51	8.34	34.29
AV	11.5836G	42.41	54.00	-11.59	28.85	3	Vertical	298	2.50	-	39.52	8.33	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 104
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59468G	56.44	74.00	-17.56	42.88	3	Horizontal	295	2.14	-	39.51	8.34	34.29
AV	11.594G	42.40	54.00	-11.60	28.84	3	Horizontal	295	2.14	-	39.51	8.34	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.57	74.00	-1.43	67.82	3	Vertical	360	1.10	-	31.72	5.00	31.97
AV	5.147G	53.69	54.00	-0.31	48.94	3	Vertical	360	1.10	-	31.72	5.00	31.97
PK	5.177G	113.30	Inf	-Inf	108.75	3	Vertical	360	1.10	-	31.54	5.00	31.99
AV	5.219G	99.50	Inf	-Inf	95.22	3	Vertical	360	1.10	-	31.29	5.00	32.01
PK	5.351G	59.81	74.00	-14.19	55.76	3	Vertical	360	1.10	-	31.11	5.00	32.06
AV	5.35G	47.58	54.00	-6.42	43.54	3	Vertical	360	1.10	-	31.10	5.00	32.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	66.09	74.00	-7.91	61.34	3	Horizontal	69.4	1.00	-	31.72	5.00	31.97
AV	5.147G	49.51	54.00	-4.49	44.76	3	Horizontal	69.4	1.00	-	31.72	5.00	31.97
PK	5.181G	106.83	Inf	-Inf	102.31	3	Horizontal	69.4	1.00	-	31.51	5.00	31.99
AV	5.218G	94.12	Inf	-Inf	89.84	3	Horizontal	69.4	1.00	-	31.29	5.00	32.01
PK	5.387G	56.86	74.00	-17.14	52.62	3	Horizontal	69.4	1.00	-	31.32	5.00	32.08
AV	5.363G	44.69	54.00	-9.31	40.58	3	Horizontal	69.4	1.00	-	31.18	5.00	32.07

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 80
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63892G	59.43	74.00	-14.57	45.25	3	Vertical	223	1.41	-	38.04	10.42	34.28
AV	15.6316G	45.64	54.00	-8.36	31.42	3	Vertical	223	1.41	-	38.07	10.42	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 80
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62924G	58.90	74.00	-15.10	44.68	3	Horizontal	356	2.59	-	38.08	10.41	34.27
AV	15.63436G	45.66	54.00	-8.34	31.45	3	Horizontal	356	2.59	-	38.06	10.42	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.14	74.00	-13.86	55.39	3	Vertical	40.5	2.28	-	31.72	5.00	31.97
AV	5.142G	47.49	54.00	-6.51	42.71	3	Vertical	40.5	2.28	-	31.75	5.00	31.97
PK	5.267G	114.42	Inf	-Inf	110.35	3	Vertical	40.5	2.28	-	31.10	5.00	32.03
AV	5.303G	100.22	Inf	-Inf	96.16	3	Vertical	40.5	2.28	-	31.10	5.00	32.04
PK	5.356G	73.90	74.00	-0.10	69.83	3	Vertical	40.5	2.28	-	31.14	5.00	32.07
AV	5.359G	53.65	54.00	-0.35	49.57	3	Vertical	40.5	2.28	-	31.15	5.00	32.07
PK	5.483G	58.93	68.20	-9.27	54.47	3	Vertical	40.5	2.28	-	31.50	5.08	32.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.17	74.00	-14.83	54.42	3	Horizontal	64	2.02	-	31.72	5.00	31.97
AV	5.148G	45.62	54.00	-8.38	40.89	3	Horizontal	64	2.02	-	31.71	5.00	31.98
PK	5.264G	106.28	Inf	-Inf	102.21	3	Horizontal	64	2.02	-	31.10	5.00	32.03
AV	5.278G	93.81	Inf	-Inf	89.74	3	Horizontal	64	2.02	-	31.10	5.00	32.03
PK	5.356G	65.87	74.00	-8.13	61.80	3	Horizontal	64	2.02	-	31.14	5.00	32.07
AV	5.35G	48.15	54.00	-5.85	44.11	3	Horizontal	64	2.02	-	31.10	5.00	32.06
PK	5.496G	56.77	68.20	-11.43	52.30	3	Horizontal	64	2.02	-	31.50	5.10	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 79
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86344G	58.26	74.00	-15.74	44.43	3	Vertical	23	1.70	-	37.67	10.53	34.37
AV	15.86148G	44.59	54.00	-9.41	30.74	3	Vertical	23	1.70	-	37.68	10.53	34.36

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 79
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87036G	58.31	74.00	-15.69	44.48	3	Horizontal	266	1.07	-	37.66	10.54	34.37
AV	15.87032G	44.52	54.00	-9.48	30.69	3	Horizontal	266	1.07	-	37.66	10.54	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	57.90	68.20	-10.30	53.85	3	Vertical	22.7	2.79	-	31.10	5.00	32.05
PK	5.453G	68.17	74.00	-5.83	63.73	3	Vertical	22.7	2.79	-	31.50	5.05	32.11
AV	5.459G	48.89	54.00	-5.11	44.44	3	Vertical	22.7	2.79	-	31.50	5.06	32.11
PK	5.469G	68.13	68.20	-0.07	63.68	3	Vertical	22.7	2.79	-	31.50	5.07	32.12
PK	5.494G	112.19	Inf	-Inf	107.73	3	Vertical	22.7	2.79	-	31.50	5.09	32.13
AV	5.515G	98.42	Inf	-Inf	93.94	3	Vertical	22.7	2.79	-	31.50	5.12	32.14
PK	5.738G	57.90	68.20	-10.30	52.95	3	Vertical	22.7	2.79	-	31.95	5.27	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	56.57	68.20	-11.63	52.52	3	Horizontal	80	2.60	-	31.10	5.00	32.05
PK	5.452G	63.95	74.00	-10.05	59.51	3	Horizontal	80	2.60	-	31.50	5.05	32.11
AV	5.46G	47.28	54.00	-6.72	42.83	3	Horizontal	80	2.60	-	31.50	5.06	32.11
PK	5.468G	64.67	68.20	-3.53	60.22	3	Horizontal	80	2.60	-	31.50	5.07	32.12
PK	5.502G	104.36	Inf	-Inf	99.89	3	Horizontal	80	2.60	-	31.50	5.10	32.13
AV	5.497G	92.31	Inf	-Inf	87.84	3	Horizontal	80	2.60	-	31.50	5.10	32.13
PK	5.752G	57.61	68.20	-10.59	52.61	3	Horizontal	80	2.60	-	32.00	5.28	32.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 78
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05996G	55.98	74.00	-18.02	42.14	3	Vertical	43	2.80	-	39.96	8.12	34.24
AV	11.06056G	42.99	54.00	-11.01	29.15	3	Vertical	43	2.80	-	39.96	8.12	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT Y_2TX
Setting 78
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05816G	55.97	74.00	-18.03	42.12	3	Horizontal	297	2.34	-	39.97	8.12	34.24
AV	11.05804G	42.93	54.00	-11.07	29.08	3	Horizontal	297	2.34	-	39.97	8.12	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 88
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	66.66	74.00	-7.34	62.24	3	Vertical	181	2.47	-	31.49	5.04	32.11
PK	5.465G	64.71	68.20	-3.49	60.26	3	Vertical	181	2.47	-	31.50	5.06	32.11
AV	5.456G	49.83	54.00	-4.17	45.38	3	Vertical	181	2.47	-	31.50	5.06	32.11
PK	5.575G	114.05	Inf	-Inf	109.51	3	Vertical	181	2.47	-	31.55	5.17	32.18
AV	5.594G	100.25	Inf	-Inf	95.66	3	Vertical	181	2.47	-	31.59	5.19	32.19
PK	5.727G	67.92	68.20	-0.28	63.02	3	Vertical	181	2.47	-	31.91	5.26	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 88
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.31	74.00	-13.69	55.86	3	Horizontal	76.5	2.46	-	31.50	5.06	32.11
AV	5.453G	46.79	54.00	-7.21	42.35	3	Horizontal	76.5	2.46	-	31.50	5.05	32.11
PK	5.47G	62.98	68.20	-5.22	58.53	3	Horizontal	76.5	2.46	-	31.50	5.07	32.12
PK	5.579G	108.44	Inf	-Inf	103.88	3	Horizontal	76.5	2.46	-	31.56	5.18	32.18
AV	5.583G	95.13	Inf	-Inf	90.56	3	Horizontal	76.5	2.46	-	31.57	5.18	32.18
PK	5.731G	61.82	68.20	-6.38	56.90	3	Horizontal	76.5	2.46	-	31.92	5.27	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 88
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21808G	55.84	74.00	-18.16	42.31	3	Vertical	68	1.26	-	39.60	8.19	34.26
AV	11.21364G	42.42	54.00	-11.58	28.89	3	Vertical	68	1.26	-	39.60	8.19	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT Y_2TX
Setting 88
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21296G	56.04	74.00	-17.96	42.51	3	Horizontal	38	1.91	-	39.60	8.19	34.26
AV	11.21916G	42.44	54.00	-11.56	28.92	3	Horizontal	38	1.91	-	39.60	8.19	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz_TnomVnom




EUT_V_2TX
Setting 95
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	63.82	74.00	-10.18	59.38	3	Vertical	14	2.46	-	31.50	5.05	32.11
PK	5.468G	60.09	68.20	-8.11	55.64	3	Vertical	14	2.46	-	31.50	5.07	32.12
AV	5.46G	47.48	54.00	-6.52	43.03	3	Vertical	14	2.46	-	31.50	5.06	32.11
PK	5.706G	115.69	Inf	-Inf	110.87	3	Vertical	14	2.46	-	31.82	5.25	32.25
AV	5.695G	102.44	Inf	-Inf	97.66	3	Vertical	14	2.46	-	31.78	5.25	32.25
PK	5.852G	64.20	68.20	-4.00	59.19	3	Vertical	14	2.46	-	32.00	5.35	32.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz_TnomVnom




EUT_V_2TX
Setting 95
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.27	74.00	-16.73	52.82	3	Horizontal	82	2.44	-	31.50	5.06	32.11
AV	5.458G	44.75	54.00	-9.25	40.30	3	Horizontal	82	2.44	-	31.50	5.06	32.11
PK	5.462G	57.43	68.20	-10.77	52.98	3	Horizontal	82	2.44	-	31.50	5.06	32.11
PK	5.685G	112.54	Inf	-Inf	107.80	3	Horizontal	82	2.44	-	31.74	5.24	32.24
AV	5.681G	95.75	Inf	-Inf	91.03	3	Horizontal	82	2.44	-	31.72	5.24	32.24
PK	5.85G	60.31	68.20	-7.89	55.30	3	Horizontal	82	2.44	-	32.00	5.35	32.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz_TnomVnom




EUT Y_2TX
Setting 95
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38292G	56.25	74.00	-17.75	42.52	3	Vertical	187	1.28	-	39.77	8.25	34.29
AV	11.3834G	42.86	54.00	-11.14	29.13	3	Vertical	187	1.28	-	39.77	8.25	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz_TnomVnom




EUT Y_2TX
Setting 95
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37164G	57.27	74.00	-16.73	43.57	3	Horizontal	312	1.72	-	39.74	8.25	34.29
AV	11.37688G	42.90	54.00	-11.10	29.19	3	Horizontal	312	1.72	-	39.75	8.25	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 93
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	68.18	68.20	-0.02	63.58	3	Vertical	12.1	2.19	-	31.60	5.21	32.21
PK	5.772G	116.08	Inf	-Inf	111.08	3	Vertical	12.1	2.19	-	32.00	5.29	32.29
AV	5.747G	105.51	Inf	-Inf	100.53	3	Vertical	12.1	2.19	-	31.99	5.27	32.28
PK	5.946G	63.12	68.20	-5.08	57.88	3	Vertical	12.1	2.19	-	32.19	5.45	32.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 93
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.09	68.20	-5.11	58.49	3	Horizontal	213.9	2.29	-	31.60	5.22	32.22
PK	5.749G	108.33	Inf	-Inf	103.34	3	Horizontal	213.9	2.29	-	32.00	5.27	32.28
AV	5.747G	95.69	Inf	-Inf	90.71	3	Horizontal	213.9	2.29	-	31.99	5.27	32.28
PK	5.927G	60.28	68.20	-7.92	55.09	3	Horizontal	213.9	2.29	-	32.15	5.43	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 93
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54268G	55.65	74.00	-18.35	42.07	3	Vertical	4	2.38	-	39.56	8.32	34.30
AV	11.55564G	43.12	54.00	-10.88	29.56	3	Vertical	4	2.38	-	39.54	8.32	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT Y_2TX
Setting 93
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55096G	55.67	74.00	-18.33	42.10	3	Horizontal	259	1.99	-	39.55	8.32	34.30
AV	11.54604G	43.04	54.00	-10.96	29.47	3	Horizontal	259	1.99	-	39.55	8.32	34.30

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz_TnomVnom




EUT_V_2TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	73.96	74.00	-0.04	69.22	3	Vertical	1.2	2.13	-	31.71	5.00	31.97
AV	5.1476G	49.88	54.00	-4.12	45.14	3	Vertical	1.2	2.13	-	31.71	5.00	31.97
PK	5.2772G	108.08	Inf	-Inf	104.01	3	Vertical	1.2	2.13	-	31.10	5.00	32.03
AV	5.2852G	96.13	Inf	-Inf	92.07	3	Vertical	1.2	2.13	-	31.10	5.00	32.04
PK	5.3908G	73.33	74.00	-0.67	69.07	3	Vertical	1.2	2.13	-	31.34	5.00	32.08
AV	5.4132G	50.49	54.00	-3.51	46.14	3	Vertical	1.2	2.13	-	31.43	5.01	32.09
PK	5.4612G	65.47	68.20	-2.73	61.02	3	Vertical	1.2	2.13	-	31.50	5.06	32.11

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz_TnomVnom




EUT_V_2TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	68.44	74.00	-5.56	63.60	3	Horizontal	66	2.16	-	31.81	5.00	31.97
AV	5.1444G	47.61	54.00	-6.39	42.85	3	Horizontal	66	2.16	-	31.73	5.00	31.97
PK	5.2196G	102.10	Inf	-Inf	97.83	3	Horizontal	66	2.16	-	31.28	5.00	32.01
AV	5.2772G	89.77	Inf	-Inf	85.70	3	Horizontal	66	2.16	-	31.10	5.00	32.03
PK	5.3892G	67.72	74.00	-6.28	63.46	3	Horizontal	66	2.16	-	31.34	5.00	32.08
AV	5.3748G	47.10	54.00	-6.90	42.92	3	Horizontal	66	2.16	-	31.25	5.00	32.07
PK	5.466G	58.97	68.20	-9.23	54.52	3	Horizontal	66	2.16	-	31.50	5.07	32.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz_TnomVnom




EUT Y_2TX
Setting 75
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74916G	58.79	74.00	-15.21	44.84	3	Vertical	260	1.24	-	37.80	10.47	34.32
AV	15.74912G	45.12	54.00	-8.88	31.17	3	Vertical	260	1.24	-	37.80	10.47	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz_TnomVnom




EUT Y_2TX
Setting 75
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75092G	58.53	74.00	-15.47	44.57	3	Horizontal	139	2.45	-	37.80	10.48	34.32
AV	15.74904G	44.99	54.00	-9.01	31.04	3	Horizontal	139	2.45	-	37.80	10.47	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_V_2TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2916G	59.01	68.20	-9.19	54.95	3	Vertical	25.2	2.03	-	31.10	5.00	32.04
PK	5.4596G	67.08	74.00	-6.92	62.63	3	Vertical	25.2	2.03	-	31.50	5.06	32.11
AV	5.4148G	47.50	54.00	-6.50	43.15	3	Vertical	25.2	2.03	-	31.43	5.01	32.09
PK	5.4644G	68.00	68.20	-0.20	63.55	3	Vertical	25.2	2.03	-	31.50	5.06	32.11
PK	5.554G	106.10	Inf	-Inf	101.60	3	Vertical	25.2	2.03	-	31.51	5.15	32.16
AV	5.5524G	93.52	Inf	-Inf	89.03	3	Vertical	25.2	2.03	-	31.50	5.15	32.16
PK	5.7252G	61.54	68.20	-6.66	56.65	3	Vertical	25.2	2.03	-	31.90	5.26	32.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_V_2TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2068G	57.28	68.20	-10.92	52.92	3	Horizontal	69	1.01	-	31.36	5.00	32.00
PK	5.394G	57.51	74.00	-16.49	53.23	3	Horizontal	69	1.01	-	31.36	5.00	32.08
AV	5.3972G	44.89	54.00	-9.11	40.59	3	Horizontal	69	1.01	-	31.38	5.00	32.08
PK	5.466G	62.25	68.20	-5.95	57.80	3	Horizontal	69	1.01	-	31.50	5.07	32.12
PK	5.5556G	99.30	Inf	-Inf	94.79	3	Horizontal	69	1.01	-	31.51	5.16	32.16
AV	5.5588G	86.12	Inf	-Inf	81.61	3	Horizontal	69	1.01	-	31.52	5.16	32.17
PK	5.7412G	57.62	68.20	-10.58	52.66	3	Horizontal	69	1.01	-	31.96	5.27	32.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT Y_2TX
Setting 70
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13964G	55.98	74.00	-18.02	42.35	3	Vertical	145	2.37	-	39.72	8.16	34.25
AV	11.14172G	42.58	54.00	-11.42	28.95	3	Vertical	145	2.37	-	39.72	8.16	34.25

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT Y_2TX
Setting 70
06-F-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14252G	56.26	74.00	-17.74	42.64	3	Horizontal	140	2.47	-	39.71	8.16	34.25
AV	11.14516G	42.68	54.00	-11.32	29.06	3	Horizontal	140	2.47	-	39.71	8.16	34.25



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.41603G	33.21	54.00	-20.79	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.41829G	37.54	74.00	-36.46	-8.70	3	Vertical	176	1.13	-	46.24	25.66	3.04	37.40
AV	1.41605G	29.33	54.00	-24.67	-8.70	3	Vertical	176	1.13	"Worst"	38.03	25.67	3.03	37.40

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.4172G	38.55	74.00	-35.45	-8.70	3	Horizontal	113	1.59	-	47.25	25.67	3.03	37.40
AV	1.41603G	33.21	54.00	-20.79	-8.70	3	Horizontal	113	1.59	"Worst"	41.91	25.67	3.03	37.40