

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

#### 5240MHz

**PSD**

15/08/2018

Ch Freq  
5.24GHz

Span  
30MHz

RBW  
1MHz

VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS


Sum


Port 1


Port 2















































RSE below 1GHz Result

RSE below 1GHz Result																																																																																																									
Operating Mode	2	Polarization	Horizontal																																																																																																						
Operating Function	CTX																																																																																																								
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div> <p>Level (dBuV/m)</p> <p style="text-align: right;">Date: 2018-08-21 Time: 23:41:49</p> </div> <div style="text-align: right;"> <p>FCC CLASS-B 54dB</p> </div> </div>																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>531.49</td> <td>35.47</td> <td>46.00</td> <td>-10.53</td> <td>40.69</td> <td>2.79</td> <td>24.31</td> <td>32.32</td> <td>100</td> <td>354</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>535.37</td> <td>31.58</td> <td>46.00</td> <td>-14.42</td> <td>36.73</td> <td>2.80</td> <td>24.37</td> <td>32.32</td> <td>300</td> <td>225</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>544.10</td> <td>34.35</td> <td>46.00</td> <td>-11.65</td> <td>39.38</td> <td>2.82</td> <td>24.49</td> <td>32.34</td> <td>300</td> <td>225</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>738.10</td> <td>29.85</td> <td>46.00</td> <td>-16.15</td> <td>33.04</td> <td>3.28</td> <td>26.05</td> <td>32.52</td> <td>300</td> <td>266</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>875.84</td> <td>32.38</td> <td>46.00</td> <td>-13.62</td> <td>33.74</td> <td>3.60</td> <td>27.50</td> <td>32.46</td> <td>100</td> <td>114</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>1000.00</td> <td>46.26</td> <td>54.00</td> <td>-7.74</td> <td>46.67</td> <td>3.75</td> <td>28.30</td> <td>32.46</td> <td>100</td> <td>237</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	531.49	35.47	46.00	-10.53	40.69	2.79	24.31	32.32	100	354	Peak	HORIZONTAL	2	535.37	31.58	46.00	-14.42	36.73	2.80	24.37	32.32	300	225	Peak	HORIZONTAL	3	544.10	34.35	46.00	-11.65	39.38	2.82	24.49	32.34	300	225	Peak	HORIZONTAL	4	738.10	29.85	46.00	-16.15	33.04	3.28	26.05	32.52	300	266	Peak	HORIZONTAL	5	875.84	32.38	46.00	-13.62	33.74	3.60	27.50	32.46	100	114	Peak	HORIZONTAL	6	1000.00	46.26	54.00	-7.74	46.67	3.75	28.30	32.46	100	237	Peak	HORIZONTAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	531.49	35.47	46.00	-10.53	40.69	2.79	24.31	32.32	100	354	Peak	HORIZONTAL																																																																																													
2	535.37	31.58	46.00	-14.42	36.73	2.80	24.37	32.32	300	225	Peak	HORIZONTAL																																																																																													
3	544.10	34.35	46.00	-11.65	39.38	2.82	24.49	32.34	300	225	Peak	HORIZONTAL																																																																																													
4	738.10	29.85	46.00	-16.15	33.04	3.28	26.05	32.52	300	266	Peak	HORIZONTAL																																																																																													
5	875.84	32.38	46.00	-13.62	33.74	3.60	27.50	32.46	100	114	Peak	HORIZONTAL																																																																																													
6	1000.00	46.26	54.00	-7.74	46.67	3.75	28.30	32.46	100	237	Peak	HORIZONTAL																																																																																													
<p>Note 1: "&gt;20dB" means emission levels that exceed the level of 20 dB below the applicable limit.            Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																									



RSE below 1GHz Result

RSE below 1GHz Result																																																																																																			
Operating Mode	2	Polarization	Vertical																																																																																																
Operating Function	CTX																																																																																																		
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p style="font-size: small;">Date: 2018-08-21 Time: 23:42:17</p> </div> </div> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>35.82</td> <td>34.78</td> <td>40.00</td> <td>-5.22</td> <td>43.38</td> <td>0.74</td> <td>22.25</td> <td>31.59</td> <td>100</td> <td>39</td> <td>QP</td> </tr> <tr> <td>2</td> <td>42.61</td> <td>34.95</td> <td>40.00</td> <td>-5.05</td> <td>47.51</td> <td>0.80</td> <td>18.32</td> <td>31.68</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>52.31</td> <td>34.13</td> <td>40.00</td> <td>-5.87</td> <td>50.77</td> <td>0.88</td> <td>14.25</td> <td>31.77</td> <td>100</td> <td>1</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>531.49</td> <td>37.52</td> <td>46.00</td> <td>-8.48</td> <td>42.74</td> <td>2.79</td> <td>24.31</td> <td>32.32</td> <td>100</td> <td>93</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>547.98</td> <td>37.39</td> <td>46.00</td> <td>-8.61</td> <td>42.36</td> <td>2.83</td> <td>24.54</td> <td>32.34</td> <td>100</td> <td>217</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>1000.00</td> <td>47.16</td> <td>54.00</td> <td>-6.84</td> <td>47.57</td> <td>3.75</td> <td>28.30</td> <td>32.46</td> <td>100</td> <td>209</td> <td>Peak</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	35.82	34.78	40.00	-5.22	43.38	0.74	22.25	31.59	100	39	QP	2	42.61	34.95	40.00	-5.05	47.51	0.80	18.32	31.68	100	360	Peak	3	52.31	34.13	40.00	-5.87	50.77	0.88	14.25	31.77	100	1	Peak	4	531.49	37.52	46.00	-8.48	42.74	2.79	24.31	32.32	100	93	Peak	5	547.98	37.39	46.00	-8.61	42.36	2.83	24.54	32.34	100	217	Peak	6	1000.00	47.16	54.00	-6.84	47.57	3.75	28.30	32.46	100	209	Peak
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																									
1	35.82	34.78	40.00	-5.22	43.38	0.74	22.25	31.59	100	39	QP																																																																																								
2	42.61	34.95	40.00	-5.05	47.51	0.80	18.32	31.68	100	360	Peak																																																																																								
3	52.31	34.13	40.00	-5.87	50.77	0.88	14.25	31.77	100	1	Peak																																																																																								
4	531.49	37.52	46.00	-8.48	42.74	2.79	24.31	32.32	100	93	Peak																																																																																								
5	547.98	37.39	46.00	-8.61	42.36	2.83	24.54	32.34	100	217	Peak																																																																																								
6	1000.00	47.16	54.00	-6.84	47.57	3.75	28.30	32.46	100	209	Peak																																																																																								
<p>Note 1: "&gt;20dB" means emission levels that exceed the level of 20 dB below the applicable limit.            Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.726G	73.99	74.00	-0.01	8.37	3	Vertical	41	1.47	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX

11/06/2018




EUT\_Z\_2TX  
Setting 88  
06-S-5-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	70.92	74.00	-3.08	7.28	3	Vertical	352	1.86	-
AV	5.149995G	53.94	54.00	-0.06	7.28	3	Vertical	352	1.86	-
PK	5.179G	119.94	Inf	-Inf	7.35	3	Vertical	352	1.86	-
AV	5.179G	110.11	Inf	-Inf	7.35	3	Vertical	352	1.86	-
PK	5.357G	59.22	74.00	-14.78	7.70	3	Vertical	352	1.86	-
AV	5.350005G	46.62	54.00	-7.38	7.68	3	Vertical	352	1.86	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX

15/06/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT\_Z\_2TX  
Setting 88  
06-S-5  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.53416G	62.59	74.00	-11.41	18.58	3	Vertical	329	2.86	-
AV	15.53124G	48.80	54.00	-5.20	18.58	3	Vertical	329	2.86	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX

15/06/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT\_Z\_2TX  
Setting 88  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.5336G	63.71	74.00	-10.29	18.58	3	Horizontal	279	1.42	-
AV	15.5334G	48.67	54.00	-5.33	18.58	3	Horizontal	279	1.42	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TX

11/06/2018




EUT\_Z\_2TX  
Setting 110  
06-S-5-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	67.89	74.00	-6.11	7.27	3	Vertical	40	1.90	-
AV	5.126G	52.42	54.00	-1.58	7.23	3	Vertical	40	1.90	-
PK	5.205G	121.62	Inf	-Inf	7.40	3	Vertical	40	1.90	-
AV	5.201G	112.35	Inf	-Inf	7.39	3	Vertical	40	1.90	-
PK	5.355G	62.75	74.00	-11.25	7.70	3	Vertical	40	1.90	-
AV	5.356G	51.90	54.00	-2.10	7.70	3	Vertical	40	1.90	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TX

15/06/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 

EUT Z\_2TX  
Setting 110  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.59744G	62.29	74.00	-11.71	18.30	3	Vertical	355	1.50	-
AV	15.60056G	48.91	54.00	-5.09	18.29	3	Vertical	355	1.50	-



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5200MHz\_TX

15/06/2018




EUT Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.59996G	61.93	74.00	-12.07	18.29	3	Horizontal	359	2.05	-
AV	15.60092G	48.99	54.00	-5.01	18.29	3	Horizontal	359	2.05	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TX

11/06/2018




EUT Z\_2TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1264G	61.32	74.00	-12.68	7.23	3	Vertical	43	1.67	-
AV	5.1264G	50.53	54.00	-3.47	7.23	3	Vertical	43	1.67	-
PK	5.2416G	122.04	Inf	-Inf	7.47	3	Vertical	43	1.67	-
AV	5.2416G	112.28	Inf	-Inf	7.47	3	Vertical	43	1.67	-
PK	5.3568G	61.67	74.00	-12.33	7.70	3	Vertical	43	1.67	-
AV	5.356G	50.14	54.00	-3.86	7.70	3	Vertical	43	1.67	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TX

15/06/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)


EUT Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.7228G	62.31	74.00	-11.69	17.87	3	Vertical	1	1.50	-
AV	15.7174G	48.70	54.00	-5.30	17.89	3	Vertical	1	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5240MHz\_TX

15/06/2018




EUT Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.72012G	62.12	74.00	-11.88	17.88	3	Horizontal	359	1.50	-
AV	15.72492G	48.40	54.00	-5.60	17.86	3	Horizontal	359	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 81  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4552G	67.84	74.00	-6.16	7.87	3	Vertical	215	1.89	-
AV	5.459995G	49.64	54.00	-4.36	7.88	3	Vertical	215	1.89	-
PK	5.469995G	72.50	74.00	-1.50	7.90	3	Vertical	215	1.89	-
AV	5.469995G	53.78	54.00	-0.22	7.90	3	Vertical	215	1.89	-
PK	5.498G	120.90	Inf	-Inf	7.94	3	Vertical	215	1.89	-
AV	5.498G	110.98	Inf	-Inf	7.94	3	Vertical	215	1.89	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TX

29/06/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)


EUT Z\_4TX  
Setting 81  
06-J-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9922G	60.97	74.00	-13.03	18.09	3	Vertical	35	2.92	-
AV	11.0024G	46.64	54.00	-7.36	18.10	3	Vertical	35	2.92	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TX

29/06/2018




EUT Z\_4TX  
Setting 81  
06-J-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.99356G	60.44	74.00	-13.56	18.09	3	Horizontal	262	1.86	-
AV	10.99428G	46.14	54.00	-7.86	18.09	3	Horizontal	262	1.86	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TX

29/06/2018



EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.432G	61.49	74.00	-12.51	7.83	3	Vertical	39	1.88	-
AV	5.4592G	49.41	54.00	-4.59	7.89	3	Vertical	39	1.88	-
PK	5.4696G	61.52	74.00	-12.48	7.90	3	Vertical	39	1.88	-
AV	5.4696G	49.74	54.00	-4.26	7.90	3	Vertical	39	1.88	-
PK	5.5752G	125.02	Inf	-Inf	8.05	3	Vertical	39	1.88	-
AV	5.5752G	114.90	Inf	-Inf	8.05	3	Vertical	39	1.88	-
PK	5.7336G	62.59	74.00	-11.41	8.39	3	Vertical	39	1.88	-
AV	5.736G	50.27	54.00	-3.73	8.40	3	Vertical	39	1.88	-



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TX

29/06/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)


EUT Z\_4TX  
Setting 110  
06-J-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1522G	59.96	74.00	-14.04	18.07	3	Vertical	192	1.50	-
AV	11.15736G	46.80	54.00	-7.20	18.07	3	Vertical	192	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TX

29/06/2018




EUT Z\_4TX  
Setting 110  
06-J-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15688G	59.90	74.00	-14.10	18.07	3	Horizontal	246	1.14	-
AV	11.1558G	46.68	54.00	-7.32	18.07	3	Horizontal	246	1.14	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TX

29/06/2018




EUT\_Z\_4TX  
 Setting 75  
 06-S-5-10  
 FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6924G	119.10	Inf	-Inf	8.30	3	Vertical	39	1.93	-
AV	5.6924G	109.23	Inf	-Inf	8.30	3	Vertical	39	1.93	-
PK	5.7268G	73.87	74.00	-0.13	8.37	3	Vertical	39	1.93	-
AV	5.7308G	52.63	54.00	-1.37	8.38	3	Vertical	39	1.93	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TX

29/06/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT Z\_4TX  
Setting 75  
06-J-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4G	60.27	74.00	-13.73	18.02	3	Vertical	56	1.50	-
AV	11.39852G	46.54	54.00	-7.46	18.02	3	Vertical	56	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 75  
06-J-1  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.39676G	60.66	74.00	-13.34	18.02	3	Horizontal	316	2.98	-
AV	11.39808G	46.57	54.00	-7.43	18.02	3	Horizontal	316	2.98	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7136G	125.87	Inf	-Inf	8.34	3	Vertical	38	1.73	-
AV	5.7144G	115.95	Inf	-Inf	8.35	3	Vertical	38	1.73	-
PK	5.8592G	62.39	68.20	-5.81	8.63	3	Vertical	38	1.73	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.437G	59.75	74.00	-14.25	17.96	3	Vertical	153	1.16	-
AV	11.44144G	46.77	54.00	-7.23	17.96	3	Vertical	153	1.16	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

27/07/2018



EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4398G	59.98	74.00	-14.02	17.96	3	Horizontal	121	1.30	-
AV	11.4314G	46.74	54.00	-7.26	17.97	3	Horizontal	121	1.30	-



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5745MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	61.99	68.20	-6.21	8.00	3	Vertical	99	2.46	-
PK	5.738G	124.03	Inf	-Inf	8.20	3	Vertical	99	2.46	-
AV	5.738G	114.91	Inf	-Inf	8.20	3	Vertical	99	2.46	-
PK	5.953G	61.63	68.20	-6.57	8.59	3	Vertical	99	2.46	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5745MHz\_TX

15/06/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.48668G	60.83	74.00	-13.17	18.00	3	Vertical	172	2.87	-
AV	11.48844G	46.75	54.00	-7.25	18.00	3	Vertical	172	2.87	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5745MHz\_TX

15/06/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.49644G	61.02	74.00	-12.98	18.00	3	Horizontal	70	1.50	-
AV	11.4972G	46.93	54.00	-7.07	18.00	3	Horizontal	70	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.559G	62.04	68.20	-6.16	7.83	3	Vertical	97	1.71	-
PK	5.788G	124.16	Inf	-Inf	8.30	3	Vertical	97	1.71	-
AV	5.788G	114.85	Inf	-Inf	8.30	3	Vertical	97	1.71	-
PK	5.934G	61.07	68.20	-7.13	8.57	3	Vertical	97	1.71	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.56552G	60.37	74.00	-13.63	17.98	3	Vertical	1	1.50	-
AV	11.56272G	46.94	54.00	-7.06	17.98	3	Vertical	1	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.56804G	60.31	74.00	-13.69	17.98	3	Horizontal	280	1.50	-
AV	11.5646G	47.38	54.00	-6.62	17.98	3	Horizontal	280	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.589G	61.43	68.20	-6.77	7.87	3	Vertical	101	1.50	-
PK	5.83G	124.00	Inf	-Inf	8.38	3	Vertical	101	1.50	-
AV	5.831G	114.63	Inf	-Inf	8.38	3	Vertical	101	1.50	-
PK	5.925006G	62.24	68.20	-5.96	8.55	3	Vertical	101	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TX

03/08/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 

EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.6518G	60.71	74.00	-13.29	17.96	3	Vertical	194	1.54	-
AV	11.6456G	46.47	54.00	-7.53	17.96	3	Vertical	194	1.54	-



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TX

03/08/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.64616G	59.92	74.00	-14.08	17.96	3	Horizontal	61	1.50	-
AV	11.64196G	46.63	54.00	-7.37	17.97	3	Horizontal	61	1.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5180MHz\_TX

15/06/2018




EUT\_Z\_2TX  
Setting 87  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	71.38	74.00	-2.62	7.28	3	Vertical	283	1.92	-
AV	5.1496G	53.91	54.00	-0.09	7.28	3	Vertical	283	1.92	-
PK	5.1752G	118.90	Inf	-Inf	7.34	3	Vertical	283	1.92	-
AV	5.1784G	108.36	Inf	-Inf	7.34	3	Vertical	283	1.92	-
PK	5.3784G	59.56	74.00	-14.44	7.74	3	Vertical	283	1.92	-
AV	5.350005G	48.34	54.00	-5.66	7.68	3	Vertical	283	1.92	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5180MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.54504G	63.24	74.00	-10.76	18.54	3	Vertical	35	2.36	-
AV	15.54432G	49.37	54.00	-4.63	18.54	3	Vertical	35	2.36	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5180MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.54548G	63.58	74.00	-10.42	18.54	3	Horizontal	170	1.32	-
AV	15.5364G	49.28	54.00	-4.72	18.57	3	Horizontal	170	1.32	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5200MHz\_TX

15/06/2018




EUT\_Z\_2TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1448G	70.82	74.00	-3.18	7.27	3	Vertical	138	1.93	-
AV	5.128G	53.03	54.00	-0.97	7.24	3	Vertical	138	1.93	-
PK	5.2024G	123.42	Inf	-Inf	7.39	3	Vertical	138	1.93	-
AV	5.2008G	112.74	Inf	-Inf	7.39	3	Vertical	138	1.93	-
PK	5.3528G	64.31	74.00	-9.69	7.69	3	Vertical	138	1.93	-
AV	5.3528G	53.61	54.00	-0.39	7.69	3	Vertical	138	1.93	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5200MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.6018G	63.16	74.00	-10.84	18.36	3	Vertical	97	1.87	-
AV	15.59532G	49.39	54.00	-4.61	18.38	3	Vertical	97	1.87	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5200MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.5996G	63.53	74.00	-10.47	18.37	3	Horizontal	24	2.26	-
AV	15.60888G	49.32	54.00	-4.68	18.34	3	Horizontal	24	2.26	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5240MHz\_TX

15/06/2018



EUT\_Z\_2TX  
Setting 110  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1248G	62.69	74.00	-11.31	7.23	3	Vertical	171	2.00	-
AV	5.1264G	50.86	54.00	-3.14	7.23	3	Vertical	171	2.00	-
PK	5.2384G	123.52	Inf	-Inf	7.46	3	Vertical	171	2.00	-
AV	5.2384G	113.26	Inf	-Inf	7.46	3	Vertical	171	2.00	-
PK	5.3552G	62.48	74.00	-11.52	7.70	3	Vertical	171	2.00	-
AV	5.3528G	51.39	54.00	-2.61	7.70	3	Vertical	171	2.00	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5240MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.72524G	63.14	74.00	-10.86	17.98	3	Vertical	84	1.90	-
AV	15.71068G	49.04	54.00	-4.96	18.02	3	Vertical	84	1.90	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5240MHz\_TX

27/07/2018




EUT Z\_2TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.71376G	62.57	74.00	-11.43	18.01	3	Horizontal	61	1.91	-
AV	15.71176G	49.00	54.00	-5.00	18.02	3	Horizontal	61	1.91	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	64.38	74.00	-9.62	7.88	3	Vertical	223	1.90	-
AV	5.4592G	49.38	54.00	-4.62	7.88	3	Vertical	223	1.90	-
PK	5.469995G	73.41	74.00	-0.59	7.90	3	Vertical	223	1.90	-
AV	5.4696G	53.87	54.00	-0.13	7.89	3	Vertical	223	1.90	-
PK	5.5028G	121.27	Inf	-Inf	7.95	3	Vertical	223	1.90	-
AV	5.4976G	109.99	Inf	-Inf	7.94	3	Vertical	223	1.90	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00236G	60.69	74.00	-13.31	18.10	3	Vertical	296	2.17	-
AV	11.00088G	46.23	54.00	-7.77	18.10	3	Vertical	296	2.17	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.9958G	60.25	74.00	-13.75	18.09	3	Horizontal	184	2.50	-
AV	10.99564G	46.35	54.00	-7.65	18.09	3	Horizontal	184	2.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	62.66	74.00	-11.34	7.88	3	Vertical	225	1.82	-
AV	5.459995G	49.55	54.00	-4.45	7.89	3	Vertical	225	1.82	-
PK	5.4664G	62.42	74.00	-11.58	7.89	3	Vertical	225	1.82	-
AV	5.4688G	49.95	54.00	-4.05	7.90	3	Vertical	225	1.82	-
PK	5.5744G	126.45	Inf	-Inf	8.05	3	Vertical	225	1.82	-
AV	5.5744G	116.12	Inf	-Inf	8.05	3	Vertical	225	1.82	-
PK	5.7384G	63.27	74.00	-10.73	8.39	3	Vertical	225	1.82	-
AV	5.7408G	49.82	54.00	-4.18	8.40	3	Vertical	225	1.82	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.16812G	59.73	74.00	-14.27	18.05	3	Vertical	129	1.06	-
AV	11.16456G	45.81	54.00	-8.19	18.05	3	Vertical	129	1.06	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX

13/07/2018



EUT Z\_4TX  
Setting 108  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.16972G	60.04	74.00	-13.96	18.05	3	Horizontal	50	2.43	-
AV	11.1584G	45.77	54.00	-8.23	18.05	3	Horizontal	50	2.43	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 70  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6932G	118.57	Inf	-Inf	8.30	3	Vertical	46	1.72	-
AV	5.6936G	108.59	Inf	-Inf	8.30	3	Vertical	46	1.72	-
PK	5.7264G	73.84	74.00	-0.16	8.37	3	Vertical	46	1.72	-
AV	5.7252G	52.61	54.00	-1.39	8.37	3	Vertical	46	1.72	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 70  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.39776G	60.85	74.00	-13.15	17.98	3	Vertical	138	1.80	-
AV	11.40948G	46.75	54.00	-7.25	17.97	3	Vertical	138	1.80	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 70  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40552G	60.54	74.00	-13.46	17.97	3	Horizontal	41	1.42	-
AV	11.39816G	46.34	54.00	-7.66	17.98	3	Horizontal	41	1.42	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 110  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7248G	125.85	Inf	-Inf	8.37	3	Vertical	41	1.63	-
AV	5.7232G	115.48	Inf	-Inf	8.36	3	Vertical	41	1.63	-
PK	5.8768G	62.17	68.20	-6.03	8.67	3	Vertical	41	1.63	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Green line)


EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.44968G	60.46	74.00	-13.54	17.96	3	Vertical	61	2.38	-
AV	11.4316G	46.13	54.00	-7.87	17.97	3	Vertical	61	2.38	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.43088G	60.46	74.00	-13.54	17.97	3	Horizontal	243	1.73	-
AV	11.4318G	46.14	54.00	-7.86	17.97	3	Horizontal	243	1.73	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	62.45	68.20	-5.75	8.01	3	Vertical	239	1.56	-
PK	5.746G	123.58	Inf	-Inf	8.21	3	Vertical	239	1.56	-
AV	5.743G	114.10	Inf	-Inf	8.21	3	Vertical	239	1.56	-
PK	5.958G	61.02	68.20	-7.18	8.60	3	Vertical	239	1.56	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 

EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.49192G	59.50	74.00	-14.50	17.95	3	Vertical	127	1.50	-
AV	11.48564G	46.61	54.00	-7.39	17.95	3	Vertical	127	1.50	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4996G	59.73	74.00	-14.27	17.95	3	Horizontal	2	1.50	-
AV	11.4902G	46.35	54.00	-7.65	17.95	3	Horizontal	2	1.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.537G	63.33	68.20	-4.87	8.00	3	Vertical	51	1.80	-
PK	5.784G	126.24	Inf	-Inf	8.50	3	Vertical	51	1.80	-
AV	5.781G	115.85	Inf	-Inf	8.49	3	Vertical	51	1.80	-
PK	5.929G	62.56	68.20	-5.64	8.75	3	Vertical	51	1.80	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5628G	59.55	74.00	-14.45	17.93	3	Vertical	191	1.99	-
AV	11.56016G	46.34	54.00	-7.66	17.93	3	Vertical	191	1.99	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5632G	59.40	74.00	-14.60	17.93	3	Horizontal	59	1.74	-
AV	11.56548G	45.86	54.00	-8.14	17.92	3	Horizontal	59	1.74	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.619G	63.29	68.20	-4.91	8.13	3	Vertical	49	1.70	-
PK	5.82G	125.42	Inf	-Inf	8.57	3	Vertical	49	1.70	-
AV	5.822G	115.67	Inf	-Inf	8.57	3	Vertical	49	1.70	-
PK	5.926G	63.56	68.20	-4.64	8.75	3	Vertical	49	1.70	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.64412G	59.29	74.00	-14.71	17.90	3	Vertical	124	1.05	-
AV	11.65848G	46.16	54.00	-7.84	17.90	3	Vertical	124	1.05	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.64964G	59.29	74.00	-14.71	17.90	3	Horizontal	33	1.40	-
AV	11.64208G	45.70	54.00	-8.30	17.90	3	Horizontal	33	1.40	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5190MHz\_TX

11/06/2018



EUT\_Z\_2TX  
Setting 75  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149995G	70.49	74.00	-3.51	7.27	3	Vertical	288	2.98	-
AV	5.149995G	53.80	54.00	-0.20	7.27	3	Vertical	288	2.98	-
PK	5.183G	111.61	Inf	-Inf	7.35	3	Vertical	288	2.98	-
AV	5.186G	101.33	Inf	-Inf	7.36	3	Vertical	288	2.98	-
PK	5.368G	59.71	74.00	-14.29	7.72	3	Vertical	288	2.98	-
AV	5.354G	47.50	54.00	-6.50	7.70	3	Vertical	288	2.98	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5190MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 75  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.56664G	62.60	74.00	-11.40	18.47	3	Vertical	331	2.08	-
AV	15.57932G	48.97	54.00	-5.03	18.43	3	Vertical	331	2.08	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5190MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 75  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.57344G	62.97	74.00	-11.03	18.45	3	Horizontal	271	1.68	-
AV	15.56708G	48.98	54.00	-5.02	18.47	3	Horizontal	271	1.68	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5230MHz\_TX

11/06/2018




EUT\_Z\_2TX  
Setting 96  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149995G	66.97	74.00	-7.03	7.28	3	Vertical	268	2.87	-
AV	5.149G	53.91	54.00	-0.09	7.28	3	Vertical	268	2.87	-
PK	5.233G	118.04	Inf	-Inf	7.45	3	Vertical	268	2.87	-
AV	5.234G	106.04	Inf	-Inf	7.46	3	Vertical	268	2.87	-
PK	5.355G	61.20	74.00	-12.80	7.69	3	Vertical	268	2.87	-
AV	5.352G	48.55	54.00	-5.45	7.69	3	Vertical	268	2.87	-
PK	5.473G	58.63	68.20	-9.57	7.90	3	Vertical	268	2.87	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5230MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 96  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.6914G	63.29	74.00	-10.71	18.08	3	Vertical	32	2.23	-
AV	15.6996G	48.94	54.00	-5.06	18.06	3	Vertical	32	2.23	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5230MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 96  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.69872G	62.60	74.00	-11.40	18.06	3	Horizontal	122	1.68	-
AV	15.69788G	48.87	54.00	-5.13	18.06	3	Horizontal	122	1.68	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 69  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459995G	69.60	74.00	-4.40	7.88	3	Vertical	47	1.86	-
AV	5.459995G	50.65	54.00	-3.35	7.88	3	Vertical	47	1.86	-
PK	5.4684G	72.98	74.00	-1.02	7.89	3	Vertical	47	1.86	-
AV	5.469995G	53.83	54.00	-0.17	7.90	3	Vertical	47	1.86	-
PK	5.5136G	117.80	Inf	-Inf	7.96	3	Vertical	47	1.86	-
AV	5.5156G	106.31	Inf	-Inf	7.97	3	Vertical	47	1.86	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 69  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.02556G	60.03	74.00	-13.97	18.09	3	Vertical	228	2.01	-
AV	11.0176G	46.15	54.00	-7.85	18.09	3	Vertical	228	2.01	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 69  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0222G	59.71	74.00	-14.29	18.09	3	Horizontal	64	2.39	-
AV	11.01176G	46.14	54.00	-7.86	18.10	3	Horizontal	64	2.39	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 87  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4546G	66.17	74.00	-7.83	7.87	3	Vertical	44	2.10	-
AV	5.4594G	51.30	54.00	-2.70	7.89	3	Vertical	44	2.10	-
PK	5.469995G	69.49	74.00	-4.51	7.90	3	Vertical	44	2.10	-
AV	5.469995G	53.96	54.00	-0.04	7.90	3	Vertical	44	2.10	-
PK	5.5548G	121.04	Inf	-Inf	8.02	3	Vertical	44	2.10	-
AV	5.5362G	108.72	Inf	-Inf	8.00	3	Vertical	44	2.10	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1G	59.56	74.00	-14.44	18.07	3	Vertical	261	1.64	-
AV	11.09792G	46.09	54.00	-7.91	18.07	3	Vertical	261	1.64	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.10568G	60.87	74.00	-13.13	18.07	3	Horizontal	150	2.37	-
AV	11.09496G	46.11	54.00	-7.89	18.07	3	Horizontal	150	2.37	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 76  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6784G	117.37	Inf	-Inf	8.27	3	Vertical	44	1.85	-
AV	5.6742G	106.87	Inf	-Inf	8.26	3	Vertical	44	1.85	-
PK	5.7282G	72.27	74.00	-1.73	8.38	3	Vertical	44	1.85	-
AV	5.7252G	53.89	54.00	-0.11	8.37	3	Vertical	44	1.85	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 76  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.34492G	59.94	74.00	-14.06	17.99	3	Vertical	347	1.81	-
AV	11.33736G	45.94	54.00	-8.06	18.00	3	Vertical	347	1.81	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 76  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.33948G	59.24	74.00	-14.76	17.99	3	Horizontal	307	2.28	-
AV	11.34552G	45.88	54.00	-8.12	17.99	3	Horizontal	307	2.28	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 106  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.702G	122.04	Inf	-Inf	8.32	3	Vertical	42	1.75	-
AV	5.698G	111.33	Inf	-Inf	8.31	3	Vertical	42	1.75	-
PK	5.8516G	68.07	68.20	-0.13	8.61	3	Vertical	42	1.75	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 106  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.41048G	60.37	74.00	-13.63	17.97	3	Vertical	38	1.78	-
AV	11.42376G	46.22	54.00	-7.78	17.97	3	Vertical	38	1.78	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 106  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.42776G	59.74	74.00	-14.26	17.97	3	Horizontal	75	2.43	-
AV	11.41052G	46.23	54.00	-7.77	17.97	3	Horizontal	75	2.43	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 97  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	68.18	68.20	-0.02	8.21	3	Vertical	48	1.81	-
PK	5.769G	120.42	Inf	-Inf	8.46	3	Vertical	48	1.81	-
AV	5.741G	110.38	Inf	-Inf	8.40	3	Vertical	48	1.81	-
PK	5.939G	61.33	68.20	-6.87	8.76	3	Vertical	48	1.81	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 97  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.50036G	59.34	74.00	-14.66	17.94	3	Vertical	45	1.96	-
AV	11.51312G	46.22	54.00	-7.78	17.94	3	Vertical	45	1.96	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 97  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.51876G	60.37	74.00	-13.63	17.94	3	Horizontal	30	1.05	-
AV	11.51208G	45.90	54.00	-8.10	17.94	3	Horizontal	30	1.05	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	65.64	68.20	-2.56	8.20	3	Vertical	47	1.43	-
PK	5.801G	121.37	Inf	-Inf	8.53	3	Vertical	47	1.43	-
AV	5.79G	110.64	Inf	-Inf	8.51	3	Vertical	47	1.43	-
PK	5.926G	67.43	68.20	-0.77	8.75	3	Vertical	47	1.43	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.58648G	58.93	74.00	-15.07	17.92	3	Vertical	174	1.21	-
AV	11.58092G	46.67	54.00	-7.33	17.92	3	Vertical	174	1.21	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.589G	59.25	74.00	-14.75	17.92	3	Horizontal	248	1.01	-
AV	11.58112G	45.69	54.00	-8.31	17.92	3	Horizontal	248	1.01	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

### 5210MHz\_TX

11/06/2018



EUT Z\_2TX  
Setting 70  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	73.76	74.00	-0.24	7.27	3	Vertical	349	1.88	-
AV	5.148G	53.47	54.00	-0.53	7.27	3	Vertical	349	1.88	-
PK	5.185G	111.67	Inf	-Inf	7.36	3	Vertical	349	1.88	-
AV	5.221G	99.90	Inf	-Inf	7.43	3	Vertical	349	1.88	-
PK	5.355G	59.75	74.00	-14.25	7.70	3	Vertical	349	1.88	-
AV	5.355G	47.25	54.00	-6.75	7.70	3	Vertical	349	1.88	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

### 5210MHz\_TX

27/07/2018




EUT Z\_2TX  
Setting 70  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.62204G	62.87	74.00	-11.13	18.30	3	Vertical	40	1.42	-
AV	15.63124G	48.86	54.00	-5.14	18.27	3	Vertical	40	1.42	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

### 5210MHz\_TX

27/07/2018




EUT\_Z\_2TX  
Setting 70  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.62644G	63.07	74.00	-10.93	18.29	3	Horizontal	338	1.06	-
AV	15.62024G	48.92	54.00	-5.08	18.31	3	Horizontal	338	1.06	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 66  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	67.84	74.00	-6.16	7.88	3	Vertical	220	1.50	-
AV	5.459995G	51.01	54.00	-2.99	7.89	3	Vertical	220	1.50	-
PK	5.469G	73.96	74.00	-0.04	7.90	3	Vertical	220	1.50	-
AV	5.469995G	51.95	54.00	-2.05	7.90	3	Vertical	220	1.50	-
PK	5.499G	115.74	Inf	-Inf	7.94	3	Vertical	220	1.50	-
AV	5.519G	101.75	Inf	-Inf	7.97	3	Vertical	220	1.50	-
PK	5.736G	60.16	74.00	-13.84	8.40	3	Vertical	220	1.50	-
AV	5.769G	47.62	54.00	-6.38	8.46	3	Vertical	220	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 66  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.05828G	59.80	74.00	-14.20	18.08	3	Vertical	220	1.87	-
AV	11.05332G	46.36	54.00	-7.64	18.08	3	Vertical	220	1.87	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 66  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.06244G	60.20	74.00	-13.80	18.08	3	Horizontal	141	1.94	-
AV	11.05432G	46.40	54.00	-7.60	18.08	3	Horizontal	141	1.94	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 80  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459995G	63.86	74.00	-10.14	7.89	3	Vertical	220	1.50	-
AV	5.459G	49.20	54.00	-4.80	7.88	3	Vertical	220	1.50	-
PK	5.468G	65.47	74.00	-8.53	7.89	3	Vertical	220	1.50	-
AV	5.468G	49.85	54.00	-4.15	7.89	3	Vertical	220	1.50	-
PK	5.593G	115.44	Inf	-Inf	8.08	3	Vertical	220	1.50	-
AV	5.621G	102.38	Inf	-Inf	8.14	3	Vertical	220	1.50	-
PK	5.726G	69.14	74.00	-4.86	8.37	3	Vertical	220	1.50	-
AV	5.726G	53.77	54.00	-0.23	8.37	3	Vertical	220	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.22412G	60.43	74.00	-13.57	18.03	3	Vertical	61	1.19	-
AV	11.225G	46.16	54.00	-7.84	18.03	3	Vertical	61	1.19	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX

13/07/2018



EUT Z\_4TX  
Setting 80  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.22588G	60.04	74.00	-13.96	18.03	3	Horizontal	301	1.10	-
AV	11.2254G	45.95	54.00	-8.05	18.03	3	Horizontal	301	1.10	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 86  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	60.92	74.00	-13.08	7.87	3	Vertical	41	1.50	-
AV	5.454G	48.20	54.00	-5.80	7.87	3	Vertical	41	1.50	-
PK	5.469G	62.84	68.20	-5.36	7.90	3	Vertical	41	1.50	-
PK	5.699G	116.56	Inf	-Inf	8.31	3	Vertical	41	1.50	-
AV	5.701G	103.87	Inf	-Inf	8.32	3	Vertical	41	1.50	-
PK	5.855G	66.33	68.20	-1.87	8.63	3	Vertical	41	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

06/08/2018




EUT\_Z\_4TX  
Setting 86  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.38308G	59.79	74.00	-14.21	17.98	3	Vertical	186	1.43	-
AV	11.38612G	46.10	54.00	-7.90	17.98	3	Vertical	186	1.43	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

06/08/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Green line)


EUT\_Z\_4TX  
Setting 86  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.38232G	59.83	74.00	-14.17	17.98	3	Horizontal	66	2.12	-
AV	11.3844G	46.16	54.00	-7.84	17.98	3	Horizontal	66	2.12	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 84  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.98	68.20	-0.22	8.20	3	Vertical	1	2.69	-
PK	5.787G	113.94	Inf	-Inf	8.50	3	Vertical	1	2.69	-
AV	5.737G	106.92	Inf	-Inf	8.39	3	Vertical	1	2.69	-
PK	5.932G	65.85	68.20	-2.35	8.76	3	Vertical	1	2.69	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Red line)


EUT\_Z\_4TX  
Setting 84  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.54568G	60.10	74.00	-13.90	17.93	3	Vertical	269	1.85	-
AV	11.55576G	47.05	54.00	-6.95	17.93	3	Vertical	269	1.85	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Black line)


EUT\_Z\_4TX  
Setting 84  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.54768G	59.78	74.00	-14.22	17.93	3	Horizontal	146	1.70	-
AV	11.5448G	46.56	54.00	-7.44	17.93	3	Horizontal	146	1.70	-

### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 65  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3172G	59.15	68.20	-9.05	7.62	3	Vertical	36	1.95	-
PK	5.4532G	66.91	74.00	-7.09	7.87	3	Vertical	36	1.95	-
AV	5.4516G	52.08	54.00	-1.92	7.87	3	Vertical	36	1.95	-
PK	5.466G	69.60	74.00	-4.40	7.89	3	Vertical	36	1.95	-
AV	5.4692G	53.82	54.00	-0.18	7.89	3	Vertical	36	1.95	-
PK	5.5444G	108.41	Inf	-Inf	8.01	3	Vertical	36	1.95	-
AV	5.5636G	99.06	Inf	-Inf	8.04	3	Vertical	36	1.95	-
PK	5.7268G	64.93	74.00	-9.07	8.37	3	Vertical	36	1.95	-
AV	5.7316G	53.15	54.00	-0.85	8.38	3	Vertical	36	1.95	-

### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX

27/07/2018



EUT Z\_4TX  
Setting 65  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.13864G	60.48	74.00	-13.52	18.06	3	Vertical	172	1.71	-
AV	11.1358G	47.51	54.00	-6.49	18.06	3	Vertical	172	1.71	-



### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 65  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.13112G	60.15	74.00	-13.85	18.06	3	Horizontal	167	2.16	-
AV	11.14488G	47.81	54.00	-6.19	18.06	3	Horizontal	167	2.16	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 80  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459995G	64.44	74.00	-9.56	7.88	3	Vertical	38	1.83	-
AV	5.459995G	49.83	54.00	-4.17	7.88	3	Vertical	38	1.83	-
PK	5.4668G	69.05	74.00	-4.95	7.89	3	Vertical	38	1.83	-
AV	5.4696G	53.97	54.00	-0.03	7.89	3	Vertical	38	1.83	-
PK	5.4916G	124.24	Inf	-Inf	7.93	3	Vertical	38	1.83	-
AV	5.4948G	110.88	Inf	-Inf	7.94	3	Vertical	38	1.83	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX

27/07/2018




EUT Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00108G	60.92	74.00	-13.08	18.10	3	Vertical	115	1.04	-
AV	10.99556G	47.12	54.00	-6.88	18.09	3	Vertical	115	1.04	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX

27/07/2018




EUT Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.008G	60.51	74.00	-13.49	18.10	3	Horizontal	222	1.67	-
AV	11.00032G	47.36	54.00	-6.64	18.10	3	Horizontal	222	1.67	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	61.18	74.00	-12.82	7.87	3	Vertical	39	1.69	-
AV	5.459995G	49.61	54.00	-4.39	7.89	3	Vertical	39	1.69	-
PK	5.469995G	62.28	74.00	-11.72	7.90	3	Vertical	39	1.69	-
AV	5.468G	50.13	54.00	-3.87	7.89	3	Vertical	39	1.69	-
PK	5.575G	128.40	Inf	-Inf	8.05	3	Vertical	39	1.69	-
AV	5.574G	116.13	Inf	-Inf	8.05	3	Vertical	39	1.69	-
PK	5.751G	63.03	74.00	-10.97	8.42	3	Vertical	39	1.69	-
AV	5.739G	50.99	54.00	-3.01	8.39	3	Vertical	39	1.69	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX

06/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.16956G	60.85	74.00	-13.15	18.10	3	Vertical	210	2.32	-
AV	11.16112G	47.28	54.00	-6.72	18.10	3	Vertical	210	2.32	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX

06/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1652G	60.46	74.00	-13.54	18.10	3	Horizontal	181	1.61	-
AV	11.16448G	47.38	54.00	-6.62	18.09	3	Horizontal	181	1.61	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX

29/06/2018



EUT Z\_4TX  
Setting 72  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.702G	121.54	Inf	-Inf	8.32	3	Vertical	41	1.47	-
AV	5.6972G	108.11	Inf	-Inf	8.31	3	Vertical	41	1.47	-
PK	5.726G	73.99	74.00	-0.01	8.37	3	Vertical	41	1.47	-
AV	5.7296G	53.45	54.00	-0.55	8.38	3	Vertical	41	1.47	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.39228G	60.43	74.00	-13.57	17.98	3	Vertical	311	2.48	-
AV	11.40508G	47.01	54.00	-6.99	17.97	3	Vertical	311	2.48	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.39832G	61.39	74.00	-12.61	17.98	3	Horizontal	147	1.87	-
AV	11.40676G	47.05	54.00	-6.95	17.97	3	Horizontal	147	1.87	-

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**

29/06/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7184G	128.73	Inf	-Inf	8.35	3	Vertical	41	1.72	-
AV	5.724G	115.86	Inf	-Inf	8.37	3	Vertical	41	1.72	-
PK	5.850006G	64.79	68.20	-3.41	8.61	3	Vertical	41	1.72	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4314G	59.79	74.00	-14.21	17.97	3	Vertical	62	2.12	-
AV	11.43452G	46.66	54.00	-7.34	17.97	3	Vertical	62	2.12	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.43232G	59.61	74.00	-14.39	17.97	3	Horizontal	18	2.43	-
AV	11.431G	46.74	54.00	-7.26	17.97	3	Horizontal	18	2.43	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	64.25	68.20	-3.95	8.21	3	Vertical	43	1.78	-
PK	5.737G	126.81	Inf	-Inf	8.39	3	Vertical	43	1.78	-
AV	5.737G	114.64	Inf	-Inf	8.39	3	Vertical	43	1.78	-
PK	5.935G	61.27	68.20	-6.93	8.77	3	Vertical	43	1.78	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)


EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5G	59.39	74.00	-14.61	17.95	3	Vertical	27	1.40	-
AV	11.49024G	46.80	54.00	-7.20	17.95	3	Vertical	27	1.40	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.49648G	59.77	74.00	-14.23	17.95	3	Horizontal	114	2.06	-
AV	11.48852G	46.39	54.00	-7.61	17.95	3	Horizontal	114	2.06	-



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.565G	63.05	68.20	-5.15	8.03	3	Vertical	42	1.72	-
PK	5.78G	126.24	Inf	-Inf	8.49	3	Vertical	42	1.72	-
AV	5.777G	114.46	Inf	-Inf	8.48	3	Vertical	42	1.72	-
PK	5.974G	60.95	68.20	-7.25	8.82	3	Vertical	42	1.72	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.57248G	59.40	74.00	-14.60	17.92	3	Vertical	25	1.50	-
AV	11.56116G	46.96	54.00	-7.04	17.93	3	Vertical	25	1.50	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.57616G	60.08	74.00	-13.92	17.92	3	Horizontal	248	1.94	-
AV	11.5682G	46.41	54.00	-7.59	17.92	3	Horizontal	248	1.94	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.622G	62.77	68.20	-5.43	8.14	3	Vertical	49	1.74	-
PK	5.823G	127.13	Inf	-Inf	8.57	3	Vertical	49	1.74	-
AV	5.824G	114.12	Inf	-Inf	8.57	3	Vertical	49	1.74	-
PK	5.934G	63.63	68.20	-4.57	8.77	3	Vertical	49	1.74	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.6484G	59.33	74.00	-14.67	17.90	3	Vertical	77	1.76	-
AV	11.64508G	46.11	54.00	-7.89	17.90	3	Vertical	77	1.76	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.65152G	59.45	74.00	-14.55	17.90	3	Horizontal	217	1.14	-
AV	11.65428G	46.00	54.00	-8.00	17.90	3	Horizontal	217	1.14	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 69  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459G	67.63	74.00	-6.37	7.88	3	Vertical	38	1.85	-
AV	5.4578G	50.42	54.00	-3.58	7.88	3	Vertical	38	1.85	-
PK	5.4698G	73.55	74.00	-0.45	7.90	3	Vertical	38	1.85	-
AV	5.4698G	51.23	54.00	-2.77	7.90	3	Vertical	38	1.85	-
PK	5.4962G	118.59	Inf	-Inf	7.94	3	Vertical	38	1.85	-
AV	5.5142G	107.54	Inf	-Inf	7.97	3	Vertical	38	1.85	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX

27/07/2018



EUT Z\_4TX  
Setting 69  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.02684G	60.59	74.00	-13.41	18.09	3	Vertical	51	1.75	-
AV	11.0298G	47.18	54.00	-6.82	18.09	3	Vertical	51	1.75	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 69  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.02864G	61.03	74.00	-12.97	18.09	3	Horizontal	312	1.74	-
AV	11.0172G	47.34	54.00	-6.66	18.09	3	Horizontal	312	1.74	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 87  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459995G	67.17	74.00	-6.83	7.88	3	Vertical	214	1.83	-
AV	5.459995G	51.50	54.00	-2.50	7.88	3	Vertical	214	1.83	-
PK	5.469995G	72.75	74.00	-1.25	7.90	3	Vertical	214	1.83	-
AV	5.469G	53.80	54.00	-0.20	7.89	3	Vertical	214	1.83	-
PK	5.556G	123.12	Inf	-Inf	8.03	3	Vertical	214	1.83	-
AV	5.555G	110.12	Inf	-Inf	8.02	3	Vertical	214	1.83	-
PK	5.795G	61.26	74.00	-12.74	8.52	3	Vertical	214	1.83	-
AV	5.764G	49.02	54.00	-4.98	8.45	3	Vertical	214	1.83	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.09464G	59.99	74.00	-14.01	18.07	3	Vertical	200	1.60	-
AV	11.0906G	47.04	54.00	-6.96	18.07	3	Vertical	200	1.60	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.10004G	61.39	74.00	-12.61	18.07	3	Horizontal	97	1.13	-
AV	11.09096G	47.09	54.00	-6.91	18.07	3	Horizontal	97	1.13	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6524G	118.00	Inf	-Inf	8.21	3	Vertical	40	1.50	-
AV	5.6588G	106.02	Inf	-Inf	8.22	3	Vertical	40	1.50	-
PK	5.726G	69.55	74.00	-4.45	8.37	3	Vertical	40	1.50	-
AV	5.726G	53.93	54.00	-0.07	8.37	3	Vertical	40	1.50	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3396G	60.53	74.00	-13.47	17.99	3	Vertical	101	1.56	-
AV	11.3334G	46.92	54.00	-7.08	18.00	3	Vertical	101	1.56	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX

27/07/2018




EUT Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.33744G	59.96	74.00	-14.04	18.00	3	Horizontal	151	1.60	-
AV	11.3336G	47.04	54.00	-6.96	18.00	3	Horizontal	151	1.60	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

29/06/2018



EUT\_Z\_4TX  
Setting 104  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7004G	123.88	Inf	-Inf	8.32	3	Vertical	39	1.76	-
AV	5.7044G	111.65	Inf	-Inf	8.32	3	Vertical	39	1.76	-
PK	5.8508G	67.99	68.20	-0.21	8.62	3	Vertical	39	1.76	-



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 104  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.41308G	60.15	74.00	-13.85	17.97	3	Vertical	125	1.67	-
AV	11.41052G	46.85	54.00	-7.15	17.97	3	Vertical	125	1.67	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 104  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.42232G	60.29	74.00	-13.71	17.97	3	Horizontal	10	2.38	-
AV	11.4238G	46.87	54.00	-7.13	17.97	3	Horizontal	10	2.38	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 95  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.98	68.20	-0.22	8.20	3	Vertical	222	1.81	-
PK	5.743G	121.89	Inf	-Inf	8.41	3	Vertical	222	1.81	-
AV	5.74G	110.14	Inf	-Inf	8.40	3	Vertical	222	1.81	-
PK	5.934G	63.59	68.20	-4.61	8.76	3	Vertical	222	1.81	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 95  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.50976G	59.65	74.00	-14.35	17.94	3	Vertical	239	2.15	-
AV	11.50704G	46.44	54.00	-7.56	17.94	3	Vertical	239	2.15	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 95  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5184G	59.08	74.00	-14.92	17.94	3	Horizontal	45	1.23	-
AV	11.51012G	46.40	54.00	-7.60	17.94	3	Horizontal	45	1.23	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 106  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	67.45	68.20	-0.75	8.17	3	Vertical	329	1.94	-
PK	5.784G	122.27	Inf	-Inf	8.50	3	Vertical	329	1.94	-
AV	5.779G	109.65	Inf	-Inf	8.48	3	Vertical	329	1.94	-
PK	5.928G	67.97	68.20	-0.23	8.75	3	Vertical	329	1.94	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 106  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.58636G	59.67	74.00	-14.33	17.92	3	Vertical	111	1.22	-
AV	11.5864G	46.72	54.00	-7.28	17.92	3	Vertical	111	1.22	-

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX

03/08/2018



EUT\_Z\_4TX  
Setting 106  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.58324G	59.38	74.00	-14.62	17.92	3	Horizontal	59	1.26	-
AV	11.58336G	46.22	54.00	-7.78	17.92	3	Horizontal	59	1.26	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 69  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3G	58.83	68.20	-9.37	7.59	3	Vertical	35	1.50	-
PK	5.456G	68.33	74.00	-5.67	7.87	3	Vertical	35	1.50	-
AV	5.458G	52.14	54.00	-1.86	7.88	3	Vertical	35	1.50	-
PK	5.464G	69.68	74.00	-4.32	7.89	3	Vertical	35	1.50	-
AV	5.469G	53.22	54.00	-0.78	7.89	3	Vertical	35	1.50	-
PK	5.502G	113.93	Inf	-Inf	7.95	3	Vertical	35	1.50	-
AV	5.504G	101.93	Inf	-Inf	7.95	3	Vertical	35	1.50	-
PK	5.759G	60.76	74.00	-13.24	8.44	3	Vertical	35	1.50	-
AV	5.726G	49.06	54.00	-4.94	8.37	3	Vertical	35	1.50	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 69  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0668G	61.00	74.00	-13.00	18.08	3	Vertical	144	1.55	-
AV	11.06304G	48.06	54.00	-5.94	18.08	3	Vertical	144	1.55	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX

27/07/2018




EUT Z\_4TX  
Setting 69  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.06656G	60.77	74.00	-13.23	18.08	3	Horizontal	40	1.61	-
AV	11.0664G	48.31	54.00	-5.69	18.08	3	Horizontal	40	1.61	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 78  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	62.67	74.00	-11.33	7.87	3	Vertical	221	1.50	-
AV	5.459G	50.23	54.00	-3.77	7.88	3	Vertical	221	1.50	-
PK	5.467G	64.89	68.20	-3.31	7.89	3	Vertical	221	1.50	-
PK	5.617G	118.31	Inf	-Inf	8.13	3	Vertical	221	1.50	-
AV	5.621G	104.81	Inf	-Inf	8.14	3	Vertical	221	1.50	-
PK	5.73G	68.08	68.20	-0.12	8.38	3	Vertical	221	1.50	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.22584G	61.24	74.00	-12.76	18.03	3	Vertical	232	1.75	-
AV	11.22744G	48.34	54.00	-5.66	18.03	3	Vertical	232	1.75	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.21212G	60.47	74.00	-13.53	18.03	3	Horizontal	310	1.71	-
AV	11.2284G	47.92	54.00	-6.08	18.03	3	Horizontal	310	1.71	-

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**

29/06/2018




EUT\_Z\_4TX  
Setting 83  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.455G	60.78	74.00	-13.22	7.87	3	Vertical	40	1.47	-
AV	5.457G	49.01	54.00	-4.99	7.88	3	Vertical	40	1.47	-
PK	5.461G	60.67	68.20	-7.53	7.89	3	Vertical	40	1.47	-
PK	5.699G	117.30	Inf	-Inf	8.31	3	Vertical	40	1.47	-
AV	5.701G	106.18	Inf	-Inf	8.32	3	Vertical	40	1.47	-
PK	5.856G	67.92	68.20	-0.28	8.63	3	Vertical	40	1.47	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

27/07/2018



EUT\_Z\_4TX  
Setting 83  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.38428G	60.95	74.00	-13.05	17.98	3	Vertical	20	1.02	-
AV	11.37964G	47.73	54.00	-6.27	17.98	3	Vertical	20	1.02	-



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 83  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.37864G	60.26	74.00	-13.74	17.98	3	Horizontal	137	2.34	-
AV	11.37984G	47.96	54.00	-6.04	17.98	3	Horizontal	137	2.34	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.18	68.20	-0.02	8.20	3	Vertical	330	1.92	-
PK	5.77G	117.13	Inf	-Inf	8.47	3	Vertical	330	1.92	-
AV	5.771G	103.47	Inf	-Inf	8.47	3	Vertical	330	1.92	-
PK	5.93G	64.88	68.20	-3.32	8.75	3	Vertical	330	1.92	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.54108G	59.70	74.00	-14.30	17.93	3	Vertical	221	1.19	-
AV	11.5528G	46.86	54.00	-7.14	17.93	3	Vertical	221	1.19	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.545G	59.51	74.00	-14.49	17.93	3	Horizontal	136	1.63	-
AV	11.5508G	46.11	54.00	-7.89	17.93	3	Horizontal	136	1.63	-

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX

29/06/2018




EUT\_Z\_4TX  
Setting 65  
06-J-1-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2452G	59.72	68.20	-8.48	7.48	3	Vertical	220	1.83	-
PK	5.4596G	73.50	74.00	-0.50	7.89	3	Vertical	220	1.83	-
AV	5.4532G	52.71	54.00	-1.29	7.87	3	Vertical	220	1.83	-
PK	5.4612G	67.62	74.00	-6.38	7.89	3	Vertical	220	1.83	-
AV	5.4676G	52.79	54.00	-1.21	7.89	3	Vertical	220	1.83	-
PK	5.5492G	112.21	Inf	-Inf	8.02	3	Vertical	220	1.83	-
AV	5.5348G	100.13	Inf	-Inf	8.00	3	Vertical	220	1.83	-
PK	5.7284G	65.43	74.00	-8.57	8.38	3	Vertical	220	1.83	-
AV	5.7444G	52.81	54.00	-1.19	8.41	3	Vertical	220	1.83	-

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX

27/07/2018




EUT\_Z\_4TX  
Setting 65  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.14604G	60.02	74.00	-13.98	18.05	3	Vertical	111	1.52	-
AV	11.13876G	47.59	54.00	-6.41	18.06	3	Vertical	111	1.52	-

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX

27/07/2018




EUT Z\_4TX  
Setting 65  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.13228G	59.98	74.00	-14.02	18.06	3	Horizontal	149	2.40	-
AV	11.13064G	47.66	54.00	-6.34	18.06	3	Horizontal	149	2.40	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TX

03/08/2018



EUT\_Z\_2TX  
Setting 90  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1488G	70.02	74.00	-3.98	7.22	3	Vertical	282	1.90	-
AV	5.1496G	53.89	54.00	-0.11	7.22	3	Vertical	282	1.90	-
PK	5.1776G	119.36	Inf	-Inf	7.27	3	Vertical	282	1.90	-
AV	5.1736G	108.44	Inf	-Inf	7.26	3	Vertical	282	1.90	-
PK	5.3752G	60.21	74.00	-13.79	7.59	3	Vertical	282	1.90	-
AV	5.350005G	48.10	54.00	-5.90	7.55	3	Vertical	282	1.90	-



### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TX

03/08/2018




EUT\_Z\_2TX  
Setting 90  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.55458G	60.96	74.00	-13.04	14.81	3	Vertical	336	1.22	-
AV	15.55284G	46.54	54.00	-7.46	14.82	3	Vertical	336	1.22	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5180MHz\_TX

03/08/2018




EUT\_Z\_2TX  
Setting 90  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.54174G	60.55	74.00	-13.45	14.83	3	Horizontal	292	1.23	-
AV	15.5346G	46.30	54.00	-7.70	14.84	3	Horizontal	292	1.23	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TX

15/06/2018




EUT\_Z\_2TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	67.88	74.00	-6.12	7.27	3	Vertical	351	1.94	-
AV	5.1224G	52.36	54.00	-1.64	7.22	3	Vertical	351	1.94	-
PK	5.2016G	122.27	Inf	-Inf	7.39	3	Vertical	351	1.94	-
AV	5.2024G	112.12	Inf	-Inf	7.39	3	Vertical	351	1.94	-
PK	5.3552G	63.51	74.00	-10.49	7.70	3	Vertical	351	1.94	-
AV	5.352G	51.93	54.00	-2.07	7.69	3	Vertical	351	1.94	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TX

20/07/2018




EUT Z\_2TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.59772G	61.31	74.00	-12.69	14.76	3	Vertical	98	1.50	-
AV	15.58998G	47.78	54.00	-6.22	14.77	3	Vertical	98	1.50	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TX

20/07/2018




EUT Z\_2TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.59118G	61.20	74.00	-12.80	14.77	3	Horizontal	43	1.75	-
AV	15.60114G	46.88	54.00	-7.12	14.76	3	Horizontal	43	1.75	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TX

15/06/2018



Legend for the spectrum plot:

- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Red line with a valley icon
- AV: Blue line with a valley icon


EUT Z\_2TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1248G	61.83	74.00	-12.17	7.23	3	Vertical	276	1.83	-
AV	5.1272G	49.24	54.00	-4.76	7.23	3	Vertical	276	1.83	-
PK	5.2472G	121.66	Inf	-Inf	7.48	3	Vertical	276	1.83	-
AV	5.2424G	111.35	Inf	-Inf	7.47	3	Vertical	276	1.83	-
PK	5.352G	61.71	74.00	-12.29	7.69	3	Vertical	276	1.83	-
AV	5.3528G	49.40	54.00	-4.60	7.70	3	Vertical	276	1.83	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TX

20/07/2018




EUT Z\_2TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.71376G	60.00	74.00	-14.00	14.62	3	Vertical	44	1.25	-
AV	15.72156G	46.50	54.00	-7.50	14.61	3	Vertical	44	1.25	-

### 802.11ac VHT20\_Nss2,(MCS0)\_2TX

### 5240MHz\_TX

20/07/2018



EUT Z\_2TX  
Setting 110  
04-C-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.72468G	60.53	74.00	-13.47	14.61	3	Horizontal	344	1.76	-
AV	15.72144G	46.60	54.00	-7.40	14.61	3	Horizontal	344	1.76	-



### 802.11ac VHT40\_Nss2,(MCS0)\_2TX

### 5190MHz\_TX

15/06/2018




EUT\_Z\_2TX  
Setting 76  
06-S-5-10  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	71.11	74.00	-2.89	7.28	3	Vertical	44	1.88	-
AV	5.149995G	53.85	54.00	-0.15	7.28	3	Vertical	44	1.88	-
PK	5.194G	112.62	Inf	-Inf	7.38	3	Vertical	44	1.88	-
AV	5.1932G	101.59	Inf	-Inf	7.38	3	Vertical	44	1.88	-
PK	5.3748G	58.80	74.00	-15.20	7.73	3	Vertical	44	1.88	-
AV	5.354G	47.33	54.00	-6.67	7.69	3	Vertical	44	1.88	-

### 802.11ac VHT40\_Nss2,(MCS0)\_2TX

### 5190MHz\_TX

20/07/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT\_Z\_2TX  
Setting 76  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.58092G	59.99	74.00	-14.01	14.78	3	Vertical	360	2.02	-
AV	15.58248G	46.46	54.00	-7.54	14.78	3	Vertical	360	2.02	-

### 802.11ac VHT40\_Nss2,(MCS0)\_2TX

### 5190MHz\_TX

20/07/2018




EUT\_Z\_2TX  
Setting 76  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.56544G	60.25	74.00	-13.75	14.80	3	Horizontal	144	1.39	-
AV	15.57996G	46.26	54.00	-7.74	14.78	3	Horizontal	144	1.39	-

### 802.11ac VHT40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TX

15/06/2018




EUT\_Z\_2TX  
Setting 98  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149995G	66.93	74.00	-7.07	7.27	3	Vertical	47	1.89	-
AV	5.149995G	53.79	54.00	-0.21	7.27	3	Vertical	47	1.89	-
PK	5.234G	117.43	Inf	-Inf	7.46	3	Vertical	47	1.89	-
AV	5.2332G	106.59	Inf	-Inf	7.45	3	Vertical	47	1.89	-
PK	5.3556G	60.44	74.00	-13.56	7.70	3	Vertical	47	1.89	-
AV	5.3532G	48.35	54.00	-5.65	7.70	3	Vertical	47	1.89	-




### 802.11ac VHT40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TX

20/07/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT Z\_2TX  
Setting 98  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.68364G	60.40	74.00	-13.60	14.66	3	Vertical	211	2.38	-
AV	15.6759G	46.83	54.00	-7.17	14.67	3	Vertical	211	2.38	-

### 802.11ac VHT40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TX

20/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)


EUT\_Z\_2TX  
Setting 98  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.67734G	60.87	74.00	-13.13	14.67	3	Horizontal	285	1.54	-
AV	15.67596G	47.07	54.00	-6.93	14.67	3	Horizontal	285	1.54	-

### 802.11ac VHT80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TX

15/06/2018




EUT Z\_2TX  
Setting 75  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149995G	71.80	74.00	-2.20	7.27	3	Vertical	37	1.87	-
AV	5.149995G	53.86	54.00	-0.14	7.27	3	Vertical	37	1.87	-
PK	5.223G	109.87	Inf	-Inf	7.43	3	Vertical	37	1.87	-
AV	5.222G	98.70	Inf	-Inf	7.43	3	Vertical	37	1.87	-
PK	5.403G	59.17	74.00	-14.83	7.78	3	Vertical	37	1.87	-
AV	5.350005G	46.97	54.00	-7.03	7.69	3	Vertical	37	1.87	-

### 802.11ac VHT80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TX

20/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)

EUT Z\_2TX  
Setting 75  
04-C-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.64044G	60.72	74.00	-13.28	14.71	3	Vertical	266	2.19	-
AV	15.615G	46.87	54.00	-7.13	14.74	3	Vertical	266	2.19	-



### 802.11ac VHT80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TX

20/07/2018




EUT Z\_2TX  
Setting 75  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.6174G	60.15	74.00	-13.85	14.74	3	Horizontal	61	2.10	-
AV	15.63156G	46.52	54.00	-7.48	14.72	3	Horizontal	61	2.10	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 80  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	63.62	74.00	-10.38	7.87	3	Vertical	44	1.48	-
AV	5.459995G	49.17	54.00	-4.83	7.88	3	Vertical	44	1.48	-
PK	5.469995G	69.98	74.00	-4.02	7.90	3	Vertical	44	1.48	-
AV	5.469995G	53.95	54.00	-0.05	7.90	3	Vertical	44	1.48	-
PK	5.502G	119.21	Inf	-Inf	7.95	3	Vertical	44	1.48	-
AV	5.502G	109.24	Inf	-Inf	7.95	3	Vertical	44	1.48	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.99496G	60.75	74.00	-13.25	18.09	3	Vertical	352	1.70	-
AV	11.00104G	46.65	54.00	-7.35	18.10	3	Vertical	352	1.70	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.99664G	60.38	74.00	-13.62	18.09	3	Horizontal	322	1.80	-
AV	11.0068G	46.61	54.00	-7.39	18.10	3	Horizontal	322	1.80	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4536G	61.38	74.00	-12.62	7.87	3	Vertical	224	1.63	-
AV	5.4584G	49.12	54.00	-4.88	7.88	3	Vertical	224	1.63	-
PK	5.4648G	62.52	74.00	-11.48	7.89	3	Vertical	224	1.63	-
AV	5.4696G	49.81	54.00	-4.19	7.90	3	Vertical	224	1.63	-
PK	5.5824G	124.59	Inf	-Inf	8.06	3	Vertical	224	1.63	-
AV	5.5776G	114.18	Inf	-Inf	8.06	3	Vertical	224	1.63	-
PK	5.7472G	62.46	74.00	-11.54	8.42	3	Vertical	224	1.63	-
AV	5.744G	49.25	54.00	-4.75	8.41	3	Vertical	224	1.63	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15208G	59.58	74.00	-14.42	18.05	3	Vertical	203	1.61	-
AV	11.15784G	46.20	54.00	-7.80	18.05	3	Vertical	203	1.61	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15084G	60.27	74.00	-13.73	18.05	3	Horizontal	292	1.61	-
AV	11.16352G	45.86	54.00	-8.14	18.05	3	Horizontal	292	1.61	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX

22/06/2018



EUT\_Z\_4TX  
Setting 73  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6976G	118.87	Inf	-Inf	8.31	3	Vertical	45	1.75	-
AV	5.698G	108.31	Inf	-Inf	8.31	3	Vertical	45	1.75	-
PK	5.7272G	73.94	74.00	-0.06	8.37	3	Vertical	45	1.75	-
AV	5.7252G	53.37	54.00	-0.63	8.37	3	Vertical	45	1.75	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 73  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40028G	60.57	74.00	-13.43	17.98	3	Vertical	98	1.43	-
AV	11.39588G	46.41	54.00	-7.59	17.98	3	Vertical	98	1.43	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 73  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.39112G	59.90	74.00	-14.10	17.98	3	Horizontal	31	1.99	-
AV	11.39832G	46.33	54.00	-7.67	17.98	3	Horizontal	31	1.99	-

**802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**

09/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7176G	125.68	Inf	-Inf	8.15	3	Vertical	41	1.74	-
AV	5.7184G	114.89	Inf	-Inf	8.15	3	Vertical	41	1.74	-
PK	5.8808G	61.50	68.20	-6.70	8.47	3	Vertical	41	1.74	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Green line)


EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4452G	60.26	74.00	-13.74	17.96	3	Vertical	119	1.80	-
AV	11.44356G	46.83	54.00	-7.17	17.96	3	Vertical	119	1.80	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Black line)


EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.44808G	60.14	74.00	-13.86	17.96	3	Horizontal	241	1.06	-
AV	11.4356G	46.63	54.00	-7.37	17.96	3	Horizontal	241	1.06	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.545G	63.06	68.20	-5.14	8.01	3	Vertical	1	1.46	-
PK	5.749G	121.15	Inf	-Inf	8.42	3	Vertical	1	1.46	-
AV	5.749G	110.71	Inf	-Inf	8.42	3	Vertical	1	1.46	-
PK	5.971G	61.74	68.20	-6.46	8.82	3	Vertical	1	1.46	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.49028G	59.51	74.00	-14.49	17.95	3	Vertical	46	1.71	-
AV	11.49268G	46.95	54.00	-7.05	17.95	3	Vertical	46	1.71	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.48216G	59.67	74.00	-14.33	17.95	3	Horizontal	103	2.11	-
AV	11.49316G	46.60	54.00	-7.40	17.95	3	Horizontal	103	2.11	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.56G	63.41	68.20	-4.79	8.03	3	Vertical	54	1.80	-
PK	5.789G	124.73	Inf	-Inf	8.51	3	Vertical	54	1.80	-
AV	5.778G	114.05	Inf	-Inf	8.48	3	Vertical	54	1.80	-
PK	5.928G	61.87	68.20	-6.33	8.75	3	Vertical	54	1.80	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.57716G	59.61	74.00	-14.39	17.92	3	Vertical	220	1.89	-
AV	11.57688G	46.70	54.00	-7.30	17.92	3	Vertical	220	1.89	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.56116G	60.20	74.00	-13.80	17.93	3	Horizontal	190	1.53	-
AV	11.57612G	46.66	54.00	-7.34	17.92	3	Horizontal	190	1.53	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.611G	63.58	68.20	-4.62	8.12	3	Vertical	51	1.55	-
PK	5.819G	124.81	Inf	-Inf	8.56	3	Vertical	51	1.55	-
AV	5.818G	114.14	Inf	-Inf	8.56	3	Vertical	51	1.55	-
PK	5.928G	63.48	68.20	-4.72	8.75	3	Vertical	51	1.55	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.65764G	59.12	74.00	-14.88	17.90	3	Vertical	167	2.02	-
AV	11.6582G	46.17	54.00	-7.83	17.90	3	Vertical	167	2.02	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.65324G	60.11	74.00	-13.89	17.90	3	Horizontal	119	2.31	-
AV	11.64496G	45.97	54.00	-8.03	17.90	3	Horizontal	119	2.31	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4548G	65.60	74.00	-8.40	7.87	3	Vertical	247	1.74	-
AV	5.4578G	50.43	54.00	-3.57	7.88	3	Vertical	247	1.74	-
PK	5.468G	73.88	74.00	-0.12	7.89	3	Vertical	247	1.74	-
AV	5.4698G	53.03	54.00	-0.97	7.90	3	Vertical	247	1.74	-
PK	5.528G	114.62	Inf	-Inf	7.99	3	Vertical	247	1.74	-
AV	5.5064G	103.72	Inf	-Inf	7.95	3	Vertical	247	1.74	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX

13/07/2018



EUT Z\_4TX  
Setting 72  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.01956G	59.60	74.00	-14.40	18.09	3	Vertical	259	1.91	-
AV	11.01124G	46.24	54.00	-7.76	18.10	3	Vertical	259	1.91	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0102G	60.19	74.00	-13.81	18.10	3	Horizontal	255	1.35	-
AV	11.01672G	46.27	54.00	-7.73	18.09	3	Horizontal	255	1.35	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 87  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.459995G	65.85	74.00	-8.15	7.88	3	Vertical	224	1.74	-
AV	5.459995G	51.42	54.00	-2.58	7.88	3	Vertical	224	1.74	-
PK	5.469995G	69.03	74.00	-4.97	7.90	3	Vertical	224	1.74	-
AV	5.469995G	53.92	54.00	-0.08	7.90	3	Vertical	224	1.74	-
PK	5.5578G	121.71	Inf	-Inf	8.03	3	Vertical	224	1.74	-
AV	5.5446G	108.31	Inf	-Inf	8.01	3	Vertical	224	1.74	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.10688G	60.66	74.00	-13.34	18.07	3	Vertical	118	1.31	-
AV	11.09244G	46.11	54.00	-7.89	18.07	3	Vertical	118	1.31	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 87  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.10792G	60.14	74.00	-13.86	18.07	3	Horizontal	12	1.80	-
AV	11.09992G	46.05	54.00	-7.95	18.07	3	Horizontal	12	1.80	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX

02/07/2018




EUT\_Z\_4TX  
Setting 80  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6814G	115.85	Inf	-Inf	8.27	3	Vertical	138	1.31	-
AV	5.6736G	103.43	Inf	-Inf	8.26	3	Vertical	138	1.31	-
PK	5.727G	72.27	74.00	-1.73	8.38	3	Vertical	138	1.31	-
AV	5.7252G	53.93	54.00	-0.07	8.37	3	Vertical	138	1.31	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.34908G	59.70	74.00	-14.30	17.99	3	Vertical	90	1.37	-
AV	11.3498G	45.91	54.00	-8.09	17.99	3	Vertical	90	1.37	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 80  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.3328G	60.06	74.00	-13.94	18.00	3	Horizontal	166	1.87	-
AV	11.34928G	45.97	54.00	-8.03	17.99	3	Horizontal	166	1.87	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 106  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.706G	122.87	Inf	-Inf	8.13	3	Vertical	42	1.80	-
AV	5.702G	112.38	Inf	-Inf	8.12	3	Vertical	42	1.80	-
PK	5.8556G	68.06	68.20	-0.14	8.43	3	Vertical	42	1.80	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 106  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.41396G	60.11	74.00	-13.89	17.97	3	Vertical	49	1.66	-
AV	11.4122G	46.60	54.00	-7.40	17.97	3	Vertical	49	1.66	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 106  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4272G	59.69	74.00	-14.31	17.97	3	Horizontal	115	2.33	-
AV	11.41792G	46.68	54.00	-7.32	17.97	3	Horizontal	115	2.33	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 99  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	67.99	68.20	-0.21	8.20	3	Vertical	137	2.37	-
PK	5.747G	119.29	Inf	-Inf	8.42	3	Vertical	137	2.37	-
AV	5.76G	108.19	Inf	-Inf	8.44	3	Vertical	137	2.37	-
PK	5.928G	61.66	68.20	-6.54	8.75	3	Vertical	137	2.37	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 99  
06-S-5  
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5118G	60.72	74.00	-13.28	17.94	3	Vertical	4	2.24	-
AV	11.50824G	46.94	54.00	-7.06	17.94	3	Vertical	4	2.24	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX

13/07/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT Z\_4TX  
Setting 99  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5006G	59.44	74.00	-14.56	17.94	3	Horizontal	255	1.03	-
AV	11.50812G	46.42	54.00	-7.58	17.94	3	Horizontal	255	1.03	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	65.10	68.20	-3.10	8.20	3	Vertical	44	1.50	-
PK	5.81G	119.56	Inf	-Inf	8.55	3	Vertical	44	1.50	-
AV	5.8G	108.83	Inf	-Inf	8.53	3	Vertical	44	1.50	-
PK	5.926G	67.98	68.20	-0.22	8.75	3	Vertical	44	1.50	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5918G	59.63	74.00	-14.37	17.92	3	Vertical	137	1.60	-
AV	11.59596G	46.17	54.00	-7.83	17.92	3	Vertical	137	1.60	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.59952G	59.09	74.00	-14.91	17.91	3	Horizontal	259	1.95	-
AV	11.5852G	46.18	54.00	-7.82	17.92	3	Horizontal	259	1.95	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 68  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.457G	69.99	74.00	-4.01	7.87	3	Vertical	42	1.92	-
AV	5.459G	51.93	54.00	-2.07	7.88	3	Vertical	42	1.92	-
PK	5.467G	72.90	74.00	-1.10	7.89	3	Vertical	42	1.92	-
AV	5.466G	53.88	54.00	-0.12	7.89	3	Vertical	42	1.92	-
PK	5.496G	115.85	Inf	-Inf	7.94	3	Vertical	42	1.92	-
AV	5.527G	101.92	Inf	-Inf	7.98	3	Vertical	42	1.92	-
PK	5.776G	60.99	74.00	-13.01	8.48	3	Vertical	42	1.92	-
AV	5.75G	48.00	54.00	-6.00	8.42	3	Vertical	42	1.92	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 68  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0618G	60.19	74.00	-13.81	18.08	3	Vertical	3	1.52	-
AV	11.05476G	46.42	54.00	-7.58	18.08	3	Vertical	3	1.52	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX

13/07/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Black line)


EUT\_Z\_4TX  
Setting 68  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.05884G	59.65	74.00	-14.35	18.08	3	Horizontal	155	1.48	-
AV	11.06612G	46.36	54.00	-7.64	18.08	3	Horizontal	155	1.48	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 79  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	61.69	74.00	-12.31	7.71	3	Vertical	40	1.50	-
AV	5.4572G	48.59	54.00	-5.41	7.70	3	Vertical	40	1.50	-
PK	5.469995G	62.43	74.00	-11.57	7.71	3	Vertical	40	1.50	-
AV	5.469995G	49.36	54.00	-4.64	7.71	3	Vertical	40	1.50	-
PK	5.6052G	113.89	Inf	-Inf	7.90	3	Vertical	40	1.50	-
AV	5.598G	103.31	Inf	-Inf	7.89	3	Vertical	40	1.50	-
PK	5.726G	68.60	74.00	-5.40	8.17	3	Vertical	40	1.50	-
AV	5.7252G	53.90	54.00	-0.10	8.17	3	Vertical	40	1.50	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 79  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.21268G	59.76	74.00	-14.24	18.03	3	Vertical	155	2.11	-
AV	11.22216G	46.18	54.00	-7.82	18.03	3	Vertical	155	2.11	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 79  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.21248G	59.49	74.00	-14.51	18.03	3	Horizontal	197	2.26	-
AV	11.22124G	45.99	54.00	-8.01	18.03	3	Horizontal	197	2.26	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 89  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6732G	116.28	Inf	-Inf	8.12	3	Vertical	50	1.65	-
AV	5.6764G	104.51	Inf	-Inf	8.13	3	Vertical	50	1.65	-
PK	5.8516G	67.99	68.20	-0.21	8.45	3	Vertical	50	1.65	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

13/07/2018



EUT\_Z\_4TX  
Setting 89  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.37976G	59.85	74.00	-14.15	17.98	3	Vertical	153	1.40	-
AV	11.3806G	46.18	54.00	-7.82	17.98	3	Vertical	153	1.40	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 89  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.37112G	60.25	74.00	-13.75	17.98	3	Horizontal	158	2.46	-
AV	11.38384G	46.23	54.00	-7.77	17.98	3	Horizontal	158	2.46	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX

22/06/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.99	68.20	-0.21	8.20	3	Vertical	359	1.50	-
PK	5.739G	117.05	Inf	-Inf	8.40	3	Vertical	359	1.50	-
AV	5.739G	107.18	Inf	-Inf	8.40	3	Vertical	359	1.50	-
PK	5.93G	65.38	68.20	-2.82	8.75	3	Vertical	359	1.50	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.55888G	60.22	74.00	-13.78	17.93	3	Vertical	15	1.67	-
AV	11.55568G	46.77	54.00	-7.23	17.93	3	Vertical	15	1.67	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.54668G	59.34	74.00	-14.66	17.93	3	Horizontal	346	1.30	-
AV	11.54604G	46.57	54.00	-7.43	17.93	3	Horizontal	346	1.30	-

### 802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 62  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	68.30	74.00	-5.70	7.70	3	Vertical	51	1.50	-
AV	5.458G	50.95	54.00	-3.05	7.70	3	Vertical	51	1.50	-
PK	5.466G	72.64	74.00	-1.36	7.71	3	Vertical	51	1.50	-
AV	5.4644G	50.66	54.00	-3.34	7.71	3	Vertical	51	1.50	-
PK	5.5652G	106.66	Inf	-Inf	7.84	3	Vertical	51	1.50	-
AV	5.5988G	96.30	Inf	-Inf	7.89	3	Vertical	51	1.50	-
PK	5.73G	64.30	74.00	-9.70	8.18	3	Vertical	51	1.50	-
AV	5.7396G	51.63	54.00	-2.37	8.20	3	Vertical	51	1.50	-

### 802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 62  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15G	59.93	74.00	-14.07	18.05	3	Vertical	48	1.46	-
AV	11.1482G	47.33	54.00	-6.67	18.05	3	Vertical	48	1.46	-

### 802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 62  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.14316G	59.30	74.00	-14.70	18.06	3	Horizontal	164	1.44	-
AV	11.141G	47.28	54.00	-6.72	18.06	3	Horizontal	164	1.44	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX

09/07/2018



EUT\_Z\_4TX  
Setting 78  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	63.34	74.00	-10.66	7.70	3	Vertical	217	1.74	-
AV	5.4592G	49.40	54.00	-4.60	7.71	3	Vertical	217	1.74	-
PK	5.469995G	67.97	68.20	-0.23	7.71	3	Vertical	217	1.74	-
PK	5.5066G	119.98	Inf	-Inf	7.75	3	Vertical	217	1.74	-
AV	5.4976G	107.29	Inf	-Inf	7.74	3	Vertical	217	1.74	-



### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00378G	60.87	74.00	-13.13	18.10	3	Vertical	252	1.25	-
AV	10.98704G	47.85	54.00	-6.15	18.08	3	Vertical	252	1.25	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00684G	60.52	74.00	-13.48	18.10	3	Horizontal	287	1.26	-
AV	10.99856G	47.83	54.00	-6.17	18.10	3	Horizontal	287	1.26	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	62.79	74.00	-11.21	7.71	3	Vertical	39	1.73	-
AV	5.4576G	49.68	54.00	-4.32	7.70	3	Vertical	39	1.73	-
PK	5.4632G	64.01	68.20	-4.19	7.71	3	Vertical	39	1.73	-
PK	5.5808G	126.51	Inf	-Inf	7.86	3	Vertical	39	1.73	-
AV	5.584G	115.32	Inf	-Inf	7.87	3	Vertical	39	1.73	-
PK	5.7464G	63.28	68.20	-4.92	8.21	3	Vertical	39	1.73	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15028G	60.57	74.00	-13.43	18.05	3	Vertical	169	2.32	-
AV	11.17104G	47.34	54.00	-6.66	18.05	3	Vertical	169	2.32	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.1501G	61.12	74.00	-12.88	18.05	3	Horizontal	60	2.36	-
AV	11.16486G	47.38	54.00	-6.62	18.05	3	Horizontal	60	2.36	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 74  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7032G	120.23	Inf	-Inf	8.12	3	Vertical	43	1.82	-
AV	5.7024G	108.22	Inf	-Inf	8.12	3	Vertical	43	1.82	-
PK	5.7264G	73.85	74.00	-0.15	8.17	3	Vertical	43	1.82	-
AV	5.7256G	52.73	54.00	-1.27	8.17	3	Vertical	43	1.82	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 74  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4138G	60.62	74.00	-13.38	17.97	3	Vertical	55	1.79	-
AV	11.41488G	46.71	54.00	-7.29	17.97	3	Vertical	55	1.79	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX

03/08/2018



EUT\_Z\_4TX  
Setting 74  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.40432G	59.66	74.00	-14.34	17.97	3	Horizontal	69	1.97	-
AV	11.39046G	46.78	54.00	-7.22	17.98	3	Horizontal	69	1.97	-



**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.728G	126.08	Inf	-Inf	8.18	3	Vertical	45	1.75	-
AV	5.7168G	114.72	Inf	-Inf	8.15	3	Vertical	45	1.75	-
PK	5.8656G	62.53	68.20	-5.67	8.44	3	Vertical	45	1.75	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.45008G	59.25	74.00	-14.75	17.96	3	Vertical	245	1.04	-
AV	11.45422G	46.67	54.00	-7.33	17.96	3	Vertical	245	1.04	-

**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**

03/08/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Black line)


EUT Z\_4TX  
 Setting 110  
 06-S-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4427G	59.55	74.00	-14.45	17.96	3	Horizontal	91	1.99	-
AV	11.44594G	46.50	54.00	-7.50	17.96	3	Horizontal	91	1.99	-

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

5745MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	66.08	68.20	-2.12	8.00	3	Vertical	44	1.72	-
PK	5.748G	125.56	Inf	-Inf	8.22	3	Vertical	44	1.72	-
AV	5.746G	113.19	Inf	-Inf	8.21	3	Vertical	44	1.72	-
PK	5.97G	60.74	68.20	-7.46	8.62	3	Vertical	44	1.72	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018




EUT Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.48176G	59.57	74.00	-14.43	17.95	3	Vertical	205	1.50	-
AV	11.49204G	46.53	54.00	-7.47	17.95	3	Vertical	205	1.50	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.49488G	59.47	74.00	-14.53	17.95	3	Horizontal	2	1.50	-
AV	11.489G	46.52	54.00	-7.48	17.95	3	Horizontal	2	1.50	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.619G	62.63	68.20	-5.57	7.93	3	Vertical	50	1.50	-
PK	5.787G	124.00	Inf	-Inf	8.30	3	Vertical	50	1.50	-
AV	5.78G	111.58	Inf	-Inf	8.29	3	Vertical	50	1.50	-
PK	5.954G	61.15	68.20	-7.05	8.60	3	Vertical	50	1.50	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX

03/08/2018



EUT Z\_4TX  
Setting 110  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.58G	59.64	74.00	-14.36	17.92	3	Vertical	93	1.07	-
AV	11.5776G	46.50	54.00	-7.50	17.92	3	Vertical	93	1.07	-



### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.576G	60.01	74.00	-13.99	17.92	3	Horizontal	331	1.91	-
AV	11.5732G	46.58	54.00	-7.42	17.92	3	Horizontal	331	1.91	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.625G	62.69	68.20	-5.51	7.95	3	Vertical	142	1.91	-
PK	5.834G	123.38	Inf	-Inf	8.39	3	Vertical	142	1.91	-
AV	5.834G	111.35	Inf	-Inf	8.39	3	Vertical	142	1.91	-
PK	5.928G	63.85	68.20	-4.35	8.55	3	Vertical	142	1.91	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.64696G	59.20	74.00	-14.80	17.90	3	Vertical	182	1.29	-
AV	11.64132G	46.43	54.00	-7.57	17.90	3	Vertical	182	1.29	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 110  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.6458G	59.44	74.00	-14.56	17.90	3	Horizontal	157	2.22	-
AV	11.64236G	46.07	54.00	-7.93	17.90	3	Horizontal	157	2.22	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4596G	66.71	74.00	-7.29	7.70	3	Vertical	262	1.98	-
AV	5.4588G	50.51	54.00	-3.49	7.70	3	Vertical	262	1.98	-
PK	5.4676G	71.97	74.00	-2.03	7.71	3	Vertical	262	1.98	-
AV	5.469995G	53.87	54.00	-0.13	7.71	3	Vertical	262	1.98	-
PK	5.5244G	115.21	Inf	-Inf	7.78	3	Vertical	262	1.98	-
AV	5.522G	103.56	Inf	-Inf	7.78	3	Vertical	262	1.98	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.01216G	60.25	74.00	-13.75	18.10	3	Vertical	281	1.86	-
AV	11.01812G	47.02	54.00	-6.98	18.09	3	Vertical	281	1.86	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 72  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.01612G	60.25	74.00	-13.75	18.10	3	Horizontal	76	1.45	-
AV	11.02124G	46.85	54.00	-7.15	18.09	3	Horizontal	76	1.45	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX

09/07/2018



EUT\_Z\_4TX  
Setting 88  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	64.55	74.00	-9.45	7.70	3	Vertical	41	1.50	-
AV	5.4596G	50.64	54.00	-3.36	7.70	3	Vertical	41	1.50	-
PK	5.4684G	68.18	74.00	-5.82	7.71	3	Vertical	41	1.50	-
AV	5.4692G	53.77	54.00	-0.23	7.71	3	Vertical	41	1.50	-
PK	5.5428G	119.16	Inf	-Inf	7.81	3	Vertical	41	1.50	-
AV	5.534G	108.54	Inf	-Inf	7.79	3	Vertical	41	1.50	-
PK	5.7372G	61.39	74.00	-12.61	8.19	3	Vertical	41	1.50	-
AV	5.7292G	48.70	54.00	-5.30	8.18	3	Vertical	41	1.50	-



### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 88  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.09192G	59.70	74.00	-14.30	18.07	3	Vertical	128	1.09	-
AV	11.10504G	46.28	54.00	-7.72	18.07	3	Vertical	128	1.09	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 88  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.0942G	59.46	74.00	-14.54	18.07	3	Horizontal	156	1.54	-
AV	11.10312G	46.29	54.00	-7.71	18.07	3	Horizontal	156	1.54	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 77  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.658G	117.35	Inf	-Inf	8.02	3	Vertical	51	1.74	-
AV	5.6644G	105.43	Inf	-Inf	8.03	3	Vertical	51	1.74	-
PK	5.726G	70.61	74.00	-3.39	8.17	3	Vertical	51	1.74	-
AV	5.7252G	53.86	54.00	-0.14	8.17	3	Vertical	51	1.74	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX

03/08/2018




EUT Z\_4TX  
Setting 77  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.34G	60.43	74.00	-13.57	17.99	3	Vertical	220	1.31	-
AV	11.33356G	46.38	54.00	-7.62	18.00	3	Vertical	220	1.31	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 77  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.34168G	59.51	74.00	-14.49	17.99	3	Horizontal	176	1.55	-
AV	11.33824G	46.54	54.00	-7.46	18.00	3	Horizontal	176	1.55	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7036G	121.75	Inf	-Inf	8.12	3	Vertical	40	1.50	-
AV	5.7052G	110.13	Inf	-Inf	8.13	3	Vertical	40	1.50	-
PK	5.850006G	67.99	68.20	-0.21	8.42	3	Vertical	40	1.50	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

06/08/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Green line)


EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.421G	59.72	74.00	-14.28	17.99	3	Vertical	341	1.36	-
AV	11.42532G	46.63	54.00	-7.37	17.99	3	Vertical	341	1.36	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX

06/08/2018



EUT\_Z\_4TX  
Setting 108  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.4198G	59.77	74.00	-14.23	17.99	3	Horizontal	164	2.18	-
AV	11.42192G	46.55	54.00	-7.45	18.00	3	Horizontal	164	2.18	-



### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 99  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	68.01	68.20	-0.19	8.00	3	Vertical	142	1.66	-
PK	5.757G	119.84	Inf	-Inf	8.24	3	Vertical	142	1.66	-
AV	5.746G	111.67	Inf	-Inf	8.21	3	Vertical	142	1.66	-
PK	5.936G	61.94	68.20	-6.26	8.57	3	Vertical	142	1.66	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 99  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.50808G	59.30	74.00	-14.70	17.94	3	Vertical	43	1.58	-
AV	11.50836G	46.53	54.00	-7.47	17.94	3	Vertical	43	1.58	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 99  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.51048G	59.93	74.00	-14.07	17.94	3	Horizontal	233	2.11	-
AV	11.51256G	46.41	54.00	-7.59	17.94	3	Horizontal	233	2.11	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 106  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	62.87	68.20	-5.33	7.97	3	Vertical	235	1.93	-
PK	5.792G	119.82	Inf	-Inf	8.31	3	Vertical	235	1.93	-
AV	5.791G	107.56	Inf	-Inf	8.31	3	Vertical	235	1.93	-
PK	5.931G	68.07	68.20	-0.13	8.56	3	Vertical	235	1.93	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 106  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.58772G	59.56	74.00	-14.44	17.92	3	Vertical	160	1.14	-
AV	11.58732G	46.30	54.00	-7.70	17.92	3	Vertical	160	1.14	-

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 106  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.59712G	59.68	74.00	-14.32	17.91	3	Horizontal	85	1.96	-
AV	11.59048G	46.24	54.00	-7.76	17.92	3	Horizontal	85	1.96	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 70  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	69.62	74.00	-4.38	7.69	3	Vertical	188	1.30	-
AV	5.459995G	52.50	54.00	-1.50	7.71	3	Vertical	188	1.30	-
PK	5.468G	73.30	74.00	-0.70	7.71	3	Vertical	188	1.30	-
AV	5.469995G	53.82	54.00	-0.18	7.71	3	Vertical	188	1.30	-
PK	5.538G	113.09	Inf	-Inf	7.80	3	Vertical	188	1.30	-
AV	5.499G	106.33	Inf	-Inf	7.74	3	Vertical	188	1.30	-
PK	5.746G	59.60	74.00	-14.40	8.21	3	Vertical	188	1.30	-
AV	5.753G	47.74	54.00	-6.26	8.23	3	Vertical	188	1.30	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX

03/08/2018



EUT Z\_4TX  
Setting 70  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.05384G	59.56	74.00	-14.44	18.08	3	Vertical	345	2.12	-
AV	11.05192G	46.31	54.00	-7.69	18.08	3	Vertical	345	2.12	-



### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 70  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.06532G	59.63	74.00	-14.37	18.08	3	Horizontal	82	2.38	-
AV	11.06268G	46.36	54.00	-7.64	18.08	3	Horizontal	82	2.38	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 79  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.457G	62.21	74.00	-11.79	7.70	3	Vertical	41	1.50	-
AV	5.459995G	49.99	54.00	-4.01	7.70	3	Vertical	41	1.50	-
PK	5.463G	64.30	68.20	-3.90	7.70	3	Vertical	41	1.50	-
PK	5.599G	115.16	Inf	-Inf	7.89	3	Vertical	41	1.50	-
AV	5.636G	102.74	Inf	-Inf	7.97	3	Vertical	41	1.50	-
PK	5.737G	67.98	68.20	-0.22	8.19	3	Vertical	41	1.50	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 79  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.21112G	60.33	74.00	-13.67	18.03	3	Vertical	225	1.13	-
AV	11.21312G	46.38	54.00	-7.62	18.03	3	Vertical	225	1.13	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 79  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.22504G	59.39	74.00	-14.61	18.03	3	Horizontal	183	1.51	-
AV	11.2104G	46.49	54.00	-7.51	18.03	3	Horizontal	183	1.51	-

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 86  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.445G	60.65	74.00	-13.35	7.68	3	Vertical	39	1.50	-
AV	5.457G	48.58	54.00	-5.42	7.70	3	Vertical	39	1.50	-
PK	5.469G	60.73	68.20	-7.47	7.71	3	Vertical	39	1.50	-
PK	5.664G	117.31	Inf	-Inf	8.03	3	Vertical	39	1.50	-
AV	5.701G	104.66	Inf	-Inf	8.12	3	Vertical	39	1.50	-
PK	5.851G	67.99	68.20	-0.21	8.42	3	Vertical	39	1.50	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 86  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.37364G	59.29	74.00	-14.71	17.98	3	Vertical	311	1.26	-
AV	11.37516G	46.33	54.00	-7.67	17.98	3	Vertical	311	1.26	-

**802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**

03/08/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Black line)


EUT\_Z\_4TX  
Setting 86  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.37364G	60.03	74.00	-13.97	17.98	3	Horizontal	38	1.78	-
AV	11.3778G	46.35	54.00	-7.65	17.98	3	Horizontal	38	1.78	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX

09/07/2018



EUT\_Z\_4TX  
Setting 85  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.01	68.20	-0.19	8.00	3	Vertical	48	1.50	-
PK	5.782G	115.17	Inf	-Inf	8.29	3	Vertical	48	1.50	-
AV	5.778G	102.30	Inf	-Inf	8.28	3	Vertical	48	1.50	-
PK	5.925006G	65.15	68.20	-3.05	8.55	3	Vertical	48	1.50	-



### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.55036G	60.42	74.00	-13.58	17.93	3	Vertical	131	1.74	-
AV	11.55164G	46.63	54.00	-7.37	17.93	3	Vertical	131	1.74	-

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX

13/07/2018




EUT\_Z\_4TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5422G	59.78	74.00	-14.22	17.93	3	Horizontal	101	2.29	-
AV	11.549G	46.58	54.00	-7.42	17.93	3	Horizontal	101	2.29	-

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TX

09/07/2018




EUT\_Z\_4TX  
Setting 56  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4468G	64.61	74.00	-9.39	7.68	3	Vertical	236	1.23	-
AV	5.4452G	50.33	54.00	-3.67	7.68	3	Vertical	236	1.23	-
PK	5.466G	70.51	74.00	-3.49	7.71	3	Vertical	236	1.23	-
AV	5.4676G	53.79	54.00	-0.21	7.71	3	Vertical	236	1.23	-
PK	5.5492G	104.44	Inf	-Inf	7.82	3	Vertical	236	1.23	-
AV	5.5348G	94.32	Inf	-Inf	7.80	3	Vertical	236	1.23	-
PK	5.7332G	61.76	74.00	-12.24	8.19	3	Vertical	236	1.23	-
AV	5.7412G	50.06	54.00	-3.94	8.20	3	Vertical	236	1.23	-

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 56  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.14232G	60.05	74.00	-13.95	18.06	3	Vertical	155	1.35	-
AV	11.14864G	48.85	54.00	-5.15	18.05	3	Vertical	155	1.35	-

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TX

03/08/2018




EUT\_Z\_4TX  
Setting 56  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.14528G	59.55	74.00	-14.45	18.05	3	Horizontal	201	1.41	-
AV	11.14428G	48.73	54.00	-5.27	18.06	3	Horizontal	201	1.41	-



# RSE Co-location Result





RSE Co-location Result																																																					
Operating Mode	1	Polarization	Vertical																																																		
Operating Function	Normal Link or CTX																																																				
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p>The plot shows a single peak at 3453.22 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 40000 MHz. Two horizontal red lines represent FCC Class-B limits: a peak limit at approximately 85 dBuV/m and an average limit at approximately 60 dBuV/m. The measured peak level is 48.57 dBuV/m, which is well below the FCC limits.</p> </div> <div style="text-align: right;"> <p>Date: 2018-08-27 Time: 09:36:34</p> </div> </div>																																																					
<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td style="border: 2px solid black;">1</td> <td>3453.13</td> <td>44.26</td> <td>54.00</td> <td>-9.74</td> <td>47.88</td> <td>4.37</td> <td>28.69</td> <td>36.68</td> <td>148</td> <td>181</td> <td>Average</td> <td>VERTICAL</td> </tr> <tr> <td style="border: 2px solid black;">2</td> <td>3453.22</td> <td>48.57</td> <td>74.00</td> <td>-25.43</td> <td>52.19</td> <td>4.37</td> <td>28.69</td> <td>36.68</td> <td>148</td> <td>181</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	3453.13	44.26	54.00	-9.74	47.88	4.37	28.69	36.68	148	181	Average	VERTICAL	2	3453.22	48.57	74.00	-25.43	52.19	4.37	28.69	36.68	148	181	Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																											
1	3453.13	44.26	54.00	-9.74	47.88	4.37	28.69	36.68	148	181	Average	VERTICAL																																									
2	3453.22	48.57	74.00	-25.43	52.19	4.37	28.69	36.68	148	181	Peak	VERTICAL																																									