Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT0)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.104	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT1)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.069	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT2)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.063	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT3)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	76.932	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT4)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.073	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT5)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.157	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT6)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.147	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	99% Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/23	Test Site	SR10-H

IEEE 802.11ax_80M (ANT 8)			
Channel No.	Frequency (MHz)	Measure Value (MHz)	Limit (MHz)
155	5775	77.120	---

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.390	≧0.5	Pass
157	5785	16.370	≧0.5	Pass
165	5825	16.400	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.400	≧0.5	Pass
157	5785	16.380	≧0.5	Pass
165	5825	16.400	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.410	≧0.5	Pass
157	5785	16.360	≧0.5	Pass
165	5825	16.390	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.370	≧0.5	Pass
157	5785	16.390	≧0.5	Pass
165	5825	16.410	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.390	≧0.5	Pass
157	5785	16.400	≧0.5	Pass
165	5825	16.410	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.390	≧0.5	Pass
157	5785	16.380	≧0.5	Pass
165	5825	16.390	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.410	≧0.5	Pass
157	5785	16.400	≧0.5	Pass
165	5825	16.410	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11a(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	16.420	≧0.5	Pass
157	5785	16.390	≧0.5	Pass
165	5825	16.400	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.540	≧0.5	Pass
157	5785	17.550	≧0.5	Pass
165	5825	17.310	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.520	≧0.5	Pass
157	5785	17.540	≧0.5	Pass
165	5825	17.580	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.550	≧0.5	Pass
157	5785	17.530	≧0.5	Pass
165	5825	17.590	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.550	≧0.5	Pass
157	5785	17.550	≧0.5	Pass
165	5825	17.590	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.560	≧0.5	Pass
157	5785	17.570	≧0.5	Pass
165	5825	17.560	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.550	≧0.5	Pass
157	5785	17.290	≧0.5	Pass
165	5825	17.590	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.550	≧0.5	Pass
157	5785	17.330	≧0.5	Pass
165	5825	17.560	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_20M(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	17.270	≧0.5	Pass
157	5785	17.610	≧0.5	Pass
165	5825	17.560	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	36.050	≧0.5	Pass
159	5795	36.060	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω
AC
SENSE:INT
ALIGN AUTO
07:38:36 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Freq Offset
0 Hz
Occupied Bandwidth
35.956 MHz
Total Power
26.7 dBm
Transmit Freq Error
-58.161 kHz
OBW Power
99.00 %
x dB Bandwidth
36.06 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	35.990	≧0.5	Pass
159	5795	36.270	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω
AC
SENSE:INT
ALIGN AUTO
07:52:35 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Occupied Bandwidth
36.007 MHz
Total Power
25.9 dBm
Freq Offset
0 Hz
Transmit Freq Error
-51.107 kHz
OBW Power
99.00 %
x dB Bandwidth
36.27 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	35.910	≧0.5	Pass
159	5795	36.300	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
08:01:13 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Freq Offset
0 Hz
Occupied Bandwidth
36.014 MHz
Total Power
26.1 dBm
Transmit Freq Error
-53.129 kHz
OBW Power
99.00 %
x dB Bandwidth
36.30 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	36.310	≧0.5	Pass
159	5795	36.300	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω
AC
SENSE:INT
ALIGN AUTO
08:15:55 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
CF Step
8.000000 MHz
Auto
Man
Occupied Bandwidth
36.011 MHz
Total Power
26.9 dBm
Freq Offset
0 Hz
Transmit Freq Error
-39.156 kHz
OBW Power
99.00 %
x dB Bandwidth
36.30 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	35.700	≧0.5	Pass
159	5795	36.280	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω
AC
SENSE:INT
ALIGN AUTO
06:53:11 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
CF Step
8.000000 MHz
Auto
Man
Occupied Bandwidth
36.073 MHz
Total Power
28.4 dBm
Freq Offset
0 Hz
Transmit Freq Error
-58.039 kHz
OBW Power
99.00 %
x dB Bandwidth
36.28 MHz
x dB
-6.00 dB
MSG
Alignment Completed
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	36.270	≧0.5	Pass
159	5795	36.290	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
06:53:39 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
36.061 MHz
Total Power
28.4 dBm
Freq Offset
0 Hz
Transmit Freq Error
-57.128 kHz
OBW Power
99.00 %
x dB Bandwidth
36.29 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	36.010	≧0.5	Pass
159	5795	36.020	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
06:59:12 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
36.087 MHz
Total Power
28.9 dBm
Freq Offset
0 Hz
Transmit Freq Error
-52.188 kHz
OBW Power
99.00 %
x dB Bandwidth
36.02 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_40M(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	36.030	≧0.5	Pass
159	5795	36.330	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
06:59:42 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
36.078 MHz
Total Power
28.9 dBm
Freq Offset
0 Hz
Transmit Freq Error
-48.807 kHz
OBW Power
99.00 %
x dB Bandwidth
36.33 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ac_80M(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.070	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.930	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.550	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	72.600	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.180	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.300	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	73.540	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ac_80M(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.060	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.870	≧0.5	Pass
157	5785	18.810	≧0.5	Pass
165	5825	18.760	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.860	≧0.5	Pass
157	5785	18.830	≧0.5	Pass
165	5825	18.550	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.880	≧0.5	Pass
157	5785	18.870	≧0.5	Pass
165	5825	18.850	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.920	≧0.5	Pass
157	5785	18.860	≧0.5	Pass
165	5825	18.960	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.940	≧0.5	Pass
157	5785	18.850	≧0.5	Pass
165	5825	18.960	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.960	≧0.5	Pass
157	5785	18.730	≧0.5	Pass
165	5825	18.960	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.930	≧0.5	Pass
157	5785	18.700	≧0.5	Pass
165	5825	18.800	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_20M(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
149	5745	18.930	≧0.5	Pass
157	5785	18.700	≧0.5	Pass
165	5825	18.960	≧0.5	Pass

Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	38.000	≧0.5	Pass
159	5795	37.520	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
07:42:19 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Occupied Bandwidth
37.648 MHz
Total Power
26.2 dBm
Freq Offset
0 Hz
Transmit Freq Error
-59.947 kHz
OBW Power
99.00 %
x dB Bandwidth
37.52 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.800	≧0.5	Pass
159	5795	37.780	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
07:57:29 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Occupied Bandwidth
37.701 MHz
Total Power
25.5 dBm
Freq Offset
0 Hz
Transmit Freq Error
-80.057 kHz
OBW Power
99.00 %
x dB Bandwidth
37.78 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.740	≧0.5	Pass
159	5795	37.770	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω
AC
SENSE:INT
ALIGN AUTO
08:02:00 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Occupied Bandwidth
37.761 MHz
Total Power
26.5 dBm
Freq Offset
0 Hz
Transmit Freq Error
-61.534 kHz
OBW Power
99.00 %
x dB Bandwidth
37.77 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.640	≧0.5	Pass
159	5795	37.870	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
08:18:01 PM Aug 27, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 8 ms
Occupied Bandwidth
37.683 MHz
Total Power
27.6 dBm
Freq Offset
0 Hz
Transmit Freq Error
-52.267 kHz
OBW Power
99.00 %
x dB Bandwidth
37.87 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.090	≧0.5	Pass
159	5795	37.680	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
07:08:05 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
37.728 MHz
Total Power
28.4 dBm
Freq Offset
0 Hz
Transmit Freq Error
-59.217 kHz
OBW Power
99.00 %
x dB Bandwidth
37.68 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.870	≧0.5	Pass
159	5795	37.420	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
07:11:25 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
37.712 MHz
Total Power
28.5 dBm
Freq Offset
0 Hz
Transmit Freq Error
-45.134 kHz
OBW Power
99.00 %
x dB Bandwidth
37.42 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.870	≧0.5	Pass
159	5795	37.570	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
07:12:00 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
37.693 MHz
Total Power
28.7 dBm
Freq Offset
0 Hz
Transmit Freq Error
-48.156 kHz
OBW Power
99.00 %
x dB Bandwidth
37.57 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_40M(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
151	5755	37.730	≧0.5	Pass
159	5795	37.830	≧0.5	Pass

Channel 151



Channel 159


Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
07:14:51 PM Sep 01, 2018
Center Freq 5.795000000 GHz
Center Freq: 5.795000000 GHz
Trig: Free Run
Avg|Hold:>100/100
#IFGain:Low
#Atten: 30 dB
Ext Gain: -12.62 dB
Radio Std: None
Radio Device: BTS
Frequency
10 dB/div
Log
Ref 30.00 dBm
20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
Center Freq
5.795000000 GHz
CF Step
8.000000 MHz
Auto
Man
Center 5.795 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 80 MHz
Sweep 10 ms
Occupied Bandwidth
37.711 MHz
Total Power
28.6 dBm
Freq Offset
0 Hz
Transmit Freq Error
-50.155 kHz
OBW Power
99.00 %
x dB Bandwidth
37.83 MHz
x dB
-6.00 dB
MSG
STATUS

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE 802.11ax_80M(ANT 0)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	75.840	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ax_80M(ANT 1)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	76.920	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ax_80M(ANT 2)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	77.740	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H

802.11ax_80M(ANT 3)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	76.950	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

802.11ax_80M(ANT 4)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	77.210	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

802.11ax_80M(ANT 5)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	74.840	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

802.11ax_80M(ANT 6)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	77.150	≧0.5	Pass

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	DTS Bandwidth		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

802.11ax_80M(ANT 8)				
Channel No.	Frequency (MHz)	Measure Level (MHz)	Limit (MHz)	Result
155	5775	76.290	≧0.5	Pass

Channel 155