


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.370	≤ 30
157	5785	20.650	≤ 30
165	5825	20.480	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.550	≤ 30
157	5785	20.650	≤ 30
165	5825	21.060	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.400	≤ 30
157	5785	20.440	≤ 30
165	5825	20.740	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.500	≤ 30
157	5785	21.020	≤ 30
165	5825	21.360	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.470	≤ 30
157	5785	20.320	≤ 30
165	5825	21.130	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	21.410	≤ 30
157	5785	21.590	≤ 30
165	5825	20.510	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.340	≤ 30
157	5785	20.810	≤ 30
165	5825	21.070	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	21.190	≤ 30
157	5785	21.670	≤ 30
165	5825	20.850	≤ 30


Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_AD P-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ac(20MHz) (ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	29.702	≤ 30
157	5785	29.951	≤ 30
165	5825	29.941	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.630	≤ 30
159	5795	20.400	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5190	20.200	≤ 30
159	5230	20.370	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.840	≤ 30
159	5795	20.370	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	21.080	≤ 30
159	5795	20.850	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.510	≤ 30
159	5795	20.270	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.620	≤ 30
159	5795	21.190	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.810	≤ 30
159	5795	20.430	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE802.11ac 40MHz(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	21.220	≤ 30
159	5795	22.070	≤ 30

Channel 151



Channel 159



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE802.11ac 40MHz(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	29.780	≤ 30
159	5795	29.816	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.410	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.000	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.070	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/27	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.680	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.150	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.430	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.480	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	21.740	≤ 30

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE802.11ac 80MHz (ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	29.559	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.610	≤ 30
157	5785	20.560	≤ 30
165	5825	20.460	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.730	≤ 30
157	5785	20.170	≤ 30
165	5825	20.540	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.620	≤ 30
157	5785	20.650	≤ 30
165	5825	20.550	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	21.030	≤ 30
157	5785	21.050	≤ 30
165	5825	21.350	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.410	≤ 30
157	5785	20.380	≤ 30
165	5825	20.720	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.800	≤ 30
157	5785	20.720	≤ 30
165	5825	21.280	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	20.980	≤ 30
157	5785	20.200	≤ 30
165	5825	20.480	≤ 30


Channel 149



Channel 157



Channel 165




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	21.460	≤ 30
157	5785	21.720	≤ 30
165	5825	22.020	≤ 30


Channel 149



Channel 157



Channel 165



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_AD P-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(20MHz) (ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
149	5745	29.872	≤ 30
157	5785	29.739	≤ 30
165	5825	29.990	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	19.890	≤ 30
159	5795	20.240	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_AD P-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5190	20.660	≤ 30
159	5230	20.310	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.540	≤ 30
159	5795	20.480	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.690	≤ 30
159	5795	20.990	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.640	≤ 30
159	5795	20.200	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.580	≤ 30
159	5795	20.630	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	20.520	≤ 30
159	5795	21.210	≤ 30

Channel 151



Channel 159




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	21.550	≤ 30
159	5795	22.290	≤ 30

Channel 151



Channel 159



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(40MHz) (ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	29.686	≤ 30
159	5795	29.878	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.080	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.270	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	21.130	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADAP-65DW Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	21.100	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.440	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.230	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	20.450	≤ 30

Channel 155




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	21.540	≤ 30

Channel 155



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 1:TX_CDD_ADP-65DW_Y		
Date of Test	2018/08/26	Test Site	SR10-H

IEEE 802.11ax(80MHz) (ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	29.715	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	14.180	≤ 24.850
44	5220	14.230	≤ 24.850
48	5240	14.470	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36




Channel 44




Channel 48



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	15.090	≤ 24.850
44	5220	14.840	≤ 24.850
48	5240	14.840	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	14.710	≤ 24.850
44	5220	13.260	≤ 24.850
48	5240	14.080	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/27	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	13.650	≤ 24.850
44	5220	13.910	≤ 24.850
48	5240	13.110	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/28	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	14.100	≤ 24.850
44	5220	14.950	≤ 24.850
48	5240	15.390	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/28	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	14.350	≤ 24.850
44	5220	14.390	≤ 24.850
48	5240	14.330	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/28	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	14.870	≤ 24.850
44	5220	14.710	≤ 24.850
48	5240	14.340	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/28	Test Site	SR10-H

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	23.491	≤ 24.850
44	5220	23.293	≤ 24.850
48	5240	23.355	≤ 24.850

Directional gain = $2.7+10\log(7) = 11.15$

Limit = $30\text{dBm}-(11.15-6) = 24.85$

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
38	5190	15.680	≤ 24.850
46	5230	15.310	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.400	≤ 24.850
46	5230	15.170	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.650	≤ 24.850
46	5230	15.910	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.650	≤ 24.850
46	5230	15.690	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.710	≤ 24.850
46	5230	15.110	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.400	≤ 24.850
46	5230	15.150	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.420	≤ 24.850
46	5230	15.330	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	15.710	≤ 24.850
46	5230	15.960	≤ 24.850


Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	24.610	≤ 24.850
46	5230	24.497	≤ 24.850

Directional gain = $2.7+10\log(7) = 11.15$

Limit = $30\text{dBm}-(11.15-6) = 24.85$

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.500	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.010	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.240	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.720	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.480	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.170	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.160	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	15.610	≤ 24.850

Directional gain = $2.7 + 10 \log(7) = 11.15$

Limit = $30 \text{ dBm} - (11.15 - 6) = 24.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming ADP-65DW Y		
Date of Test	2018/08/31	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	24.398	≤ 24.850

Directional gain = $2.7+10\log(7) = 11.15$

Limit = $30\text{dBm}-(11.15-6) = 24.85$