


802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 15
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.86996G | 60.20 | 74.00 | -13.80 | 44.19 | 3 | Horizontal | 252 | 1.73 | - | 38.50 | 12.00 | 34.49 |
| AV | 15.87476G | 46.76 | 54.00 | -7.24 | 30.74 | 3 | Horizontal | 252 | 1.73 | - | 38.50 | 12.01 | 34.49 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT Z_8TX
Setting 14.5
04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.299G | 58.95 | 68.20 | -9.25 | 52.94 | 3 | Vertical | 70 | 1.80 | - | 33.00 | 5.75 | 32.74 |
| PK | 5.41G | 65.55 | 74.00 | -8.45 | 59.01 | 3 | Vertical | 70 | 1.80 | - | 33.44 | 5.80 | 32.70 |
| PK | 5.467G | 67.28 | 68.20 | -0.92 | 60.46 | 3 | Vertical | 70 | 1.80 | - | 33.67 | 5.83 | 32.68 |
| AV | 5.46G | 49.68 | 54.00 | -4.32 | 42.89 | 3 | Vertical | 70 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.508G | 117.60 | Inf | -Inf | 110.62 | 3 | Vertical | 70 | 1.80 | - | 33.80 | 5.85 | 32.67 |
| AV | 5.508G | 104.66 | Inf | -Inf | 97.68 | 3 | Vertical | 70 | 1.80 | - | 33.80 | 5.85 | 32.67 |
| PK | 5.771G | 60.93 | 68.20 | -7.27 | 53.50 | 3 | Vertical | 70 | 1.80 | - | 34.20 | 5.99 | 32.76 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.329G | 58.82 | 68.20 | -9.38 | 52.79 | 3 | Horizontal | 32 | 2.44 | - | 33.00 | 5.76 | 32.73 |
| PK | 5.411G | 60.60 | 74.00 | -13.40 | 54.05 | 3 | Horizontal | 32 | 2.44 | - | 33.44 | 5.81 | 32.70 |
| PK | 5.47G | 59.78 | 68.20 | -8.42 | 52.95 | 3 | Horizontal | 32 | 2.44 | - | 33.68 | 5.83 | 32.68 |
| AV | 5.456G | 47.60 | 54.00 | -6.40 | 40.84 | 3 | Horizontal | 32 | 2.44 | - | 33.62 | 5.83 | 32.69 |
| PK | 5.511G | 106.76 | Inf | -Inf | 99.77 | 3 | Horizontal | 32 | 2.44 | - | 33.80 | 5.86 | 32.67 |
| AV | 5.512G | 95.10 | Inf | -Inf | 88.11 | 3 | Horizontal | 32 | 2.44 | - | 33.80 | 5.86 | 32.67 |
| PK | 5.747G | 61.26 | 68.20 | -6.94 | 53.85 | 3 | Horizontal | 32 | 2.44 | - | 34.19 | 5.97 | 32.75 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 16.59036G | 62.44 | 68.20 | -5.76 | 44.76 | 3 | Vertical | 292 | 2.20 | - | 39.60 | 12.57 | 34.49 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT_Z_8TX
Setting 14.5
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 16.58152G | 62.56 | 68.20 | -5.64 | 44.89 | 3 | Horizontal | 293 | 1.94 | - | 39.60 | 12.57 | 34.50 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.446G | 61.62 | 74.00 | -12.38 | 54.91 | 3 | Vertical | 131 | 1.80 | - | 33.58 | 5.82 | 32.69 |
| AV | 5.446G | 48.97 | 54.00 | -5.03 | 42.26 | 3 | Vertical | 131 | 1.80 | - | 33.58 | 5.82 | 32.69 |
| PK | 5.465G | 61.13 | 68.20 | -7.07 | 54.32 | 3 | Vertical | 131 | 1.80 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.625G | 121.84 | Inf | -Inf | 114.74 | 3 | Vertical | 131 | 1.80 | - | 33.90 | 5.91 | 32.71 |
| AV | 5.624G | 109.79 | Inf | -Inf | 102.69 | 3 | Vertical | 131 | 1.80 | - | 33.90 | 5.91 | 32.71 |
| PK | 5.726G | 67.74 | 68.20 | -0.46 | 60.42 | 3 | Vertical | 131 | 1.80 | - | 34.10 | 5.96 | 32.74 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 19.5
04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.455G | 60.57 | 74.00 | -13.43 | 53.81 | 3 | Horizontal | 306 | 2.26 | - | 33.62 | 5.83 | 32.69 |
| AV | 5.459G | 47.54 | 54.00 | -6.46 | 40.75 | 3 | Horizontal | 306 | 2.26 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.465G | 59.92 | 68.20 | -8.28 | 53.11 | 3 | Horizontal | 306 | 2.26 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.614G | 111.71 | Inf | -Inf | 104.61 | 3 | Horizontal | 306 | 2.26 | - | 33.90 | 5.91 | 32.71 |
| AV | 5.614G | 99.99 | Inf | -Inf | 92.89 | 3 | Horizontal | 306 | 2.26 | - | 33.90 | 5.91 | 32.71 |
| PK | 5.73G | 65.26 | 68.20 | -2.94 | 57.92 | 3 | Horizontal | 306 | 2.26 | - | 34.12 | 5.96 | 32.74 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 16.83972G | 62.77 | 68.20 | -5.43 | 44.16 | 3 | Vertical | 265 | 2.64 | - | 40.32 | 12.77 | 34.48 |

802.11ax HEW80_Nss1,(MCS0)_8TX


5610MHz_TnomVnom



EUT Z_8TX
Setting 19.5
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 16.839G | 62.50 | 68.20 | -5.70 | 43.89 | 3 | Horizontal | 59 | 1.11 | - | 40.32 | 12.77 | 34.48 |


802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 22
 04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.46G | 62.37 | 74.00 | -11.63 | 55.58 | 3 | Vertical | 134 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| AV | 5.455G | 49.20 | 54.00 | -4.80 | 42.44 | 3 | Vertical | 134 | 1.80 | - | 33.62 | 5.83 | 32.69 |
| PK | 5.461G | 62.60 | 68.20 | -5.60 | 55.81 | 3 | Vertical | 134 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.684G | 123.63 | Inf | -Inf | 116.45 | 3 | Vertical | 134 | 1.80 | - | 33.97 | 5.94 | 32.73 |
| AV | 5.684G | 110.91 | Inf | -Inf | 103.73 | 3 | Vertical | 134 | 1.80 | - | 33.97 | 5.94 | 32.73 |
| PK | 5.864G | 67.80 | 68.20 | -0.40 | 59.95 | 3 | Vertical | 134 | 1.80 | - | 34.58 | 6.06 | 32.79 |


802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 22
 04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.44G | 60.05 | 74.00 | -13.95 | 53.36 | 3 | Horizontal | 323 | 2.16 | - | 33.56 | 5.82 | 32.69 |
| PK | 5.467G | 60.23 | 68.20 | -7.97 | 53.41 | 3 | Horizontal | 323 | 2.16 | - | 33.67 | 5.83 | 32.68 |
| AV | 5.459G | 47.64 | 54.00 | -6.36 | 40.85 | 3 | Horizontal | 323 | 2.16 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.682G | 113.89 | Inf | -Inf | 106.72 | 3 | Horizontal | 323 | 2.16 | - | 33.96 | 5.94 | 32.73 |
| AV | 5.683G | 101.95 | Inf | -Inf | 94.77 | 3 | Horizontal | 323 | 2.16 | - | 33.97 | 5.94 | 32.73 |
| PK | 5.871G | 61.63 | 68.20 | -6.57 | 53.72 | 3 | Horizontal | 323 | 2.16 | - | 34.63 | 6.07 | 32.79 |


802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 22
 04-E-S-5

| Type | Freq | Level | Limit | Margin | Raw | Dist | Condition | Azimuth | Height | Comment | AF | CL | PA |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
| | (Hz) | (dBuV/m) | (dBuV/m) | (dB) | (dBuV) | (m) | | (°) | (m) | | (dB) | (dB) | (dB) |
| PK | 17.07568G | 64.47 | 68.20 | -3.73 | 44.94 | 3 | Vertical | 108 | 1.47 | - | 41.03 | 12.96 | 34.46 |

802.11ax HEW80_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
 Setting 22
 04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 17.07556G | 65.28 | 68.20 | -2.92 | 45.75 | 3 | Horizontal | 199 | 2.53 | - | 41.03 | 12.96 | 34.46 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 21
04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.646G | 67.86 | 68.20 | -0.34 | 60.76 | 3 | Vertical | 111 | 1.80 | - | 33.90 | 5.92 | 32.72 |
| PK | 5.765G | 123.63 | Inf | -Inf | 116.20 | 3 | Vertical | 111 | 1.80 | - | 34.20 | 5.98 | 32.75 |
| AV | 5.765G | 110.87 | Inf | -Inf | 103.44 | 3 | Vertical | 111 | 1.80 | - | 34.20 | 5.98 | 32.75 |
| PK | 5.945G | 65.63 | 68.20 | -2.57 | 57.31 | 3 | Vertical | 111 | 1.80 | - | 34.98 | 6.15 | 32.81 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 21
04-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.655G | 68.50 | 71.90 | -3.40 | 61.38 | 3 | Horizontal | 325 | 2.86 | - | 33.91 | 5.93 | 32.72 |
| PK | 5.773G | 113.17 | Inf | -Inf | 105.74 | 3 | Horizontal | 325 | 2.86 | - | 34.20 | 5.99 | 32.76 |
| AV | 5.773G | 101.63 | Inf | -Inf | 94.20 | 3 | Horizontal | 325 | 2.86 | - | 34.20 | 5.99 | 32.76 |
| PK | 5.965G | 62.11 | 68.20 | -6.09 | 53.70 | 3 | Horizontal | 325 | 2.86 | - | 35.06 | 6.17 | 32.82 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 21
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.55788G | 56.33 | 74.00 | -17.67 | 41.92 | 3 | Vertical | 50 | 1.41 | - | 39.14 | 9.38 | 34.11 |
| AV | 11.543G | 42.47 | 54.00 | -11.53 | 28.04 | 3 | Vertical | 50 | 1.41 | - | 39.16 | 9.37 | 34.10 |

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TnomVnom



EUT Z_8TX
Setting 21
04-E-S-5

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.54476G | 56.22 | 74.00 | -17.78 | 41.79 | 3 | Horizontal | 57 | 1.74 | - | 39.16 | 9.37 | 34.10 |
| AV | 11.54956G | 42.53 | 54.00 | -11.47 | 28.11 | 3 | Horizontal | 57 | 1.74 | - | 39.15 | 9.37 | 34.10 |




For 8T1S beamforming mode
Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_8TX | Pass | PK | 5.641G | 68.19 | 68.20 | -0.01 | 3 | Vertical | 108 | 1.80 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.149G | 65.59 | 74.00 | -8.41 | 59.94 | 3 | Vertical | 325 | 1.77 | - | 32.80 | 5.65 | 32.80 |
| AV | 5.15G | 52.82 | 54.00 | -1.18 | 47.17 | 3 | Vertical | 325 | 1.77 | - | 32.80 | 5.65 | 32.80 |
| PK | 5.182G | 128.80 | Inf | -Inf | 123.04 | 3 | Vertical | 325 | 1.77 | - | 32.86 | 5.68 | 32.78 |
| AV | 5.184G | 115.20 | Inf | -Inf | 109.43 | 3 | Vertical | 325 | 1.77 | - | 32.87 | 5.68 | 32.78 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1358G | 59.29 | 74.00 | -14.71 | 53.65 | 3 | Horizontal | 318 | 2.00 | - | 32.80 | 5.64 | 32.80 |
| AV | 5.1496G | 47.10 | 54.00 | -6.90 | 41.45 | 3 | Horizontal | 318 | 2.00 | - | 32.80 | 5.65 | 32.80 |
| PK | 5.1776G | 116.96 | Inf | -Inf | 111.21 | 3 | Horizontal | 318 | 2.00 | - | 32.86 | 5.68 | 32.79 |
| AV | 5.1878G | 104.57 | Inf | -Inf | 98.78 | 3 | Horizontal | 318 | 2.00 | - | 32.88 | 5.69 | 32.78 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.5368G | 60.82 | 74.00 | -13.18 | 44.86 | 3 | Vertical | 79 | 1.33 | - | 38.49 | 11.75 | 34.28 |
| AV | 15.53636G | 47.87 | 54.00 | -6.13 | 31.91 | 3 | Vertical | 79 | 1.33 | - | 38.49 | 11.75 | 34.28 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.53612G | 61.26 | 74.00 | -12.74 | 45.30 | 3 | Horizontal | 239 | 1.01 | - | 38.49 | 11.75 | 34.28 |
| AV | 15.537G | 47.80 | 54.00 | -6.20 | 31.84 | 3 | Horizontal | 239 | 1.01 | - | 38.49 | 11.75 | 34.28 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1088G | 60.72 | 74.00 | -13.28 | 55.12 | 3 | Vertical | 323.8 | 1.79 | - | 32.80 | 5.61 | 32.81 |
| AV | 5.096G | 49.63 | 54.00 | -4.37 | 44.05 | 3 | Vertical | 323.8 | 1.79 | - | 32.80 | 5.60 | 32.82 |
| PK | 5.1968G | 129.77 | Inf | -Inf | 123.96 | 3 | Vertical | 323.8 | 1.79 | - | 32.89 | 5.70 | 32.78 |
| AV | 5.1936G | 117.73 | Inf | -Inf | 111.93 | 3 | Vertical | 323.8 | 1.79 | - | 32.89 | 5.69 | 32.78 |
| PK | 5.3968G | 61.81 | 74.00 | -12.19 | 55.35 | 3 | Vertical | 323.8 | 1.79 | - | 33.37 | 5.80 | 32.71 |
| AV | 5.3864G | 49.99 | 54.00 | -4.01 | 43.62 | 3 | Vertical | 323.8 | 1.79 | - | 33.29 | 5.79 | 32.71 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT_Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.0816G | 59.92 | 74.00 | -14.08 | 54.36 | 3 | Horizontal | 324 | 2.88 | - | 32.80 | 5.58 | 32.82 |
| AV | 5.1256G | 46.92 | 54.00 | -7.08 | 41.29 | 3 | Horizontal | 324 | 2.88 | - | 32.80 | 5.63 | 32.80 |
| PK | 5.2048G | 118.81 | Inf | -Inf | 112.99 | 3 | Horizontal | 324 | 2.88 | - | 32.90 | 5.70 | 32.78 |
| AV | 5.2072G | 107.85 | Inf | -Inf | 102.03 | 3 | Horizontal | 324 | 2.88 | - | 32.90 | 5.70 | 32.78 |
| PK | 5.3712G | 60.00 | 74.00 | -14.00 | 53.76 | 3 | Horizontal | 324 | 2.88 | - | 33.17 | 5.79 | 32.72 |
| AV | 5.3944G | 48.32 | 54.00 | -5.68 | 41.87 | 3 | Horizontal | 324 | 2.88 | - | 33.36 | 5.80 | 32.71 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.39524G | 57.07 | 68.20 | -11.13 | 42.86 | 3 | Vertical | 360 | 1.73 | - | 38.70 | 8.80 | 33.29 |
| PK | 15.6008G | 61.07 | 74.00 | -12.93 | 45.29 | 3 | Vertical | 315 | 2.32 | - | 38.30 | 11.80 | 34.32 |
| AV | 15.59056G | 47.85 | 54.00 | -6.15 | 32.05 | 3 | Vertical | 315 | 2.32 | - | 38.33 | 11.79 | 34.32 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 10.40928G | 57.30 | 68.20 | -10.90 | 43.07 | 3 | Horizontal | 1 | 2.50 | - | 38.73 | 8.80 | 33.30 |
| PK | 15.59642G | 60.79 | 74.00 | -13.21 | 45.00 | 3 | Horizontal | 64 | 2.14 | - | 38.31 | 11.80 | 34.32 |
| AV | 15.59108G | 47.97 | 54.00 | -6.03 | 32.17 | 3 | Horizontal | 64 | 2.14 | - | 38.33 | 11.79 | 34.32 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 60.84 | 74.00 | -13.16 | 55.19 | 3 | Vertical | 85 | 1.80 | - | 32.80 | 5.65 | 32.80 |
| AV | 5.142G | 48.92 | 54.00 | -5.08 | 43.28 | 3 | Vertical | 85 | 1.80 | - | 32.80 | 5.64 | 32.80 |
| PK | 5.2348G | 129.64 | Inf | -Inf | 123.79 | 3 | Vertical | 85 | 1.80 | - | 32.90 | 5.72 | 32.77 |
| AV | 5.2368G | 116.40 | Inf | -Inf | 110.54 | 3 | Vertical | 85 | 1.80 | - | 32.90 | 5.72 | 32.76 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1448G | 59.04 | 74.00 | -14.96 | 53.40 | 3 | Horizontal | 307 | 2.13 | - | 32.80 | 5.64 | 32.80 |
| AV | 5.1448G | 47.01 | 54.00 | -6.99 | 41.37 | 3 | Horizontal | 307 | 2.13 | - | 32.80 | 5.64 | 32.80 |
| PK | 5.2344G | 123.22 | Inf | -Inf | 117.37 | 3 | Horizontal | 307 | 2.13 | - | 32.90 | 5.72 | 32.77 |
| AV | 5.2336G | 110.26 | Inf | -Inf | 104.41 | 3 | Horizontal | 307 | 2.13 | - | 32.90 | 5.72 | 32.77 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.72474G | 60.75 | 74.00 | -13.25 | 44.76 | 3 | Vertical | 322 | 1.17 | - | 38.50 | 11.89 | 34.40 |
| AV | 15.72304G | 47.90 | 54.00 | -6.10 | 31.91 | 3 | Vertical | 322 | 1.17 | - | 38.50 | 11.89 | 34.40 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.71988G | 60.63 | 74.00 | -13.37 | 44.64 | 3 | Horizontal | 343 | 2.23 | - | 38.50 | 11.89 | 34.40 |
| AV | 15.72416G | 47.87 | 54.00 | -6.13 | 31.88 | 3 | Horizontal | 343 | 2.23 | - | 38.50 | 11.89 | 34.40 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1424G | 58.69 | 74.00 | -15.31 | 53.05 | 3 | Vertical | 193 | 1.80 | - | 32.80 | 5.64 | 32.80 |
| AV | 5.14G | 46.88 | 54.00 | -7.12 | 41.24 | 3 | Vertical | 193 | 1.80 | - | 32.80 | 5.64 | 32.80 |
| PK | 5.257G | 123.61 | Inf | -Inf | 117.73 | 3 | Vertical | 193 | 1.80 | - | 32.91 | 5.73 | 32.76 |
| AV | 5.2594G | 111.29 | Inf | -Inf | 105.40 | 3 | Vertical | 193 | 1.80 | - | 32.92 | 5.73 | 32.76 |
| PK | 5.4028G | 60.18 | 74.00 | -13.82 | 53.67 | 3 | Vertical | 193 | 1.80 | - | 33.41 | 5.80 | 32.70 |
| AV | 5.3554G | 48.30 | 54.00 | -5.70 | 42.20 | 3 | Vertical | 193 | 1.80 | - | 33.04 | 5.78 | 32.72 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1214G | 58.47 | 74.00 | -15.53 | 52.86 | 3 | Horizontal | 317 | 3.00 | - | 32.80 | 5.62 | 32.81 |
| AV | 5.1178G | 46.57 | 54.00 | -7.43 | 40.96 | 3 | Horizontal | 317 | 3.00 | - | 32.80 | 5.62 | 32.81 |
| PK | 5.263G | 114.82 | Inf | -Inf | 108.92 | 3 | Horizontal | 317 | 3.00 | - | 32.93 | 5.73 | 32.76 |
| AV | 5.2618G | 102.52 | Inf | -Inf | 96.63 | 3 | Horizontal | 317 | 3.00 | - | 32.92 | 5.73 | 32.76 |
| PK | 5.3788G | 60.33 | 74.00 | -13.67 | 54.02 | 3 | Horizontal | 317 | 3.00 | - | 33.23 | 5.79 | 32.71 |
| AV | 5.4076G | 47.66 | 54.00 | -6.34 | 41.13 | 3 | Horizontal | 317 | 3.00 | - | 33.43 | 5.80 | 32.70 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.7807G | 60.34 | 74.00 | -13.66 | 44.33 | 3 | Vertical | 111 | 1.57 | - | 38.50 | 11.94 | 34.43 |
| AV | 15.77982G | 47.74 | 54.00 | -6.26 | 31.74 | 3 | Vertical | 111 | 1.57 | - | 38.50 | 11.93 | 34.43 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.78056G | 60.61 | 74.00 | -13.39 | 44.60 | 3 | Horizontal | 284 | 2.06 | - | 38.50 | 11.94 | 34.43 |
| AV | 15.78298G | 47.66 | 54.00 | -6.34 | 31.66 | 3 | Horizontal | 284 | 2.06 | - | 38.50 | 11.94 | 34.44 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3052G | 124.58 | Inf | -Inf | 118.57 | 3 | Vertical | 18.5 | 1.76 | - | 33.00 | 5.75 | 32.74 |
| AV | 5.306G | 112.36 | Inf | -Inf | 106.35 | 3 | Vertical | 18.5 | 1.76 | - | 33.00 | 5.75 | 32.74 |
| PK | 5.392G | 61.15 | 74.00 | -12.85 | 54.72 | 3 | Vertical | 18.5 | 1.76 | - | 33.34 | 5.80 | 32.71 |
| AV | 5.3984G | 48.50 | 54.00 | -5.50 | 42.02 | 3 | Vertical | 18.5 | 1.76 | - | 33.39 | 5.80 | 32.71 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2932G | 114.37 | Inf | -Inf | 108.37 | 3 | Horizontal | 312 | 2.94 | - | 32.99 | 5.75 | 32.74 |
| AV | 5.2944G | 101.99 | Inf | -Inf | 95.99 | 3 | Horizontal | 312 | 2.94 | - | 32.99 | 5.75 | 32.74 |
| PK | 5.3756G | 59.83 | 74.00 | -14.17 | 53.55 | 3 | Horizontal | 312 | 2.94 | - | 33.20 | 5.79 | 32.71 |
| AV | 5.39G | 47.63 | 54.00 | -6.37 | 41.23 | 3 | Horizontal | 312 | 2.94 | - | 33.32 | 5.79 | 32.71 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.90264G | 61.37 | 74.00 | -12.63 | 45.35 | 3 | Vertical | 243 | 2.58 | - | 38.50 | 12.03 | 34.51 |
| AV | 15.89758G | 47.33 | 54.00 | -6.67 | 31.32 | 3 | Vertical | 243 | 2.58 | - | 38.50 | 12.02 | 34.51 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.89724G | 60.45 | 74.00 | -13.55 | 44.44 | 3 | Horizontal | 83 | 2.72 | - | 38.50 | 12.02 | 34.51 |
| AV | 15.90304G | 47.35 | 54.00 | -6.65 | 31.33 | 3 | Horizontal | 83 | 2.72 | - | 38.50 | 12.03 | 34.51 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3146G | 123.33 | Inf | -Inf | 117.31 | 3 | Vertical | 76.2 | 1.82 | - | 33.00 | 5.76 | 32.74 |
| AV | 5.3138G | 110.89 | Inf | -Inf | 104.87 | 3 | Vertical | 76.2 | 1.82 | - | 33.00 | 5.76 | 32.74 |
| PK | 5.3618G | 60.71 | 74.00 | -13.29 | 54.56 | 3 | Vertical | 76.2 | 1.82 | - | 33.09 | 5.78 | 32.72 |
| AV | 5.3508G | 47.73 | 54.00 | -6.27 | 41.66 | 3 | Vertical | 76.2 | 1.82 | - | 33.01 | 5.78 | 32.72 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3248G | 115.04 | Inf | -Inf | 109.01 | 3 | Horizontal | 331 | 2.93 | - | 33.00 | 5.76 | 32.73 |
| AV | 5.3254G | 102.28 | Inf | -Inf | 96.25 | 3 | Horizontal | 331 | 2.93 | - | 33.00 | 5.76 | 32.73 |
| PK | 5.3544G | 60.36 | 74.00 | -13.64 | 54.26 | 3 | Horizontal | 331 | 2.93 | - | 33.04 | 5.78 | 32.72 |
| AV | 5.3616G | 47.09 | 54.00 | -6.91 | 40.94 | 3 | Horizontal | 331 | 2.93 | - | 33.09 | 5.78 | 32.72 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.95622G | 60.97 | 74.00 | -13.03 | 44.94 | 3 | Vertical | 146 | 1.98 | - | 38.50 | 12.07 | 34.54 |
| AV | 15.95748G | 47.99 | 54.00 | -6.01 | 31.96 | 3 | Vertical | 146 | 1.98 | - | 38.50 | 12.07 | 34.54 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.95992G | 61.02 | 74.00 | -12.98 | 45.00 | 3 | Horizontal | 166 | 2.20 | - | 38.50 | 12.07 | 34.55 |
| AV | 15.9587G | 47.82 | 54.00 | -6.18 | 31.79 | 3 | Horizontal | 166 | 2.20 | - | 38.50 | 12.07 | 34.54 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4508G | 60.49 | 74.00 | -13.51 | 53.75 | 3 | Vertical | 106.5 | 1.80 | - | 33.60 | 5.83 | 32.69 |
| AV | 5.4598G | 48.27 | 54.00 | -5.73 | 41.48 | 3 | Vertical | 106.5 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.4698G | 61.53 | 68.20 | -6.67 | 54.70 | 3 | Vertical | 106.5 | 1.80 | - | 33.68 | 5.83 | 32.68 |
| PK | 5.5044G | 124.69 | Inf | -Inf | 117.71 | 3 | Vertical | 106.5 | 1.80 | - | 33.80 | 5.85 | 32.67 |
| AV | 5.5046G | 111.83 | Inf | -Inf | 104.85 | 3 | Vertical | 106.5 | 1.80 | - | 33.80 | 5.85 | 32.67 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4552G | 60.15 | 74.00 | -13.85 | 53.39 | 3 | Horizontal | 322.8 | 2.36 | - | 33.62 | 5.83 | 32.69 |
| AV | 5.4582G | 47.80 | 54.00 | -6.20 | 41.03 | 3 | Horizontal | 322.8 | 2.36 | - | 33.63 | 5.83 | 32.69 |
| PK | 5.465G | 61.19 | 68.20 | -7.01 | 54.38 | 3 | Horizontal | 322.8 | 2.36 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.5054G | 116.94 | Inf | -Inf | 109.96 | 3 | Horizontal | 322.8 | 2.36 | - | 33.80 | 5.85 | 32.67 |
| AV | 5.5058G | 103.49 | Inf | -Inf | 96.51 | 3 | Horizontal | 322.8 | 2.36 | - | 33.80 | 5.85 | 32.67 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 10.99968G | 57.01 | 74.00 | -16.99 | 42.49 | 3 | Vertical | 305 | 2.92 | - | 39.20 | 9.10 | 33.78 |
| AV | 10.99766G | 43.61 | 54.00 | -10.39 | 29.09 | 3 | Vertical | 305 | 2.92 | - | 39.20 | 9.10 | 33.78 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.00184G | 57.07 | 74.00 | -16.93 | 42.55 | 3 | Horizontal | 102 | 1.05 | - | 39.20 | 9.10 | 33.78 |
| AV | 10.99732G | 43.63 | 54.00 | -10.37 | 29.11 | 3 | Horizontal | 102 | 1.05 | - | 39.20 | 9.10 | 33.78 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4568G | 60.23 | 74.00 | -13.77 | 53.46 | 3 | Vertical | 230 | 1.80 | - | 33.63 | 5.83 | 32.69 |
| AV | 5.432G | 48.08 | 54.00 | -5.92 | 41.42 | 3 | Vertical | 230 | 1.80 | - | 33.53 | 5.82 | 32.69 |
| PK | 5.4664G | 60.60 | 68.20 | -7.60 | 53.78 | 3 | Vertical | 230 | 1.80 | - | 33.67 | 5.83 | 32.68 |
| PK | 5.5848G | 123.13 | Inf | -Inf | 116.07 | 3 | Vertical | 230 | 1.80 | - | 33.87 | 5.89 | 32.70 |
| AV | 5.5848G | 111.17 | Inf | -Inf | 104.11 | 3 | Vertical | 230 | 1.80 | - | 33.87 | 5.89 | 32.70 |
| PK | 5.7456G | 61.34 | 68.20 | -6.86 | 53.94 | 3 | Vertical | 230 | 1.80 | - | 34.18 | 5.97 | 32.75 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4272G | 61.00 | 74.00 | -13.00 | 54.38 | 3 | Horizontal | 310 | 2.30 | - | 33.51 | 5.81 | 32.70 |
| AV | 5.4184G | 47.77 | 54.00 | -6.23 | 41.19 | 3 | Horizontal | 310 | 2.30 | - | 33.47 | 5.81 | 32.70 |
| PK | 5.4648G | 60.10 | 68.20 | -8.10 | 53.29 | 3 | Horizontal | 310 | 2.30 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.576G | 115.75 | Inf | -Inf | 108.70 | 3 | Horizontal | 310 | 2.30 | - | 33.85 | 5.89 | 32.69 |
| AV | 5.5776G | 103.41 | Inf | -Inf | 96.35 | 3 | Horizontal | 310 | 2.30 | - | 33.86 | 5.89 | 32.69 |
| PK | 5.7456G | 60.97 | 68.20 | -7.23 | 53.57 | 3 | Horizontal | 310 | 2.30 | - | 34.18 | 5.97 | 32.75 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.16362G | 56.34 | 74.00 | -17.66 | 41.89 | 3 | Vertical | 272 | 2.87 | - | 39.14 | 9.18 | 33.87 |
| AV | 11.16342G | 43.35 | 54.00 | -10.65 | 28.90 | 3 | Vertical | 272 | 2.87 | - | 39.14 | 9.18 | 33.87 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.1631G | 56.34 | 74.00 | -17.66 | 41.89 | 3 | Horizontal | 129 | 1.22 | - | 39.14 | 9.18 | 33.87 |
| AV | 11.16482G | 43.45 | 54.00 | -10.55 | 29.01 | 3 | Horizontal | 129 | 1.22 | - | 39.14 | 9.18 | 33.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.6962G | 122.20 | Inf | -Inf | 114.99 | 3 | Vertical | 316.1 | 1.80 | - | 33.99 | 5.95 | 32.73 |
| AV | 5.6958G | 109.20 | Inf | -Inf | 101.99 | 3 | Vertical | 316.1 | 1.80 | - | 33.99 | 5.95 | 32.73 |
| PK | 5.7426G | 62.17 | 68.20 | -6.03 | 54.78 | 3 | Vertical | 316.1 | 1.80 | - | 34.17 | 5.97 | 32.75 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.702G | 115.79 | Inf | -Inf | 108.56 | 3 | Horizontal | 336 | 2.38 | - | 34.01 | 5.95 | 32.73 |
| AV | 5.7038G | 102.30 | Inf | -Inf | 95.07 | 3 | Horizontal | 336 | 2.38 | - | 34.02 | 5.95 | 32.74 |
| PK | 5.7266G | 61.90 | 68.20 | -6.30 | 54.57 | 3 | Horizontal | 336 | 2.38 | - | 34.11 | 5.96 | 32.74 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.40198G | 57.10 | 74.00 | -16.90 | 42.61 | 3 | Vertical | 250 | 2.49 | - | 39.20 | 9.30 | 34.01 |
| AV | 11.39572G | 43.76 | 54.00 | -10.24 | 29.27 | 3 | Vertical | 250 | 2.49 | - | 39.20 | 9.30 | 34.01 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX


5700MHz_TnomVnom



EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.405G | 57.30 | 74.00 | -16.70 | 42.81 | 3 | Horizontal | 141 | 2.76 | - | 39.20 | 9.30 | 34.01 |
| AV | 11.3978G | 43.89 | 54.00 | -10.11 | 29.40 | 3 | Horizontal | 141 | 2.76 | - | 39.20 | 9.30 | 34.01 |


802.11ax HEW20-BF_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4524G | 60.65 | 74.00 | -13.35 | 53.90 | 3 | Vertical | 289.5 | 1.80 | - | 33.61 | 5.83 | 32.69 |
| AV | 5.4236G | 47.94 | 54.00 | -6.06 | 41.34 | 3 | Vertical | 289.5 | 1.80 | - | 33.49 | 5.81 | 32.70 |
| PK | 5.462G | 60.04 | 68.20 | -8.16 | 53.24 | 3 | Vertical | 289.5 | 1.80 | - | 33.65 | 5.83 | 32.68 |
| PK | 5.7236G | 122.59 | Inf | -Inf | 115.28 | 3 | Vertical | 289.5 | 1.80 | - | 34.09 | 5.96 | 32.74 |
| AV | 5.7224G | 110.96 | Inf | -Inf | 103.65 | 3 | Vertical | 289.5 | 1.80 | - | 34.09 | 5.96 | 32.74 |
| PK | 5.8844G | 62.19 | 68.20 | -6.01 | 54.19 | 3 | Vertical | 289.5 | 1.80 | - | 34.71 | 6.08 | 32.79 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4584G | 59.92 | 74.00 | -14.08 | 53.14 | 3 | Horizontal | 339 | 2.38 | - | 33.63 | 5.83 | 32.68 |
| AV | 5.4512G | 47.88 | 54.00 | -6.12 | 41.14 | 3 | Horizontal | 339 | 2.38 | - | 33.60 | 5.83 | 32.69 |
| PK | 5.4692G | 59.67 | 68.20 | -8.53 | 52.84 | 3 | Horizontal | 339 | 2.38 | - | 33.68 | 5.83 | 32.68 |
| PK | 5.7152G | 114.42 | Inf | -Inf | 107.14 | 3 | Horizontal | 339 | 2.38 | - | 34.06 | 5.96 | 32.74 |
| AV | 5.7128G | 103.25 | Inf | -Inf | 95.98 | 3 | Horizontal | 339 | 2.38 | - | 34.05 | 5.96 | 32.74 |
| PK | 5.9204G | 61.79 | 68.20 | -6.41 | 53.59 | 3 | Horizontal | 339 | 2.38 | - | 34.88 | 6.12 | 32.80 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5720MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43878G | 56.80 | 74.00 | -17.20 | 42.31 | 3 | Vertical | 46 | 2.17 | - | 39.20 | 9.32 | 34.03 |
| AV | 11.43746G | 43.55 | 54.00 | -10.45 | 29.06 | 3 | Vertical | 46 | 2.17 | - | 39.20 | 9.32 | 34.03 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5720MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.44088G | 57.00 | 74.00 | -17.00 | 42.52 | 3 | Horizontal | 346 | 2.97 | - | 39.20 | 9.32 | 34.04 |
| AV | 11.43616G | 43.53 | 54.00 | -10.47 | 29.04 | 3 | Horizontal | 346 | 2.97 | - | 39.20 | 9.32 | 34.03 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.641G | 68.19 | 68.20 | -0.01 | 61.09 | 3 | Vertical | 108 | 1.80 | - | 33.90 | 5.92 | 32.72 |
| PK | 5.738G | 127.14 | Inf | -Inf | 119.77 | 3 | Vertical | 108 | 1.80 | - | 34.15 | 5.97 | 32.75 |
| AV | 5.747G | 115.62 | Inf | -Inf | 108.21 | 3 | Vertical | 108 | 1.80 | - | 34.19 | 5.97 | 32.75 |
| PK | 5.991G | 62.17 | 68.20 | -6.03 | 53.65 | 3 | Vertical | 108 | 1.80 | - | 35.16 | 6.19 | 32.83 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.626G | 62.28 | 68.20 | -5.92 | 55.18 | 3 | Horizontal | 26 | 2.36 | - | 33.90 | 5.91 | 32.71 |
| PK | 5.744G | 121.73 | Inf | -Inf | 114.33 | 3 | Horizontal | 26 | 2.36 | - | 34.18 | 5.97 | 32.75 |
| AV | 5.741G | 109.53 | Inf | -Inf | 102.15 | 3 | Horizontal | 26 | 2.36 | - | 34.16 | 5.97 | 32.75 |
| PK | 5.931G | 61.87 | 68.20 | -6.33 | 53.63 | 3 | Horizontal | 26 | 2.36 | - | 34.92 | 6.13 | 32.81 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.4865G | 56.60 | 74.00 | -17.40 | 42.12 | 3 | Vertical | 236 | 2.28 | - | 39.20 | 9.34 | 34.06 |
| AV | 11.49038G | 42.95 | 54.00 | -11.05 | 28.46 | 3 | Vertical | 236 | 2.28 | - | 39.20 | 9.35 | 34.06 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.49206G | 56.40 | 74.00 | -17.60 | 41.92 | 3 | Horizontal | 252 | 1.73 | - | 39.20 | 9.35 | 34.07 |
| AV | 11.49474G | 42.90 | 54.00 | -11.10 | 28.42 | 3 | Horizontal | 252 | 1.73 | - | 39.20 | 9.35 | 34.07 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.621G | 60.63 | 68.20 | -7.57 | 53.53 | 3 | Vertical | -0 | 2.12 | - | 33.90 | 5.91 | 32.71 |
| PK | 5.79G | 118.34 | Inf | -Inf | 110.90 | 3 | Vertical | -0 | 2.12 | - | 34.20 | 6.00 | 32.76 |
| AV | 5.79G | 106.66 | Inf | -Inf | 99.22 | 3 | Vertical | -0 | 2.12 | - | 34.20 | 6.00 | 32.76 |
| PK | 5.947G | 62.20 | 68.20 | -6.00 | 53.87 | 3 | Vertical | -0 | 2.12 | - | 34.99 | 6.15 | 32.81 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.581G | 61.03 | 68.20 | -7.17 | 53.98 | 3 | Horizontal | 26 | 2.12 | - | 33.86 | 5.89 | 32.70 |
| PK | 5.784G | 120.59 | Inf | -Inf | 113.16 | 3 | Horizontal | 26 | 2.12 | - | 34.20 | 5.99 | 32.76 |
| AV | 5.783G | 108.35 | Inf | -Inf | 100.92 | 3 | Horizontal | 26 | 2.12 | - | 34.20 | 5.99 | 32.76 |
| PK | 5.933G | 61.89 | 68.20 | -6.31 | 53.64 | 3 | Horizontal | 26 | 2.12 | - | 34.93 | 6.13 | 32.81 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.56748G | 56.00 | 74.00 | -18.00 | 41.60 | 3 | Vertical | 160 | 2.74 | - | 39.13 | 9.38 | 34.11 |
| AV | 11.57394G | 43.07 | 54.00 | -10.93 | 28.67 | 3 | Vertical | 160 | 2.74 | - | 39.13 | 9.39 | 34.12 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.56586G | 56.02 | 74.00 | -17.98 | 41.62 | 3 | Horizontal | 169 | 2.24 | - | 39.13 | 9.38 | 34.11 |
| AV | 11.57492G | 42.96 | 54.00 | -11.04 | 28.56 | 3 | Horizontal | 169 | 2.24 | - | 39.13 | 9.39 | 34.12 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.586G | 61.76 | 68.20 | -6.44 | 54.70 | 3 | Vertical | 273.4 | 1.80 | - | 33.87 | 5.89 | 32.70 |
| PK | 5.831G | 124.22 | Inf | -Inf | 116.58 | 3 | Vertical | 273.4 | 1.80 | - | 34.39 | 6.03 | 32.78 |
| AV | 5.832G | 112.92 | Inf | -Inf | 105.28 | 3 | Vertical | 273.4 | 1.80 | - | 34.39 | 6.03 | 32.78 |
| PK | 6.046G | 62.31 | 68.20 | -5.89 | 53.58 | 3 | Vertical | 273.4 | 1.80 | - | 35.38 | 6.20 | 32.85 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.597G | 60.38 | 68.20 | -7.82 | 53.29 | 3 | Horizontal | 20 | 2.21 | - | 33.89 | 5.90 | 32.70 |
| PK | 5.824G | 120.38 | Inf | -Inf | 112.79 | 3 | Horizontal | 20 | 2.21 | - | 34.34 | 6.02 | 32.77 |
| AV | 5.823G | 108.29 | Inf | -Inf | 100.70 | 3 | Horizontal | 20 | 2.21 | - | 34.34 | 6.02 | 32.77 |
| PK | 5.981G | 62.33 | 68.20 | -5.87 | 53.85 | 3 | Horizontal | 20 | 2.21 | - | 35.12 | 6.18 | 32.82 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.65436G | 56.16 | 74.00 | -17.84 | 41.85 | 3 | Vertical | 192 | 2.16 | - | 39.05 | 9.43 | 34.17 |
| AV | 11.65332G | 42.51 | 54.00 | -11.49 | 28.20 | 3 | Vertical | 192 | 2.16 | - | 39.05 | 9.43 | 34.17 |

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.65366G | 56.03 | 74.00 | -17.97 | 41.72 | 3 | Horizontal | 353 | 1.60 | - | 39.05 | 9.43 | 34.17 |
| AV | 11.64774G | 42.58 | 54.00 | -11.42 | 28.27 | 3 | Horizontal | 353 | 1.60 | - | 39.05 | 9.42 | 34.16 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 23
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1452G | 65.37 | 74.00 | -8.63 | 59.72 | 3 | Vertical | 323 | 1.76 | - | 32.80 | 5.65 | 32.80 |
| AV | 5.1492G | 52.88 | 54.00 | -1.12 | 47.23 | 3 | Vertical | 323 | 1.76 | - | 32.80 | 5.65 | 32.80 |
| PK | 5.182G | 121.74 | Inf | -Inf | 115.98 | 3 | Vertical | 323 | 1.76 | - | 32.86 | 5.68 | 32.78 |
| AV | 5.184G | 110.09 | Inf | -Inf | 104.32 | 3 | Vertical | 323 | 1.76 | - | 32.87 | 5.68 | 32.78 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 23
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 59.63 | 74.00 | -14.37 | 53.98 | 3 | Horizontal | 319.6 | 1.80 | - | 32.80 | 5.65 | 32.80 |
| AV | 5.1496G | 47.45 | 54.00 | -6.55 | 41.80 | 3 | Horizontal | 319.6 | 1.80 | - | 32.80 | 5.65 | 32.80 |
| PK | 5.1924G | 112.80 | Inf | -Inf | 107.01 | 3 | Horizontal | 319.6 | 1.80 | - | 32.88 | 5.69 | 32.78 |
| AV | 5.1956G | 100.47 | Inf | -Inf | 94.66 | 3 | Horizontal | 319.6 | 1.80 | - | 32.89 | 5.70 | 32.78 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 23
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.56688G | 60.78 | 74.00 | -13.22 | 44.90 | 3 | Vertical | 66 | 1.95 | - | 38.40 | 11.78 | 34.30 |
| AV | 15.57386G | 48.13 | 54.00 | -5.87 | 32.28 | 3 | Vertical | 66 | 1.95 | - | 38.38 | 11.78 | 34.31 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 23
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.56778G | 61.14 | 74.00 | -12.86 | 45.26 | 3 | Horizontal | 115 | 2.36 | - | 38.40 | 11.78 | 34.30 |
| AV | 15.57002G | 47.95 | 54.00 | -6.05 | 32.08 | 3 | Horizontal | 115 | 2.36 | - | 38.39 | 11.78 | 34.30 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1348G | 64.74 | 74.00 | -9.26 | 59.11 | 3 | Vertical | 87 | 2.26 | - | 32.80 | 5.63 | 32.80 |
| AV | 5.1424G | 50.08 | 54.00 | -3.92 | 44.44 | 3 | Vertical | 87 | 2.26 | - | 32.80 | 5.64 | 32.80 |
| PK | 5.2364G | 128.54 | Inf | -Inf | 122.68 | 3 | Vertical | 87 | 2.26 | - | 32.90 | 5.72 | 32.76 |
| AV | 5.2336G | 115.29 | Inf | -Inf | 109.44 | 3 | Vertical | 87 | 2.26 | - | 32.90 | 5.72 | 32.77 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1456G | 64.33 | 74.00 | -9.67 | 58.68 | 3 | Horizontal | 308 | 2.16 | - | 32.80 | 5.65 | 32.80 |
| AV | 5.1332G | 48.02 | 54.00 | -5.98 | 42.39 | 3 | Horizontal | 308 | 2.16 | - | 32.80 | 5.63 | 32.80 |
| PK | 5.2312G | 120.16 | Inf | -Inf | 114.31 | 3 | Horizontal | 308 | 2.16 | - | 32.90 | 5.72 | 32.77 |
| AV | 5.2292G | 107.54 | Inf | -Inf | 101.70 | 3 | Horizontal | 308 | 2.16 | - | 32.90 | 5.71 | 32.77 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.6878G | 60.71 | 74.00 | -13.29 | 44.74 | 3 | Vertical | 329 | 1.39 | - | 38.48 | 11.87 | 34.38 |
| AV | 15.68636G | 47.76 | 54.00 | -6.24 | 31.81 | 3 | Vertical | 329 | 1.39 | - | 38.47 | 11.86 | 34.38 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.69292G | 60.50 | 74.00 | -13.50 | 44.52 | 3 | Horizontal | 176 | 1.18 | - | 38.49 | 11.87 | 34.38 |
| AV | 15.6949G | 47.64 | 54.00 | -6.36 | 31.66 | 3 | Horizontal | 176 | 1.18 | - | 38.49 | 11.87 | 34.38 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2796G | 122.07 | Inf | -Inf | 116.12 | 3 | Vertical | 326 | 1.80 | - | 32.96 | 5.74 | 32.75 |
| AV | 5.2776G | 109.39 | Inf | -Inf | 103.44 | 3 | Vertical | 326 | 1.80 | - | 32.96 | 5.74 | 32.75 |
| PK | 5.3696G | 59.59 | 74.00 | -14.41 | 53.37 | 3 | Vertical | 326 | 1.80 | - | 33.16 | 5.78 | 32.72 |
| AV | 5.3692G | 47.70 | 54.00 | -6.30 | 41.49 | 3 | Vertical | 326 | 1.80 | - | 33.15 | 5.78 | 32.72 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.268G | 112.57 | Inf | -Inf | 106.65 | 3 | Horizontal | 316 | 3.00 | - | 32.94 | 5.73 | 32.75 |
| AV | 5.2668G | 99.72 | Inf | -Inf | 93.81 | 3 | Horizontal | 316 | 3.00 | - | 32.93 | 5.73 | 32.75 |
| PK | 5.3664G | 59.06 | 74.00 | -14.94 | 52.87 | 3 | Horizontal | 316 | 3.00 | - | 33.13 | 5.78 | 32.72 |
| AV | 5.366G | 46.83 | 54.00 | -7.17 | 40.64 | 3 | Horizontal | 316 | 3.00 | - | 33.13 | 5.78 | 32.72 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.80742G | 61.89 | 74.00 | -12.11 | 45.88 | 3 | Vertical | 207 | 2.24 | - | 38.50 | 11.96 | 34.45 |
| AV | 15.80556G | 47.86 | 54.00 | -6.14 | 31.86 | 3 | Vertical | 207 | 2.24 | - | 38.50 | 11.95 | 34.45 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.80924G | 60.92 | 74.00 | -13.08 | 44.91 | 3 | Horizontal | 264 | 1.18 | - | 38.50 | 11.96 | 34.45 |
| AV | 15.8059G | 48.02 | 54.00 | -5.98 | 32.02 | 3 | Horizontal | 264 | 1.18 | - | 38.50 | 11.95 | 34.45 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.304G | 119.06 | Inf | -Inf | 113.05 | 3 | Vertical | 48 | 1.80 | - | 33.00 | 5.75 | 32.74 |
| AV | 5.3052G | 106.59 | Inf | -Inf | 100.58 | 3 | Vertical | 48 | 1.80 | - | 33.00 | 5.75 | 32.74 |
| PK | 5.3528G | 60.84 | 74.00 | -13.16 | 54.76 | 3 | Vertical | 48 | 1.80 | - | 33.02 | 5.78 | 32.72 |
| AV | 5.3988G | 48.25 | 54.00 | -5.75 | 41.77 | 3 | Vertical | 48 | 1.80 | - | 33.39 | 5.80 | 32.71 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2992G | 111.00 | Inf | -Inf | 104.99 | 3 | Horizontal | 320 | 3.00 | - | 33.00 | 5.75 | 32.74 |
| AV | 5.3012G | 98.33 | Inf | -Inf | 92.32 | 3 | Horizontal | 320 | 3.00 | - | 33.00 | 5.75 | 32.74 |
| PK | 5.404G | 60.68 | 74.00 | -13.32 | 54.16 | 3 | Horizontal | 320 | 3.00 | - | 33.42 | 5.80 | 32.70 |
| AV | 5.35G | 48.27 | 54.00 | -5.73 | 42.21 | 3 | Horizontal | 320 | 3.00 | - | 33.00 | 5.78 | 32.72 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.9273G | 61.07 | 74.00 | -12.93 | 45.04 | 3 | Vertical | 201 | 1.59 | - | 38.50 | 12.05 | 34.52 |
| AV | 15.93336G | 48.15 | 54.00 | -5.85 | 32.13 | 3 | Vertical | 201 | 1.59 | - | 38.50 | 12.05 | 34.53 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.92938G | 61.04 | 74.00 | -12.96 | 45.02 | 3 | Horizontal | 179 | 1.83 | - | 38.50 | 12.05 | 34.53 |
| AV | 15.93304G | 48.31 | 54.00 | -5.69 | 32.29 | 3 | Horizontal | 179 | 1.83 | - | 38.50 | 12.05 | 34.53 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4532G | 64.08 | 74.00 | -9.92 | 57.33 | 3 | Vertical | 102 | 1.80 | - | 33.61 | 5.83 | 32.69 |
| AV | 5.46G | 49.27 | 54.00 | -4.73 | 42.48 | 3 | Vertical | 102 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.4688G | 64.45 | 68.20 | -3.75 | 57.62 | 3 | Vertical | 102 | 1.80 | - | 33.68 | 5.83 | 32.68 |
| PK | 5.5072G | 122.68 | Inf | -Inf | 115.70 | 3 | Vertical | 102 | 1.80 | - | 33.80 | 5.85 | 32.67 |
| AV | 5.5092G | 109.87 | Inf | -Inf | 102.89 | 3 | Vertical | 102 | 1.80 | - | 33.80 | 5.85 | 32.67 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4332G | 60.87 | 74.00 | -13.13 | 54.21 | 3 | Horizontal | 120 | 1.88 | - | 33.53 | 5.82 | 32.69 |
| AV | 5.4136G | 47.50 | 54.00 | -6.50 | 40.94 | 3 | Horizontal | 120 | 1.88 | - | 33.45 | 5.81 | 32.70 |
| PK | 5.4636G | 60.55 | 68.20 | -7.65 | 53.75 | 3 | Horizontal | 120 | 1.88 | - | 33.65 | 5.83 | 32.68 |
| PK | 5.5236G | 108.41 | Inf | -Inf | 101.43 | 3 | Horizontal | 120 | 1.88 | - | 33.80 | 5.86 | 32.68 |
| AV | 5.524G | 96.84 | Inf | -Inf | 89.86 | 3 | Horizontal | 120 | 1.88 | - | 33.80 | 5.86 | 32.68 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.01988G | 56.32 | 74.00 | -17.68 | 41.80 | 3 | Vertical | 152 | 2.03 | - | 39.20 | 9.11 | 33.79 |
| AV | 11.01792G | 43.23 | 54.00 | -10.77 | 28.71 | 3 | Vertical | 152 | 2.03 | - | 39.20 | 9.11 | 33.79 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.0229G | 57.41 | 74.00 | -16.59 | 42.89 | 3 | Horizontal | 153 | 2.63 | - | 39.20 | 9.11 | 33.79 |
| AV | 11.0234G | 43.24 | 54.00 | -10.76 | 28.72 | 3 | Horizontal | 153 | 2.63 | - | 39.20 | 9.11 | 33.79 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4576G | 60.84 | 74.00 | -13.16 | 54.07 | 3 | Vertical | 273 | 1.73 | - | 33.63 | 5.83 | 32.69 |
| AV | 5.4544G | 48.56 | 54.00 | -5.44 | 41.80 | 3 | Vertical | 273 | 1.73 | - | 33.62 | 5.83 | 32.69 |
| PK | 5.464G | 60.98 | 68.20 | -7.22 | 54.17 | 3 | Vertical | 273 | 1.73 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.5448G | 121.56 | Inf | -Inf | 114.57 | 3 | Vertical | 273 | 1.73 | - | 33.80 | 5.87 | 32.68 |
| AV | 5.5448G | 108.02 | Inf | -Inf | 101.03 | 3 | Vertical | 273 | 1.73 | - | 33.80 | 5.87 | 32.68 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4544G | 59.74 | 74.00 | -14.26 | 52.98 | 3 | Horizontal | 316 | 2.50 | - | 33.62 | 5.83 | 32.69 |
| AV | 5.4568G | 47.46 | 54.00 | -6.54 | 40.69 | 3 | Horizontal | 316 | 2.50 | - | 33.63 | 5.83 | 32.69 |
| PK | 5.4624G | 59.36 | 68.20 | -8.84 | 52.56 | 3 | Horizontal | 316 | 2.50 | - | 33.65 | 5.83 | 32.68 |
| PK | 5.5512G | 111.32 | Inf | -Inf | 104.33 | 3 | Horizontal | 316 | 2.50 | - | 33.80 | 5.88 | 32.69 |
| AV | 5.5476G | 99.04 | Inf | -Inf | 92.06 | 3 | Horizontal | 316 | 2.50 | - | 33.80 | 5.87 | 32.69 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.09834G | 56.66 | 74.00 | -17.34 | 42.15 | 3 | Vertical | 10 | 2.15 | - | 39.20 | 9.15 | 33.84 |
| AV | 11.09662G | 43.19 | 54.00 | -10.81 | 28.68 | 3 | Vertical | 10 | 2.15 | - | 39.20 | 9.15 | 33.84 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.10488G | 57.04 | 74.00 | -16.96 | 42.53 | 3 | Horizontal | 156 | 2.03 | - | 39.20 | 9.15 | 33.84 |
| AV | 11.1001G | 43.32 | 54.00 | -10.68 | 28.81 | 3 | Horizontal | 156 | 2.03 | - | 39.20 | 9.15 | 33.84 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6744G | 120.32 | Inf | -Inf | 113.16 | 3 | Vertical | 25 | 1.80 | - | 33.95 | 5.94 | 32.73 |
| AV | 5.6752G | 107.43 | Inf | -Inf | 100.27 | 3 | Vertical | 25 | 1.80 | - | 33.95 | 5.94 | 32.73 |
| PK | 5.73G | 64.72 | 68.20 | -3.48 | 57.38 | 3 | Vertical | 25 | 1.80 | - | 34.12 | 5.96 | 32.74 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6596G | 108.50 | Inf | -Inf | 101.37 | 3 | Horizontal | 117 | 1.73 | - | 33.92 | 5.93 | 32.72 |
| AV | 5.6556G | 95.99 | Inf | -Inf | 88.87 | 3 | Horizontal | 117 | 1.73 | - | 33.91 | 5.93 | 32.72 |
| PK | 5.738G | 60.96 | 68.20 | -7.24 | 53.59 | 3 | Horizontal | 117 | 1.73 | - | 34.15 | 5.97 | 32.75 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.34258G | 57.72 | 74.00 | -16.28 | 43.17 | 3 | Vertical | 7 | 2.49 | - | 39.26 | 9.27 | 33.98 |
| AV | 11.34348G | 44.33 | 54.00 | -9.67 | 29.78 | 3 | Vertical | 7 | 2.49 | - | 39.26 | 9.27 | 33.98 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX


5670MHz_TnomVnom



EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.3387G | 57.77 | 74.00 | -16.23 | 43.22 | 3 | Horizontal | 142 | 2.88 | - | 39.26 | 9.27 | 33.98 |
| AV | 11.3438G | 44.39 | 54.00 | -9.61 | 29.84 | 3 | Horizontal | 142 | 2.88 | - | 39.26 | 9.27 | 33.98 |


802.11ax HEW40-BF_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4136G | 59.69 | 74.00 | -14.31 | 53.13 | 3 | Vertical | 215 | 1.80 | - | 33.45 | 5.81 | 32.70 |
| AV | 5.4328G | 47.65 | 54.00 | -6.35 | 40.99 | 3 | Vertical | 215 | 1.80 | - | 33.53 | 5.82 | 32.69 |
| PK | 5.4688G | 59.39 | 68.20 | -8.81 | 52.56 | 3 | Vertical | 215 | 1.80 | - | 33.68 | 5.83 | 32.68 |
| PK | 5.7028G | 118.11 | Inf | -Inf | 110.88 | 3 | Vertical | 215 | 1.80 | - | 34.01 | 5.95 | 32.73 |
| AV | 5.7004G | 106.53 | Inf | -Inf | 99.31 | 3 | Vertical | 215 | 1.80 | - | 34.00 | 5.95 | 32.73 |
| PK | 5.968G | 61.56 | 68.20 | -6.64 | 53.14 | 3 | Vertical | 215 | 1.80 | - | 35.07 | 6.17 | 32.82 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4568G | 59.43 | 74.00 | -14.57 | 52.66 | 3 | Horizontal | 122 | 1.99 | - | 33.63 | 5.83 | 32.69 |
| AV | 5.4196G | 47.29 | 54.00 | -6.71 | 40.70 | 3 | Horizontal | 122 | 1.99 | - | 33.48 | 5.81 | 32.70 |
| PK | 5.4676G | 58.99 | 68.20 | -9.21 | 52.17 | 3 | Horizontal | 122 | 1.99 | - | 33.67 | 5.83 | 32.68 |
| PK | 5.7004G | 108.77 | Inf | -Inf | 101.55 | 3 | Horizontal | 122 | 1.99 | - | 34.00 | 5.95 | 32.73 |
| AV | 5.6992G | 96.53 | Inf | -Inf | 89.31 | 3 | Horizontal | 122 | 1.99 | - | 34.00 | 5.95 | 32.73 |
| PK | 5.9368G | 61.48 | 68.20 | -6.72 | 53.20 | 3 | Horizontal | 122 | 1.99 | - | 34.95 | 6.14 | 32.81 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5710MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.41542G | 57.96 | 74.00 | -16.04 | 43.47 | 3 | Vertical | 218 | 2.21 | - | 39.20 | 9.31 | 34.02 |
| AV | 11.41556G | 44.16 | 54.00 | -9.84 | 29.67 | 3 | Vertical | 218 | 2.21 | - | 39.20 | 9.31 | 34.02 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5710MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.41968G | 57.55 | 74.00 | -16.45 | 43.06 | 3 | Horizontal | 119 | 1.87 | - | 39.20 | 9.31 | 34.02 |
| AV | 11.4197G | 44.14 | 54.00 | -9.86 | 29.65 | 3 | Horizontal | 119 | 1.87 | - | 39.20 | 9.31 | 34.02 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 64.57 | 68.20 | -3.63 | 57.47 | 3 | Vertical | 290 | 2.11 | - | 33.90 | 5.92 | 32.72 |
| PK | 5.746G | 125.79 | Inf | -Inf | 118.39 | 3 | Vertical | 290 | 2.11 | - | 34.18 | 5.97 | 32.75 |
| AV | 5.745G | 114.11 | Inf | -Inf | 106.71 | 3 | Vertical | 290 | 2.11 | - | 34.18 | 5.97 | 32.75 |
| PK | 5.966G | 61.92 | 68.20 | -6.28 | 53.51 | 3 | Vertical | 290 | 2.11 | - | 35.06 | 6.17 | 32.82 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.555G | 61.78 | 68.20 | -6.42 | 54.78 | 3 | Horizontal | 310 | 2.70 | - | 33.81 | 5.88 | 32.69 |
| PK | 5.76G | 110.95 | Inf | -Inf | 103.52 | 3 | Horizontal | 310 | 2.70 | - | 34.20 | 5.98 | 32.75 |
| AV | 5.738G | 100.69 | Inf | -Inf | 93.32 | 3 | Horizontal | 310 | 2.70 | - | 34.15 | 5.97 | 32.75 |
| PK | 5.972G | 61.38 | 68.20 | -6.82 | 52.94 | 3 | Horizontal | 310 | 2.70 | - | 35.09 | 6.17 | 32.82 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.5065G | 56.92 | 74.00 | -17.08 | 42.45 | 3 | Vertical | 263 | 2.72 | - | 39.19 | 9.35 | 34.07 |
| AV | 11.511G | 43.12 | 54.00 | -10.88 | 28.65 | 3 | Vertical | 263 | 2.72 | - | 39.19 | 9.36 | 34.08 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.51096G | 56.35 | 74.00 | -17.65 | 41.88 | 3 | Horizontal | 239 | 2.24 | - | 39.19 | 9.36 | 34.08 |
| AV | 11.5145G | 43.36 | 54.00 | -10.64 | 28.89 | 3 | Horizontal | 239 | 2.24 | - | 39.19 | 9.36 | 34.08 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.595G | 63.16 | 68.20 | -5.04 | 56.07 | 3 | Vertical | 134.7 | 1.80 | - | 33.89 | 5.90 | 32.70 |
| PK | 5.792G | 123.55 | Inf | -Inf | 116.11 | 3 | Vertical | 134.7 | 1.80 | - | 34.20 | 6.00 | 32.76 |
| AV | 5.786G | 111.51 | Inf | -Inf | 104.08 | 3 | Vertical | 134.7 | 1.80 | - | 34.20 | 5.99 | 32.76 |
| PK | 5.948G | 62.16 | 68.20 | -6.04 | 53.83 | 3 | Vertical | 134.7 | 1.80 | - | 34.99 | 6.15 | 32.81 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.591G | 61.07 | 68.20 | -7.13 | 53.99 | 3 | Horizontal | 293.5 | 2.73 | - | 33.88 | 5.90 | 32.70 |
| PK | 5.807G | 117.95 | Inf | -Inf | 110.47 | 3 | Horizontal | 293.5 | 2.73 | - | 34.24 | 6.01 | 32.77 |
| AV | 5.802G | 105.19 | Inf | -Inf | 97.75 | 3 | Horizontal | 293.5 | 2.73 | - | 34.21 | 6.00 | 32.77 |
| PK | 6.034G | 61.55 | 68.20 | -6.65 | 52.85 | 3 | Horizontal | 293.5 | 2.73 | - | 35.34 | 6.20 | 32.84 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.59368G | 56.55 | 74.00 | -17.45 | 42.17 | 3 | Vertical | 136 | 2.97 | - | 39.11 | 9.40 | 34.13 |
| AV | 11.59236G | 43.22 | 54.00 | -10.78 | 28.84 | 3 | Vertical | 136 | 2.97 | - | 39.11 | 9.40 | 34.13 |

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.58866G | 57.06 | 74.00 | -16.94 | 42.68 | 3 | Horizontal | 317 | 1.35 | - | 39.11 | 9.39 | 34.12 |
| AV | 11.58696G | 43.13 | 54.00 | -10.87 | 28.75 | 3 | Horizontal | 317 | 1.35 | - | 39.11 | 9.39 | 34.12 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
 Setting 24
 06-F-S-5-10
 new sample

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.145G | 65.59 | 74.00 | -8.41 | 60.83 | 3 | Vertical | 317.3 | 1.80 | - | 31.73 | 5.00 | 31.97 |
| AV | 5.148G | 53.57 | 54.00 | -0.43 | 48.84 | 3 | Vertical | 317.3 | 1.80 | - | 31.71 | 5.00 | 31.98 |
| PK | 5.178G | 116.54 | Inf | -Inf | 112.00 | 3 | Vertical | 317.3 | 1.80 | - | 31.53 | 5.00 | 31.99 |
| AV | 5.188G | 103.21 | Inf | -Inf | 98.73 | 3 | Vertical | 317.3 | 1.80 | - | 31.47 | 5.00 | 31.99 |
| PK | 5.431G | 58.16 | 74.00 | -15.84 | 53.77 | 3 | Vertical | 317.3 | 1.80 | - | 31.46 | 5.03 | 32.10 |
| AV | 5.413G | 46.14 | 54.00 | -7.86 | 41.79 | 3 | Vertical | 317.3 | 1.80 | - | 31.43 | 5.01 | 32.09 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
 Setting 24
 06-F-S-5-10
 new sample

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.09G | 60.92 | 74.00 | -13.08 | 55.97 | 3 | Horizontal | 0 | 1.88 | - | 31.90 | 5.00 | 31.95 |
| AV | 5.146G | 47.48 | 54.00 | -6.52 | 42.73 | 3 | Horizontal | 0 | 1.88 | - | 31.72 | 5.00 | 31.97 |
| PK | 5.186G | 110.15 | Inf | -Inf | 105.66 | 3 | Horizontal | 0 | 1.88 | - | 31.48 | 5.00 | 31.99 |
| AV | 5.203G | 95.96 | Inf | -Inf | 91.58 | 3 | Horizontal | 0 | 1.88 | - | 31.38 | 5.00 | 32.00 |
| PK | 5.417G | 57.33 | 74.00 | -16.67 | 52.97 | 3 | Horizontal | 0 | 1.88 | - | 31.43 | 5.02 | 32.09 |
| AV | 5.433G | 44.57 | 54.00 | -9.43 | 40.17 | 3 | Horizontal | 0 | 1.88 | - | 31.47 | 5.03 | 32.10 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.63152G | 60.70 | 74.00 | -13.30 | 44.86 | 3 | Vertical | 52 | 1.09 | - | 38.36 | 11.82 | 34.34 |
| AV | 15.6256G | 47.37 | 54.00 | -6.63 | 31.54 | 3 | Vertical | 52 | 1.09 | - | 38.35 | 11.82 | 34.34 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.62574G | 60.69 | 74.00 | -13.31 | 44.86 | 3 | Horizontal | 215 | 1.34 | - | 38.35 | 11.82 | 34.34 |
| AV | 15.62564G | 47.40 | 54.00 | -6.60 | 31.57 | 3 | Horizontal | 215 | 1.34 | - | 38.35 | 11.82 | 34.34 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.084G | 59.06 | 74.00 | -14.94 | 53.50 | 3 | Vertical | 28.6 | 1.80 | - | 32.80 | 5.58 | 32.82 |
| AV | 5.13G | 46.78 | 54.00 | -7.22 | 41.15 | 3 | Vertical | 28.6 | 1.80 | - | 32.80 | 5.63 | 32.80 |
| PK | 5.277G | 117.43 | Inf | -Inf | 111.49 | 3 | Vertical | 28.6 | 1.80 | - | 32.95 | 5.74 | 32.75 |
| AV | 5.278G | 105.53 | Inf | -Inf | 99.58 | 3 | Vertical | 28.6 | 1.80 | - | 32.96 | 5.74 | 32.75 |
| PK | 5.352G | 67.07 | 74.00 | -6.93 | 60.99 | 3 | Vertical | 28.6 | 1.80 | - | 33.02 | 5.78 | 32.72 |
| AV | 5.352G | 51.53 | 54.00 | -2.47 | 45.45 | 3 | Vertical | 28.6 | 1.80 | - | 33.02 | 5.78 | 32.72 |
| PK | 5.521G | 60.83 | 68.20 | -7.37 | 53.85 | 3 | Vertical | 28.6 | 1.80 | - | 33.80 | 5.86 | 32.68 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.149G | 58.46 | 74.00 | -15.54 | 52.81 | 3 | Horizontal | 309.7 | 2.63 | - | 32.80 | 5.65 | 32.80 |
| AV | 5.138G | 46.27 | 54.00 | -7.73 | 40.63 | 3 | Horizontal | 309.7 | 2.63 | - | 32.80 | 5.64 | 32.80 |
| PK | 5.297G | 110.80 | Inf | -Inf | 104.80 | 3 | Horizontal | 309.7 | 2.63 | - | 32.99 | 5.75 | 32.74 |
| AV | 5.257G | 97.26 | Inf | -Inf | 91.38 | 3 | Horizontal | 309.7 | 2.63 | - | 32.91 | 5.73 | 32.76 |
| PK | 5.411G | 64.27 | 74.00 | -9.73 | 57.72 | 3 | Horizontal | 309.7 | 2.63 | - | 33.44 | 5.81 | 32.70 |
| AV | 5.382G | 48.67 | 54.00 | -5.33 | 42.33 | 3 | Horizontal | 309.7 | 2.63 | - | 33.26 | 5.79 | 32.71 |
| PK | 5.489G | 60.81 | 68.20 | -7.39 | 53.88 | 3 | Horizontal | 309.7 | 2.63 | - | 33.76 | 5.84 | 32.67 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.8684G | 61.84 | 74.00 | -12.16 | 45.83 | 3 | Vertical | 315 | 2.88 | - | 38.50 | 12.00 | 34.49 |
| AV | 15.87182G | 47.95 | 54.00 | -6.05 | 31.94 | 3 | Vertical | 315 | 2.88 | - | 38.50 | 12.00 | 34.49 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.8659G | 60.46 | 74.00 | -13.54 | 44.45 | 3 | Horizontal | 164 | 2.95 | - | 38.50 | 12.00 | 34.49 |
| AV | 15.86912G | 47.97 | 54.00 | -6.03 | 31.96 | 3 | Horizontal | 164 | 2.95 | - | 38.50 | 12.00 | 34.49 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT_Z_8TX
Setting 23
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.336G | 59.61 | 68.20 | -8.59 | 53.57 | 3 | Vertical | 216.5 | 1.80 | - | 33.00 | 5.77 | 32.73 |
| PK | 5.458G | 65.19 | 74.00 | -8.81 | 58.42 | 3 | Vertical | 216.5 | 1.80 | - | 33.63 | 5.83 | 32.69 |
| AV | 5.46G | 53.15 | 54.00 | -0.85 | 46.36 | 3 | Vertical | 216.5 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.47G | 66.51 | 68.20 | -1.69 | 59.68 | 3 | Vertical | 216.5 | 1.80 | - | 33.68 | 5.83 | 32.68 |
| PK | 5.52G | 117.29 | Inf | -Inf | 110.31 | 3 | Vertical | 216.5 | 1.80 | - | 33.80 | 5.86 | 32.68 |
| AV | 5.525G | 105.61 | Inf | -Inf | 98.63 | 3 | Vertical | 216.5 | 1.80 | - | 33.80 | 5.86 | 32.68 |
| PK | 5.754G | 61.08 | 68.20 | -7.12 | 53.65 | 3 | Vertical | 216.5 | 1.80 | - | 34.20 | 5.98 | 32.75 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT_Z_8TX
Setting 23
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.299G | 59.13 | 68.20 | -9.07 | 53.12 | 3 | Horizontal | 297.5 | 2.60 | - | 33.00 | 5.75 | 32.74 |
| PK | 5.409G | 62.85 | 74.00 | -11.15 | 56.31 | 3 | Horizontal | 297.5 | 2.60 | - | 33.44 | 5.80 | 32.70 |
| PK | 5.469G | 61.26 | 68.20 | -6.94 | 54.43 | 3 | Horizontal | 297.5 | 2.60 | - | 33.68 | 5.83 | 32.68 |
| AV | 5.459G | 47.86 | 54.00 | -6.14 | 41.07 | 3 | Horizontal | 297.5 | 2.60 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.536G | 109.65 | Inf | -Inf | 102.66 | 3 | Horizontal | 297.5 | 2.60 | - | 33.80 | 5.87 | 32.68 |
| AV | 5.525G | 97.47 | Inf | -Inf | 90.49 | 3 | Horizontal | 297.5 | 2.60 | - | 33.80 | 5.86 | 32.68 |
| PK | 5.737G | 61.38 | 68.20 | -6.82 | 54.01 | 3 | Horizontal | 297.5 | 2.60 | - | 34.15 | 5.97 | 32.75 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT Z_8TX
Setting 23
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.06366G | 56.58 | 74.00 | -17.42 | 42.07 | 3 | Vertical | 151 | 2.54 | - | 39.20 | 9.13 | 33.82 |
| AV | 11.0601G | 43.27 | 54.00 | -10.73 | 28.75 | 3 | Vertical | 151 | 2.54 | - | 39.20 | 9.13 | 33.81 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT Z_8TX
Setting 23
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.05796G | 56.66 | 74.00 | -17.34 | 42.14 | 3 | Horizontal | 317 | 2.98 | - | 39.20 | 9.13 | 33.81 |
| AV | 11.05964G | 43.30 | 54.00 | -10.70 | 28.78 | 3 | Horizontal | 317 | 2.98 | - | 39.20 | 9.13 | 33.81 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.429G | 59.99 | 74.00 | -14.01 | 53.36 | 3 | Vertical | 291.5 | 1.81 | - | 33.52 | 5.81 | 32.70 |
| AV | 5.43G | 47.80 | 54.00 | -6.20 | 41.17 | 3 | Vertical | 291.5 | 1.81 | - | 33.52 | 5.81 | 32.70 |
| PK | 5.467G | 59.52 | 68.20 | -8.68 | 52.70 | 3 | Vertical | 291.5 | 1.81 | - | 33.67 | 5.83 | 32.68 |
| PK | 5.606G | 117.47 | Inf | -Inf | 110.37 | 3 | Vertical | 291.5 | 1.81 | - | 33.90 | 5.90 | 32.70 |
| AV | 5.605G | 104.84 | Inf | -Inf | 97.74 | 3 | Vertical | 291.5 | 1.81 | - | 33.90 | 5.90 | 32.70 |
| PK | 5.738G | 61.09 | 68.20 | -7.11 | 53.72 | 3 | Vertical | 291.5 | 1.81 | - | 34.15 | 5.97 | 32.75 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.42G | 60.00 | 74.00 | -14.00 | 53.41 | 3 | Horizontal | 336.9 | 2.68 | - | 33.48 | 5.81 | 32.70 |
| AV | 5.406G | 47.36 | 54.00 | -6.64 | 40.84 | 3 | Horizontal | 336.9 | 2.68 | - | 33.42 | 5.80 | 32.70 |
| PK | 5.466G | 59.83 | 68.20 | -8.37 | 53.02 | 3 | Horizontal | 336.9 | 2.68 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.614G | 108.23 | Inf | -Inf | 101.13 | 3 | Horizontal | 336.9 | 2.68 | - | 33.90 | 5.91 | 32.71 |
| AV | 5.585G | 96.35 | Inf | -Inf | 89.29 | 3 | Horizontal | 336.9 | 2.68 | - | 33.87 | 5.89 | 32.70 |
| PK | 5.73G | 62.40 | 68.20 | -5.80 | 55.06 | 3 | Horizontal | 336.9 | 2.68 | - | 34.12 | 5.96 | 32.74 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.2155G | 56.98 | 74.00 | -17.02 | 42.54 | 3 | Vertical | 54 | 1.52 | - | 39.13 | 9.21 | 33.90 |
| AV | 11.221G | 43.75 | 54.00 | -10.25 | 29.31 | 3 | Vertical | 54 | 1.52 | - | 39.14 | 9.21 | 33.91 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX


5610MHz_TnomVnom



EUT Z_8TX
Setting 24
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.21896G | 57.51 | 74.00 | -16.49 | 43.07 | 3 | Horizontal | 26 | 1.93 | - | 39.14 | 9.21 | 33.91 |
| AV | 11.22184G | 43.83 | 54.00 | -10.17 | 29.39 | 3 | Horizontal | 26 | 1.93 | - | 39.14 | 9.21 | 33.91 |


802.11ax HEW80-BF_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4188G | 60.70 | 74.00 | -13.30 | 54.11 | 3 | Vertical | 336.2 | 1.80 | - | 33.48 | 5.81 | 32.70 |
| AV | 5.4284G | 47.72 | 54.00 | -6.28 | 41.10 | 3 | Vertical | 336.2 | 1.80 | - | 33.51 | 5.81 | 32.70 |
| PK | 5.4608G | 59.41 | 68.20 | -8.79 | 52.62 | 3 | Vertical | 336.2 | 1.80 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.6828G | 116.04 | Inf | -Inf | 108.86 | 3 | Vertical | 336.2 | 1.80 | - | 33.97 | 5.94 | 32.73 |
| AV | 5.6576G | 103.93 | Inf | -Inf | 96.80 | 3 | Vertical | 336.2 | 1.80 | - | 33.92 | 5.93 | 32.72 |
| PK | 5.99G | 61.74 | 68.20 | -6.46 | 53.22 | 3 | Vertical | 336.2 | 1.80 | - | 35.16 | 6.19 | 32.83 |


802.11ax HEW80-BF_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 24
 04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.438G | 59.66 | 74.00 | -14.34 | 52.98 | 3 | Horizontal | 288.4 | 2.74 | - | 33.55 | 5.82 | 32.69 |
| AV | 5.4068G | 47.32 | 54.00 | -6.68 | 40.79 | 3 | Horizontal | 288.4 | 2.74 | - | 33.43 | 5.80 | 32.70 |
| PK | 5.47G | 58.89 | 68.20 | -9.31 | 52.06 | 3 | Horizontal | 288.4 | 2.74 | - | 33.68 | 5.83 | 32.68 |
| PK | 5.714G | 107.62 | Inf | -Inf | 100.34 | 3 | Horizontal | 288.4 | 2.74 | - | 34.06 | 5.96 | 32.74 |
| AV | 5.7056G | 95.26 | Inf | -Inf | 88.03 | 3 | Horizontal | 288.4 | 2.74 | - | 34.02 | 5.95 | 32.74 |
| PK | 5.8952G | 61.81 | 68.20 | -6.39 | 53.74 | 3 | Horizontal | 288.4 | 2.74 | - | 34.77 | 6.10 | 32.80 |


802.11ax HEW80-BF_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.38316G | 57.55 | 74.00 | -16.45 | 43.04 | 3 | Vertical | 6 | 2.46 | - | 39.22 | 9.29 | 34.00 |
| AV | 11.37754G | 44.46 | 54.00 | -9.54 | 29.95 | 3 | Vertical | 6 | 2.46 | - | 39.22 | 9.29 | 34.00 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 24
 04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.3823G | 58.09 | 74.00 | -15.91 | 43.58 | 3 | Horizontal | 290 | 2.76 | - | 39.22 | 9.29 | 34.00 |
| AV | 11.37602G | 44.38 | 54.00 | -9.62 | 29.87 | 3 | Horizontal | 290 | 2.76 | - | 39.22 | 9.29 | 34.00 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.639G | 67.00 | 68.20 | -1.20 | 59.89 | 3 | Vertical | 359.4 | 1.85 | - | 33.90 | 5.92 | 32.71 |
| PK | 5.78G | 122.80 | Inf | -Inf | 115.37 | 3 | Vertical | 359.4 | 1.85 | - | 34.20 | 5.99 | 32.76 |
| AV | 5.777G | 109.94 | Inf | -Inf | 102.51 | 3 | Vertical | 359.4 | 1.85 | - | 34.20 | 5.99 | 32.76 |
| PK | 5.925G | 64.30 | 68.20 | -3.90 | 56.08 | 3 | Vertical | 359.4 | 1.85 | - | 34.90 | 6.13 | 32.81 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.655G | 66.78 | 71.90 | -5.12 | 59.66 | 3 | Horizontal | 209.6 | 2.48 | - | 33.91 | 5.93 | 32.72 |
| PK | 5.78G | 111.52 | Inf | -Inf | 104.09 | 3 | Horizontal | 209.6 | 2.48 | - | 34.20 | 5.99 | 32.76 |
| AV | 5.749G | 100.92 | Inf | -Inf | 93.50 | 3 | Horizontal | 209.6 | 2.48 | - | 34.20 | 5.97 | 32.75 |
| PK | 5.942G | 61.55 | 68.20 | -6.65 | 53.25 | 3 | Horizontal | 209.6 | 2.48 | - | 34.97 | 6.14 | 32.81 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.55034G | 56.61 | 74.00 | -17.39 | 42.18 | 3 | Vertical | 155 | 1.67 | - | 39.15 | 9.38 | 34.10 |
| AV | 11.5484G | 43.30 | 54.00 | -10.70 | 28.88 | 3 | Vertical | 155 | 1.67 | - | 39.15 | 9.37 | 34.10 |

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_TnomVnom



EUT Z_8TX
Setting 30
04-E-K-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.55326G | 56.96 | 74.00 | -17.04 | 42.53 | 3 | Horizontal | 138 | 2.49 | - | 39.15 | 9.38 | 34.10 |
| AV | 11.54998G | 43.32 | 54.00 | -10.68 | 28.90 | 3 | Horizontal | 138 | 2.49 | - | 39.15 | 9.37 | 34.10 |




For 8T2S beamforming mode
Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW40-BF_Nss2,(MCS0)_8TX | Pass | AV | 5.15G | 53.96 | 54.00 | -0.04 | 3 | Vertical | 0 | 1.91 | - |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 29
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 65.29 | 74.00 | -8.71 | 60.46 | 3 | Vertical | 314 | 1.96 | - | 31.81 | 5.00 | 31.98 |
| AV | 5.1496G | 53.31 | 54.00 | -0.69 | 48.49 | 3 | Vertical | 314 | 1.96 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.1776G | 126.91 | Inf | -Inf | 122.21 | 3 | Vertical | 314 | 1.96 | - | 31.69 | 5.00 | 31.99 |
| AV | 5.1768G | 113.67 | Inf | -Inf | 108.97 | 3 | Vertical | 314 | 1.96 | - | 31.69 | 5.00 | 31.99 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 29
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.144G | 58.21 | 74.00 | -15.79 | 53.36 | 3 | Horizontal | 65 | 1.80 | - | 31.82 | 5.00 | 31.97 |
| AV | 5.15G | 46.27 | 54.00 | -7.73 | 41.45 | 3 | Horizontal | 65 | 1.80 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.1836G | 115.86 | Inf | -Inf | 111.18 | 3 | Horizontal | 65 | 1.80 | - | 31.67 | 5.00 | 31.99 |
| AV | 5.184G | 103.07 | Inf | -Inf | 98.40 | 3 | Horizontal | 65 | 1.80 | - | 31.66 | 5.00 | 31.99 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 29
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.53244G | 59.39 | 74.00 | -14.61 | 45.31 | 3 | Vertical | 307 | 1.51 | - | 37.94 | 10.37 | 34.23 |
| AV | 15.52956G | 46.01 | 54.00 | -7.99 | 31.93 | 3 | Vertical | 307 | 1.51 | - | 37.95 | 10.36 | 34.23 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 29
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.52506G | 59.02 | 74.00 | -14.98 | 44.92 | 3 | Horizontal | 130 | 2.37 | - | 37.97 | 10.36 | 34.23 |
| AV | 15.52656G | 46.00 | 54.00 | -8.00 | 31.90 | 3 | Horizontal | 130 | 2.37 | - | 37.97 | 10.36 | 34.23 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 65.31 | 74.00 | -8.69 | 60.49 | 3 | Vertical | 360 | 1.80 | - | 31.80 | 5.00 | 31.98 |
| AV | 5.15G | 52.63 | 54.00 | -1.37 | 47.81 | 3 | Vertical | 360 | 1.80 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.206G | 128.09 | Inf | -Inf | 123.51 | 3 | Vertical | 360 | 1.80 | - | 31.58 | 5.00 | 32.00 |
| AV | 5.202G | 115.87 | Inf | -Inf | 111.28 | 3 | Vertical | 360 | 1.80 | - | 31.59 | 5.00 | 32.00 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 62.48 | 74.00 | -11.52 | 57.66 | 3 | Horizontal | 59 | 2.35 | - | 31.80 | 5.00 | 31.98 |
| AV | 5.15G | 49.52 | 54.00 | -4.48 | 44.70 | 3 | Horizontal | 59 | 2.35 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.1968G | 120.17 | Inf | -Inf | 115.56 | 3 | Horizontal | 59 | 2.35 | - | 31.61 | 5.00 | 32.00 |
| AV | 5.1956G | 108.33 | Inf | -Inf | 103.71 | 3 | Horizontal | 59 | 2.35 | - | 31.62 | 5.00 | 32.00 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.60798G | 58.81 | 74.00 | -15.19 | 45.07 | 3 | Vertical | 266 | 2.30 | - | 37.60 | 10.40 | 34.26 |
| AV | 15.5877G | 46.18 | 54.00 | -7.82 | 32.39 | 3 | Vertical | 266 | 2.30 | - | 37.66 | 10.39 | 34.26 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.59202G | 59.28 | 74.00 | -14.72 | 45.50 | 3 | Horizontal | 143 | 1.30 | - | 37.64 | 10.40 | 34.26 |
| AV | 15.58536G | 46.13 | 54.00 | -7.87 | 32.32 | 3 | Horizontal | 143 | 1.30 | - | 37.67 | 10.39 | 34.25 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.12G | 60.33 | 74.00 | -13.67 | 55.37 | 3 | Vertical | 305.9 | 1.83 | - | 31.92 | 5.00 | 31.96 |
| AV | 5.1424G | 48.31 | 54.00 | -5.69 | 43.45 | 3 | Vertical | 305.9 | 1.83 | - | 31.83 | 5.00 | 31.97 |
| PK | 5.2456G | 126.96 | Inf | -Inf | 122.56 | 3 | Vertical | 305.9 | 1.83 | - | 31.42 | 5.00 | 32.02 |
| AV | 5.2416G | 113.81 | Inf | -Inf | 109.40 | 3 | Vertical | 305.9 | 1.83 | - | 31.43 | 5.00 | 32.02 |
| PK | 5.4368G | 60.91 | 74.00 | -13.09 | 56.27 | 3 | Vertical | 305.9 | 1.83 | - | 31.70 | 5.04 | 32.10 |
| AV | 5.4288G | 48.21 | 54.00 | -5.79 | 43.58 | 3 | Vertical | 305.9 | 1.83 | - | 31.70 | 5.03 | 32.10 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.12G | 63.17 | 74.00 | -10.83 | 58.21 | 3 | Horizontal | 42 | 2.75 | - | 31.92 | 5.00 | 31.96 |
| AV | 5.088G | 47.26 | 54.00 | -6.74 | 42.23 | 3 | Horizontal | 42 | 2.75 | - | 31.98 | 5.00 | 31.95 |
| PK | 5.2368G | 118.29 | Inf | -Inf | 113.85 | 3 | Horizontal | 42 | 2.75 | - | 31.45 | 5.00 | 32.01 |
| AV | 5.2368G | 106.45 | Inf | -Inf | 102.01 | 3 | Horizontal | 42 | 2.75 | - | 31.45 | 5.00 | 32.01 |
| PK | 5.3608G | 65.26 | 74.00 | -8.74 | 60.94 | 3 | Horizontal | 42 | 2.75 | - | 31.39 | 5.00 | 32.07 |
| AV | 5.376G | 46.94 | 54.00 | -7.06 | 42.51 | 3 | Horizontal | 42 | 2.75 | - | 31.51 | 5.00 | 32.08 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.7179G | 58.56 | 74.00 | -15.44 | 44.86 | 3 | Vertical | 234 | 1.63 | - | 37.55 | 10.46 | 34.31 |
| AV | 15.71562G | 45.63 | 54.00 | -8.37 | 31.93 | 3 | Vertical | 234 | 1.63 | - | 37.55 | 10.46 | 34.31 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.71772G | 58.90 | 74.00 | -15.10 | 45.20 | 3 | Horizontal | 334 | 1.78 | - | 37.55 | 10.46 | 34.31 |
| AV | 15.7272G | 45.49 | 54.00 | -8.51 | 31.82 | 3 | Horizontal | 334 | 1.78 | - | 37.52 | 10.46 | 34.31 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1144G | 58.47 | 74.00 | -15.53 | 53.49 | 3 | Vertical | 77.4 | 1.83 | - | 31.94 | 5.00 | 31.96 |
| AV | 5.0752G | 45.92 | 54.00 | -8.08 | 40.91 | 3 | Vertical | 77.4 | 1.83 | - | 31.95 | 5.00 | 31.94 |
| PK | 5.2576G | 118.11 | Inf | -Inf | 113.75 | 3 | Vertical | 77.4 | 1.83 | - | 31.38 | 5.00 | 32.02 |
| AV | 5.2568G | 106.76 | Inf | -Inf | 102.39 | 3 | Vertical | 77.4 | 1.83 | - | 31.39 | 5.00 | 32.02 |
| PK | 5.364G | 59.02 | 74.00 | -14.98 | 54.68 | 3 | Vertical | 77.4 | 1.83 | - | 31.41 | 5.00 | 32.07 |
| AV | 5.4528G | 45.83 | 54.00 | -8.17 | 41.19 | 3 | Vertical | 77.4 | 1.83 | - | 31.70 | 5.05 | 32.11 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.0672G | 58.03 | 74.00 | -15.97 | 53.04 | 3 | Horizontal | 36 | 2.44 | - | 31.93 | 5.00 | 31.94 |
| AV | 5.0984G | 45.62 | 54.00 | -8.38 | 40.57 | 3 | Horizontal | 36 | 2.44 | - | 32.00 | 5.00 | 31.95 |
| PK | 5.2576G | 112.66 | Inf | -Inf | 108.30 | 3 | Horizontal | 36 | 2.44 | - | 31.38 | 5.00 | 32.02 |
| AV | 5.256G | 100.36 | Inf | -Inf | 95.99 | 3 | Horizontal | 36 | 2.44 | - | 31.39 | 5.00 | 32.02 |
| PK | 5.3792G | 58.32 | 74.00 | -15.68 | 53.87 | 3 | Horizontal | 36 | 2.44 | - | 31.53 | 5.00 | 32.08 |
| AV | 5.4536G | 45.24 | 54.00 | -8.76 | 40.60 | 3 | Horizontal | 36 | 2.44 | - | 31.70 | 5.05 | 32.11 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.76848G | 58.53 | 74.00 | -15.47 | 44.99 | 3 | Vertical | 179 | 1.50 | - | 37.39 | 10.48 | 34.33 |
| AV | 15.77148G | 45.73 | 54.00 | -8.27 | 32.18 | 3 | Vertical | 179 | 1.50 | - | 37.39 | 10.49 | 34.33 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.77736G | 58.58 | 74.00 | -15.42 | 45.05 | 3 | Horizontal | 25 | 1.22 | - | 37.37 | 10.49 | 34.33 |
| AV | 15.77664G | 45.62 | 54.00 | -8.38 | 32.09 | 3 | Horizontal | 25 | 1.22 | - | 37.37 | 10.49 | 34.33 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2952G | 119.11 | Inf | -Inf | 114.84 | 3 | Vertical | 360 | 1.80 | - | 31.31 | 5.00 | 32.04 |
| AV | 5.296G | 107.60 | Inf | -Inf | 103.33 | 3 | Vertical | 360 | 1.80 | - | 31.31 | 5.00 | 32.04 |
| PK | 5.3748G | 58.17 | 74.00 | -15.83 | 53.74 | 3 | Vertical | 360 | 1.80 | - | 31.50 | 5.00 | 32.07 |
| AV | 5.3904G | 45.87 | 54.00 | -8.13 | 41.33 | 3 | Vertical | 360 | 1.80 | - | 31.62 | 5.00 | 32.08 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3068G | 111.84 | Inf | -Inf | 107.58 | 3 | Horizontal | 57 | 2.68 | - | 31.30 | 5.00 | 32.04 |
| AV | 5.3072G | 100.17 | Inf | -Inf | 95.92 | 3 | Horizontal | 57 | 2.68 | - | 31.30 | 5.00 | 32.05 |
| PK | 5.3676G | 57.62 | 74.00 | -16.38 | 53.25 | 3 | Horizontal | 57 | 2.68 | - | 31.44 | 5.00 | 32.07 |
| AV | 5.3948G | 45.18 | 54.00 | -8.82 | 40.60 | 3 | Horizontal | 57 | 2.68 | - | 31.66 | 5.00 | 32.08 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.88734G | 58.08 | 74.00 | -15.92 | 44.78 | 3 | Vertical | 275 | 2.37 | - | 37.13 | 10.54 | 34.37 |
| AV | 15.89592G | 45.13 | 54.00 | -8.87 | 31.85 | 3 | Vertical | 275 | 2.37 | - | 37.11 | 10.55 | 34.38 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.8976G | 57.84 | 74.00 | -16.16 | 44.57 | 3 | Horizontal | 241 | 1.66 | - | 37.10 | 10.55 | 34.38 |
| AV | 15.91404G | 45.09 | 54.00 | -8.91 | 31.78 | 3 | Horizontal | 241 | 1.66 | - | 37.14 | 10.56 | 34.39 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3228G | 119.40 | Inf | -Inf | 115.15 | 3 | Vertical | 240 | 1.80 | - | 31.30 | 5.00 | 32.05 |
| AV | 5.3236G | 108.15 | Inf | -Inf | 103.90 | 3 | Vertical | 240 | 1.80 | - | 31.30 | 5.00 | 32.05 |
| PK | 5.4072G | 59.39 | 74.00 | -14.61 | 54.77 | 3 | Vertical | 240 | 1.80 | - | 31.70 | 5.01 | 32.09 |
| AV | 5.4124G | 46.26 | 54.00 | -7.74 | 41.64 | 3 | Vertical | 240 | 1.80 | - | 31.70 | 5.01 | 32.09 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3148G | 112.67 | Inf | -Inf | 108.42 | 3 | Horizontal | 29 | 2.74 | - | 31.30 | 5.00 | 32.05 |
| AV | 5.3164G | 100.12 | Inf | -Inf | 95.87 | 3 | Horizontal | 29 | 2.74 | - | 31.30 | 5.00 | 32.05 |
| PK | 5.386G | 57.86 | 74.00 | -16.14 | 53.35 | 3 | Horizontal | 29 | 2.74 | - | 31.59 | 5.00 | 32.08 |
| AV | 5.4192G | 45.34 | 54.00 | -8.66 | 40.71 | 3 | Horizontal | 29 | 2.74 | - | 31.70 | 5.02 | 32.09 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.95988G | 57.93 | 74.00 | -16.07 | 44.47 | 3 | Vertical | 270 | 1.64 | - | 37.28 | 10.58 | 34.40 |
| AV | 15.9675G | 45.54 | 54.00 | -8.46 | 32.07 | 3 | Vertical | 270 | 1.64 | - | 37.30 | 10.58 | 34.41 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.96096G | 58.11 | 74.00 | -15.89 | 44.65 | 3 | Horizontal | 270 | 2.00 | - | 37.28 | 10.58 | 34.40 |
| AV | 15.95622G | 45.41 | 54.00 | -8.59 | 31.96 | 3 | Horizontal | 270 | 2.00 | - | 37.27 | 10.58 | 34.40 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4564G | 59.40 | 74.00 | -14.60 | 54.75 | 3 | Vertical | 334 | 1.78 | - | 31.70 | 5.06 | 32.11 |
| AV | 5.4008G | 46.77 | 54.00 | -7.23 | 42.16 | 3 | Vertical | 334 | 1.78 | - | 31.70 | 5.00 | 32.09 |
| PK | 5.4684G | 58.40 | 68.20 | -9.80 | 53.75 | 3 | Vertical | 334 | 1.78 | - | 31.70 | 5.07 | 32.12 |
| PK | 5.4964G | 121.00 | Inf | -Inf | 116.33 | 3 | Vertical | 334 | 1.78 | - | 31.70 | 5.10 | 32.13 |
| AV | 5.5068G | 108.73 | Inf | -Inf | 104.06 | 3 | Vertical | 334 | 1.78 | - | 31.69 | 5.11 | 32.13 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4216G | 58.14 | 74.00 | -15.86 | 53.52 | 3 | Horizontal | 38 | 2.64 | - | 31.70 | 5.02 | 32.10 |
| AV | 5.408G | 45.56 | 54.00 | -8.44 | 40.94 | 3 | Horizontal | 38 | 2.64 | - | 31.70 | 5.01 | 32.09 |
| PK | 5.4676G | 57.61 | 68.20 | -10.59 | 52.96 | 3 | Horizontal | 38 | 2.64 | - | 31.70 | 5.07 | 32.12 |
| PK | 5.4992G | 112.18 | Inf | -Inf | 107.51 | 3 | Horizontal | 38 | 2.64 | - | 31.70 | 5.10 | 32.13 |
| AV | 5.4956G | 99.45 | Inf | -Inf | 94.78 | 3 | Horizontal | 38 | 2.64 | - | 31.70 | 5.10 | 32.13 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.99988G | 57.82 | 74.00 | -16.18 | 43.35 | 3 | Vertical | 108 | 2.11 | - | 40.60 | 8.10 | 34.23 |
| AV | 11G | 48.72 | 54.00 | -5.28 | 34.25 | 3 | Vertical | 108 | 2.11 | - | 40.60 | 8.10 | 34.23 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.00018G | 57.93 | 74.00 | -16.07 | 43.46 | 3 | Horizontal | 53 | 1.49 | - | 40.60 | 8.10 | 34.23 |
| AV | 11G | 48.24 | 54.00 | -5.76 | 33.77 | 3 | Horizontal | 53 | 1.49 | - | 40.60 | 8.10 | 34.23 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.448G | 58.68 | 74.00 | -15.32 | 54.04 | 3 | Vertical | 273 | 1.70 | - | 31.70 | 5.05 | 32.11 |
| AV | 5.4048G | 45.81 | 54.00 | -8.19 | 41.20 | 3 | Vertical | 273 | 1.70 | - | 31.70 | 5.00 | 32.09 |
| PK | 5.468G | 57.88 | 68.20 | -10.32 | 53.23 | 3 | Vertical | 273 | 1.70 | - | 31.70 | 5.07 | 32.12 |
| PK | 5.5752G | 119.91 | Inf | -Inf | 115.31 | 3 | Vertical | 273 | 1.70 | - | 31.60 | 5.18 | 32.18 |
| AV | 5.5768G | 108.35 | Inf | -Inf | 103.75 | 3 | Vertical | 273 | 1.70 | - | 31.60 | 5.18 | 32.18 |
| PK | 5.7344G | 58.28 | 68.20 | -9.92 | 53.41 | 3 | Vertical | 273 | 1.70 | - | 31.87 | 5.27 | 32.27 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4104G | 57.63 | 74.00 | -16.37 | 53.01 | 3 | Horizontal | 20.4 | 2.66 | - | 31.70 | 5.01 | 32.09 |
| AV | 5.4216G | 45.37 | 54.00 | -8.63 | 40.75 | 3 | Horizontal | 20.4 | 2.66 | - | 31.70 | 5.02 | 32.10 |
| PK | 5.4648G | 57.32 | 68.20 | -10.88 | 52.67 | 3 | Horizontal | 20.4 | 2.66 | - | 31.70 | 5.06 | 32.11 |
| PK | 5.5752G | 111.74 | Inf | -Inf | 107.14 | 3 | Horizontal | 20.4 | 2.66 | - | 31.60 | 5.18 | 32.18 |
| AV | 5.5744G | 100.14 | Inf | -Inf | 95.54 | 3 | Horizontal | 20.4 | 2.66 | - | 31.60 | 5.17 | 32.17 |
| PK | 5.7304G | 57.87 | 68.20 | -10.33 | 53.01 | 3 | Horizontal | 20.4 | 2.66 | - | 31.86 | 5.27 | 32.27 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.15988G | 56.95 | 74.00 | -17.05 | 42.97 | 3 | Vertical | 43 | 2.71 | - | 40.08 | 8.16 | 34.26 |
| AV | 11.16G | 48.56 | 54.00 | -5.44 | 34.58 | 3 | Vertical | 43 | 2.71 | - | 40.08 | 8.16 | 34.26 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.1678G | 55.74 | 74.00 | -18.26 | 41.77 | 3 | Horizontal | 144 | 1.72 | - | 40.06 | 8.17 | 34.26 |
| AV | 11.17344G | 43.28 | 54.00 | -10.72 | 29.32 | 3 | Horizontal | 144 | 1.72 | - | 40.05 | 8.17 | 34.26 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.7016G | 117.92 | Inf | -Inf | 113.12 | 3 | Vertical | 340 | 1.90 | - | 31.80 | 5.25 | 32.25 |
| AV | 5.7008G | 106.66 | Inf | -Inf | 101.86 | 3 | Vertical | 340 | 1.90 | - | 31.80 | 5.25 | 32.25 |
| PK | 5.8024G | 58.99 | 68.20 | -9.21 | 54.09 | 3 | Vertical | 340 | 1.90 | - | 31.91 | 5.30 | 32.31 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.696G | 109.68 | Inf | -Inf | 104.90 | 3 | Horizontal | 111 | 2.15 | - | 31.78 | 5.25 | 32.25 |
| AV | 5.6928G | 97.87 | Inf | -Inf | 93.10 | 3 | Horizontal | 111 | 2.15 | - | 31.77 | 5.25 | 32.25 |
| PK | 5.8296G | 58.19 | 68.20 | -10.01 | 53.17 | 3 | Horizontal | 111 | 2.15 | - | 32.02 | 5.33 | 32.33 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.38818G | 56.93 | 74.00 | -17.07 | 42.68 | 3 | Vertical | 102 | 1.48 | - | 40.28 | 8.26 | 34.29 |
| AV | 11.39994G | 45.13 | 54.00 | -8.87 | 30.86 | 3 | Vertical | 102 | 1.48 | - | 40.30 | 8.26 | 34.29 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX


5700MHz_TnomVnom



EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.39976G | 57.50 | 74.00 | -16.50 | 43.23 | 3 | Horizontal | 327 | 2.42 | - | 40.30 | 8.26 | 34.29 |
| AV | 11.39646G | 44.33 | 54.00 | -9.67 | 30.07 | 3 | Horizontal | 327 | 2.42 | - | 40.29 | 8.26 | 34.29 |


802.11ax HEW20-BF_Nss2,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.716G | 120.44 | Inf | -Inf | 115.61 | 3 | Vertical | 237 | 2.07 | - | 31.83 | 5.26 | 32.26 |
| AV | 5.718G | 108.46 | Inf | -Inf | 103.62 | 3 | Vertical | 237 | 2.07 | - | 31.84 | 5.26 | 32.26 |
| PK | 5.854G | 59.38 | 68.20 | -8.82 | 54.27 | 3 | Vertical | 237 | 2.07 | - | 32.10 | 5.35 | 32.34 |


802.11ax HEW20-BF_Nss2,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.722G | 113.22 | Inf | -Inf | 108.38 | 3 | Horizontal | 34.2 | 2.44 | - | 31.84 | 5.26 | 32.26 |
| AV | 5.722G | 100.69 | Inf | -Inf | 95.85 | 3 | Horizontal | 34.2 | 2.44 | - | 31.84 | 5.26 | 32.26 |
| PK | 5.865G | 58.55 | 68.20 | -9.65 | 53.44 | 3 | Horizontal | 34.2 | 2.44 | - | 32.10 | 5.36 | 32.35 |


802.11ax HEW20-BF_Nss2,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43994G | 58.76 | 74.00 | -15.24 | 44.48 | 3 | Vertical | 130 | 2.12 | - | 40.30 | 8.28 | 34.30 |
| AV | 11.43994G | 50.29 | 54.00 | -3.71 | 36.01 | 3 | Vertical | 130 | 2.12 | - | 40.30 | 8.28 | 34.30 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 24
 06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.4367G | 56.94 | 74.00 | -17.06 | 42.67 | 3 | Horizontal | 25 | 1.11 | - | 40.30 | 8.27 | 34.30 |
| AV | 11.43148G | 44.05 | 54.00 | -9.95 | 29.78 | 3 | Horizontal | 25 | 1.11 | - | 40.30 | 8.27 | 34.30 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.645G | 65.65 | 68.20 | -2.55 | 61.05 | 3 | Vertical | 228.4 | 1.75 | - | 31.60 | 5.22 | 32.22 |
| PK | 5.744G | 127.48 | Inf | -Inf | 122.60 | 3 | Vertical | 228.4 | 1.75 | - | 31.89 | 5.27 | 32.28 |
| AV | 5.741G | 114.36 | Inf | -Inf | 109.48 | 3 | Vertical | 228.4 | 1.75 | - | 31.88 | 5.27 | 32.27 |
| PK | 5.934G | 60.39 | 68.20 | -7.81 | 55.11 | 3 | Vertical | 228.4 | 1.75 | - | 32.24 | 5.43 | 32.39 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.54G | 58.26 | 68.20 | -9.94 | 53.65 | 3 | Horizontal | 62.4 | 2.71 | - | 31.62 | 5.14 | 32.15 |
| PK | 5.741G | 115.64 | Inf | -Inf | 110.76 | 3 | Horizontal | 62.4 | 2.71 | - | 31.88 | 5.27 | 32.27 |
| AV | 5.74G | 103.73 | Inf | -Inf | 98.85 | 3 | Horizontal | 62.4 | 2.71 | - | 31.88 | 5.27 | 32.27 |
| PK | 5.987G | 58.65 | 68.20 | -9.55 | 53.35 | 3 | Horizontal | 62.4 | 2.71 | - | 32.23 | 5.49 | 32.42 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.48994G | 58.09 | 74.00 | -15.91 | 43.80 | 3 | Vertical | 296 | 2.02 | - | 40.30 | 8.30 | 34.31 |
| AV | 11.49G | 48.79 | 54.00 | -5.21 | 34.50 | 3 | Vertical | 296 | 2.02 | - | 40.30 | 8.30 | 34.31 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.4843G | 56.44 | 74.00 | -17.56 | 42.16 | 3 | Horizontal | 122 | 2.73 | - | 40.30 | 8.29 | 34.31 |
| AV | 11.5023G | 43.53 | 54.00 | -10.47 | 29.25 | 3 | Horizontal | 122 | 2.73 | - | 40.29 | 8.30 | 34.31 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.586G | 61.96 | 68.20 | -6.24 | 57.35 | 3 | Vertical | 269 | 1.80 | - | 31.60 | 5.19 | 32.18 |
| PK | 5.79G | 124.85 | Inf | -Inf | 119.96 | 3 | Vertical | 269 | 1.80 | - | 31.90 | 5.29 | 32.30 |
| AV | 5.787G | 113.96 | Inf | -Inf | 109.07 | 3 | Vertical | 269 | 1.80 | - | 31.90 | 5.29 | 32.30 |
| PK | 5.972G | 59.85 | 68.20 | -8.35 | 54.53 | 3 | Vertical | 269 | 1.80 | - | 32.26 | 5.47 | 32.41 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.539G | 57.97 | 68.20 | -10.23 | 53.36 | 3 | Horizontal | 24 | 2.56 | - | 31.62 | 5.14 | 32.15 |
| PK | 5.782G | 118.09 | Inf | -Inf | 113.20 | 3 | Horizontal | 24 | 2.56 | - | 31.90 | 5.29 | 32.30 |
| AV | 5.788G | 106.74 | Inf | -Inf | 101.85 | 3 | Horizontal | 24 | 2.56 | - | 31.90 | 5.29 | 32.30 |
| PK | 6.034G | 58.12 | 68.20 | -10.08 | 52.72 | 3 | Horizontal | 24 | 2.56 | - | 32.34 | 5.50 | 32.44 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.56982G | 57.14 | 74.00 | -16.86 | 43.02 | 3 | Vertical | 157 | 2.36 | - | 40.09 | 8.33 | 34.30 |
| AV | 11.56994G | 48.82 | 54.00 | -5.18 | 34.70 | 3 | Vertical | 157 | 2.36 | - | 40.09 | 8.33 | 34.30 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.58062G | 56.63 | 74.00 | -17.37 | 42.54 | 3 | Horizontal | 312 | 2.51 | - | 40.06 | 8.33 | 34.30 |
| AV | 11.56622G | 42.87 | 54.00 | -11.13 | 28.74 | 3 | Horizontal | 312 | 2.51 | - | 40.10 | 8.33 | 34.30 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.628G | 60.29 | 68.20 | -7.91 | 55.69 | 3 | Vertical | 268.5 | 2.05 | - | 31.60 | 5.21 | 32.21 |
| PK | 5.823G | 124.89 | Inf | -Inf | 119.90 | 3 | Vertical | 268.5 | 2.05 | - | 31.99 | 5.32 | 32.32 |
| AV | 5.823G | 112.70 | Inf | -Inf | 107.71 | 3 | Vertical | 268.5 | 2.05 | - | 31.99 | 5.32 | 32.32 |
| PK | 5.927G | 60.34 | 68.20 | -7.86 | 55.09 | 3 | Vertical | 268.5 | 2.05 | - | 32.21 | 5.43 | 32.39 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.624G | 57.82 | 68.20 | -10.38 | 53.21 | 3 | Horizontal | 78 | 1.80 | - | 31.60 | 5.21 | 32.20 |
| PK | 5.829G | 116.21 | Inf | -Inf | 111.19 | 3 | Horizontal | 78 | 1.80 | - | 32.02 | 5.33 | 32.33 |
| AV | 5.829G | 103.79 | Inf | -Inf | 98.77 | 3 | Horizontal | 78 | 1.80 | - | 32.02 | 5.33 | 32.33 |
| PK | 5.974G | 58.76 | 68.20 | -9.44 | 53.45 | 3 | Horizontal | 78 | 1.80 | - | 32.25 | 5.47 | 32.41 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.64994G | 57.53 | 74.00 | -16.47 | 43.80 | 3 | Vertical | 126 | 2.54 | - | 39.65 | 8.36 | 34.28 |
| AV | 11.65006G | 48.70 | 54.00 | -5.30 | 34.97 | 3 | Vertical | 126 | 2.54 | - | 39.65 | 8.36 | 34.28 |

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.64994G | 55.67 | 74.00 | -18.33 | 41.94 | 3 | Horizontal | 154 | 2.54 | - | 39.65 | 8.36 | 34.28 |
| AV | 11.65006G | 43.04 | 54.00 | -10.96 | 29.31 | 3 | Horizontal | 154 | 2.54 | - | 39.65 | 8.36 | 34.28 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 26
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1468G | 67.60 | 74.00 | -6.40 | 62.76 | 3 | Vertical | 0 | 1.91 | - | 31.81 | 5.00 | 31.97 |
| AV | 5.15G | 53.96 | 54.00 | -0.04 | 49.14 | 3 | Vertical | 0 | 1.91 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.204G | 119.22 | Inf | -Inf | 114.64 | 3 | Vertical | 0 | 1.91 | - | 31.58 | 5.00 | 32.00 |
| AV | 5.2028G | 107.45 | Inf | -Inf | 102.86 | 3 | Vertical | 0 | 1.91 | - | 31.59 | 5.00 | 32.00 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 26
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.13G | 58.22 | 74.00 | -15.78 | 53.31 | 3 | Horizontal | 103 | 2.21 | - | 31.88 | 5.00 | 31.97 |
| AV | 5.15G | 46.14 | 54.00 | -7.86 | 41.32 | 3 | Horizontal | 103 | 2.21 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.1948G | 109.61 | Inf | -Inf | 104.99 | 3 | Horizontal | 103 | 2.21 | - | 31.62 | 5.00 | 32.00 |
| AV | 5.1728G | 98.37 | Inf | -Inf | 93.65 | 3 | Horizontal | 103 | 2.21 | - | 31.71 | 5.00 | 31.99 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 26
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.56764G | 59.62 | 74.00 | -14.38 | 45.73 | 3 | Vertical | 29 | 1.97 | - | 37.76 | 10.38 | 34.25 |
| AV | 15.56898G | 45.90 | 54.00 | -8.10 | 32.01 | 3 | Vertical | 29 | 1.97 | - | 37.76 | 10.38 | 34.25 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 26
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.56776G | 59.12 | 74.00 | -14.88 | 45.23 | 3 | Horizontal | 356 | 1.14 | - | 37.76 | 10.38 | 34.25 |
| AV | 15.57085G | 45.91 | 54.00 | -8.09 | 32.02 | 3 | Horizontal | 356 | 1.14 | - | 37.75 | 10.39 | 34.25 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5230MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1484G | 64.71 | 74.00 | -9.29 | 59.88 | 3 | Vertical | 0 | 1.84 | - | 31.81 | 5.00 | 31.98 |
| AV | 5.15G | 50.40 | 54.00 | -3.60 | 45.58 | 3 | Vertical | 0 | 1.84 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.2196G | 124.12 | Inf | -Inf | 119.61 | 3 | Vertical | 0 | 1.84 | - | 31.52 | 5.00 | 32.01 |
| AV | 5.2236G | 112.15 | Inf | -Inf | 107.65 | 3 | Vertical | 0 | 1.84 | - | 31.51 | 5.00 | 32.01 |
| PK | 5.4252G | 60.47 | 74.00 | -13.53 | 55.84 | 3 | Vertical | 0 | 1.84 | - | 31.70 | 5.03 | 32.10 |
| AV | 5.3764G | 48.38 | 54.00 | -5.62 | 43.95 | 3 | Vertical | 0 | 1.84 | - | 31.51 | 5.00 | 32.08 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5230MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.11G | 66.25 | 74.00 | -7.75 | 61.25 | 3 | Horizontal | 40.3 | 2.25 | - | 31.96 | 5.00 | 31.96 |
| AV | 5.15G | 46.70 | 54.00 | -7.30 | 41.88 | 3 | Horizontal | 40.3 | 2.25 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.2244G | 116.09 | Inf | -Inf | 111.60 | 3 | Horizontal | 40.3 | 2.25 | - | 31.50 | 5.00 | 32.01 |
| AV | 5.2124G | 104.30 | Inf | -Inf | 99.75 | 3 | Horizontal | 40.3 | 2.25 | - | 31.55 | 5.00 | 32.00 |
| PK | 5.3508G | 68.36 | 74.00 | -5.64 | 64.11 | 3 | Horizontal | 40.3 | 2.25 | - | 31.31 | 5.00 | 32.06 |
| AV | 5.374G | 46.67 | 54.00 | -7.33 | 42.25 | 3 | Horizontal | 40.3 | 2.25 | - | 31.49 | 5.00 | 32.07 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.69056G | 58.80 | 74.00 | -15.20 | 45.05 | 3 | Vertical | 49 | 1.39 | - | 37.60 | 10.45 | 34.30 |
| AV | 15.68772G | 45.54 | 54.00 | -8.46 | 31.80 | 3 | Vertical | 49 | 1.39 | - | 37.60 | 10.44 | 34.30 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.69032G | 58.59 | 74.00 | -15.41 | 44.84 | 3 | Horizontal | 73 | 1.03 | - | 37.60 | 10.45 | 34.30 |
| AV | 15.68769G | 45.62 | 54.00 | -8.38 | 31.88 | 3 | Horizontal | 73 | 1.03 | - | 37.60 | 10.44 | 34.30 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2716G | 118.20 | Inf | -Inf | 113.87 | 3 | Vertical | 314.5 | 1.82 | - | 31.36 | 5.00 | 32.03 |
| AV | 5.2736G | 105.68 | Inf | -Inf | 101.36 | 3 | Vertical | 314.5 | 1.82 | - | 31.35 | 5.00 | 32.03 |
| PK | 5.3636G | 60.19 | 74.00 | -13.81 | 55.85 | 3 | Vertical | 314.5 | 1.82 | - | 31.41 | 5.00 | 32.07 |
| AV | 5.37G | 46.05 | 54.00 | -7.95 | 41.66 | 3 | Vertical | 314.5 | 1.82 | - | 31.46 | 5.00 | 32.07 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2776G | 111.12 | Inf | -Inf | 106.81 | 3 | Horizontal | 37 | 2.35 | - | 31.34 | 5.00 | 32.03 |
| AV | 5.282G | 99.04 | Inf | -Inf | 94.73 | 3 | Horizontal | 37 | 2.35 | - | 31.34 | 5.00 | 32.03 |
| PK | 5.3696G | 57.30 | 74.00 | -16.70 | 52.91 | 3 | Horizontal | 37 | 2.35 | - | 31.46 | 5.00 | 32.07 |
| AV | 5.3616G | 45.07 | 54.00 | -8.93 | 40.75 | 3 | Horizontal | 37 | 2.35 | - | 31.39 | 5.00 | 32.07 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.8112G | 57.71 | 74.00 | -16.29 | 44.26 | 3 | Vertical | 308 | 2.42 | - | 37.28 | 10.51 | 34.34 |
| AV | 15.80848G | 44.72 | 54.00 | -9.28 | 31.28 | 3 | Vertical | 308 | 2.42 | - | 37.28 | 10.50 | 34.34 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.81248G | 58.06 | 74.00 | -15.94 | 44.61 | 3 | Horizontal | 61 | 2.68 | - | 37.28 | 10.51 | 34.34 |
| AV | 15.8075G | 44.87 | 54.00 | -9.13 | 31.43 | 3 | Horizontal | 61 | 2.68 | - | 37.28 | 10.50 | 34.34 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.322G | 116.79 | Inf | -Inf | 112.54 | 3 | Vertical | 337 | 1.80 | - | 31.30 | 5.00 | 32.05 |
| AV | 5.3228G | 104.70 | Inf | -Inf | 100.45 | 3 | Vertical | 337 | 1.80 | - | 31.30 | 5.00 | 32.05 |
| PK | 5.35G | 65.07 | 74.00 | -8.93 | 60.83 | 3 | Vertical | 337 | 1.80 | - | 31.30 | 5.00 | 32.06 |
| AV | 5.35G | 52.95 | 54.00 | -1.05 | 48.71 | 3 | Vertical | 337 | 1.80 | - | 31.30 | 5.00 | 32.06 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3G | 109.99 | Inf | -Inf | 105.73 | 3 | Horizontal | 35.3 | 2.29 | - | 31.30 | 5.00 | 32.04 |
| AV | 5.302G | 99.30 | Inf | -Inf | 95.04 | 3 | Horizontal | 35.3 | 2.29 | - | 31.30 | 5.00 | 32.04 |
| PK | 5.3544G | 59.56 | 74.00 | -14.44 | 55.29 | 3 | Horizontal | 35.3 | 2.29 | - | 31.34 | 5.00 | 32.07 |
| AV | 5.35G | 47.17 | 54.00 | -6.83 | 42.93 | 3 | Horizontal | 35.3 | 2.29 | - | 31.30 | 5.00 | 32.06 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 15.932G | 57.46 | 74.00 | -16.54 | 44.08 | 3 | Vertical | 239 | 1.82 | - | 37.20 | 10.57 | 34.39 |
| AV | 15.93187G | 44.78 | 54.00 | -9.22 | 31.40 | 3 | Vertical | 239 | 1.82 | - | 37.20 | 10.57 | 34.39 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.93021G | 58.25 | 74.00 | -15.75 | 44.88 | 3 | Horizontal | 223 | 1.61 | - | 37.19 | 10.57 | 34.39 |
| AV | 15.93087G | 45.09 | 54.00 | -8.91 | 31.72 | 3 | Horizontal | 223 | 1.61 | - | 37.19 | 10.57 | 34.39 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4584G | 59.70 | 74.00 | -14.30 | 55.05 | 3 | Vertical | 333.4 | 1.77 | - | 31.70 | 5.06 | 32.11 |
| AV | 5.4596G | 47.46 | 54.00 | -6.54 | 42.81 | 3 | Vertical | 333.4 | 1.77 | - | 31.70 | 5.06 | 32.11 |
| PK | 5.47G | 63.39 | 68.20 | -4.81 | 58.74 | 3 | Vertical | 333.4 | 1.77 | - | 31.70 | 5.07 | 32.12 |
| PK | 5.4992G | 117.30 | Inf | -Inf | 112.63 | 3 | Vertical | 333.4 | 1.77 | - | 31.70 | 5.10 | 32.13 |
| AV | 5.5088G | 105.62 | Inf | -Inf | 100.97 | 3 | Vertical | 333.4 | 1.77 | - | 31.68 | 5.11 | 32.14 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4588G | 57.97 | 74.00 | -16.03 | 53.32 | 3 | Horizontal | 30.4 | 2.58 | - | 31.70 | 5.06 | 32.11 |
| AV | 5.4548G | 45.44 | 54.00 | -8.56 | 40.80 | 3 | Horizontal | 30.4 | 2.58 | - | 31.70 | 5.05 | 32.11 |
| PK | 5.4684G | 58.02 | 68.20 | -10.18 | 53.37 | 3 | Horizontal | 30.4 | 2.58 | - | 31.70 | 5.07 | 32.12 |
| PK | 5.4952G | 109.11 | Inf | -Inf | 104.44 | 3 | Horizontal | 30.4 | 2.58 | - | 31.70 | 5.10 | 32.13 |
| AV | 5.52G | 96.76 | Inf | -Inf | 92.12 | 3 | Horizontal | 30.4 | 2.58 | - | 31.66 | 5.12 | 32.14 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.02128G | 55.86 | 74.00 | -18.14 | 41.47 | 3 | Vertical | 288 | 1.44 | - | 40.51 | 8.11 | 34.23 |
| AV | 11.01788G | 42.94 | 54.00 | -11.06 | 28.53 | 3 | Vertical | 288 | 1.44 | - | 40.53 | 8.11 | 34.23 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.01952G | 56.24 | 74.00 | -17.76 | 41.84 | 3 | Horizontal | 196 | 2.93 | - | 40.52 | 8.11 | 34.23 |
| AV | 11.0222G | 42.96 | 54.00 | -11.04 | 28.57 | 3 | Horizontal | 196 | 2.93 | - | 40.51 | 8.11 | 34.23 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.43G | 60.16 | 74.00 | -13.84 | 55.53 | 3 | Vertical | 334.2 | 1.88 | - | 31.70 | 5.03 | 32.10 |
| PK | 5.47G | 58.36 | 68.20 | -9.84 | 53.71 | 3 | Vertical | 334.2 | 1.88 | - | 31.70 | 5.07 | 32.12 |
| AV | 5.4516G | 46.14 | 54.00 | -7.86 | 41.50 | 3 | Vertical | 334.2 | 1.88 | - | 31.70 | 5.05 | 32.11 |
| PK | 5.5524G | 117.66 | Inf | -Inf | 113.07 | 3 | Vertical | 334.2 | 1.88 | - | 31.60 | 5.15 | 32.16 |
| AV | 5.5554G | 105.23 | Inf | -Inf | 100.63 | 3 | Vertical | 334.2 | 1.88 | - | 31.60 | 5.16 | 32.16 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.43G | 60.04 | 74.00 | -13.96 | 55.41 | 3 | Horizontal | 31.7 | 2.58 | - | 31.70 | 5.03 | 32.10 |
| AV | 5.445G | 45.26 | 54.00 | -8.74 | 40.63 | 3 | Horizontal | 31.7 | 2.58 | - | 31.70 | 5.04 | 32.11 |
| PK | 5.4654G | 56.83 | 68.20 | -11.37 | 52.17 | 3 | Horizontal | 31.7 | 2.58 | - | 31.70 | 5.07 | 32.11 |
| PK | 5.5554G | 109.74 | Inf | -Inf | 105.14 | 3 | Horizontal | 31.7 | 2.58 | - | 31.60 | 5.16 | 32.16 |
| AV | 5.5572G | 97.71 | Inf | -Inf | 93.11 | 3 | Horizontal | 31.7 | 2.58 | - | 31.60 | 5.16 | 32.16 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.09908G | 55.95 | 74.00 | -18.05 | 41.86 | 3 | Vertical | 137 | 1.84 | - | 40.20 | 8.14 | 34.25 |
| AV | 11.09894G | 42.38 | 54.00 | -11.62 | 28.29 | 3 | Vertical | 137 | 1.84 | - | 40.20 | 8.14 | 34.25 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.10135G | 55.46 | 74.00 | -18.54 | 41.37 | 3 | Horizontal | 285 | 2.09 | - | 40.20 | 8.14 | 34.25 |
| AV | 11.09754G | 42.33 | 54.00 | -11.67 | 28.23 | 3 | Horizontal | 285 | 2.09 | - | 40.21 | 8.14 | 34.25 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6692G | 117.27 | Inf | -Inf | 112.59 | 3 | Vertical | 316.3 | 1.91 | - | 31.68 | 5.23 | 32.23 |
| AV | 5.6724G | 104.92 | Inf | -Inf | 100.22 | 3 | Vertical | 316.3 | 1.91 | - | 31.69 | 5.24 | 32.23 |
| PK | 5.7268G | 58.43 | 68.20 | -9.77 | 53.59 | 3 | Vertical | 316.3 | 1.91 | - | 31.85 | 5.26 | 32.27 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.686G | 108.76 | Inf | -Inf | 104.02 | 3 | Horizontal | 36.3 | 2.18 | - | 31.74 | 5.24 | 32.24 |
| AV | 5.6548G | 98.90 | Inf | -Inf | 94.27 | 3 | Horizontal | 36.3 | 2.18 | - | 31.62 | 5.23 | 32.22 |
| PK | 5.7908G | 60.23 | 68.20 | -7.97 | 55.33 | 3 | Horizontal | 36.3 | 2.18 | - | 31.90 | 5.30 | 32.30 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.34215G | 57.06 | 74.00 | -16.94 | 42.92 | 3 | Vertical | 129 | 2.52 | - | 40.18 | 8.24 | 34.28 |
| AV | 11.33785G | 43.54 | 54.00 | -10.46 | 29.40 | 3 | Vertical | 129 | 2.52 | - | 40.18 | 8.24 | 34.28 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX


5670MHz_TnomVnom



EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.33999G | 57.32 | 74.00 | -16.68 | 43.18 | 3 | Horizontal | 41 | 2.05 | - | 40.18 | 8.24 | 34.28 |
| AV | 11.34037G | 43.67 | 54.00 | -10.33 | 29.53 | 3 | Horizontal | 41 | 2.05 | - | 40.18 | 8.24 | 34.28 |


802.11ax HEW40-BF_Nss2,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.7068G | 117.47 | Inf | -Inf | 112.66 | 3 | Vertical | 252 | 2.25 | - | 31.81 | 5.25 | 32.25 |
| AV | 5.7076G | 105.38 | Inf | -Inf | 100.56 | 3 | Vertical | 252 | 2.25 | - | 31.82 | 5.25 | 32.25 |
| PK | 5.8972G | 58.05 | 68.20 | -10.15 | 52.92 | 3 | Vertical | 252 | 2.25 | - | 32.10 | 5.40 | 32.37 |


802.11ax HEW40-BF_Nss2,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7164G | 110.61 | Inf | -Inf | 105.78 | 3 | Horizontal | 32.5 | 2.23 | - | 31.83 | 5.26 | 32.26 |
| AV | 5.7148G | 98.43 | Inf | -Inf | 93.60 | 3 | Horizontal | 32.5 | 2.23 | - | 31.83 | 5.26 | 32.26 |
| PK | 5.9092G | 57.56 | 68.20 | -10.64 | 52.39 | 3 | Horizontal | 32.5 | 2.23 | - | 32.14 | 5.41 | 32.38 |


802.11ax HEW40-BF_Nss2,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.41797G | 56.66 | 74.00 | -17.34 | 42.39 | 3 | Vertical | 287 | 2.52 | - | 40.30 | 8.27 | 34.30 |
| AV | 11.41948G | 43.84 | 54.00 | -10.16 | 29.57 | 3 | Vertical | 287 | 2.52 | - | 40.30 | 8.27 | 34.30 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 24
 06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.41804G | 56.78 | 74.00 | -17.22 | 42.51 | 3 | Horizontal | 271 | 1.05 | - | 40.30 | 8.27 | 34.30 |
| AV | 11.42129G | 43.74 | 54.00 | -10.26 | 29.47 | 3 | Horizontal | 271 | 1.05 | - | 40.30 | 8.27 | 34.30 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.649G | 60.84 | 68.20 | -7.36 | 56.24 | 3 | Vertical | 248.4 | 2.27 | - | 31.60 | 5.22 | 32.22 |
| PK | 5.756G | 123.19 | Inf | -Inf | 118.29 | 3 | Vertical | 248.4 | 2.27 | - | 31.90 | 5.28 | 32.28 |
| AV | 5.758G | 110.65 | Inf | -Inf | 105.75 | 3 | Vertical | 248.4 | 2.27 | - | 31.90 | 5.28 | 32.28 |
| PK | 5.967G | 58.88 | 68.20 | -9.32 | 53.55 | 3 | Vertical | 248.4 | 2.27 | - | 32.27 | 5.47 | 32.41 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5755MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.633G | 66.30 | 68.20 | -1.90 | 61.69 | 3 | Horizontal | 28 | 2.39 | - | 31.60 | 5.22 | 32.21 |
| PK | 5.752G | 115.63 | Inf | -Inf | 110.73 | 3 | Horizontal | 28 | 2.39 | - | 31.90 | 5.28 | 32.28 |
| AV | 5.739G | 104.86 | Inf | -Inf | 99.98 | 3 | Horizontal | 28 | 2.39 | - | 31.88 | 5.27 | 32.27 |
| PK | 5.947G | 59.39 | 68.20 | -8.81 | 54.05 | 3 | Horizontal | 28 | 2.39 | - | 32.29 | 5.45 | 32.40 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.50953G | 55.67 | 74.00 | -18.33 | 41.41 | 3 | Vertical | 48 | 2.49 | - | 40.27 | 8.30 | 34.31 |
| AV | 11.50938G | 43.02 | 54.00 | -10.98 | 28.76 | 3 | Vertical | 48 | 2.49 | - | 40.27 | 8.30 | 34.31 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.50863G | 56.16 | 74.00 | -17.84 | 41.90 | 3 | Horizontal | 128 | 2.95 | - | 40.27 | 8.30 | 34.31 |
| AV | 11.5075G | 42.83 | 54.00 | -11.17 | 28.56 | 3 | Horizontal | 128 | 2.95 | - | 40.28 | 8.30 | 34.31 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.612G | 59.94 | 68.20 | -8.26 | 55.33 | 3 | Vertical | 269.7 | 2.28 | - | 31.60 | 5.21 | 32.20 |
| PK | 5.784G | 122.29 | Inf | -Inf | 117.40 | 3 | Vertical | 269.7 | 2.28 | - | 31.90 | 5.29 | 32.30 |
| AV | 5.785G | 110.23 | Inf | -Inf | 105.34 | 3 | Vertical | 269.7 | 2.28 | - | 31.90 | 5.29 | 32.30 |
| PK | 5.932G | 59.68 | 68.20 | -8.52 | 54.41 | 3 | Vertical | 269.7 | 2.28 | - | 32.23 | 5.43 | 32.39 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.603G | 58.14 | 68.20 | -10.06 | 53.53 | 3 | Horizontal | 28.3 | 2.32 | - | 31.60 | 5.20 | 32.19 |
| PK | 5.786G | 116.10 | Inf | -Inf | 111.21 | 3 | Horizontal | 28.3 | 2.32 | - | 31.90 | 5.29 | 32.30 |
| AV | 5.789G | 104.33 | Inf | -Inf | 99.44 | 3 | Horizontal | 28.3 | 2.32 | - | 31.90 | 5.29 | 32.30 |
| PK | 6.031G | 58.69 | 68.20 | -9.51 | 53.31 | 3 | Horizontal | 28.3 | 2.32 | - | 32.32 | 5.50 | 32.44 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.59195G | 55.90 | 74.00 | -18.10 | 41.83 | 3 | Vertical | 281 | 1.91 | - | 40.02 | 8.34 | 34.29 |
| AV | 11.58912G | 42.56 | 54.00 | -11.44 | 28.48 | 3 | Vertical | 281 | 1.91 | - | 40.03 | 8.34 | 34.29 |

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.59186G | 55.82 | 74.00 | -18.18 | 41.75 | 3 | Horizontal | 90 | 2.04 | - | 40.02 | 8.34 | 34.29 |
| AV | 11.58866G | 42.56 | 54.00 | -11.44 | 28.48 | 3 | Horizontal | 90 | 2.04 | - | 40.03 | 8.34 | 34.29 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 25
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.149G | 65.72 | 74.00 | -8.28 | 60.90 | 3 | Vertical | 310.2 | 2.06 | - | 31.80 | 5.00 | 31.98 |
| AV | 5.148G | 53.46 | 54.00 | -0.54 | 48.63 | 3 | Vertical | 310.2 | 2.06 | - | 31.81 | 5.00 | 31.98 |
| PK | 5.182G | 118.84 | Inf | -Inf | 114.16 | 3 | Vertical | 310.2 | 2.06 | - | 31.67 | 5.00 | 31.99 |
| AV | 5.182G | 108.74 | Inf | -Inf | 104.06 | 3 | Vertical | 310.2 | 2.06 | - | 31.67 | 5.00 | 31.99 |
| PK | 5.371G | 59.85 | 74.00 | -14.15 | 55.45 | 3 | Vertical | 310.2 | 2.06 | - | 31.47 | 5.00 | 32.07 |
| AV | 5.376G | 47.45 | 54.00 | -6.55 | 43.02 | 3 | Vertical | 310.2 | 2.06 | - | 31.51 | 5.00 | 32.08 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 25
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.09G | 65.10 | 74.00 | -8.90 | 60.07 | 3 | Horizontal | 33.6 | 2.37 | - | 31.98 | 5.00 | 31.95 |
| AV | 5.149G | 48.22 | 54.00 | -5.78 | 43.40 | 3 | Horizontal | 33.6 | 2.37 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.183G | 111.18 | Inf | -Inf | 106.50 | 3 | Horizontal | 33.6 | 2.37 | - | 31.67 | 5.00 | 31.99 |
| AV | 5.187G | 97.45 | Inf | -Inf | 92.79 | 3 | Horizontal | 33.6 | 2.37 | - | 31.65 | 5.00 | 31.99 |
| PK | 5.401G | 58.47 | 74.00 | -15.53 | 53.86 | 3 | Horizontal | 33.6 | 2.37 | - | 31.70 | 5.00 | 32.09 |
| AV | 5.402G | 45.67 | 54.00 | -8.33 | 41.06 | 3 | Horizontal | 33.6 | 2.37 | - | 31.70 | 5.00 | 32.09 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 25
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.63116G | 58.86 | 74.00 | -15.14 | 45.11 | 3 | Vertical | 111 | 1.47 | - | 37.60 | 10.42 | 34.27 |
| AV | 15.62813G | 45.59 | 54.00 | -8.41 | 31.85 | 3 | Vertical | 111 | 1.47 | - | 37.60 | 10.41 | 34.27 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 25
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.6285G | 58.47 | 74.00 | -15.53 | 44.73 | 3 | Horizontal | 122 | 1.14 | - | 37.60 | 10.41 | 34.27 |
| AV | 15.62968G | 45.59 | 54.00 | -8.41 | 31.85 | 3 | Horizontal | 122 | 1.14 | - | 37.60 | 10.41 | 34.27 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.127G | 57.76 | 74.00 | -16.24 | 52.84 | 3 | Vertical | 244 | 2.25 | - | 31.89 | 5.00 | 31.97 |
| AV | 5.088G | 46.00 | 54.00 | -8.00 | 40.97 | 3 | Vertical | 244 | 2.25 | - | 31.98 | 5.00 | 31.95 |
| PK | 5.253G | 117.41 | Inf | -Inf | 113.04 | 3 | Vertical | 244 | 2.25 | - | 31.39 | 5.00 | 32.02 |
| AV | 5.297G | 101.79 | Inf | -Inf | 97.52 | 3 | Vertical | 244 | 2.25 | - | 31.31 | 5.00 | 32.04 |
| PK | 5.351G | 63.76 | 74.00 | -10.24 | 59.51 | 3 | Vertical | 244 | 2.25 | - | 31.31 | 5.00 | 32.06 |
| AV | 5.35G | 51.71 | 54.00 | -2.29 | 47.47 | 3 | Vertical | 244 | 2.25 | - | 31.30 | 5.00 | 32.06 |
| PK | 5.496G | 58.80 | 68.20 | -9.40 | 54.13 | 3 | Vertical | 244 | 2.25 | - | 31.70 | 5.10 | 32.13 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.106G | 58.21 | 74.00 | -15.79 | 53.19 | 3 | Horizontal | 41.9 | 2.32 | - | 31.98 | 5.00 | 31.96 |
| AV | 5.087G | 45.33 | 54.00 | -8.67 | 40.31 | 3 | Horizontal | 41.9 | 2.32 | - | 31.97 | 5.00 | 31.95 |
| PK | 5.295G | 108.91 | Inf | -Inf | 104.64 | 3 | Horizontal | 41.9 | 2.32 | - | 31.31 | 5.00 | 32.04 |
| AV | 5.287G | 95.72 | Inf | -Inf | 91.43 | 3 | Horizontal | 41.9 | 2.32 | - | 31.33 | 5.00 | 32.04 |
| PK | 5.411G | 60.98 | 74.00 | -13.02 | 56.36 | 3 | Horizontal | 41.9 | 2.32 | - | 31.70 | 5.01 | 32.09 |
| AV | 5.357G | 47.28 | 54.00 | -6.72 | 42.99 | 3 | Horizontal | 41.9 | 2.32 | - | 31.36 | 5.00 | 32.07 |
| PK | 5.482G | 57.69 | 68.20 | -10.51 | 53.03 | 3 | Horizontal | 41.9 | 2.32 | - | 31.70 | 5.08 | 32.12 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.86987G | 57.87 | 74.00 | -16.13 | 44.55 | 3 | Vertical | 171 | 1.17 | - | 37.16 | 10.53 | 34.37 |
| AV | 15.86879G | 44.95 | 54.00 | -9.05 | 31.63 | 3 | Vertical | 171 | 1.17 | - | 37.16 | 10.53 | 34.37 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5290MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.87221G | 57.64 | 74.00 | -16.36 | 44.31 | 3 | Horizontal | 150 | 1.03 | - | 37.16 | 10.54 | 34.37 |
| AV | 15.86759G | 44.89 | 54.00 | -9.11 | 31.57 | 3 | Horizontal | 150 | 1.03 | - | 37.16 | 10.53 | 34.37 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.446G | 58.36 | 74.00 | -15.64 | 53.72 | 3 | Vertical | 228.8 | 1.77 | - | 31.70 | 5.05 | 32.11 |
| AV | 5.431G | 45.77 | 54.00 | -8.23 | 41.14 | 3 | Vertical | 228.8 | 1.77 | - | 31.70 | 5.03 | 32.10 |
| PK | 5.464G | 57.95 | 68.20 | -10.25 | 53.30 | 3 | Vertical | 228.8 | 1.77 | - | 31.70 | 5.06 | 32.11 |
| PK | 5.622G | 115.33 | Inf | -Inf | 110.72 | 3 | Vertical | 228.8 | 1.77 | - | 31.60 | 5.21 | 32.20 |
| AV | 5.607G | 105.68 | Inf | -Inf | 101.07 | 3 | Vertical | 228.8 | 1.77 | - | 31.60 | 5.20 | 32.19 |
| PK | 5.731G | 58.68 | 68.20 | -9.52 | 53.82 | 3 | Vertical | 228.8 | 1.77 | - | 31.86 | 5.27 | 32.27 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.451G | 57.70 | 74.00 | -16.30 | 53.06 | 3 | Horizontal | 35.9 | 2.31 | - | 31.70 | 5.05 | 32.11 |
| AV | 5.44G | 45.37 | 54.00 | -8.63 | 40.73 | 3 | Horizontal | 35.9 | 2.31 | - | 31.70 | 5.04 | 32.10 |
| PK | 5.463G | 57.17 | 68.20 | -11.03 | 52.52 | 3 | Horizontal | 35.9 | 2.31 | - | 31.70 | 5.06 | 32.11 |
| PK | 5.603G | 108.07 | Inf | -Inf | 103.46 | 3 | Horizontal | 35.9 | 2.31 | - | 31.60 | 5.20 | 32.19 |
| AV | 5.601G | 95.97 | Inf | -Inf | 91.36 | 3 | Horizontal | 35.9 | 2.31 | - | 31.60 | 5.20 | 32.19 |
| PK | 5.73G | 60.79 | 68.20 | -7.41 | 55.94 | 3 | Horizontal | 35.9 | 2.31 | - | 31.86 | 5.26 | 32.27 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5610MHz_TnomVnom




EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.22082G | 56.11 | 74.00 | -17.89 | 42.17 | 3 | Vertical | 115 | 1.98 | - | 40.02 | 8.19 | 34.27 |
| AV | 11.21856G | 43.35 | 54.00 | -10.65 | 29.40 | 3 | Vertical | 115 | 1.98 | - | 40.02 | 8.19 | 34.26 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX


5610MHz_TnomVnom



EUT Z_8TX
Setting 24
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.22054G | 55.84 | 74.00 | -18.16 | 41.90 | 3 | Horizontal | 241 | 2.04 | - | 40.02 | 8.19 | 34.27 |
| AV | 11.21992G | 43.27 | 54.00 | -10.73 | 29.33 | 3 | Horizontal | 241 | 2.04 | - | 40.02 | 8.19 | 34.27 |


802.11ax HEW80-BF_Nss2,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6868G | 115.46 | Inf | -Inf | 110.71 | 3 | Vertical | 249.4 | 2.63 | - | 31.75 | 5.24 | 32.24 |
| AV | 5.7052G | 100.25 | Inf | -Inf | 95.44 | 3 | Vertical | 249.4 | 2.63 | - | 31.81 | 5.25 | 32.25 |
| PK | 5.8596G | 58.11 | 68.20 | -10.09 | 53.00 | 3 | Vertical | 249.4 | 2.63 | - | 32.10 | 5.36 | 32.35 |


802.11ax HEW80-BF_Nss2,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6764G | 107.28 | Inf | -Inf | 102.57 | 3 | Horizontal | 56.1 | 2.58 | - | 31.71 | 5.24 | 32.24 |
| AV | 5.6804G | 94.98 | Inf | -Inf | 90.26 | 3 | Horizontal | 56.1 | 2.58 | - | 31.72 | 5.24 | 32.24 |
| PK | 5.8868G | 57.91 | 68.20 | -10.29 | 52.78 | 3 | Horizontal | 56.1 | 2.58 | - | 32.10 | 5.39 | 32.36 |


802.11ax HEW80-BF_Nss2,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 24
 06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.38244G | 56.71 | 74.00 | -17.29 | 42.49 | 3 | Vertical | 185 | 2.32 | - | 40.26 | 8.25 | 34.29 |
| AV | 11.38088G | 43.88 | 54.00 | -10.12 | 29.66 | 3 | Vertical | 185 | 2.32 | - | 40.26 | 8.25 | 34.29 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 24
 06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.37983G | 57.13 | 74.00 | -16.87 | 42.91 | 3 | Horizontal | 91 | 2.19 | - | 40.26 | 8.25 | 34.29 |
| AV | 11.37844G | 43.77 | 54.00 | -10.23 | 29.55 | 3 | Horizontal | 91 | 2.19 | - | 40.26 | 8.25 | 34.29 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.646G | 63.22 | 68.20 | -4.98 | 58.62 | 3 | Vertical | 270.5 | 2.28 | - | 31.60 | 5.22 | 32.22 |
| PK | 5.786G | 119.18 | Inf | -Inf | 114.29 | 3 | Vertical | 270.5 | 2.28 | - | 31.90 | 5.29 | 32.30 |
| AV | 5.784G | 106.79 | Inf | -Inf | 101.90 | 3 | Vertical | 270.5 | 2.28 | - | 31.90 | 5.29 | 32.30 |
| PK | 5.927G | 64.44 | 68.20 | -3.76 | 59.19 | 3 | Vertical | 270.5 | 2.28 | - | 32.21 | 5.43 | 32.39 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.653G | 65.33 | 70.42 | -5.09 | 60.71 | 3 | Horizontal | 53.1 | 2.43 | - | 31.61 | 5.23 | 32.22 |
| PK | 5.791G | 112.00 | Inf | -Inf | 107.10 | 3 | Horizontal | 53.1 | 2.43 | - | 31.90 | 5.30 | 32.30 |
| AV | 5.786G | 100.02 | Inf | -Inf | 95.13 | 3 | Horizontal | 53.1 | 2.43 | - | 31.90 | 5.29 | 32.30 |
| PK | 5.951G | 58.67 | 68.20 | -9.53 | 53.32 | 3 | Horizontal | 53.1 | 2.43 | - | 32.30 | 5.45 | 32.40 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5775MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.54767G | 55.77 | 74.00 | -18.23 | 41.59 | 3 | Vertical | 311 | 1.03 | - | 40.16 | 8.32 | 34.30 |
| AV | 11.54998G | 42.53 | 54.00 | -11.47 | 28.36 | 3 | Vertical | 311 | 1.03 | - | 40.15 | 8.32 | 34.30 |

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

5775MHz_TnomVnom



EUT Z_8TX
Setting 30
06-E-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.55191G | 54.96 | 74.00 | -19.04 | 40.80 | 3 | Horizontal | 111 | 2.67 | - | 40.14 | 8.32 | 34.30 |
| AV | 11.55087G | 42.55 | 54.00 | -11.45 | 28.38 | 3 | Horizontal | 111 | 2.67 | - | 40.15 | 8.32 | 34.30 |




For 8T4S beamforming mode
Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW40-BF_Nss4,(MCS0)_8TX | Pass | AV | 5.15G | 53.63 | 54.00 | -0.37 | 3 | Vertical | 263.7 | 1.80 | - |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 27
06-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.15G | 67.70 | 74.00 | -6.30 | 62.88 | 3 | Vertical | 263.7 | 1.80 | - | 31.80 | 5.00 | 31.98 |
| AV | 5.15G | 53.63 | 54.00 | -0.37 | 48.81 | 3 | Vertical | 263.7 | 1.80 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.1792G | 117.53 | Inf | -Inf | 112.84 | 3 | Vertical | 263.7 | 1.80 | - | 31.68 | 5.00 | 31.99 |
| AV | 5.1868G | 106.01 | Inf | -Inf | 101.35 | 3 | Vertical | 263.7 | 1.80 | - | 31.65 | 5.00 | 31.99 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 27
06-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1388G | 66.73 | 74.00 | -7.27 | 61.86 | 3 | Horizontal | 303 | 2.31 | - | 31.84 | 5.00 | 31.97 |
| AV | 5.1484G | 51.47 | 54.00 | -2.53 | 46.64 | 3 | Horizontal | 303 | 2.31 | - | 31.81 | 5.00 | 31.98 |
| PK | 5.1944G | 111.63 | Inf | -Inf | 107.01 | 3 | Horizontal | 303 | 2.31 | - | 31.62 | 5.00 | 32.00 |
| AV | 5.1784G | 103.98 | Inf | -Inf | 99.28 | 3 | Horizontal | 303 | 2.31 | - | 31.69 | 5.00 | 31.99 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 27
06-E-B-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.5726G | 59.46 | 74.00 | -14.54 | 45.58 | 3 | Vertical | 332 | 2.49 | - | 37.74 | 10.39 | 34.25 |
| AV | 15.5723G | 47.49 | 54.00 | -6.51 | 33.61 | 3 | Vertical | 332 | 2.49 | - | 37.74 | 10.39 | 34.25 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 27
06-E-B-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.56798G | 59.66 | 74.00 | -14.34 | 45.77 | 3 | Horizontal | 31 | 2.83 | - | 37.76 | 10.38 | 34.25 |
| AV | 15.5746G | 47.20 | 54.00 | -6.80 | 33.33 | 3 | Horizontal | 31 | 2.83 | - | 37.73 | 10.39 | 34.25 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1332G | 62.26 | 74.00 | -11.74 | 57.36 | 3 | Vertical | 145.6 | 2.17 | - | 31.87 | 5.00 | 31.97 |
| AV | 5.15G | 48.61 | 54.00 | -5.39 | 43.79 | 3 | Vertical | 145.6 | 2.17 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.2316G | 119.23 | Inf | -Inf | 114.77 | 3 | Vertical | 145.6 | 2.17 | - | 31.47 | 5.00 | 32.01 |
| AV | 5.2188G | 107.92 | Inf | -Inf | 103.41 | 3 | Vertical | 145.6 | 2.17 | - | 31.52 | 5.00 | 32.01 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.14G | 61.89 | 74.00 | -12.11 | 57.02 | 3 | Horizontal | 301 | 2.46 | - | 31.84 | 5.00 | 31.97 |
| AV | 5.15G | 45.68 | 54.00 | -8.32 | 40.86 | 3 | Horizontal | 301 | 2.46 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.224G | 116.46 | Inf | -Inf | 111.97 | 3 | Horizontal | 301 | 2.46 | - | 31.50 | 5.00 | 32.01 |
| AV | 5.2176G | 104.79 | Inf | -Inf | 100.27 | 3 | Horizontal | 301 | 2.46 | - | 31.53 | 5.00 | 32.01 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.69014G | 58.50 | 74.00 | -15.50 | 44.75 | 3 | Vertical | 197 | 1.68 | - | 37.60 | 10.45 | 34.30 |
| AV | 15.69184G | 45.43 | 54.00 | -8.57 | 31.68 | 3 | Vertical | 197 | 1.68 | - | 37.60 | 10.45 | 34.30 |

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 30
06-E-B-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.69188G | 58.23 | 74.00 | -15.77 | 44.48 | 3 | Horizontal | 16 | 1.89 | - | 37.60 | 10.45 | 34.30 |
| AV | 15.68562G | 45.42 | 54.00 | -8.58 | 31.67 | 3 | Horizontal | 16 | 1.89 | - | 37.60 | 10.44 | 34.29 |

802.11ax HEW80-BF_Nss4,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 27
06-E-B-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.0956G | 67.82 | 74.00 | -6.18 | 62.78 | 3 | Vertical | 5 | 1.74 | - | 31.99 | 5.00 | 31.95 |
| AV | 5.15G | 53.37 | 54.00 | -0.63 | 48.55 | 3 | Vertical | 5 | 1.74 | - | 31.80 | 5.00 | 31.98 |
| PK | 5.182G | 118.93 | Inf | -Inf | 114.25 | 3 | Vertical | 5 | 1.74 | - | 31.67 | 5.00 | 31.99 |
| AV | 5.1852G | 106.98 | Inf | -Inf | 102.31 | 3 | Vertical | 5 | 1.74 | - | 31.66 | 5.00 | 31.99 |
| PK | 5.3756G | 59.72 | 74.00 | -14.28 | 55.30 | 3 | Vertical | 5 | 1.74 | - | 31.50 | 5.00 | 32.08 |
| AV | 5.354G | 46.91 | 54.00 | -7.09 | 42.65 | 3 | Vertical | 5 | 1.74 | - | 31.33 | 5.00 | 32.07 |

802.11ax HEW80-BF_Nss4,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 27
06-E-B-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.0908G | 63.20 | 74.00 | -10.80 | 58.17 | 3 | Horizontal | 304 | 2.80 | - | 31.98 | 5.00 | 31.95 |
| AV | 5.1476G | 48.98 | 54.00 | -5.02 | 44.14 | 3 | Horizontal | 304 | 2.80 | - | 31.81 | 5.00 | 31.97 |
| PK | 5.1764G | 111.07 | Inf | -Inf | 106.37 | 3 | Horizontal | 304 | 2.80 | - | 31.69 | 5.00 | 31.99 |
| AV | 5.1812G | 97.50 | Inf | -Inf | 92.81 | 3 | Horizontal | 304 | 2.80 | - | 31.68 | 5.00 | 31.99 |
| PK | 5.3588G | 59.68 | 74.00 | -14.32 | 55.38 | 3 | Horizontal | 304 | 2.80 | - | 31.37 | 5.00 | 32.07 |
| AV | 5.3948G | 45.51 | 54.00 | -8.49 | 40.93 | 3 | Horizontal | 304 | 2.80 | - | 31.66 | 5.00 | 32.08 |

802.11ax HEW80-BF_Nss4,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 27
06-E-B-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.622G | 58.14 | 74.00 | -15.86 | 44.40 | 3 | Vertical | 223 | 1.87 | - | 37.60 | 10.41 | 34.27 |
| AV | 15.62076G | 45.58 | 54.00 | -8.42 | 31.84 | 3 | Vertical | 223 | 1.87 | - | 37.60 | 10.41 | 34.27 |

802.11ax HEW80-BF_Nss4,(MCS0)_8TX

5210MHz_TnomVnom



EUT Z_8TX
Setting 27
06-E-B-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.62648G | 58.15 | 74.00 | -15.85 | 44.41 | 3 | Horizontal | 209 | 2.75 | - | 37.60 | 10.41 | 34.27 |
| AV | 15.6274G | 45.14 | 54.00 | -8.86 | 31.40 | 3 | Horizontal | 209 | 2.75 | - | 37.60 | 10.41 | 34.27 |




For 80+80MHz
For 8T1S beamforming mode
Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX | Pass | AV | 5.13G | 53.09 | 54.00 | -0.91 | 3 | Vertical | 308 | 1.80 | - |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.143G | 61.43 | 74.00 | -12.57 | 55.79 | 3 | Vertical | 308 | 1.80 | - | 32.80 | 5.64 | 32.80 |
| AV | 5.13G | 53.09 | 54.00 | -0.91 | 47.46 | 3 | Vertical | 308 | 1.80 | - | 32.80 | 5.63 | 32.80 |
| PK | 5.293G | 111.02 | Inf | -Inf | 105.02 | 3 | Vertical | 308 | 1.80 | - | 32.99 | 5.75 | 32.74 |
| AV | 5.292G | 99.25 | Inf | -Inf | 93.26 | 3 | Vertical | 308 | 1.80 | - | 32.98 | 5.75 | 32.74 |
| PK | 5.41G | 63.70 | 74.00 | -10.30 | 57.16 | 3 | Vertical | 308 | 1.80 | - | 33.44 | 5.80 | 32.70 |
| AV | 5.355G | 50.08 | 54.00 | -3.92 | 43.98 | 3 | Vertical | 308 | 1.80 | - | 33.04 | 5.78 | 32.72 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.091G | 61.07 | 74.00 | -12.93 | 55.50 | 3 | Horizontal | 343 | 2.55 | - | 32.80 | 5.59 | 32.82 |
| AV | 5.15G | 47.25 | 54.00 | -6.75 | 41.60 | 3 | Horizontal | 343 | 2.55 | - | 32.80 | 5.65 | 32.80 |
| PK | 5.207G | 105.66 | Inf | -Inf | 99.84 | 3 | Horizontal | 343 | 2.55 | - | 32.90 | 5.70 | 32.78 |
| AV | 5.188G | 97.60 | Inf | -Inf | 91.81 | 3 | Horizontal | 343 | 2.55 | - | 32.88 | 5.69 | 32.78 |
| PK | 5.383G | 60.66 | 74.00 | -13.34 | 54.32 | 3 | Horizontal | 343 | 2.55 | - | 33.26 | 5.79 | 32.71 |
| AV | 5.407G | 47.85 | 54.00 | -6.15 | 41.32 | 3 | Horizontal | 343 | 2.55 | - | 33.43 | 5.80 | 32.70 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.6338G | 61.10 | 74.00 | -12.90 | 45.24 | 3 | Vertical | 250.1 | 1.96 | - | 38.37 | 11.83 | 34.34 |
| AV | 15.6538G | 48.19 | 54.00 | -5.81 | 32.30 | 3 | Vertical | 250.1 | 1.96 | - | 38.41 | 11.84 | 34.36 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

#5210MHz,5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.6315G | 61.06 | 74.00 | -12.94 | 45.22 | 3 | Horizontal | 44 | 1.73 | - | 38.36 | 11.82 | 34.34 |
| AV | 15.6526G | 48.37 | 54.00 | -5.63 | 32.47 | 3 | Horizontal | 44 | 1.73 | - | 38.41 | 11.84 | 34.35 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.13G | 60.92 | 74.00 | -13.08 | 55.29 | 3 | Vertical | 22 | 2.51 | - | 32.80 | 5.63 | 32.80 |
| AV | 5.13G | 52.83 | 54.00 | -1.17 | 47.20 | 3 | Vertical | 22 | 2.51 | - | 32.80 | 5.63 | 32.80 |
| PK | 5.284G | 114.68 | Inf | -Inf | 108.72 | 3 | Vertical | 22 | 2.51 | - | 32.97 | 5.74 | 32.75 |
| AV | 5.28G | 103.19 | Inf | -Inf | 97.24 | 3 | Vertical | 22 | 2.51 | - | 32.96 | 5.74 | 32.75 |
| PK | 5.35G | 63.69 | 74.00 | -10.31 | 57.63 | 3 | Vertical | 22 | 2.51 | - | 33.00 | 5.78 | 32.72 |
| AV | 5.35G | 52.43 | 54.00 | -1.57 | 46.37 | 3 | Vertical | 22 | 2.51 | - | 33.00 | 5.78 | 32.72 |
| PK | 5.495G | 60.56 | 68.20 | -7.64 | 53.60 | 3 | Vertical | 22 | 2.51 | - | 33.78 | 5.85 | 32.67 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.118G | 58.56 | 74.00 | -15.44 | 52.95 | 3 | Horizontal | 172 | 2.14 | - | 32.80 | 5.62 | 32.81 |
| AV | 5.15G | 46.76 | 54.00 | -7.24 | 41.11 | 3 | Horizontal | 172 | 2.14 | - | 32.80 | 5.65 | 32.80 |
| PK | 5.187G | 105.88 | Inf | -Inf | 100.10 | 3 | Horizontal | 172 | 2.14 | - | 32.87 | 5.69 | 32.78 |
| AV | 5.204G | 91.44 | Inf | -Inf | 85.62 | 3 | Horizontal | 172 | 2.14 | - | 32.90 | 5.70 | 32.78 |
| PK | 5.457G | 60.17 | 74.00 | -13.83 | 53.40 | 3 | Horizontal | 172 | 2.14 | - | 33.63 | 5.83 | 32.69 |
| AV | 5.418G | 47.57 | 54.00 | -6.43 | 40.99 | 3 | Horizontal | 172 | 2.14 | - | 33.47 | 5.81 | 32.70 |
| PK | 5.53G | 60.19 | 68.20 | -8.01 | 53.20 | 3 | Horizontal | 172 | 2.14 | - | 33.80 | 5.87 | 32.68 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.8585G | 60.84 | 74.00 | -13.16 | 44.83 | 3 | Vertical | 1 | 1.32 | - | 38.50 | 11.99 | 34.48 |
| AV | 15.872G | 47.84 | 54.00 | -6.16 | 31.83 | 3 | Vertical | 1 | 1.32 | - | 38.50 | 12.00 | 34.49 |

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT_Z_8TX
Setting 25
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.8519G | 60.90 | 74.00 | -13.10 | 44.89 | 3 | Horizontal | 255 | 1.98 | - | 38.50 | 11.99 | 34.48 |
| AV | 15.8934G | 48.06 | 54.00 | -5.94 | 32.04 | 3 | Horizontal | 255 | 1.98 | - | 38.50 | 12.02 | 34.50 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.321G | 59.61 | 68.20 | -8.59 | 53.58 | 3 | Vertical | -0 | 2.99 | - | 33.00 | 5.76 | 32.73 |
| PK | 5.457G | 61.73 | 74.00 | -12.27 | 54.96 | 3 | Vertical | -0 | 2.99 | - | 33.63 | 5.83 | 32.69 |
| AV | 5.45G | 49.55 | 54.00 | -4.45 | 42.81 | 3 | Vertical | -0 | 2.99 | - | 33.60 | 5.83 | 32.69 |
| PK | 5.461G | 61.66 | 68.20 | -6.54 | 54.87 | 3 | Vertical | -0 | 2.99 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.523G | 113.56 | Inf | -Inf | 106.58 | 3 | Vertical | -0 | 2.99 | - | 33.80 | 5.86 | 32.68 |
| AV | 5.523G | 101.59 | Inf | -Inf | 94.61 | 3 | Vertical | -0 | 2.99 | - | 33.80 | 5.86 | 32.68 |
| PK | 5.726G | 60.55 | 68.20 | -7.65 | 53.23 | 3 | Vertical | -0 | 2.99 | - | 34.10 | 5.96 | 32.74 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.296G | 59.53 | 68.20 | -8.67 | 53.53 | 3 | Horizontal | 307 | 2.56 | - | 32.99 | 5.75 | 32.74 |
| PK | 5.41G | 67.60 | 74.00 | -6.40 | 61.06 | 3 | Horizontal | 307 | 2.56 | - | 33.44 | 5.80 | 32.70 |
| PK | 5.47G | 61.29 | 68.20 | -6.91 | 54.46 | 3 | Horizontal | 307 | 2.56 | - | 33.68 | 5.83 | 32.68 |
| AV | 5.46G | 48.50 | 54.00 | -5.50 | 41.71 | 3 | Horizontal | 307 | 2.56 | - | 33.64 | 5.83 | 32.68 |
| PK | 5.52G | 109.04 | Inf | -Inf | 102.06 | 3 | Horizontal | 307 | 2.56 | - | 33.80 | 5.86 | 32.68 |
| AV | 5.506G | 102.39 | Inf | -Inf | 95.41 | 3 | Horizontal | 307 | 2.56 | - | 33.80 | 5.85 | 32.67 |
| PK | 5.729G | 60.87 | 68.20 | -7.33 | 53.53 | 3 | Horizontal | 307 | 2.56 | - | 34.12 | 5.96 | 32.74 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.064G | 55.47 | 74.00 | -18.53 | 40.96 | 3 | Vertical | 208 | 1.41 | - | 39.20 | 9.13 | 33.82 |
| AV | 11.0601G | 43.66 | 54.00 | -10.34 | 29.14 | 3 | Vertical | 208 | 1.41 | - | 39.20 | 9.13 | 33.81 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.0646G | 55.52 | 74.00 | -18.48 | 41.01 | 3 | Horizontal | 347 | 1.95 | - | 39.20 | 9.13 | 33.82 |
| AV | 11.0557G | 42.99 | 54.00 | -11.01 | 28.47 | 3 | Horizontal | 347 | 1.95 | - | 39.20 | 9.13 | 33.81 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.45G | 61.10 | 74.00 | -12.90 | 54.36 | 3 | Vertical | 56 | 1.80 | - | 33.60 | 5.83 | 32.69 |
| AV | 5.45G | 51.97 | 54.00 | -2.03 | 45.23 | 3 | Vertical | 56 | 1.80 | - | 33.60 | 5.83 | 32.69 |
| PK | 5.464G | 61.49 | 68.20 | -6.71 | 54.68 | 3 | Vertical | 56 | 1.80 | - | 33.66 | 5.83 | 32.68 |
| PK | 5.601G | 114.66 | Inf | -Inf | 107.56 | 3 | Vertical | 56 | 1.80 | - | 33.90 | 5.90 | 32.70 |
| AV | 5.603G | 101.99 | Inf | -Inf | 94.89 | 3 | Vertical | 56 | 1.80 | - | 33.90 | 5.90 | 32.70 |
| PK | 5.77G | 61.16 | 68.20 | -7.04 | 53.73 | 3 | Vertical | 56 | 1.80 | - | 34.20 | 5.99 | 32.76 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.39G | 60.04 | 74.00 | -13.96 | 53.64 | 3 | Horizontal | 168.2 | 1.75 | - | 33.32 | 5.79 | 32.71 |
| PK | 5.468G | 60.11 | 68.20 | -8.09 | 53.29 | 3 | Horizontal | 168.2 | 1.75 | - | 33.67 | 5.83 | 32.68 |
| AV | 5.452G | 47.62 | 54.00 | -6.38 | 40.87 | 3 | Horizontal | 168.2 | 1.75 | - | 33.61 | 5.83 | 32.69 |
| AV | 5.498G | 87.89 | Inf | -Inf | 80.92 | 3 | Horizontal | 168.2 | 1.75 | - | 33.79 | 5.85 | 32.67 |
| PK | 5.539G | 101.53 | Inf | -Inf | 94.54 | 3 | Horizontal | 168.2 | 1.75 | - | 33.80 | 5.87 | 32.68 |
| PK | 5.855G | 60.62 | 68.20 | -7.58 | 52.82 | 3 | Horizontal | 168.2 | 1.75 | - | 34.53 | 6.05 | 32.78 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT_Z_8TX
Setting 24
04-E-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.2406G | 56.46 | 74.00 | -17.54 | 41.98 | 3 | Vertical | 70 | 1.57 | - | 39.18 | 9.22 | 33.92 |
| AV | 11.2042G | 43.96 | 54.00 | -10.04 | 29.55 | 3 | Vertical | 70 | 1.57 | - | 39.11 | 9.20 | 33.90 |

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom



EUT Z_8TX
Setting 24
04-E-N-2


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.2174G | 56.67 | 74.00 | -17.33 | 42.24 | 3 | Horizontal | 71 | 2.44 | - | 39.13 | 9.21 | 33.91 |
| AV | 11.2447G | 43.98 | 54.00 | -10.02 | 29.49 | 3 | Horizontal | 71 | 2.44 | - | 39.19 | 9.22 | 33.92 |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|-----------|
| Mode 1 | Pass | AV | 1.91999G | 32.22 | 54.00 | -21.78 | Vertical |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK | 1.9202G | 40.44 | 74.00 | -33.56 | -7.96 | 3 | Vertical | 199 | 1.78 | - | 48.40 | 25.52 | 3.72 | 37.20 |
| AV | 1.91999G | 32.22 | 54.00 | -21.78 | -7.96 | 3 | Vertical | 199 | 1.78 | "Worst" | 40.18 | 25.52 | 3.72 | 37.20 |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| PK | 1.9199G | 34.95 | 74.00 | -39.05 | -7.96 | 3 | Horizontal | 208 | 1.00 | - | 42.91 | 25.52 | 3.72 | 37.20 |
| AV | 1.92003G | 25.14 | 54.00 | -28.86 | -7.96 | 3 | Horizontal | 208 | 1.00 | "Worst" | 33.10 | 25.52 | 3.72 | 37.20 |