


802.11ax HEW20-BF_Nss2,(MCS0)_8TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TnomVnom

14/09/2021

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
30MHz



Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
22.80	13.51	13.61	14.01	13.82	14.07	13.68	13.54	13.89


802.11ax HEW20-BF_Nss2,(MCS0)_8TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TnomVnom

14/09/2021

CF
5.735GHz
Span
40MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
17.28	8.35	8.07	8.72	8.08	8.51	8.21	7.85	8.16

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TnomVnom

14/09/2021



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
23.90	14.70	15.33	14.93	15.21	13.90	14.57	14.87	15.24

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TnomVnom

14/09/2021



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
13.65	4.22	5.17	5.08	4.89	3.53	4.35	4.62	4.87

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TnomVnom

14/09/2021



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
23.75	14.64	14.95	14.63	15.37	13.74	14.41	14.89	14.94

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TnomVnom

14/09/2021



Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
9.32	0.32	0.61	0.39	0.91	-1.13	-0.30	0.53	0.64



For 8T4S beamforming mode

SummaryMode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ax HEW40-BF_Nss4,(MCS0)_8TX	29.72	0.93756
802.11ax HEW80-BF_Nss4,(MCS0)_8TX	28.66	0.73451



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW40-BF_Nss4,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	3.47	19.29	19.30	19.90	20.10	19.78	20.07	19.39	19.35	28.69	30.00
5230MHz	Pass	3.47	20.57	20.14	21.16	20.89	20.77	21.22	20.24	20.42	29.72	30.00
802.11ax HEW80-BF_Nss4,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	3.47	19.32	19.19	20.06	19.96	19.76	20.16	19.19	19.21	28.66	30.00

DG = Directional Gain; Port X = Port X output power



For 80+80MHz
For 8T1S beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	23.10	0.20417
5.25-5.35GHz	-	-
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	23.71	0.23496
5.47-5.725GHz	-	-
802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX	23.76	0.23768



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Port 5 (dBm)	Port 6 (dBm)	Port 7 (dBm)	Port 8 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	4.19	16.78	16.96	17.28	17.26	-	-	-	-	23.10	30.00
5210MHz,#5290MHz	Pass	4.61	-	-	-	-	17.96	18.02	17.39	17.33	23.71	23.98
802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	4.31	14.64	14.52	14.27	14.90	15.65	15.08	14.34	14.28	23.76	23.98

DG = Directional Gain; Port X = Port X output power

For 20/40/80MHz
 For 8T1S non beamforming mode
 Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_8TX	15.52
802.11ax HEW20_Nss1,(MCS0)_8TX	15.79
802.11ax HEW40_Nss1,(MCS0)_8TX	13.49
802.11ax HEW80_Nss1,(MCS0)_8TX	4.46
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_8TX	9.31
802.11ax HEW20_Nss1,(MCS0)_8TX	9.14
802.11ax HEW40_Nss1,(MCS0)_8TX	7.26
802.11ax HEW80_Nss1,(MCS0)_8TX	4.66
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_8TX	9.67
802.11ax HEW20_Nss1,(MCS0)_8TX	9.67
802.11ax HEW40_Nss1,(MCS0)_8TX	7.65
802.11ax HEW80_Nss1,(MCS0)_8TX	4.66
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_8TX	14.87
802.11ax HEW20_Nss1,(MCS0)_8TX	14.60
802.11ax HEW40_Nss1,(MCS0)_8TX	12.01
802.11ax HEW80_Nss1,(MCS0)_8TX	9.41

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.19	6.70	6.85	6.76	6.86	6.62	6.69	6.80	6.44	15.51	15.81
5200MHz	Pass	7.19	6.68	6.51	6.86	7.03	6.90	7.17	6.38	6.63	15.52	15.81
5240MHz	Pass	7.19	6.62	6.30	6.93	6.81	6.81	7.01	6.41	6.50	15.48	15.81
5260MHz	Pass	7.61	0.67	0.01	0.40	0.52	1.04	1.06	0.50	0.34	9.31	9.39
5300MHz	Pass	7.61	0.36	-0.04	0.12	0.50	0.62	0.62	0.28	0.31	9.21	9.39
5320MHz	Pass	7.61	0.43	0.31	0.30	0.70	0.50	0.34	0.13	0.44	9.20	9.39
5500MHz	Pass	7.31	1.33	0.90	0.57	0.22	1.28	1.14	0.92	0.94	9.67	9.69
5580MHz	Pass	7.31	0.60	0.19	0.15	0.73	0.89	0.77	0.36	0.34	9.37	9.69
5700MHz	Pass	7.31	-0.11	0.75	0.69	0.98	1.03	1.08	0.59	0.02	9.43	9.69
5720MHz Straddle 5.47-5.725GHz	Pass	7.31	0.30	0.61	0.89	0.55	1.50	1.48	0.52	0.33	9.65	9.69
5720MHz Straddle 5.725-5.85GHz	Pass	7.04	-1.54	-1.07	-1.02	-1.27	-1.00	-1.09	-1.38	-1.64	7.69	28.96
5745MHz	Pass	7.04	5.62	5.65	5.67	4.96	6.32	6.53	5.87	6.13	14.62	28.96
5785MHz	Pass	7.04	5.40	5.83	5.77	5.75	6.46	6.51	5.84	5.50	14.72	28.96
5825MHz	Pass	7.04	5.37	5.78	6.00	6.59	6.64	6.63	5.83	5.60	14.87	28.96
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.19	6.71	6.87	6.98	7.20	6.88	6.89	6.78	6.84	15.73	15.81
5200MHz	Pass	7.19	6.73	6.51	6.98	7.03	7.16	7.44	6.68	6.55	15.75	15.81
5240MHz	Pass	7.19	7.01	6.81	7.10	6.90	7.25	7.38	6.76	6.79	15.79	15.81
5260MHz	Pass	7.61	0.40	0.06	0.17	0.26	0.88	0.81	-0.00	-0.16	9.14	9.39
5300MHz	Pass	7.61	0.02	-0.25	-0.24	0.53	0.52	0.58	0.05	-0.15	8.99	9.39
5320MHz	Pass	7.61	0.13	0.12	-0.05	0.67	0.30	0.26	-0.18	-0.15	8.95	9.39
5500MHz	Pass	7.31	0.94	0.51	0.40	0.05	1.04	0.94	0.46	0.77	9.44	9.69
5580MHz	Pass	7.31	0.74	0.38	0.33	1.00	1.56	1.44	0.51	0.53	9.65	9.69
5700MHz	Pass	7.31	0.26	0.76	0.91	1.17	1.28	1.32	0.61	0.27	9.67	9.69
5720MHz Straddle 5.47-5.725GHz	Pass	7.31	-0.04	0.65	0.51	0.48	1.41	1.28	0.36	-0.06	9.45	9.69
5720MHz Straddle 5.725-5.85GHz	Pass	7.04	-1.93	-1.85	-1.41	-1.27	-0.59	-0.37	-1.89	-1.78	7.60	28.96
5745MHz	Pass	7.04	5.43	4.98	5.32	4.84	6.23	6.41	5.26	5.66	14.31	28.96
5785MHz	Pass	7.04	4.88	5.30	5.35	5.62	5.85	5.74	5.25	5.21	14.16	28.96
5825MHz	Pass	7.04	5.12	5.23	5.64	6.55	6.13	6.29	5.22	5.05	14.60	28.96
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.19	0.85	0.81	1.05	1.23	0.87	1.01	0.61	0.67	9.72	15.81
5230MHz	Pass	7.19	4.72	4.09	4.88	4.70	4.72	4.99	4.56	4.40	13.49	15.81
5270MHz	Pass	7.61	-1.46	-2.02	-1.66	-1.66	-1.06	-0.99	-1.95	-1.79	7.26	9.39
5310MHz	Pass	7.61	-1.71	-1.80	-1.75	-1.36	-1.25	-1.32	-1.82	-1.89	7.09	9.39
5510MHz	Pass	7.31	-1.46	-2.03	-1.97	-2.13	-0.93	-0.79	-1.95	-1.87	7.22	9.69
5550MHz	Pass	7.31	-1.60	-2.07	-2.00	-1.45	-0.73	-0.61	-1.98	-1.80	7.30	9.69
5670MHz	Pass	7.31	-1.90	-1.61	-1.46	-1.27	-1.22	-1.14	-1.08	-1.63	7.47	9.69
5710MHz Straddle 5.47-5.725GHz	Pass	7.31	-1.64	-1.40	-1.17	-1.03	-0.86	-0.80	-1.30	-1.57	7.65	9.69
5710MHz Straddle 5.725-5.85GHz	Pass	7.04	-4.57	-4.22	-3.89	-3.61	-4.14	-4.17	-4.23	-4.65	4.74	28.96
5755MHz	Pass	7.04	2.86	2.78	3.14	2.63	3.41	3.55	3.31	3.43	12.01	28.96
5795MHz	Pass	7.04	2.64	2.93	3.18	3.56	3.38	3.61	2.73	2.67	11.94	28.96
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7.19	-4.89	-3.75	-4.34	-3.77	-4.96	-4.26	-4.74	-4.20	4.46	15.81
5290MHz	Pass	7.61	-4.22	-4.61	-4.38	-3.90	-3.69	-3.67	-4.22	-4.38	4.66	9.39
5530MHz	Pass	7.31	-4.41	-5.02	-4.87	-4.83	-3.96	-3.93	-4.97	-4.81	4.14	9.69
5610MHz	Pass	7.31	-4.84	-4.55	-4.87	-4.81	-4.37	-4.36	-4.58	-4.98	4.06	9.69
5690MHz Straddle 5.47-5.725GHz	Pass	7.31	-4.50	-4.55	-4.37	-4.09	-3.79	-3.92	-4.00	-4.39	4.66	9.69
5690MHz Straddle 5.725-5.85GHz	Pass	7.04	-8.54	-8.55	-8.14	-7.55	-8.41	-8.58	-8.14	-8.79	0.57	28.96
5775MHz	Pass	7.04	0.36	0.41	0.66	0.43	0.69	0.79	0.61	0.61	9.41	28.96


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmit port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_8TX

PSD

5180MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
15.51	15.51	6.70	6.85	6.76	6.86	6.62	6.69	6.80	6.44

802.11a_Nss1,(6Mbps)_8TX

PSD

5200MHz

18/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
15.52	15.52	6.68	6.51	6.86	7.03	6.90	7.17	6.38	6.63

802.11a_Nss1,(6Mbps)_8TX

PSD

5240MHz

18/09/2021

CF
5.24GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
15.48	15.48	6.62	6.30	6.93	6.81	6.81	7.01	6.41	6.50

802.11a_Nss1,(6Mbps)_8TX

PSD

5260MHz

18/09/2021

CF
5.26GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.31	9.31	0.67	0.01	0.40	0.52	1.04	1.06	0.50	0.34

802.11a_Nss1,(6Mbps)_8TX

PSD

5300MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.21	9.21	0.36	-0.04	0.12	0.50	0.62	0.62	0.28	0.31

802.11a_Nss1,(6Mbps)_8TX

PSD

5320MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.20	9.20	0.43	0.31	0.30	0.70	0.50	0.34	0.13	0.44

802.11a_Nss1,(6Mbps)_8TX

PSD

5500MHz

18/09/2021




802.11a_Nss1,(6Mbps)_8TX

PSD

5580MHz

18/09/2021




802.11a_Nss1,(6Mbps)_8TX

PSD

5700MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.43	9.43	-0.11	0.75	0.69	0.98	1.03	1.08	0.59	0.02

802.11a_Nss1,(6Mbps)_8TX

PSD

5720MHz Straddle 5.47-5.725GHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.65	9.65	0.30	0.61	0.89	0.55	1.50	1.48	0.52	0.33

802.11a_Nss1,(6Mbps)_8TX
5720MHz Straddle 5.725-5.85GHz

PSD

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
7.69	7.69	-1.54	-1.07	-1.02	-1.27	-1.00	-1.09	-1.38	-1.64

802.11a_Nss1,(6Mbps)_8TX
5745MHz

PSD

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
14.62	14.62	5.62	5.65	5.67	4.96	6.32	6.53	5.87	6.13

802.11a_Nss1,(6Mbps)_8TX

PSD

5785MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.72	14.72	5.40	5.83	5.77	5.75	6.46	6.51	5.84	5.50

802.11a_Nss1,(6Mbps)_8TX

PSD

5825MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.87	14.87	5.37	5.78	6.00	6.59	6.64	6.63	5.83	5.60

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5180MHz

18/09/2021




802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5200MHz

18/09/2021




802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5240MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
15.79	15.79	7.01	6.81	7.10	6.90	7.25	7.38	6.76	6.79

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5260MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.14	9.14	0.40	0.06	0.17	0.26	0.88	0.81	-0.00	-0.16

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5300MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.99	8.99	0.02	-0.25	-0.24	0.53	0.52	0.58	0.05	-0.15

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5320MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.95	8.95	0.13	0.12	-0.05	0.67	0.30	0.26	-0.18	-0.15

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5500MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.44	9.44	0.94	0.51	0.40	0.05	1.04	0.94	0.46	0.77

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5580MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.65	9.65	0.74	0.38	0.33	1.00	1.56	1.44	0.51	0.53

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5700MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.67	9.67	0.26	0.76	0.91	1.17	1.28	1.32	0.61	0.27

802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5720MHz Straddle 5.47-5.725GHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.45	9.45	-0.04	0.65	0.51	0.48	1.41	1.28	0.36	-0.06

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.725-5.85GHz

PSD

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.60	7.60	-1.93	-1.85	-1.41	-1.27	-0.59	-0.37	-1.89	-1.78

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz

PSD

18/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.31	14.31	5.43	4.98	5.32	4.84	6.23	6.41	5.26	5.66


802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5785MHz

18/09/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.16	14.16	4.88	5.30	5.35	5.62	5.85	5.74	5.25	5.21


802.11ax HEW20_Nss1,(MCS0)_8TX

PSD

5825MHz

18/09/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.60	14.60	5.12	5.23	5.64	6.55	6.13	6.29	5.22	5.05

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5190MHz

18/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.72	9.72	0.85	0.81	1.05	1.23	0.87	1.01	0.61	0.67

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5230MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
13.49	13.49	4.72	4.09	4.88	4.70	4.72	4.99	4.56	4.40

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5270MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.26	7.26	-1.46	-2.02	-1.66	-1.66	-1.06	-0.99	-1.95	-1.79

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5310MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.09	7.09	-1.71	-1.80	-1.75	-1.36	-1.25	-1.32	-1.82	-1.89

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5510MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.22	7.22	-1.46	-2.03	-1.97	-2.13	-0.93	-0.79	-1.95	-1.87

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5550MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.30	7.30	-1.60	-2.07	-2.00	-1.45	-0.73	-0.61	-1.98	-1.80

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5670MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.47	7.47	-1.90	-1.61	-1.46	-1.27	-1.22	-1.14	-1.08	-1.63

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.65	7.65	-1.64	-1.40	-1.17	-1.03	-0.86	-0.80	-1.30	-1.57

802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.725-5.85GHz

PSD

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.74	4.74	-4.57	-4.22	-3.89	-3.61	-4.14	-4.17	-4.23	-4.65

802.11ax HEW40_Nss1,(MCS0)_8TX
5755MHz

PSD

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
12.01	12.01	2.86	2.78	3.14	2.63	3.41	3.55	3.31	3.43

802.11ax HEW40_Nss1,(MCS0)_8TX

PSD

5795MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
11.94	11.94	2.64	2.93	3.18	3.56	3.38	3.61	2.73	2.67

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5210MHz

06/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.46	4.46	-4.89	-3.75	-4.34	-3.77	-4.96	-4.26	-4.74	-4.20

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5290MHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.66	4.66	-4.22	-4.61	-4.38	-3.90	-3.69	-3.67	-4.22	-4.38

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5530MHz

19/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.14	4.14	-4.41	-5.02	-4.87	-4.83	-3.96	-3.93	-4.97	-4.81

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5610MHz

19/09/2021

CF
5.61GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.06	4.06	-4.84	-4.55	-4.87	-4.81	-4.37	-4.36	-4.58	-4.98

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/09/2021

CF
5.65GHz


Span
300MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Port 5

Port 6

Port 7

Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.66	4.66	-4.50	-4.55	-4.37	-4.09	-3.79	-3.92	-4.00	-4.39

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
0.57	0.57	-8.54	-8.55	-8.14	-7.55	-8.41	-8.58	-8.14	-8.79

802.11ax HEW80_Nss1,(MCS0)_8TX

PSD

5775MHz

19/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.41	9.41	0.36	0.41	0.66	0.43	0.69	0.79	0.61	0.61

For 8T1S beamforming mode
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	15.64
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	12.61
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	4.73
5.25-5.35GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	8.97
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	5.94
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	2.94
5.47-5.725GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	9.02
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	6.72
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	3.51
5.725-5.85GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	13.87
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	11.19
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	8.33

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.19	6.27	6.27	4.98	6.38	6.10	5.90	6.18	5.60	14.75	15.81
5200MHz	Pass	7.19	6.87	6.50	7.07	6.72	6.60	6.51	6.91	6.34	15.52	15.81
5240MHz	Pass	7.19	6.89	6.46	7.19	6.69	6.94	6.88	7.08	6.76	15.64	15.81
5260MHz	Pass	7.61	-0.18	-0.38	-0.32	-0.10	-0.54	0.20	-0.38	-0.18	8.62	9.39
5300MHz	Pass	7.61	-0.05	-0.32	-0.01	0.47	0.23	0.09	0.27	0.06	8.84	9.39
5320MHz	Pass	7.61	0.22	0.08	0.01	0.34	-0.08	0.17	0.28	0.29	8.97	9.39
5500MHz	Pass	7.31	0.46	0.18	-0.11	-0.03	-0.36	0.10	0.51	0.25	8.91	9.69
5580MHz	Pass	7.31	0.35	0.01	-0.34	0.20	-0.14	-0.12	-0.20	-0.39	8.74	9.69
5700MHz	Pass	7.31	-0.41	0.01	0.09	0.54	0.45	0.06	-0.13	0.39	9.02	9.69
5720MHz Straddle 5.47-5.725GHz	Pass	7.31	-0.45	-0.20	-0.05	-0.08	0.37	-0.17	-0.32	-0.17	8.73	9.69
5720MHz Straddle 5.725-5.85GHz	Pass	7.04	-2.34	-1.74	-1.74	-2.03	-1.55	-2.18	-2.29	-2.11	6.96	28.96
5745MHz	Pass	7.04	4.87	4.68	5.19	5.20	4.77	4.98	5.01	4.91	13.80	28.96
5785MHz	Pass	7.04	4.64	5.24	5.02	5.60	4.46	5.28	4.98	4.87	13.86	28.96
5825MHz	Pass	7.04	4.74	5.32	5.81	4.95	4.59	5.57	4.70	5.23	13.87	28.96
802.11ax HEW40-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.19	-0.69	-0.65	3.06	1.18	2.37	0.24	1.96	-0.48	8.67	15.81
5230MHz	Pass	7.19	3.76	3.30	4.07	3.76	3.70	3.76	3.72	3.83	12.61	15.81
5270MHz	Pass	7.61	-2.79	-2.91	-2.91	-2.64	-3.09	-2.80	-3.01	-2.88	5.94	9.39
5310MHz	Pass	7.61	-2.80	-3.03	-2.86	-2.96	-2.97	-3.14	-2.76	-3.01	5.84	9.39
5510MHz	Pass	7.31	-2.06	-2.50	-2.73	-2.42	-2.75	-2.32	-2.21	-2.32	6.40	9.69
5550MHz	Pass	7.31	-2.25	-2.66	-2.46	-2.24	-2.31	-2.28	-2.53	-2.76	6.33	9.69
5670MHz	Pass	7.31	-2.96	-2.94	-2.72	-2.43	-2.69	-3.11	-2.86	-2.82	6.02	9.69
5710MHz Straddle 5.47-5.725GHz	Pass	7.31	-2.32	-2.21	-2.12	-1.85	-1.97	-2.37	-2.48	-1.69	6.72	9.69
5710MHz Straddle 5.725-5.85GHz	Pass	7.04	-5.02	-4.79	-4.78	-5.11	-4.65	-5.27	-5.31	-4.54	4.05	28.96
5755MHz	Pass	7.04	2.28	1.77	2.58	2.61	1.89	2.55	2.20	2.33	11.13	28.96
5795MHz	Pass	7.04	2.16	2.28	2.50	2.72	1.82	2.67	2.32	2.20	11.19	28.96
802.11ax HEW80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7.19	-4.30	-4.39	-4.53	-3.83	-4.35	-4.30	-4.38	-4.43	4.73	15.81
5290MHz	Pass	7.61	-5.87	-6.09	-6.02	-5.77	-5.99	-5.84	-5.57	-5.70	2.94	9.39
5530MHz	Pass	7.31	-4.99	-5.42	-5.53	-5.21	-5.33	-5.17	-5.23	-5.36	3.49	9.69
5610MHz	Pass	7.31	-5.28	-5.28	-5.63	-5.51	-5.26	-5.62	-5.74	-6.00	3.25	9.69
5690MHz Straddle 5.47-5.725GHz	Pass	7.31	-5.36	-5.69	-5.32	-4.86	-5.10	-5.59	-5.42	-5.34	3.51	9.69
5690MHz Straddle 5.725-5.85GHz	Pass	7.04	-9.25	-9.60	-9.46	-9.13	-8.94	-9.92	-9.57	-9.04	-0.38	28.96
5775MHz	Pass	7.04	-0.58	-0.53	-0.27	-0.08	-0.93	-0.30	-0.63	-0.63	8.33	28.96


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5180MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/10MHz)									
14.75	14.75	6.27	6.27	4.98	6.38	6.10	5.90	6.18	5.60

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5200MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/10MHz)									
15.52	15.52	6.87	6.50	7.07	6.72	6.60	6.51	6.91	6.34

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5240MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
15.64	15.64	6.89	6.46	7.19	6.69	6.94	6.88	7.08	6.76

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5260MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
8.62	8.62	-0.18	-0.38	-0.32	-0.10	-0.54	0.20	-0.38	-0.18

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5300MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.84	8.84	-0.05	-0.32	-0.01	0.47	0.23	0.09	0.27	0.06

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5320MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.97	8.97	0.22	0.08	0.01	0.34	-0.08	0.17	0.28	0.29

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5500MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.91	8.91	0.46	0.18	-0.11	-0.03	-0.36	0.10	0.51	0.25

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5580MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.74	8.74	0.35	0.01	-0.34	0.20	-0.14	-0.12	-0.20	-0.39

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5700MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
9.02	9.02	-0.41	0.01	0.09	0.54	0.45	0.06	-0.13	0.39

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5720MHz Straddle 5.47-5.725GHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
8.73	8.73	-0.45	-0.20	-0.05	-0.08	0.37	-0.17	-0.32	-0.17

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5720MHz Straddle 5.725-5.85GHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
6.96	6.96	-2.34	-1.74	-1.74	-2.03	-1.55	-2.18	-2.29	-2.11

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5745MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
13.80	13.80	4.87	4.68	5.19	5.20	4.77	4.98	5.01	4.91

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5785MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
13.86	13.86	4.64	5.24	5.02	5.60	4.46	5.28	4.98	4.87

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

PSD

5825MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
13.87	13.87	4.74	5.32	5.81	4.95	4.59	5.57	4.70	5.23

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5190MHz

19/07/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.67	8.67	-0.69	-0.65	3.06	1.18	2.37	0.24	1.96	-0.48

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5230MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
12.61	12.61	3.76	3.30	4.07	3.76	3.70	3.76	3.72	3.83

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5270MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
5.94	5.94	-2.79	-2.91	-2.91	-2.64	-3.09	-2.80	-3.01	-2.88

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5310MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
5.84	5.84	-2.80	-3.03	-2.86	-2.96	-2.97	-3.14	-2.76	-3.01

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5510MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
6.40	6.40	-2.06	-2.50	-2.73	-2.42	-2.75	-2.32	-2.21	-2.32

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5550MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
6.33	6.33	-2.25	-2.66	-2.46	-2.24	-2.31	-2.28	-2.53	-2.76

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5670MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
6.02	6.02	-2.96	-2.94	-2.72	-2.43	-2.69	-3.11	-2.86	-2.82

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5710MHz Straddle 5.47-5.725GHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
6.72	6.72	-2.32	-2.21	-2.12	-1.85	-1.97	-2.37	-2.48	-1.69

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5710MHz Straddle 5.725-5.85GHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.05	4.05	-5.02	-4.79	-4.78	-5.11	-4.65	-5.27	-5.31	-4.54

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5755MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
11.13	11.13	2.28	1.77	2.58	2.61	1.89	2.55	2.20	2.33

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

PSD

5795MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
11.19	11.19	2.16	2.28	2.50	2.72	1.82	2.67	2.32	2.20

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5210MHz

06/10/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.73	4.73	-4.30	-4.39	-4.53	-3.83	-4.35	-4.30	-4.38	-4.43

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5290MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
2.94	2.94	-5.87	-6.09	-6.02	-5.77	-5.99	-5.84	-5.57	-5.70

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5530MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
3.49	3.49	-4.99	-5.42	-5.53	-5.21	-5.33	-5.17	-5.23	-5.36

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5610MHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
3.25	3.25	-5.28	-5.28	-5.63	-5.51	-5.26	-5.62	-5.74	-6.00

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.47-5.725GHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
3.51	3.51	-5.36	-5.69	-5.32	-4.86	-5.10	-5.59	-5.42	-5.34

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5690MHz Straddle 5.725-5.85GHz

13/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
-0.38	-0.38	-9.25	-9.60	-9.46	-9.13	-8.94	-9.92	-9.57	-9.04

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

PSD

5775MHz

13/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.33	8.33	-0.58	-0.53	-0.27	-0.08	-0.93	-0.30	-0.63	-0.63

For 8T2S beamforming mode
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_8TX	16.75
802.11ax HEW40-BF_Nss2,(MCS0)_8TX	13.50
802.11ax HEW80-BF_Nss2,(MCS0)_8TX	7.42
5.25-5.35GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_8TX	10.19
802.11ax HEW40-BF_Nss2,(MCS0)_8TX	7.43
802.11ax HEW80-BF_Nss2,(MCS0)_8TX	4.73
5.47-5.725GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_8TX	10.54
802.11ax HEW40-BF_Nss2,(MCS0)_8TX	8.03
802.11ax HEW80-BF_Nss2,(MCS0)_8TX	4.96
5.725-5.85GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_8TX	14.98
802.11ax HEW40-BF_Nss2,(MCS0)_8TX	12.11
802.11ax HEW80-BF_Nss2,(MCS0)_8TX	9.55

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	4.19	8.01	7.89	8.32	8.28	8.20	7.47	8.17	7.24	16.65	17.00
5200MHz	Pass	4.19	8.03	7.92	8.45	8.18	8.15	7.83	8.22	7.45	16.72	17.00
5240MHz	Pass	4.19	7.98	7.75	8.69	8.10	8.27	8.46	7.99	7.94	16.75	17.00
5260MHz	Pass	4.61	1.60	1.02	1.66	1.86	1.52	1.99	1.48	1.39	10.19	11.00
5300MHz	Pass	4.61	1.06	1.11	1.54	1.41	1.36	1.41	1.81	1.09	10.01	11.00
5320MHz	Pass	4.61	1.28	1.45	1.56	1.40	1.20	1.29	1.94	1.30	10.03	11.00
5500MHz	Pass	4.31	2.29	1.91	1.74	2.06	1.44	1.85	2.27	1.89	10.54	11.00
5580MHz	Pass	4.31	2.17	1.51	1.80	2.19	2.06	1.69	2.00	1.32	10.47	11.00
5700MHz	Pass	4.31	0.79	1.34	1.27	2.02	1.74	1.35	1.10	1.79	10.13	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.31	1.40	1.47	1.98	1.80	2.02	1.62	1.68	1.77	10.38	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.04	-0.41	-0.60	0.07	-0.57	-0.44	-0.49	-0.60	-0.26	8.47	30.00
5745MHz	Pass	4.04	6.09	5.85	6.58	6.76	6.18	6.18	6.37	6.10	14.82	30.00
5785MHz	Pass	4.04	6.03	5.97	6.96	7.22	6.21	6.37	6.53	6.34	14.98	30.00
5825MHz	Pass	4.04	5.48	5.64	6.91	6.06	5.90	6.10	5.70	6.03	14.64	30.00
802.11ax HEW40-BF_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	4.19	3.35	3.34	4.05	3.72	2.65	4.07	3.73	2.87	11.43	17.00
5230MHz	Pass	4.19	5.06	4.69	5.31	5.02	3.95	4.58	5.11	5.03	13.50	17.00
5270MHz	Pass	4.61	-1.06	-1.06	-1.28	-1.11	-1.84	-1.21	-1.39	-0.93	7.42	11.00
5310MHz	Pass	4.61	-1.25	-0.85	-1.23	-1.30	-1.78	-1.27	-0.87	-1.08	7.43	11.00
5510MHz	Pass	4.31	-0.41	-0.60	-1.43	-0.95	-1.24	-0.59	-0.75	-0.71	7.74	11.00
5550MHz	Pass	4.31	-0.54	-1.08	-1.23	-0.60	-1.21	-0.51	-1.34	-1.06	7.66	11.00
5670MHz	Pass	4.31	-1.58	-1.02	-1.40	-0.71	-2.46	-1.65	-1.41	-1.48	7.25	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.31	-0.97	-0.25	-0.69	-0.44	-1.47	-0.82	-0.89	-0.22	8.03	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.04	-3.80	-3.13	-3.29	-3.56	-4.95	-4.15	-3.72	-3.39	5.13	30.00
5755MHz	Pass	4.04	3.02	3.42	4.09	4.04	2.19	2.82	3.35	3.49	12.00	30.00
5795MHz	Pass	4.04	3.08	3.74	4.04	4.33	2.29	3.17	3.31	3.49	12.11	30.00
802.11ax HEW80-BF_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.19	0.84	-0.12	0.01	1.06	-1.82	0.96	-0.65	0.68	7.42	17.00
5290MHz	Pass	4.61	-4.05	-4.11	-4.19	-3.87	-4.46	-3.73	-4.04	-4.20	4.73	11.00
5530MHz	Pass	4.31	-3.67	-3.83	-4.20	-3.88	-4.40	-3.60	-3.98	-4.12	4.80	11.00
5610MHz	Pass	4.31	-3.72	-3.08	-3.95	-3.72	-4.29	-3.60	-3.66	-4.12	4.96	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.31	-4.20	-3.85	-4.22	-3.45	-4.54	-4.08	-3.77	-4.23	4.78	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.04	-7.94	-7.80	-8.11	-7.66	-9.80	-8.80	-7.83	-7.79	0.71	30.00
5775MHz	Pass	4.04	0.63	1.08	1.20	1.54	-0.41	0.32	0.77	0.66	9.55	30.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmit port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5180MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
16.65	16.65	8.01	7.89	8.32	8.28	8.20	7.47	8.17	7.24

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5200MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
16.72	16.72	8.03	7.92	8.45	8.18	8.15	7.83	8.22	7.45

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5240MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
16.75	16.75	7.98	7.75	8.69	8.10	8.27	8.46	7.99	7.94

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5260MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
10.19	10.19	1.60	1.02	1.66	1.86	1.52	1.99	1.48	1.39

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5300MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
10.01	10.01	1.06	1.11	1.54	1.41	1.36	1.41	1.81	1.09

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5320MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
10.03	10.03	1.28	1.45	1.56	1.40	1.20	1.29	1.94	1.30

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5500MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
10.54	10.54	2.29	1.91	1.74	2.06	1.44	1.85	2.27	1.89

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5580MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
10.47	10.47	2.17	1.51	1.80	2.19	2.06	1.69	2.00	1.32

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5700MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
10.13	10.13	0.79	1.34	1.27	2.02	1.74	1.35	1.10	1.79

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5720MHz Straddle 5.47-5.725GHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
10.38	10.38	1.40	1.47	1.98	1.80	2.02	1.62	1.68	1.77

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5720MHz Straddle 5.725-5.85GHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.47	8.47	-0.41	-0.60	0.07	-0.57	-0.44	-0.49	-0.60	-0.26

802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5745MHz

14/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.82	14.82	6.09	5.85	6.58	6.76	6.18	6.18	6.37	6.10


802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5785MHz

14/09/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8

Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.98	14.98	6.03	5.97	6.96	7.22	6.21	6.37	6.53	6.34


802.11ax HEW20-BF_Nss2,(MCS0)_8TX

PSD

5825MHz

14/09/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4
Port 5
Port 6
Port 7
Port 8


Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
14.64	14.64	5.48	5.64	6.91	6.06	5.90	6.10	5.70	6.03

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5190MHz

04/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
11.43	11.43	3.35	3.34	4.05	3.72	2.65	4.07	3.73	2.87

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5230MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
13.50	13.50	5.06	4.69	5.31	5.02	3.95	4.58	5.11	5.03

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5270MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.42	7.42	-1.06	-1.06	-1.28	-1.11	-1.84	-1.21	-1.39	-0.93

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5310MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.43	7.43	-1.25	-0.85	-1.23	-1.30	-1.78	-1.27	-0.87	-1.08

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5510MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.74	7.74	-0.41	-0.60	-1.43	-0.95	-1.24	-0.59	-0.75	-0.71

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5550MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.66	7.66	-0.54	-1.08	-1.23	-0.60	-1.21	-0.51	-1.34	-1.06

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5670MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.25	7.25	-1.58	-1.02	-1.40	-0.71	-2.46	-1.65	-1.41	-1.48

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5710MHz Straddle 5.47-5.725GHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
8.03	8.03	-0.97	-0.25	-0.69	-0.44	-1.47	-0.82	-0.89	-0.22

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5710MHz Straddle 5.725-5.85GHz

PSD

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
5.13	5.13	-3.80	-3.13	-3.29	-3.56	-4.95	-4.15	-3.72	-3.39

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

5755MHz

PSD

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/100kHz)									
12.00	12.00	3.02	3.42	4.09	4.04	2.19	2.82	3.35	3.49

802.11ax HEW40-BF_Nss2,(MCS0)_8TX

PSD

5795MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
12.11	12.11	3.08	3.74	4.04	4.33	2.29	3.17	3.31	3.49

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

PSD

5210MHz

05/08/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
7.42	7.42	0.84	-0.12	0.01	1.06	-1.82	0.96	-0.65	0.68

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

PSD

5290MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.73	4.73	-4.05	-4.11	-4.19	-3.87	-4.46	-3.73	-4.04	-4.20

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

PSD

5530MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.80	4.80	-3.67	-3.83	-4.20	-3.88	-4.40	-3.60	-3.98	-4.12

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

PSD

5610MHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.96	4.96	-3.72	-3.08	-3.95	-3.72	-4.29	-3.60	-3.66	-4.12

802.11ax HEW80-BF_Nss2,(MCS0)_8TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
4.78	4.78	-4.20	-3.85	-4.22	-3.45	-4.54	-4.08	-3.77	-4.23

802.11ax HEW80-BF_Nss2,(MCS0)_8TX
5690MHz Straddle 5.725-5.85GHz

PSD

14/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
0.71	0.71	-7.94	-7.80	-8.11	-7.66	-9.80	-8.80	-7.83	-7.79

802.11ax HEW80-BF_Nss2,(MCS0)_8TX
5775MHz

PSD

14/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
9.55	9.55	0.63	1.08	1.20	1.54	-0.41	0.32	0.77	0.66



For 8T4S beamforming mode
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW40-BF_Nss4,(MCS0)_8TX	13.87
802.11ax HEW80-BF_Nss4,(MCS0)_8TX	10.12

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW40-BF_Nss4,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	3.47	3.68	3.59	4.26	4.41	4.01	4.38	3.62	3.63	12.76	17.00
5230MHz	Pass	3.47	4.96	4.35	5.47	5.20	5.01	5.62	4.64	4.78	13.87	17.00
802.11ax HEW80-BF_Nss4,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	3.47	0.95	0.81	1.70	1.52	1.50	1.87	0.81	0.93	10.12	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

PSD

5190MHz

20/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
12.76	12.76	3.68	3.59	4.26	4.41	4.01	4.38	3.62	3.63

802.11ax HEW40-BF_Nss4,(MCS0)_8TX

PSD

5230MHz

20/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
13.87	13.87	4.96	4.35	5.47	5.20	5.01	5.62	4.64	4.78

802.11ax HEW80-BF_Nss4,(MCS0)_8TX

PSD

5210MHz

20/09/2021



Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
10.12	10.12	0.95	0.81	1.70	1.52	1.50	1.87	0.81	0.93



For 80+80MHz
For 8T1S beamforming mode
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	5.05
5.25-5.35GHz	-
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	5.50
5.47-5.725GHz	-
802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX	3.00

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band.

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	Port 5 (dBm/RBW)	Port 6 (dBm/RBW)	Port 7 (dBm/RBW)	Port 8 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	4.19	-1.27	-0.87	-0.63	-0.68	-	-	-	-	5.05	17.00
5210MHz,#5290MHz	Pass	4.61	-	-	-	-	-0.21	-0.04	-0.43	-0.64	5.50	11.00
802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	4.31	-3.30	-3.31	-3.84	-3.48	-1.98	-2.48	-3.68	-3.83	3.00	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

PSD

#5210MHz,5290MHz

20/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/120MHz)	(dBm/120MHz)	(dBm/120MHz)	(dBm/120MHz)	(dBm/120MHz)	(dBm/120MHz)
5.05	5.05	-1.27	-0.87	-0.63	-0.68

802.11ax HEW80+80-BF_Nss1,(MCS0)_8TX

PSD

5210MHz,#5290MHz

20/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/120MHz)									
5.50	5.50	-	-	-	-	-0.21	-0.04	-0.43	-0.64

802.11ax HEW80+80-BF_Nss2,(MCS0)_8TX

#5530MHz,#5610MHz

PSD

20/09/2021




Sum	PD	Port 1	Port 2	Port 3	Port 4	Port 5	Port 6	Port 7	Port 8
(dBm/RBW)									
3.00	3.00	-3.30	-3.31	-3.84	-3.48	-1.98	-2.48	-3.68	-3.83



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	37.76M	35.95	40.00	-4.05	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	37.76M	35.95	40.00	-4.05	-11.10	3	Vertical	178	1.00	"Worst"	47.05	19.97	0.56	31.63
QP	51.34M	35.93	40.00	-4.07	-17.57	3	Vertical	5	1.00	-	53.50	13.57	0.63	31.77
PK	77.53M	34.77	40.00	-5.23	-18.55	3	Vertical	298	1.00	-	53.32	12.46	0.90	31.91
PK	98.87M	32.15	43.50	-11.35	-14.32	3	Vertical	185	1.00	-	46.47	16.45	1.10	31.87
PK	116.33M	31.32	43.50	-12.18	-12.76	3	Vertical	120	1.00	-	44.08	17.91	1.26	31.93
PK	887.48M	39.25	46.00	-6.75	-2.26	3	Vertical	196	1.25	-	41.51	26.19	4.20	32.65

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30.97M	28.47	40.00	-11.53	-7.41	3	Horizontal	220	2.00	-	35.88	23.68	0.42	31.51
PK	61.04M	29.76	40.00	-10.24	-18.85	3	Horizontal	107	3.00	"Worst"	48.61	12.20	0.80	31.85
PK	70.74M	27.88	40.00	-12.12	-18.79	3	Horizontal	289	3.00	-	46.67	12.29	0.81	31.89
PK	98.87M	31.43	43.50	-12.07	-14.32	3	Horizontal	154	3.00	-	45.75	16.45	1.10	31.87
PK	120.21M	30.61	43.50	-12.89	-12.68	3	Horizontal	220	1.50	-	43.29	17.96	1.30	31.94
PK	955.38M	33.45	46.00	-12.55	-1.71	3	Horizontal	315	3.00	-	35.16	26.55	4.31	32.57




For 20/40/80MHz
For 8T1S non beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	AV	5.35G	53.96	54.00	-0.04	3	Vertical	154	1.80	-

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.57	74.00	-5.43	62.92	3	Vertical	327	2.58	-	32.80	5.65	32.80
AV	5.1476G	53.79	54.00	-0.21	48.14	3	Vertical	327	2.58	-	32.80	5.65	32.80
PK	5.1866G	124.84	Inf	-Inf	119.06	3	Vertical	327	2.58	-	32.87	5.69	32.78
AV	5.1874G	115.03	Inf	-Inf	109.25	3	Vertical	327	2.58	-	32.87	5.69	32.78

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.74	74.00	-14.26	54.09	3	Horizontal	321	1.80	-	32.80	5.65	32.80
AV	5.15G	48.31	54.00	-5.69	42.66	3	Horizontal	321	1.80	-	32.80	5.65	32.80
PK	5.1856G	115.19	Inf	-Inf	109.41	3	Horizontal	321	1.80	-	32.87	5.69	32.78
AV	5.1852G	106.01	Inf	-Inf	100.23	3	Horizontal	321	1.80	-	32.87	5.69	32.78

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 19.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54064G	61.74	74.00	-12.26	45.79	3	Vertical	130	1.80	-	38.48	11.76	34.29
AV	15.53488G	48.21	54.00	-5.79	32.24	3	Vertical	130	1.80	-	38.50	11.75	34.28

802.11a_Nss1,(6Mbps)_8TX

5180MHz_TnomVnom




EUT_Z_8TX
Setting 19.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5433G	61.45	74.00	-12.55	45.51	3	Horizontal	276	1.80	-	38.47	11.76	34.29
AV	15.54446G	48.21	54.00	-5.79	32.27	3	Horizontal	276	1.80	-	38.47	11.76	34.29

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.17	74.00	-4.83	63.52	3	Vertical	243	1.93	-	32.80	5.65	32.80
AV	5.1496G	53.37	54.00	-0.63	47.72	3	Vertical	243	1.93	-	32.80	5.65	32.80
PK	5.2048G	126.27	Inf	-Inf	120.45	3	Vertical	243	1.93	-	32.90	5.70	32.78
AV	5.2044G	116.56	Inf	-Inf	110.74	3	Vertical	243	1.93	-	32.90	5.70	32.78

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.24	74.00	-7.76	60.59	3	Horizontal	308.8	2.36	-	32.80	5.65	32.80
AV	5.15G	50.32	54.00	-3.68	44.67	3	Horizontal	308.8	2.36	-	32.80	5.65	32.80
PK	5.1968G	120.81	Inf	-Inf	115.00	3	Horizontal	308.8	2.36	-	32.89	5.70	32.78
AV	5.1972G	111.57	Inf	-Inf	105.76	3	Horizontal	308.8	2.36	-	32.89	5.70	32.78

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60556G	61.60	74.00	-12.40	45.82	3	Vertical	256	1.80	-	38.31	11.80	34.33
AV	15.59064G	48.17	54.00	-5.83	32.37	3	Vertical	256	1.80	-	38.33	11.79	34.32

802.11a_Nss1,(6Mbps)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59504G	61.81	74.00	-12.19	46.02	3	Horizontal	309	2.80	-	38.31	11.80	34.32
AV	15.59576G	48.02	54.00	-5.98	32.23	3	Horizontal	309	2.80	-	38.31	11.80	34.32

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 26
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.84	74.00	-12.16	56.19	3	Vertical	57	1.68	-	32.80	5.65	32.80
AV	5.1468G	49.30	54.00	-4.70	43.65	3	Vertical	57	1.68	-	32.80	5.65	32.80
PK	5.234G	125.75	Inf	-Inf	119.90	3	Vertical	57	1.68	-	32.90	5.72	32.77
AV	5.2332G	115.68	Inf	-Inf	109.83	3	Vertical	57	1.68	-	32.90	5.72	32.77

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom



EUT Z_8TX
Setting 26
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	59.07	74.00	-14.93	53.43	3	Horizontal	325	2.96	-	32.80	5.64	32.80
AV	5.1444G	47.31	54.00	-6.69	41.67	3	Horizontal	325	2.96	-	32.80	5.64	32.80
PK	5.244G	122.55	Inf	-Inf	116.69	3	Horizontal	325	2.96	-	32.90	5.72	32.76
AV	5.2432G	113.19	Inf	-Inf	107.33	3	Horizontal	325	2.96	-	32.90	5.72	32.76

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 26
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72456G	65.79	74.00	-8.21	49.80	3	Vertical	69	2.98	-	38.50	11.89	34.40
AV	15.72372G	51.45	54.00	-2.55	35.46	3	Vertical	69	2.98	-	38.50	11.89	34.40

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 26
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7101G	61.36	74.00	-12.64	45.37	3	Horizontal	340	1.10	-	38.50	11.88	34.39
AV	15.7432G	47.89	54.00	-6.11	31.89	3	Horizontal	340	1.10	-	38.50	11.91	34.41

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 26.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	61.67	74.00	-12.33	56.03	3	Vertical	132	1.80	-	32.80	5.64	32.80
AV	5.1226G	48.61	54.00	-5.39	43.00	3	Vertical	132	1.80	-	32.80	5.62	32.81
PK	5.2648G	129.89	Inf	-Inf	123.98	3	Vertical	132	1.80	-	32.93	5.73	32.75
AV	5.2654G	121.64	Inf	-Inf	115.73	3	Vertical	132	1.80	-	32.93	5.73	32.75
PK	5.3674G	62.93	74.00	-11.07	56.73	3	Vertical	132	1.80	-	33.14	5.78	32.72
AV	5.3566G	50.71	54.00	-3.29	44.60	3	Vertical	132	1.80	-	33.05	5.78	32.72

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 26.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	62.93	74.00	-11.07	57.29	3	Horizontal	317	1.93	-	32.80	5.64	32.80
AV	5.131G	47.03	54.00	-6.97	41.40	3	Horizontal	317	1.93	-	32.80	5.63	32.80
PK	5.2576G	124.04	Inf	-Inf	118.15	3	Horizontal	317	1.93	-	32.92	5.73	32.76
AV	5.2576G	114.18	Inf	-Inf	108.29	3	Horizontal	317	1.93	-	32.92	5.73	32.76
PK	5.3812G	64.61	74.00	-9.39	58.28	3	Horizontal	317	1.93	-	33.25	5.79	32.71
AV	5.3536G	48.55	54.00	-5.45	42.46	3	Horizontal	317	1.93	-	33.03	5.78	32.72

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 26.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78624G	65.95	74.00	-8.05	49.95	3	Vertical	71	2.67	-	38.50	11.94	34.44
AV	15.78768G	51.35	54.00	-2.65	35.35	3	Vertical	71	2.67	-	38.50	11.94	34.44

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 26.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78144G	64.00	74.00	-10.00	47.99	3	Horizontal	20	2.96	-	38.50	11.94	34.43
AV	15.78252G	50.22	54.00	-3.78	34.22	3	Horizontal	20	2.96	-	38.50	11.94	34.44

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	128.61	Inf	-Inf	122.60	3	Vertical	281	1.80	-	33.00	5.75	32.74
AV	5.3072G	117.90	Inf	-Inf	111.89	3	Vertical	281	1.80	-	33.00	5.75	32.74
PK	5.35G	70.13	74.00	-3.87	64.07	3	Vertical	281	1.80	-	33.00	5.78	32.72
AV	5.35G	53.90	54.00	-0.10	47.84	3	Vertical	281	1.80	-	33.00	5.78	32.72

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	121.57	Inf	-Inf	115.56	3	Horizontal	315	1.80	-	33.00	5.75	32.74
AV	5.3032G	111.96	Inf	-Inf	105.95	3	Horizontal	315	1.80	-	33.00	5.75	32.74
PK	5.35G	63.33	74.00	-10.67	57.27	3	Horizontal	315	1.80	-	33.00	5.78	32.72
AV	5.35G	50.13	54.00	-3.87	44.07	3	Horizontal	315	1.80	-	33.00	5.78	32.72

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60001G	59.18	74.00	-14.82	44.62	3	Vertical	36	3.00	-	39.10	8.90	33.44
AV	10.60003G	46.64	54.00	-7.36	32.08	3	Vertical	36	3.00	-	39.10	8.90	33.44
PK	15.88488G	60.57	74.00	-13.43	44.56	3	Vertical	184	1.91	-	38.50	12.01	34.50
AV	15.87972G	47.87	54.00	-6.13	31.86	3	Vertical	184	1.91	-	38.50	12.01	34.50

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6003G	57.67	74.00	-16.33	43.11	3	Horizontal	303	1.93	-	39.10	8.90	33.44
AV	10.60008G	44.40	54.00	-9.60	29.84	3	Horizontal	303	1.93	-	39.10	8.90	33.44
PK	15.92892G	61.22	74.00	-12.78	45.20	3	Horizontal	360	2.46	-	38.50	12.05	34.53
AV	15.87024G	47.91	54.00	-6.09	31.90	3	Horizontal	360	2.46	-	38.50	12.00	34.49

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	117.93	Inf	-Inf	111.90	3	Vertical	345	1.80	-	33.00	5.76	32.73
AV	5.312G	108.03	Inf	-Inf	102.01	3	Vertical	345	1.80	-	33.00	5.76	32.74
PK	5.35G	68.30	74.00	-5.70	62.24	3	Vertical	345	1.80	-	33.00	5.78	32.72
AV	5.35G	53.93	54.00	-0.07	47.87	3	Vertical	345	1.80	-	33.00	5.78	32.72

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	116.75	Inf	-Inf	110.72	3	Horizontal	306	2.62	-	33.00	5.76	32.73
AV	5.3208G	107.64	Inf	-Inf	101.61	3	Horizontal	306	2.62	-	33.00	5.76	32.73
PK	5.3504G	61.32	74.00	-12.68	55.26	3	Horizontal	306	2.62	-	33.00	5.78	32.72
AV	5.35G	48.80	54.00	-5.20	42.74	3	Horizontal	306	2.62	-	33.00	5.78	32.72

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63902G	59.42	74.00	-14.58	44.83	3	Vertical	36	3.00	-	39.14	8.92	33.47
AV	10.63996G	46.91	54.00	-7.09	32.32	3	Vertical	36	3.00	-	39.14	8.92	33.47
PK	15.9606G	61.95	74.00	-12.05	45.93	3	Vertical	-0	2.06	-	38.50	12.07	34.55
AV	15.9354G	48.33	54.00	-5.67	32.31	3	Vertical	-0	2.06	-	38.50	12.05	34.53

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63976G	58.50	74.00	-15.50	43.91	3	Horizontal	48	1.65	-	39.14	8.92	33.47
AV	10.6425G	44.82	54.00	-9.18	30.23	3	Horizontal	48	1.65	-	39.14	8.92	33.47
PK	15.96624G	61.42	74.00	-12.58	45.40	3	Horizontal	72	1.80	-	38.50	12.07	34.55
AV	15.94548G	48.03	54.00	-5.97	32.01	3	Horizontal	72	1.80	-	38.50	12.06	34.54

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	62.19	74.00	-11.81	55.43	3	Vertical	133	1.80	-	33.62	5.83	32.69
AV	5.4586G	49.14	54.00	-4.86	42.36	3	Vertical	133	1.80	-	33.63	5.83	32.68
PK	5.4694G	67.85	68.20	-0.35	61.02	3	Vertical	133	1.80	-	33.68	5.83	32.68
PK	5.5076G	121.88	Inf	-Inf	114.90	3	Vertical	133	1.80	-	33.80	5.85	32.67
AV	5.5072G	112.22	Inf	-Inf	105.24	3	Vertical	133	1.80	-	33.80	5.85	32.67

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom



EUT_Z_8TX
Setting 18.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.32	74.00	-12.68	54.53	3	Horizontal	330	2.36	-	33.64	5.83	32.68
AV	5.4574G	47.98	54.00	-6.02	41.21	3	Horizontal	330	2.36	-	33.63	5.83	32.69
PK	5.467G	62.73	68.20	-5.47	55.91	3	Horizontal	330	2.36	-	33.67	5.83	32.68
PK	5.5074G	116.37	Inf	-Inf	109.39	3	Horizontal	330	2.36	-	33.80	5.85	32.67
AV	5.5072G	107.34	Inf	-Inf	100.36	3	Horizontal	330	2.36	-	33.80	5.85	32.67

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00015G	59.23	74.00	-14.77	44.71	3	Vertical	27	2.62	-	39.20	9.10	33.78
AV	10.99993G	48.32	54.00	-5.68	33.80	3	Vertical	27	2.62	-	39.20	9.10	33.78
PK	16.48512G	63.68	68.20	-4.52	46.13	3	Vertical	355	1.80	-	39.56	12.49	34.50

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00186G	57.63	74.00	-16.37	43.11	3	Horizontal	114	1.57	-	39.20	9.10	33.78
AV	11.00136G	44.13	54.00	-9.87	29.61	3	Horizontal	114	1.57	-	39.20	9.10	33.78
PK	16.47G	63.78	68.20	-4.42	46.29	3	Horizontal	-0	1.64	-	39.51	12.48	34.50

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 27.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	67.00	74.00	-7.00	60.21	3	Vertical	73	1.80	-	33.64	5.83	32.68
AV	5.3864G	51.28	54.00	-2.72	44.91	3	Vertical	73	1.80	-	33.29	5.79	32.71
PK	5.4608G	66.98	68.20	-1.22	60.19	3	Vertical	73	1.80	-	33.64	5.83	32.68
PK	5.5784G	130.94	Inf	-Inf	123.89	3	Vertical	73	1.80	-	33.86	5.89	32.70
AV	5.5792G	123.22	Inf	-Inf	116.17	3	Vertical	73	1.80	-	33.86	5.89	32.70
PK	5.7336G	63.46	68.20	-4.74	56.10	3	Vertical	73	1.80	-	34.13	5.97	32.74

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 27.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.55	74.00	-9.45	57.76	3	Horizontal	330	1.88	-	33.64	5.83	32.68
AV	5.4392G	47.99	54.00	-6.01	41.30	3	Horizontal	330	1.88	-	33.56	5.82	32.69
PK	5.4608G	63.85	68.20	-4.35	57.06	3	Horizontal	330	1.88	-	33.64	5.83	32.68
PK	5.5784G	124.00	Inf	-Inf	116.95	3	Horizontal	330	1.88	-	33.86	5.89	32.70
AV	5.5792G	114.22	Inf	-Inf	107.17	3	Horizontal	330	1.88	-	33.86	5.89	32.70
PK	5.7528G	61.74	68.20	-6.46	54.31	3	Horizontal	330	1.88	-	34.20	5.98	32.75

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16022G	59.12	74.00	-14.88	44.67	3	Vertical	41	2.45	-	39.14	9.18	33.87
AV	11.16003G	46.74	54.00	-7.26	32.29	3	Vertical	41	2.45	-	39.14	9.18	33.87
PK	16.74036G	65.61	68.20	-2.59	47.33	3	Vertical	355	2.95	-	40.08	12.69	34.49

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15882G	58.24	74.00	-15.76	43.79	3	Horizontal	4	3.00	-	39.14	9.18	33.87
AV	11.16004G	44.72	54.00	-9.28	30.27	3	Horizontal	4	3.00	-	39.14	9.18	33.87
PK	16.73808G	64.04	68.20	-4.16	45.76	3	Horizontal	292	2.95	-	40.08	12.69	34.49

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	118.66	Inf	-Inf	111.45	3	Vertical	42	1.80	-	33.99	5.95	32.73
AV	5.6968G	108.72	Inf	-Inf	101.51	3	Vertical	42	1.80	-	33.99	5.95	32.73
PK	5.729G	67.89	68.20	-0.31	60.55	3	Vertical	42	1.80	-	34.12	5.96	32.74

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	116.00	Inf	-Inf	108.77	3	Horizontal	324	2.89	-	34.01	5.95	32.73
AV	5.702G	106.35	Inf	-Inf	99.12	3	Horizontal	324	2.89	-	34.01	5.95	32.73
PK	5.7342G	62.61	68.20	-5.59	55.24	3	Horizontal	324	2.89	-	34.14	5.97	32.74

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40002G	58.80	74.00	-15.20	44.31	3	Vertical	40	2.42	-	39.20	9.30	34.01
AV	11.40002G	47.38	54.00	-6.62	32.89	3	Vertical	40	2.42	-	39.20	9.30	34.01

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40022G	58.20	74.00	-15.80	43.71	3	Horizontal	-0	2.84	-	39.20	9.30	34.01
AV	11.39974G	44.38	54.00	-9.62	29.89	3	Horizontal	-0	2.84	-	39.20	9.30	34.01

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 31
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4308G	62.86	74.00	-11.14	56.21	3	Vertical	43	1.80	-	33.52	5.82	32.69
AV	5.432G	50.38	54.00	-3.62	43.72	3	Vertical	43	1.80	-	33.53	5.82	32.69
PK	5.47G	63.68	68.20	-4.52	56.85	3	Vertical	43	1.80	-	33.68	5.83	32.68
PK	5.7272G	130.99	Inf	-Inf	123.66	3	Vertical	43	1.80	-	34.11	5.96	32.74
AV	5.7164G	119.17	Inf	-Inf	111.88	3	Vertical	43	1.80	-	34.07	5.96	32.74
PK	5.918G	64.40	68.20	-3.80	56.21	3	Vertical	43	1.80	-	34.87	6.12	32.80

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 31
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.24	74.00	-12.76	54.48	3	Horizontal	325	2.96	-	33.62	5.83	32.69
AV	5.4236G	48.74	54.00	-5.26	42.14	3	Horizontal	325	2.96	-	33.49	5.81	32.70
PK	5.4608G	60.00	68.20	-8.20	53.21	3	Horizontal	325	2.96	-	33.64	5.83	32.68
PK	5.7164G	124.64	Inf	-Inf	117.35	3	Horizontal	325	2.96	-	34.07	5.96	32.74
AV	5.7164G	114.96	Inf	-Inf	107.67	3	Horizontal	325	2.96	-	34.07	5.96	32.74
PK	5.9768G	63.68	68.20	-4.52	55.21	3	Horizontal	325	2.96	-	35.11	6.18	32.82

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
Setting 31
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44017G	58.58	74.00	-15.42	44.10	3	Vertical	37	2.38	-	39.20	9.32	34.04
AV	11.44008G	47.86	54.00	-6.14	33.38	3	Vertical	37	2.38	-	39.20	9.32	34.04

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
Setting 31
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4416G	57.63	74.00	-16.37	43.15	3	Horizontal	-0	2.80	-	39.20	9.32	34.04
AV	11.44236G	44.51	54.00	-9.49	30.03	3	Horizontal	-0	2.80	-	39.20	9.32	34.04

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.43	68.20	-0.77	60.33	3	Vertical	219.6	1.80	-	33.90	5.92	32.72
PK	5.738G	131.35	Inf	-Inf	123.98	3	Vertical	219.6	1.80	-	34.15	5.97	32.75
AV	5.738G	120.58	Inf	-Inf	113.21	3	Vertical	219.6	1.80	-	34.15	5.97	32.75
PK	5.969G	64.04	68.20	-4.16	55.61	3	Vertical	219.6	1.80	-	35.08	6.17	32.82

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	64.98	68.20	-3.22	57.88	3	Horizontal	302	2.02	-	33.90	5.91	32.71
PK	5.746G	123.10	Inf	-Inf	115.70	3	Horizontal	302	2.02	-	34.18	5.97	32.75
AV	5.747G	113.84	Inf	-Inf	106.43	3	Horizontal	302	2.02	-	34.19	5.97	32.75
PK	5.987G	62.92	68.20	-5.28	54.41	3	Horizontal	302	2.02	-	35.15	6.19	32.83

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48996G	59.04	74.00	-14.96	44.56	3	Vertical	39	2.75	-	39.20	9.34	34.06
AV	11.48998G	48.01	54.00	-5.99	33.53	3	Vertical	39	2.75	-	39.20	9.34	34.06

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48856G	57.47	74.00	-16.53	42.99	3	Horizontal	229	3.00	-	39.20	9.34	34.06
AV	11.4888G	43.83	54.00	-10.17	29.35	3	Horizontal	229	3.00	-	39.20	9.34	34.06

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 31
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	64.62	68.20	-3.58	57.52	3	Vertical	221.9	1.80	-	33.90	5.90	32.70
PK	5.792G	131.67	Inf	-Inf	124.23	3	Vertical	221.9	1.80	-	34.20	6.00	32.76
AV	5.792G	121.98	Inf	-Inf	114.54	3	Vertical	221.9	1.80	-	34.20	6.00	32.76
PK	5.982G	64.94	68.20	-3.26	56.45	3	Vertical	221.9	1.80	-	35.13	6.18	32.82

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 31
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.57	68.20	-6.63	54.46	3	Horizontal	282	1.90	-	33.90	5.92	32.71
PK	5.791G	123.63	Inf	-Inf	116.19	3	Horizontal	282	1.90	-	34.20	6.00	32.76
AV	5.792G	113.32	Inf	-Inf	105.88	3	Horizontal	282	1.90	-	34.20	6.00	32.76
PK	5.995G	62.39	68.20	-5.81	53.84	3	Horizontal	282	1.90	-	35.18	6.20	32.83

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 31
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56988G	58.04	74.00	-15.96	43.64	3	Vertical	39	3.00	-	39.13	9.38	34.11
AV	11.57004G	47.50	54.00	-6.50	33.09	3	Vertical	39	3.00	-	39.13	9.39	34.11

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TnomVnom




EUT_Z_8TX
Setting 31
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55512G	57.32	74.00	-16.68	42.90	3	Horizontal	360	2.56	-	39.14	9.38	34.10
AV	11.5668G	44.27	54.00	-9.73	29.87	3	Horizontal	360	2.56	-	39.13	9.38	34.11

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	64.13	68.20	-4.07	57.03	3	Vertical	308.9	1.80	-	33.90	5.91	32.71
PK	5.828G	129.66	Inf	-Inf	122.03	3	Vertical	308.9	1.80	-	34.37	6.03	32.77
AV	5.828G	119.14	Inf	-Inf	111.51	3	Vertical	308.9	1.80	-	34.37	6.03	32.77
PK	5.922G	69.53	70.42	-0.89	61.33	3	Vertical	308.9	1.80	-	34.89	6.12	32.81

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	62.11	68.20	-6.09	55.00	3	Horizontal	330.6	1.80	-	33.90	5.92	32.71
PK	5.828G	122.38	Inf	-Inf	114.75	3	Horizontal	330.6	1.80	-	34.37	6.03	32.77
AV	5.828G	112.77	Inf	-Inf	105.14	3	Horizontal	330.6	1.80	-	34.37	6.03	32.77
PK	5.946G	63.22	68.20	-4.98	54.90	3	Horizontal	330.6	1.80	-	34.98	6.15	32.81

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65002G	58.27	74.00	-15.73	43.95	3	Vertical	36	2.84	-	39.05	9.43	34.16
AV	11.64992G	47.76	54.00	-6.24	33.45	3	Vertical	36	2.84	-	39.05	9.42	34.16

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6478G	58.60	74.00	-15.40	44.29	3	Horizontal	41	2.85	-	39.05	9.42	34.16
AV	11.64993G	44.70	54.00	-9.30	30.39	3	Horizontal	41	2.85	-	39.05	9.42	34.16

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 19
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.76	74.00	-5.24	63.11	3	Vertical	36.2	1.80	-	32.80	5.65	32.80
AV	5.15G	53.48	54.00	-0.52	47.83	3	Vertical	36.2	1.80	-	32.80	5.65	32.80
PK	5.1828G	125.99	Inf	-Inf	120.22	3	Vertical	36.2	1.80	-	32.87	5.68	32.78
AV	5.1834G	111.92	Inf	-Inf	106.15	3	Vertical	36.2	1.80	-	32.87	5.68	32.78

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 19
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	61.26	74.00	-12.74	55.61	3	Horizontal	321	1.90	-	32.80	5.65	32.80
AV	5.1452G	47.71	54.00	-6.29	42.06	3	Horizontal	321	1.90	-	32.80	5.65	32.80
PK	5.1854G	118.88	Inf	-Inf	113.10	3	Horizontal	321	1.90	-	32.87	5.69	32.78
AV	5.1856G	104.87	Inf	-Inf	99.09	3	Horizontal	321	1.90	-	32.87	5.69	32.78

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 19
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5136G	61.01	74.00	-12.99	44.98	3	Vertical	65	1.52	-	38.56	11.74	34.27
AV	15.51072G	48.28	54.00	-5.72	32.25	3	Vertical	65	1.52	-	38.57	11.73	34.27

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TnomVnom




EUT Z_8TX
Setting 19
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.51852G	62.40	74.00	-11.60	46.39	3	Horizontal	246	1.80	-	38.54	11.74	34.27
AV	15.51096G	48.25	54.00	-5.75	32.22	3	Horizontal	246	1.80	-	38.57	11.73	34.27

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 23.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	70.80	74.00	-3.20	65.15	3	Vertical	325.8	1.80	-	32.80	5.65	32.80
AV	5.146G	53.50	54.00	-0.50	47.85	3	Vertical	325.8	1.80	-	32.80	5.65	32.80
PK	5.192G	124.32	Inf	-Inf	118.53	3	Vertical	325.8	1.80	-	32.88	5.69	32.78
AV	5.1988G	111.14	Inf	-Inf	105.32	3	Vertical	325.8	1.80	-	32.90	5.70	32.78

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 23.5
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.62	74.00	-11.38	56.97	3	Horizontal	312	2.30	-	32.80	5.65	32.80
AV	5.15G	48.44	54.00	-5.56	42.79	3	Horizontal	312	2.30	-	32.80	5.65	32.80
PK	5.1948G	122.47	Inf	-Inf	116.67	3	Horizontal	312	2.30	-	32.89	5.69	32.78
AV	5.1948G	110.03	Inf	-Inf	104.23	3	Horizontal	312	2.30	-	32.89	5.69	32.78

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 23.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60076G	60.50	74.00	-13.50	44.72	3	Vertical	235	2.75	-	38.30	11.80	34.32
AV	15.59256G	47.67	54.00	-6.33	31.88	3	Vertical	235	2.75	-	38.32	11.79	34.32

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TnomVnom




EUT Z_8TX
Setting 23.5
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60788G	60.38	74.00	-13.62	44.58	3	Horizontal	135	2.35	-	38.32	11.81	34.33
AV	15.59248G	47.69	54.00	-6.31	31.90	3	Horizontal	135	2.35	-	38.32	11.79	34.32

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 30
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	68.52	74.00	-5.48	62.88	3	Vertical	78	1.80	-	32.80	5.64	32.80
AV	5.1422G	53.30	54.00	-0.70	47.66	3	Vertical	78	1.80	-	32.80	5.64	32.80
PK	5.2424G	130.36	Inf	-Inf	124.50	3	Vertical	78	1.80	-	32.90	5.72	32.76
AV	5.2442G	121.87	Inf	-Inf	116.01	3	Vertical	78	1.80	-	32.90	5.72	32.76
PK	5.3564G	65.55	74.00	-8.45	59.44	3	Vertical	78	1.80	-	33.05	5.78	32.72
AV	5.3762G	51.91	54.00	-2.09	45.62	3	Vertical	78	1.80	-	33.21	5.79	32.71

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT_Z_8TX
Setting 30
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1194G	66.78	74.00	-7.22	61.17	3	Horizontal	305	2.21	-	32.80	5.62	32.81
AV	5.1404G	50.77	54.00	-3.23	45.13	3	Horizontal	305	2.21	-	32.80	5.64	32.80
PK	5.2364G	127.44	Inf	-Inf	121.58	3	Horizontal	305	2.21	-	32.90	5.72	32.76
AV	5.2364G	114.33	Inf	-Inf	108.47	3	Horizontal	305	2.21	-	32.90	5.72	32.76
PK	5.3588G	69.72	74.00	-4.28	63.59	3	Horizontal	305	2.21	-	33.07	5.78	32.72
AV	5.357G	48.67	54.00	-5.33	42.55	3	Horizontal	305	2.21	-	33.06	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72224G	65.46	74.00	-8.54	49.47	3	Vertical	36	2.57	-	38.50	11.89	34.40
AV	15.72352G	51.83	54.00	-2.17	35.84	3	Vertical	36	2.57	-	38.50	11.89	34.40

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TnomVnom




EUT Z_8TX
Setting 30
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72832G	64.83	74.00	-9.17	48.83	3	Horizontal	-0	2.48	-	38.50	11.90	34.40
AV	15.72768G	50.05	54.00	-3.95	34.05	3	Horizontal	-0	2.48	-	38.50	11.90	34.40

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 27
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	66.75	74.00	-7.25	61.11	3	Vertical	243	1.80	-	32.80	5.64	32.80
AV	5.1364G	49.23	54.00	-4.77	43.59	3	Vertical	243	1.80	-	32.80	5.64	32.80
PK	5.2678G	129.84	Inf	-Inf	123.92	3	Vertical	243	1.80	-	32.94	5.73	32.75
AV	5.2672G	115.52	Inf	-Inf	109.61	3	Vertical	243	1.80	-	32.93	5.73	32.75
PK	5.3518G	67.94	74.00	-6.06	61.87	3	Vertical	243	1.80	-	33.01	5.78	32.72
AV	5.35G	53.01	54.00	-0.99	46.95	3	Vertical	243	1.80	-	33.00	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT_Z_8TX
Setting 27
04-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	65.90	74.00	-8.10	60.26	3	Horizontal	307.8	2.05	-	32.80	5.64	32.80
AV	5.149G	47.14	54.00	-6.86	41.49	3	Horizontal	307.8	2.05	-	32.80	5.65	32.80
PK	5.2624G	125.03	Inf	-Inf	119.14	3	Horizontal	307.8	2.05	-	32.92	5.73	32.76
AV	5.2618G	112.31	Inf	-Inf	106.42	3	Horizontal	307.8	2.05	-	32.92	5.73	32.76
PK	5.38G	69.18	74.00	-4.82	62.86	3	Horizontal	307.8	2.05	-	33.24	5.79	32.71
AV	5.35G	48.76	54.00	-5.24	42.70	3	Horizontal	307.8	2.05	-	33.00	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78114G	64.88	74.00	-9.12	48.87	3	Vertical	42	1.87	-	38.50	11.94	34.43
AV	15.7806G	50.29	54.00	-3.71	34.28	3	Vertical	42	1.87	-	38.50	11.94	34.43

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78294G	65.94	74.00	-8.06	49.94	3	Horizontal	19	2.86	-	38.50	11.94	34.44
AV	15.78456G	50.75	54.00	-3.25	34.75	3	Horizontal	19	2.86	-	38.50	11.94	34.44

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	130.10	Inf	-Inf	124.09	3	Vertical	8	1.80	-	33.00	5.75	32.74
AV	5.3044G	119.22	Inf	-Inf	113.21	3	Vertical	8	1.80	-	33.00	5.75	32.74
PK	5.3516G	69.20	74.00	-4.80	63.13	3	Vertical	8	1.80	-	33.01	5.78	32.72
AV	5.3524G	53.57	54.00	-0.43	47.49	3	Vertical	8	1.80	-	33.02	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	122.18	Inf	-Inf	116.19	3	Horizontal	326	1.20	-	32.98	5.75	32.74
AV	5.2912G	109.53	Inf	-Inf	103.55	3	Horizontal	326	1.20	-	32.98	5.75	32.75
PK	5.3524G	62.22	74.00	-11.78	56.14	3	Horizontal	326	1.20	-	33.02	5.78	32.72
AV	5.35G	48.50	54.00	-5.50	42.44	3	Horizontal	326	1.20	-	33.00	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90428G	61.07	74.00	-12.93	45.05	3	Vertical	47	1.31	-	38.50	12.03	34.51
AV	15.89108G	46.84	54.00	-7.16	30.82	3	Vertical	47	1.31	-	38.50	12.02	34.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT Z_8TX
Setting 24
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8966G	59.88	74.00	-14.12	43.87	3	Horizontal	312	2.54	-	38.50	12.02	34.51
AV	15.8904G	46.86	54.00	-7.14	30.84	3	Horizontal	312	2.54	-	38.50	12.02	34.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	129.19	Inf	-Inf	123.17	3	Vertical	11	1.80	-	33.00	5.76	32.74
AV	5.3152G	114.92	Inf	-Inf	108.90	3	Vertical	11	1.80	-	33.00	5.76	32.74
PK	5.3554G	70.21	74.00	-3.79	64.11	3	Vertical	11	1.80	-	33.04	5.78	32.72
AV	5.355G	53.54	54.00	-0.46	47.44	3	Vertical	11	1.80	-	33.04	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	119.46	Inf	-Inf	113.44	3	Horizontal	311	3.00	-	33.00	5.76	32.74
AV	5.3178G	106.03	Inf	-Inf	100.01	3	Horizontal	311	3.00	-	33.00	5.76	32.74
PK	5.3522G	62.58	74.00	-11.42	56.50	3	Horizontal	311	3.00	-	33.02	5.78	32.72
AV	5.3572G	48.21	54.00	-5.79	42.09	3	Horizontal	311	3.00	-	33.06	5.78	32.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95896G	60.83	74.00	-13.17	44.80	3	Vertical	208	2.15	-	38.50	12.07	34.54
AV	15.95888G	47.20	54.00	-6.80	31.17	3	Vertical	208	2.15	-	38.50	12.07	34.54

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT Z_8TX
Setting 19.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95148G	60.79	74.00	-13.21	44.77	3	Horizontal	225	1.57	-	38.50	12.06	34.54
AV	15.95916G	47.19	54.00	-6.81	31.16	3	Horizontal	225	1.57	-	38.50	12.07	34.54

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.66	74.00	-12.34	54.89	3	Vertical	26	2.47	-	33.63	5.83	32.69
AV	5.457G	48.35	54.00	-5.65	41.58	3	Vertical	26	2.47	-	33.63	5.83	32.69
PK	5.47G	67.81	68.20	-0.39	60.98	3	Vertical	26	2.47	-	33.68	5.83	32.68
PK	5.5036G	121.44	Inf	-Inf	114.46	3	Vertical	26	2.47	-	33.80	5.85	32.67
AV	5.509G	109.05	Inf	-Inf	102.07	3	Vertical	26	2.47	-	33.80	5.85	32.67

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT_Z_8TX
Setting 18.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	60.22	74.00	-13.78	53.46	3	Horizontal	343	2.04	-	33.62	5.83	32.69
AV	5.4564G	47.36	54.00	-6.64	40.59	3	Horizontal	343	2.04	-	33.63	5.83	32.69
PK	5.463G	61.51	68.20	-6.69	54.71	3	Horizontal	343	2.04	-	33.65	5.83	32.68
PK	5.5034G	119.46	Inf	-Inf	112.48	3	Horizontal	343	2.04	-	33.80	5.85	32.67
AV	5.5034G	106.00	Inf	-Inf	99.02	3	Horizontal	343	2.04	-	33.80	5.85	32.67

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.49032G	62.64	68.20	-5.56	45.08	3	Vertical	83	2.01	-	39.57	12.49	34.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT Z_8TX
Setting 18.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.49168G	61.89	68.20	-6.31	44.32	3	Horizontal	355	2.68	-	39.58	12.49	34.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 28
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.13	74.00	-9.87	57.34	3	Vertical	140.3	3.00	-	33.64	5.83	32.68
AV	5.4582G	50.96	54.00	-3.04	44.19	3	Vertical	140.3	3.00	-	33.63	5.83	32.69
PK	5.466G	67.75	68.20	-0.45	60.94	3	Vertical	140.3	3.00	-	33.66	5.83	32.68
PK	5.5812G	130.18	Inf	-Inf	123.13	3	Vertical	140.3	3.00	-	33.86	5.89	32.70
AV	5.5878G	116.06	Inf	-Inf	108.99	3	Vertical	140.3	3.00	-	33.88	5.89	32.70
PK	5.727G	62.31	68.20	-5.89	54.98	3	Vertical	140.3	3.00	-	34.11	5.96	32.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT_Z_8TX
Setting 28
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	64.70	74.00	-9.30	57.93	3	Horizontal	320	1.79	-	33.63	5.83	32.69
AV	5.4558G	48.11	54.00	-5.89	41.35	3	Horizontal	320	1.79	-	33.62	5.83	32.69
PK	5.4618G	63.31	68.20	-4.89	56.51	3	Horizontal	320	1.79	-	33.65	5.83	32.68
PK	5.5872G	126.31	Inf	-Inf	119.25	3	Horizontal	320	1.79	-	33.87	5.89	32.70
AV	5.5872G	113.59	Inf	-Inf	106.53	3	Horizontal	320	1.79	-	33.87	5.89	32.70
PK	5.7258G	61.71	68.20	-6.49	54.39	3	Horizontal	320	1.79	-	34.10	5.96	32.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 28
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16268G	56.76	74.00	-17.24	42.31	3	Vertical	262	2.94	-	39.14	9.18	33.87
AV	11.16008G	43.48	54.00	-10.52	29.03	3	Vertical	262	2.94	-	39.14	9.18	33.87
PK	16.73632G	63.44	68.20	-4.76	45.17	3	Vertical	-0	2.16	-	40.07	12.69	34.49

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT Z_8TX
Setting 28
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.159G	57.27	74.00	-16.73	42.82	3	Horizontal	63.6	1.80	-	39.14	9.18	33.87
AV	11.16752G	43.28	54.00	-10.72	28.85	3	Horizontal	63.6	1.80	-	39.13	9.18	33.88
PK	16.74708G	63.71	68.20	-4.49	45.41	3	Horizontal	108	3.00	-	40.09	12.70	34.49

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 17.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	120.22	Inf	-Inf	112.98	3	Vertical	140	1.80	-	34.03	5.95	32.74
AV	5.7084G	107.74	Inf	-Inf	100.50	3	Vertical	140	1.80	-	34.03	5.95	32.74
PK	5.7256G	67.95	68.20	-0.25	60.63	3	Vertical	140	1.80	-	34.10	5.96	32.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT Z_8TX
Setting 17.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	115.89	Inf	-Inf	108.68	3	Horizontal	309	1.90	-	33.99	5.95	32.73
AV	5.6956G	103.31	Inf	-Inf	96.10	3	Horizontal	309	1.90	-	33.99	5.95	32.73
PK	5.736G	61.01	68.20	-7.19	53.65	3	Horizontal	309	1.90	-	34.14	5.97	32.75

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT_Z_8TX
Setting 17.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.10148G	64.53	68.20	-3.67	44.91	3	Vertical	25	2.76	-	41.10	12.98	34.46

802.11ax HEW20_Nss1,(MCS0)_8TX


5700MHz_TnomVnom



EUT_Z_8TX
Setting 17.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.09532G	63.96	68.20	-4.24	44.35	3	Horizontal	318	2.79	-	41.09	12.98	34.46


802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 30
 04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	62.43	74.00	-11.57	55.84	3	Vertical	51	1.80	-	33.48	5.81	32.70
AV	5.42G	49.41	54.00	-4.59	42.82	3	Vertical	51	1.80	-	33.48	5.81	32.70
PK	5.4656G	62.40	68.20	-5.80	55.59	3	Vertical	51	1.80	-	33.66	5.83	32.68
PK	5.7164G	131.41	Inf	-Inf	124.12	3	Vertical	51	1.80	-	34.07	5.96	32.74
AV	5.7164G	122.16	Inf	-Inf	114.87	3	Vertical	51	1.80	-	34.07	5.96	32.74
PK	5.8556G	65.03	68.20	-3.17	57.22	3	Vertical	51	1.80	-	34.53	6.06	32.78


802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 30
 04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	59.73	74.00	-14.27	52.98	3	Horizontal	31	2.78	-	33.61	5.83	32.69
AV	5.4392G	47.62	54.00	-6.38	40.93	3	Horizontal	31	2.78	-	33.56	5.82	32.69
PK	5.4656G	59.85	68.20	-8.35	53.04	3	Horizontal	31	2.78	-	33.66	5.83	32.68
PK	5.7236G	125.43	Inf	-Inf	118.12	3	Horizontal	31	2.78	-	34.09	5.96	32.74
AV	5.7236G	113.53	Inf	-Inf	106.22	3	Horizontal	31	2.78	-	34.09	5.96	32.74
PK	5.85G	62.23	68.20	-5.97	54.46	3	Horizontal	31	2.78	-	34.50	6.05	32.78


802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_8TX
 Setting 30
 04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.435G	58.55	74.00	-15.45	44.06	3	Vertical	24	2.73	-	39.20	9.32	34.03
AV	11.44G	45.07	54.00	-8.93	30.59	3	Vertical	24	2.73	-	39.20	9.32	34.04
PK	17.15272G	65.29	68.20	-2.91	45.58	3	Vertical	316	2.99	-	41.15	13.02	34.46

802.11ax HEW20_Nss1,(MCS0)_8TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_8TX
 Setting 30
 04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4364G	57.75	74.00	-16.25	43.26	3	Horizontal	172	3.00	-	39.20	9.32	34.03
AV	11.43064G	43.85	54.00	-10.15	29.36	3	Horizontal	172	3.00	-	39.20	9.32	34.03
PK	17.16812G	65.15	68.20	-3.05	45.41	3	Horizontal	259	1.80	-	41.17	13.03	34.46

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.58	68.94	-0.36	61.47	3	Vertical	36	1.80	-	33.90	5.93	32.72
PK	5.743G	131.42	Inf	-Inf	124.03	3	Vertical	36	1.80	-	34.17	5.97	32.75
AV	5.742G	121.22	Inf	-Inf	113.83	3	Vertical	36	1.80	-	34.17	5.97	32.75
PK	5.934G	64.54	68.20	-3.66	56.28	3	Vertical	36	1.80	-	34.94	6.13	32.81

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	64.22	68.20	-3.98	57.12	3	Horizontal	34	2.66	-	33.90	5.91	32.71
PK	5.743G	124.04	Inf	-Inf	116.65	3	Horizontal	34	2.66	-	34.17	5.97	32.75
AV	5.742G	111.93	Inf	-Inf	104.54	3	Horizontal	34	2.66	-	34.17	5.97	32.75
PK	5.982G	61.58	68.20	-6.62	53.09	3	Horizontal	34	2.66	-	35.13	6.18	32.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.22728G	65.08	68.20	-3.12	45.14	3	Vertical	152	1.09	-	41.31	13.08	34.45

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23304G	65.28	68.20	-2.92	45.31	3	Horizontal	127	1.94	-	41.33	13.09	34.45

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	65.40	68.20	-2.80	58.30	3	Vertical	67	1.80	-	33.90	5.90	32.70
PK	5.782G	131.53	Inf	-Inf	124.10	3	Vertical	67	1.80	-	34.20	5.99	32.76
AV	5.782G	121.76	Inf	-Inf	114.33	3	Vertical	67	1.80	-	34.20	5.99	32.76
PK	5.938G	64.06	68.20	-4.14	55.78	3	Vertical	67	1.80	-	34.95	6.14	32.81

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	61.15	68.20	-7.05	54.06	3	Horizontal	33	2.30	-	33.89	5.90	32.70
PK	5.781G	124.71	Inf	-Inf	117.28	3	Horizontal	33	2.30	-	34.20	5.99	32.76
AV	5.782G	113.29	Inf	-Inf	105.86	3	Horizontal	33	2.30	-	34.20	5.99	32.76
PK	5.979G	61.74	68.20	-6.46	53.26	3	Horizontal	33	2.30	-	35.12	6.18	32.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.365G	66.06	68.20	-2.14	45.52	3	Vertical	52	2.98	-	41.79	13.19	34.44

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TnomVnom




EUT Z_8TX
Setting 27.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35496G	64.67	68.20	-3.53	44.17	3	Horizontal	52	2.98	-	41.76	13.18	34.44

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	63.87	68.20	-4.33	56.77	3	Vertical	180	1.80	-	33.90	5.91	32.71
PK	5.819G	130.36	Inf	-Inf	122.80	3	Vertical	180	1.80	-	34.31	6.02	32.77
AV	5.819G	116.20	Inf	-Inf	108.64	3	Vertical	180	1.80	-	34.31	6.02	32.77
PK	5.919G	72.19	72.64	-0.45	63.99	3	Vertical	180	1.80	-	34.88	6.12	32.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT Z_8TX
Setting 27
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	61.10	68.20	-7.10	54.00	3	Horizontal	32	2.86	-	33.90	5.91	32.71
PK	5.821G	122.63	Inf	-Inf	115.05	3	Horizontal	32	2.86	-	34.33	6.02	32.77
AV	5.82G	111.43	Inf	-Inf	103.86	3	Horizontal	32	2.86	-	34.32	6.02	32.77
PK	6.041G	62.17	68.20	-6.03	53.45	3	Horizontal	32	2.86	-	35.36	6.20	32.84

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 27
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.48104G	66.01	68.20	-2.19	45.26	3	Vertical	44	1.28	-	41.90	13.28	34.43

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TnomVnom




EUT_Z_8TX
Setting 27
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47516G	65.58	68.20	-2.62	44.83	3	Horizontal	241	2.64	-	41.90	13.28	34.43

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 16
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	67.51	74.00	-6.49	61.86	3	Vertical	72	1.80	-	32.80	5.65	32.80
AV	5.1456G	53.76	54.00	-0.24	48.11	3	Vertical	72	1.80	-	32.80	5.65	32.80
PK	5.1864G	119.70	Inf	-Inf	113.92	3	Vertical	72	1.80	-	32.87	5.69	32.78
AV	5.1848G	107.78	Inf	-Inf	102.01	3	Vertical	72	1.80	-	32.87	5.68	32.78

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 16
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.41	74.00	-13.59	54.76	3	Horizontal	312	2.61	-	32.80	5.65	32.80
AV	5.15G	48.45	54.00	-5.55	42.80	3	Horizontal	312	2.61	-	32.80	5.65	32.80
PK	5.2024G	113.36	Inf	-Inf	107.54	3	Horizontal	312	2.61	-	32.90	5.70	32.78
AV	5.2028G	99.81	Inf	-Inf	93.99	3	Horizontal	312	2.61	-	32.90	5.70	32.78

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 16
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57748G	60.72	74.00	-13.28	44.88	3	Vertical	21	2.48	-	38.37	11.78	34.31
AV	15.5644G	47.51	54.00	-6.49	31.63	3	Vertical	21	2.48	-	38.41	11.77	34.30

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TnomVnom




EUT Z_8TX
Setting 16
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56824G	60.91	74.00	-13.09	45.03	3	Horizontal	34	1.10	-	38.40	11.78	34.30
AV	15.57672G	47.58	54.00	-6.42	31.74	3	Horizontal	34	1.10	-	38.37	11.78	34.31

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT_Z_8TX
Setting 22.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	68.06	74.00	-5.94	62.42	3	Vertical	76	1.92	-	32.80	5.64	32.80
AV	5.1424G	53.90	54.00	-0.10	48.26	3	Vertical	76	1.92	-	32.80	5.64	32.80
PK	5.2438G	129.70	Inf	-Inf	123.84	3	Vertical	76	1.92	-	32.90	5.72	32.76
AV	5.2432G	115.42	Inf	-Inf	109.56	3	Vertical	76	1.92	-	32.90	5.72	32.76
PK	5.3506G	70.76	74.00	-3.24	64.70	3	Vertical	76	1.92	-	33.00	5.78	32.72
AV	5.3764G	50.72	54.00	-3.28	44.43	3	Vertical	76	1.92	-	33.21	5.79	32.71

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT_Z_8TX
Setting 22.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1094G	65.48	74.00	-8.52	59.88	3	Horizontal	312	2.44	-	32.80	5.61	32.81
AV	5.1442G	49.57	54.00	-4.43	43.93	3	Horizontal	312	2.44	-	32.80	5.64	32.80
PK	5.2246G	118.47	Inf	-Inf	112.63	3	Horizontal	312	2.44	-	32.90	5.71	32.77
AV	5.2438G	106.20	Inf	-Inf	100.34	3	Horizontal	312	2.44	-	32.90	5.72	32.76
PK	5.35G	69.92	74.00	-4.08	63.86	3	Horizontal	312	2.44	-	33.00	5.78	32.72
AV	5.3764G	47.53	54.00	-6.47	41.24	3	Horizontal	312	2.44	-	33.21	5.79	32.71

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 22.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68444G	60.15	74.00	-13.85	44.19	3	Vertical	138	2.05	-	38.47	11.86	34.37
AV	15.68372G	46.90	54.00	-7.10	30.94	3	Vertical	138	2.05	-	38.47	11.86	34.37

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TnomVnom




EUT Z_8TX
Setting 22.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68676G	61.14	74.00	-12.86	45.18	3	Horizontal	276	2.41	-	38.47	11.87	34.38
AV	15.68324G	47.30	54.00	-6.70	31.34	3	Horizontal	276	2.41	-	38.47	11.86	34.37

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT_Z_8TX
Setting 22
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	66.95	74.00	-7.05	61.30	3	Vertical	75	1.99	-	32.80	5.65	32.80
AV	5.144G	48.01	54.00	-5.99	42.37	3	Vertical	75	1.99	-	32.80	5.64	32.80
PK	5.2838G	127.83	Inf	-Inf	121.87	3	Vertical	75	1.99	-	32.97	5.74	32.75
AV	5.2838G	115.09	Inf	-Inf	109.13	3	Vertical	75	1.99	-	32.97	5.74	32.75
PK	5.3894G	68.90	74.00	-5.10	62.50	3	Vertical	75	1.99	-	33.32	5.79	32.71
AV	5.3624G	53.74	54.00	-0.26	47.58	3	Vertical	75	1.99	-	33.10	5.78	32.72

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT_Z_8TX
Setting 22
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.72	74.00	-8.28	60.07	3	Horizontal	312	2.37	-	32.80	5.65	32.80
AV	5.126G	46.53	54.00	-7.47	40.90	3	Horizontal	312	2.37	-	32.80	5.63	32.80
PK	5.264G	118.69	Inf	-Inf	112.78	3	Horizontal	312	2.37	-	32.93	5.73	32.75
AV	5.2652G	106.08	Inf	-Inf	100.17	3	Horizontal	312	2.37	-	32.93	5.73	32.75
PK	5.39G	68.71	74.00	-5.29	62.31	3	Horizontal	312	2.37	-	33.32	5.79	32.71
AV	5.3546G	49.43	54.00	-4.57	43.33	3	Horizontal	312	2.37	-	33.04	5.78	32.72

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 22
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81564G	60.40	74.00	-13.60	44.40	3	Vertical	214	2.46	-	38.50	11.96	34.46
AV	15.80344G	46.96	54.00	-7.04	30.96	3	Vertical	214	2.46	-	38.50	11.95	34.45

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT Z_8TX
Setting 22
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80184G	60.05	74.00	-13.95	44.05	3	Horizontal	39	1.95	-	38.50	11.95	34.45
AV	15.80044G	46.84	54.00	-7.16	30.84	3	Horizontal	39	1.95	-	38.50	11.95	34.45

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 15.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	120.98	Inf	-Inf	114.96	3	Vertical	130	1.80	-	33.00	5.76	32.74
AV	5.3166G	108.37	Inf	-Inf	102.35	3	Vertical	130	1.80	-	33.00	5.76	32.74
PK	5.3556G	66.75	74.00	-7.25	60.65	3	Vertical	130	1.80	-	33.04	5.78	32.72
AV	5.3556G	53.81	54.00	-0.19	47.71	3	Vertical	130	1.80	-	33.04	5.78	32.72

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 15.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3142G	110.45	Inf	-Inf	104.43	3	Horizontal	329	2.94	-	33.00	5.76	32.74
AV	5.3154G	98.23	Inf	-Inf	92.21	3	Horizontal	329	2.94	-	33.00	5.76	32.74
PK	5.4312G	62.06	74.00	-11.94	55.41	3	Horizontal	329	2.94	-	33.52	5.82	32.69
AV	5.3556G	47.79	54.00	-6.21	41.69	3	Horizontal	329	2.94	-	33.04	5.78	32.72

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 15.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93852G	60.89	74.00	-13.11	44.87	3	Vertical	87	2.19	-	38.50	12.05	34.53
AV	15.93652G	47.46	54.00	-6.54	31.44	3	Vertical	87	2.19	-	38.50	12.05	34.53

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT Z_8TX
Setting 15.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93064G	61.20	74.00	-12.80	45.18	3	Horizontal	250	2.59	-	38.50	12.05	34.53
AV	15.929G	47.41	54.00	-6.59	31.39	3	Horizontal	250	2.59	-	38.50	12.05	34.53

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 18
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	67.69	74.00	-6.31	60.92	3	Vertical	331.4	1.80	-	33.63	5.83	32.69
AV	5.4548G	53.53	54.00	-0.47	46.77	3	Vertical	331.4	1.80	-	33.62	5.83	32.69
PK	5.4686G	63.71	68.20	-4.49	56.89	3	Vertical	331.4	1.80	-	33.67	5.83	32.68
PK	5.4944G	122.28	Inf	-Inf	115.32	3	Vertical	331.4	1.80	-	33.78	5.85	32.67
AV	5.4944G	110.17	Inf	-Inf	103.21	3	Vertical	331.4	1.80	-	33.78	5.85	32.67

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT_Z_8TX
Setting 18
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3906G	66.78	74.00	-7.22	60.37	3	Horizontal	326	3.00	-	33.32	5.80	32.71
PK	5.4644G	61.81	68.20	-6.39	55.00	3	Horizontal	326	3.00	-	33.66	5.83	32.68
AV	5.4596G	49.05	54.00	-4.95	42.26	3	Horizontal	326	3.00	-	33.64	5.83	32.68
PK	5.522G	114.70	Inf	-Inf	107.72	3	Horizontal	326	3.00	-	33.80	5.86	32.68
AV	5.522G	102.09	Inf	-Inf	95.11	3	Horizontal	326	3.00	-	33.80	5.86	32.68

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 18
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53264G	62.17	68.20	-6.03	44.54	3	Vertical	73	2.37	-	39.60	12.53	34.50

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT Z_8TX
Setting 18
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.52076G	62.10	68.20	-6.10	44.48	3	Horizontal	221	1.12	-	39.60	12.52	34.50

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 22
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	68.31	74.00	-5.69	61.54	3	Vertical	177	1.80	-	33.63	5.83	32.69
AV	5.457G	53.07	54.00	-0.93	46.30	3	Vertical	177	1.80	-	33.63	5.83	32.69
PK	5.4654G	67.82	68.20	-0.38	61.01	3	Vertical	177	1.80	-	33.66	5.83	32.68
PK	5.535G	127.14	Inf	-Inf	120.15	3	Vertical	177	1.80	-	33.80	5.87	32.68
AV	5.5362G	114.67	Inf	-Inf	107.68	3	Vertical	177	1.80	-	33.80	5.87	32.68

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 22
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4294G	69.50	74.00	-4.50	62.87	3	Horizontal	310	2.11	-	33.52	5.81	32.70
PK	5.4672G	61.63	68.20	-6.57	54.81	3	Horizontal	310	2.11	-	33.67	5.83	32.68
AV	5.4522G	48.20	54.00	-5.80	41.45	3	Horizontal	310	2.11	-	33.61	5.83	32.69
PK	5.5548G	118.16	Inf	-Inf	111.16	3	Horizontal	310	2.11	-	33.81	5.88	32.69
AV	5.5548G	106.60	Inf	-Inf	99.60	3	Horizontal	310	2.11	-	33.81	5.88	32.69

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT Z_8TX
Setting 22
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.65884G	63.51	68.20	-4.69	45.53	3	Vertical	238	2.82	-	39.84	12.63	34.49

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT_Z_8TX
Setting 22
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.6492G	62.69	68.20	-5.51	44.76	3	Horizontal	193	1.95	-	39.80	12.62	34.49

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	125.86	Inf	-Inf	118.72	3	Vertical	131.8	1.80	-	33.93	5.93	32.72
AV	5.6634G	113.69	Inf	-Inf	106.55	3	Vertical	131.8	1.80	-	33.93	5.93	32.72
PK	5.7252G	67.81	68.20	-0.39	60.49	3	Vertical	131.8	1.80	-	34.10	5.96	32.74

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6604G	116.40	Inf	-Inf	109.27	3	Horizontal	323	2.24	-	33.92	5.93	32.72
AV	5.6616G	104.19	Inf	-Inf	97.06	3	Horizontal	323	2.24	-	33.92	5.93	32.72
PK	5.79G	62.91	68.20	-5.29	55.47	3	Horizontal	323	2.24	-	34.20	6.00	32.76

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT Z_8TX
Setting 20
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.0164G	64.11	68.20	-4.09	44.82	3	Vertical	297	1.18	-	40.85	12.91	34.47

802.11ax HEW40_Nss1,(MCS0)_8TX


5670MHz_TnomVnom



EUT Z_8TX
Setting 20
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.01128G	63.95	68.20	-4.25	44.68	3	Horizontal	147	2.98	-	40.83	12.91	34.47


802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 25.5
 04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	62.24	74.00	-11.76	55.47	3	Vertical	264	1.80	-	33.63	5.83	32.69
AV	5.4544G	49.03	54.00	-4.97	42.27	3	Vertical	264	1.80	-	33.62	5.83	32.69
PK	5.4688G	61.01	68.20	-7.19	54.18	3	Vertical	264	1.80	-	33.68	5.83	32.68
PK	5.7136G	130.91	Inf	-Inf	123.64	3	Vertical	264	1.80	-	34.05	5.96	32.74
AV	5.7136G	118.44	Inf	-Inf	111.17	3	Vertical	264	1.80	-	34.05	5.96	32.74
PK	5.854G	67.72	68.20	-0.48	59.93	3	Vertical	264	1.80	-	34.52	6.05	32.78


802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 25.5
 04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4436G	60.93	74.00	-13.07	54.23	3	Horizontal	322	2.30	-	33.57	5.82	32.69
PK	5.47G	59.90	68.20	-8.30	53.07	3	Horizontal	322	2.30	-	33.68	5.83	32.68
AV	5.46G	47.77	54.00	-6.23	40.98	3	Horizontal	322	2.30	-	33.64	5.83	32.68
PK	5.716G	120.33	Inf	-Inf	113.05	3	Horizontal	322	2.30	-	34.06	5.96	32.74
AV	5.716G	108.51	Inf	-Inf	101.23	3	Horizontal	322	2.30	-	34.06	5.96	32.74
PK	5.9776G	62.15	68.20	-6.05	53.68	3	Horizontal	322	2.30	-	35.11	6.18	32.82


802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_8TX
 Setting 25.5
 04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12456G	63.78	68.20	-4.42	44.12	3	Vertical	327	2.68	-	41.12	13.00	34.46

802.11ax HEW40_Nss1,(MCS0)_8TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_8TX
 Setting 25.5
 04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12012G	64.25	68.20	-3.95	44.59	3	Horizontal	176	1.38	-	41.12	13.00	34.46

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 22.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	67.71	68.20	-0.49	60.60	3	Vertical	53	1.69	-	33.90	5.92	32.71
PK	5.761G	127.58	Inf	-Inf	120.15	3	Vertical	53	1.69	-	34.20	5.98	32.75
AV	5.76G	114.90	Inf	-Inf	107.47	3	Vertical	53	1.69	-	34.20	5.98	32.75
PK	5.953G	62.35	68.20	-5.85	54.00	3	Vertical	53	1.69	-	35.01	6.15	32.81

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 22.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	65.72	68.20	-2.48	58.61	3	Horizontal	322	2.03	-	33.90	5.92	32.71
PK	5.763G	116.40	Inf	-Inf	108.97	3	Horizontal	322	2.03	-	34.20	5.98	32.75
AV	5.763G	104.53	Inf	-Inf	97.10	3	Horizontal	322	2.03	-	34.20	5.98	32.75
PK	5.97G	61.91	68.20	-6.29	53.48	3	Horizontal	322	2.03	-	35.08	6.17	32.82

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT_Z_8TX
Setting 22.5
04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.266G	65.38	68.20	-2.82	45.26	3	Vertical	99	2.37	-	41.46	13.11	34.45

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TnomVnom




EUT Z_8TX
Setting 22.5
04-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.27096G	65.89	68.20	-2.31	45.74	3	Horizontal	292	1.43	-	41.48	13.12	34.45

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 24.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	63.35	68.20	-4.85	56.25	3	Vertical	53	1.77	-	33.90	5.90	32.70
PK	5.801G	131.05	Inf	-Inf	123.61	3	Vertical	53	1.77	-	34.21	6.00	32.77
AV	5.8G	117.78	Inf	-Inf	110.35	3	Vertical	53	1.77	-	34.20	6.00	32.77
PK	5.92G	71.55	71.90	-0.35	63.35	3	Vertical	53	1.77	-	34.88	6.12	32.80

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT Z_8TX
Setting 24.5
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	60.75	68.20	-7.45	53.65	3	Horizontal	328	2.36	-	33.90	5.90	32.70
PK	5.808G	120.14	Inf	-Inf	112.65	3	Horizontal	328	2.36	-	34.25	6.01	32.77
AV	5.807G	107.60	Inf	-Inf	100.12	3	Horizontal	328	2.36	-	34.24	6.01	32.77
PK	5.944G	62.31	68.20	-5.89	54.00	3	Horizontal	328	2.36	-	34.98	6.14	32.81

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 24.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.38476G	65.84	68.20	-2.36	45.22	3	Vertical	100	2.44	-	41.85	13.21	34.44

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TnomVnom




EUT_Z_8TX
Setting 24.5
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.38348G	66.11	68.20	-2.09	45.49	3	Horizontal	62	2.90	-	41.85	13.21	34.44

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 17
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.98	74.00	-9.02	60.23	3	Vertical	328.4	1.80	-	31.72	5.00	31.97
AV	5.146G	53.64	54.00	-0.36	48.89	3	Vertical	328.4	1.80	-	31.72	5.00	31.97
PK	5.214G	117.40	Inf	-Inf	113.08	3	Vertical	328.4	1.80	-	31.32	5.00	32.00
AV	5.214G	105.99	Inf	-Inf	101.67	3	Vertical	328.4	1.80	-	31.32	5.00	32.00
PK	5.351G	58.20	74.00	-15.80	54.15	3	Vertical	328.4	1.80	-	31.11	5.00	32.06
AV	5.375G	46.08	54.00	-7.92	41.91	3	Vertical	328.4	1.80	-	31.25	5.00	32.08

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT_Z_8TX
Setting 17
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	58.77	74.00	-15.23	53.13	3	Horizontal	122	1.96	-	32.80	5.64	32.80
AV	5.149G	46.82	54.00	-7.18	41.17	3	Horizontal	122	1.96	-	32.80	5.65	32.80
PK	5.199G	106.29	Inf	-Inf	100.47	3	Horizontal	122	1.96	-	32.90	5.70	32.78
AV	5.198G	93.99	Inf	-Inf	88.17	3	Horizontal	122	1.96	-	32.90	5.70	32.78
PK	5.437G	59.64	74.00	-14.36	52.96	3	Horizontal	122	1.96	-	33.55	5.82	32.69
AV	5.434G	46.91	54.00	-7.09	40.24	3	Horizontal	122	1.96	-	33.54	5.82	32.69

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 17
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63988G	60.79	74.00	-13.21	44.93	3	Vertical	308	2.69	-	38.38	11.83	34.35
AV	15.63484G	47.34	54.00	-6.66	31.48	3	Vertical	308	2.69	-	38.37	11.83	34.34

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TnomVnom




EUT Z_8TX
Setting 17
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62492G	61.48	74.00	-12.52	45.65	3	Horizontal	269	2.23	-	38.35	11.82	34.34
AV	15.62288G	47.32	54.00	-6.68	31.49	3	Horizontal	269	2.23	-	38.35	11.82	34.34

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 15
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.086G	59.13	74.00	-14.87	53.56	3	Vertical	154	1.80	-	32.80	5.59	32.82
AV	5.126G	46.29	54.00	-7.71	40.66	3	Vertical	154	1.80	-	32.80	5.63	32.80
PK	5.307G	116.67	Inf	-Inf	110.66	3	Vertical	154	1.80	-	33.00	5.75	32.74
AV	5.308G	103.97	Inf	-Inf	97.96	3	Vertical	154	1.80	-	33.00	5.75	32.74
PK	5.35G	66.10	74.00	-7.90	60.04	3	Vertical	154	1.80	-	33.00	5.78	32.72
AV	5.35G	53.96	54.00	-0.04	47.90	3	Vertical	154	1.80	-	33.00	5.78	32.72
PK	5.538G	61.08	68.20	-7.12	54.09	3	Vertical	154	1.80	-	33.80	5.87	32.68

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT_Z_8TX
Setting 15
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.27	74.00	-14.73	53.67	3	Horizontal	316	3.00	-	32.80	5.61	32.81
AV	5.12G	45.91	54.00	-8.09	40.30	3	Horizontal	316	3.00	-	32.80	5.62	32.81
PK	5.322G	108.65	Inf	-Inf	102.62	3	Horizontal	316	3.00	-	33.00	5.76	32.73
AV	5.283G	96.78	Inf	-Inf	90.82	3	Horizontal	316	3.00	-	32.97	5.74	32.75
PK	5.352G	60.45	74.00	-13.55	54.37	3	Horizontal	316	3.00	-	33.02	5.78	32.72
AV	5.362G	48.98	54.00	-5.02	42.82	3	Horizontal	316	3.00	-	33.10	5.78	32.72
PK	5.489G	60.06	68.20	-8.14	53.13	3	Horizontal	316	3.00	-	33.76	5.84	32.67

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom



EUT Z_8TX
Setting 15
04-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87612G	59.76	74.00	-14.24	43.74	3	Vertical	14	1.57	-	38.50	12.01	34.49
AV	15.86304G	46.77	54.00	-7.23	30.76	3	Vertical	14	1.57	-	38.50	12.00	34.49