




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	QP	43.58M	35.90	40.00	-4.10	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
QP	35.82M	35.55	40.00	-4.45	-9.55	3	Vertical	261	1.00	-	45.10	21.04	1.10	31.69
QP	43.58M	35.90	40.00	-4.10	-13.70	3	Vertical	353	1.00	"Worst"	49.60	16.89	1.21	31.80
PK	59.1M	34.66	40.00	-5.34	-18.25	3	Vertical	0	1.00	-	52.91	12.27	1.38	31.90
PK	72.68M	34.13	40.00	-5.87	-18.07	3	Vertical	64	1.25	-	52.20	12.34	1.51	31.92
PK	731.31M	35.42	46.00	-10.58	-2.37	3	Vertical	0	1.00	-	37.79	25.11	5.15	32.63
PK	904.94M	36.41	46.00	-9.59	-0.22	3	Vertical	360	3.00	-	36.63	26.39	5.85	32.46

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	500.45M	36.04	46.00	-9.96	-4.83	3	Horizontal	307	2.00	-	40.87	23.27	4.17	32.27
PK	888.45M	34.94	46.00	-11.06	-0.43	3	Horizontal	64	2.00	-	35.37	26.27	5.79	32.49
PK	914.64M	34.90	46.00	-11.10	-0.22	3	Horizontal	144	2.00	-	35.12	26.38	5.88	32.48
PK	928.22M	35.53	46.00	-10.47	-0.14	3	Horizontal	357	1.00	-	35.67	26.45	5.92	32.51
PK	949.56M	36.17	46.00	-9.83	0.14	3	Horizontal	237	1.25	"Worst"	36.03	26.71	5.98	32.55
PK	957.32M	35.84	46.00	-10.16	0.32	3	Horizontal	262	2.00	-	35.52	26.82	6.01	32.51




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	12.38062G	47.32	54.00	-6.68	3	Vertical	284	2.87	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.37767G	41.65	54.00	-12.35	3	Vertical	300	1.43	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	AV	12.38019G	40.63	54.00	-13.37	3	Vertical	129	2.14	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.39593G	51.51	54.00	-2.49	3	Vertical	121	2.24	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	AV	12.41504G	51.14	54.00	-2.86	3	Vertical	345	2.70	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.30146G	51.24	54.00	-2.76	3	Horizontal	49	2.66	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	AV	12.43806G	50.89	54.00	-3.11	3	Vertical	281	2.11	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.3763G	51.35	54.00	-2.65	3	Horizontal	69	1.07	-
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	AV	12.37642G	51.85	54.00	-2.15	3	Vertical	67	1.10	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	RMS	13.0213G	48.58	68.20	-19.62	3	Vertical	-0.1	1.80	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	13.02199G	42.84	68.20	-25.36	3	Vertical	154	2.01	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	RMS	13.01599G	41.96	68.20	-26.24	3	Vertical	113	2.07	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	RMS	13.05303G	52.29	68.20	-15.91	3	Horizontal	183	2.19	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	RMS	13.05999G	41.91	68.20	-26.29	3	Vertical	70	1.54	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	13.07683G	52.05	68.20	-16.15	3	Horizontal	134	1.22	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	RMS	13.07557G	51.95	68.20	-16.25	3	Horizontal	238	2.27	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	RMS	13.00496G	51.97	68.20	-16.23	3	Horizontal	282	2.82	-
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	RMS	13.01318G	52.44	68.20	-15.76	3	Vertical	62	2.90	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	13.39924G	50.03	54.00	-3.97	3	Vertical	334	1.15	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.39999G	43.78	54.00	-10.22	3	Vertical	302	2.83	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	AV	13.3942G	42.85	54.00	-11.15	3	Vertical	359	1.58	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.3805G	43.27	54.00	-10.73	3	Vertical	315	2.35	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	AV	13.3805G	42.71	54.00	-11.29	3	Horizontal	115	1.52	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	13.71968G	53.36	68.20	-14.84	3	Horizontal	91	1.71	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	RMS	13.71911G	53.38	68.20	-14.82	3	Horizontal	337	2.01	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.33822G	52.51	54.00	-1.49	3	Vertical	144	1.15	-
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	AV	13.34452G	52.92	54.00	-1.08	3	Horizontal	118	1.79	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	RMS	14.11963G	58.46	68.20	-9.74	3	Vertical	357	1.25	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1494G	55.51	68.20	-12.69	3	Vertical	69	1.60	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	RMS	7.1556G	55.48	68.20	-12.72	3	Vertical	70	1.66	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1422G	55.16	68.20	-13.04	3	Vertical	307	1.80	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	RMS	7.1396G	55.14	68.20	-13.06	3	Vertical	75	1.80	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1303G	55.74	68.20	-12.46	3	Vertical	69	1.75	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	RMS	7.1258G	56.99	68.20	-11.21	3	Vertical	290	2.62	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.143G	55.74	68.20	-12.46	3	Vertical	93	2.25	-
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	RMS	7.1266G	60.26	68.20	-7.94	3	Vertical	70	1.70	-

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6115MHz_TX




EUT_Y_4TX
 Setting 31
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	60.21	88.20	-27.99	51.31	3	Vertical	278	1.80	-	32.52	7.43	31.05
RMS	5.8865G	48.32	68.20	-19.88	39.50	3	Vertical	278	1.80	-	32.45	7.42	31.05
PK	6.1125G	106.88	Inf	-Inf	97.73	3	Vertical	278	1.80	-	32.62	7.56	31.03
RMS	6.1125G	97.89	Inf	-Inf	88.74	3	Vertical	278	1.80	-	32.62	7.56	31.03

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6115MHz_TX




EUT_Y_4TX
 Setting 31
 03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8955G	60.10	88.20	-28.10	53.75	3	Horizontal	281	2.28	-	34.48	6.96	35.09
RMS	5.909G	49.98	68.20	-18.22	43.60	3	Horizontal	281	2.28	-	34.52	6.96	35.10
PK	6.1165G	103.81	Inf	-Inf	96.93	3	Horizontal	281	2.28	-	34.90	7.08	35.10
RMS	6.1165G	97.02	Inf	-Inf	90.14	3	Horizontal	281	2.28	-	34.90	7.08	35.10

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2269G	61.30	74.00	-12.70	43.13	3	Vertical	332	1.83	-	39.00	10.91	31.74
AV	12.22182G	47.28	54.00	-6.72	29.12	3	Vertical	332	1.83	-	39.00	10.91	31.75

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23188G	60.45	74.00	-13.55	42.26	3	Horizontal	104	1.71	-	39.00	10.92	31.73
AV	12.23182G	47.26	54.00	-6.74	29.07	3	Horizontal	104	1.71	-	39.00	10.92	31.73

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34212G	44.40	83.54	-39.14	41.77	1	Vertical	180	2.02	-	37.50	15.28	50.15
AV	18.33084G	30.94	63.54	-32.60	28.29	1	Vertical	180	2.02	-	37.50	15.28	50.13

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.33657G	43.82	83.54	-39.72	41.18	1	Horizontal	80	2.79	-	37.50	15.28	50.14
AV	18.33084G	30.92	63.54	-32.62	28.27	1	Horizontal	80	2.79	-	37.50	15.28	50.13

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 30
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39G	61.23	74.00	-12.77	42.88	3	Vertical	284	2.87	-	38.92	10.99	31.56
AV	12.38062G	47.32	54.00	-6.68	28.97	3	Vertical	284	2.87	-	38.94	10.98	31.57

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 30
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38326G	60.99	74.00	-13.01	42.65	3	Horizontal	229	1.53	-	38.93	10.98	31.57
AV	12.38114G	47.31	54.00	-6.69	28.96	3	Horizontal	229	1.53	-	38.94	10.98	31.57

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT Y_4TX
 Setting 30
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57336G	42.91	83.54	-40.63	40.43	1	Vertical	209	1.58	-	37.70	15.27	50.49
AV	18.57318G	30.46	63.54	-33.08	27.98	1	Vertical	209	1.58	-	37.70	15.27	50.49

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58245G	43.03	83.54	-40.51	40.56	1	Horizontal	65	1.66	-	37.70	15.27	50.50
AV	18.57003G	30.27	63.54	-33.27	27.78	1	Horizontal	65	1.66	-	37.70	15.27	50.48

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 33
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83402G	61.80	88.20	-26.40	42.67	3	Vertical	126	1.80	-	39.37	11.19	31.43
RMS	12.82018G	47.50	68.20	-20.70	28.41	3	Vertical	126	1.80	-	39.34	11.18	31.43

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 33
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83854G	60.87	88.20	-27.33	41.73	3	Horizontal	210	1.74	-	39.38	11.19	31.43
AV	12.82056G	47.51	68.20	-20.69	28.42	3	Horizontal	210	1.74	-	39.34	11.18	31.43

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT Y_4TX
 Setting 33
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24452G	42.93	83.54	-40.61	41.07	1	Vertical	285	1.85	-	37.91	15.24	51.29
AV	19.24098G	29.74	63.54	-33.80	27.87	1	Vertical	285	1.85	-	37.92	15.24	51.29

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT Y_4TX
 Setting 33
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24122G	42.55	83.54	-40.99	40.68	1	Horizontal	358	1.00	-	37.92	15.24	51.29
AV	19.23273G	29.87	63.54	-33.67	27.98	1	Horizontal	358	1.00	-	37.93	15.24	51.28

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT Y_4TX
Setting 32
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87794G	60.94	88.20	-27.26	41.70	3	Vertical	16	2.52	-	39.46	11.21	31.43
RMS	12.87348G	47.96	68.20	-20.24	28.73	3	Vertical	16	2.52	-	39.45	11.21	31.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT Y_4TX
 Setting 32
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86608G	61.34	88.20	-26.86	42.14	3	Horizontal	186	1.19	-	39.43	11.20	31.43
RMS	12.86758G	47.97	68.20	-20.23	28.76	3	Horizontal	186	1.19	-	39.44	11.20	31.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30077G	42.04	83.54	-41.50	40.17	1	Vertical	341	1.73	-	38.00	15.23	51.36
AV	19.29984G	29.64	63.54	-33.90	27.76	1	Vertical	341	1.73	-	38.00	15.24	51.36

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2942G	43.00	83.54	-40.54	41.12	1	Horizontal	48	2.53	-	37.99	15.24	51.35
AV	19.29453G	29.67	63.54	-33.87	27.79	1	Horizontal	48	2.53	-	37.99	15.24	51.35

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95514G	60.54	88.20	-27.66	41.23	3	Vertical	340	2.77	-	39.50	11.24	31.43
RMS	12.9419G	47.83	68.20	-20.37	28.52	3	Vertical	340	2.77	-	39.50	11.24	31.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95644G	61.46	88.20	-26.74	42.14	3	Horizontal	62	2.45	-	39.50	11.25	31.43
RMS	12.9418G	47.83	68.20	-20.37	28.52	3	Horizontal	62	2.45	-	39.50	11.24	31.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 31
 06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4136G	42.15	83.54	-41.39	40.47	1	Vertical	181	2.56	-	37.95	15.23	51.50			
AV	19.41648G	29.63	63.54	-33.91	27.97	1	Vertical	181	2.56	-	37.93	15.23	51.50			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42251G	43.54	83.54	-40.00	41.91	1	Horizontal	179	2.44	-	37.91	15.23	51.51
AV	19.41051G	29.57	63.54	-33.97	27.87	1	Horizontal	179	2.44	-	37.96	15.23	51.49

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT Y_4TX
Setting 32
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02356G	62.42	88.20	-25.78	43.12	3	Vertical	-0.1	1.80	-	39.45	11.28	31.43
RMS	13.0213G	48.58	68.20	-19.62	29.28	3	Vertical	-0.1	1.80	-	39.46	11.27	31.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT Y_4TX
 Setting 32
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0346G	62.49	88.20	-25.71	43.22	3	Horizontal	122	1.55	-	39.43	11.28	31.44
RMS	13.0207G	48.57	68.20	-19.63	29.27	3	Horizontal	122	1.55	-	39.46	11.27	31.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT Y_4TX
Setting 32
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54185G	40.99	83.54	-42.55	39.32	1	Vertical	122	2.76	-	38.08	15.22	51.63
AV	19.53258G	28.85	63.54	-34.69	27.19	1	Vertical	122	2.76	-	38.07	15.22	51.63

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53351G	41.76	83.54	-41.78	40.10	1	Horizontal	245	1.84	-	38.07	15.22	51.63
AV	19.53276G	29.40	63.54	-34.14	27.74	1	Horizontal	245	1.84	-	38.07	15.22	51.63

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT Y_4TX
Setting 29
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06594G	62.26	88.20	-25.94	43.00	3	Vertical	159	1.93	-	39.40	11.30	31.44
RMS	13.06818G	48.90	68.20	-19.30	29.64	3	Vertical	159	1.93	-	39.40	11.30	31.44

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 29
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07736G	62.52	88.20	-25.68	43.26	3	Horizontal	243	2.71	-	39.40	11.30	31.44
RMS	13.06312G	48.86	68.20	-19.34	29.61	3	Horizontal	243	2.71	-	39.40	11.29	31.44

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 29
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60182G	42.09	83.54	-41.45	40.74	1	Vertical	351	2.53	-	37.81	15.22	51.68
AV	19.59276G	29.22	63.54	-34.32	27.83	1	Vertical	351	2.53	-	37.84	15.22	51.67

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 29
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6161G	42.23	83.54	-41.31	40.80	1	Horizontal	269	1.18	-	37.90	15.22	51.69
AV	19.59288G	29.37	63.54	-34.17	27.98	1	Horizontal	269	1.18	-	37.84	15.22	51.67

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3964G	63.23	74.00	-10.77	42.98	3	Vertical	334	1.15	-	40.29	11.45	31.49
AV	13.39924G	50.03	54.00	-3.97	29.77	3	Vertical	334	1.15	-	40.30	11.45	31.49

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3974G	63.57	74.00	-10.43	43.32	3	Horizontal	84	1.40	-	40.29	11.45	31.49
AV	13.39856G	50.03	54.00	-3.97	29.78	3	Horizontal	84	1.40	-	40.29	11.45	31.49

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07879G	43.18	83.54	-40.36	42.10	1	Vertical	132	2.58	-	37.82	15.26	52.00
AV	20.07351G	29.41	63.54	-34.13	28.36	1	Vertical	132	2.58	-	37.79	15.26	52.00

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09859G	43.48	83.54	-40.06	42.31	1	Horizontal	133	2.69	-	37.89	15.28	52.00
AV	20.07351G	29.75	63.54	-33.79	28.70	1	Horizontal	133	2.69	-	37.79	15.26	52.00

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 29
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74781G	67.41	88.20	-20.79	43.72	3	Vertical	151	2.10	-	40.69	11.61	28.61
RMS	13.74733G	54.64	68.20	-13.56	30.96	3	Vertical	151	2.10	-	40.68	11.61	28.61

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 29
 06-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.74268G	67.62	88.20	-20.58	44.03	3	Horizontal	50	2.57	-	40.66	11.60	28.67
RMS	13.74861G	54.62	68.20	-13.58	30.92	3	Horizontal	50	2.57	-	40.69	11.61	28.60

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 29
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61015G	42.84	83.54	-40.70	41.21	1	Vertical	201	1.68	-	37.98	15.69	52.04
AV	20.61G	29.10	63.54	-34.44	27.47	1	Vertical	201	1.68	-	37.98	15.69	52.04

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 29
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61573G	42.03	83.54	-41.51	40.42	1	Horizontal	14	1.96	-	37.97	15.69	52.05
AV	20.61G	29.27	63.54	-34.27	27.64	1	Horizontal	14	1.96	-	37.98	15.69	52.04

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 30
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79507G	68.29	88.20	-19.91	44.19	3	Vertical	154	1.96	-	40.52	11.63	28.05
RMS	13.80239G	54.94	68.20	-13.26	30.78	3	Vertical	154	1.96	-	40.50	11.63	27.97

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 30
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80194G	67.86	88.20	-20.34	43.70	3	Horizontal	151	1.25	-	40.50	11.63	27.97
RMS	13.80242G	54.90	68.20	-13.30	30.74	3	Horizontal	151	1.25	-	40.50	11.63	27.97

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68752G	42.43	83.54	-41.11	40.86	1	Vertical	311	1.07	-	37.90	15.75	52.08
AV	20.67687G	29.49	63.54	-34.05	27.92	1	Vertical	311	1.07	-	37.90	15.74	52.07

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69124G	42.62	83.54	-40.92	41.05	1	Horizontal	9	1.22	-	37.90	15.75	52.08
AV	20.67102G	29.49	63.54	-34.05	27.92	1	Horizontal	9	1.22	-	37.90	15.74	52.07

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 31
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00284G	72.08	88.20	-16.12	45.11	3	Vertical	358	1.80	-	40.90	11.72	25.65
RMS	14.00266G	58.10	68.20	-10.10	31.13	3	Vertical	358	1.80	-	40.90	11.72	25.65

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00401G	71.76	88.20	-16.44	44.79	3	Horizontal	160	1.80	-	40.90	11.72	25.65
RMS	14.00311G	58.11	68.20	-10.09	31.14	3	Horizontal	160	1.80	-	40.90	11.72	25.65

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97417G	43.41	83.54	-40.13	41.62	1	Vertical	100	1.45	-	38.00	15.98	52.19
AV	20.97363G	29.67	63.54	-33.87	27.87	1	Vertical	100	1.45	-	38.01	15.98	52.19

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98428G	43.56	83.54	-39.98	41.80	1	Horizontal	224	1.00	-	37.96	15.99	52.19
AV	20.97069G	29.79	63.54	-33.75	27.98	1	Horizontal	224	1.00	-	38.02	15.98	52.19

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7055MHz_TX




EUT Y_4TX
Setting 24
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0542G	107.20	Inf	-Inf	94.87	3	Vertical	67	1.80	-	35.82	8.20	31.69
RMS	7.054G	100.15	Inf	-Inf	87.82	3	Vertical	67	1.80	-	35.82	8.20	31.69
PK	7.1414G	65.26	88.20	-22.94	52.32	3	Vertical	67	1.80	-	36.25	8.28	31.59
RMS	7.1494G	55.17	68.20	-13.03	42.16	3	Vertical	67	1.80	-	36.30	8.29	31.58

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7055MHz_TX




EUT_Y_4TX
 Setting 24
 03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0502G	102.48	Inf	-Inf	94.81	3	Horizontal	226	1.82	-	35.60	7.60	35.53
RMS	7.05G	95.07	Inf	-Inf	87.40	3	Horizontal	226	1.82	-	35.60	7.60	35.53
PK	7.15G	60.81	88.20	-27.39	52.75	3	Horizontal	226	1.82	-	35.90	7.63	35.47
RMS	7.138G	50.04	68.20	-18.16	42.04	3	Horizontal	226	1.82	-	35.85	7.63	35.48

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7055MHz_TX




EUT Y_4TX
Setting 24
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.10604G	72.98	88.20	-15.22	46.01	3	Vertical	357	1.25	-	40.90	11.77	25.70
RMS	14.11963G	58.46	68.20	-9.74	31.49	3	Vertical	357	1.25	-	40.90	11.78	25.71

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 24
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0986G	72.20	88.20	-16.00	45.23	3	Horizontal	285	1.49	-	40.90	11.77	25.70
RMS	14.09635G	58.42	68.20	-9.78	31.45	3	Horizontal	285	1.49	-	40.90	11.77	25.70

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.16737G	41.98	83.54	-41.56	39.92	1	Vertical	14	1.48	-	38.13	16.13	52.20
AV	21.15G	29.87	63.54	-33.67	27.75	1	Vertical	14	1.48	-	38.20	16.12	52.20

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 24
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.16863G	43.17	83.54	-40.37	41.11	1	Horizontal	32	2.89	-	38.13	16.13	52.20
AV	21.15321G	29.87	63.54	-33.67	27.76	1	Horizontal	32	2.89	-	38.19	16.12	52.20

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 34
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9155G	60.58	88.20	-27.62	51.66	3	Vertical	308	1.80	-	32.53	7.44	31.05
RMS	5.921G	50.45	68.20	-17.75	41.52	3	Vertical	308	1.80	-	32.54	7.44	31.05
PK	6.1095G	104.09	Inf	-Inf	94.94	3	Vertical	308	1.80	-	32.62	7.56	31.03
RMS	6.108G	94.94	Inf	-Inf	85.79	3	Vertical	308	1.80	-	32.62	7.56	31.03

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 34
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9105G	60.49	88.20	-27.71	54.11	3	Horizontal	150	2.95	-	34.52	6.96	35.10
RMS	5.884G	50.15	68.20	-18.05	43.83	3	Horizontal	150	2.95	-	34.44	6.96	35.08
PK	6.1075G	100.88	Inf	-Inf	94.00	3	Horizontal	150	2.95	-	34.90	7.08	35.10
RMS	6.1065G	92.68	Inf	-Inf	85.80	3	Horizontal	150	2.95	-	34.90	7.08	35.10

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 34
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22691G	54.70	74.00	-19.30	47.98	3	Vertical	179	1.80	-	39.00	10.91	43.19
AV	12.2249G	41.60	54.00	-12.40	34.88	3	Vertical	179	1.80	-	39.00	10.91	43.19

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 34
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23348G	54.39	74.00	-19.61	47.66	3	Horizontal	45	1.00	-	39.00	10.92	43.19
AV	12.24215G	41.41	54.00	-12.59	34.68	3	Horizontal	45	1.00	-	39.00	10.92	43.19

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Y_4TX
Setting 34
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.35856G	44.61	83.54	-38.93	41.95	1	Vertical	105	1.37	-	37.55	15.28	50.17
AV	18.35478G	31.47	63.54	-32.07	28.83	1	Vertical	105	1.37	-	37.53	15.28	50.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX








EUT_Y_4TX
Setting 34
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.35424G	43.60	83.54	-39.94	40.96	1	Horizontal	197	2.21	-	37.53	15.28	50.17
AV	18.33594G	31.22	63.54	-32.32	28.58	1	Horizontal	197	2.21	-	37.50	15.28	50.14

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/01/2024

EUT_Y_4TX
 Setting 31
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38217G	54.00	74.00	-20.00	47.25	3	Vertical	300	1.43	-	38.94	10.98	43.17
AV	12.37767G	41.65	54.00	-12.35	34.90	3	Vertical	300	1.43	-	38.94	10.98	43.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.379986G	54.32	74.00	-19.68	47.57	3	Horizontal	122	2.91	-	38.94	10.98	43.17
AV	12.37986G	41.56	54.00	-12.44	34.81	3	Horizontal	122	2.91	-	38.94	10.98	43.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58701G	43.80	83.54	-39.74	41.33	1	Vertical	278	2.73	-	37.70	15.27	50.50
AV	18.57G	31.10	63.54	-32.44	28.61	1	Vertical	278	2.73	-	37.70	15.27	50.48

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58188G	44.18	83.54	-39.36	41.71	1	Horizontal	28	2.45	-	37.70	15.27	50.50
AV	18.57G	30.95	63.54	-32.59	28.46	1	Horizontal	28	2.45	-	37.70	15.27	50.48

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 27
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83879G	54.26	88.20	-33.94	46.50	3	Vertical	83	1.67	-	39.38	11.19	42.81
RMS	12.84425G	41.83	68.20	-26.37	34.06	3	Vertical	83	1.67	-	39.39	11.19	42.81

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 27
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8207G	54.01	88.20	-34.19	46.32	3	Horizontal	105	1.37	-	39.34	11.18	42.83
RMS	12.83705G	41.93	68.20	-26.27	34.18	3	Horizontal	105	1.37	-	39.37	11.19	42.81

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 27
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25211G	43.23	83.54	-40.31	41.39	1	Vertical	291	1.09	-	37.90	15.24	51.30
AV	19.23009G	30.31	63.54	-33.23	28.41	1	Vertical	291	1.09	-	37.94	15.24	51.28

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 27
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25538G	42.90	83.54	-40.64	41.06	1	Horizontal	96	2.36	-	37.91	15.24	51.31
AV	19.23027G	30.34	63.54	-33.20	28.44	1	Horizontal	96	2.36	-	37.94	15.24	51.28

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87429G	54.75	88.20	-33.45	46.87	3	Vertical	291	2.43	-	39.45	11.21	42.78			
RMS	12.87399G	41.99	68.20	-26.21	34.11	3	Vertical	291	2.43	-	39.45	11.21	42.78			

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87327G	54.73	88.20	-33.47	46.85	3	Horizontal	56	2.48	-	39.45	11.21	42.78
RMS	12.86991G	42.01	68.20	-26.19	34.14	3	Horizontal	56	2.48	-	39.44	11.21	42.78

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31979G	42.62	83.54	-40.92	40.85	1	Vertical	112	1.46	-	37.92	15.23	51.38
AV	19.30344G	30.13	63.54	-33.41	28.27	1	Vertical	112	1.46	-	37.99	15.23	51.36

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31697G	42.73	83.54	-40.81	40.95	1	Horizontal	97	1.94	-	37.93	15.23	51.38
AV	19.30941G	29.96	63.54	-33.58	28.14	1	Horizontal	97	1.94	-	37.96	15.23	51.37

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94496G	54.74	88.20	-33.46	46.71	3	Vertical	176	1.40	-	39.50	11.24	42.71
RMS	12.94646G	42.04	68.20	-26.16	34.00	3	Vertical	176	1.40	-	39.50	11.24	42.70

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95858G	54.69	88.20	-33.51	46.63	3	Horizontal	249	1.21	-	39.50	11.25	42.69
RMS	12.94016G	42.16	68.20	-26.04	34.13	3	Horizontal	249	1.21	-	39.50	11.24	42.71

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 32
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41708G	42.32	83.54	-41.22	40.66	1	Vertical	245	1.77	-	37.93	15.23	51.50
AV	19.42002G	29.86	63.54	-33.68	28.21	1	Vertical	245	1.77	-	37.92	15.23	51.50

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4139G	42.55	83.54	-40.99	40.88	1	Horizontal	168	2.36	-	37.94	15.23	51.50
AV	19.41795G	30.09	63.54	-33.45	28.43	1	Horizontal	168	2.36	-	37.93	15.23	51.50

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX








EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04047G	55.57	88.20	-32.63	47.53	3	Vertical	154	2.01	-	39.42	11.28	42.66
RMS	13.02199G	42.84	68.20	-25.36	34.75	3	Vertical	154	2.01	-	39.46	11.28	42.65

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


29/01/2024

EUT_Y_4TX
 Setting 30
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02682G	55.35	88.20	-32.85	47.28	3	Horizontal	143	1.56	-	39.45	11.28	42.66
RMS	13.02214G	42.82	68.20	-25.38	34.73	3	Horizontal	143	1.56	-	39.46	11.28	42.65

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5351G	41.75	83.54	-41.79	40.09	1	Vertical	235	1.14	-	38.07	15.22	51.63
AV	19.53045G	29.99	63.54	-33.55	28.33	1	Vertical	235	1.14	-	38.06	15.22	51.62

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53342G	42.10	83.54	-41.44	40.44	1	Horizontal	104	1.96	-	38.07	15.22	51.63
AV	19.53024G	30.02	63.54	-33.52	28.36	1	Horizontal	104	1.96	-	38.06	15.22	51.62

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX








EUT_Y_4TX
Setting 36
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07537G	55.61	88.20	-32.59	47.58	3	Vertical	18	1.10	-	39.40	11.30	42.67
RMS	13.06142G	42.77	68.20	-25.43	34.74	3	Vertical	18	1.10	-	39.40	11.29	42.66

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


29/01/2024

EUT_Y_4TX
 Setting 36
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05692G	55.20	88.20	-33.00	47.17	3	Horizontal	314	1.17	-	39.40	11.29	42.66
RMS	13.08452G	42.77	68.20	-25.43	34.74	3	Horizontal	314	1.17	-	39.40	11.30	42.67

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 36
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5957G	42.16	83.54	-41.38	40.79	1	Vertical	97	1.57	-	37.83	15.22	51.68
AV	19.59054G	29.68	63.54	-33.86	28.27	1	Vertical	97	1.57	-	37.86	15.22	51.67

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 36
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59585G	42.99	83.54	-40.55	41.63	1	Horizontal	24	2.87	-	37.82	15.22	51.68
AV	19.59G	29.88	63.54	-33.66	28.47	1	Horizontal	24	2.87	-	37.86	15.22	51.67

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39195G	56.48	74.00	-17.52	47.51	3	Vertical	302	2.83	-	40.27	11.44	42.74
AV	13.39999G	43.78	54.00	-10.22	34.77	3	Vertical	302	2.83	-	40.30	11.45	42.74

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39227G	56.59	74.00	-17.41	47.62	3	Horizontal	340	2.38	-	40.27	11.44	42.74
AV	13.39222G	43.71	54.00	-10.29	34.74	3	Horizontal	340	2.38	-	40.27	11.44	42.74

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08485G	42.34	83.54	-41.20	41.23	1	Vertical	7	1.61	-	37.84	15.27	52.00
AV	20.09472G	29.35	63.54	-34.19	28.19	1	Vertical	7	1.61	-	37.88	15.28	52.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.088G	42.18	83.54	-41.36	41.06	1	Horizontal	204	2.85	-	37.85	15.27	52.00
AV	20.08314G	29.15	63.54	-34.39	28.05	1	Horizontal	204	2.85	-	37.83	15.27	52.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75462G	56.02	88.20	-32.18	46.34	3	Vertical	239	2.21	-	40.68	11.61	42.61
RMS	13.73572G	43.99	68.20	-24.21	34.40	3	Vertical	239	2.21	-	40.61	11.60	42.62

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7535G	57.13	88.20	-31.07	47.44	3	Horizontal	107	1.95	-	40.69	11.61	42.61
RMS	13.735G	43.89	68.20	-24.31	34.30	3	Horizontal	107	1.95	-	40.61	11.60	42.62

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63508G	41.91	83.54	-41.63	40.32	1	Vertical	267	1.66	-	37.93	15.71	52.05
AV	20.61012G	29.97	63.54	-33.57	28.34	1	Vertical	267	1.66	-	37.98	15.69	52.04

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 30
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61315G	42.47	83.54	-41.07	40.86	1	Horizontal	26	2.53	-	37.97	15.69	52.05
AV	20.61054G	29.43	63.54	-34.11	27.80	1	Horizontal	26	2.53	-	37.98	15.69	52.04

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79561G	55.86	88.20	-32.34	46.29	3	Vertical	218	1.02	-	40.52	11.63	42.58
RMS	13.79858G	43.87	68.20	-24.33	34.31	3	Vertical	218	1.02	-	40.51	11.63	42.58

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79789G	55.63	88.20	-32.57	46.07	3	Horizontal	15	1.25	-	40.51	11.63	42.58
RMS	13.80059G	43.59	88.20	-44.61	34.04	3	Horizontal	15	1.25	-	40.50	11.63	42.58

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68008G	42.49	83.54	-41.05	40.92	1	Vertical	287	1.78	-	37.90	15.74	52.07
AV	20.67768G	29.70	63.54	-33.84	28.13	1	Vertical	287	1.78	-	37.90	15.74	52.07

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 26
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68689G	42.41	83.54	-41.13	40.83	1	Horizontal	210	2.81	-	37.90	15.75	52.07
AV	20.69364G	29.76	63.54	-33.78	28.19	1	Horizontal	210	2.81	-	37.90	15.75	52.08

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 32
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00383G	57.37	88.20	-30.83	47.21	3	Vertical	1	1.23	-	40.90	11.72	42.46
RMS	13.99741G	44.64	68.20	-23.56	34.49	3	Vertical	1	1.23	-	40.89	11.72	42.46

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00266G	56.85	88.20	-31.35	46.69	3	Horizontal	127	1.06	-	40.90	11.72	42.46
RMS	13.99939G	44.51	68.20	-23.69	34.35	3	Horizontal	127	1.06	-	40.90	11.72	42.46

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 32
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99571G	43.29	83.54	-40.25	41.57	1	Vertical	169	2.61	-	37.92	16.00	52.20
AV	20.98026G	30.11	63.54	-33.43	28.34	1	Vertical	169	2.61	-	37.98	15.98	52.19

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98221G	42.53	83.54	-41.01	40.76	1	Horizontal	196	2.86	-	37.97	15.99	52.19
AV	20.98491G	29.89	63.54	-33.65	28.13	1	Horizontal	196	2.86	-	37.96	15.99	52.19

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 23
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0596G	107.36	Inf	-Inf	94.99	3	Vertical	69	1.60	-	35.84	8.21	31.68
RMS	7.061G	97.15	Inf	-Inf	84.78	3	Vertical	69	1.60	-	35.84	8.21	31.68
PK	7.1388G	65.54	88.20	-22.66	52.62	3	Vertical	69	1.60	-	36.23	8.28	31.59
RMS	7.1494G	55.51	68.20	-12.69	42.50	3	Vertical	69	1.60	-	36.30	8.29	31.58

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 23
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0608G	101.67	Inf	-Inf	93.97	3	Horizontal	148	1.80	-	35.62	7.60	35.52
RMS	7.0636G	92.60	Inf	-Inf	84.89	3	Horizontal	148	1.80	-	35.63	7.60	35.52
PK	7.1412G	59.45	88.20	-28.75	51.44	3	Horizontal	148	1.80	-	35.86	7.63	35.48
RMS	7.151G	50.14	68.20	-18.06	42.07	3	Horizontal	148	1.80	-	35.91	7.63	35.47

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7055MHz_TX




EUT Y_4TX
Setting 23
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.09833G	57.17	88.20	-31.03	46.94	3	Vertical	352	1.47	-	40.90	11.77	42.44
RMS	14.10244G	44.49	68.20	-23.71	34.26	3	Vertical	352	1.47	-	40.90	11.77	42.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.10589G	56.71	88.20	-31.49	46.47	3	Horizontal	328	2.17	-	40.90	11.77	42.43
RMS	14.10283G	44.48	68.20	-23.72	34.25	3	Horizontal	328	2.17	-	40.90	11.77	42.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.1701G	42.41	83.54	-41.13	40.35	1	Vertical	179	2.24	-	38.12	16.14	52.20
AV	21.15009G	30.99	63.54	-32.55	28.87	1	Vertical	179	2.24	-	38.20	16.12	52.20

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 23
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.156G	42.54	83.54	-41.00	40.44	1	Horizontal	61	1.10	-	38.18	16.12	52.20
AV	21.15012G	30.55	63.54	-32.99	28.43	1	Horizontal	61	1.10	-	38.20	16.12	52.20

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 41
06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	60.22	88.20	-27.98	51.33	3	Vertical	305	1.79	-	32.51	7.43	31.05
RMS	5.8934G	50.02	68.20	-18.18	41.17	3	Vertical	305	1.79	-	32.47	7.43	31.05
PK	6.122G	109.59	Inf	-Inf	100.41	3	Vertical	305	1.79	-	32.64	7.57	31.03
RMS	6.1226G	100.10	Inf	-Inf	90.91	3	Vertical	305	1.79	-	32.65	7.57	31.03

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 41
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9036G	60.26	88.20	-27.94	53.88	3	Horizontal	140	2.51	-	34.51	6.96	35.09
RMS	5.9072G	49.96	68.20	-18.24	43.59	3	Horizontal	140	2.51	-	34.51	6.96	35.10
PK	6.1124G	103.22	Inf	-Inf	96.34	3	Horizontal	140	2.51	-	34.90	7.08	35.10
RMS	6.11G	95.18	Inf	-Inf	88.30	3	Horizontal	140	2.51	-	34.90	7.08	35.10

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23935G	64.36	74.00	-9.64	47.20	3	Vertical	22	1.75	-	39.00	10.92	32.76
AV	12.24394G	51.15	54.00	-2.85	33.99	3	Vertical	22	1.75	-	39.00	10.92	32.76

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 41
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.26479G	64.55	74.00	-9.45	47.36	3	Horizontal	90	2.64	-	39.00	10.93	32.74
AV	12.24565G	51.08	54.00	-2.92	33.91	3	Horizontal	90	2.64	-	39.00	10.92	32.75

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.38934G	43.51	83.54	-40.03	40.71	1	Vertical	277	2.93	-	37.74	15.28	50.22
AV	18.37887G	31.25	63.54	-32.29	28.51	1	Vertical	277	2.93	-	37.67	15.28	50.21

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.38784G	44.37	83.54	-39.17	41.58	1	Horizontal	357	1.31	-	37.73	15.28	50.22
AV	18.37311G	31.17	63.54	-32.37	28.45	1	Horizontal	357	1.31	-	37.64	15.28	50.20

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39989G	64.03	74.00	-9.97	46.75	3	Vertical	121	2.24	-	38.90	10.99	32.61
AV	12.39593G	51.51	54.00	-2.49	34.22	3	Vertical	121	2.24	-	38.91	10.99	32.61

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41696G	63.88	74.00	-10.12	46.67	3	Horizontal	265	2.12	-	38.80	11.00	32.59
AV	12.39623G	51.46	54.00	-2.54	34.17	3	Horizontal	265	2.12	-	38.91	10.99	32.61

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60438G	43.16	83.54	-40.38	40.71	1	Vertical	72	2.21	-	37.71	15.27	50.53
AV	18.62373G	29.80	63.54	-33.74	27.33	1	Vertical	72	2.21	-	37.75	15.27	50.55

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 41
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61302G	43.52	83.54	-40.02	41.06	1	Horizontal	256	1.86	-	37.73	15.27	50.54
AV	18.6096G	30.28	63.54	-33.26	27.82	1	Horizontal	256	1.86	-	37.72	15.27	50.53

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX








EUT_Y_4TX
 Setting 37
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81669G	65.54	88.20	-22.66	47.58	3	Vertical	284	2.65	-	39.33	11.18	32.55
RMS	12.82032G	51.31	68.20	-16.89	33.34	3	Vertical	284	2.65	-	39.34	11.18	32.55

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


29/01/2024

EUT_Y_4TX
 Setting 37
 06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.80325G	65.09	88.20	-23.11	47.15	3	Horizontal	4	1.33	-	39.31	11.18	32.55
RMS	12.82386G	51.32	68.20	-16.88	33.34	3	Horizontal	4	1.33	-	39.35	11.18	32.55

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22205G	43.42	83.54	-40.12	41.49	1	Vertical	220	1.89	-	37.96	15.24	51.27
AV	19.22751G	29.84	63.54	-33.70	27.93	1	Vertical	220	1.89	-	37.94	15.24	51.27

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 37
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21578G	42.84	83.54	-40.70	40.89	1	Horizontal	198	1.66	-	37.97	15.24	51.26
AV	19.21614G	30.00	63.54	-33.54	28.05	1	Horizontal	198	1.66	-	37.97	15.24	51.26

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87635G	54.05	88.20	-34.15	46.16	3	Vertical	9	1.40	-	39.45	11.21	42.77
RMS	12.89798G	41.47	68.20	-26.73	33.50	3	Vertical	9	1.40	-	39.50	11.22	42.75

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88778G	53.92	88.20	-34.28	45.99	3	Horizontal	250	1.77	-	39.48	11.21	42.76
RMS	12.87533G	41.44	88.20	-46.76	33.55	3	Horizontal	250	1.77	-	39.45	11.21	42.77

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33341G	42.70	83.54	-40.84	41.00	1	Vertical	313	1.92	-	37.87	15.23	51.40
AV	19.33647G	29.91	63.54	-33.63	28.23	1	Vertical	313	1.92	-	37.85	15.23	51.40

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
 Setting 39
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34796G	42.37	83.54	-41.17	40.75	1	Horizontal	292	2.15	-	37.81	15.23	51.42
AV	19.32243G	29.89	63.54	-33.65	28.14	1	Horizontal	292	2.15	-	37.91	15.23	51.39

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9685G	54.19	88.20	-34.01	46.12	3	Vertical	228	1.46	-	39.50	11.25	42.68
RMS	12.985G	41.62	68.20	-26.58	33.52	3	Vertical	228	1.46	-	39.50	11.26	42.66

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96406G	54.64	88.20	-33.56	46.58	3	Horizontal	166	2.45	-	39.50	11.25	42.69
RMS	12.985G	41.50	68.20	-26.70	33.40	3	Horizontal	166	2.45	-	39.50	11.26	42.66

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.44297G	43.00	83.54	-40.54	41.47	1	Vertical	46	2.75	-	37.83	15.23	51.53
AV	19.44213G	29.57	63.54	-33.97	28.04	1	Vertical	46	2.75	-	37.83	15.23	51.53

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45284G	42.27	83.54	-41.27	40.77	1	Horizontal	170	1.19	-	37.81	15.23	51.54
AV	19.44222G	29.49	63.54	-34.05	27.96	1	Horizontal	170	1.19	-	37.83	15.23	51.53

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04826G	65.80	88.20	-22.40	47.73	3	Vertical	360	2.22	-	39.40	11.29	32.62
RMS	13.03563G	52.27	68.20	-15.93	34.17	3	Vertical	360	2.22	-	39.43	11.28	32.61

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 37
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04601G	65.07	88.20	-23.13	46.99	3	Horizontal	183	2.19	-	39.41	11.29	32.62
RMS	13.05303G	52.29	68.20	-15.91	34.22	3	Horizontal	183	2.19	-	39.40	11.29	32.62

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56843G	42.62	83.54	-40.92	41.06	1	Vertical	242	2.31	-	37.99	15.22	51.65
AV	19.56858G	29.53	63.54	-34.01	27.97	1	Vertical	242	2.31	-	37.99	15.22	51.65

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56039G	42.50	83.54	-41.04	40.89	1	Horizontal	214	1.41	-	38.04	15.22	51.65
AV	19.56597G	29.53	63.54	-34.01	27.96	1	Horizontal	214	1.41	-	38.00	15.22	51.65

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13426G	55.08	88.20	-33.12	46.82	3	Vertical	65	2.34	-	39.61	11.33	42.68
RMS	13.1438G	42.24	88.20	-45.96	33.93	3	Vertical	65	2.34	-	39.66	11.33	42.68

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12748G	54.72	88.20	-33.48	46.52	3	Horizontal	280	2.54	-	39.56	11.32	42.68
RMS	13.14239G	42.32	68.20	-25.88	34.02	3	Horizontal	280	2.54	-	39.65	11.33	42.68

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6923G	41.84	83.54	-41.70	40.52	1	Vertical	81	2.84	-	37.85	15.22	51.75
AV	19.68558G	29.34	63.54	-34.20	27.98	1	Vertical	81	2.84	-	37.89	15.22	51.75

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70058G	42.17	83.54	-41.37	40.92	1	Horizontal	226	2.71	-	37.80	15.21	51.76
AV	19.68543G	29.36	63.54	-34.18	28.00	1	Horizontal	226	2.71	-	37.89	15.22	51.75

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3745G	56.07	74.00	-17.93	47.16	3	Vertical	315	2.35	-	40.20	11.44	42.73
AV	13.3805G	43.27	54.00	-10.73	34.34	3	Vertical	315	2.35	-	40.22	11.44	42.73

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
 Setting 32
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38074G	56.48	74.00	-17.52	47.55	3	Horizontal	132	2.83	-	40.22	11.44	42.73
AV	13.36427G	43.21	54.00	-10.79	34.35	3	Horizontal	132	2.83	-	40.16	11.43	42.73

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 32
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05245G	41.89	83.54	-41.65	40.94	1	Vertical	292	2.21	-	37.71	15.24	52.00
AV	20.04933G	29.30	63.54	-34.24	28.36	1	Vertical	292	2.21	-	37.70	15.24	52.00

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 32
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06817G	41.54	83.54	-42.00	40.52	1	Horizontal	28	2.47	-	37.77	15.25	52.00
AV	20.04426G	29.33	63.54	-34.21	28.38	1	Horizontal	28	2.47	-	37.71	15.24	52.00

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78455G	66.26	88.20	-21.94	46.73	3	Vertical	192	1.23	-	40.56	11.62	32.65
RMS	13.75503G	53.05	88.20	-35.15	33.45	3	Vertical	192	1.23	-	40.68	11.61	32.69

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76754G	65.68	88.20	-22.52	46.11	3	Horizontal	246	2.47	-	40.63	11.61	32.67
RMS	13.76064G	53.15	68.20	-15.05	33.56	3	Horizontal	246	2.47	-	40.66	11.61	32.68

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64915G	42.02	83.54	-41.52	40.46	1	Vertical	269	1.71	-	37.90	15.72	52.06
AV	20.64132G	29.04	63.54	-34.50	27.47	1	Vertical	269	1.71	-	37.92	15.71	52.06

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6415G	41.58	83.54	-41.96	40.01	1	Horizontal	61	2.96	-	37.92	15.71	52.06
AV	20.64936G	29.19	63.54	-34.35	27.63	1	Horizontal	61	2.96	-	37.90	15.72	52.06

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX








EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85381G	65.31	88.20	-22.89	45.79	3	Vertical	96	1.99	-	40.42	11.65	32.55
RMS	13.8596G	53.02	68.20	-15.18	33.44	3	Vertical	96	1.99	-	40.46	11.66	32.54

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


29/01/2024

EUT_Y_4TX
 Setting 38
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84991G	66.09	88.20	-22.11	46.59	3	Horizontal	11	2.10	-	40.40	11.65	32.55
RMS	13.85756G	53.08	68.20	-15.12	33.51	3	Horizontal	11	2.10	-	40.45	11.66	32.54

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76186G	43.23	83.54	-40.31	41.63	1	Vertical	311	2.04	-	37.89	15.81	52.10
AV	20.78109G	30.28	63.54	-33.26	28.52	1	Vertical	311	2.04	-	38.05	15.82	52.11

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX
 Setting 38
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77554G	43.35	83.54	-40.19	41.64	1	Horizontal	208	1.87	-	38.00	15.82	52.11
AV	20.76717G	30.24	63.54	-33.30	28.60	1	Horizontal	208	1.87	-	37.94	15.81	52.11

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01069G	67.17	88.20	-21.03	46.88	3	Vertical	353	1.91	-	40.90	11.73	32.34
RMS	14.00235G	54.56	88.20	-33.64	34.27	3	Vertical	353	1.91	-	40.90	11.72	32.33

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01654G	67.24	88.20	-20.96	46.95	3	Horizontal	322	2.01	-	40.90	11.73	32.34
RMS	14.0001G	54.56	68.20	-13.64	34.27	3	Horizontal	322	2.01	-	40.90	11.72	32.33

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02799G	42.45	83.54	-41.09	40.45	1	Vertical	331	2.75	-	38.18	16.02	52.20
AV	21.02637G	29.84	63.54	-33.70	27.86	1	Vertical	331	2.75	-	38.16	16.02	52.20

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02559G	43.25	83.54	-40.29	41.27	1	Horizontal	296	1.69	-	38.16	16.02	52.20
AV	21.02838G	29.87	63.54	-33.67	27.87	1	Horizontal	296	1.69	-	38.18	16.02	52.20

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 33
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0548G	109.09	Inf	-Inf	96.76	3	Vertical	307	1.80	-	35.82	8.20	31.69
RMS	7.0462G	99.48	Inf	-Inf	87.21	3	Vertical	307	1.80	-	35.78	8.19	31.70
PK	7.129G	65.20	88.20	-23.00	52.36	3	Vertical	307	1.80	-	36.17	8.27	31.60
RMS	7.1422G	55.16	68.20	-13.04	42.21	3	Vertical	307	1.80	-	36.25	8.29	31.59

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 33
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.059G	102.97	Inf	-Inf	95.28	3	Horizontal	148	1.78	-	35.62	7.60	35.53
RMS	7.0628G	93.47	Inf	-Inf	85.76	3	Horizontal	148	1.78	-	35.63	7.60	35.52
PK	7.1408G	60.00	88.20	-28.20	51.99	3	Horizontal	148	1.78	-	35.86	7.63	35.48
RMS	7.1432G	50.11	68.20	-18.09	42.09	3	Horizontal	148	1.78	-	35.87	7.63	35.48

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 33
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.08025G	67.42	88.20	-20.78	47.14	3	Vertical	124	2.19	-	40.90	11.76	32.38
RMS	14.07782G	54.25	68.20	-13.95	33.97	3	Vertical	124	2.19	-	40.90	11.76	32.38

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 33
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.09225G	67.41	88.20	-20.79	47.14	3	Horizontal	92	1.53	-	40.90	11.76	32.39
RMS	14.078G	54.47	68.20	-13.73	34.19	3	Horizontal	92	1.53	-	40.90	11.76	32.38

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 33
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.13545G	43.13	83.54	-40.41	41.05	1	Vertical	144	1.54	-	38.17	16.11	52.20
AV	21.12G	30.17	63.54	-33.37	28.13	1	Vertical	144	1.54	-	38.14	16.10	52.20

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7045MHz_TX




EUT_Y_4TX
Setting 33
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.12309G	43.06	83.54	-40.48	41.01	1	Horizontal	46	2.43	-	38.15	16.10	52.20
AV	21.12006G	29.99	63.54	-33.55	27.95	1	Horizontal	46	2.43	-	38.14	16.10	52.20

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
 Setting 54
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	62.04	88.20	-26.16	53.12	3	Vertical	277	1.68	-	32.53	7.44	31.05
RMS	5.907G	50.31	68.20	-17.89	41.42	3	Vertical	277	1.68	-	32.51	7.43	31.05
PK	6.159G	109.53	Inf	-Inf	100.20	3	Vertical	277	1.68	-	32.75	7.60	31.02
RMS	6.154G	100.15	Inf	-Inf	90.86	3	Vertical	277	1.68	-	32.72	7.59	31.02

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
 Setting 54
 03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.90	88.20	-27.30	54.51	3	Horizontal	149	2.84	-	34.53	6.96	35.10
RMS	5.914G	50.05	68.20	-18.15	43.66	3	Horizontal	149	2.84	-	34.53	6.96	35.10
PK	6.109G	105.39	Inf	-Inf	98.51	3	Horizontal	149	2.84	-	34.90	7.08	35.10
RMS	6.149G	96.61	Inf	-Inf	89.68	3	Horizontal	149	2.84	-	34.90	7.11	35.08

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29354G	64.01	74.00	-9.99	46.78	3	Vertical	122	2.52	-	39.00	10.94	32.71
AV	12.2945G	51.22	54.00	-2.78	33.99	3	Vertical	122	2.52	-	39.00	10.94	32.71

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28538G	64.05	74.00	-9.95	46.83	3	Horizontal	49	2.66	-	39.00	10.94	32.72
AV	12.30146G	51.24	54.00	-2.76	33.99	3	Horizontal	49	2.66	-	39.00	10.95	32.70

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.42564G	44.01	83.54	-39.53	41.26	1	Vertical	111	2.84	-	37.75	15.28	50.28
AV	18.4224G	31.22	63.54	-32.32	28.46	1	Vertical	111	2.84	-	37.76	15.28	50.28

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4314G	43.85	83.54	-39.69	41.12	1	Horizontal	162	1.10	-	37.74	15.28	50.29
AV	18.42G	31.32	63.54	-32.22	28.55	1	Horizontal	162	1.10	-	37.76	15.28	50.27

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 54
06-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44862G	64.23	74.00	-9.77	47.17	3	Vertical	124	1.51	-	38.61	11.01	32.56			
AV	12.43572G	51.22	54.00	-2.78	34.09	3	Vertical	124	1.51	-	38.69	11.01	32.57			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46008G	64.12	74.00	-9.88	47.07	3	Horizontal	43	2.66	-	38.58	11.02	32.55
AV	12.43542G	51.19	54.00	-2.81	34.06	3	Horizontal	43	2.66	-	38.69	11.01	32.57

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66822G	43.32	83.54	-40.22	40.92	1	Vertical	35	2.36	-	37.73	15.27	50.60
AV	18.66336G	29.90	63.54	-33.64	27.48	1	Vertical	35	2.36	-	37.75	15.27	50.60

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 54
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6813G	42.97	83.54	-40.57	40.65	1	Horizontal	231	2.73	-	37.67	15.27	50.62
AV	18.6684G	29.98	63.54	-33.56	27.58	1	Horizontal	231	2.73	-	37.73	15.27	50.60

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 57
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.75998G	64.43	88.20	-23.77	46.75	3	Vertical	2	1.80	-	39.06	11.16	32.54
RMS	12.75704G	50.83	68.20	-17.37	33.18	3	Vertical	2	1.80	-	39.04	11.15	32.54

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 57
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77978G	63.85	88.20	-24.35	46.05	3	Horizontal	274	1.80	-	39.18	11.16	32.54
RMS	12.75686G	50.79	68.20	-17.41	33.14	3	Horizontal	274	1.80	-	39.04	11.15	32.54

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 57
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16268G	42.59	83.54	-40.95	40.77	1	Vertical	213	1.86	-	37.78	15.24	51.20
AV	19.14G	30.12	63.54	-33.42	28.31	1	Vertical	213	1.86	-	37.74	15.24	51.17

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 57
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14036G	42.73	83.54	-40.81	40.92	1	Horizontal	39	1.76	-	37.74	15.24	51.17
AV	19.14G	30.10	63.54	-33.44	28.29	1	Horizontal	39	1.76	-	37.74	15.24	51.17

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93795G	64.13	88.20	-24.07	45.95	3	Vertical	288	1.33	-	39.50	11.24	32.56
RMS	12.92886G	51.49	68.20	-16.71	33.32	3	Vertical	288	1.33	-	39.50	11.23	32.56

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9375G	64.22	88.20	-23.98	46.04	3	Horizontal	321	1.04	-	39.50	11.24	32.56
RMS	12.94323G	51.46	68.20	-16.74	33.28	3	Horizontal	321	1.04	-	39.50	11.24	32.56

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39392G	42.56	83.54	-40.98	40.82	1	Vertical	112	2.70	-	37.98	15.23	51.47
AV	19.38G	30.28	63.54	-33.26	28.59	1	Vertical	112	2.70	-	37.92	15.23	51.46

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 48
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39869G	42.53	83.54	-41.01	40.79	1	Horizontal	349	1.30	-	37.99	15.23	51.48
AV	19.38342G	30.22	63.54	-33.32	28.52	1	Horizontal	349	1.30	-	37.93	15.23	51.46

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.10143G	65.05	88.20	-23.15	47.00	3	Vertical	189	1.82	-	39.41	11.31	32.67
RMS	13.08358G	52.00	68.20	-16.20	33.95	3	Vertical	189	1.82	-	39.40	11.30	32.65

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09042G	65.15	88.20	-23.05	47.10	3	Horizontal	134	1.22	-	39.40	11.31	32.66
RMS	13.07683G	52.05	68.20	-16.15	34.00	3	Horizontal	134	1.22	-	39.40	11.30	32.65

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 51
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64889G	42.80	83.54	-40.74	41.21	1	Vertical	102	2.06	-	38.09	15.22	51.72
AV	19.6497G	29.41	63.54	-34.13	27.81	1	Vertical	102	2.06	-	38.10	15.22	51.72

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 51
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64604G	42.64	83.54	-40.90	41.06	1	Horizontal	123	1.37	-	38.08	15.22	51.72
AV	19.62084G	29.47	63.54	-34.07	28.02	1	Horizontal	123	1.37	-	37.93	15.22	51.70

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24181G	64.85	88.20	-23.35	46.50	3	Vertical	77	1.27	-	39.78	11.38	32.81
RMS	13.24219G	51.87	68.20	-16.33	33.52	3	Vertical	77	1.27	-	39.78	11.38	32.81

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23734G	65.49	88.20	-22.71	47.16	3	Horizontal	157	2.61	-	39.77	11.37	32.81
RMS	13.23866G	51.93	68.20	-16.27	33.59	3	Horizontal	157	2.61	-	39.78	11.37	32.81

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87653G	43.32	83.54	-40.22	42.25	1	Vertical	322	2.13	-	37.76	15.21	51.90
AV	19.86258G	30.14	63.54	-33.40	29.14	1	Vertical	322	2.13	-	37.68	15.21	51.89

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86504G	43.96	83.54	-39.58	42.95	1	Horizontal	302	2.08	-	37.69	15.21	51.89
AV	19.87152G	30.33	63.54	-33.21	29.29	1	Horizontal	302	2.08	-	37.73	15.21	51.90

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4217G	66.09	88.20	-22.11	47.32	3	Vertical	40	2.13	-	40.30	11.46	32.99
RMS	13.41498G	52.69	68.20	-15.51	33.92	3	Vertical	40	2.13	-	40.30	11.45	32.98

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40307G	65.72	88.20	-22.48	46.94	3	Horizontal	91	1.65	-	40.30	11.45	32.97
RMS	13.41507G	52.56	68.20	-15.64	33.80	3	Horizontal	91	1.65	-	40.30	11.45	32.99

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10783G	42.54	83.54	-41.00	41.40	1	Vertical	275	1.08	-	37.85	15.29	52.00
AV	20.10168G	29.85	63.54	-33.69	28.68	1	Vertical	275	1.08	-	37.89	15.28	52.00

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12385G	42.26	83.54	-41.28	41.20	1	Horizontal	170	1.74	-	37.76	15.30	52.00
AV	20.10435G	29.96	63.54	-33.58	28.81	1	Horizontal	170	1.74	-	37.87	15.28	52.00

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57816G	65.15	88.20	-23.05	46.03	3	Vertical	263	1.24	-	40.54	11.53	32.95
RMS	13.58062G	52.65	68.20	-15.55	33.53	3	Vertical	263	1.24	-	40.54	11.53	32.95

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56634G	65.53	88.20	-22.67	46.41	3	Horizontal	8	2.93	-	40.57	11.52	32.97
RMS	13.561G	52.53	68.20	-15.67	33.41	3	Horizontal	8	2.93	-	40.58	11.52	32.98

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34372G	43.24	83.54	-40.30	41.66	1	Vertical	137	1.40	-	38.11	15.47	52.00
AV	20.34012G	30.79	63.54	-32.75	29.20	1	Vertical	137	1.40	-	38.12	15.47	52.00

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 46
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35953G	43.35	83.54	-40.19	41.78	1	Horizontal	4	2.07	-	38.08	15.49	52.00
AV	20.34G	30.71	63.54	-32.83	29.12	1	Horizontal	4	2.07	-	38.12	15.47	52.00

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74314G	66.00	88.20	-22.20	46.45	3	Vertical	243	2.91	-	40.66	11.60	32.71
RMS	13.72538G	53.30	88.20	-34.90	33.89	3	Vertical	243	2.91	-	40.55	11.60	32.74

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 50
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73195G	65.98	88.20	-22.22	46.52	3	Horizontal	91	1.71	-	40.59	11.60	32.73
RMS	13.71968G	53.36	68.20	-14.84	33.99	3	Horizontal	91	1.71	-	40.52	11.59	32.74

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 50
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59422G	43.79	83.54	-39.75	42.16	1	Vertical	248	1.14	-	37.99	15.68	52.04
AV	20.58G	30.42	63.54	-33.12	28.83	1	Vertical	248	1.14	-	37.96	15.66	52.03

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 50
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58075G	42.86	83.54	-40.68	41.27	1	Horizontal	271	1.53	-	37.96	15.66	52.03
AV	20.58015G	30.49	63.54	-33.05	28.90	1	Horizontal	271	1.53	-	37.96	15.66	52.03

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89516G	66.53	88.20	-21.67	46.68	3	Vertical	233	1.22	-	40.67	11.67	32.49
RMS	13.87602G	53.05	68.20	-15.15	33.34	3	Vertical	233	1.22	-	40.56	11.66	32.51

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
 Setting 52
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.90212G	66.25	88.20	-21.95	46.34	3	Horizontal	76	1.97	-	40.70	11.68	32.47
RMS	13.89204G	53.08	68.20	-15.12	33.25	3	Horizontal	76	1.97	-	40.65	11.67	32.49

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84238G	44.54	83.54	-39.00	42.61	1	Vertical	117	2.97	-	38.20	15.87	52.14
AV	20.82132G	30.54	63.54	-33.00	28.61	1	Vertical	117	2.97	-	38.20	15.86	52.13

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 52
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83074G	43.18	83.54	-40.36	41.25	1	Horizontal	105	1.83	-	38.20	15.86	52.13
AV	20.82126G	30.54	63.54	-33.00	28.61	1	Horizontal	105	1.83	-	38.20	15.86	52.13

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0376G	109.34	Inf	-Inf	97.13	3	Vertical	69	1.75	-	35.73	8.19	31.71
RMS	7.0391G	100.48	Inf	-Inf	88.26	3	Vertical	69	1.75	-	35.73	8.19	31.70
PK	7.1504G	65.70	88.20	-22.50	52.69	3	Vertical	69	1.75	-	36.30	8.29	31.58
RMS	7.1303G	55.74	68.20	-12.46	42.89	3	Vertical	69	1.75	-	36.18	8.27	31.60

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 47
 06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9929G	103.91	Inf	-Inf	96.28	3	Horizontal	148	2.56	-	35.60	7.58	35.55
RMS	6.9944G	95.19	Inf	-Inf	87.56	3	Horizontal	148	2.56	-	35.60	7.58	35.55
PK	7.1288G	61.64	88.20	-26.56	53.68	3	Horizontal	148	2.56	-	35.82	7.63	35.49
RMS	7.1252G	51.79	68.20	-16.41	43.86	3	Horizontal	148	2.56	-	35.80	7.62	35.49

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03809G	67.62	88.20	-20.58	47.33	3	Vertical	239	1.56	-	40.90	11.74	32.35
RMS	14.04697G	54.23	68.20	-13.97	33.95	3	Vertical	239	1.56	-	40.90	11.74	32.36

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05024G	67.59	88.20	-20.61	47.31	3	Horizontal	38	1.35	-	40.90	11.74	32.36
RMS	14.03893G	54.23	68.20	-13.97	33.94	3	Horizontal	38	1.35	-	40.90	11.74	32.35

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07305G	43.05	83.54	-40.49	40.93	1	Vertical	280	1.73	-	38.26	16.06	52.20
AV	21.06G	30.83	63.54	-32.71	28.64	1	Vertical	280	1.73	-	38.34	16.05	52.20

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 47
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06225G	43.31	83.54	-40.23	41.13	1	Horizontal	94	1.93	-	38.33	16.05	52.20
AV	21.06006G	30.79	63.54	-32.75	28.60	1	Horizontal	94	1.93	-	38.34	16.05	52.20

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 64
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9078G	61.00	88.20	-27.20	52.10	3	Vertical	92	1.80	-	32.52	7.43	31.05
RMS	5.8988G	50.15	68.20	-18.05	41.27	3	Vertical	92	1.80	-	32.50	7.43	31.05
PK	6.161G	109.57	Inf	-Inf	100.22	3	Vertical	92	1.80	-	32.77	7.60	31.02
RMS	6.1628G	100.09	Inf	-Inf	90.73	3	Vertical	92	1.80	-	32.78	7.60	31.02

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 64
03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	59.31	88.20	-28.89	53.00	3	Horizontal	151	1.78	-	34.44	6.96	35.09
RMS	5.925G	49.95	68.20	-18.25	43.54	3	Horizontal	151	1.78	-	34.55	6.96	35.10
PK	6.1634G	107.54	Inf	-Inf	100.56	3	Horizontal	151	1.78	-	34.93	7.13	35.08
RMS	6.1622G	97.61	Inf	-Inf	90.64	3	Horizontal	151	1.78	-	34.92	7.13	35.08

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 64
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3574G	63.97	74.00	-10.03	46.66	3	Vertical	197	1.58	-	38.99	10.97	32.65
AV	12.376G	51.26	54.00	-2.74	33.96	3	Vertical	197	1.58	-	38.95	10.98	32.63

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 64
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37462G	64.31	74.00	-9.69	47.01	3	Horizontal	69	1.07	-	38.95	10.98	32.63
AV	12.3763G	51.35	54.00	-2.65	34.05	3	Horizontal	69	1.07	-	38.95	10.98	32.63

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 64
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54306G	43.01	83.54	-40.53	40.46	1	Vertical	114	1.78	-	37.73	15.27	50.45
AV	18.54264G	30.69	63.54	-32.85	28.14	1	Vertical	114	1.78	-	37.73	15.27	50.45

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 64
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55074G	43.90	83.54	-39.64	41.39	1	Horizontal	152	2.00	-	37.70	15.27	50.46
AV	18.54318G	30.88	63.54	-32.66	28.33	1	Horizontal	152	2.00	-	37.73	15.27	50.45

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 66
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69564G	63.77	74.00	-10.23	46.26	3	Vertical	349	1.07	-	38.91	11.13	32.53
AV	12.69054G	51.02	54.00	-2.98	33.51	3	Vertical	349	1.07	-	38.92	11.12	32.53

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 66
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68088G	64.12	74.00	-9.88	46.59	3	Horizontal	190	2.06	-	38.94	11.12	32.53
AV	12.67542G	51.10	54.00	-2.90	33.56	3	Horizontal	190	2.06	-	38.95	11.12	32.53

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 66
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04898G	43.34	83.54	-40.20	41.25	1	Vertical	26	2.16	-	37.90	15.25	51.06
AV	19.02012G	30.83	63.54	-32.71	28.70	1	Vertical	26	2.16	-	37.90	15.25	51.02

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 66
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03734G	43.26	83.54	-40.28	41.15	1	Horizontal	78	2.10	-	37.90	15.25	51.04
AV	19.02006G	30.95	63.54	-32.59	28.82	1	Horizontal	78	2.10	-	37.90	15.25	51.02

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01624G	65.00	88.20	-23.20	46.85	3	Vertical	159	2.76	-	39.47	11.27	32.59
RMS	13.00604G	51.96	68.20	-16.24	33.78	3	Vertical	159	2.76	-	39.49	11.27	32.58

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9992G	65.42	88.20	-22.78	47.23	3	Horizontal	282	2.82	-	39.50	11.26	32.57
RMS	13.00496G	51.97	68.20	-16.23	33.78	3	Horizontal	282	2.82	-	39.49	11.27	32.57

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52982G	42.40	83.54	-41.14	40.74	1	Vertical	179	2.48	-	38.06	15.22	51.62
AV	19.50324G	29.17	63.54	-34.37	27.54	1	Vertical	179	2.48	-	38.01	15.22	51.60

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52496G	42.56	83.54	-40.98	40.91	1	Horizontal	172	2.88	-	38.05	15.22	51.62
AV	19.52208G	29.70	63.54	-33.84	28.06	1	Horizontal	172	2.88	-	38.04	15.22	51.62

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 63
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32598G	66.00	74.00	-8.00	47.49	3	Vertical	144	1.15	-	40.00	11.41	32.90
AV	13.33822G	52.51	54.00	-1.49	33.95	3	Vertical	144	1.15	-	40.05	11.42	32.91

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
 Setting 63
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32736G	65.71	74.00	-8.29	47.19	3	Horizontal	342	2.78	-	40.01	11.41	32.90
AV	13.34404G	52.47	54.00	-1.53	33.88	3	Horizontal	342	2.78	-	40.08	11.42	32.91

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 63
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99794G	43.94	83.54	-39.60	42.94	1	Vertical	92	2.43	-	37.80	15.20	52.00
AV	19.98012G	29.70	63.54	-33.84	28.68	1	Vertical	92	2.43	-	37.80	15.20	51.98

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 63
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9914G	42.81	83.54	-40.73	41.80	1	Horizontal	258	1.02	-	37.80	15.20	51.99
AV	19.98G	29.77	63.54	-33.77	28.75	1	Horizontal	258	1.02	-	37.80	15.20	51.98

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64982G	66.83	88.20	-21.37	47.72	3	Vertical	117	1.70	-	40.40	11.56	32.85
RMS	13.653G	52.87	68.20	-15.33	33.75	3	Vertical	117	1.70	-	40.40	11.56	32.84

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65798G	66.42	88.20	-21.78	47.30	3	Horizontal	107	2.00	-	40.40	11.56	32.84
RMS	13.6584G	52.91	68.20	-15.29	33.79	3	Horizontal	107	2.00	-	40.40	11.56	32.84

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 61
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46372G	43.54	83.54	-40.00	42.08	1	Vertical	121	2.43	-	37.89	15.57	52.00
AV	20.46132G	30.76	63.54	-32.78	29.28	1	Vertical	121	2.43	-	37.91	15.57	52.00

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 61
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48082G	44.12	83.54	-39.42	42.79	1	Horizontal	240	1.88	-	37.75	15.58	52.00
AV	20.46084G	30.88	63.54	-32.66	29.40	1	Horizontal	240	1.88	-	37.91	15.57	52.00

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 65
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0538G	110.00	Inf	-Inf	97.67	3	Vertical	93	2.25	-	35.82	8.20	31.69
RMS	7.0158G	99.70	Inf	-Inf	87.67	3	Vertical	93	2.25	-	35.59	8.17	31.73
PK	7.1842G	66.99	88.20	-21.21	53.84	3	Vertical	93	2.25	-	36.37	8.32	31.54
RMS	7.143G	55.74	68.20	-12.46	42.77	3	Vertical	93	2.25	-	36.26	8.29	31.58

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 65
 06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9698G	107.05	Inf	-Inf	99.39	3	Horizontal	139	2.24	-	35.60	7.58	35.52
RMS	6.9562G	97.63	Inf	-Inf	89.97	3	Horizontal	139	2.24	-	35.60	7.57	35.51
PK	7.1282G	61.24	88.20	-26.96	53.30	3	Horizontal	139	2.24	-	35.81	7.62	35.49
RMS	7.1422G	50.64	68.20	-17.56	42.62	3	Horizontal	139	2.24	-	35.87	7.63	35.48

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 65
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97816G	67.10	88.20	-21.10	46.94	3	Vertical	75	2.83	-	40.81	11.71	32.36
RMS	13.98224G	53.89	68.20	-14.31	33.71	3	Vertical	75	2.83	-	40.83	11.71	32.36

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 65
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97462G	66.69	88.20	-21.51	46.55	3	Horizontal	120	1.29	-	40.80	11.71	32.37
RMS	13.98302G	53.77	88.20	-34.43	33.59	3	Horizontal	120	1.29	-	40.83	11.71	32.36

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
 Setting 65
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9487G	43.73	83.54	-39.81	41.85	1	Vertical	334	1.35	-	38.10	15.96	52.18
AV	20.94342G	30.45	63.54	-33.09	28.58	1	Vertical	334	1.35	-	38.10	15.95	52.18

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX
 Setting 65
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9415G	42.92	83.54	-40.62	41.05	1	Horizontal	349	2.96	-	38.10	15.95	52.18
AV	20.94G	30.39	63.54	-33.15	28.52	1	Horizontal	349	2.96	-	38.10	15.95	52.18

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 43
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	59.94	88.20	-28.26	51.01	3	Vertical	278	1.98	-	32.54	7.44	31.05
RMS	5.9135G	50.45	68.20	-17.75	41.53	3	Vertical	278	1.98	-	32.53	7.44	31.05
PK	6.1205G	109.95	Inf	-Inf	100.77	3	Vertical	278	1.98	-	32.64	7.57	31.03
RMS	6.1225G	100.95	Inf	-Inf	91.76	3	Vertical	278	1.98	-	32.65	7.57	31.03

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
 Setting 43
 03-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8875G	61.35	88.20	-26.85	55.03	3	Horizontal	287	1.80	-	34.45	6.96	35.09
RMS	5.91G	50.10	68.20	-18.10	43.72	3	Horizontal	287	1.80	-	34.52	6.96	35.10
PK	6.119G	103.23	Inf	-Inf	96.33	3	Horizontal	287	1.80	-	34.90	7.09	35.09
RMS	6.1185G	94.59	Inf	-Inf	87.69	3	Horizontal	287	1.80	-	34.90	7.09	35.09

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22592G	54.47	74.00	-19.53	47.75	3	Vertical	229	2.41	-	39.00	10.91	43.19
AV	12.21824G	40.35	54.00	-13.65	33.63	3	Vertical	229	2.41	-	39.00	10.91	43.19

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24296G	53.30	74.00	-20.70	46.57	3	Horizontal	109	1.59	-	39.00	10.92	43.19
AV	12.23342G	40.36	54.00	-13.64	33.63	3	Horizontal	109	1.59	-	39.00	10.92	43.19

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34485G	43.41	83.54	-40.13	40.78	1	Vertical	304	2.64	-	37.50	15.28	50.15
AV	18.3312G	31.05	63.54	-32.49	28.40	1	Vertical	304	2.64	-	37.50	15.28	50.13

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.35739G	43.70	83.54	-39.84	41.05	1	Horizontal	131	2.49	-	37.54	15.28	50.17
AV	18.33114G	31.18	63.54	-32.36	28.53	1	Horizontal	131	2.49	-	37.50	15.28	50.13

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38091G	53.82	74.00	-20.18	47.07	3	Vertical	129	2.14	-	38.94	10.98	43.17
AV	12.38019G	40.63	54.00	-13.37	33.88	3	Vertical	129	2.14	-	38.94	10.98	43.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39369G	53.20	74.00	-20.80	46.46	3	Horizontal	274	2.87	-	38.91	10.99	43.16
AV	12.37659G	40.62	54.00	-13.38	33.86	3	Horizontal	274	2.87	-	38.95	10.98	43.17

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57891G	43.09	83.54	-40.45	40.61	1	Vertical	265	2.53	-	37.70	15.27	50.49
AV	18.57009G	30.49	63.54	-33.05	28.00	1	Vertical	265	2.53	-	37.70	15.27	50.48

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 43
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59271G	43.49	83.54	-40.05	41.03	1	Horizontal	51	2.33	-	37.70	15.27	50.51
AV	18.57555G	30.54	63.54	-33.00	28.06	1	Horizontal	51	2.33	-	37.70	15.27	50.49

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8168G	53.76	88.20	-34.44	46.08	3	Vertical	60	2.35	-	39.33	11.18	42.83
RMS	12.84002G	41.06	68.20	-27.14	33.30	3	Vertical	60	2.35	-	39.38	11.19	42.81

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8429G	53.73	88.20	-34.47	45.96	3	Horizontal	101	2.14	-	39.39	11.19	42.81
RMS	12.84467G	41.06	68.20	-27.14	33.29	3	Horizontal	101	2.14	-	39.39	11.19	42.81

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25001G	42.83	83.54	-40.71	40.99	1	Vertical	275	1.26	-	37.90	15.24	51.30
AV	19.23885G	29.86	63.54	-33.68	27.99	1	Vertical	275	1.26	-	37.92	15.24	51.29

5.925-6.425GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24755G	42.90	83.54	-40.64	41.06	1	Horizontal	42	1.51	-	37.90	15.24	51.30
AV	19.23588G	29.78	63.54	-33.76	27.89	1	Horizontal	42	1.51	-	37.93	15.24	51.28

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87588G	54.69	88.20	-33.51	46.80	3	Vertical	349	1.52	-	39.45	11.21	42.77
RMS	12.87159G	41.24	68.20	-26.96	33.37	3	Vertical	349	1.52	-	39.44	11.21	42.78

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87462G	54.68	88.20	-33.52	46.80	3	Horizontal	146	1.78	-	39.45	11.21	42.78
RMS	12.85689G	41.20	68.20	-27.00	33.38	3	Horizontal	146	1.78	-	39.41	11.20	42.79

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 40
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31373G	42.41	83.54	-41.13	40.61	1	Vertical	14	2.93	-	37.95	15.23	51.38
AV	19.31142G	29.74	63.54	-33.80	27.93	1	Vertical	14	2.93	-	37.95	15.23	51.37

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31343G	43.08	83.54	-40.46	41.28	1	Horizontal	35	2.63	-	37.95	15.23	51.38
AV	19.30029G	29.73	63.54	-33.81	27.86	1	Horizontal	35	2.63	-	38.00	15.23	51.36

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95315G	54.34	88.20	-33.86	46.30	3	Vertical	100	1.21	-	39.50	11.24	42.70
RMS	12.95456G	41.31	68.20	-26.89	33.27	3	Vertical	100	1.21	-	39.50	11.24	42.70

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 39
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94118G	54.20	88.20	-34.00	46.17	3	Horizontal	71	1.81	-	39.50	11.24	42.71
RMS	12.93986G	41.33	68.20	-26.87	33.30	3	Horizontal	71	1.81	-	39.50	11.24	42.71

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42554G	42.14	83.54	-41.40	40.52	1	Vertical	85	2.97	-	37.90	15.23	51.51
AV	19.41147G	29.84	63.54	-33.70	28.15	1	Vertical	85	2.97	-	37.95	15.23	51.49

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4169G	42.92	83.54	-40.62	41.26	1	Horizontal	354	2.63	-	37.93	15.23	51.50
AV	19.42218G	29.82	63.54	-33.72	28.19	1	Horizontal	354	2.63	-	37.91	15.23	51.51

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02142G	54.79	88.20	-33.41	46.71	3	Vertical	113	2.07	-	39.46	11.27	42.65
RMS	13.01599G	41.96	68.20	-26.24	33.87	3	Vertical	113	2.07	-	39.47	11.27	42.65

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03006G	54.44	88.20	-33.76	46.38	3	Horizontal	308	2.44	-	39.44	11.28	42.66
RMS	13.0243G	41.82	68.20	-26.38	33.75	3	Horizontal	308	2.44	-	39.45	11.28	42.66

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54371G	42.55	83.54	-40.99	40.87	1	Vertical	318	1.76	-	38.09	15.22	51.63
AV	19.5354G	29.39	63.54	-34.15	27.73	1	Vertical	318	1.76	-	38.07	15.22	51.63

6.425-6.525GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 40
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55205G	42.08	83.54	-41.46	40.41	1	Horizontal	330	1.07	-	38.09	15.22	51.64
AV	19.53G	29.49	63.54	-34.05	27.83	1	Horizontal	330	1.07	-	38.06	15.22	51.62

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 42
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08287G	54.66	88.20	-33.54	46.63	3	Vertical	240	2.10	-	39.40	11.30	42.67
RMS	13.07471G	42.05	68.20	-26.15	34.02	3	Vertical	240	2.10	-	39.40	11.30	42.67

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 42
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05777G	54.61	88.20	-33.59	46.58	3	Horizontal	359	1.16	-	39.40	11.29	42.66
RMS	13.06667G	42.09	68.20	-26.11	34.05	3	Horizontal	359	1.16	-	39.40	11.30	42.66

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 42
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59129G	41.89	83.54	-41.65	40.49	1	Vertical	346	2.01	-	37.85	15.22	51.67
AV	19.59G	29.49	63.54	-34.05	28.08	1	Vertical	346	2.01	-	37.86	15.22	51.67

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 42
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59048G	41.88	83.54	-41.66	40.47	1	Horizontal	146	1.32	-	37.86	15.22	51.67
AV	19.59G	29.56	63.54	-33.98	28.15	1	Horizontal	146	1.32	-	37.86	15.22	51.67

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.381G	55.11	74.00	-18.89	46.18	3	Vertical	359	1.58	-	40.22	11.44	42.73
AV	13.3942G	42.85	54.00	-11.15	33.87	3	Vertical	359	1.58	-	40.28	11.44	42.74

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39513G	56.42	74.00	-17.58	47.44	3	Horizontal	27	2.84	-	40.28	11.44	42.74
AV	13.37611G	42.85	54.00	-11.15	33.94	3	Horizontal	27	2.84	-	40.20	11.44	42.73

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09865G	41.82	83.54	-41.72	40.65	1	Vertical	332	1.64	-	37.89	15.28	52.00
AV	20.07438G	29.28	63.54	-34.26	28.22	1	Vertical	332	1.64	-	37.80	15.26	52.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 38
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0742G	43.13	83.54	-40.41	42.07	1	Horizontal	176	2.05	-	37.80	15.26	52.00
AV	20.07402G	29.39	63.54	-34.15	28.33	1	Horizontal	176	2.05	-	37.80	15.26	52.00

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74742G	56.10	88.20	-32.10	46.42	3	Vertical	314	1.42	-	40.68	11.61	42.61
RMS	13.73518G	43.28	68.20	-24.92	33.69	3	Vertical	314	1.42	-	40.61	11.60	42.62

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74754G	55.74	88.20	-32.46	46.05	3	Horizontal	97	1.91	-	40.69	11.61	42.61
RMS	13.735G	43.38	68.20	-24.82	33.79	3	Horizontal	97	1.91	-	40.61	11.60	42.62

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62314G	42.08	83.54	-41.46	40.48	1	Vertical	321	1.07	-	37.95	15.70	52.05
AV	20.61027G	30.08	63.54	-33.46	28.45	1	Vertical	321	1.07	-	37.98	15.69	52.04

6.525-6.875GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 39
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63376G	42.46	83.54	-41.08	40.87	1	Horizontal	358	1.34	-	37.93	15.71	52.05
AV	20.61G	30.10	63.54	-33.44	28.47	1	Horizontal	358	1.34	-	37.98	15.69	52.04

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
Setting 36
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.787G	56.05	88.20	-32.15	46.47	3	Vertical	178	1.30	-	40.55	11.62	42.59
RMS	13.79159G	42.87	68.20	-25.33	33.30	3	Vertical	178	1.30	-	40.53	11.63	42.59

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 36
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80095G	55.78	88.20	-32.42	46.23	3	Horizontal	2	2.01	-	40.50	11.63	42.58
RMS	13.79465G	42.88	68.20	-25.32	33.31	3	Horizontal	2	2.01	-	40.52	11.63	42.58

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT Y_4TX
 Setting 36
 06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69658G	42.37	83.54	-41.17	40.79	1	Vertical	151	1.97	-	37.90	15.76	52.08
AV	20.67465G	29.65	63.54	-33.89	28.08	1	Vertical	151	1.97	-	37.90	15.74	52.07

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 36
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6895G	42.11	83.54	-41.43	40.54	1	Horizontal	36	2.31	-	37.90	15.75	52.08
AV	20.6715G	29.64	63.54	-33.90	28.07	1	Horizontal	36	2.31	-	37.90	15.74	52.07

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97845G	56.65	88.20	-31.55	46.60	3	Vertical	318	2.05	-	40.81	11.71	42.47
RMS	13.98871G	43.98	68.20	-24.22	33.89	3	Vertical	318	2.05	-	40.85	11.71	42.47

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99465G	56.94	88.20	-31.26	46.80	3	Horizontal	221	2.55	-	40.88	11.72	42.46
RMS	13.99969G	44.15	88.20	-44.05	33.99	3	Horizontal	221	2.55	-	40.90	11.72	42.46

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99697G	42.72	83.54	-40.82	41.01	1	Vertical	214	2.38	-	37.91	16.00	52.20
AV	20.97975G	29.88	63.54	-33.66	28.11	1	Vertical	214	2.38	-	37.98	15.98	52.19

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 37
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97447G	42.74	83.54	-40.80	40.95	1	Horizontal	213	2.79	-	38.00	15.98	52.19
AV	20.97108G	29.88	63.54	-33.66	28.07	1	Horizontal	213	2.79	-	38.02	15.98	52.19

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 31
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.05823G	109.38	Inf	-Inf	97.02	3	Vertical	70	1.66	-	35.83	8.21	31.68
RMS	7.05116G	99.60	Inf	-Inf	87.29	3	Vertical	70	1.66	-	35.80	8.20	31.69
PK	7.15196G	65.98	88.20	-22.22	52.96	3	Vertical	70	1.66	-	36.30	8.29	31.57
RMS	7.1556G	55.48	68.20	-12.72	42.44	3	Vertical	70	1.66	-	36.31	8.30	31.57

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 31
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0596G	102.69	Inf	-Inf	95.00	3	Horizontal	147	1.80	-	35.62	7.60	35.53
RMS	7.0612G	94.05	Inf	-Inf	86.35	3	Horizontal	147	1.80	-	35.62	7.60	35.52
PK	7.1376G	59.99	88.20	-28.21	51.99	3	Horizontal	147	1.80	-	35.85	7.63	35.48
RMS	7.1296G	50.19	68.20	-18.01	42.22	3	Horizontal	147	1.80	-	35.82	7.63	35.48

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7055MHz_TX




EUT Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1013G	57.63	88.20	-30.57	47.40	3	Vertical	313	1.16	-	40.90	11.77	42.44
RMS	14.10058G	43.84	68.20	-24.36	33.61	3	Vertical	313	1.16	-	40.90	11.77	42.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.11627G	56.85	88.20	-31.35	46.60	3	Horizontal	287	1.41	-	40.90	11.78	42.43
RMS	14.09752G	43.87	68.20	-24.33	33.64	3	Horizontal	287	1.41	-	40.90	11.77	42.44

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.15681G	42.53	83.54	-41.01	40.43	1	Vertical	30	2.19	-	38.17	16.13	52.20
AV	21.15024G	30.07	63.54	-33.47	27.95	1	Vertical	30	2.19	-	38.20	16.12	52.20

6.875-7.125GHz_802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7055MHz_TX




EUT_Y_4TX
Setting 31
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.17844G	43.55	83.54	-39.99	41.52	1	Horizontal	173	2.03	-	38.09	16.14	52.20
AV	21.15009G	30.12	63.54	-33.42	28.00	1	Horizontal	173	2.03	-	38.20	16.12	52.20

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
 Setting 53
 06-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	60.65	88.20	-27.55	51.81	3	Vertical	7	1.80	-	32.46	7.43	31.05
RMS	5.9195G	50.34	68.20	-17.86	41.41	3	Vertical	7	1.80	-	32.54	7.44	31.05
PK	6.118G	113.05	Inf	-Inf	103.88	3	Vertical	7	1.80	-	32.64	7.56	31.03
RMS	6.1075G	99.29	Inf	-Inf	90.14	3	Vertical	7	1.80	-	32.62	7.56	31.03

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 23
06-H-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	60.31	88.20	-27.89	53.93	3	Horizontal	169	1.80	-	34.52	6.96	35.10
RMS	5.895G	49.97	68.20	-18.23	43.62	3	Horizontal	169	1.80	-	34.48	6.96	35.09
PK	6.14G	105.42	Inf	-Inf	98.50	3	Horizontal	169	1.80	-	34.90	7.11	35.09
RMS	6.1395G	97.17	Inf	-Inf	90.25	3	Horizontal	169	1.80	-	34.90	7.11	35.09

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_Y_4TX
Setting 34
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25066G	63.92	74.00	-10.08	46.75	3	Vertical	168	2.63	-	39.00	10.92	32.75
AV	12.24571G	50.71	54.00	-3.29	33.54	3	Vertical	168	2.63	-	39.00	10.92	32.75

5.925-6.425GHz_802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX



EUT_Y_4TX
Setting 34
06-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25726G	63.70	74.00	-10.30	46.51	3	Horizontal	85	2.92	-	39.00	10.93	32.74
AV	12.23719G	50.79	54.00	-3.21	33.63	3	Horizontal	85	2.92	-	39.00	10.92	32.76