


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69192G	54.56	74.00	-19.44	41.03	3	Vertical	207	1.54	-	37.83	10.00	34.30
AV	15.6855G	41.50	54.00	-12.50	27.93	3	Vertical	207	1.54	-	37.86	10.00	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68808G	55.25	74.00	-18.75	41.70	3	Horizontal	166	2.35	-	37.85	10.00	34.30
AV	15.685G	41.44	54.00	-12.56	27.87	3	Horizontal	166	2.35	-	37.86	10.00	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	68.33	74.00	-5.67	63.07	3	Vertical	262	1.79	-	31.71	5.53	31.98
AV	5.1494G	50.76	54.00	-3.24	45.51	3	Vertical	262	1.79	-	31.70	5.53	31.98
PK	5.2628G	124.35	Inf	-Inf	119.68	3	Vertical	262	1.79	-	31.10	5.60	32.03
AV	5.2574G	111.39	Inf	-Inf	106.71	3	Vertical	262	1.79	-	31.10	5.60	32.02
PK	5.35G	70.38	74.00	-3.62	65.67	3	Vertical	262	1.79	-	31.10	5.67	32.06
AV	5.35G	53.54	54.00	-0.46	48.83	3	Vertical	262	1.79	-	31.10	5.67	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80614G	54.14	74.00	-19.86	40.67	3	Vertical	304	1.82	-	37.79	10.02	34.34
AV	15.8149G	41.05	54.00	-12.95	27.61	3	Vertical	304	1.82	-	37.77	10.02	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80524G	54.82	74.00	-19.18	41.35	3	Horizontal	319	2.16	-	37.79	10.02	34.34
AV	15.81016G	41.01	54.00	-12.99	27.55	3	Horizontal	319	2.16	-	37.78	10.02	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
Setting 88
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	120.86	Inf	-Inf	116.16	3	Vertical	269	1.80	-	31.10	5.65	32.05
AV	5.32G	107.98	Inf	-Inf	103.29	3	Vertical	269	1.80	-	31.10	5.64	32.05
PK	5.3512G	73.05	74.00	-0.95	68.33	3	Vertical	269	1.80	-	31.11	5.67	32.06
AV	5.3508G	53.85	54.00	-0.15	49.14	3	Vertical	269	1.80	-	31.10	5.67	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92912G	53.66	74.00	-20.34	40.46	3	Vertical	341	2.32	-	37.54	10.05	34.39
AV	15.92876G	40.40	54.00	-13.60	27.20	3	Vertical	341	2.32	-	37.54	10.05	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92898G	53.66	74.00	-20.34	40.46	3	Horizontal	237	2.53	-	37.54	10.05	34.39
AV	15.93156G	40.36	54.00	-13.64	27.16	3	Horizontal	237	2.53	-	37.54	10.05	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	63.29	74.00	-10.71	58.15	3	Vertical	14	1.80	-	31.50	5.75	32.11
AV	5.46G	49.93	54.00	-4.07	44.78	3	Vertical	14	1.80	-	31.50	5.76	32.11
PK	5.47G	67.86	68.20	-0.34	62.71	3	Vertical	14	1.80	-	31.50	5.77	32.12
PK	5.5148G	120.02	Inf	-Inf	114.85	3	Vertical	14	1.80	-	31.50	5.81	32.14
AV	5.5168G	107.19	Inf	-Inf	102.02	3	Vertical	14	1.80	-	31.50	5.81	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02178G	55.31	74.00	-18.69	40.83	3	Vertical	320	2.84	-	40.11	8.60	34.23
AV	11.0232G	41.91	54.00	-12.09	27.43	3	Vertical	320	2.84	-	40.11	8.60	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Z_4TX
Setting 80
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02142G	55.92	74.00	-18.08	41.44	3	Horizontal	279	2.85	-	40.11	8.60	34.23
AV	11.01814G	41.90	54.00	-12.10	27.40	3	Horizontal	279	2.85	-	40.13	8.60	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.96	74.00	-9.04	59.82	3	Vertical	146	1.80	-	31.50	5.75	32.11
AV	5.4588G	49.48	54.00	-4.52	44.33	3	Vertical	146	1.80	-	31.50	5.76	32.11
PK	5.469G	67.97	68.20	-0.23	62.82	3	Vertical	146	1.80	-	31.50	5.77	32.12
PK	5.562G	117.70	Inf	-Inf	112.50	3	Vertical	146	1.80	-	31.52	5.85	32.17
AV	5.562G	105.63	Inf	-Inf	100.43	3	Vertical	146	1.80	-	31.52	5.85	32.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10478G	55.17	74.00	-18.83	40.98	3	Vertical	230	1.46	-	39.79	8.65	34.25
AV	11.09938G	41.38	54.00	-12.62	27.18	3	Vertical	230	1.46	-	39.80	8.65	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom








EUT_Z_4TX
Setting 88
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09664G	55.32	74.00	-18.68	41.11	3	Horizontal	229	1.83	-	39.81	8.65	34.25
AV	11.09714G	41.31	54.00	-12.69	27.10	3	Horizontal	229	1.83	-	39.81	8.65	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


19/03/2022

EUT_Z_4TX
Setting 73
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	120.90	Inf	-Inf	115.55	3	Vertical	190	1.80	-	31.69	5.89	32.23
AV	5.6728G	106.90	Inf	-Inf	101.55	3	Vertical	190	1.80	-	31.69	5.89	32.23
PK	5.726G	67.88	68.20	-0.32	62.36	3	Vertical	190	1.80	-	31.90	5.89	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 73
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33794G	56.18	74.00	-17.82	42.00	3	Vertical	321	1.29	-	39.68	8.78	34.28
AV	11.33804G	41.94	54.00	-12.06	27.76	3	Vertical	321	1.29	-	39.68	8.78	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Z_4TX
Setting 73
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34005G	55.45	74.00	-18.55	41.27	3	Horizontal	49	1.00	-	39.68	8.78	34.28
AV	11.33995G	41.82	54.00	-12.18	27.64	3	Horizontal	49	1.00	-	39.68	8.78	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7004G	124.01	Inf	-Inf	118.57	3	Vertical	183	1.80	-	31.80	5.89	32.25
AV	5.718G	111.00	Inf	-Inf	105.50	3	Vertical	183	1.80	-	31.87	5.89	32.26
PK	5.854G	66.76	68.20	-1.44	61.14	3	Vertical	183	1.80	-	32.01	5.95	32.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42174G	55.55	74.00	-18.45	41.26	3	Vertical	159	1.56	-	39.76	8.83	34.30
AV	11.42466G	41.83	54.00	-12.17	27.55	3	Vertical	159	1.56	-	39.75	8.83	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42064G	55.35	74.00	-18.65	41.06	3	Horizontal	173	2.90	-	39.76	8.83	34.30
AV	11.4223G	41.70	54.00	-12.30	27.41	3	Horizontal	173	2.90	-	39.76	8.83	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.88	68.20	-0.32	62.61	3	Vertical	191	1.89	-	31.60	5.89	32.22
PK	5.742G	125.43	Inf	-Inf	119.85	3	Vertical	191	1.89	-	31.97	5.89	32.28
AV	5.748G	112.90	Inf	-Inf	107.30	3	Vertical	191	1.89	-	31.99	5.89	32.28
PK	5.932G	62.28	68.20	-5.92	56.47	3	Vertical	191	1.89	-	32.16	6.04	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51474G	55.01	74.00	-18.99	40.85	3	Vertical	67	1.67	-	39.59	8.88	34.31
AV	11.51376G	41.52	54.00	-12.48	27.36	3	Vertical	67	1.67	-	39.59	8.88	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50746G	55.75	74.00	-18.25	41.59	3	Horizontal	0	1.54	-	39.59	8.88	34.31
AV	11.5068G	41.51	54.00	-12.49	27.35	3	Horizontal	0	1.54	-	39.59	8.88	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.85	68.20	-0.35	62.58	3	Vertical	190.4	1.80	-	31.60	5.89	32.22
PK	5.789G	124.60	Inf	-Inf	119.01	3	Vertical	190.4	1.80	-	32.00	5.89	32.30
AV	5.787G	112.58	Inf	-Inf	106.99	3	Vertical	190.4	1.80	-	32.00	5.89	32.30
PK	5.931G	66.79	68.20	-1.41	60.99	3	Vertical	190.4	1.80	-	32.16	6.03	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58744G	54.81	74.00	-19.19	40.67	3	Vertical	310	2.75	-	39.51	8.92	34.29
AV	11.58988G	40.96	54.00	-13.04	26.81	3	Vertical	310	2.75	-	39.51	8.93	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5879G	54.83	74.00	-19.17	40.68	3	Horizontal	173	1.85	-	39.51	8.93	34.29
AV	11.58574G	41.02	54.00	-12.98	26.88	3	Horizontal	173	1.85	-	39.51	8.92	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	69.80	74.00	-4.20	64.26	3	Vertical	265.2	1.80	-	31.99	5.50	31.95
AV	5.15G	53.91	54.00	-0.09	48.66	3	Vertical	265.2	1.80	-	31.70	5.53	31.98
PK	5.221G	119.18	Inf	-Inf	114.35	3	Vertical	265.2	1.80	-	31.27	5.57	32.01
AV	5.22G	107.17	Inf	-Inf	102.33	3	Vertical	265.2	1.80	-	31.28	5.57	32.01
PK	5.353G	60.27	74.00	-13.73	55.55	3	Vertical	265.2	1.80	-	31.12	5.67	32.07
AV	5.351G	48.67	54.00	-5.33	43.95	3	Vertical	265.2	1.80	-	31.11	5.67	32.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62618G	55.06	74.00	-18.94	41.24	3	Vertical	20	2.08	-	38.10	9.99	34.27
AV	15.62606G	41.67	54.00	-12.33	27.85	3	Vertical	20	2.08	-	38.10	9.99	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6289G	55.13	74.00	-18.87	41.33	3	Horizontal	47	1.93	-	38.08	9.99	34.27
AV	15.62864G	41.71	54.00	-12.29	27.90	3	Horizontal	47	1.93	-	38.09	9.99	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	67.60	74.00	-6.40	62.26	3	Vertical	105.3	1.73	-	31.79	5.52	31.97
AV	5.148G	50.20	54.00	-3.80	44.94	3	Vertical	105.3	1.73	-	31.71	5.53	31.98
PK	5.298G	117.62	Inf	-Inf	112.93	3	Vertical	105.3	1.73	-	31.10	5.63	32.04
AV	5.306G	104.87	Inf	-Inf	100.18	3	Vertical	105.3	1.73	-	31.10	5.63	32.04
PK	5.352G	65.78	74.00	-8.22	61.06	3	Vertical	105.3	1.73	-	31.11	5.67	32.06
AV	5.35G	53.05	54.00	-0.95	48.34	3	Vertical	105.3	1.73	-	31.10	5.67	32.06
PK	5.465G	55.65	68.20	-12.55	50.50	3	Vertical	105.3	1.73	-	31.50	5.76	32.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87172G	53.98	74.00	-20.02	40.65	3	Vertical	0	2.43	-	37.66	10.04	34.37
AV	15.86774G	40.69	54.00	-13.31	27.37	3	Vertical	0	2.43	-	37.66	10.03	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86878G	53.78	74.00	-20.22	40.45	3	Horizontal	262	1.13	-	37.66	10.04	34.37
AV	15.865G	40.65	54.00	-13.35	27.32	3	Horizontal	262	1.13	-	37.67	10.03	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	55.33	68.20	-12.87	50.64	3	Vertical	0	1.92	-	31.10	5.64	32.05
PK	5.455G	65.50	74.00	-8.50	60.36	3	Vertical	0	1.92	-	31.50	5.75	32.11
AV	5.46G	52.63	54.00	-1.37	47.48	3	Vertical	0	1.92	-	31.50	5.76	32.11
PK	5.467G	68.05	68.20	-0.15	62.91	3	Vertical	0	1.92	-	31.50	5.76	32.12
PK	5.54G	117.30	Inf	-Inf	112.12	3	Vertical	0	1.92	-	31.50	5.83	32.15
AV	5.54G	105.21	Inf	-Inf	100.03	3	Vertical	0	1.92	-	31.50	5.83	32.15
PK	5.743G	59.85	68.20	-8.35	54.27	3	Vertical	0	1.92	-	31.97	5.89	32.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.064G	55.35	74.00	-18.65	41.02	3	Vertical	204	1.57	-	39.94	8.63	34.24
AV	11.05536G	41.43	54.00	-12.57	27.07	3	Vertical	204	1.57	-	39.98	8.62	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0622G	55.81	74.00	-18.19	41.47	3	Horizontal	335	1.47	-	39.95	8.63	34.24
AV	11.05788G	41.41	54.00	-12.59	27.06	3	Horizontal	335	1.47	-	39.97	8.62	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 79
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.89	74.00	-14.11	54.75	3	Vertical	6	1.79	-	31.50	5.75	32.11
AV	5.46G	47.57	54.00	-6.43	42.42	3	Vertical	6	1.79	-	31.50	5.76	32.11
PK	5.469G	63.99	68.20	-4.21	58.84	3	Vertical	6	1.79	-	31.50	5.77	32.12
PK	5.596G	117.31	Inf	-Inf	112.02	3	Vertical	6	1.79	-	31.59	5.89	32.19
AV	5.581G	103.89	Inf	-Inf	98.64	3	Vertical	6	1.79	-	31.56	5.87	32.18
PK	5.734G	68.03	68.20	-0.17	62.47	3	Vertical	6	1.79	-	31.94	5.89	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Z_4TX
Setting 79
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2241G	55.49	74.00	-18.51	41.44	3	Vertical	340	1.18	-	39.60	8.72	34.27
AV	11.21868G	41.37	54.00	-12.63	27.32	3	Vertical	340	1.18	-	39.60	8.71	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Z_4TX
Setting 79
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2249G	55.77	74.00	-18.23	41.72	3	Horizontal	247	1.88	-	39.60	8.72	34.27
AV	11.21526G	41.36	54.00	-12.64	27.31	3	Horizontal	247	1.88	-	39.60	8.71	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 85
06-F-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.41	74.00	-15.59	53.27	3	Vertical	191	1.80	-	31.50	5.75	32.11
AV	5.46G	46.40	54.00	-7.60	41.25	3	Vertical	191	1.80	-	31.50	5.76	32.11
PK	5.465G	59.48	68.20	-8.72	54.33	3	Vertical	191	1.80	-	31.50	5.76	32.11
PK	5.705G	120.49	Inf	-Inf	115.03	3	Vertical	191	1.80	-	31.82	5.89	32.25
AV	5.702G	107.38	Inf	-Inf	101.93	3	Vertical	191	1.80	-	31.81	5.89	32.25
PK	5.851G	68.10	68.20	-0.10	62.49	3	Vertical	191	1.80	-	32.00	5.95	32.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 85
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38488G	56.35	74.00	-17.65	42.06	3	Vertical	51	1.56	-	39.77	8.81	34.29
AV	11.37502G	41.94	54.00	-12.06	27.68	3	Vertical	51	1.56	-	39.75	8.80	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 85
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3759G	56.31	74.00	-17.69	42.05	3	Horizontal	128	1.05	-	39.75	8.80	34.29
AV	11.38018G	41.86	54.00	-12.14	27.58	3	Horizontal	128	1.05	-	39.76	8.81	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.16	68.20	-0.04	62.89	3	Vertical	173.5	1.80	-	31.60	5.89	32.22
PK	5.781G	122.42	Inf	-Inf	116.83	3	Vertical	173.5	1.80	-	32.00	5.89	32.30
AV	5.777G	109.80	Inf	-Inf	104.21	3	Vertical	173.5	1.80	-	32.00	5.89	32.30
PK	5.929G	67.04	68.20	-1.16	61.24	3	Vertical	173.5	1.80	-	32.16	6.03	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55052G	54.28	74.00	-19.72	40.13	3	Vertical	189	2.55	-	39.55	8.90	34.30
AV	11.54879G	41.59	54.00	-12.41	27.44	3	Vertical	189	2.55	-	39.55	8.90	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54927G	55.99	74.00	-18.01	41.84	3	Horizontal	167	2.29	-	39.55	8.90	34.30
AV	11.54872G	41.52	54.00	-12.48	27.37	3	Horizontal	167	2.29	-	39.55	8.90	34.30

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 76
06-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	72.72	74.00	-1.28	67.37	3	Vertical	310.5	1.83	-	31.80	5.52	31.97
AV	5.1188G	53.69	54.00	-0.31	48.25	3	Vertical	310.5	1.83	-	31.89	5.51	31.96
PK	5.2788G	114.50	Inf	-Inf	109.81	3	Vertical	310.5	1.83	-	31.10	5.62	32.03
AV	5.2804G	102.78	Inf	-Inf	98.09	3	Vertical	310.5	1.83	-	31.10	5.62	32.03
PK	5.3524G	70.79	74.00	-3.21	66.08	3	Vertical	310.5	1.83	-	31.11	5.67	32.07
AV	5.35G	51.99	54.00	-2.01	47.28	3	Vertical	310.5	1.83	-	31.10	5.67	32.06
PK	5.5572G	58.74	68.20	-9.46	53.54	3	Vertical	310.5	1.83	-	31.51	5.85	32.16

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Z_4TX
Setting 76
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75208G	55.56	74.00	-18.44	42.07	3	Vertical	247	1.38	-	37.80	10.01	34.32
AV	15.7541G	41.68	54.00	-12.32	28.19	3	Vertical	247	1.38	-	37.80	10.01	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Z_4TX
Setting 76
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75478G	54.80	74.00	-19.20	41.31	3	Horizontal	15	1.40	-	37.80	10.01	34.32
AV	15.74664G	41.43	54.00	-12.57	27.94	3	Horizontal	15	1.40	-	37.80	10.01	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-L-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1732G	59.01	68.20	-9.19	53.90	3	Vertical	32.4	1.80	-	31.56	5.54	31.99
PK	5.4548G	66.03	74.00	-7.97	60.89	3	Vertical	32.4	1.80	-	31.50	5.75	32.11
AV	5.4596G	53.33	54.00	-0.67	48.18	3	Vertical	32.4	1.80	-	31.50	5.76	32.11
PK	5.4644G	67.43	68.20	-0.77	62.28	3	Vertical	32.4	1.80	-	31.50	5.76	32.11
PK	5.554G	114.86	Inf	-Inf	109.66	3	Vertical	32.4	1.80	-	31.51	5.85	32.16
AV	5.5476G	102.80	Inf	-Inf	97.62	3	Vertical	32.4	1.80	-	31.50	5.84	32.16
PK	5.7364G	67.99	68.20	-0.21	62.42	3	Vertical	32.4	1.80	-	31.95	5.89	32.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Z_4TX
Setting 72
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1438G	54.90	74.00	-19.10	40.77	3	Vertical	34	1.09	-	39.71	8.67	34.25
AV	11.14124G	41.03	54.00	-12.97	26.89	3	Vertical	34	1.09	-	39.72	8.67	34.25

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Z_4TX
Setting 72
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1431G	55.11	74.00	-18.89	40.98	3	Horizontal	172	2.47	-	39.71	8.67	34.25
AV	11.14298G	41.23	54.00	-12.77	27.10	3	Horizontal	172	2.47	-	39.71	8.67	34.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.903G	98.58	104.33	-5.75	3	Vertical	333	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	62.17	68.20	-6.03	56.89	3	Vertical	332	1.89	-	31.60	5.89	32.21
PK	5.844G	126.04	Inf	-Inf	120.44	3	Vertical	332	1.89	-	32.00	5.94	32.34
AV	5.844G	116.72	Inf	-Inf	111.12	3	Vertical	332	1.89	-	32.00	5.94	32.34
PK	5.925G	61.38	88.20	-26.82	55.58	3	Vertical	332	1.89	-	32.15	6.03	32.38

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68728G	54.17	74.00	-19.83	40.23	3	Vertical	116	2.90	-	39.24	8.98	34.28
AV	11.69478G	40.86	54.00	-13.14	26.92	3	Vertical	116	2.90	-	39.22	8.99	34.27
PK	17.53152G	60.76	88.20	-27.44	41.63	3	Vertical	245	1.86	-	43.35	10.50	34.72

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69288G	54.15	74.00	-19.85	40.23	3	Horizontal	301	1.56	-	39.22	8.98	34.28
AV	11.69102G	40.95	54.00	-13.05	27.02	3	Horizontal	301	1.56	-	39.23	8.98	34.28
PK	17.53416G	59.98	88.20	-28.22	40.83	3	Horizontal	149	1.51	-	43.37	10.50	34.72

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	60.68	68.20	-7.52	55.40	3	Vertical	333	1.80	-	31.60	5.89	32.21
PK	5.864G	125.96	Inf	-Inf	120.32	3	Vertical	333	1.80	-	32.03	5.96	32.35
AV	5.864G	116.47	Inf	-Inf	110.83	3	Vertical	333	1.80	-	32.03	5.96	32.35
PK	5.925G	62.70	88.20	-25.50	56.90	3	Vertical	333	1.80	-	32.15	6.03	32.38

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7281G	54.01	74.00	-19.99	40.21	3	Vertical	73	1.37	-	39.06	9.01	34.27
AV	11.73014G	40.78	54.00	-13.22	26.99	3	Vertical	73	1.37	-	39.05	9.01	34.27
PK	17.5945G	60.52	88.20	-27.68	40.88	3	Vertical	277	2.17	-	43.86	10.51	34.73

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7267G	53.64	74.00	-20.36	39.84	3	Horizontal	328	2.59	-	39.07	9.00	34.27
AV	11.72524G	40.76	54.00	-13.24	26.96	3	Horizontal	328	2.59	-	39.07	9.00	34.27
PK	17.59336G	60.98	88.20	-27.22	41.35	3	Horizontal	219	1.15	-	43.85	10.51	34.73

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.02	68.20	-8.18	54.75	3	Vertical	333	1.80	-	31.60	5.89	32.22
PK	5.884G	125.51	Inf	-Inf	119.82	3	Vertical	333	1.80	-	32.07	5.98	32.36
AV	5.884G	116.28	Inf	-Inf	110.59	3	Vertical	333	1.80	-	32.07	5.98	32.36
PK	5.903G	98.58	104.33	-5.75	92.84	3	Vertical	333	1.80	-	32.11	6.00	32.37

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7799G	54.17	74.00	-19.83	40.60	3	Vertical	53.2	1.19	-	38.80	9.03	34.26
AV	11.78152G	40.81	54.00	-13.19	27.24	3	Vertical	53.2	1.19	-	38.79	9.04	34.26
PK	17.66352G	61.04	88.20	-27.16	40.91	3	Vertical	318	1.81	-	44.34	10.53	34.74

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom



EUT_Z_4TX
Setting 100
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75626G	53.47	74.00	-20.53	39.79	3	Horizontal	33	2.84	-	38.92	9.02	34.26
AV	11.76304G	40.66	54.00	-13.34	27.02	3	Horizontal	33	2.84	-	38.88	9.02	34.26
PK	17.65326G	61.33	88.20	-26.87	41.27	3	Horizontal	124	2.51	-	44.27	10.53	34.74




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.641G	67.99	68.20	-0.21	3	Vertical	13.4	2.11	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	56.20	68.20	-12.00	50.90	3	Vertical	350	1.80	-	31.60	5.89	32.19
PK	5.837G	112.34	Inf	-Inf	106.74	3	Vertical	350	1.80	-	32.00	5.93	32.33
AV	5.837G	102.31	Inf	-Inf	96.71	3	Vertical	350	1.80	-	32.00	5.93	32.33
PK	5.923G	66.48	89.67	-23.19	60.68	3	Vertical	350	1.80	-	32.15	6.03	32.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69608G	56.95	74.00	-17.05	43.02	3	Vertical	339	1.80	-	39.21	8.99	34.27
AV	11.69084G	44.73	54.00	-9.27	30.80	3	Vertical	339	1.80	-	39.23	8.98	34.28
PK	17.536G	63.00	88.20	-25.20	43.83	3	Vertical	291	1.80	-	43.39	10.50	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68976G	56.25	74.00	-17.75	42.32	3	Horizontal	62	2.90	-	39.23	8.98	34.28
AV	11.68004G	44.22	54.00	-9.78	30.26	3	Horizontal	62	2.90	-	39.26	8.98	34.28
PK	17.53888G	62.53	88.20	-25.67	43.34	3	Horizontal	16	1.09	-	43.41	10.50	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	55.66	68.20	-12.54	50.39	3	Vertical	191	1.80	-	31.60	5.89	32.22
PK	5.869G	112.67	Inf	-Inf	107.01	3	Vertical	191	1.80	-	32.04	5.97	32.35
AV	5.868G	101.98	Inf	-Inf	96.33	3	Vertical	191	1.80	-	32.04	5.96	32.35
PK	5.924G	69.95	88.93	-18.98	64.15	3	Vertical	191	1.80	-	32.15	6.03	32.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72594G	55.49	74.00	-18.51	41.69	3	Vertical	135	2.09	-	39.07	9.00	34.27
AV	11.72644G	43.94	54.00	-10.06	30.14	3	Vertical	135	2.09	-	39.07	9.00	34.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72776G	55.77	74.00	-18.23	41.98	3	Horizontal	244	1.89	-	39.06	9.00	34.27
AV	11.72994G	43.83	54.00	-10.17	30.04	3	Horizontal	244	1.89	-	39.05	9.01	34.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	55.28	68.20	-12.92	50.01	3	Vertical	193	1.80	-	31.60	5.89	32.22
PK	5.879G	111.96	Inf	-Inf	106.28	3	Vertical	193	1.80	-	32.06	5.98	32.36
AV	5.878G	101.22	Inf	-Inf	95.54	3	Vertical	193	1.80	-	32.06	5.98	32.36
PK	5.895G	105.58	110.20	-4.62	99.87	3	Vertical	193	1.80	-	32.09	5.99	32.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76618G	56.07	74.00	-17.93	42.43	3	Vertical	232	1.89	-	38.87	9.03	34.26
AV	11.766G	43.66	54.00	-10.34	30.02	3	Vertical	232	1.89	-	38.87	9.03	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76716G	55.75	74.00	-18.25	42.12	3	Horizontal	210	1.70	-	38.86	9.03	34.26
AV	11.77236G	43.75	54.00	-10.25	30.14	3	Horizontal	210	1.70	-	38.84	9.03	34.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	60.21	68.20	-7.99	54.94	3	Vertical	192.9	1.80	-	31.60	5.89	32.22
PK	5.836G	109.37	Inf	-Inf	103.77	3	Vertical	192.9	1.80	-	32.00	5.93	32.33
AV	5.836G	98.24	Inf	-Inf	92.64	3	Vertical	192.9	1.80	-	32.00	5.93	32.33
PK	5.925G	72.56	88.20	-15.64	66.76	3	Vertical	192.9	1.80	-	32.15	6.03	32.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66584G	56.33	74.00	-17.67	42.34	3	Vertical	195	1.37	-	39.30	8.97	34.28
AV	11.6691G	44.40	54.00	-9.60	30.42	3	Vertical	195	1.37	-	39.29	8.97	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6692G	56.33	74.00	-17.67	42.35	3	Horizontal	10	1.25	-	39.29	8.97	34.28
AV	11.6694G	44.31	54.00	-9.69	30.32	3	Horizontal	10	1.25	-	39.30	8.97	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	57.33	68.20	-10.87	52.05	3	Vertical	14	1.80	-	31.60	5.89	32.21
PK	5.884G	108.72	Inf	-Inf	103.03	3	Vertical	14	1.80	-	32.07	5.98	32.36
AV	5.882G	97.84	Inf	-Inf	92.16	3	Vertical	14	1.80	-	32.06	5.98	32.36
PK	5.924G	86.14	88.93	-2.79	80.34	3	Vertical	14	1.80	-	32.15	6.03	32.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7524G	55.72	74.00	-18.28	42.02	3	Vertical	19	2.63	-	38.94	9.02	34.26
AV	11.7537G	43.24	54.00	-10.76	29.55	3	Vertical	19	2.63	-	38.93	9.02	34.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT Z_4TX
Setting 100
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75294G	55.47	74.00	-18.53	41.77	3	Horizontal	185	2.26	-	38.94	9.02	34.26
AV	11.74548G	43.27	54.00	-10.73	29.56	3	Horizontal	185	2.26	-	38.97	9.01	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.30	68.20	-5.90	57.03	3	Vertical	18.1	1.81	-	31.60	5.89	32.22
PK	5.843G	122.62	Inf	-Inf	117.02	3	Vertical	18.1	1.81	-	32.00	5.94	32.34
AV	5.847G	109.80	Inf	-Inf	104.20	3	Vertical	18.1	1.81	-	32.00	5.94	32.34
PK	5.924G	87.60	88.93	-1.33	81.80	3	Vertical	18.1	1.81	-	32.15	6.03	32.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT Z_4TX
Setting 97
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70868G	54.01	74.00	-19.99	40.13	3	Vertical	84	2.66	-	39.16	8.99	34.27
AV	11.70878G	41.24	54.00	-12.76	27.36	3	Vertical	84	2.66	-	39.16	8.99	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT Z_4TX
Setting 97
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7117G	54.07	74.00	-19.93	40.20	3	Horizontal	342	2.60	-	39.14	9.00	34.27
AV	11.71318G	41.10	54.00	-12.90	27.24	3	Horizontal	342	2.60	-	39.13	9.00	34.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT_Z_4TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.99	68.20	-0.21	62.71	3	Vertical	13.4	2.11	-	31.60	5.89	32.21
PK	5.832G	116.37	Inf	-Inf	110.77	3	Vertical	13.4	2.11	-	32.00	5.93	32.33
AV	5.833G	103.64	Inf	-Inf	98.04	3	Vertical	13.4	2.11	-	32.00	5.93	32.33
PK	5.895G	97.91	110.20	-12.29	92.20	3	Vertical	13.4	2.11	-	32.09	5.99	32.37

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT Z_4TX
Setting 76
06-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62974G	54.53	74.00	-19.47	40.46	3	Vertical	352	1.48	-	39.41	8.95	34.29
AV	11.62952G	41.24	54.00	-12.76	27.17	3	Vertical	352	1.48	-	39.41	8.95	34.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom



EUT Z_4TX
Setting 76
06-F-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6322G	53.92	74.00	-20.08	39.86	3	Horizontal	124	2.26	-	39.40	8.95	34.29
AV	11.62708G	41.26	54.00	-12.74	27.18	3	Horizontal	124	2.26	-	39.42	8.95	34.29



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.13561G	28.91	54.00	-25.09	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.13527G	38.62	74.00	-35.38	-9.08	3	Vertical	115	1.61	-	47.70	25.11	3.10	37.29
AV	1.13533G	27.51	54.00	-26.49	-9.08	3	Vertical	115	1.61	"Worst"	36.59	25.11	3.10	37.29

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.13588G	40.86	74.00	-33.14	-9.07	3	Horizontal	155	1.51	-	49.93	25.12	3.10	37.29
AV	1.13561G	28.91	54.00	-25.09	-9.08	3	Horizontal	155	1.51	"Worst"	37.99	25.11	3.10	37.29