


802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.58002G	55.17	68.20	-13.03	44.57	3	Vertical	245	1.80	-	37.00	7.59	33.99
PK	11.44148G	56.46	74.00	-17.54	41.58	3	Vertical	143	2.47	-	39.72	9.46	34.30
AV	11.436G	43.64	54.00	-10.36	28.75	3	Vertical	143	2.47	-	39.73	9.46	34.30
PK	17.16128G	64.20	68.20	-4.00	44.05	3	Vertical	5	2.97	-	40.78	13.94	34.57

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.58024G	55.29	68.20	-12.91	44.69	3	Horizontal	245	1.80	-	37.00	7.59	33.99
PK	11.445G	57.23	74.00	-16.77	42.35	3	Horizontal	114	1.88	-	39.71	9.47	34.30
AV	11.43662G	43.51	54.00	-10.49	28.62	3	Horizontal	114	1.88	-	39.73	9.46	34.30
PK	17.16378G	64.31	68.20	-3.89	44.15	3	Horizontal	43	1.20	-	40.79	13.94	34.57

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	60.57	68.20	-7.63	55.18	3	Vertical	158	1.26	-	31.60	6.00	32.21
PK	5.741G	118.44	Inf	-Inf	112.75	3	Vertical	158	1.26	-	31.96	6.00	32.27
AV	5.742G	107.96	Inf	-Inf	102.27	3	Vertical	158	1.26	-	31.97	6.00	32.28
PK	5.946G	59.62	68.20	-8.58	53.76	3	Vertical	158	1.26	-	32.19	6.07	32.40

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.546G	62.24	68.20	-5.96	56.95	3	Horizontal	88	1.07	-	31.50	5.95	32.16
PK	5.743G	124.90	Inf	-Inf	119.21	3	Horizontal	88	1.07	-	31.97	6.00	32.28
AV	5.743G	115.42	Inf	-Inf	109.73	3	Horizontal	88	1.07	-	31.97	6.00	32.28
PK	5.925G	59.73	68.20	-8.47	53.90	3	Horizontal	88	1.07	-	32.15	6.06	32.38

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.61762G	55.11	68.20	-13.09	44.44	3	Vertical	213	1.99	-	37.00	7.64	33.97
PK	11.48712G	56.72	74.00	-17.28	41.91	3	Vertical	117	2.30	-	39.63	9.49	34.31
AV	11.485G	43.32	54.00	-10.68	28.51	3	Vertical	117	2.30	-	39.63	9.49	34.31
PK	17.23576G	64.65	68.20	-3.55	44.19	3	Vertical	192	2.46	-	41.04	14.02	34.60

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.61748G	54.75	68.20	-13.45	44.08	3	Horizontal	313	1.51	-	37.00	7.64	33.97
PK	11.48894G	56.90	74.00	-17.10	42.10	3	Horizontal	269	1.73	-	39.62	9.49	34.31
AV	11.49008G	43.38	54.00	-10.62	28.58	3	Horizontal	269	1.73	-	39.62	9.49	34.31
PK	17.23394G	65.01	68.20	-3.19	44.55	3	Horizontal	68	1.42	-	41.04	14.02	34.60

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	60.44	68.20	-7.76	55.03	3	Vertical	161	2.30	-	31.60	6.00	32.19
PK	5.777G	118.00	Inf	-Inf	112.30	3	Vertical	161	2.30	-	32.00	6.00	32.30
AV	5.777G	108.45	Inf	-Inf	102.75	3	Vertical	161	2.30	-	32.00	6.00	32.30
PK	5.925G	59.85	68.20	-8.35	54.02	3	Vertical	161	2.30	-	32.15	6.06	32.38

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	64.32	68.20	-3.88	58.94	3	Horizontal	86	1.04	-	31.57	5.99	32.18
PK	5.783G	124.54	Inf	-Inf	118.84	3	Horizontal	86	1.04	-	32.00	6.00	32.30
AV	5.784G	115.07	Inf	-Inf	109.37	3	Horizontal	86	1.04	-	32.00	6.00	32.30
PK	6.034G	59.79	68.20	-8.41	53.71	3	Horizontal	86	1.04	-	32.40	6.12	32.44

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.6775G	55.14	68.20	-13.06	44.19	3	Vertical	138	1.21	-	37.11	7.79	33.95
PK	11.5713G	57.42	74.00	-16.58	42.65	3	Vertical	135	2.61	-	39.53	9.54	34.30
AV	11.56986G	43.49	54.00	-10.51	28.72	3	Vertical	135	2.61	-	39.53	9.54	34.30
PK	17.3527G	65.79	68.20	-2.41	44.45	3	Vertical	213	2.66	-	41.83	14.16	34.65

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.6775G	55.92	68.20	-12.28	44.97	3	Horizontal	71	1.29	-	37.11	7.79	33.95
PK	11.57336G	57.41	74.00	-16.59	42.64	3	Horizontal	3	2.11	-	39.53	9.54	34.30
AV	11.56736G	43.58	54.00	-10.42	28.81	3	Horizontal	3	2.11	-	39.53	9.54	34.30
PK	17.35166G	65.85	68.20	-2.35	44.53	3	Horizontal	76	1.75	-	41.82	14.15	34.65

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	60.88	68.20	-7.32	55.48	3	Vertical	343	2.97	-	31.60	6.00	32.20
PK	5.821G	117.29	Inf	-Inf	111.60	3	Vertical	343	2.97	-	32.00	6.01	32.32
AV	5.821G	107.89	Inf	-Inf	102.20	3	Vertical	343	2.97	-	32.00	6.01	32.32
PK	5.936G	60.28	68.20	-7.92	54.43	3	Vertical	343	2.97	-	32.17	6.07	32.39

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	62.71	68.20	-5.49	57.32	3	Horizontal	280	1.14	-	31.60	6.00	32.21
PK	5.829G	121.62	Inf	-Inf	115.94	3	Horizontal	280	1.14	-	32.00	6.01	32.33
AV	5.829G	112.25	Inf	-Inf	106.57	3	Horizontal	280	1.14	-	32.00	6.01	32.33
PK	6.049G	60.32	68.20	-7.88	54.16	3	Horizontal	280	1.14	-	32.49	6.12	32.45

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.73768G	55.30	68.20	-12.90	43.93	3	Vertical	238	2.03	-	37.35	7.94	33.92
PK	11.64986G	56.14	74.00	-17.86	41.48	3	Vertical	125	3.00	-	39.35	9.59	34.28
AV	11.65138G	43.25	54.00	-10.75	28.59	3	Vertical	125	3.00	-	39.35	9.59	34.28
PK	17.47494G	67.17	68.20	-1.03	44.67	3	Vertical	47	1.93	-	42.90	14.30	34.70

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT X_4TX
Setting 108
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.73744G	55.42	68.20	-12.78	44.05	3	Horizontal	272	1.53	-	37.35	7.94	33.92
PK	11.65462G	56.37	74.00	-17.63	41.72	3	Horizontal	129	1.19	-	39.34	9.59	34.28
AV	11.6531G	43.07	54.00	-10.93	28.42	3	Horizontal	129	1.19	-	39.34	9.59	34.28
PK	17.47136G	66.24	68.20	-1.96	43.78	3	Horizontal	46	1.07	-	42.87	14.29	34.70




For UNII 2C and UNII 3:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	8.25003G	53.98	54.00	-0.02	3	Horizontal	151	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 97
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	59.71	74.00	-14.29	54.46	3	Vertical	83	1.80	-	31.50	5.86	32.11
AV	5.4562G	47.43	54.00	-6.57	42.18	3	Vertical	83	1.80	-	31.50	5.86	32.11
PK	5.4672G	61.44	68.20	-6.76	56.19	3	Vertical	83	1.80	-	31.50	5.87	32.12
PK	5.4918G	115.18	Inf	-Inf	109.92	3	Vertical	83	1.80	-	31.50	5.89	32.13
AV	5.4916G	103.92	Inf	-Inf	98.66	3	Vertical	83	1.80	-	31.50	5.89	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 97
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	63.84	74.00	-10.16	58.59	3	Horizontal	293	1.34	-	31.50	5.86	32.11
AV	5.459G	51.01	54.00	-2.99	45.76	3	Horizontal	293	1.34	-	31.50	5.86	32.11
PK	5.4698G	67.99	68.20	-0.21	62.74	3	Horizontal	293	1.34	-	31.50	5.87	32.12
PK	5.4912G	123.33	Inf	-Inf	118.07	3	Horizontal	293	1.34	-	31.50	5.89	32.13
AV	5.4912G	112.69	Inf	-Inf	107.43	3	Horizontal	293	1.34	-	31.50	5.89	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 97
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.25002G	57.18	74.00	-16.82	47.23	3	Vertical	12.5	1.80	-	36.40	7.57	34.02
AV	8.25007G	51.69	54.00	-2.31	41.74	3	Vertical	12.5	1.80	-	36.40	7.57	34.02
PK	10.996G	56.45	74.00	-17.55	41.28	3	Vertical	203	1.28	-	40.20	9.20	34.23
AV	10.99756G	42.90	54.00	-11.10	27.73	3	Vertical	203	1.28	-	40.20	9.20	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 97
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.25002G	58.23	74.00	-15.77	48.28	3	Horizontal	151	1.80	-	36.40	7.57	34.02
AV	8.25003G	53.98	54.00	-0.02	44.03	3	Horizontal	151	1.80	-	36.40	7.57	34.02
PK	11.00424G	56.81	74.00	-17.19	41.66	3	Horizontal	359	2.00	-	40.18	9.20	34.23
AV	10.99866G	42.98	54.00	-11.02	27.81	3	Horizontal	359	2.00	-	40.20	9.20	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	59.23	74.00	-14.77	54.01	3	Vertical	157	2.10	-	31.49	5.84	32.11
AV	5.436G	47.27	54.00	-6.73	42.06	3	Vertical	157	2.10	-	31.47	5.84	32.10
PK	5.4654G	59.17	68.20	-9.03	53.91	3	Vertical	157	2.10	-	31.50	5.87	32.11
PK	5.5854G	120.42	Inf	-Inf	115.04	3	Vertical	157	2.10	-	31.57	5.99	32.18
AV	5.5758G	108.62	Inf	-Inf	103.27	3	Vertical	157	2.10	-	31.55	5.98	32.18
PK	5.7294G	60.09	68.20	-8.11	54.44	3	Vertical	157	2.10	-	31.92	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4486G	60.89	74.00	-13.11	55.65	3	Horizontal	74	2.53	-	31.50	5.85	32.11
PK	5.4678G	61.44	68.20	-6.76	56.19	3	Horizontal	74	2.53	-	31.50	5.87	32.12
AV	5.4588G	48.29	54.00	-5.71	43.04	3	Horizontal	74	2.53	-	31.50	5.86	32.11
PK	5.586G	127.07	Inf	-Inf	121.69	3	Horizontal	74	2.53	-	31.57	5.99	32.18
AV	5.586G	115.08	Inf	-Inf	109.70	3	Horizontal	74	2.53	-	31.57	5.99	32.18
PK	5.7288G	60.93	68.20	-7.27	55.28	3	Horizontal	74	2.53	-	31.92	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.36991G	55.79	74.00	-18.21	46.09	3	Vertical	11	1.94	-	36.20	7.52	34.02
AV	8.37002G	50.39	54.00	-3.61	40.70	3	Vertical	11	1.94	-	36.20	7.51	34.02
PK	11.1568G	55.42	74.00	-18.58	40.70	3	Vertical	108	1.41	-	39.69	9.29	34.26
AV	11.16124G	42.21	54.00	-11.79	27.49	3	Vertical	108	1.41	-	39.68	9.30	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.37001G	56.97	74.00	-17.03	47.28	3	Horizontal	110	1.32	-	36.20	7.51	34.02
AV	8.37002G	52.88	54.00	-1.12	43.19	3	Horizontal	110	1.32	-	36.20	7.51	34.02
PK	11.1612G	55.66	74.00	-18.34	40.94	3	Horizontal	25	2.86	-	39.68	9.30	34.26
AV	11.1581G	42.28	54.00	-11.72	27.57	3	Horizontal	25	2.86	-	39.68	9.29	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 75
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	111.73	Inf	-Inf	106.21	3	Vertical	167	2.82	-	31.77	6.00	32.25
AV	5.6916G	100.10	Inf	-Inf	94.57	3	Vertical	167	2.82	-	31.77	6.00	32.24
PK	5.7256G	61.72	68.20	-6.48	56.09	3	Vertical	167	2.82	-	31.90	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 75
06-D-5-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6928G	120.53	Inf	-Inf	115.01	3	Horizontal	90	2.42	-	31.77	6.00	32.25
AV	5.6932G	108.27	Inf	-Inf	102.75	3	Horizontal	90	2.42	-	31.77	6.00	32.25
PK	5.7284G	67.96	68.20	-0.24	62.32	3	Horizontal	90	2.42	-	31.91	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.54996G	56.08	68.20	-12.12	45.51	3	Vertical	117	2.01	-	37.00	7.57	34.00
PK	11.4032G	56.07	74.00	-17.93	41.13	3	Vertical	271	1.26	-	39.79	9.44	34.29
AV	11.40136G	42.82	54.00	-11.18	27.87	3	Vertical	271	1.26	-	39.80	9.44	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT X_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.54999G	57.73	68.20	-10.47	47.16	3	Horizontal	79	2.34	-	37.00	7.57	34.00
PK	11.4035G	56.11	74.00	-17.89	41.17	3	Horizontal	24	2.83	-	39.79	9.44	34.29
AV	11.39912G	42.69	54.00	-11.31	27.74	3	Horizontal	24	2.83	-	39.80	9.44	34.29


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_4TX
 Setting 108
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	60.38	74.00	-13.62	55.15	3	Vertical	138	2.03	-	31.49	5.85	32.11
AV	5.4452G	46.86	54.00	-7.14	41.63	3	Vertical	138	2.03	-	31.49	5.85	32.11
PK	5.4644G	59.75	68.20	-8.45	54.50	3	Vertical	138	2.03	-	31.50	5.86	32.11
PK	5.7152G	120.25	Inf	-Inf	114.65	3	Vertical	138	2.03	-	31.86	6.00	32.26
AV	5.7164G	106.70	Inf	-Inf	101.09	3	Vertical	138	2.03	-	31.87	6.00	32.26
PK	5.882G	59.75	68.20	-8.45	54.01	3	Vertical	138	2.03	-	32.06	6.04	32.36


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_4TX
 Setting 108
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.40	74.00	-14.60	54.15	3	Horizontal	88	1.06	-	31.50	5.86	32.11
AV	5.4572G	47.78	54.00	-6.22	42.53	3	Horizontal	88	1.06	-	31.50	5.86	32.11
PK	5.4644G	60.44	68.20	-7.76	55.19	3	Horizontal	88	1.06	-	31.50	5.86	32.11
PK	5.7284G	126.52	Inf	-Inf	120.88	3	Horizontal	88	1.06	-	31.91	6.00	32.27
AV	5.7284G	115.90	Inf	-Inf	110.26	3	Horizontal	88	1.06	-	31.91	6.00	32.27
PK	5.8532G	60.60	68.20	-7.60	54.90	3	Horizontal	88	1.06	-	32.01	6.03	32.34


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
 Setting 108
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44026G	56.19	74.00	-17.81	41.31	3	Vertical	292	2.54	-	39.72	9.46	34.30
AV	11.4399G	42.38	54.00	-11.62	27.50	3	Vertical	292	2.54	-	39.72	9.46	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
 Setting 108
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4368G	55.98	74.00	-18.02	41.09	3	Horizontal	297	1.08	-	39.73	9.46	34.30
AV	11.44004G	42.38	54.00	-11.62	27.50	3	Horizontal	297	1.08	-	39.72	9.46	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.519G	60.17	68.20	-8.03	54.89	3	Vertical	157	2.89	-	31.50	5.92	32.14
PK	5.741G	118.42	Inf	-Inf	112.73	3	Vertical	157	2.89	-	31.96	6.00	32.27
AV	5.738G	107.13	Inf	-Inf	101.45	3	Vertical	157	2.89	-	31.95	6.00	32.27
PK	5.936G	61.09	68.20	-7.11	55.24	3	Vertical	157	2.89	-	32.17	6.07	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	62.16	68.20	-6.04	56.75	3	Horizontal	87	1.82	-	31.60	6.00	32.19
PK	5.736G	125.36	Inf	-Inf	119.69	3	Horizontal	87	1.82	-	31.94	6.00	32.27
AV	5.736G	114.99	Inf	-Inf	109.32	3	Horizontal	87	1.82	-	31.94	6.00	32.27
PK	5.978G	59.83	68.20	-8.37	53.96	3	Horizontal	87	1.82	-	32.20	6.09	32.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49434G	55.54	74.00	-18.46	40.74	3	Vertical	186	2.57	-	39.61	9.50	34.31
AV	11.49324G	42.07	54.00	-11.93	27.27	3	Vertical	186	2.57	-	39.61	9.50	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4866G	55.09	74.00	-18.91	40.28	3	Horizontal	198	1.74	-	39.63	9.49	34.31
AV	11.48718G	42.39	54.00	-11.61	27.58	3	Horizontal	198	1.74	-	39.63	9.49	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	59.63	68.20	-8.57	54.23	3	Vertical	83	1.82	-	31.60	6.00	32.20
PK	5.781G	117.79	Inf	-Inf	112.09	3	Vertical	83	1.82	-	32.00	6.00	32.30
AV	5.779G	106.11	Inf	-Inf	100.41	3	Vertical	83	1.82	-	32.00	6.00	32.30
PK	6.014G	60.16	68.20	-8.04	54.21	3	Vertical	83	1.82	-	32.28	6.11	32.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	62.85	68.20	-5.35	57.50	3	Horizontal	56.1	1.80	-	31.55	5.98	32.18
PK	5.792G	124.29	Inf	-Inf	118.60	3	Horizontal	56.1	1.80	-	32.00	6.00	32.31
AV	5.794G	112.81	Inf	-Inf	107.12	3	Horizontal	56.1	1.80	-	32.00	6.00	32.31
PK	5.939G	60.56	68.20	-7.64	54.70	3	Horizontal	56.1	1.80	-	32.18	6.07	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5724G	55.40	74.00	-18.60	40.63	3	Vertical	201	2.16	-	39.53	9.54	34.30
AV	11.57088G	42.24	54.00	-11.76	27.47	3	Vertical	201	2.16	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56872G	55.72	74.00	-18.28	40.95	3	Horizontal	48	1.93	-	39.53	9.54	34.30
AV	11.56932G	42.40	54.00	-11.60	27.63	3	Horizontal	48	1.93	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	60.09	68.20	-8.11	54.70	3	Vertical	158.8	1.80	-	31.60	6.00	32.21
PK	5.82G	116.54	Inf	-Inf	110.85	3	Vertical	158.8	1.80	-	32.00	6.01	32.32
AV	5.817G	105.25	Inf	-Inf	99.56	3	Vertical	158.8	1.80	-	32.00	6.01	32.32
PK	6.052G	60.12	68.20	-8.08	53.94	3	Vertical	158.8	1.80	-	32.50	6.13	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	64.28	68.20	-3.92	58.89	3	Horizontal	88	1.00	-	31.60	6.00	32.21
PK	5.833G	125.54	Inf	-Inf	119.85	3	Horizontal	88	1.00	-	32.00	6.02	32.33
AV	5.834G	114.46	Inf	-Inf	108.77	3	Horizontal	88	1.00	-	32.00	6.02	32.33
PK	6.049G	60.72	68.20	-7.48	54.56	3	Horizontal	88	1.00	-	32.49	6.12	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65352G	56.35	74.00	-17.65	41.70	3	Vertical	159	2.41	-	39.34	9.59	34.28
AV	11.6507G	42.01	54.00	-11.99	27.35	3	Vertical	159	2.41	-	39.35	9.59	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65308G	54.92	74.00	-19.08	40.27	3	Horizontal	253	1.27	-	39.34	9.59	34.28
AV	11.65146G	41.87	54.00	-12.13	27.21	3	Horizontal	253	1.27	-	39.35	9.59	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 87
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	59.66	74.00	-14.34	54.47	3	Vertical	167	3.00	-	31.46	5.83	32.10
PK	5.4696G	59.16	68.20	-9.04	53.91	3	Vertical	167	3.00	-	31.50	5.87	32.12
AV	5.4576G	46.46	54.00	-7.54	41.21	3	Vertical	167	3.00	-	31.50	5.86	32.11
PK	5.5272G	112.20	Inf	-Inf	106.92	3	Vertical	167	3.00	-	31.50	5.93	32.15
AV	5.528G	99.82	Inf	-Inf	94.54	3	Vertical	167	3.00	-	31.50	5.93	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.11	74.00	-10.89	57.86	3	Horizontal	76.3	2.23	-	31.50	5.86	32.11
AV	5.46G	50.00	54.00	-4.00	44.75	3	Horizontal	76.3	2.23	-	31.50	5.86	32.11
PK	5.4684G	67.99	68.20	-0.21	62.74	3	Horizontal	76.3	2.23	-	31.50	5.87	32.12
PK	5.4996G	118.93	Inf	-Inf	113.66	3	Horizontal	76.3	2.23	-	31.50	5.90	32.13
AV	5.4984G	106.48	Inf	-Inf	101.21	3	Horizontal	76.3	2.23	-	31.50	5.90	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.26511G	56.22	74.00	-17.78	46.33	3	Vertical	10	1.71	-	36.34	7.57	34.02
AV	8.26501G	51.03	54.00	-2.97	41.14	3	Vertical	10	1.71	-	36.34	7.57	34.02
PK	11.02056G	56.29	74.00	-17.71	41.19	3	Vertical	268	2.61	-	40.12	9.21	34.23
AV	11.01752G	42.55	54.00	-11.45	27.44	3	Vertical	268	2.61	-	40.13	9.21	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.26502G	57.39	74.00	-16.61	47.50	3	Horizontal	151	1.80	-	36.34	7.57	34.02
AV	8.26503G	53.20	54.00	-0.80	43.31	3	Horizontal	151	1.80	-	36.34	7.57	34.02
PK	11.02058G	55.62	74.00	-18.38	40.52	3	Horizontal	40	1.77	-	40.12	9.21	34.23
AV	11.01982G	42.38	54.00	-11.62	27.28	3	Horizontal	40	1.77	-	40.12	9.21	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 96
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	66.01	74.00	-7.99	60.77	3	Vertical	142	2.04	-	31.50	5.85	32.11
AV	5.4594G	49.35	54.00	-4.65	44.10	3	Vertical	142	2.04	-	31.50	5.86	32.11
PK	5.4672G	66.60	68.20	-1.60	61.35	3	Vertical	142	2.04	-	31.50	5.87	32.12
PK	5.544G	115.95	Inf	-Inf	110.67	3	Vertical	142	2.04	-	31.50	5.94	32.16
AV	5.541G	103.20	Inf	-Inf	97.91	3	Vertical	142	2.04	-	31.50	5.94	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 96
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.44	74.00	-8.56	60.19	3	Horizontal	83	2.43	-	31.50	5.86	32.11
AV	5.46G	49.62	54.00	-4.38	44.37	3	Horizontal	83	2.43	-	31.50	5.86	32.11
PK	5.4612G	67.96	68.20	-0.24	62.71	3	Horizontal	83	2.43	-	31.50	5.86	32.11
PK	5.5554G	122.59	Inf	-Inf	117.28	3	Horizontal	83	2.43	-	31.51	5.96	32.16
AV	5.556G	110.07	Inf	-Inf	104.76	3	Horizontal	83	2.43	-	31.51	5.96	32.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 96
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.32509G	54.85	74.00	-19.15	45.13	3	Vertical	14	2.01	-	36.20	7.54	34.02
AV	8.32504G	48.68	54.00	-5.32	38.96	3	Vertical	14	2.01	-	36.20	7.54	34.02
PK	11.09546G	55.80	74.00	-18.20	40.97	3	Vertical	52	2.50	-	39.82	9.26	34.25
AV	11.09818G	42.10	54.00	-11.90	27.28	3	Vertical	52	2.50	-	39.81	9.26	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 96
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.3251G	57.70	74.00	-16.30	47.98	3	Horizontal	109	1.45	-	36.20	7.54	34.02
AV	8.32504G	53.51	54.00	-0.49	43.79	3	Horizontal	109	1.45	-	36.20	7.54	34.02
PK	11.10128G	55.26	74.00	-18.74	40.45	3	Horizontal	172	1.70	-	39.80	9.26	34.25
AV	11.09786G	41.92	54.00	-12.08	27.10	3	Horizontal	172	1.70	-	39.81	9.26	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 81
06-D-5-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6532G	111.52	Inf	-Inf	106.13	3	Vertical	149.2	1.80	-	31.61	6.00	32.22
AV	5.6516G	98.53	Inf	-Inf	93.14	3	Vertical	149.2	1.80	-	31.61	6.00	32.22
PK	5.726G	63.78	68.20	-4.42	58.15	3	Vertical	149.2	1.80	-	31.90	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 81
06-D-5-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	119.04	Inf	-Inf	113.65	3	Horizontal	286	1.60	-	31.61	6.00	32.22
AV	5.6552G	105.44	Inf	-Inf	100.04	3	Horizontal	286	1.60	-	31.62	6.00	32.22
PK	5.7292G	67.98	68.20	-0.22	62.33	3	Horizontal	286	1.60	-	31.92	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33618G	56.07	74.00	-17.93	41.28	3	Vertical	347	2.59	-	39.67	9.40	34.28
AV	11.33888G	42.25	54.00	-11.75	27.45	3	Vertical	347	2.59	-	39.68	9.40	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT X_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33868G	55.96	74.00	-18.04	41.16	3	Horizontal	212	1.66	-	39.68	9.40	34.28
AV	11.33606G	42.27	54.00	-11.73	27.48	3	Horizontal	212	1.66	-	39.67	9.40	34.28


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_4TX
 Setting 108
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	58.60	74.00	-15.40	53.36	3	Vertical	150.5	2.66	-	31.50	5.85	32.11
PK	5.4652G	58.52	68.20	-9.68	53.26	3	Vertical	150.5	2.66	-	31.50	5.87	32.11
AV	5.46G	46.56	54.00	-7.44	41.31	3	Vertical	150.5	2.66	-	31.50	5.86	32.11
PK	5.7148G	116.00	Inf	-Inf	110.40	3	Vertical	150.5	2.66	-	31.86	6.00	32.26
AV	5.7148G	103.61	Inf	-Inf	98.01	3	Vertical	150.5	2.66	-	31.86	6.00	32.26
PK	5.85G	60.54	68.20	-7.66	54.85	3	Vertical	150.5	2.66	-	32.00	6.03	32.34


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_4TX
 Setting 108
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.10	74.00	-13.90	54.85	3	Horizontal	80	2.43	-	31.50	5.86	32.11
AV	5.452G	47.58	54.00	-6.42	42.34	3	Horizontal	80	2.43	-	31.50	5.85	32.11
PK	5.47G	59.83	68.20	-8.37	54.58	3	Horizontal	80	2.43	-	31.50	5.87	32.12
PK	5.6956G	118.69	Inf	-Inf	113.16	3	Horizontal	80	2.43	-	31.78	6.00	32.25
AV	5.6956G	107.95	Inf	-Inf	102.42	3	Horizontal	80	2.43	-	31.78	6.00	32.25
PK	5.8528G	64.86	68.20	-3.34	59.16	3	Horizontal	80	2.43	-	32.01	6.03	32.34


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
 Setting 108
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41958G	55.62	74.00	-18.38	40.71	3	Vertical	34	1.33	-	39.76	9.45	34.30
AV	11.41704G	42.09	54.00	-11.91	27.17	3	Vertical	34	1.33	-	39.77	9.45	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
 Setting 108
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42438G	55.79	74.00	-18.21	40.89	3	Horizontal	114	1.52	-	39.75	9.45	34.30
AV	11.41766G	42.03	54.00	-11.97	27.12	3	Horizontal	114	1.52	-	39.76	9.45	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.35	68.20	-7.85	54.97	3	Vertical	14.4	1.02	-	31.60	6.00	32.22
PK	5.749G	116.59	Inf	-Inf	110.87	3	Vertical	14.4	1.02	-	32.00	6.00	32.28
AV	5.753G	103.57	Inf	-Inf	97.85	3	Vertical	14.4	1.02	-	32.00	6.00	32.28
PK	5.984G	60.11	68.20	-8.09	54.24	3	Vertical	14.4	1.02	-	32.20	6.09	32.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 102
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.96	68.20	-0.24	62.58	3	Horizontal	83	1.05	-	31.60	6.00	32.22
PK	5.736G	123.53	Inf	-Inf	117.86	3	Horizontal	83	1.05	-	31.94	6.00	32.27
AV	5.737G	112.09	Inf	-Inf	106.41	3	Horizontal	83	1.05	-	31.95	6.00	32.27
PK	5.962G	60.04	68.20	-8.16	54.17	3	Horizontal	83	1.05	-	32.20	6.08	32.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50554G	55.68	74.00	-18.32	40.90	3	Vertical	174	2.64	-	39.59	9.50	34.31
AV	11.50632G	41.69	54.00	-12.31	26.91	3	Vertical	174	2.64	-	39.59	9.50	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5146G	55.70	74.00	-18.30	40.91	3	Horizontal	250	2.60	-	39.59	9.51	34.31
AV	11.51182G	41.67	54.00	-12.33	26.88	3	Horizontal	250	2.60	-	39.59	9.51	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	60.09	68.20	-8.11	54.69	3	Vertical	78	1.79	-	31.60	6.00	32.20
PK	5.793G	114.92	Inf	-Inf	109.23	3	Vertical	78	1.79	-	32.00	6.00	32.31
AV	5.789G	102.50	Inf	-Inf	96.80	3	Vertical	78	1.79	-	32.00	6.00	32.30
PK	6.033G	60.20	68.20	-8.00	54.12	3	Vertical	78	1.79	-	32.40	6.12	32.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	62.02	68.20	-6.18	56.63	3	Horizontal	58	1.90	-	31.58	5.99	32.18
PK	5.792G	122.77	Inf	-Inf	117.08	3	Horizontal	58	1.90	-	32.00	6.00	32.31
AV	5.793G	111.62	Inf	-Inf	105.93	3	Horizontal	58	1.90	-	32.00	6.00	32.31
PK	6.04G	60.79	68.20	-7.41	54.68	3	Horizontal	58	1.90	-	32.44	6.12	32.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5895G	55.37	74.00	-18.63	40.60	3	Vertical	46	1.64	-	39.51	9.55	34.29
AV	11.59004G	41.71	54.00	-12.29	26.94	3	Vertical	46	1.64	-	39.51	9.55	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59174G	55.13	74.00	-18.87	40.35	3	Horizontal	328	1.44	-	39.51	9.56	34.29
AV	11.58852G	41.65	54.00	-12.35	26.88	3	Horizontal	328	1.44	-	39.51	9.55	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 92
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	58.75	68.20	-9.45	53.91	3	Vertical	145	1.79	-	31.10	5.80	32.06
PK	5.453G	63.96	74.00	-10.04	58.72	3	Vertical	145	1.79	-	31.50	5.85	32.11
AV	5.449G	49.02	54.00	-4.98	43.78	3	Vertical	145	1.79	-	31.50	5.85	32.11
PK	5.467G	63.71	68.20	-4.49	58.46	3	Vertical	145	1.79	-	31.50	5.87	32.12
PK	5.555G	110.35	Inf	-Inf	105.04	3	Vertical	145	1.79	-	31.51	5.96	32.16
AV	5.557G	97.48	Inf	-Inf	92.17	3	Vertical	145	1.79	-	31.51	5.96	32.16
PK	5.738G	59.75	68.20	-8.45	54.07	3	Vertical	145	1.79	-	31.95	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 92
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	58.71	68.20	-9.49	53.86	3	Horizontal	84	2.44	-	31.10	5.80	32.05
PK	5.442G	67.90	74.00	-6.10	62.68	3	Horizontal	84	2.44	-	31.48	5.84	32.10
PK	5.462G	68.11	68.20	-0.09	62.86	3	Horizontal	84	2.44	-	31.50	5.86	32.11
AV	5.46G	50.00	54.00	-4.00	44.75	3	Horizontal	84	2.44	-	31.50	5.86	32.11
PK	5.553G	119.05	Inf	-Inf	113.75	3	Horizontal	84	2.44	-	31.51	5.95	32.16
AV	5.556G	106.82	Inf	-Inf	101.51	3	Horizontal	84	2.44	-	31.51	5.96	32.16
PK	5.749G	61.65	68.20	-6.55	55.93	3	Horizontal	84	2.44	-	32.00	6.00	32.28

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 92
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.29509G	56.10	74.00	-17.90	46.35	3	Vertical	13.1	1.95	-	36.22	7.55	34.02
AV	8.29507G	50.63	54.00	-3.37	40.88	3	Vertical	13.1	1.95	-	36.22	7.55	34.02
PK	11.0565G	55.94	74.00	-18.06	40.98	3	Vertical	248	2.93	-	39.97	9.23	34.24
AV	11.0591G	42.46	54.00	-11.54	27.50	3	Vertical	248	2.93	-	39.96	9.24	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 92
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.29507G	58.03	74.00	-15.97	48.28	3	Horizontal	109	1.48	-	36.22	7.55	34.02
AV	8.29506G	53.96	54.00	-0.04	44.21	3	Horizontal	109	1.48	-	36.22	7.55	34.02
PK	11.05736G	55.96	74.00	-18.04	41.00	3	Horizontal	352	2.42	-	39.97	9.23	34.24
AV	11.0615G	42.30	54.00	-11.70	27.35	3	Horizontal	352	2.42	-	39.95	9.24	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 91
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.78	74.00	-12.22	56.54	3	Vertical	143	2.02	-	31.50	5.85	32.11
AV	5.459G	48.75	54.00	-5.25	43.50	3	Vertical	143	2.02	-	31.50	5.86	32.11
PK	5.47G	63.38	68.20	-4.82	58.13	3	Vertical	143	2.02	-	31.50	5.87	32.12
PK	5.603G	111.01	Inf	-Inf	105.60	3	Vertical	143	2.02	-	31.60	6.00	32.19
AV	5.602G	98.75	Inf	-Inf	93.34	3	Vertical	143	2.02	-	31.60	6.00	32.19
PK	5.729G	67.37	68.20	-0.83	61.72	3	Vertical	143	2.02	-	31.92	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 91
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	62.87	74.00	-11.13	57.64	3	Horizontal	67.8	1.57	-	31.49	5.84	32.10
PK	5.461G	65.41	68.20	-2.79	60.16	3	Horizontal	67.8	1.57	-	31.50	5.86	32.11
AV	5.46G	48.98	54.00	-5.02	43.73	3	Horizontal	67.8	1.57	-	31.50	5.86	32.11
PK	5.609G	116.63	Inf	-Inf	111.23	3	Horizontal	67.8	1.57	-	31.60	6.00	32.20
AV	5.607G	104.05	Inf	-Inf	98.64	3	Horizontal	67.8	1.57	-	31.60	6.00	32.19
PK	5.739G	67.96	68.20	-0.24	62.27	3	Horizontal	67.8	1.57	-	31.96	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 91
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2179G	55.49	74.00	-18.51	40.82	3	Vertical	20	1.22	-	39.60	9.33	34.26
AV	11.21658G	41.99	54.00	-12.01	27.32	3	Vertical	20	1.22	-	39.60	9.33	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



EUT X_4TX
Setting 91
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21804G	55.52	74.00	-18.48	40.85	3	Horizontal	222	1.59	-	39.60	9.33	34.26
AV	11.21578G	41.89	54.00	-12.11	27.22	3	Horizontal	222	1.59	-	39.60	9.33	34.26


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_4TX
 Setting 97
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.47	74.00	-13.53	55.22	3	Vertical	360	3.00	-	31.50	5.86	32.11
AV	5.457G	47.51	54.00	-6.49	42.26	3	Vertical	360	3.00	-	31.50	5.86	32.11
PK	5.462G	60.12	68.20	-8.08	54.87	3	Vertical	360	3.00	-	31.50	5.86	32.11
PK	5.666G	113.96	Inf	-Inf	108.53	3	Vertical	360	3.00	-	31.66	6.00	32.23
AV	5.685G	99.56	Inf	-Inf	94.06	3	Vertical	360	3.00	-	31.74	6.00	32.24
PK	5.851G	61.75	68.20	-6.45	56.06	3	Vertical	360	3.00	-	32.00	6.03	32.34


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_4TX
 Setting 97
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.05	74.00	-11.95	56.80	3	Horizontal	91	2.39	-	31.50	5.86	32.11
AV	5.459G	48.46	54.00	-5.54	43.21	3	Horizontal	91	2.39	-	31.50	5.86	32.11
PK	5.461G	62.23	68.20	-5.97	56.98	3	Horizontal	91	2.39	-	31.50	5.86	32.11
PK	5.693G	120.65	Inf	-Inf	115.13	3	Horizontal	91	2.39	-	31.77	6.00	32.25
AV	5.692G	108.16	Inf	-Inf	102.64	3	Horizontal	91	2.39	-	31.77	6.00	32.25
PK	5.853G	67.98	68.20	-0.22	62.28	3	Horizontal	91	2.39	-	32.01	6.03	32.34


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_4TX
 Setting 97
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3794G	55.74	74.00	-18.26	40.84	3	Vertical	334	1.26	-	39.76	9.43	34.29
AV	11.37814G	42.31	54.00	-11.69	27.41	3	Vertical	334	1.26	-	39.76	9.43	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
 Setting 97
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38462G	56.23	74.00	-17.77	41.32	3	Horizontal	18	1.59	-	39.77	9.43	34.29
AV	11.37808G	42.36	54.00	-11.64	27.46	3	Horizontal	18	1.59	-	39.76	9.43	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 98
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	62.71	68.20	-5.49	57.32	3	Vertical	106	1.80	-	31.60	6.00	32.21
PK	5.78G	108.50	Inf	-Inf	102.80	3	Vertical	106	1.80	-	32.00	6.00	32.30
AV	5.752G	96.52	Inf	-Inf	90.80	3	Vertical	106	1.80	-	32.00	6.00	32.28
PK	5.94G	59.86	68.20	-8.34	54.00	3	Vertical	106	1.80	-	32.18	6.07	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 98
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	68.03	68.20	-0.17	62.64	3	Horizontal	90.1	1.80	-	31.60	6.00	32.21
PK	5.761G	120.42	Inf	-Inf	114.71	3	Horizontal	90.1	1.80	-	32.00	6.00	32.29
AV	5.762G	109.32	Inf	-Inf	103.61	3	Horizontal	90.1	1.80	-	32.00	6.00	32.29
PK	6.023G	61.09	68.20	-7.11	55.08	3	Horizontal	90.1	1.80	-	32.34	6.11	32.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 98
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54514G	56.25	74.00	-17.75	41.47	3	Vertical	21	1.48	-	39.55	9.53	34.30
AV	11.54934G	42.33	54.00	-11.67	27.55	3	Vertical	21	1.48	-	39.55	9.53	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 98
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54532G	56.22	74.00	-17.78	41.44	3	Horizontal	255	1.77	-	39.55	9.53	34.30
AV	11.55108G	42.37	54.00	-11.63	27.59	3	Horizontal	255	1.77	-	39.55	9.53	34.30

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 75
06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.21G	59.02	68.20	-9.18	53.88	3	Vertical	142.4	1.80	-	31.34	5.80	32.00
PK	5.4436G	60.35	74.00	-13.65	55.13	3	Vertical	142.4	1.80	-	31.49	5.84	32.11
PK	5.4612G	61.82	68.20	-6.38	56.57	3	Vertical	142.4	1.80	-	31.50	5.86	32.11
AV	5.458G	47.79	54.00	-6.21	42.54	3	Vertical	142.4	1.80	-	31.50	5.86	32.11
PK	5.6052G	104.81	Inf	-Inf	99.40	3	Vertical	142.4	1.80	-	31.60	6.00	32.19
AV	5.5508G	91.88	Inf	-Inf	86.59	3	Vertical	142.4	1.80	-	31.50	5.95	32.16
PK	5.7636G	60.79	68.20	-7.41	55.08	3	Vertical	142.4	1.80	-	32.00	6.00	32.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
 Setting 75
 06-D-S-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2116G	59.94	68.20	-8.26	54.81	3	Horizontal	68	1.18	-	31.33	5.80	32.00
PK	5.4452G	73.78	74.00	-0.22	68.55	3	Horizontal	68	1.18	-	31.49	5.85	32.11
PK	5.4644G	65.92	68.20	-2.28	60.67	3	Horizontal	68	1.18	-	31.50	5.86	32.11
AV	5.4564G	49.70	54.00	-4.30	44.45	3	Horizontal	68	1.18	-	31.50	5.86	32.11
PK	5.5444G	112.07	Inf	-Inf	106.79	3	Horizontal	68	1.18	-	31.50	5.94	32.16
AV	5.5428G	100.09	Inf	-Inf	94.81	3	Horizontal	68	1.18	-	31.50	5.94	32.16
PK	5.7412G	63.95	68.20	-4.25	58.26	3	Horizontal	68	1.18	-	31.96	6.00	32.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.35511G	55.18	74.00	-18.82	45.48	3	Vertical	10.3	1.99	-	36.20	7.52	34.02
AV	8.35501G	49.77	54.00	-4.23	40.07	3	Vertical	10.3	1.99	-	36.20	7.52	34.02
PK	11.13974G	55.89	74.00	-18.11	41.14	3	Vertical	322	2.31	-	39.72	9.28	34.25
AV	11.1376G	41.87	54.00	-12.13	27.12	3	Vertical	322	2.31	-	39.72	9.28	34.25

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	8.355G	54.96	74.00	-19.04	45.26	3	Horizontal	22	1.80	-	36.20	7.52	34.02
AV	8.35507G	49.31	54.00	-4.69	39.61	3	Horizontal	22	1.80	-	36.20	7.52	34.02
PK	11.1419G	55.69	74.00	-18.31	40.93	3	Horizontal	21	2.55	-	39.72	9.29	34.25
AV	11.13662G	41.91	54.00	-12.09	27.15	3	Horizontal	21	2.55	-	39.73	9.28	34.25




For UNII 2C and UNII 3:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.725G	67.98	68.20	-0.22	3	Horizontal	89	1.12	-

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 81
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	111.76	Inf	-Inf	104.59	3	Vertical	332	1.65	-	33.71	5.60	32.14
AV	5.6934G	101.97	Inf	-Inf	94.80	3	Vertical	332	1.65	-	33.71	5.60	32.14
PK	5.7262G	66.56	68.20	-1.64	59.35	3	Vertical	332	1.65	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 81
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7G	120.45	Inf	-Inf	113.29	3	Horizontal	89	1.12	-	33.70	5.60	32.14
AV	5.7012G	110.28	Inf	-Inf	103.12	3	Horizontal	89	1.12	-	33.70	5.60	32.14
PK	5.725G	67.98	68.20	-0.22	60.77	3	Horizontal	89	1.12	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 81
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	52.46	74.00	-21.54	39.03	3	Vertical	188	1.80	-	38.80	7.86	33.23
AV	11.40648G	38.72	54.00	-15.28	25.28	3	Vertical	188	1.80	-	38.81	7.86	33.23
PK	17.1088G	58.37	68.20	-9.83	39.88	3	Vertical	0	1.48	-	41.36	10.55	33.42

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 81
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40316G	52.41	74.00	-21.59	38.97	3	Horizontal	79	1.80	-	38.81	7.86	33.23
AV	11.4082G	38.90	54.00	-15.10	25.45	3	Horizontal	79	1.80	-	38.82	7.86	33.23
PK	17.1046G	58.05	68.20	-10.15	39.59	3	Horizontal	300	1.81	-	41.33	10.55	33.42

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.37	68.20	-9.83	51.04	3	Vertical	0	2.75	-	33.87	5.60	32.14
PK	5.823G	117.06	Inf	-Inf	109.84	3	Vertical	0	2.75	-	33.75	5.62	32.15
AV	5.823G	107.56	Inf	-Inf	100.34	3	Vertical	0	2.75	-	33.75	5.62	32.15
PK	6.073G	59.25	68.20	-8.95	51.26	3	Vertical	0	2.75	-	34.35	5.80	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	63.74	68.20	-4.46	56.42	3	Horizontal	77	2.89	-	33.86	5.60	32.14
PK	5.818G	124.59	Inf	-Inf	117.38	3	Horizontal	77	2.89	-	33.74	5.62	32.15
AV	5.819G	114.07	Inf	-Inf	106.86	3	Horizontal	77	2.89	-	33.74	5.62	32.15
PK	5.934G	58.36	68.20	-9.84	50.72	3	Horizontal	77	2.89	-	34.07	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6556G	53.28	74.00	-20.72	39.22	3	Vertical	104	2.12	-	39.36	7.96	33.26
AV	11.65164G	39.66	54.00	-14.34	25.61	3	Vertical	104	2.12	-	39.35	7.96	33.26
PK	17.4786G	61.23	68.20	-6.97	39.83	3	Vertical	192	1.80	-	43.65	10.74	32.99

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65676G	54.08	74.00	-19.92	40.02	3	Horizontal	139	1.80	-	39.36	7.96	33.26
AV	11.65184G	39.72	54.00	-14.28	25.67	3	Horizontal	139	1.80	-	39.35	7.96	33.26
PK	17.47568G	61.21	68.20	-6.99	39.84	3	Horizontal	315	2.80	-	43.63	10.74	33.00




For UNII 2C and UNII 3:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7304G	68.18	68.20	-0.02	3	Horizontal	77	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 73
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6942G	115.49	Inf	-Inf	108.32	3	Vertical	84	1.80	-	33.71	5.60	32.14
AV	5.692G	102.47	Inf	-Inf	95.29	3	Vertical	84	1.80	-	33.72	5.60	32.14
PK	5.7486G	58.03	68.20	-10.17	50.77	3	Vertical	84	1.80	-	33.80	5.60	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 73
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	119.46	Inf	-Inf	112.28	3	Horizontal	77	2.41	-	33.72	5.60	32.14
AV	5.6914G	107.51	Inf	-Inf	100.33	3	Horizontal	77	2.41	-	33.72	5.60	32.14
PK	5.7304G	68.18	68.20	-0.02	60.96	3	Horizontal	77	2.41	-	33.76	5.60	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 73
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40192G	58.54	74.00	-15.46	45.11	3	Vertical	105	1.11	-	38.80	7.86	33.23
AV	11.39998G	42.60	54.00	-11.40	29.17	3	Vertical	105	1.11	-	38.80	7.86	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 73
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40346G	52.21	74.00	-21.79	38.77	3	Horizontal	129	2.39	-	38.81	7.86	33.23
AV	11.4028G	38.66	54.00	-15.34	25.22	3	Horizontal	129	2.39	-	38.81	7.86	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	59.28	68.20	-8.92	51.94	3	Vertical	330	1.68	-	33.88	5.60	32.14
PK	5.817G	120.48	Inf	-Inf	113.28	3	Vertical	330	1.68	-	33.73	5.62	32.15
AV	5.817G	108.33	Inf	-Inf	101.13	3	Vertical	330	1.68	-	33.73	5.62	32.15
PK	6.07G	58.40	68.20	-9.80	50.42	3	Vertical	330	1.68	-	34.34	5.80	32.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	64.83	68.20	-3.37	57.53	3	Horizontal	86	1.29	-	33.84	5.60	32.14
PK	5.83G	125.50	Inf	-Inf	118.26	3	Horizontal	86	1.29	-	33.76	5.63	32.15
AV	5.83G	114.17	Inf	-Inf	106.93	3	Horizontal	86	1.29	-	33.76	5.63	32.15
PK	5.95G	57.95	68.20	-10.25	50.26	3	Horizontal	86	1.29	-	34.10	5.75	32.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6548G	53.42	74.00	-20.58	39.37	3	Vertical	280	2.95	-	39.35	7.96	33.26
AV	11.64528G	39.61	54.00	-14.39	25.56	3	Vertical	280	2.95	-	39.35	7.96	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6523G	53.29	74.00	-20.71	39.24	3	Horizontal	159	2.85	-	39.35	7.96	33.26
AV	11.64834G	39.68	54.00	-14.32	25.63	3	Horizontal	159	2.85	-	39.35	7.96	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	57.97	74.00	-16.03	50.75	3	Vertical	142	1.47	-	33.90	5.45	32.13
PK	5.4692G	59.52	68.20	-8.68	52.28	3	Vertical	142	1.47	-	33.90	5.47	32.13
AV	5.46G	45.54	54.00	-8.46	38.31	3	Vertical	142	1.47	-	33.90	5.46	32.13
PK	5.5236G	113.70	Inf	-Inf	106.41	3	Vertical	142	1.47	-	33.90	5.52	32.13
AV	5.5248G	100.29	Inf	-Inf	93.00	3	Vertical	142	1.47	-	33.90	5.52	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 87
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	62.19	74.00	-11.81	54.97	3	Horizontal	290	1.69	-	33.90	5.45	32.13
PK	5.4644G	64.12	68.20	-4.08	56.89	3	Horizontal	290	1.69	-	33.90	5.46	32.13
AV	5.46G	47.56	54.00	-6.44	40.33	3	Horizontal	290	1.69	-	33.90	5.46	32.13
PK	5.5004G	119.52	Inf	-Inf	112.25	3	Horizontal	290	1.69	-	33.90	5.50	32.13
AV	5.5008G	106.70	Inf	-Inf	99.43	3	Horizontal	290	1.69	-	33.90	5.50	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01988G	51.99	74.00	-22.01	39.03	3	Vertical	3	1.80	-	38.52	7.71	33.27
AV	11.02064G	37.92	54.00	-16.08	24.96	3	Vertical	3	1.80	-	38.52	7.71	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01944G	52.49	74.00	-21.51	39.53	3	Horizontal	164	2.25	-	38.52	7.71	33.27
AV	11.01964G	37.98	54.00	-16.02	25.02	3	Horizontal	164	2.25	-	38.52	7.71	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.76	68.20	-9.44	51.48	3	Vertical	346	1.03	-	33.82	5.60	32.14
PK	5.739G	116.85	Inf	-Inf	109.61	3	Vertical	346	1.03	-	33.78	5.60	32.14
AV	5.739G	104.23	Inf	-Inf	96.99	3	Vertical	346	1.03	-	33.78	5.60	32.14
PK	5.927G	57.86	68.20	-10.34	50.24	3	Vertical	346	1.03	-	34.05	5.73	32.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
02-B-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.17	68.20	-3.03	57.90	3	Horizontal	87	1.32	-	33.81	5.60	32.14
PK	5.739G	126.57	Inf	-Inf	119.33	3	Horizontal	87	1.32	-	33.78	5.60	32.14
AV	5.738G	114.94	Inf	-Inf	107.70	3	Horizontal	87	1.32	-	33.78	5.60	32.14
PK	5.948G	58.10	68.20	-10.10	50.41	3	Horizontal	87	1.32	-	34.10	5.75	32.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50628G	52.37	74.00	-21.63	38.67	3	Vertical	309	1.09	-	39.02	7.90	33.22
AV	11.51308G	38.40	54.00	-15.60	24.67	3	Vertical	309	1.09	-	39.04	7.91	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT X_4TX
Setting 102
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51394G	52.46	74.00	-21.54	38.73	3	Horizontal	36	2.82	-	39.04	7.91	33.22
AV	11.51094G	38.47	54.00	-15.53	24.76	3	Horizontal	36	2.82	-	39.03	7.90	33.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 90
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	56.41	68.20	-11.79	49.49	3	Vertical	360	2.91	-	33.70	5.36	32.14
PK	5.446G	59.80	74.00	-14.20	52.59	3	Vertical	360	2.91	-	33.89	5.45	32.13
AV	5.448G	47.51	54.00	-6.49	40.29	3	Vertical	360	2.91	-	33.90	5.45	32.13
PK	5.467G	58.87	68.20	-9.33	51.63	3	Vertical	360	2.91	-	33.90	5.47	32.13
PK	5.539G	110.69	Inf	-Inf	103.38	3	Vertical	360	2.91	-	33.90	5.54	32.13
AV	5.536G	98.23	Inf	-Inf	90.92	3	Vertical	360	2.91	-	33.90	5.54	32.13
PK	5.753G	58.21	68.20	-9.99	50.97	3	Vertical	360	2.91	-	33.79	5.60	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 90
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	56.43	68.20	-11.77	49.50	3	Horizontal	92	2.16	-	33.70	5.37	32.14
PK	5.444G	64.73	74.00	-9.27	57.53	3	Horizontal	92	2.16	-	33.89	5.44	32.13
PK	5.465G	67.90	68.20	-0.30	60.67	3	Horizontal	92	2.16	-	33.90	5.46	32.13
AV	5.46G	50.37	54.00	-3.63	43.14	3	Horizontal	92	2.16	-	33.90	5.46	32.13
PK	5.561G	117.28	Inf	-Inf	109.95	3	Horizontal	92	2.16	-	33.90	5.56	32.13
AV	5.557G	105.01	Inf	-Inf	97.68	3	Horizontal	92	2.16	-	33.90	5.56	32.13
PK	5.728G	58.16	68.20	-10.04	50.94	3	Horizontal	92	2.16	-	33.76	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 90
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05712G	51.21	74.00	-22.79	38.19	3	Vertical	290	1.69	-	38.56	7.72	33.26
AV	11.06014G	37.16	54.00	-16.84	24.14	3	Vertical	290	1.69	-	38.56	7.72	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 90
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06466G	51.39	74.00	-22.61	38.36	3	Horizontal	287	2.52	-	38.56	7.73	33.26
AV	11.05644G	37.18	54.00	-16.82	24.16	3	Horizontal	287	2.52	-	38.56	7.72	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	66.20	68.20	-2.00	58.92	3	Vertical	330	2.23	-	33.82	5.60	32.14
PK	5.744G	110.53	Inf	-Inf	103.28	3	Vertical	330	2.23	-	33.79	5.60	32.14
AV	5.744G	97.81	Inf	-Inf	90.56	3	Vertical	330	2.23	-	33.79	5.60	32.14
PK	5.93G	57.75	68.20	-10.45	50.12	3	Vertical	330	2.23	-	34.06	5.73	32.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.80	68.94	-1.14	60.54	3	Horizontal	267.9	2.16	-	33.80	5.60	32.14
PK	5.763G	119.33	Inf	-Inf	112.11	3	Horizontal	267.9	2.16	-	33.77	5.60	32.15
AV	5.763G	107.21	Inf	-Inf	99.99	3	Horizontal	267.9	2.16	-	33.77	5.60	32.15
PK	5.985G	57.38	68.20	-10.82	49.65	3	Horizontal	267.9	2.16	-	34.10	5.79	32.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54652G	52.79	74.00	-21.21	38.96	3	Vertical	324	2.20	-	39.14	7.92	33.23
AV	11.54744G	38.21	54.00	-15.79	24.38	3	Vertical	324	2.20	-	39.14	7.92	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54892G	52.55	74.00	-21.45	38.71	3	Horizontal	350	2.11	-	39.15	7.92	33.23
AV	11.54646G	38.22	54.00	-15.78	24.39	3	Horizontal	350	2.11	-	39.14	7.92	33.23

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 74
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	57.15	68.20	-11.05	50.22	3	Vertical	133	1.80	-	33.70	5.37	32.14
PK	5.4596G	63.63	74.00	-10.37	56.40	3	Vertical	133	1.80	-	33.90	5.46	32.13
AV	5.4596G	46.73	54.00	-7.27	39.50	3	Vertical	133	1.80	-	33.90	5.46	32.13
PK	5.466G	64.35	68.20	-3.85	57.11	3	Vertical	133	1.80	-	33.90	5.47	32.13
PK	5.578G	105.12	Inf	-Inf	97.77	3	Vertical	133	1.80	-	33.90	5.58	32.13
AV	5.5764G	92.19	Inf	-Inf	84.84	3	Vertical	133	1.80	-	33.90	5.58	32.13
PK	5.7444G	59.06	68.20	-9.14	51.81	3	Vertical	133	1.80	-	33.79	5.60	32.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 74
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	56.06	68.20	-12.14	49.14	3	Horizontal	82	1.12	-	33.70	5.36	32.14
PK	5.458G	63.63	74.00	-10.37	56.40	3	Horizontal	82	1.12	-	33.90	5.46	32.13
AV	5.45G	49.90	54.00	-4.10	42.68	3	Horizontal	82	1.12	-	33.90	5.45	32.13
PK	5.466G	68.05	68.20	-0.15	60.81	3	Horizontal	82	1.12	-	33.90	5.47	32.13
PK	5.5412G	108.17	Inf	-Inf	100.86	3	Horizontal	82	1.12	-	33.90	5.54	32.13
AV	5.5412G	96.34	Inf	-Inf	89.03	3	Horizontal	82	1.12	-	33.90	5.54	32.13
PK	5.7908G	65.01	68.20	-3.19	57.84	3	Horizontal	82	1.12	-	33.72	5.60	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 74
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13524G	51.81	74.00	-22.19	38.68	3	Vertical	239	2.91	-	38.64	7.75	33.26
AV	11.13756G	37.77	54.00	-16.23	24.63	3	Vertical	239	2.91	-	38.64	7.76	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 74
02-B-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14406G	51.92	74.00	-22.08	38.78	3	Horizontal	275	1.91	-	38.64	7.76	33.26
AV	11.13802G	37.81	54.00	-16.19	24.67	3	Horizontal	275	1.91	-	38.64	7.76	33.26



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.59945G	24.28	54.00	-29.72	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.59941G	35.56	74.00	-38.44	-7.98	3	Vertical	255	1.13	-	43.54	25.40	4.00	37.38
AV	1.59948G	23.13	54.00	-30.87	-7.98	3	Vertical	255	1.13	"Worst"	31.11	25.40	4.00	37.38

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.5997G	35.51	74.00	-38.49	-7.98	3	Horizontal	111	1.00	-	43.49	25.40	4.00	37.38
AV	1.59945G	24.28	54.00	-29.72	-7.98	3	Horizontal	111	1.00	"Worst"	32.26	25.40	4.00	37.38