


802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05204G	59.23	88.20	-28.97	43.52	3	Vertical	71	1.19	-	39.10	10.59	33.98
RMS	13.05192G	45.07	68.20	-23.13	29.36	3	Vertical	71	1.19	-	39.10	10.59	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




16/01/2022

EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05226G	59.08	88.20	-29.12	43.37	3	Horizontal	150	2.11	-	39.10	10.59	33.98
RMS	13.04512G	45.13	68.20	-23.07	29.43	3	Horizontal	150	2.11	-	39.10	10.58	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57322G	45.54	83.54	-38.00	42.04	1	Vertical	53	1.53	-	37.87	15.33	49.70
AV	19.57444G	32.04	63.54	-31.50	28.54	1	Vertical	53	1.53	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57008G	45.88	83.54	-37.66	42.38	1	Horizontal	57	1.57	-	37.87	15.33	49.70
AV	19.57152G	32.02	63.54	-31.52	28.52	1	Horizontal	57	1.57	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5506G	108.42	Inf	-Inf	100.56	3	Vertical	39	1.80	-	34.10	6.48	32.72
RMS	6.5506G	98.29	Inf	-Inf	90.43	3	Vertical	39	1.80	-	34.10	6.48	32.72
PK	7.1362G	62.75	88.20	-25.45	53.47	3	Vertical	39	1.80	-	35.82	6.84	33.38
RMS	7.1362G	51.55	68.20	-16.65	42.27	3	Vertical	39	1.80	-	35.82	6.84	33.38

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	103.34	Inf	-Inf	95.47	3	Horizontal	239	2.89	-	34.12	6.48	32.73
RMS	6.5578G	94.27	Inf	-Inf	86.40	3	Horizontal	239	2.89	-	34.12	6.48	32.73
PK	7.1434G	62.47	88.20	-25.73	53.15	3	Horizontal	239	2.89	-	35.86	6.84	33.38
RMS	7.1458G	51.52	68.20	-16.68	42.18	3	Horizontal	239	2.89	-	35.87	6.85	33.38

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




16/01/2022

EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13216G	59.52	88.20	-28.68	43.70	3	Vertical	17	2.83	-	39.13	10.65	33.96
RMS	13.12632G	45.16	68.20	-23.04	29.35	3	Vertical	17	2.83	-	39.13	10.64	33.96

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12976G	58.96	88.20	-29.24	43.14	3	Horizontal	84	2.62	-	39.13	10.65	33.96
RMS	13.12686G	45.02	68.20	-23.18	29.20	3	Horizontal	84	2.62	-	39.13	10.65	33.96

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6928G	45.86	83.54	-37.68	42.36	1	Vertical	313	1.53	-	37.82	15.38	49.70
AV	19.697G	31.91	63.54	-31.63	28.41	1	Vertical	313	1.53	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69314G	44.82	83.54	-38.72	41.32	1	Horizontal	188	1.51	-	37.82	15.38	49.70
AV	19.69406G	31.99	63.54	-31.55	28.49	1	Horizontal	188	1.51	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6938G	107.60	Inf	-Inf	99.86	3	Vertical	310	1.80	-	34.10	6.55	32.91
RMS	6.6916G	98.31	Inf	-Inf	90.56	3	Vertical	310	1.80	-	34.10	6.55	32.90
PK	7.2042G	63.12	88.20	-25.08	53.51	3	Vertical	310	1.80	-	36.12	6.90	33.41
RMS	7.2064G	51.85	68.20	-16.35	42.23	3	Vertical	310	1.80	-	36.13	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6916G	104.37	Inf	-Inf	96.62	3	Horizontal	237	2.88	-	34.10	6.55	32.90
RMS	6.6762G	94.15	Inf	-Inf	86.39	3	Horizontal	237	2.88	-	34.10	6.54	32.88
PK	7.2152G	62.48	88.20	-25.72	52.84	3	Horizontal	237	2.88	-	36.16	6.90	33.42
RMS	7.2086G	51.78	68.20	-16.42	42.16	3	Horizontal	237	2.88	-	36.13	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37042G	60.21	74.00	-13.79	43.50	3	Vertical	162	2.00	-	39.79	10.83	33.91
AV	13.37434G	45.99	54.00	-8.01	29.25	3	Vertical	162	2.00	-	39.82	10.83	33.91

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37274G	60.56	74.00	-13.44	43.83	3	Horizontal	211	2.26	-	39.81	10.83	33.91
AV	13.37406G	46.07	54.00	-7.93	29.33	3	Horizontal	211	2.26	-	39.82	10.83	33.91

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05656G	45.42	83.54	-38.12	42.16	1	Vertical	166	1.58	-	37.45	15.53	49.72
AV	20.05186G	31.92	63.54	-31.62	28.68	1	Vertical	166	1.58	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0547G	45.77	83.54	-37.77	42.53	1	Horizontal	178	1.52	-	37.44	15.52	49.72
AV	20.05178G	31.97	63.54	-31.57	28.73	1	Horizontal	178	1.52	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8402G	110.50	Inf	-Inf	102.60	3	Vertical	6	1.80	-	34.38	6.62	33.10
RMS	6.8546G	98.49	Inf	-Inf	90.56	3	Vertical	6	1.80	-	34.42	6.63	33.12
PK	7.2226G	63.03	88.20	-25.17	53.36	3	Vertical	6	1.80	-	36.19	6.90	33.42
RMS	7.2018G	51.84	68.20	-16.36	42.24	3	Vertical	6	1.80	-	36.11	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	104.90	Inf	-Inf	96.99	3	Horizontal	313	2.28	-	34.39	6.62	33.10
RMS	6.861G	94.46	Inf	-Inf	86.52	3	Horizontal	313	2.28	-	34.44	6.63	33.13
PK	7.1986G	63.15	88.20	-25.05	53.57	3	Horizontal	313	2.28	-	36.09	6.90	33.41
RMS	7.237G	51.81	68.20	-16.39	42.09	3	Horizontal	313	2.28	-	36.25	6.90	33.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69208G	62.21	88.20	-25.99	45.21	3	Vertical	338	2.25	-	39.91	11.07	33.98
RMS	13.69424G	47.99	68.20	-20.21	30.99	3	Vertical	338	2.25	-	39.91	11.07	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68502G	62.12	88.20	-26.08	45.12	3	Horizontal	259	2.35	-	39.91	11.06	33.97
RMS	13.68692G	47.96	68.20	-20.24	30.95	3	Horizontal	259	2.35	-	39.91	11.07	33.97

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53624G	46.13	83.54	-37.41	42.54	1	Vertical	240	1.51	-	37.74	15.74	49.89
AV	20.531G	32.74	63.54	-30.80	29.15	1	Vertical	240	1.51	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53654G	46.53	83.54	-37.01	42.94	1	Horizontal	261	1.58	-	37.74	15.74	49.89
AV	20.5364G	32.74	63.54	-30.80	29.15	1	Horizontal	261	1.58	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8906G	109.94	Inf	-Inf	101.90	3	Vertical	311	1.78	-	34.56	6.65	33.17
RMS	6.8906G	99.64	Inf	-Inf	91.60	3	Vertical	311	1.78	-	34.56	6.65	33.17
PK	7.193G	63.04	88.20	-25.16	53.49	3	Vertical	311	1.78	-	36.07	6.89	33.41
RMS	7.2G	51.82	68.20	-16.38	42.23	3	Vertical	311	1.78	-	36.10	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 53
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8794G	104.74	Inf	-Inf	96.73	3	Horizontal	249	2.75	-	34.52	6.64	33.15
RMS	6.8794G	94.72	Inf	-Inf	86.71	3	Horizontal	249	2.75	-	34.52	6.64	33.15
PK	7.214G	62.45	88.20	-25.75	52.81	3	Horizontal	249	2.75	-	36.16	6.90	33.42
RMS	7.2028G	51.85	68.20	-16.35	42.25	3	Horizontal	249	2.75	-	36.11	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




16/01/2022

EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76548G	61.52	88.20	-26.68	44.31	3	Vertical	42	1.83	-	40.10	11.12	34.01
RMS	13.76684G	47.55	68.20	-20.65	30.33	3	Vertical	42	1.83	-	40.10	11.13	34.01

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76766G	62.08	88.20	-26.12	44.86	3	Horizontal	331	1.91	-	40.10	11.13	34.01
RMS	13.7692G	47.58	68.20	-20.62	30.35	3	Horizontal	331	1.91	-	40.11	11.13	34.01

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65732G	45.70	83.54	-37.84	41.85	1	Vertical	206	1.56	-	37.89	15.80	49.84
AV	20.66G	32.39	63.54	-31.15	28.54	1	Vertical	206	1.56	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 53
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65464G	45.91	83.54	-37.63	42.07	1	Horizontal	124	1.55	-	37.89	15.79	49.84
AV	20.6514G	32.45	63.54	-31.09	28.62	1	Horizontal	124	1.55	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 56
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	108.65	Inf	-Inf	100.41	3	Vertical	312	1.64	-	34.79	6.67	33.22
RMS	6.931G	98.31	Inf	-Inf	90.07	3	Vertical	312	1.64	-	34.79	6.67	33.22
PK	7.213G	62.41	88.20	-25.79	52.78	3	Vertical	312	1.64	-	36.15	6.90	33.42
RMS	7.2178G	51.88	68.20	-16.32	42.23	3	Vertical	312	1.64	-	36.17	6.90	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 56
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9202G	104.09	Inf	-Inf	95.91	3	Horizontal	312	2.27	-	34.72	6.66	33.20
RMS	6.919G	94.10	Inf	-Inf	85.93	3	Horizontal	312	2.27	-	34.71	6.66	33.20
PK	7.201G	62.94	88.20	-25.26	53.35	3	Horizontal	312	2.27	-	36.10	6.90	33.41
RMS	7.1998G	51.81	68.20	-16.39	42.22	3	Horizontal	312	2.27	-	36.10	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 56
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84562G	61.62	88.20	-26.58	44.24	3	Vertical	351	2.64	-	40.25	11.18	34.05
RMS	13.84914G	47.73	68.20	-20.47	30.34	3	Vertical	351	2.64	-	40.25	11.19	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 56
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8548G	61.64	88.20	-26.56	44.26	3	Horizontal	318	2.07	-	40.25	11.19	34.06
RMS	13.84578G	47.81	68.20	-20.39	30.43	3	Horizontal	318	2.07	-	40.25	11.18	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 56
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77256G	46.33	83.54	-37.21	42.31	1	Vertical	70	1.53	-	37.96	15.85	49.79
AV	20.77772G	32.91	63.54	-30.63	28.89	1	Vertical	70	1.53	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 56
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77512G	46.85	83.54	-36.69	42.83	1	Horizontal	317	1.56	-	37.96	15.85	49.79
AV	20.77228G	32.87	63.54	-30.67	28.85	1	Horizontal	317	1.56	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	109.18	Inf	-Inf	100.80	3	Vertical	1	1.80	-	34.98	6.70	33.30
RMS	6.9914G	97.85	Inf	-Inf	89.47	3	Vertical	1	1.80	-	34.98	6.70	33.30
PK	7.1466G	63.41	88.20	-24.79	54.06	3	Vertical	1	1.80	-	35.88	6.85	33.38
RMS	7.1994G	51.97	68.20	-16.23	42.38	3	Vertical	1	1.80	-	36.10	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	105.22	Inf	-Inf	96.83	3	Horizontal	233	2.64	-	35.00	6.70	33.31
RMS	7.0002G	93.95	Inf	-Inf	85.56	3	Horizontal	233	2.64	-	35.00	6.70	33.31
PK	7.2002G	62.87	88.20	-25.33	53.28	3	Horizontal	233	2.64	-	36.10	6.90	33.41
RMS	7.2026G	51.90	68.20	-16.30	42.30	3	Horizontal	233	2.64	-	36.11	6.90	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00864G	64.18	88.20	-24.02	46.38	3	Vertical	69	2.72	-	40.62	11.31	34.13
RMS	14.00868G	49.37	68.20	-18.83	31.57	3	Vertical	69	2.72	-	40.62	11.31	34.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01236G	63.16	88.20	-25.04	45.36	3	Horizontal	321	1.67	-	40.62	11.31	34.13
RMS	14.0089G	49.32	68.20	-18.88	31.52	3	Horizontal	321	1.67	-	40.62	11.31	34.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01496G	45.60	83.54	-37.94	41.74	1	Vertical	11	1.54	-	37.60	15.96	49.70
AV	21.01232G	32.10	63.54	-31.44	28.24	1	Vertical	11	1.54	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 53
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01206G	45.46	83.54	-38.08	41.60	1	Horizontal	44	1.55	-	37.60	15.96	49.70
AV	21.01728G	32.14	63.54	-31.40	28.28	1	Horizontal	44	1.55	-	37.60	15.96	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	58.23	88.20	-29.97	52.49	3	Vertical	11	1.80	-	32.05	6.04	32.35
RMS	5.9206G	47.46	68.20	-20.74	41.64	3	Vertical	11	1.80	-	32.14	6.06	32.38
PK	6.1786G	107.50	Inf	-Inf	101.28	3	Vertical	11	1.80	-	32.54	6.19	32.51
RMS	6.157G	97.62	Inf	-Inf	91.35	3	Vertical	11	1.80	-	32.59	6.18	32.50

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	58.15	88.20	-30.05	52.44	3	Horizontal	256	2.34	-	32.02	6.03	32.34
RMS	5.925G	47.40	68.20	-20.80	41.57	3	Horizontal	256	2.34	-	32.15	6.06	32.38
PK	6.1594G	104.77	Inf	-Inf	98.51	3	Horizontal	256	2.34	-	32.58	6.18	32.50
RMS	6.1378G	94.39	Inf	-Inf	88.16	3	Horizontal	256	2.34	-	32.55	6.17	32.49

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29008G	57.81	74.00	-16.19	43.30	3	Vertical	326	1.44	-	38.61	10.02	34.12
AV	12.2929G	43.93	54.00	-10.07	29.42	3	Vertical	326	1.44	-	38.61	10.02	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28902G	57.70	74.00	-16.30	43.19	3	Horizontal	111	1.75	-	38.61	10.02	34.12
AV	12.29354G	43.91	54.00	-10.09	29.40	3	Horizontal	111	1.75	-	38.61	10.02	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43452G	47.26	83.54	-36.28	44.80	1	Vertical	30	1.54	-	37.72	14.87	50.13
AV	18.43906G	32.26	63.54	-31.28	29.77	1	Vertical	30	1.54	-	37.73	14.88	50.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43334G	45.67	83.54	-37.87	43.21	1	Horizontal	353	1.50	-	37.72	14.87	50.13
AV	18.43618G	32.20	63.54	-31.34	29.74	1	Horizontal	353	1.50	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	58.35	88.20	-29.85	52.58	3	Vertical	9	1.80	-	32.09	6.05	32.37
RMS	5.9226G	47.23	68.20	-20.97	41.40	3	Vertical	9	1.80	-	32.15	6.06	32.38
PK	6.2346G	108.03	Inf	-Inf	101.62	3	Vertical	9	1.80	-	32.71	6.23	32.53
RMS	6.233G	97.33	Inf	-Inf	90.93	3	Vertical	9	1.80	-	32.70	6.23	32.53

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	58.10	88.20	-30.10	52.36	3	Horizontal	260	2.43	-	32.05	6.04	32.35
RMS	5.9178G	47.13	68.20	-21.07	41.31	3	Horizontal	260	2.43	-	32.14	6.06	32.38
PK	6.2202G	105.15	Inf	-Inf	98.84	3	Horizontal	260	2.43	-	32.62	6.22	32.53
RMS	6.2186G	93.84	Inf	-Inf	87.54	3	Horizontal	260	2.43	-	32.61	6.22	32.53

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT_Z_4TX
Setting 67
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45186G	57.48	74.00	-16.52	43.07	3	Vertical	344	2.07	-	38.34	10.14	34.07
AV	12.45442G	43.50	54.00	-10.50	29.09	3	Vertical	344	2.07	-	38.34	10.14	34.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT_Z_4TX
Setting 67
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44828G	57.74	74.00	-16.26	43.31	3	Horizontal	293	1.69	-	38.36	10.14	34.07
AV	12.44654G	43.62	54.00	-10.38	29.20	3	Horizontal	293	1.69	-	38.36	10.13	34.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.673G	45.72	83.54	-37.82	42.95	1	Vertical	289	1.54	-	37.73	14.97	49.93
AV	18.67352G	32.11	63.54	-31.43	29.34	1	Vertical	289	1.54	-	37.73	14.97	49.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67048G	45.02	83.54	-38.52	42.25	1	Horizontal	100	1.58	-	37.73	14.97	49.93
AV	18.67618G	32.10	63.54	-31.44	29.32	1	Horizontal	100	1.58	-	37.73	14.97	49.92

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 66
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89G	57.91	88.20	-30.29	52.15	3	Vertical	10	1.80	-	32.08	6.04	32.36
RMS	5.9208G	47.25	68.20	-20.95	41.43	3	Vertical	10	1.80	-	32.14	6.06	32.38
PK	6.3916G	108.71	Inf	-Inf	101.49	3	Vertical	10	1.80	-	33.43	6.39	32.60
RMS	6.3916G	97.85	Inf	-Inf	90.63	3	Vertical	10	1.80	-	33.43	6.39	32.60

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 66
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	58.31	88.20	-29.89	52.53	3	Horizontal	250	2.93	-	32.10	6.05	32.37
RMS	5.9164G	47.22	68.20	-20.98	41.41	3	Horizontal	250	2.93	-	32.13	6.06	32.38
PK	6.3916G	104.34	Inf	-Inf	97.12	3	Horizontal	250	2.93	-	33.43	6.39	32.60
RMS	6.3718G	94.17	Inf	-Inf	87.12	3	Horizontal	250	2.93	-	33.27	6.37	32.59

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 66
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7745G	58.43	88.20	-29.77	43.20	3	Vertical	251	1.54	-	38.87	10.38	34.02
RMS	12.7693G	44.20	68.20	-24.00	28.97	3	Vertical	251	1.54	-	38.87	10.38	34.02

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 66
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77426G	58.18	88.20	-30.02	42.95	3	Horizontal	220	1.13	-	38.87	10.38	34.02
RMS	12.7684G	44.33	68.20	-23.87	29.10	3	Horizontal	220	1.13	-	38.87	10.38	34.02

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 66
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15256G	46.03	83.54	-37.51	42.68	1	Vertical	355	1.52	-	37.82	15.16	49.63
AV	19.15424G	32.39	63.54	-31.15	29.05	1	Vertical	355	1.52	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 66
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15068G	46.04	83.54	-37.50	42.69	1	Horizontal	292	1.56	-	37.82	15.16	49.63
AV	19.15176G	32.43	63.54	-31.11	29.08	1	Horizontal	292	1.56	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT Z_4TX
Setting 65
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	58.07	88.20	-30.13	52.36	3	Vertical	11	2.16	-	32.03	6.03	32.35
RMS	5.9242G	47.12	68.20	-21.08	41.29	3	Vertical	11	2.16	-	32.15	6.06	32.38
PK	6.4754G	108.32	Inf	-Inf	100.77	3	Vertical	11	2.16	-	33.75	6.44	32.64
RMS	6.478G	98.05	Inf	-Inf	90.48	3	Vertical	11	2.16	-	33.77	6.44	32.64

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT Z_4TX
Setting 65
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8722G	57.61	88.20	-30.59	51.88	3	Horizontal	252	2.96	-	32.04	6.04	32.35
RMS	5.9164G	47.08	68.20	-21.12	41.27	3	Horizontal	252	2.96	-	32.13	6.06	32.38
PK	6.452G	103.76	Inf	-Inf	96.35	3	Horizontal	252	2.96	-	33.61	6.43	32.63
RMS	6.452G	93.19	Inf	-Inf	85.78	3	Horizontal	252	2.96	-	33.61	6.43	32.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92626G	57.97	88.20	-30.23	42.45	3	Vertical	26	1.53	-	39.03	10.49	34.00
RMS	12.92622G	44.15	68.20	-24.05	28.63	3	Vertical	26	1.53	-	39.03	10.49	34.00

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93366G	58.20	88.20	-30.00	42.67	3	Horizontal	153	1.48	-	39.03	10.50	34.00
RMS	12.92662G	44.13	68.20	-24.07	28.61	3	Horizontal	153	1.48	-	39.03	10.49	34.00

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39118G	46.18	83.54	-37.36	42.79	1	Vertical	28	1.57	-	37.81	15.26	49.68
AV	19.39732G	32.53	63.54	-31.01	29.13	1	Vertical	28	1.57	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39G	46.02	83.54	-37.52	42.63	1	Horizontal	108	1.52	-	37.81	15.26	49.68
AV	19.39972G	32.53	63.54	-31.01	29.13	1	Horizontal	108	1.52	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8534G	57.93	88.20	-30.27	52.23	3	Vertical	40	2.07	-	32.01	6.03	32.34
RMS	5.9234G	47.00	68.20	-21.20	41.17	3	Vertical	40	2.07	-	32.15	6.06	32.38
PK	6.531G	108.78	Inf	-Inf	100.98	3	Vertical	40	2.07	-	34.02	6.47	32.69
RMS	6.531G	98.49	Inf	-Inf	90.69	3	Vertical	40	2.07	-	34.02	6.47	32.69
PK	7.2114G	63.77	88.20	-24.43	54.14	3	Vertical	40	2.07	-	36.15	6.90	33.42
RMS	7.1974G	51.76	68.20	-16.44	42.18	3	Vertical	40	2.07	-	36.09	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	57.61	88.20	-30.59	51.88	3	Horizontal	236	2.89	-	32.04	6.04	32.35
RMS	5.9206G	46.96	68.20	-21.24	41.14	3	Horizontal	236	2.89	-	32.14	6.06	32.38
PK	6.5562G	104.79	Inf	-Inf	96.92	3	Horizontal	236	2.89	-	34.11	6.48	32.72
RMS	6.5534G	94.30	Inf	-Inf	86.43	3	Horizontal	236	2.89	-	34.11	6.48	32.72
PK	7.1582G	62.50	88.20	-25.70	53.10	3	Horizontal	236	2.89	-	35.93	6.86	33.39
RMS	7.231G	51.73	68.20	-16.47	42.04	3	Horizontal	236	2.89	-	36.22	6.90	33.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08574G	58.82	88.20	-29.38	43.08	3	Vertical	149	2.13	-	39.10	10.61	33.97
RMS	13.09056G	45.07	68.20	-23.13	29.32	3	Vertical	149	2.13	-	39.10	10.62	33.97

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




17/01/2022

EUT_Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08532G	58.90	88.20	-29.30	43.16	3	Horizontal	242	2.59	-	39.10	10.61	33.97
RMS	13.09438G	45.80	68.20	-22.40	30.05	3	Horizontal	242	2.59	-	39.10	10.62	33.97

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63598G	46.23	83.54	-37.31	42.73	1	Vertical	244	1.58	-	37.85	15.35	49.70
AV	19.63856G	32.58	63.54	-30.96	29.08	1	Vertical	244	1.58	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63268G	45.91	83.54	-37.63	42.41	1	Horizontal	206	1.50	-	37.85	15.35	49.70
AV	19.63828G	32.60	63.54	-30.94	29.10	1	Horizontal	206	1.50	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6106G	107.86	Inf	-Inf	99.97	3	Vertical	42	1.80	-	34.18	6.51	32.80
RMS	6.6106G	97.49	Inf	-Inf	89.60	3	Vertical	42	1.80	-	34.18	6.51	32.80
PK	7.2058G	63.38	88.20	-24.82	53.77	3	Vertical	42	1.80	-	36.12	6.90	33.41
RMS	7.201G	51.80	68.20	-16.40	42.21	3	Vertical	42	1.80	-	36.10	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.637G	103.37	Inf	-Inf	95.55	3	Horizontal	241	2.81	-	34.13	6.52	32.83
RMS	6.637G	93.90	Inf	-Inf	86.08	3	Horizontal	241	2.81	-	34.13	6.52	32.83
PK	7.1938G	63.24	88.20	-24.96	53.68	3	Horizontal	241	2.81	-	36.08	6.89	33.41
RMS	7.2082G	51.73	68.20	-16.47	42.11	3	Horizontal	241	2.81	-	36.13	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24994G	59.23	88.20	-28.97	43.18	3	Vertical	202	1.58	-	39.25	10.74	33.94
RMS	13.24278G	45.18	68.20	-23.02	29.15	3	Vertical	202	1.58	-	39.24	10.73	33.94

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




17/01/2022

EUT_Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2497G	58.98	88.20	-29.22	42.93	3	Horizontal	60	1.05	-	39.25	10.74	33.94
RMS	13.2491G	45.07	68.20	-23.13	29.02	3	Horizontal	60	1.05	-	39.25	10.74	33.94

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87942G	46.25	83.54	-37.29	42.91	1	Vertical	257	1.52	-	37.59	15.45	49.70
AV	19.87126G	32.84	63.54	-30.70	29.48	1	Vertical	257	1.52	-	37.61	15.45	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87998G	46.46	83.54	-37.08	43.12	1	Horizontal	140	1.50	-	37.59	15.45	49.70
AV	19.87388G	32.64	63.54	-30.90	29.29	1	Horizontal	140	1.50	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 70
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.713G	110.73	Inf	-Inf	103.03	3	Vertical	324	1.98	-	34.07	6.56	32.93
RMS	6.711G	100.61	Inf	-Inf	92.90	3	Vertical	324	1.98	-	34.08	6.56	32.93
PK	7.187G	62.18	88.20	-26.02	52.64	3	Vertical	324	1.98	-	36.05	6.89	33.40
RMS	7.195G	51.74	68.20	-16.46	42.17	3	Vertical	324	1.98	-	36.08	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 70
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	104.96	Inf	-Inf	97.21	3	Horizontal	240	2.91	-	34.10	6.54	32.89
RMS	6.677G	94.35	Inf	-Inf	86.59	3	Horizontal	240	2.91	-	34.10	6.54	32.88
PK	7.195G	62.21	88.20	-25.99	52.64	3	Horizontal	240	2.91	-	36.08	6.90	33.41
RMS	7.197G	51.73	68.20	-16.47	42.15	3	Horizontal	240	2.91	-	36.09	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 70
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40648G	60.33	88.20	-27.87	43.39	3	Vertical	90	1.80	-	39.99	10.85	33.90
RMS	13.41382G	46.20	68.20	-22.00	29.25	3	Vertical	90	1.80	-	39.99	10.86	33.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 70
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40706G	60.21	88.20	-27.99	43.26	3	Horizontal	277	1.64	-	39.99	10.86	33.90
RMS	13.40544G	45.86	68.20	-22.34	28.92	3	Horizontal	277	1.64	-	39.99	10.85	33.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 70
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11608G	45.80	83.54	-37.74	42.51	1	Vertical	86	1.55	-	37.49	15.55	49.75
AV	20.11546G	32.11	63.54	-31.43	28.82	1	Vertical	86	1.55	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 70
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1166G	45.58	83.54	-37.96	42.29	1	Horizontal	242	1.52	-	37.49	15.55	49.75
AV	20.11826G	32.15	63.54	-31.39	28.86	1	Horizontal	242	1.52	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7922G	108.82	Inf	-Inf	101.01	3	Vertical	312	1.80	-	34.25	6.60	33.04
RMS	6.7976G	99.04	Inf	-Inf	91.19	3	Vertical	312	1.80	-	34.29	6.60	33.04
PK	7.235G	62.44	88.20	-25.76	52.73	3	Vertical	312	1.80	-	36.24	6.90	33.43
RMS	7.2314G	51.86	68.20	-16.34	42.16	3	Vertical	312	1.80	-	36.23	6.90	33.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7634G	105.04	Inf	-Inf	97.38	3	Horizontal	312	2.29	-	34.08	6.58	33.00
RMS	6.8012G	94.77	Inf	-Inf	86.92	3	Horizontal	312	2.29	-	34.30	6.60	33.05
PK	7.1414G	64.14	88.20	-24.06	54.83	3	Horizontal	312	2.29	-	35.85	6.84	33.38
RMS	7.2062G	51.80	68.20	-16.40	42.19	3	Horizontal	312	2.29	-	36.12	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 67
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57058G	60.15	88.20	-28.05	43.12	3	Vertical	296	1.83	-	39.97	10.98	33.92
RMS	13.56976G	46.32	68.20	-21.88	29.28	3	Vertical	296	1.83	-	39.97	10.98	33.91

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 67
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57302G	59.85	88.20	-28.35	42.82	3	Horizontal	107	2.23	-	39.97	10.98	33.92
RMS	13.56516G	46.10	68.20	-22.10	29.07	3	Horizontal	107	2.23	-	39.97	10.97	33.91

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35022G	46.57	83.54	-36.97	43.11	1	Vertical	336	1.50	-	37.64	15.66	49.84
AV	20.35462G	32.73	63.54	-30.81	29.27	1	Vertical	336	1.50	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6785MHz_TnomVnom



EUT_Z_4TX
Setting 67
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35736G	46.32	83.54	-37.22	42.86	1	Horizontal	244	1.51	-	37.64	15.66	49.84
AV	20.35498G	32.81	63.54	-30.73	29.35	1	Horizontal	244	1.51	-	37.64	15.66	49.84


802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 65
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8356G	109.90	Inf	-Inf	102.00	3	Vertical	313	1.93	-	34.37	6.62	33.09
RMS	6.8776G	99.42	Inf	-Inf	91.42	3	Vertical	313	1.93	-	34.51	6.64	33.15
PK	7.2052G	62.50	88.20	-25.70	52.89	3	Vertical	313	1.93	-	36.12	6.90	33.41
RMS	7.2024G	51.87	68.20	-16.33	42.27	3	Vertical	313	1.93	-	36.11	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 65
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8986G	104.54	Inf	-Inf	96.48	3	Horizontal	247	2.78	-	34.59	6.65	33.18
RMS	6.858G	93.83	Inf	-Inf	85.89	3	Horizontal	247	2.78	-	34.43	6.63	33.12
PK	7.18G	63.79	88.20	-24.41	54.29	3	Horizontal	247	2.78	-	36.02	6.88	33.40
RMS	7.2024G	51.81	68.20	-16.39	42.21	3	Horizontal	247	2.78	-	36.11	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73486G	61.63	88.20	-26.57	44.53	3	Vertical	351	2.06	-	40.00	11.10	34.00
RMS	13.7294G	47.77	68.20	-20.43	30.67	3	Vertical	351	2.06	-	39.99	11.10	33.99

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72886G	62.42	88.20	-25.78	45.32	3	Horizontal	59	2.26	-	39.99	11.10	33.99
RMS	13.72882G	47.81	68.20	-20.39	30.71	3	Horizontal	59	2.26	-	39.99	11.10	33.99

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59552G	46.38	83.54	-37.16	42.66	1	Vertical	210	1.52	-	37.81	15.77	49.86
AV	20.59024G	32.48	63.54	-31.06	28.76	1	Vertical	210	1.52	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59922G	46.29	83.54	-37.25	42.56	1	Horizontal	293	1.51	-	37.82	15.77	49.86
AV	20.59548G	32.56	63.54	-30.98	28.84	1	Horizontal	293	1.51	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 61
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	109.63	Inf	-Inf	101.29	3	Vertical	317	1.80	-	34.91	6.68	33.25
RMS	6.957G	99.02	Inf	-Inf	90.68	3	Vertical	317	1.80	-	34.91	6.68	33.25
PK	7.1586G	63.55	88.20	-24.65	54.15	3	Vertical	317	1.80	-	35.93	6.86	33.39
RMS	7.2042G	52.09	68.20	-16.11	42.48	3	Vertical	317	1.80	-	36.12	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 61
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9318G	105.29	Inf	-Inf	97.05	3	Horizontal	316	2.27	-	34.79	6.67	33.22
RMS	6.9618G	94.03	Inf	-Inf	85.69	3	Horizontal	316	2.27	-	34.92	6.68	33.26
PK	7.2258G	63.25	88.20	-24.95	53.57	3	Horizontal	316	2.27	-	36.20	6.90	33.42
RMS	7.2066G	51.88	68.20	-16.32	42.26	3	Horizontal	316	2.27	-	36.13	6.90	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 61
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88904G	62.91	88.20	-25.29	45.47	3	Vertical	185	2.78	-	40.29	11.22	34.07
RMS	13.89338G	47.97	68.20	-20.23	30.54	3	Vertical	185	2.78	-	40.29	11.22	34.08

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 61
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88606G	61.97	88.20	-26.23	44.54	3	Horizontal	29	1.82	-	40.29	11.21	34.07
RMS	13.88982G	47.87	68.20	-20.33	30.43	3	Horizontal	29	1.82	-	40.29	11.22	34.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 61
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83706G	46.00	83.54	-37.54	42.03	1	Vertical	211	1.56	-	37.86	15.88	49.77
AV	20.8325G	32.48	63.54	-31.06	28.51	1	Vertical	211	1.56	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 61
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83212G	46.09	83.54	-37.45	42.12	1	Horizontal	15	1.55	-	37.87	15.87	49.77
AV	20.83234G	32.62	63.54	-30.92	28.65	1	Horizontal	15	1.55	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0378G	110.17	Inf	-Inf	101.61	3	Vertical	316	1.95	-	35.15	6.74	33.33
RMS	7.0378G	99.94	Inf	-Inf	91.38	3	Vertical	316	1.95	-	35.15	6.74	33.33
PK	7.125G	66.41	88.20	-21.79	57.20	3	Vertical	316	1.95	-	35.75	6.83	33.37
RMS	7.125G	55.31	68.20	-12.89	46.10	3	Vertical	316	1.95	-	35.75	6.83	33.37

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0386G	105.83	Inf	-Inf	97.27	3	Horizontal	230	2.63	-	35.15	6.74	33.33
RMS	7.037G	94.95	Inf	-Inf	86.39	3	Horizontal	230	2.63	-	35.15	6.74	33.33
PK	7.1282G	63.08	88.20	-25.12	53.85	3	Horizontal	230	2.63	-	35.77	6.83	33.37
RMS	7.1306G	52.48	68.20	-15.72	43.25	3	Horizontal	230	2.63	-	35.78	6.83	33.38

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.045G	63.56	88.20	-24.64	45.66	3	Vertical	134	1.73	-	40.69	11.33	34.12
RMS	14.04688G	49.64	68.20	-18.56	31.74	3	Vertical	134	1.73	-	40.69	11.33	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0451G	63.21	88.20	-24.99	45.31	3	Horizontal	237	1.41	-	40.69	11.33	34.12
RMS	14.0545G	49.64	68.20	-18.56	31.71	3	Horizontal	237	1.41	-	40.71	11.34	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07116G	45.81	83.54	-37.73	41.92	1	Vertical	19	1.52	-	37.60	15.98	49.69
AV	21.07158G	32.02	63.54	-31.52	28.13	1	Vertical	19	1.52	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 64
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07152G	45.40	83.54	-38.14	41.51	1	Horizontal	346	1.58	-	37.60	15.98	49.69
AV	21.07164G	32.05	63.54	-31.49	28.16	1	Horizontal	346	1.58	-	37.60	15.98	49.69

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	64.48	88.20	-23.72	58.76	3	Vertical	16	1.80	-	32.04	6.03	32.35
RMS	5.9242G	49.42	68.20	-18.78	43.59	3	Vertical	16	1.80	-	32.15	6.06	32.38
PK	6.1642G	109.93	Inf	-Inf	103.68	3	Vertical	16	1.80	-	32.57	6.18	32.50
RMS	6.2122G	99.26	Inf	-Inf	93.00	3	Vertical	16	1.80	-	32.57	6.21	32.52

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	68.94	88.20	-19.26	63.11	3	Horizontal	257	2.37	-	32.15	6.06	32.38
RMS	5.9242G	48.74	68.20	-19.46	42.91	3	Horizontal	257	2.37	-	32.15	6.06	32.38
PK	6.161G	106.18	Inf	-Inf	99.92	3	Horizontal	257	2.37	-	32.58	6.18	32.50
RMS	6.1578G	95.65	Inf	-Inf	89.39	3	Horizontal	257	2.37	-	32.58	6.18	32.50

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36506G	56.45	74.00	-17.55	41.95	3	Vertical	95	2.95	-	38.53	10.07	34.10
AV	12.36838G	42.50	54.00	-11.50	27.98	3	Vertical	95	2.95	-	38.53	10.08	34.09

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3725G	56.91	74.00	-17.09	42.39	3	Horizontal	313	2.57	-	38.53	10.08	34.09
AV	12.37346G	42.50	54.00	-11.50	27.98	3	Horizontal	313	2.57	-	38.53	10.08	34.09

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55454G	46.30	83.54	-37.24	43.65	1	Vertical	125	1.52	-	37.78	14.92	50.05
AV	18.55648G	32.36	63.54	-31.18	29.70	1	Vertical	125	1.52	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55892G	46.45	83.54	-37.09	43.79	1	Horizontal	85	1.56	-	37.78	14.92	50.04
AV	18.55034G	32.30	63.54	-31.24	29.65	1	Horizontal	85	1.56	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 75
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8554G	57.71	88.20	-30.49	52.01	3	Vertical	12	1.80	-	32.01	6.03	32.34
RMS	5.9226G	47.59	68.20	-20.61	41.76	3	Vertical	12	1.80	-	32.15	6.06	32.38
PK	6.3186G	107.22	Inf	-Inf	100.56	3	Vertical	12	1.80	-	32.91	6.32	32.57
RMS	6.3114G	97.75	Inf	-Inf	91.14	3	Vertical	12	1.80	-	32.87	6.31	32.57

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 75
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8026G	57.03	88.20	-31.17	51.34	3	Horizontal	249	2.96	-	32.00	6.00	32.31
RMS	5.9226G	45.68	68.20	-22.52	39.85	3	Horizontal	249	2.96	-	32.15	6.06	32.38
PK	6.2802G	102.65	Inf	-Inf	96.12	3	Horizontal	249	2.96	-	32.80	6.28	32.55
RMS	6.3138G	91.59	Inf	-Inf	84.97	3	Horizontal	249	2.96	-	32.88	6.31	32.57

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68948G	56.42	74.00	-17.58	41.37	3	Vertical	329	1.86	-	38.76	10.32	34.03
AV	12.69362G	43.22	54.00	-10.78	28.16	3	Vertical	329	1.86	-	38.77	10.32	34.03

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69462G	56.38	74.00	-17.62	41.31	3	Horizontal	192	2.46	-	38.78	10.32	34.03
AV	12.69132G	43.29	54.00	-10.71	28.23	3	Horizontal	192	2.46	-	38.77	10.32	34.03

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03242G	46.23	83.54	-37.31	42.77	1	Vertical	290	1.52	-	37.96	15.11	49.61
AV	19.03164G	33.03	63.54	-30.51	29.57	1	Vertical	290	1.52	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6345MHz_TnomVnom



EUT_Z_4TX
Setting 75
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03036G	45.95	83.54	-37.59	42.49	1	Horizontal	107	1.50	-	37.96	15.11	49.61
AV	19.0375G	33.00	63.54	-30.54	29.55	1	Horizontal	107	1.50	-	37.95	15.11	49.61


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 78
 06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9044G	56.57	88.20	-31.63	50.78	3	Vertical	43	1.80	-	32.11	6.05	32.37
RMS	5.925G	46.52	68.20	-21.68	40.69	3	Vertical	43	1.80	-	32.15	6.06	32.38
PK	6.5336G	109.33	Inf	-Inf	101.52	3	Vertical	43	1.80	-	34.03	6.47	32.69
RMS	6.5284G	99.59	Inf	-Inf	91.81	3	Vertical	43	1.80	-	34.01	6.46	32.69
PK	7.1342G	61.08	88.20	-27.12	51.82	3	Vertical	43	1.80	-	35.81	6.83	33.38
RMS	7.1446G	50.69	68.20	-17.51	41.36	3	Vertical	43	1.80	-	35.87	6.84	33.38

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 78
 06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	56.29	88.20	-31.91	50.55	3	Horizontal	236	2.94	-	32.06	6.04	32.36
RMS	5.925G	46.34	68.20	-21.86	40.51	3	Horizontal	236	2.94	-	32.15	6.06	32.38
PK	6.5778G	102.55	Inf	-Inf	94.65	3	Horizontal	236	2.94	-	34.16	6.49	32.75
RMS	6.479G	92.16	Inf	-Inf	84.59	3	Horizontal	236	2.94	-	33.77	6.44	32.64
PK	7.142G	60.34	88.20	-27.86	51.03	3	Horizontal	236	2.94	-	35.85	6.84	33.38
RMS	7.1446G	50.53	68.20	-17.67	41.20	3	Horizontal	236	2.94	-	35.87	6.84	33.38

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 78
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00854G	58.49	88.20	-29.71	42.82	3	Vertical	208	3.00	-	39.10	10.56	33.99
RMS	13.00604G	44.24	68.20	-23.96	28.58	3	Vertical	208	3.00	-	39.10	10.55	33.99

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




17/01/2022

EUT_Z_4TX
Setting 78
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00966G	57.81	88.20	-30.39	42.14	3	Horizontal	247	2.14	-	39.10	10.56	33.99
RMS	13.0089G	44.20	68.20	-24.00	28.53	3	Horizontal	247	2.14	-	39.10	10.56	33.99

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 78
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51668G	46.52	83.54	-37.02	43.02	1	Vertical	4	1.51	-	37.89	15.31	49.70
AV	19.51912G	32.41	63.54	-31.13	28.91	1	Vertical	4	1.51	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 78
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51692G	45.79	83.54	-37.75	42.29	1	Horizontal	67	1.57	-	37.89	15.31	49.70
AV	19.51936G	32.42	63.54	-31.12	28.92	1	Horizontal	67	1.57	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 79
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	110.35	Inf	-Inf	102.61	3	Vertical	43	1.85	-	34.10	6.54	32.90
RMS	6.6474G	99.71	Inf	-Inf	91.92	3	Vertical	43	1.85	-	34.11	6.52	32.84
PK	7.1908G	61.33	88.20	-26.87	51.79	3	Vertical	43	1.85	-	36.06	6.89	33.41
RMS	7.1974G	51.01	68.20	-17.19	41.43	3	Vertical	43	1.85	-	36.09	6.90	33.41

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 79
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6782G	104.88	Inf	-Inf	97.13	3	Horizontal	244	2.77	-	34.10	6.54	32.89
RMS	6.6386G	91.87	Inf	-Inf	84.06	3	Horizontal	244	2.77	-	34.12	6.52	32.83
PK	7.1952G	61.19	88.20	-27.01	51.62	3	Horizontal	244	2.77	-	36.08	6.90	33.41
RMS	7.204G	49.18	68.20	-19.02	39.57	3	Horizontal	244	2.77	-	36.12	6.90	33.41

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 79
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32988G	58.33	74.00	-15.67	41.94	3	Vertical	128	1.30	-	39.51	10.80	33.92
AV	13.3284G	44.12	54.00	-9.88	27.74	3	Vertical	128	1.30	-	39.50	10.80	33.92

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 79
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32792G	57.86	74.00	-16.14	41.48	3	Horizontal	309	1.16	-	39.50	10.80	33.92
AV	13.32938G	44.13	54.00	-9.87	27.74	3	Horizontal	309	1.16	-	39.51	10.80	33.92

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 79
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99528G	45.60	83.54	-37.94	42.39	1	Vertical	144	1.57	-	37.41	15.50	49.70
AV	19.99974G	32.46	63.54	-31.08	29.26	1	Vertical	144	1.57	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 79
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99622G	45.44	83.54	-38.10	42.23	1	Horizontal	140	1.51	-	37.41	15.50	49.70
AV	19.99986G	32.44	63.54	-31.10	29.24	1	Horizontal	140	1.51	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 81
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.797G	109.96	Inf	-Inf	102.12	3	Vertical	315	1.80	-	34.28	6.60	33.04
RMS	6.797G	97.76	Inf	-Inf	89.92	3	Vertical	315	1.80	-	34.28	6.60	33.04
PK	7.1596G	62.87	88.20	-25.33	53.46	3	Vertical	315	1.80	-	35.94	6.86	33.39
RMS	7.126G	50.08	68.20	-18.12	40.86	3	Vertical	315	1.80	-	35.76	6.83	33.37

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 81
 06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8026G	104.97	Inf	-Inf	97.11	3	Horizontal	312	1.00	-	34.31	6.60	33.05
RMS	6.8446G	94.99	Inf	-Inf	87.08	3	Horizontal	312	1.00	-	34.39	6.62	33.10
PK	7.1736G	61.04	88.20	-27.16	51.58	3	Horizontal	312	1.00	-	35.99	6.87	33.40
RMS	7.1428G	51.03	68.20	-17.17	41.71	3	Horizontal	312	1.00	-	35.86	6.84	33.38

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65056G	60.93	88.20	-27.27	43.90	3	Vertical	46	2.23	-	39.95	11.04	33.96
RMS	13.64844G	46.88	68.20	-21.32	29.84	3	Vertical	46	2.23	-	39.95	11.04	33.95

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




17/01/2022

EUT_Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.651G	60.60	88.20	-27.60	43.57	3	Horizontal	75	1.62	-	39.95	11.04	33.96
RMS	13.6476G	46.92	68.20	-21.28	29.88	3	Horizontal	75	1.62	-	39.95	11.04	33.95

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 81
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4737G	46.66	83.54	-36.88	43.15	1	Vertical	9	1.58	-	37.69	15.71	49.89
AV	20.47646G	32.97	63.54	-30.57	29.46	1	Vertical	9	1.58	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 81
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47906G	46.79	83.54	-36.75	43.27	1	Horizontal	53	1.53	-	37.69	15.72	49.89
AV	20.47382G	33.00	63.54	-30.54	29.49	1	Horizontal	53	1.53	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT Z_4TX
Setting 78
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	110.08	Inf	-Inf	101.74	3	Vertical	316	1.80	-	34.91	6.68	33.25
RMS	6.957G	100.02	Inf	-Inf	91.68	3	Vertical	316	1.80	-	34.91	6.68	33.25
PK	7.138G	84.48	88.20	-3.72	75.19	3	Vertical	316	1.80	-	35.83	6.84	33.38
RMS	7.137G	58.23	68.20	-9.97	48.95	3	Vertical	316	1.80	-	35.82	6.84	33.38

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 78
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.955G	105.18	Inf	-Inf	96.84	3	Horizontal	253	2.14	-	34.91	6.68	33.25
RMS	6.956G	92.14	Inf	-Inf	83.80	3	Horizontal	253	2.14	-	34.91	6.68	33.25
PK	7.138G	77.37	88.20	-10.83	68.08	3	Horizontal	253	2.14	-	35.83	6.84	33.38
RMS	7.132G	50.61	68.20	-17.59	41.37	3	Horizontal	253	2.14	-	35.79	6.83	33.38

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 78
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9725G	61.06	88.20	-27.14	43.38	3	Vertical	86	2.97	-	40.52	11.28	34.12
RMS	13.97348G	47.44	68.20	-20.76	29.76	3	Vertical	86	2.97	-	40.52	11.28	34.12

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




17/01/2022

EUT_Z_4TX
Setting 78
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9697G	61.36	88.20	-26.84	43.68	3	Horizontal	213	1.45	-	40.51	11.28	34.11
RMS	13.971G	47.44	68.20	-20.76	29.77	3	Horizontal	213	1.45	-	40.51	11.28	34.12

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 78
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95768G	45.55	83.54	-37.99	41.67	1	Vertical	250	1.58	-	37.67	15.93	49.72
AV	20.95168G	32.25	63.54	-31.29	28.36	1	Vertical	250	1.58	-	37.68	15.93	49.72

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom



EUT_Z_4TX
Setting 78
06-D-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95976G	45.96	83.54	-37.58	42.09	1	Horizontal	324	1.51	-	37.66	15.93	49.72
AV	20.9541G	32.19	63.54	-31.35	28.31	1	Horizontal	324	1.51	-	37.67	15.93	49.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

26/01/2022




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6255MHz_TnomVnom

18/01/2022



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

18/01/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4177G	-9.88	6.4303G	-40.00	-31.70	-8.30	1
6.4175G	-9.93	6.4007G	-38.99	-30.28	-8.71	2
6.4125G	-9.63	6.4018G	-38.67	-29.71	-8.96	3
6.4138G	-9.70	6.4303G	-39.26	-30.63	-8.63	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

18/01/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4338G	-7.23	6.4199G	-37.32	-27.77	-9.55	1
6.4312G	-7.58	6.4511G	-38.20	-30.50	-7.70	2
6.4326G	-7.95	6.4504G	-37.64	-30.60	-7.04	3
6.44009G	-7.39	6.4503G	-37.05	-27.40	-9.65	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

18/01/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4787G	-10.20	6.4913G	-40.65	-32.61	-8.04	1
6.4713G	-9.42	6.4601G	-39.23	-31.09	-8.14	2
6.4727G	-9.82	6.4884G	-38.88	-29.86	-9.02	3
6.4726G	-9.62	6.4588G	-40.31	-32.51	-7.80	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

18/01/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5174G	-9.01	6.5305G	-39.01	-31.06	-7.95	1
6.5113G	-9.28	6.5304G	-39.40	-30.45	-8.95	2
6.5175G	-9.56	6.5317G	-40.67	-32.32	-8.35	3
6.5138G	-8.68	6.5298G	-38.16	-29.68	-8.48	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

18/01/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5388G	-9.12	6.5496G	-38.72	-30.12	-8.60	1
6.5362G	-9.16	6.5211G	-38.39	-29.39	-9.00	2
6.5326G	-9.21	6.55G	-39.22	-29.31	-9.91	3
6.5338G	-9.58	6.5199G	-39.81	-30.27	-9.54	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

18/01/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6976G	-6.50	6.68G	-36.02	-28.13	-7.89	1
6.6964G	-5.98	6.7114G	-37.00	-29.24	-7.76	2
6.6936G	-6.45	6.6792G	-36.87	-28.99	-7.88	3
6.6975G	-6.76	6.6796G	-36.64	-27.63	-9.01	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

18/01/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8513G	-10.19	6.8697G	-39.76	-30.88	-8.88	1
6.8562G	-9.65	6.8699G	-39.32	-31.28	-8.04	2
6.8542G	-9.89	6.8697G	-38.87	-31.60	-7.27	3
6.8576G	-9.58	6.8402G	-39.48	-29.97	-9.51	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

18/01/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8764G	-6.30	6.8906G	-36.28	-27.85	-8.43	1
6.8713G	-6.05	6.8601G	-35.79	-27.89	-7.90	2
6.8738G	-6.32	6.8604G	-35.71	-26.62	-9.09	3
6.86871G	-6.54	6.8603G	-35.60	-26.84	-8.76	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

18/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8962G	-5.99	6.9107G	-36.13	-28.45	-7.68	1
6.8926G	-5.94	6.8802G	-35.36	-26.20	-9.16	2
6.8939G	-6.04	6.9097G	-35.26	-26.78	-8.48	3
6.8988G	-6.37	6.8808G	-34.92	-26.94	-7.98	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

18/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9912G	-9.90	6.9791G	-40.39	-32.38	-8.01	1
6.9912G	-9.22	6.9805G	-38.45	-30.22	-8.23	2
6.9963G	-9.81	6.9789G	-40.71	-32.85	-7.86	3
6.9939G	-9.37	6.9818G	-37.81	-29.66	-8.15	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

26/01/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97G	-5.83	5.9986G	-37.77	-30.62	-7.15	1
5.97099G	-4.32	5.9938G	-34.24	-27.12	-7.12	2
5.97G	-5.54	5.9976G	-36.65	-29.93	-6.72	3
5.97159G	-4.09	5.9964G	-35.68	-27.80	-7.88	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6245MHz_TnomVnom

18/01/2022

CF Freq
6.245GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2414G	-5.33	6.2076G	-38.92	-31.49	-7.43	1
6.23761G	-5.18	6.2232G	-32.53	-25.21	-7.32	2
6.23121G	-6.00	6.2076G	-39.88	-32.12	-7.76	3
6.23881G	-5.54	6.2136G	-37.00	-28.73	-8.27	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

18/01/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41259G	-6.57	6.4336G	-36.41	-28.81	-7.60	1
6.39741G	-6.61	6.3728G	-38.07	-30.29	-7.78	2
6.4014G	-6.75	6.3738G	-37.93	-30.61	-7.32	3
6.409G	-6.92	6.4402G	-38.75	-32.02	-6.73	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

18/01/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4424G	-6.50	6.4778G	-38.21	-30.67	-7.54	1
6.45099G	-6.40	6.4108G	-39.17	-31.15	-8.02	2
6.45G	-6.94	6.4746G	-37.30	-29.75	-7.55	3
6.4476G	-6.27	6.4666G	-34.07	-26.07	-8.00	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

18/01/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.489G	-5.13	6.5146G	-35.15	-27.53	-7.62	1
6.49119G	-5.13	6.5178G	-36.80	-29.29	-7.51	2
6.47881G	-5.70	6.5194G	-37.99	-30.78	-7.21	3
6.49379G	-5.13	6.5144G	-35.06	-27.69	-7.37	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

18/01/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5214G	-4.96	6.5574G	-36.36	-28.77	-7.59	1
6.53G	-5.04	6.5554G	-35.98	-28.15	-7.83	2
6.5286G	-5.52	6.5542G	-35.77	-28.38	-7.39	3
6.5288G	-4.91	6.5574G	-36.71	-29.12	-7.59	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

18/01/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57019G	-5.21	6.5336G	-36.66	-28.76	-7.90	1
6.5612G	-5.12	6.531G	-37.23	-29.94	-7.29	2
6.5688G	-5.55	6.5948G	-36.18	-28.47	-7.71	3
6.57139G	-5.58	6.531G	-37.86	-30.48	-7.38	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

18/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67761G	-6.94	6.6556G	-37.23	-28.97	-8.26	1
6.69259G	-6.46	6.7158G	-37.40	-29.89	-7.51	2
6.6886G	-6.89	6.6478G	-40.41	-32.99	-7.42	3
6.67941G	-7.07	6.6534G	-38.40	-30.86	-7.54	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

18/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8414G	-5.92	6.8746G	-35.95	-28.44	-7.51	1
6.85099G	-5.42	6.8746G	-35.58	-28.19	-7.39	2
6.8488G	-6.08	6.8746G	-36.23	-28.74	-7.49	3
6.849G	-5.64	6.8666G	-33.08	-25.66	-7.42	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

18/01/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8888G	-4.82	6.854G	-35.74	-28.02	-7.72	1
6.87681G	-4.43	6.856G	-34.63	-26.85	-7.78	2
6.8826G	-4.73	6.8536G	-35.79	-28.21	-7.58	3
6.87901G	-5.03	6.8514G	-36.27	-28.99	-7.28	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

18/01/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9226G	-7.37	6.9616G	-40.06	-33.13	-6.93	1
6.9202G	-6.96	6.9576G	-38.53	-31.00	-7.53	2
6.93G	-7.48	6.9576G	-38.53	-31.45	-7.08	3
6.93259G	-7.62	6.9574G	-37.99	-31.71	-6.28	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

18/01/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99901G	-7.55	6.974G	-38.24	-30.83	-7.41	1
6.99761G	-7.07	6.9712G	-39.22	-31.70	-7.52	2
6.99921G	-7.51	6.971G	-39.51	-32.37	-7.14	3
6.99901G	-7.39	6.9712G	-39.47	-32.00	-7.47	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

26/01/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01377G	-3.52	6.0298G	-31.80	-23.54	-8.26	1
5.99819G	-2.57	6.0282G	-31.49	-22.59	-8.90	2
6.00018G	-3.26	6.0278G	-30.43	-23.33	-7.10	3
5.97421G	-2.62	5.9426G	-30.84	-22.63	-8.21	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TnomVnom

18/01/2022

CF Freq
6.225GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21141G	-3.17	6.1818G	-30.92	-23.20	-7.72	1
6.21301G	-2.85	6.1818G	-30.93	-22.87	-8.06	2
6.21341G	-3.43	6.1822G	-31.12	-23.45	-7.67	3
6.21221G	-3.21	6.1594G	-36.23	-27.57	-8.66	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

18/01/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41377G	-3.45	6.429G	-31.40	-23.52	-7.88	1
6.37261G	-2.91	6.4278G	-30.65	-22.95	-7.70	2
6.37341G	-3.16	6.4518G	-36.13	-27.84	-8.29	3
6.35623G	-2.86	6.3414G	-30.68	-22.87	-7.81	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

18/01/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45381G	-2.88	6.5302G	-34.89	-26.34	-8.55	1
6.45581G	-2.71	6.4222G	-30.28	-22.73	-7.55	2
6.47619G	-3.13	6.5306G	-35.38	-27.41	-7.97	3
6.45501G	-2.45	6.423G	-30.15	-22.45	-7.70	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

18/01/2022

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55739G	-1.73	6.5882G	-29.66	-21.77	-7.89	1
6.53261G	-1.65	6.6134G	-34.60	-26.51	-8.09	2
6.55659G	-2.17	6.6098G	-34.55	-25.88	-8.67	3
6.53381G	-1.81	6.6094G	-34.51	-25.81	-8.70	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

18/01/2022

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63739G	-4.53	6.5694G	-35.08	-26.72	-8.36	1
6.61261G	-4.27	6.6898G	-36.74	-28.45	-8.29	2
6.61341G	-4.51	6.6842G	-35.98	-27.35	-8.63	3
6.63619G	-4.42	6.6686G	-33.12	-24.49	-8.63	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

18/01/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71819G	-2.76	6.6486G	-33.12	-24.58	-8.54	1
6.69141G	-2.21	6.6358G	-35.75	-26.81	-8.94	2
6.69341G	-2.46	6.6622G	-30.33	-22.47	-7.86	3
6.69141G	-2.90	6.6486G	-33.37	-25.38	-7.99	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

18/01/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77101G	-1.73	6.7422G	-28.68	-21.77	-6.91	1
6.77141G	-0.94	6.7414G	-29.37	-21.01	-8.36	2
6.77261G	-1.70	6.7406G	-30.45	-21.73	-8.72	3
6.77021G	-1.93	6.849G	-33.73	-25.75	-7.98	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

18/01/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87619G	-3.77	6.8214G	-31.95	-23.84	-8.11	1
6.87739G	-3.25	6.8218G	-31.46	-23.25	-8.21	2
6.87859G	-3.93	6.939G	-37.38	-29.52	-7.86	3
6.85301G	-3.88	6.8226G	-31.46	-23.93	-7.53	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

18/01/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93221G	-4.48	6.9886G	-32.15	-24.55	-7.60	1
6.95739G	-4.18	6.887G	-34.95	-26.77	-8.18	2
6.95459G	-4.25	6.995G	-33.72	-24.95	-8.77	3
6.96018G	-4.33	6.9886G	-31.97	-24.33	-7.64	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

18/01/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99623G	-4.21	6.967G	-34.12	-27.17	-6.95	1
7.01261G	-4.11	6.9562G	-36.02	-28.86	-7.16	2
7.01421G	-4.39	6.9686G	-34.18	-26.76	-7.42	3
7.01381G	-4.22	6.9678G	-34.06	-26.76	-7.30	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

26/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	1.09	6.3834G	-43.54	-38.91	-4.63	1
5.99943G	1.51	6.3506G	-43.37	-38.49	-4.88	2
6.00742G	1.27	6.2914G	-43.45	-38.73	-4.72	3
5.99623G	1.17	6.273G	-43.07	-38.83	-4.24	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

18/01/2022

CF Freq
6.185GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20978G	0.47	6.437G	-50.47	-39.53	-10.94	1
6.16182G	0.37	6.4562G	-49.83	-39.63	-10.20	2
6.16102G	-0.14	6.4618G	-50.78	-40.14	-10.64	3
6.15943G	0.23	5.937G	-46.07	-39.77	-6.30	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

18/01/2022

CF Freq
6.345GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32262G	0.28	6.0578G	-48.58	-39.72	-8.86	1
6.37137G	0.63	6.0706G	-48.79	-39.37	-9.42	2
6.37057G	-0.01	6.0218G	-48.59	-40.01	-8.58	3
6.31783G	0.42	5.9866G	-48.04	-39.58	-8.46	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

18/01/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53137G	1.35	6.7546G	-48.56	-38.65	-9.91	1
6.52818G	1.12	6.7666G	-48.45	-38.88	-9.57	2
6.52898G	0.66	6.753G	-48.95	-39.34	-9.61	3
6.53217G	1.15	6.7546G	-48.50	-38.85	-9.65	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

18/01/2022

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63783G	0.29	6.925G	-49.73	-39.71	-10.02	1
6.69137G	0.57	6.9378G	-49.10	-39.43	-9.67	2
6.69217G	0.18	6.9834G	-49.16	-39.82	-9.34	3
6.64022G	0.02	6.997G	-49.46	-39.98	-9.48	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

18/01/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84898G	0.22	6.577G	-49.36	-39.78	-9.58	1
6.85137G	0.72	6.5602G	-49.34	-39.28	-10.06	2
6.85137G	0.19	6.5746G	-49.46	-39.81	-9.65	3
6.85297G	0.37	6.5586G	-49.69	-39.63	-10.06	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

18/01/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96102G	-0.06	6.7378G	-49.44	-40.04	-9.40	1
6.95703G	0.30	6.7354G	-48.74	-39.70	-9.04	2
6.95863G	-0.43	6.6954G	-49.97	-40.43	-9.54	3
6.96102G	0.00	6.7354G	-49.60	-40.00	-9.60	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TnomVnom

26/01/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96G	-7.41	5.9707G	-37.78	-29.86	-7.92	1
5.9576G	-6.02	5.9717G	-36.97	-29.65	-7.32	2
5.9563G	-7.55	5.9703G	-37.61	-29.03	-8.58	3
5.96129G	-5.43	5.9704G	-36.11	-26.17	-9.94	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6255MHz_TnomVnom

18/01/2022

CF Freq
6.255GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2501G	-6.89	6.2393G	-37.43	-29.23	-8.20	1
6.2575G	-6.91	6.2385G	-37.86	-30.48	-7.38	2
6.2525G	-7.74	6.2407G	-37.62	-28.90	-8.72	3
6.2576G	-7.18	6.2385G	-38.51	-30.51	-8.00	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TnomVnom

18/01/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4176G	-6.03	6.43G	-35.64	-26.37	-9.27	1
6.4175G	-6.15	6.4009G	-35.82	-26.74	-9.08	2
6.4163G	-6.59	6.4301G	-36.85	-27.17	-9.68	3
6.4176G	-6.73	6.4306G	-36.84	-27.65	-9.19	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6435MHz_TnomVnom

18/01/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4339G	-5.33	6.4499G	-35.32	-26.23	-9.09	1
6.4375G	-5.38	6.4487G	-34.47	-25.83	-8.64	2
6.44129G	-6.11	6.4506G	-36.72	-28.69	-8.03	3
6.4387G	-5.44	6.45G	-35.35	-27.50	-7.85	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6475MHz_TnomVnom

18/01/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4725G	-6.11	6.4916G	-37.20	-29.24	-7.96	1
6.4738G	-5.87	6.4593G	-36.42	-27.44	-8.98	2
6.4725G	-6.50	6.4609G	-36.07	-27.81	-8.26	3
6.4726G	-5.98	6.4609G	-35.19	-26.00	-9.19	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6515MHz_TnomVnom

18/01/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5188G	-6.39	6.5321G	-37.68	-28.90	-8.78	1
6.5162G	-6.46	6.5297G	-36.11	-27.93	-8.18	2
6.52009G	-6.74	6.5308G	-37.40	-27.91	-9.49	3
6.5138G	-6.67	6.5295G	-35.88	-27.98	-7.90	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6535MHz_TnomVnom

19/01/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5363G	-6.59	6.5498G	-36.57	-28.04	-8.53	1
6.5362G	-6.69	6.5497G	-36.45	-27.02	-9.43	2
6.5363G	-6.97	6.5508G	-37.47	-29.42	-8.05	3
6.53G	-7.15	6.5514G	-38.51	-29.69	-8.82	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TnomVnom

19/01/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6973G	-7.39	6.6786G	-38.67	-27.40	-11.27	1
6.6976G	-6.88	6.7108G	-37.55	-29.03	-8.52	2
6.6988G	-7.21	6.7102G	-37.59	-28.92	-8.67	3
6.6925G	-7.39	6.6787G	-38.14	-29.54	-8.60	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6855MHz_TnomVnom

19/01/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8562G	-6.75	6.8698G	-36.09	-27.93	-8.16	1
6.8576G	-6.28	6.8691G	-35.67	-26.42	-9.25	2
6.8587G	-6.76	6.8703G	-36.44	-27.14	-9.30	3
6.8525G	-6.68	6.8407G	-36.08	-26.87	-9.21	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

19/01/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8775G	-6.75	6.8917G	-37.74	-29.51	-8.23	1
6.8713G	-6.59	6.8606G	-35.79	-27.89	-7.90	2
6.8763G	-6.87	6.8895G	-36.32	-28.09	-8.23	3
6.8713G	-7.07	6.8592G	-37.09	-29.95	-7.14	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6895MHz_TnomVnom

19/01/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8975G	-7.33	6.8796G	-37.68	-27.46	-10.22	1
6.8938G	-7.29	6.8807G	-37.17	-27.90	-9.27	2
6.8938G	-7.50	6.88G	-37.46	-28.37	-9.09	3
6.90129G	-7.79	6.9094G	-37.34	-28.70	-8.64	4

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

MASK

6995MHz_TnomVnom

19/01/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9963G	-6.61	6.9795G	-36.92	-27.90	-9.02	1
6.9913G	-6.31	6.9798G	-36.45	-28.41	-8.04	2
6.9925G	-6.73	6.9793G	-37.10	-29.02	-8.08	3
6.9988G	-6.76	6.98G	-36.43	-27.46	-8.97	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TnomVnom

26/01/2022

CF Freq
5.965GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97119G	-5.24	5.9928G	-34.46	-26.44	-8.02	1
5.97379G	-3.59	5.99G	-31.95	-24.74	-7.21	2
5.97379G	-5.01	6.0026G	-38.26	-31.27	-6.99	3
5.97379G	-3.36	5.9926G	-33.64	-25.48	-8.16	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6245MHz_TnomVnom

19/01/2022

CF Freq
6.245GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23961G	-5.74	6.2076G	-39.18	-32.14	-7.04	1
6.2414G	-5.73	6.2074G	-39.02	-31.50	-7.52	2
6.23881G	-6.47	6.2076G	-39.94	-32.69	-7.25	3
6.2426G	-5.98	6.2158G	-36.06	-28.19	-7.87	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TnomVnom

19/01/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41759G	-4.65	6.43G	-32.61	-25.70	-6.91	1
6.39861G	-4.83	6.4422G	-38.21	-30.87	-7.34	2
6.4028G	-4.90	6.3672G	-38.80	-30.90	-7.90	3
6.4012G	-5.36	6.4412G	-37.12	-29.00	-8.12	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6445MHz_TnomVnom

19/01/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4414G	-4.13	6.4824G	-37.55	-30.53	-7.02	1
6.45379G	-4.23	6.4074G	-37.60	-30.47	-7.13	2
6.45379G	-4.60	6.4756G	-35.30	-28.25	-7.05	3
6.45139G	-3.89	6.4666G	-31.93	-23.91	-8.02	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6485MHz_TnomVnom

19/01/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49119G	-4.72	6.5224G	-37.54	-30.77	-6.77	1
6.4814G	-4.71	6.4474G	-38.17	-30.70	-7.47	2
6.4826G	-4.89	6.5214G	-38.11	-30.75	-7.36	3
6.49379G	-4.59	6.5212G	-36.62	-30.07	-6.55	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

19/01/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5226G	-4.91	6.556G	-36.01	-28.51	-7.50	1
6.53019G	-5.14	6.547G	-32.73	-25.21	-7.52	2
6.53139G	-5.59	6.5612G	-38.58	-31.42	-7.16	3
6.53379G	-5.10	6.5612G	-37.85	-30.48	-7.37	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6565MHz_TnomVnom

19/01/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55761G	-4.79	6.5264G	-38.90	-31.52	-7.38	1
6.57G	-4.83	6.5274G	-38.06	-31.03	-7.03	2
6.5688G	-5.22	6.6024G	-38.24	-31.40	-6.84	3
6.55861G	-5.27	6.5274G	-38.60	-31.34	-7.26	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6685MHz_TnomVnom

19/01/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67981G	-4.58	6.6474G	-37.82	-30.99	-6.83	1
6.69259G	-4.21	6.6474G	-37.86	-29.64	-8.22	2
6.6814G	-4.38	6.6474G	-38.03	-30.68	-7.35	3
6.68G	-4.44	6.6474G	-37.82	-30.49	-7.33	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6845MHz_TnomVnom

19/01/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8426G	-5.66	6.8826G	-38.92	-32.07	-6.85	1
6.85379G	-5.13	6.8824G	-38.36	-31.42	-6.94	2
6.85379G	-5.73	6.8826G	-38.40	-32.10	-6.30	3
6.85259G	-5.51	6.8816G	-38.80	-31.31	-7.49	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

19/01/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8826G	-4.84	6.8472G	-38.09	-30.54	-7.55	1
6.8814G	-4.49	6.8474G	-37.82	-30.48	-7.34	2
6.89G	-4.89	6.8474G	-38.41	-31.32	-7.09	3
6.8802G	-5.40	6.8476G	-38.00	-31.21	-6.79	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

6925MHz_TnomVnom

19/01/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91761G	-5.76	6.9556G	-36.13	-29.15	-6.98	1
6.9276G	-5.54	6.9624G	-38.86	-31.83	-7.03	2
6.9276G	-5.92	6.9624G	-38.54	-32.06	-6.48	3
6.93379G	-5.97	6.959G	-36.88	-30.29	-6.59	4

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

MASK

7005MHz_TnomVnom

19/01/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99761G	-5.05	6.9684G	-37.77	-31.23	-6.54	1
6.99741G	-4.66	6.9676G	-37.35	-30.86	-6.49	2
6.99861G	-4.98	6.9676G	-38.28	-30.93	-7.35	3
6.99881G	-5.10	6.976G	-34.79	-27.72	-7.07	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TnomVnom

26/01/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01337G	-2.31	6.0278G	-30.02	-22.34	-7.68	1
5.99739G	-1.22	6.027G	-28.87	-21.22	-7.65	2
5.99859G	-1.86	6.0278G	-30.18	-21.92	-8.26	3
5.97341G	-1.60	5.9418G	-30.17	-21.67	-8.50	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TnomVnom

19/01/2022

CF Freq
6.225GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21021G	-2.00	6.1822G	-29.28	-22.07	-7.21	1
6.21381G	-2.04	6.1826G	-30.02	-22.10	-7.92	2
6.21261G	-2.44	6.1826G	-30.01	-22.45	-7.56	3
6.21421G	-2.18	6.2674G	-30.10	-22.18	-7.92	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TnomVnom

19/01/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39659G	-1.67	6.4278G	-28.32	-21.70	-6.62	1
6.37741G	-1.08	6.427G	-29.05	-21.08	-7.97	2
6.37621G	-1.64	6.4282G	-29.91	-21.71	-8.20	3
6.35703G	-1.41	6.3414G	-29.29	-21.55	-7.74	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6465MHz_TnomVnom

19/01/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-2.21	6.5078G	-29.51	-22.27	-7.24	1
6.45381G	-1.91	6.407G	-33.05	-24.87	-8.18	2
6.47739G	-2.37	6.5074G	-29.96	-22.41	-7.55	3
6.45661G	-1.62	6.5074G	-29.76	-21.67	-8.09	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

19/01/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55779G	-2.02	6.5874G	-29.31	-22.03	-7.28	1
6.55659G	-2.21	6.5878G	-29.79	-22.23	-7.56	2
6.53381G	-2.46	6.6134G	-35.51	-26.98	-8.53	3
6.53381G	-2.22	6.5874G	-29.10	-22.30	-6.80	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TnomVnom

19/01/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63739G	-2.19	6.5814G	-30.49	-22.40	-8.09	1
6.61261G	-1.76	6.5814G	-30.42	-21.84	-8.58	2
6.61381G	-2.05	6.5694G	-33.01	-24.13	-8.88	3
6.61621G	-1.99	6.6678G	-29.85	-22.00	-7.85	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TnomVnom

19/01/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69741G	-0.66	6.6622G	-28.33	-20.68	-7.65	1
6.69341G	-0.33	6.7474G	-28.13	-20.38	-7.75	2
6.69181G	-0.54	6.6622G	-28.64	-20.56	-8.08	3
6.69301G	-1.06	6.6622G	-28.77	-21.13	-7.64	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TnomVnom

19/01/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77381G	-2.31	6.7426G	-29.49	-22.33	-7.16	1
6.77701G	-1.74	6.7306G	-31.62	-24.01	-7.61	2
6.77421G	-2.28	6.7422G	-30.33	-22.35	-7.98	3
6.75663G	-2.67	6.7426G	-29.34	-22.73	-6.61	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

19/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87779G	-3.19	6.8222G	-30.34	-23.21	-7.13	1
6.87779G	-2.79	6.9074G	-29.78	-22.80	-6.98	2
6.87739G	-3.14	6.963G	-42.95	-35.59	-7.36	3
6.85341G	-3.14	6.9614G	-42.57	-35.41	-7.16	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

6945MHz_TnomVnom

19/01/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95659G	-3.02	6.9878G	-30.03	-23.06	-6.97	1
6.95739G	-2.85	6.9874G	-29.68	-22.87	-6.81	2
6.95619G	-3.03	6.9874G	-29.96	-23.07	-6.89	3
6.95899G	-3.11	6.9874G	-29.85	-23.15	-6.70	4

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

MASK

7025MHz_TnomVnom

19/01/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01261G	-2.51	6.9674G	-32.82	-25.50	-7.32	1
7.01381G	-2.33	6.9614G	-33.78	-26.40	-7.38	2
7.01141G	-2.91	6.9698G	-32.52	-25.28	-7.24	3
6.99623G	-2.41	6.9818G	-29.96	-22.59	-7.37	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6025MHz_TnomVnom

26/01/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05137G	1.71	6.269G	-46.95	-37.81	-9.14	1
5.99943G	1.83	6.2722G	-46.80	-38.17	-8.63	2
5.99703G	1.84	6.2722G	-47.38	-38.16	-9.22	3
5.99863G	1.84	6.2434G	-40.64	-34.00	-6.64	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TnomVnom

19/01/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16182G	3.32	6.409G	-42.18	-33.43	-8.75	1
6.15863G	3.53	5.9386G	-44.79	-36.47	-8.32	2
6.21057G	3.00	6.3882G	-40.53	-30.66	-9.87	3
6.16022G	3.25	5.9354G	-42.62	-36.75	-5.87	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TnomVnom

19/01/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32182G	1.32	6.097G	-46.69	-38.62	-8.07	1
6.37057G	1.70	6.097G	-46.93	-38.30	-8.63	2
6.37057G	1.08	6.0978G	-46.66	-38.92	-7.74	3
6.32022G	1.55	5.993G	-47.30	-38.45	-8.85	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

19/01/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52978G	2.69	6.7234G	-42.17	-33.05	-9.12	1
6.53217G	2.24	6.749G	-46.81	-37.28	-9.53	2
6.52978G	2.30	6.757G	-47.56	-37.70	-9.86	3
6.53377G	2.09	6.2586G	-47.48	-37.91	-9.57	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TnomVnom

19/01/2022

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63783G	2.64	6.4162G	-46.73	-37.36	-9.37	1
6.69217G	2.72	6.417G	-46.41	-37.28	-9.13	2
6.68818G	2.36	6.9386G	-47.13	-37.64	-9.49	3
6.63703G	2.14	6.9474G	-47.56	-37.86	-9.70	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

19/01/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85057G	2.35	6.5786G	-46.11	-37.57	-8.54	1
6.85057G	2.73	6.5778G	-45.32	-37.25	-8.07	2
6.85057G	2.42	6.577G	-46.28	-37.58	-8.70	3
6.85057G	2.37	6.5754G	-46.74	-37.63	-9.11	4

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

MASK

6985MHz_TnomVnom

19/01/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96022G	2.02	6.737G	-45.94	-37.97	-7.97	1
6.95703G	2.35	6.7386G	-45.26	-37.57	-7.69	2
7.01137G	1.88	6.7362G	-46.93	-38.12	-8.81	3
7.00818G	1.90	6.737G	-46.56	-38.10	-8.46	4



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-64	Stop Transmission	10	100	90	Pass
						-65	Stop & with Beacon	-			
						-67	Start Transmission	-			
6	101	20	6455	Center	6455	-62	Stop Transmission	9	90	90	Pass
						-63	Stop & with Beacon	-			
						-66	Start Transmission	-			
7	149	20	6695	Center	6695	-62	Stop Transmission	10	100	90	Pass
						-63	Stop & with Beacon	-			
						-67	Start Transmission	-			
8	213	20	7015	Center	7015	-62	Stop Transmission	9	90	90	Pass
						-63	Stop & with Beacon	-			
						-68	Start Transmission	-			

Note :

1. EUT antenna gain = Band5 = 1.44 / Band6 = 2.11 / Band7 = 1.82 / Band8 = 2.74 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-66.25	Stop Transmission	9	90	90	PASS
						-67.25	Stop & with Beacon				
						-70.25	Start Transmission				
				Center	6185	-63.25	Stop Transmission	9	90	90	PASS
						-64.25	Stop & with Beacon				
						-65.25	Start Transmission				
				High edge	6260	-69.25	Stop Transmission	9	90	90	PASS
						-70.25	Stop & with Beacon				
						-71.25	Start Transmission				
6	111	160	6505	Low edge	6430	-68.12	Stop Transmission	9	90	90	PASS
						-69.12	Stop & with Beacon				
						-70.12	Start Transmission				
				Center	6505	-62.12	Stop Transmission	9	90	90	PASS
						-63.12	Stop & with Beacon				
						-65.12	Start Transmission				
				High edge	6580	-68.12	Stop Transmission	9	90	90	PASS
						-69.12	Stop & with Beacon				
						-70.12	Start Transmission				
7	143	160	6665	Low edge	6590	-65.10	Stop Transmission	9	90	90	PASS
						-66.10	Stop & with Beacon				
						-70.10	Start Transmission				
				Center	6665	-62.10	Stop Transmission	9	90	90	PASS
						-63.10	Stop & with Beacon				
						-65.10	Start Transmission				
				High edge	6740	-67.10	Stop Transmission	9	90	90	PASS
						-68.10	Stop & with Beacon				
						-70.10	Start Transmission				
8	207	160	6985	Low edge	6910	-64.00	Stop Transmission	9	90	90	PASS
						-65.00	Stop & with Beacon				
						-68.00	Start Transmission				
				Center	6985	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-64.00	Start Transmission				
				High edge	7060	-65.00	Stop Transmission	9	90	90	PASS
						-66.00	Stop & with Beacon				
						-68.00	Start Transmission				


Note :

1. EUT antenna gain = Band5 = 1.44 / Band6 = 2.11 / Band7 = 1.82 / Band8 = 2.74 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date: 25 JAN.2022 09:21:31



Frequency (MHz): 6455 MHz







Date: 25 JAN.2022 09:22:50
















Frequency (MHz): 6740 MHz




Frequency (MHz): 6910 MHz









Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal