


802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	107.11	Inf	-Inf	99.37	3	Horizontal	312	2.27	-	34.10	6.54	32.90
RMS	6.6884G	98.29	Inf	-Inf	90.55	3	Horizontal	312	2.27	-	34.10	6.54	32.90
PK	7.1878G	61.85	88.20	-26.35	52.31	3	Horizontal	312	2.27	-	36.05	6.89	33.40
RMS	7.2318G	51.07	68.20	-17.13	41.37	3	Horizontal	312	2.27	-	36.23	6.90	33.43

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38812G	58.69	74.00	-15.31	41.83	3	Vertical	26	1.34	-	39.92	10.84	33.90
AV	13.38634G	45.42	54.00	-8.58	28.59	3	Vertical	26	1.34	-	39.90	10.84	33.91

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39332G	58.67	74.00	-15.33	41.78	3	Horizontal	292	1.22	-	39.95	10.84	33.90
AV	13.39408G	45.40	54.00	-8.60	28.49	3	Horizontal	292	1.22	-	39.96	10.85	33.90

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08226G	45.86	83.54	-37.68	42.58	1	Vertical	335	1.55	-	37.47	15.54	49.73
AV	20.08484G	32.50	63.54	-31.04	29.22	1	Vertical	335	1.55	-	37.47	15.54	49.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08948G	45.67	83.54	-37.87	42.40	1	Horizontal	262	1.54	-	37.47	15.54	49.74
AV	20.0853G	32.46	63.54	-31.08	29.18	1	Horizontal	262	1.54	-	37.47	15.54	49.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	108.91	Inf	-Inf	100.97	3	Vertical	318	2.42	-	34.44	6.63	33.13
RMS	6.8592G	99.44	Inf	-Inf	91.49	3	Vertical	318	2.42	-	34.44	6.63	33.12
PK	7.2036G	61.11	88.20	-27.09	51.51	3	Vertical	318	2.42	-	36.11	6.90	33.41
RMS	7.205G	51.08	68.20	-17.12	41.47	3	Vertical	318	2.42	-	36.12	6.90	33.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	103.19	Inf	-Inf	95.29	3	Horizontal	236	2.29	-	34.39	6.62	33.11
RMS	6.8466G	93.60	Inf	-Inf	85.70	3	Horizontal	236	2.29	-	34.39	6.62	33.11
PK	7.2036G	61.87	88.20	-26.33	52.27	3	Horizontal	236	2.29	-	36.11	6.90	33.41
RMS	7.2022G	51.06	68.20	-17.14	41.46	3	Horizontal	236	2.29	-	36.11	6.90	33.41

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7148G	60.77	88.20	-27.43	43.73	3	Vertical	109	2.47	-	39.94	11.09	33.99
RMS	13.70604G	47.30	68.20	-20.90	30.28	3	Vertical	109	2.47	-	39.92	11.08	33.98



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70814G	61.20	88.20	-27.00	44.18	3	Horizontal	200	1.46	-	39.92	11.08	33.98
RMS	13.70894G	47.43	68.20	-20.77	30.40	3	Horizontal	200	1.46	-	39.93	11.08	33.98

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56922G	46.31	83.54	-37.23	42.64	1	Vertical	297	1.56	-	37.78	15.76	49.87
AV	20.56984G	33.03	63.54	-30.51	29.36	1	Vertical	297	1.56	-	37.78	15.76	49.87

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 6855MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 41  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56034G	45.77	83.54	-37.77	42.13	1	Horizontal	31	1.58	-	37.77	15.75	49.88
AV	20.5613G	33.02	63.54	-30.52	29.38	1	Horizontal	31	1.58	-	37.77	15.75	49.88


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 46  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	107.28	Inf	-Inf	99.28	3	Vertical	226	1.75	-	34.51	6.64	33.15
RMS	6.8798G	97.65	Inf	-Inf	89.64	3	Vertical	226	1.75	-	34.52	6.64	33.15
PK	7.1606G	62.24	88.20	-25.96	52.83	3	Vertical	226	1.75	-	35.94	6.86	33.39
RMS	7.1534G	50.85	68.20	-17.35	41.48	3	Vertical	226	1.75	-	35.91	6.85	33.39

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 46  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8654G	104.21	Inf	-Inf	96.25	3	Horizontal	308	1.03	-	34.46	6.63	33.13
RMS	6.8666G	94.75	Inf	-Inf	86.78	3	Horizontal	308	1.03	-	34.47	6.63	33.13
PK	7.151G	61.61	88.20	-26.59	52.25	3	Horizontal	308	1.03	-	35.90	6.85	33.39
RMS	7.1426G	50.83	68.20	-17.37	41.51	3	Horizontal	308	1.03	-	35.86	6.84	33.38

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7506G	61.09	88.20	-27.11	43.94	3	Vertical	40	2.64	-	40.05	11.11	34.01
RMS	13.74526G	47.33	68.20	-20.87	30.18	3	Vertical	40	2.64	-	40.04	11.11	34.00

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 46  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75046G	61.47	88.20	-26.73	44.32	3	Horizontal	63	2.81	-	40.05	11.11	34.01
RMS	13.74582G	47.28	68.20	-20.92	30.13	3	Horizontal	63	2.81	-	40.04	11.11	34.00

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**

**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
Setting 46  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62198G	46.19	83.54	-37.35	42.41	1	Vertical	57	1.57	-	37.85	15.78	49.85
AV	20.62404G	32.82	63.54	-30.72	29.04	1	Vertical	57	1.57	-	37.85	15.78	49.85



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62516G	46.39	83.54	-37.15	42.61	1	Horizontal	295	1.56	-	37.85	15.78	49.85
AV	20.62348G	32.86	63.54	-30.68	29.08	1	Horizontal	295	1.56	-	37.85	15.78	49.85

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT Z\_4TX  
Setting 47  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8902G	110.71	Inf	-Inf	102.67	3	Vertical	105	2.54	-	34.56	6.65	33.17
RMS	6.8866G	101.28	Inf	-Inf	93.25	3	Vertical	105	2.54	-	34.55	6.64	33.16
PK	7.189G	61.29	88.20	-26.91	51.74	3	Vertical	105	2.54	-	36.06	6.89	33.40
RMS	7.195G	51.08	68.20	-17.12	41.51	3	Vertical	105	2.54	-	36.08	6.90	33.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT Z\_4TX  
Setting 47  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8998G	104.83	Inf	-Inf	96.76	3	Horizontal	312	2.29	-	34.60	6.65	33.18
RMS	6.8986G	95.38	Inf	-Inf	87.32	3	Horizontal	312	2.29	-	34.59	6.65	33.18
PK	7.1506G	60.96	88.20	-27.24	51.60	3	Horizontal	312	2.29	-	35.90	6.85	33.39
RMS	7.1926G	51.04	68.20	-17.16	41.49	3	Horizontal	312	2.29	-	36.07	6.89	33.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 47  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.787G	60.19	88.20	-28.01	42.91	3	Vertical	255	1.23	-	40.16	11.14	34.02
RMS	13.79428G	47.09	68.20	-21.11	29.79	3	Vertical	255	1.23	-	40.18	11.15	34.03

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 47  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78634G	60.18	88.20	-28.02	42.90	3	Horizontal	162	2.80	-	40.16	11.14	34.02
RMS	13.78928G	47.08	68.20	-21.12	29.79	3	Horizontal	162	2.80	-	40.17	11.14	34.02

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 47  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68256G	46.68	83.54	-36.86	42.78	1	Vertical	272	1.52	-	37.92	15.81	49.83
AV	20.68806G	33.03	63.54	-30.51	29.11	1	Vertical	272	1.52	-	37.93	15.81	49.82

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 47  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68216G	46.15	83.54	-37.39	42.25	1	Horizontal	235	1.50	-	37.92	15.81	49.83
AV	20.68828G	33.18	63.54	-30.36	29.26	1	Horizontal	235	1.50	-	37.93	15.81	49.82

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT Z\_4TX  
Setting 35  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.991G	109.18	Inf	-Inf	100.80	3	Vertical	0	2.61	-	34.98	6.70	33.30
RMS	7.0022G	98.92	Inf	-Inf	90.52	3	Vertical	0	2.61	-	35.01	6.70	33.31
PK	7.1918G	61.21	88.20	-26.99	51.66	3	Vertical	0	2.61	-	36.07	6.89	33.41
RMS	7.1934G	51.08	68.20	-17.12	41.53	3	Vertical	0	2.61	-	36.07	6.89	33.41



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT Z\_4TX  
Setting 35  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	102.02	Inf	-Inf	93.62	3	Horizontal	225	2.22	-	35.01	6.70	33.31
RMS	7.0038G	93.23	Inf	-Inf	84.82	3	Horizontal	225	2.22	-	35.02	6.70	33.31
PK	7.131G	61.67	88.20	-26.53	52.43	3	Horizontal	225	2.22	-	35.79	6.83	33.38
RMS	7.195G	51.10	68.20	-17.10	41.53	3	Horizontal	225	2.22	-	36.08	6.90	33.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9936G	61.89	88.20	-26.31	44.14	3	Vertical	37	1.46	-	40.58	11.30	34.13
RMS	13.99252G	48.67	68.20	-19.53	30.93	3	Vertical	37	1.46	-	40.58	11.29	34.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98694G	61.67	88.20	-26.53	43.94	3	Horizontal	102	1.69	-	40.56	11.29	34.12
RMS	13.9895G	48.55	68.20	-19.65	30.81	3	Horizontal	102	1.69	-	40.57	11.29	34.12

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98172G	45.93	83.54	-37.61	42.07	1	Vertical	227	1.58	-	37.63	15.94	49.71
AV	20.98774G	32.45	63.54	-31.09	28.59	1	Vertical	227	1.58	-	37.62	15.94	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98104G	45.18	83.54	-38.36	41.32	1	Horizontal	35	1.55	-	37.63	15.94	49.71
AV	20.9851G	32.55	63.54	-30.99	28.70	1	Horizontal	35	1.55	-	37.62	15.94	49.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	57.50	88.20	-30.70	51.68	3	Vertical	312	1.80	-	32.14	6.06	32.38
RMS	5.924G	46.45	68.20	-21.75	40.62	3	Vertical	312	1.80	-	32.15	6.06	32.38
PK	6.143G	108.94	Inf	-Inf	102.69	3	Vertical	312	1.80	-	32.57	6.17	32.49
RMS	6.143G	99.01	Inf	-Inf	92.76	3	Vertical	312	1.80	-	32.57	6.17	32.49

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6125MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	56.36	88.20	-31.84	50.54	3	Horizontal	253	2.92	-	32.14	6.06	32.38
RMS	5.925G	46.27	68.20	-21.93	40.44	3	Horizontal	253	2.92	-	32.15	6.06	32.38
PK	6.111G	106.03	Inf	-Inf	99.91	3	Horizontal	253	2.92	-	32.44	6.16	32.48
RMS	6.111G	97.00	Inf	-Inf	90.88	3	Horizontal	253	2.92	-	32.44	6.16	32.48

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25442G	56.16	74.00	-17.84	41.65	3	Vertical	91	2.95	-	38.65	9.99	34.13
AV	12.25406G	42.13	54.00	-11.87	27.62	3	Vertical	91	2.95	-	38.65	9.99	34.13



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24526G	55.73	74.00	-18.27	41.24	3	Horizontal	140	1.33	-	38.65	9.98	34.14
AV	12.25434G	42.18	54.00	-11.82	27.67	3	Horizontal	140	1.33	-	38.65	9.99	34.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37178G	46.61	83.54	-36.93	44.26	1	Vertical	15	1.53	-	37.65	14.85	50.15
AV	18.37756G	32.65	63.54	-30.89	30.30	1	Vertical	15	1.53	-	37.65	14.85	50.15

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6125MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37002G	46.29	83.54	-37.25	43.95	1	Horizontal	149	1.53	-	37.64	14.85	50.15
AV	18.3774G	32.79	63.54	-30.75	30.44	1	Horizontal	149	1.53	-	37.65	14.85	50.15

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	56.81	88.20	-31.39	50.98	3	Vertical	347	1.53	-	32.15	6.06	32.38
RMS	5.925G	46.31	68.20	-21.89	40.48	3	Vertical	347	1.53	-	32.15	6.06	32.38
PK	6.2418G	107.54	Inf	-Inf	101.09	3	Vertical	347	1.53	-	32.75	6.24	32.54
RMS	6.2306G	97.89	Inf	-Inf	91.51	3	Vertical	347	1.53	-	32.68	6.23	32.53

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	56.50	88.20	-31.70	50.75	3	Horizontal	248	2.41	-	32.07	6.04	32.36
RMS	5.925G	46.31	68.20	-21.89	40.48	3	Horizontal	248	2.41	-	32.15	6.06	32.38
PK	6.2418G	103.38	Inf	-Inf	96.93	3	Horizontal	248	2.41	-	32.75	6.24	32.54
RMS	6.2434G	93.90	Inf	-Inf	87.44	3	Horizontal	248	2.41	-	32.76	6.24	32.54

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49396G	55.79	74.00	-18.21	41.45	3	Vertical	136	1.34	-	38.22	10.17	34.05
AV	12.49184G	42.38	54.00	-11.62	28.04	3	Vertical	136	1.34	-	38.22	10.17	34.05

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48864G	56.08	74.00	-17.92	41.73	3	Horizontal	107	2.65	-	38.23	10.17	34.05
AV	12.49202G	42.47	54.00	-11.53	28.13	3	Horizontal	107	2.65	-	38.22	10.17	34.05

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73468G	46.47	83.54	-37.07	43.64	1	Vertical	75	1.53	-	37.71	14.99	49.87
AV	18.73218G	32.66	63.54	-30.88	29.83	1	Vertical	75	1.53	-	37.71	14.99	49.87



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73458G	45.86	83.54	-37.68	43.03	1	Horizontal	43	1.50	-	37.71	14.99	49.87
AV	18.7321G	32.64	63.54	-30.90	29.81	1	Horizontal	43	1.50	-	37.71	14.99	49.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TnomVnom




EUT Z\_4TX  
Setting 44  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	56.91	88.20	-31.29	51.08	3	Vertical	38	1.80	-	32.15	6.06	32.38
RMS	5.9226G	46.26	68.20	-21.94	40.43	3	Vertical	38	1.80	-	32.15	6.06	32.38
PK	6.4074G	107.21	Inf	-Inf	99.91	3	Vertical	38	1.80	-	33.51	6.40	32.61
RMS	6.4002G	97.04	Inf	-Inf	89.75	3	Vertical	38	1.80	-	33.50	6.40	32.61

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	56.90	88.20	-31.30	51.15	3	Horizontal	250	1.00	-	32.07	6.04	32.36
RMS	5.925G	46.24	68.20	-21.96	40.41	3	Horizontal	250	1.00	-	32.15	6.06	32.38
PK	6.3978G	102.41	Inf	-Inf	95.14	3	Horizontal	250	1.00	-	33.48	6.40	32.61
RMS	6.4098G	92.66	Inf	-Inf	85.35	3	Horizontal	250	1.00	-	33.52	6.40	32.61

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81038G	56.24	88.20	-31.96	40.93	3	Vertical	188	1.24	-	38.91	10.41	34.01
RMS	12.80878G	42.85	68.20	-25.35	27.54	3	Vertical	188	1.24	-	38.91	10.41	34.01

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8116G	57.32	88.20	-30.88	42.01	3	Horizontal	193	2.51	-	38.91	10.41	34.01
RMS	12.80694G	42.85	68.20	-25.35	27.54	3	Horizontal	193	2.51	-	38.91	10.41	34.01

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21848G	45.71	83.54	-37.83	42.42	1	Vertical	31	1.52	-	37.74	15.19	49.64
AV	19.21312G	32.20	63.54	-31.34	28.91	1	Vertical	31	1.52	-	37.74	15.19	49.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21968G	46.17	83.54	-37.37	42.88	1	Horizontal	179	1.55	-	37.74	15.19	49.64
AV	19.21294G	32.19	63.54	-31.35	28.90	1	Horizontal	179	1.55	-	37.74	15.19	49.64

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 52  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8444G	57.82	88.20	-30.38	52.14	3	Vertical	38	1.80	-	32.00	6.02	32.34
RMS	5.9224G	46.19	68.20	-22.01	40.37	3	Vertical	38	1.80	-	32.14	6.06	32.38
PK	6.458G	100.79	Inf	-Inf	93.34	3	Vertical	38	1.80	-	33.65	6.43	32.63
RMS	6.458G	91.47	Inf	-Inf	84.02	3	Vertical	38	1.80	-	33.65	6.43	32.63



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT Z\_4TX  
Setting 52  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8392G	56.83	88.20	-31.37	51.14	3	Horizontal	232	2.86	-	32.00	6.02	32.33
RMS	5.925G	46.14	68.20	-22.06	40.31	3	Horizontal	232	2.86	-	32.15	6.06	32.38
PK	6.4294G	104.40	Inf	-Inf	97.05	3	Horizontal	232	2.86	-	33.56	6.41	32.62
RMS	6.4294G	94.73	Inf	-Inf	87.38	3	Horizontal	232	2.86	-	33.56	6.41	32.62

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 52  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88516G	56.96	88.20	-31.24	41.51	3	Vertical	265	2.79	-	38.99	10.46	34.00
RMS	12.89188G	43.07	68.20	-25.13	27.61	3	Vertical	265	2.79	-	38.99	10.47	34.00

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 52  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8922G	56.77	88.20	-31.43	41.31	3	Horizontal	289	2.40	-	38.99	10.47	34.00
RMS	12.89228G	43.03	68.20	-25.17	27.57	3	Horizontal	289	2.40	-	38.99	10.47	34.00

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 52  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33688G	45.48	83.54	-38.06	42.15	1	Vertical	318	1.53	-	37.77	15.23	49.67
AV	19.33584G	32.10	63.54	-31.44	28.77	1	Vertical	318	1.53	-	37.77	15.23	49.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 52  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33376G	46.18	83.54	-37.36	42.85	1	Horizontal	144	1.51	-	37.77	15.23	49.67
AV	19.33894G	32.03	63.54	-31.51	28.69	1	Horizontal	144	1.51	-	37.77	15.24	49.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	56.81	88.20	-31.39	51.09	3	Vertical	324	2.26	-	32.04	6.03	32.35
RMS	5.925G	46.20	68.20	-22.00	40.37	3	Vertical	324	2.26	-	32.15	6.06	32.38
PK	6.4822G	108.68	Inf	-Inf	101.09	3	Vertical	324	2.26	-	33.79	6.44	32.64
RMS	6.4822G	98.94	Inf	-Inf	91.35	3	Vertical	324	2.26	-	33.79	6.44	32.64
PK	7.171G	61.41	88.20	-26.79	51.96	3	Vertical	324	2.26	-	35.98	6.87	33.40
RMS	7.1458G	50.61	68.20	-17.59	41.27	3	Vertical	324	2.26	-	35.87	6.85	33.38

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	56.81	88.20	-31.39	51.01	3	Horizontal	254	2.42	-	32.12	6.05	32.37
RMS	5.925G	46.20	68.20	-22.00	40.37	3	Horizontal	254	2.42	-	32.15	6.06	32.38
PK	6.4766G	104.90	Inf	-Inf	97.34	3	Horizontal	254	2.42	-	33.76	6.44	32.64
RMS	6.4738G	93.99	Inf	-Inf	86.45	3	Horizontal	254	2.42	-	33.74	6.44	32.64
PK	7.1346G	60.98	88.20	-27.22	51.72	3	Horizontal	254	2.42	-	35.81	6.83	33.38
RMS	7.185G	50.58	68.20	-17.62	41.06	3	Horizontal	254	2.42	-	36.04	6.88	33.40

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97264G	57.13	88.20	-31.07	41.52	3	Vertical	104	2.40	-	39.07	10.53	33.99
RMS	12.97374G	43.11	68.20	-25.09	27.50	3	Vertical	104	2.40	-	39.07	10.53	33.99



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96998G	57.03	88.20	-31.17	41.42	3	Horizontal	23	1.53	-	39.07	10.53	33.99
RMS	12.9736G	43.15	68.20	-25.05	27.54	3	Horizontal	23	1.53	-	39.07	10.53	33.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT Z\_4TX  
Setting 51  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45608G	45.36	83.54	-38.18	41.91	1	Vertical	49	1.50	-	37.86	15.28	49.69
AV	19.45278G	32.16	63.54	-31.38	28.71	1	Vertical	49	1.50	-	37.86	15.28	49.69

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 6485MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 51  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45318G	45.97	83.54	-37.57	42.52	1	Horizontal	287	1.56	-	37.86	15.28	49.69
AV	19.45258G	32.08	63.54	-31.46	28.63	1	Horizontal	287	1.56	-	37.86	15.28	49.69


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 51  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	57.24	88.20	-30.96	51.45	3	Vertical	42	1.80	-	32.11	6.05	32.37
RMS	5.923G	46.17	68.20	-22.03	40.34	3	Vertical	42	1.80	-	32.15	6.06	32.38
PK	6.5166G	100.90	Inf	-Inf	93.14	3	Vertical	42	1.80	-	33.97	6.46	32.67
RMS	6.5138G	91.67	Inf	-Inf	83.92	3	Vertical	42	1.80	-	33.96	6.46	32.67
PK	7.127G	61.04	88.20	-27.16	51.82	3	Vertical	42	1.80	-	35.76	6.83	33.37
RMS	7.225G	50.84	68.20	-17.36	41.16	3	Vertical	42	1.80	-	36.20	6.90	33.42

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 51  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8726G	56.51	88.20	-31.69	50.77	3	Horizontal	305	1.00	-	32.05	6.04	32.35
RMS	5.9202G	46.18	68.20	-22.02	40.36	3	Horizontal	305	1.00	-	32.14	6.06	32.38
PK	6.5082G	106.54	Inf	-Inf	98.82	3	Horizontal	305	1.00	-	33.93	6.45	32.66
RMS	6.511G	96.97	Inf	-Inf	89.23	3	Horizontal	305	1.00	-	33.94	6.46	32.66
PK	7.1914G	62.21	88.20	-25.99	52.66	3	Horizontal	305	1.00	-	36.07	6.89	33.41
RMS	7.197G	50.79	68.20	-17.41	41.21	3	Horizontal	305	1.00	-	36.09	6.90	33.41

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 51  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04972G	58.30	88.20	-29.90	42.59	3	Vertical	252	2.27	-	39.10	10.59	33.98
RMS	13.04978G	44.20	68.20	-24.00	28.49	3	Vertical	252	2.27	-	39.10	10.59	33.98

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 51  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05206G	58.00	88.20	-30.20	42.29	3	Horizontal	177	2.96	-	39.10	10.59	33.98
RMS	13.0534G	44.04	68.20	-24.16	28.33	3	Horizontal	177	2.96	-	39.10	10.59	33.98

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 51  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57206G	45.28	83.54	-38.26	41.78	1	Vertical	76	1.54	-	37.87	15.33	49.70
AV	19.5718G	31.99	63.54	-31.55	28.49	1	Vertical	76	1.54	-	37.87	15.33	49.70



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57678G	45.77	83.54	-37.77	42.27	1	Horizontal	343	1.55	-	37.87	15.33	49.70
AV	19.57448G	31.99	63.54	-31.55	28.49	1	Horizontal	343	1.55	-	37.87	15.33	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5794G	104.54	Inf	-Inf	96.64	3	Vertical	39	1.80	-	34.16	6.49	32.75
RMS	6.5578G	95.05	Inf	-Inf	87.18	3	Vertical	39	1.80	-	34.12	6.48	32.73
PK	7.1506G	60.28	88.20	-27.92	50.92	3	Vertical	39	1.80	-	35.90	6.85	33.39
RMS	7.1434G	50.61	68.20	-17.59	41.29	3	Vertical	39	1.80	-	35.86	6.84	33.38

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5818G	105.79	Inf	-Inf	97.90	3	Horizontal	309	2.49	-	34.16	6.49	32.76
RMS	6.5818G	97.52	Inf	-Inf	89.63	3	Horizontal	309	2.49	-	34.16	6.49	32.76
PK	7.1362G	60.67	88.20	-27.53	51.39	3	Horizontal	309	2.49	-	35.82	6.84	33.38
RMS	7.1458G	50.65	68.20	-17.55	41.31	3	Horizontal	309	2.49	-	35.87	6.85	33.38

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13326G	57.63	88.20	-30.57	41.81	3	Vertical	23	2.10	-	39.13	10.65	33.96
RMS	13.131G	44.07	68.20	-24.13	28.25	3	Vertical	23	2.10	-	39.13	10.65	33.96

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13194G	57.44	88.20	-30.76	41.62	3	Horizontal	47	1.26	-	39.13	10.65	33.96
RMS	13.13122G	44.08	68.20	-24.12	28.26	3	Horizontal	47	1.26	-	39.13	10.65	33.96

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69702G	45.63	83.54	-37.91	42.13	1	Vertical	198	1.57	-	37.82	15.38	49.70
AV	19.6916G	31.89	63.54	-31.65	28.39	1	Vertical	198	1.57	-	37.82	15.38	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6973G	45.44	83.54	-38.10	41.94	1	Horizontal	300	1.54	-	37.82	15.38	49.70
AV	19.69688G	31.99	63.54	-31.55	28.49	1	Horizontal	300	1.54	-	37.82	15.38	49.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	109.57	Inf	-Inf	101.83	3	Vertical	314	2.22	-	34.10	6.54	32.90
RMS	6.683G	98.38	Inf	-Inf	90.63	3	Vertical	314	2.22	-	34.10	6.54	32.89
PK	7.135G	61.43	88.20	-26.77	52.17	3	Vertical	314	2.22	-	35.81	6.83	33.38
RMS	7.145G	50.72	68.20	-17.48	41.38	3	Vertical	314	2.22	-	35.87	6.85	33.38



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	103.11	Inf	-Inf	95.36	3	Horizontal	312	2.79	-	34.10	6.54	32.89
RMS	6.687G	93.42	Inf	-Inf	85.68	3	Horizontal	312	2.79	-	34.10	6.54	32.90
PK	7.175G	62.21	88.20	-25.99	52.74	3	Horizontal	312	2.79	-	36.00	6.87	33.40
RMS	7.183G	50.67	68.20	-17.53	41.16	3	Horizontal	312	2.79	-	36.03	6.88	33.40

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36842G	59.10	74.00	-14.90	42.40	3	Vertical	114	2.67	-	39.78	10.83	33.91
AV	13.37092G	44.62	54.00	-9.38	27.90	3	Vertical	114	2.67	-	39.80	10.83	33.91

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36994G	58.45	74.00	-15.55	41.74	3	Horizontal	290	2.88	-	39.79	10.83	33.91
AV	13.36792G	44.53	54.00	-9.47	27.83	3	Horizontal	290	2.88	-	39.78	10.83	33.91

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05476G	45.81	83.54	-37.73	42.57	1	Vertical	150	1.57	-	37.44	15.52	49.72
AV	20.0518G	31.98	63.54	-31.56	28.74	1	Vertical	150	1.57	-	37.44	15.52	49.72

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05518G	45.16	83.54	-38.38	41.92	1	Horizontal	232	1.55	-	37.44	15.52	49.72
AV	20.05454G	31.97	63.54	-31.57	28.73	1	Horizontal	232	1.55	-	37.44	15.52	49.72

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	108.49	Inf	-Inf	100.58	3	Vertical	45	1.80	-	34.39	6.62	33.10
RMS	6.8402G	98.28	Inf	-Inf	90.38	3	Vertical	45	1.80	-	34.38	6.62	33.10
PK	7.1554G	61.94	88.20	-26.26	52.55	3	Vertical	45	1.80	-	35.92	6.86	33.39
RMS	7.2322G	51.00	68.20	-17.20	41.30	3	Vertical	45	1.80	-	36.23	6.90	33.43

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TnomVnom




EUT Z\_4TX  
Setting 50  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8354G	105.20	Inf	-Inf	97.30	3	Horizontal	236	2.36	-	34.37	6.62	33.09
RMS	6.837G	95.92	Inf	-Inf	88.02	3	Horizontal	236	2.36	-	34.37	6.62	33.09
PK	7.2242G	61.82	88.20	-26.38	52.14	3	Horizontal	236	2.36	-	36.20	6.90	33.42
RMS	7.2146G	50.93	68.20	-17.27	41.29	3	Horizontal	236	2.36	-	36.16	6.90	33.42

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69058G	60.29	88.20	-27.91	43.29	3	Vertical	132	1.80	-	39.91	11.07	33.98
RMS	13.6897G	46.66	68.20	-21.54	29.65	3	Vertical	132	1.80	-	39.91	11.07	33.97



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68528G	60.60	88.20	-27.60	43.60	3	Horizontal	221	2.60	-	39.91	11.06	33.97
RMS	13.69012G	46.72	68.20	-21.48	29.72	3	Horizontal	221	2.60	-	39.91	11.07	33.98

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53444G	45.94	83.54	-37.60	42.35	1	Vertical	219	1.57	-	37.74	15.74	49.89
AV	20.53918G	32.64	63.54	-30.90	29.03	1	Vertical	219	1.57	-	37.75	15.74	49.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53412G	46.24	83.54	-37.30	42.65	1	Horizontal	338	1.56	-	37.74	15.74	49.89
AV	20.53108G	32.69	63.54	-30.85	29.10	1	Horizontal	338	1.56	-	37.74	15.74	49.89

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


6885MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT Z\_4TX  
Setting 54  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8752G	107.47	Inf	-Inf	99.48	3	Vertical	41	1.80	-	34.50	6.64	33.15
RMS	6.8696G	96.85	Inf	-Inf	88.88	3	Vertical	41	1.80	-	34.48	6.63	33.14
PK	7.1888G	63.37	88.20	-24.83	53.82	3	Vertical	41	1.80	-	36.06	6.89	33.40
RMS	7.2056G	50.98	68.20	-17.22	41.37	3	Vertical	41	1.80	-	36.12	6.90	33.41

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 54  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8808G	106.04	Inf	-Inf	98.03	3	Horizontal	311	2.29	-	34.52	6.64	33.15
RMS	6.8808G	95.22	Inf	-Inf	87.21	3	Horizontal	311	2.29	-	34.52	6.64	33.15
PK	7.1734G	61.38	88.20	-26.82	51.92	3	Horizontal	311	2.29	-	35.99	6.87	33.40
RMS	7.2308G	50.94	68.20	-17.26	41.25	3	Horizontal	311	2.29	-	36.22	6.90	33.43

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**

**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
Setting 54  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7679G	60.11	88.20	-28.09	42.89	3	Vertical	150	2.02	-	40.10	11.13	34.01
RMS	13.76752G	46.53	68.20	-21.67	29.31	3	Vertical	150	2.02	-	40.10	11.13	34.01

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


6885MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 54  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77424G	61.03	88.20	-27.17	43.80	3	Horizontal	140	2.46	-	40.12	11.13	34.02
RMS	13.76528G	46.40	68.20	-21.80	29.19	3	Horizontal	140	2.46	-	40.10	11.12	34.01

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 54  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65974G	45.97	83.54	-37.57	42.12	1	Vertical	102	1.53	-	37.89	15.80	49.84
AV	20.6597G	32.45	63.54	-31.09	28.60	1	Vertical	102	1.53	-	37.89	15.80	49.84



**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 54  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65732G	45.43	83.54	-38.11	41.58	1	Horizontal	146	1.55	-	37.89	15.80	49.84
AV	20.65992G	32.43	63.54	-31.11	28.58	1	Horizontal	146	1.55	-	37.89	15.80	49.84

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9394G	104.77	Inf	-Inf	96.49	3	Vertical	39	1.80	-	34.84	6.67	33.23
RMS	6.9166G	94.49	Inf	-Inf	86.33	3	Vertical	39	1.80	-	34.70	6.66	33.20
PK	7.1866G	62.63	88.20	-25.57	53.09	3	Vertical	39	1.80	-	36.05	6.89	33.40
RMS	7.2142G	50.98	68.20	-17.22	41.34	3	Vertical	39	1.80	-	36.16	6.90	33.42

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	102.42	Inf	-Inf	94.25	3	Horizontal	313	2.71	-	34.71	6.66	33.20
RMS	6.9166G	92.72	Inf	-Inf	84.56	3	Horizontal	313	2.71	-	34.70	6.66	33.20
PK	7.1842G	62.08	88.20	-26.12	52.56	3	Horizontal	313	2.71	-	36.04	6.88	33.40
RMS	7.2142G	50.94	68.20	-17.26	41.30	3	Horizontal	313	2.71	-	36.16	6.90	33.42

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84834G	60.78	88.20	-27.42	43.39	3	Vertical	303	1.54	-	40.25	11.19	34.05
RMS	13.84688G	46.58	68.20	-21.62	29.19	3	Vertical	303	1.54	-	40.25	11.19	34.05

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85146G	60.17	88.20	-28.03	42.79	3	Horizontal	105	2.95	-	40.25	11.19	34.06
RMS	13.84778G	46.57	68.20	-21.63	29.18	3	Horizontal	105	2.95	-	40.25	11.19	34.05

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 50  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77814G	45.97	83.54	-37.57	41.96	1	Vertical	208	1.52	-	37.95	15.85	49.79
AV	20.77538G	32.91	63.54	-30.63	28.89	1	Vertical	208	1.52	-	37.96	15.85	49.79

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT Z\_4TX  
Setting 50  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77736G	46.21	83.54	-37.33	42.19	1	Horizontal	236	1.51	-	37.96	15.85	49.79
AV	20.7748G	32.87	63.54	-30.67	28.85	1	Horizontal	236	1.51	-	37.96	15.85	49.79

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0106G	109.19	Inf	-Inf	100.76	3	Vertical	360	2.51	-	35.04	6.71	33.32
RMS	7.009G	98.23	Inf	-Inf	89.79	3	Vertical	360	2.51	-	35.04	6.71	33.31
PK	7.1674G	62.09	88.20	-26.11	52.64	3	Vertical	360	2.51	-	35.97	6.87	33.39
RMS	7.2002G	51.08	68.20	-17.12	41.49	3	Vertical	360	2.51	-	36.10	6.90	33.41



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	103.21	Inf	-Inf	94.74	3	Horizontal	229	2.67	-	35.07	6.72	33.32
RMS	6.9962G	92.63	Inf	-Inf	84.24	3	Horizontal	229	2.67	-	34.99	6.70	33.30
PK	7.1314G	62.64	88.20	-25.56	53.40	3	Horizontal	229	2.67	-	35.79	6.83	33.38
RMS	7.1994G	50.95	68.20	-17.25	41.36	3	Horizontal	229	2.67	-	36.10	6.90	33.41

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0074G	61.81	88.20	-26.39	44.03	3	Vertical	240	2.80	-	40.61	11.30	34.13
RMS	14.0103G	48.33	68.20	-19.87	30.53	3	Vertical	240	2.80	-	40.62	11.31	34.13

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01174G	62.02	88.20	-26.18	44.22	3	Horizontal	67	1.07	-	40.62	11.31	34.13
RMS	14.01036G	48.29	68.20	-19.91	30.49	3	Horizontal	67	1.07	-	40.62	11.31	34.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0127G	45.73	83.54	-37.81	41.87	1	Vertical	228	1.58	-	37.60	15.96	49.70
AV	21.0122G	32.07	63.54	-31.47	28.21	1	Vertical	228	1.58	-	37.60	15.96	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 46  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01538G	45.74	83.54	-37.80	41.88	1	Horizontal	220	1.57	-	37.60	15.96	49.70
AV	21.01738G	32.08	63.54	-31.46	28.22	1	Horizontal	220	1.57	-	37.60	15.96	49.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6145MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9014G	57.00	88.20	-31.20	51.22	3	Vertical	313	1.76	-	32.10	6.05	32.37
RMS	5.9242G	46.47	68.20	-21.73	40.64	3	Vertical	313	1.76	-	32.15	6.06	32.38
PK	6.1498G	107.69	Inf	-Inf	101.42	3	Vertical	313	1.76	-	32.60	6.17	32.50
RMS	6.1486G	97.42	Inf	-Inf	91.16	3	Vertical	313	1.76	-	32.59	6.17	32.50

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8918G	57.38	88.20	-30.82	51.62	3	Horizontal	264	2.81	-	32.08	6.05	32.37
RMS	5.9242G	46.39	68.20	-21.81	40.56	3	Horizontal	264	2.81	-	32.15	6.06	32.38
PK	6.1822G	104.55	Inf	-Inf	98.33	3	Horizontal	264	2.81	-	32.54	6.19	32.51
RMS	6.1822G	94.36	Inf	-Inf	88.14	3	Horizontal	264	2.81	-	32.54	6.19	32.51

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 59  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2898G	55.79	74.00	-18.21	41.28	3	Vertical	196	2.55	-	38.61	10.02	34.12
AV	12.28724G	42.14	54.00	-11.86	27.63	3	Vertical	196	2.55	-	38.61	10.02	34.12



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 59  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28716G	55.71	74.00	-18.29	41.20	3	Horizontal	315	1.47	-	38.61	10.02	34.12
AV	12.28716G	42.22	54.00	-11.78	27.71	3	Horizontal	315	1.47	-	38.61	10.02	34.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43616G	45.51	83.54	-38.03	43.05	1	Vertical	314	1.50	-	37.72	14.87	50.13
AV	18.436G	32.25	63.54	-31.29	29.79	1	Vertical	314	1.50	-	37.72	14.87	50.13

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43644G	45.31	83.54	-38.23	42.85	1	Horizontal	26	1.50	-	37.72	14.87	50.13
AV	18.43992G	32.29	63.54	-31.25	29.80	1	Horizontal	26	1.50	-	37.73	14.88	50.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUT Z\_4TX  
Setting 58  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	56.56	88.20	-31.64	50.77	3	Vertical	314	1.67	-	32.12	6.05	32.38
RMS	5.924G	46.47	68.20	-21.73	40.64	3	Vertical	314	1.67	-	32.15	6.06	32.38
PK	6.2278G	108.29	Inf	-Inf	101.92	3	Vertical	314	1.67	-	32.67	6.23	32.53
RMS	6.2166G	97.48	Inf	-Inf	91.19	3	Vertical	314	1.67	-	32.60	6.22	32.53

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.896G	57.25	88.20	-30.95	51.48	3	Horizontal	310	2.42	-	32.09	6.05	32.37
RMS	5.925G	46.26	68.20	-21.94	40.43	3	Horizontal	310	2.42	-	32.15	6.06	32.38
PK	6.19G	103.92	Inf	-Inf	97.71	3	Horizontal	310	2.42	-	32.52	6.20	32.51
RMS	6.1872G	94.02	Inf	-Inf	87.81	3	Horizontal	310	2.42	-	32.53	6.19	32.51

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44808G	56.02	74.00	-17.98	41.59	3	Vertical	327	2.18	-	38.36	10.14	34.07
AV	12.44828G	42.42	54.00	-11.58	27.99	3	Vertical	327	2.18	-	38.36	10.14	34.07

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4461G	55.84	74.00	-18.16	41.42	3	Horizontal	30	1.38	-	38.36	10.13	34.07
AV	12.44968G	42.41	54.00	-11.59	27.99	3	Horizontal	30	1.38	-	38.35	10.14	34.07

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67744G	45.40	83.54	-38.14	42.62	1	Vertical	90	1.55	-	37.73	14.97	49.92
AV	18.67902G	32.11	63.54	-31.43	29.33	1	Vertical	90	1.55	-	37.73	14.97	49.92



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67432G	45.76	83.54	-37.78	42.99	1	Horizontal	74	1.55	-	37.73	14.97	49.93
AV	18.67626G	32.06	63.54	-31.48	29.28	1	Horizontal	74	1.55	-	37.73	14.97	49.92

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT Z\_4TX  
Setting 64  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.797G	56.86	88.20	-31.34	51.17	3	Vertical	40	2.08	-	32.00	6.00	32.31
RMS	5.9242G	46.34	68.20	-21.86	40.51	3	Vertical	40	2.08	-	32.15	6.06	32.38
PK	6.4042G	105.01	Inf	-Inf	97.71	3	Vertical	40	2.08	-	33.51	6.40	32.61
RMS	6.3994G	95.75	Inf	-Inf	88.46	3	Vertical	40	2.08	-	33.50	6.40	32.61

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT Z\_4TX  
Setting 64  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	57.41	88.20	-30.79	51.60	3	Horizontal	266	2.30	-	32.13	6.06	32.38
RMS	5.9194G	46.28	68.20	-21.92	40.46	3	Horizontal	266	2.30	-	32.14	6.06	32.38
PK	6.3946G	102.17	Inf	-Inf	94.92	3	Horizontal	266	2.30	-	33.46	6.39	32.60
RMS	6.3946G	92.87	Inf	-Inf	85.62	3	Horizontal	266	2.30	-	33.46	6.39	32.60

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77286G	56.61	88.20	-31.59	41.38	3	Vertical	43	1.39	-	38.87	10.38	34.02
RMS	12.76762G	42.88	68.20	-25.32	27.65	3	Vertical	43	1.39	-	38.87	10.38	34.02

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TnomVnom




EUT\_Z\_4TX  
 Setting 64  
 06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76628G	56.42	88.20	-31.78	41.20	3	Horizontal	262	2.59	-	38.87	10.37	34.02
RMS	12.7666G	42.79	68.20	-25.41	27.57	3	Horizontal	262	2.59	-	38.87	10.37	34.02

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15558G	45.94	83.54	-37.60	42.60	1	Vertical	72	1.54	-	37.81	15.16	49.63
AV	19.15714G	32.40	63.54	-31.14	29.06	1	Vertical	72	1.54	-	37.81	15.16	49.63

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15844G	45.60	83.54	-37.94	42.26	1	Horizontal	313	1.55	-	37.81	15.16	49.63
AV	19.15426G	32.37	63.54	-31.17	29.03	1	Horizontal	313	1.55	-	37.81	15.16	49.63

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	57.57	88.20	-30.63	51.78	3	Vertical	39	1.80	-	32.11	6.05	32.37
RMS	5.9216G	46.46	68.20	-21.74	40.64	3	Vertical	39	1.80	-	32.14	6.06	32.38
PK	6.4988G	105.17	Inf	-Inf	97.48	3	Vertical	39	1.80	-	33.89	6.45	32.65
RMS	6.5014G	95.14	Inf	-Inf	87.43	3	Vertical	39	1.80	-	33.91	6.45	32.65



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8592G	56.70	88.20	-31.50	51.00	3	Horizontal	314	2.48	-	32.02	6.03	32.35
RMS	5.919G	46.20	68.20	-22.00	40.38	3	Horizontal	314	2.48	-	32.14	6.06	32.38
PK	6.504G	105.62	Inf	-Inf	97.91	3	Horizontal	314	2.48	-	33.92	6.45	32.66
RMS	6.5014G	94.53	Inf	-Inf	86.82	3	Horizontal	314	2.48	-	33.91	6.45	32.65

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 62  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92724G	56.84	88.20	-31.36	41.31	3	Vertical	112	2.78	-	39.03	10.50	34.00
RMS	12.9279G	43.13	68.20	-25.07	27.60	3	Vertical	112	2.78	-	39.03	10.50	34.00

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 62  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9279G	57.02	88.20	-31.18	41.49	3	Horizontal	271	1.00	-	39.03	10.50	34.00
RMS	12.93166G	43.11	68.20	-25.09	27.58	3	Horizontal	271	1.00	-	39.03	10.50	34.00

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 62  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39942G	46.23	83.54	-37.31	42.83	1	Vertical	116	1.54	-	37.82	15.26	49.68
AV	19.39686G	32.61	63.54	-30.93	29.21	1	Vertical	116	1.54	-	37.82	15.26	49.68

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6465MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39944G	46.18	83.54	-37.36	42.78	1	Horizontal	153	1.56	-	37.82	15.26	49.68
AV	19.39148G	32.58	63.54	-30.96	29.19	1	Horizontal	153	1.56	-	37.81	15.26	49.68

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 65  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	56.46	88.20	-31.74	50.64	3	Vertical	39	1.80	-	32.14	6.06	32.38
RMS	5.9234G	46.22	68.20	-21.98	40.39	3	Vertical	39	1.80	-	32.15	6.06	32.38
PK	6.517G	106.27	Inf	-Inf	98.51	3	Vertical	39	1.80	-	33.97	6.46	32.67
RMS	6.5562G	96.00	Inf	-Inf	88.13	3	Vertical	39	1.80	-	34.11	6.48	32.72
PK	7.2254G	61.04	88.20	-27.16	51.36	3	Vertical	39	1.80	-	36.20	6.90	33.42
RMS	7.2338G	50.85	68.20	-17.35	41.14	3	Vertical	39	1.80	-	36.24	6.90	33.43

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 65  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	56.49	88.20	-31.71	50.72	3	Horizontal	232	2.95	-	32.09	6.05	32.37
RMS	5.925G	46.22	68.20	-21.98	40.39	3	Horizontal	232	2.95	-	32.15	6.06	32.38
PK	6.5142G	106.54	Inf	-Inf	98.79	3	Horizontal	232	2.95	-	33.96	6.46	32.67
RMS	6.5142G	96.86	Inf	-Inf	89.11	3	Horizontal	232	2.95	-	33.96	6.46	32.67
PK	7.2338G	61.54	88.20	-26.66	51.83	3	Horizontal	232	2.95	-	36.24	6.90	33.43
RMS	7.2422G	50.84	68.20	-17.36	41.10	3	Horizontal	232	2.95	-	36.27	6.90	33.43

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom



16/01/2022


EUT\_Z\_4TX  
Setting 65  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0897G	57.59	88.20	-30.61	41.84	3	Vertical	40	1.16	-	39.10	10.62	33.97
RMS	13.08534G	43.95	68.20	-24.25	28.21	3	Vertical	40	1.16	-	39.10	10.61	33.97



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 65  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0891G	58.31	88.20	-29.89	42.56	3	Horizontal	297	1.09	-	39.10	10.62	33.97
RMS	13.08986G	44.01	68.20	-24.19	28.26	3	Horizontal	297	1.09	-	39.10	10.62	33.97

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


6545MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 65  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63908G	46.12	83.54	-37.42	42.62	1	Vertical	328	1.58	-	37.84	15.36	49.70
AV	19.63254G	32.38	63.54	-31.16	28.88	1	Vertical	328	1.58	-	37.85	15.35	49.70

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 65  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63352G	46.65	83.54	-36.89	43.15	1	Horizontal	246	1.57	-	37.85	15.35	49.70
AV	19.6326G	32.28	63.54	-31.26	28.78	1	Horizontal	246	1.57	-	37.85	15.35	49.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6394G	107.92	Inf	-Inf	100.11	3	Vertical	312	1.94	-	34.12	6.52	32.83
RMS	6.6394G	98.14	Inf	-Inf	90.33	3	Vertical	312	1.94	-	34.12	6.52	32.83
PK	7.2058G	62.51	88.20	-25.69	52.90	3	Vertical	312	1.94	-	36.12	6.90	33.41
RMS	7.213G	50.84	68.20	-17.36	41.21	3	Vertical	312	1.94	-	36.15	6.90	33.42

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6058G	104.53	Inf	-Inf	96.63	3	Horizontal	309	2.32	-	34.19	6.50	32.79
RMS	6.6058G	94.15	Inf	-Inf	86.25	3	Horizontal	309	2.32	-	34.19	6.50	32.79
PK	7.2058G	61.76	88.20	-26.44	52.15	3	Horizontal	309	2.32	-	36.12	6.90	33.41
RMS	7.213G	50.80	68.20	-17.40	41.17	3	Horizontal	309	2.32	-	36.15	6.90	33.42

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 59  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25088G	57.18	74.00	-16.82	41.12	3	Vertical	23	1.60	-	39.25	10.74	33.93
RMS	13.25054G	43.62	54.00	-10.38	27.56	3	Vertical	23	1.60	-	39.25	10.74	33.93

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 59  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25024G	57.30	74.00	-16.70	41.24	3	Horizontal	106	1.21	-	39.25	10.74	33.93
RMS	13.25061G	43.54	54.00	-10.46	27.48	3	Horizontal	106	1.21	-	39.25	10.74	33.93

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8749G	45.71	83.54	-37.83	42.36	1	Vertical	314	1.56	-	37.60	15.45	49.70
AV	19.8798G	32.67	63.54	-30.87	29.33	1	Vertical	314	1.56	-	37.59	15.45	49.70



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 59  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87186G	45.93	83.54	-37.61	42.57	1	Horizontal	51	1.51	-	37.61	15.45	49.70
AV	19.8742G	32.66	63.54	-30.88	29.31	1	Horizontal	51	1.51	-	37.60	15.45	49.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	108.40	Inf	-Inf	100.66	3	Vertical	310	2.27	-	34.10	6.54	32.90
RMS	6.691G	99.25	Inf	-Inf	91.50	3	Vertical	310	2.27	-	34.10	6.55	32.90
PK	7.135G	61.36	88.20	-26.84	52.10	3	Vertical	310	2.27	-	35.81	6.83	33.38
RMS	7.201G	50.94	68.20	-17.26	41.35	3	Vertical	310	2.27	-	36.10	6.90	33.41

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	106.04	Inf	-Inf	98.30	3	Horizontal	314	2.78	-	34.10	6.54	32.90
RMS	6.691G	95.49	Inf	-Inf	87.74	3	Horizontal	314	2.78	-	34.10	6.55	32.90
PK	7.193G	60.95	88.20	-27.25	51.40	3	Horizontal	314	2.78	-	36.07	6.89	33.41
RMS	7.199G	50.83	68.20	-17.37	41.24	3	Horizontal	314	2.78	-	36.10	6.90	33.41

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 62  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4109G	58.28	88.20	-29.92	41.33	3	Vertical	280	1.25	-	39.99	10.86	33.90
RMS	13.40684G	44.74	68.20	-23.46	27.79	3	Vertical	280	1.25	-	39.99	10.86	33.90

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 62  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41266G	59.10	88.20	-29.10	42.15	3	Horizontal	191	1.96	-	39.99	10.86	33.90
RMS	13.40664G	44.77	68.20	-23.43	27.83	3	Horizontal	191	1.96	-	39.99	10.85	33.90

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11308G	45.35	83.54	-38.19	42.06	1	Vertical	270	1.53	-	37.49	15.55	49.75
AV	20.1151G	32.30	63.54	-31.24	29.01	1	Vertical	270	1.53	-	37.49	15.55	49.75

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 62  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1199G	46.22	83.54	-37.32	42.92	1	Horizontal	333	1.50	-	37.50	15.55	49.75
AV	20.11252G	32.28	63.54	-31.26	28.99	1	Horizontal	333	1.50	-	37.49	15.55	49.75

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 69  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	108.73	Inf	-Inf	100.97	3	Vertical	41	1.80	-	34.19	6.59	33.02
RMS	6.7754G	98.32	Inf	-Inf	90.59	3	Vertical	41	1.80	-	34.15	6.59	33.01
PK	7.1466G	61.75	88.20	-26.45	52.40	3	Vertical	41	1.80	-	35.88	6.85	33.38
RMS	7.1498G	50.67	68.20	-17.53	41.30	3	Vertical	41	1.80	-	35.90	6.85	33.38



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 69  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.785G	106.97	Inf	-Inf	99.20	3	Horizontal	307	2.31	-	34.21	6.59	33.03
RMS	6.7834G	96.53	Inf	-Inf	88.76	3	Horizontal	307	2.31	-	34.20	6.59	33.02
PK	7.1418G	61.41	88.20	-26.79	52.10	3	Horizontal	307	2.31	-	35.85	6.84	33.38
RMS	7.1834G	50.60	68.20	-17.60	41.09	3	Horizontal	307	2.31	-	36.03	6.88	33.40

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56746G	58.89	88.20	-29.31	41.85	3	Vertical	189	2.88	-	39.97	10.98	33.91
RMS	13.57026G	45.31	68.20	-22.89	28.28	3	Vertical	189	2.88	-	39.97	10.98	33.92

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57216G	59.29	88.20	-28.91	42.26	3	Horizontal	61	2.66	-	39.97	10.98	33.92
RMS	13.57206G	45.32	68.20	-22.88	28.29	3	Horizontal	61	2.66	-	39.97	10.98	33.92

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35406G	46.66	83.54	-36.88	43.20	1	Vertical	88	1.52	-	37.64	15.66	49.84
AV	20.35438G	32.90	63.54	-30.64	29.44	1	Vertical	88	1.52	-	37.64	15.66	49.84

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 6785MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 69  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35152G	46.69	83.54	-36.85	43.23	1	Horizontal	41	1.55	-	37.64	15.66	49.84
AV	20.3546G	32.79	63.54	-30.75	29.33	1	Horizontal	41	1.55	-	37.64	15.66	49.84


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 59  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	107.08	Inf	-Inf	99.18	3	Vertical	45	1.80	-	34.38	6.62	33.10
RMS	6.841G	97.17	Inf	-Inf	89.27	3	Vertical	45	1.80	-	34.38	6.62	33.10
PK	7.1314G	61.72	88.20	-26.48	52.48	3	Vertical	45	1.80	-	35.79	6.83	33.38
RMS	7.1434G	50.79	68.20	-17.41	41.47	3	Vertical	45	1.80	-	35.86	6.84	33.38

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Z\_4TX  
 Setting 59  
 06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8266G	104.01	Inf	-Inf	96.13	3	Horizontal	247	2.20	-	34.35	6.61	33.08
RMS	6.8278G	94.36	Inf	-Inf	86.47	3	Horizontal	247	2.20	-	34.36	6.61	33.08
PK	7.1254G	61.17	88.20	-27.03	51.96	3	Horizontal	247	2.20	-	35.75	6.83	33.37
RMS	7.1482G	50.68	68.20	-17.52	41.32	3	Horizontal	247	2.20	-	35.89	6.85	33.38

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 59  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7261G	60.60	88.20	-27.60	43.52	3	Vertical	53	1.48	-	39.98	11.09	33.99
RMS	13.72818G	46.65	68.20	-21.55	29.56	3	Vertical	53	1.48	-	39.98	11.10	33.99



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 59  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72624G	60.17	88.20	-28.03	43.09	3	Horizontal	211	1.55	-	39.98	11.09	33.99
RMS	13.72886G	46.61	68.20	-21.59	29.51	3	Horizontal	211	1.55	-	39.99	11.10	33.99

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 59  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5977G	46.90	83.54	-36.64	43.17	1	Vertical	92	1.52	-	37.82	15.77	49.86
AV	20.59076G	32.56	63.54	-30.98	28.84	1	Vertical	92	1.52	-	37.81	15.77	49.86

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 59  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59492G	46.10	83.54	-37.44	42.38	1	Horizontal	249	1.54	-	37.81	15.77	49.86
AV	20.5902G	32.50	63.54	-31.04	28.78	1	Horizontal	249	1.54	-	37.81	15.77	49.86

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT Z\_4TX  
Setting 55  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9138G	105.60	Inf	-Inf	97.46	3	Vertical	38	1.80	-	34.68	6.66	33.20
RMS	6.9162G	95.93	Inf	-Inf	87.77	3	Vertical	38	1.80	-	34.70	6.66	33.20
PK	7.1994G	61.65	88.20	-26.55	52.06	3	Vertical	38	1.80	-	36.10	6.90	33.41
RMS	7.2054G	50.97	68.20	-17.23	41.36	3	Vertical	38	1.80	-	36.12	6.90	33.41

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TnomVnom




EUT Z\_4TX  
Setting 55  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9438G	104.67	Inf	-Inf	96.38	3	Horizontal	246	2.23	-	34.86	6.67	33.24
RMS	6.9378G	94.21	Inf	-Inf	85.94	3	Horizontal	246	2.23	-	34.83	6.67	33.23
PK	7.1694G	61.78	88.20	-26.42	52.32	3	Horizontal	246	2.23	-	35.98	6.87	33.39
RMS	7.2198G	50.94	68.20	-17.26	41.28	3	Horizontal	246	2.23	-	36.18	6.90	33.42

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89068G	61.51	88.20	-26.69	44.08	3	Vertical	330	2.04	-	40.29	11.22	34.08
RMS	13.89318G	47.00	68.20	-21.20	29.57	3	Vertical	330	2.04	-	40.29	11.22	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88718G	60.43	88.20	-27.77	42.99	3	Horizontal	5	1.90	-	40.29	11.22	34.07
RMS	13.89076G	46.91	68.20	-21.29	29.48	3	Horizontal	5	1.90	-	40.29	11.22	34.08

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83306G	45.92	83.54	-37.62	41.95	1	Vertical	33	1.58	-	37.87	15.87	49.77
AV	20.83236G	32.58	63.54	-30.96	28.61	1	Vertical	33	1.58	-	37.87	15.87	49.77



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8337G	46.42	83.54	-37.12	42.44	1	Horizontal	338	1.56	-	37.87	15.88	49.77
AV	20.83258G	32.52	63.54	-31.02	28.55	1	Horizontal	338	1.56	-	37.87	15.87	49.77

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TnomVnom




EUT Z\_4TX  
Setting 57  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0194G	105.45	Inf	-Inf	96.97	3	Vertical	40	1.80	-	35.08	6.72	33.32
RMS	7.0386G	95.70	Inf	-Inf	87.14	3	Vertical	40	1.80	-	35.15	6.74	33.33
PK	7.125G	64.58	88.20	-23.62	55.37	3	Vertical	40	1.80	-	35.75	6.83	33.37
RMS	7.125G	53.82	68.20	-14.38	44.61	3	Vertical	40	1.80	-	35.75	6.83	33.37

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT Z\_4TX  
Setting 57  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0274G	104.04	Inf	-Inf	95.52	3	Horizontal	231	2.66	-	35.11	6.73	33.32
RMS	7.0338G	93.78	Inf	-Inf	85.24	3	Horizontal	231	2.66	-	35.14	6.73	33.33
PK	7.209G	62.35	88.20	-25.85	52.72	3	Horizontal	231	2.66	-	36.14	6.90	33.41
RMS	7.2066G	51.04	68.20	-17.16	41.42	3	Horizontal	231	2.66	-	36.13	6.90	33.41

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 57  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05416G	62.67	88.20	-25.53	44.74	3	Vertical	143	2.79	-	40.71	11.34	34.12
RMS	14.04644G	48.81	68.20	-19.39	30.91	3	Vertical	143	2.79	-	40.69	11.33	34.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 57  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0484G	62.89	88.20	-25.31	44.98	3	Horizontal	148	1.51	-	40.70	11.33	34.12
RMS	14.05492G	48.97	68.20	-19.23	31.04	3	Horizontal	148	1.51	-	40.71	11.34	34.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 57  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0769G	45.75	83.54	-37.79	41.85	1	Vertical	146	1.53	-	37.60	15.98	49.68
AV	21.07164G	32.12	63.54	-31.42	28.23	1	Vertical	146	1.53	-	37.60	15.98	49.69

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 57  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07444G	45.77	83.54	-37.77	41.88	1	Horizontal	243	1.53	-	37.60	15.98	49.69
AV	21.07442G	32.03	63.54	-31.51	28.14	1	Horizontal	243	1.53	-	37.60	15.98	49.69

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 68  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	58.03	88.20	-30.17	52.26	3	Vertical	313	1.80	-	32.09	6.05	32.37
RMS	5.9226G	47.23	68.20	-20.97	41.40	3	Vertical	313	1.80	-	32.15	6.06	32.38
PK	6.1466G	108.32	Inf	-Inf	102.05	3	Vertical	313	1.80	-	32.59	6.17	32.49
RMS	6.1514G	98.36	Inf	-Inf	92.08	3	Vertical	313	1.80	-	32.60	6.18	32.50



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 68  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	68.02	88.20	-20.18	62.19	3	Horizontal	250	2.35	-	32.15	6.06	32.38
RMS	5.9242G	47.31	68.20	-20.89	41.48	3	Horizontal	250	2.35	-	32.15	6.06	32.38
PK	6.1562G	108.61	Inf	-Inf	102.34	3	Horizontal	250	2.35	-	32.59	6.18	32.50
RMS	6.1626G	97.31	Inf	-Inf	91.06	3	Horizontal	250	2.35	-	32.57	6.18	32.50

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 68  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36896G	57.68	74.00	-16.32	43.16	3	Vertical	359	2.14	-	38.53	10.08	34.09
AV	12.36582G	43.01	54.00	-10.99	28.51	3	Vertical	359	2.14	-	38.53	10.07	34.10

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 68  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37174G	57.38	74.00	-16.62	42.86	3	Horizontal	214	1.83	-	38.53	10.08	34.09
AV	12.36652G	43.01	54.00	-10.99	28.51	3	Horizontal	214	1.83	-	38.53	10.07	34.10

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 68  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55322G	45.78	83.54	-37.76	43.13	1	Vertical	316	1.56	-	37.78	14.92	50.05
AV	18.55286G	32.33	63.54	-31.21	29.68	1	Vertical	316	1.56	-	37.78	14.92	50.05

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 68  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55004G	46.17	83.54	-37.37	43.52	1	Horizontal	338	1.53	-	37.78	14.92	50.05
AV	18.55892G	32.44	63.54	-31.10	29.78	1	Horizontal	338	1.53	-	37.78	14.92	50.04

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 70  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	57.79	88.20	-30.41	51.97	3	Vertical	38	1.80	-	32.14	6.06	32.38
RMS	5.925G	47.45	68.20	-20.75	41.62	3	Vertical	38	1.80	-	32.15	6.06	32.38
PK	6.405G	107.78	Inf	-Inf	100.48	3	Vertical	38	1.80	-	33.51	6.40	32.61
RMS	6.337G	96.73	Inf	-Inf	89.95	3	Vertical	38	1.80	-	33.02	6.34	32.58

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 70  
06-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	58.39	88.20	-29.81	52.60	3	Horizontal	250	2.97	-	32.11	6.05	32.37
RMS	5.925G	47.04	68.20	-21.16	41.21	3	Horizontal	250	2.97	-	32.15	6.06	32.38
PK	6.317G	106.92	Inf	-Inf	100.27	3	Horizontal	250	2.97	-	32.90	6.32	32.57
RMS	6.315G	96.08	Inf	-Inf	89.44	3	Horizontal	250	2.97	-	32.89	6.32	32.57

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 70  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68984G	61.84	74.00	-12.16	46.79	3	Vertical	299	2.91	-	38.76	10.32	34.03
AV	12.69076G	45.66	54.00	-8.34	30.61	3	Vertical	299	2.91	-	38.76	10.32	34.03



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 70  
06-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69G	61.82	74.00	-12.18	46.77	3	Horizontal	222	2.47	-	38.76	10.32	34.03
AV	12.68504G	45.61	54.00	-8.39	30.59	3	Horizontal	222	2.47	-	38.74	10.31	34.03

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 70  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03164G	45.93	83.54	-37.61	42.47	1	Vertical	258	1.55	-	37.96	15.11	49.61
AV	19.03192G	32.97	63.54	-30.57	29.51	1	Vertical	258	1.55	-	37.96	15.11	49.61

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


#### 6345MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 70  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03488G	46.06	83.54	-37.48	42.60	1	Horizontal	342	1.56	-	37.96	15.11	49.61
AV	19.03752G	33.05	63.54	-30.49	29.59	1	Horizontal	342	1.56	-	37.95	15.12	49.61

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 73  
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	57.33	88.20	-30.87	51.52	3	Vertical	36	2.09	-	32.13	6.06	32.38
RMS	5.925G	46.39	68.20	-21.81	40.56	3	Vertical	36	2.09	-	32.15	6.06	32.38
PK	6.5302G	109.91	Inf	-Inf	102.11	3	Vertical	36	2.09	-	34.02	6.47	32.69
RMS	6.5246G	98.82	Inf	-Inf	91.04	3	Vertical	36	2.09	-	34.00	6.46	32.68
PK	7.149G	61.93	88.20	-26.27	52.57	3	Vertical	36	2.09	-	35.89	6.85	33.38
RMS	7.1966G	50.73	68.20	-17.47	41.15	3	Vertical	36	2.09	-	36.09	6.90	33.41

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 73  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	57.34	88.20	-30.86	51.61	3	Horizontal	252	2.31	-	32.05	6.04	32.36
RMS	5.925G	46.35	68.20	-21.85	40.52	3	Horizontal	252	2.31	-	32.15	6.06	32.38
PK	6.5218G	107.09	Inf	-Inf	99.32	3	Horizontal	252	2.31	-	33.99	6.46	32.68
RMS	6.5218G	95.61	Inf	-Inf	87.84	3	Horizontal	252	2.31	-	33.99	6.46	32.68
PK	7.1434G	61.73	88.20	-26.47	52.41	3	Horizontal	252	2.31	-	35.86	6.84	33.38
RMS	7.1938G	50.64	68.20	-17.56	41.08	3	Horizontal	252	2.31	-	36.08	6.89	33.41


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 73  
 06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01G	64.18	88.20	-24.02	48.51	3	Vertical	87	1.24	-	39.10	10.56	33.99
RMS	13.0084G	48.25	68.20	-19.95	32.58	3	Vertical	87	1.24	-	39.10	10.56	33.99

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 73  
 06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01G	64.31	88.20	-23.89	48.64	3	Horizontal	16	1.39	-	39.10	10.56	33.99
RMS	13.0097G	48.25	68.20	-19.95	32.58	3	Horizontal	16	1.39	-	39.10	10.56	33.99

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 73  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51762G	45.91	83.54	-37.63	42.41	1	Vertical	192	1.51	-	37.89	15.31	49.70
AV	19.51382G	32.39	63.54	-31.15	28.89	1	Vertical	192	1.51	-	37.89	15.31	49.70



**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 73  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51114G	45.71	83.54	-37.83	42.21	1	Horizontal	221	1.56	-	37.90	15.30	49.70
AV	19.51934G	32.44	63.54	-31.10	28.94	1	Horizontal	221	1.56	-	37.89	15.31	49.70

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 69  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	111.18	Inf	-Inf	103.44	3	Vertical	314	1.01	-	34.10	6.54	32.90
RMS	6.6892G	99.47	Inf	-Inf	91.73	3	Vertical	314	1.01	-	34.10	6.54	32.90
PK	7.1776G	61.93	88.20	-26.27	52.44	3	Vertical	314	1.01	-	36.01	6.88	33.40
RMS	7.2128G	50.79	68.20	-17.41	41.16	3	Vertical	314	1.01	-	36.15	6.90	33.42

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 69  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6034G	107.78	Inf	-Inf	99.88	3	Horizontal	311	2.40	-	34.19	6.50	32.79
RMS	6.6012G	97.07	Inf	-Inf	89.15	3	Horizontal	311	2.40	-	34.20	6.50	32.78
PK	7.1578G	61.74	88.20	-26.46	52.34	3	Horizontal	311	2.40	-	35.93	6.86	33.39
RMS	7.1952G	50.79	68.20	-17.41	41.22	3	Horizontal	311	2.40	-	36.08	6.90	33.41

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33442G	58.63	74.00	-15.37	42.21	3	Vertical	116	2.22	-	39.54	10.80	33.92
AV	13.3346G	44.74	54.00	-9.26	28.32	3	Vertical	116	2.22	-	39.54	10.80	33.92

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3333G	58.69	74.00	-15.31	42.28	3	Horizontal	330	2.14	-	39.53	10.80	33.92
AV	13.33154G	44.91	54.00	-9.09	28.51	3	Horizontal	330	2.14	-	39.52	10.80	33.92

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99944G	45.58	83.54	-37.96	42.38	1	Vertical	84	1.57	-	37.40	15.50	49.70
AV	19.99964G	32.51	63.54	-31.03	29.31	1	Vertical	84	1.57	-	37.40	15.50	49.70

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20G	46.39	83.54	-37.15	43.19	1	Horizontal	54	1.52	-	37.40	15.50	49.70
AV	19.99976G	32.48	63.54	-31.06	29.28	1	Horizontal	54	1.52	-	37.40	15.50	49.70

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8458G	108.73	Inf	-Inf	100.83	3	Vertical	45	1.80	-	34.39	6.62	33.11
RMS	6.841G	98.20	Inf	-Inf	90.30	3	Vertical	45	1.80	-	34.38	6.62	33.10
PK	7.153G	62.65	88.20	-25.55	53.28	3	Vertical	45	1.80	-	35.91	6.85	33.39
RMS	7.2122G	51.28	68.20	-16.92	41.65	3	Vertical	45	1.80	-	36.15	6.90	33.42




**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 72  
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.809G	106.35	Inf	-Inf	98.49	3	Horizontal	313	2.75	-	34.32	6.60	33.06
RMS	6.8138G	95.92	Inf	-Inf	88.04	3	Horizontal	313	2.75	-	34.33	6.61	33.06
PK	7.1306G	61.69	88.20	-26.51	52.46	3	Horizontal	313	2.75	-	35.78	6.83	33.38
RMS	7.2074G	50.91	68.20	-17.29	41.29	3	Horizontal	313	2.75	-	36.13	6.90	33.41


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 72  
 06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65454G	63.41	88.20	-24.79	46.38	3	Vertical	245	2.25	-	39.95	11.04	33.96
RMS	13.65198G	48.89	68.20	-19.31	31.86	3	Vertical	245	2.25	-	39.95	11.04	33.96


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 72  
 06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6455G	63.17	88.20	-25.03	46.14	3	Horizontal	186	1.20	-	39.95	11.03	33.95
RMS	13.64664G	48.81	68.20	-19.39	31.78	3	Horizontal	186	1.20	-	39.95	11.03	33.95


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 72  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4794G	46.83	83.54	-36.71	43.31	1	Vertical	170	1.51	-	37.69	15.72	49.89
AV	20.47084G	32.85	63.54	-30.69	29.34	1	Vertical	170	1.51	-	37.69	15.71	49.89

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 72  
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47384G	46.47	83.54	-37.07	42.96	1	Horizontal	11	1.54	-	37.69	15.71	49.89
AV	20.47402G	33.04	63.54	-30.50	29.53	1	Horizontal	11	1.54	-	37.69	15.71	49.89

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT Z\_4TX  
Setting 69  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.932G	105.52	Inf	-Inf	97.28	3	Vertical	226	1.80	-	34.79	6.67	33.22
RMS	6.933G	94.14	Inf	-Inf	85.89	3	Vertical	226	1.80	-	34.80	6.67	33.22
PK	7.135G	63.15	88.20	-25.05	53.89	3	Vertical	226	1.80	-	35.81	6.83	33.38
RMS	7.218G	51.11	68.20	-17.09	41.46	3	Vertical	226	1.80	-	36.17	6.90	33.42

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	106.27	Inf	-Inf	98.09	3	Horizontal	228	2.70	-	34.73	6.66	33.21
RMS	6.925G	96.08	Inf	-Inf	87.88	3	Horizontal	228	2.70	-	34.75	6.66	33.21
PK	7.204G	62.07	88.20	-26.13	52.46	3	Horizontal	228	2.70	-	36.12	6.90	33.41
RMS	7.231G	51.17	68.20	-17.03	41.48	3	Horizontal	228	2.70	-	36.22	6.90	33.43

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96996G	61.76	88.20	-26.44	44.08	3	Vertical	145	2.33	-	40.51	11.28	34.11
RMS	13.97234G	47.99	68.20	-20.21	30.31	3	Vertical	145	2.33	-	40.52	11.28	34.12



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97492G	61.64	88.20	-26.56	43.96	3	Horizontal	121	1.38	-	40.52	11.28	34.12
RMS	13.97386G	47.91	68.20	-20.29	30.23	3	Horizontal	121	1.38	-	40.52	11.28	34.12

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95132G	45.91	83.54	-37.63	42.02	1	Vertical	161	1.50	-	37.68	15.93	49.72
AV	20.95166G	32.29	63.54	-31.25	28.40	1	Vertical	161	1.50	-	37.68	15.93	49.72

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6985MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 69  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95734G	45.52	83.54	-38.02	41.64	1	Horizontal	81	1.54	-	37.67	15.93	49.72
AV	20.95722G	32.22	63.54	-31.32	28.34	1	Horizontal	81	1.54	-	37.67	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	PK	7.138G	84.48	88.20	-3.72	3	Vertical	316	1.80	-

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6115MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.64	88.20	-29.56	52.81	3	Vertical	329	1.80	-	32.15	6.06	32.38
RMS	5.92G	47.14	68.20	-21.06	41.32	3	Vertical	329	1.80	-	32.14	6.06	32.38
PK	6.109G	110.32	Inf	-Inf	104.21	3	Vertical	329	1.80	-	32.44	6.15	32.48
RMS	6.109G	99.37	Inf	-Inf	93.26	3	Vertical	329	1.80	-	32.44	6.15	32.48

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6115MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	58.72	88.20	-29.48	52.90	3	Horizontal	260	2.36	-	32.14	6.06	32.38
RMS	5.92G	47.08	68.20	-21.12	41.26	3	Horizontal	260	2.36	-	32.14	6.06	32.38
PK	6.113G	107.53	Inf	-Inf	101.40	3	Horizontal	260	2.36	-	32.45	6.16	32.48
RMS	6.111G	96.32	Inf	-Inf	90.20	3	Horizontal	260	2.36	-	32.44	6.16	32.48

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6115MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22708G	57.39	74.00	-16.61	42.89	3	Vertical	42	1.17	-	38.67	9.97	34.14
AV	12.22544G	43.61	54.00	-10.39	29.11	3	Vertical	42	1.17	-	38.67	9.97	34.14

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6115MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 49  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22934G	57.72	74.00	-16.28	43.22	3	Horizontal	316	2.50	-	38.67	9.97	34.14
AV	12.22648G	43.64	54.00	-10.36	29.14	3	Horizontal	316	2.50	-	38.67	9.97	34.14



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6115MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34492G	46.57	83.54	-36.97	44.28	1	Vertical	213.2	1.50	-	37.61	14.84	50.16
AV	18.34496G	35.41	63.54	-28.13	33.12	1	Vertical	213.2	1.50	-	37.61	14.84	50.16

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6115MHz\_TnomVnom




EUT Z\_4TX  
Setting 49  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34178G	46.95	83.54	-36.59	44.66	1	Horizontal	188	1.51	-	37.61	14.84	50.16
AV	18.34982G	32.62	63.54	-30.92	30.32	1	Horizontal	188	1.51	-	37.62	14.84	50.16

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6255MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8998G	58.16	88.20	-30.04	52.38	3	Vertical	12	1.80	-	32.10	6.05	32.37
RMS	5.9142G	46.99	68.20	-21.21	41.18	3	Vertical	12	1.80	-	32.13	6.06	32.38
PK	6.263G	108.46	Inf	-Inf	101.95	3	Vertical	12	1.80	-	32.80	6.26	32.55
RMS	6.263G	98.67	Inf	-Inf	92.16	3	Vertical	12	1.80	-	32.80	6.26	32.55

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6255MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	58.07	88.20	-30.13	52.34	3	Horizontal	251	3.00	-	32.05	6.04	32.36
RMS	5.9046G	46.97	68.20	-21.23	41.18	3	Horizontal	251	3.00	-	32.11	6.05	32.37
PK	6.2486G	104.56	Inf	-Inf	98.06	3	Horizontal	251	3.00	-	32.79	6.25	32.54
RMS	6.2486G	93.82	Inf	-Inf	87.32	3	Horizontal	251	3.00	-	32.79	6.25	32.54

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6255MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51172G	57.22	74.00	-16.78	42.87	3	Vertical	163	2.96	-	38.22	10.18	34.05
AV	12.51046G	43.12	54.00	-10.88	28.77	3	Vertical	163	2.96	-	38.22	10.18	34.05

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6255MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5085G	56.57	74.00	-17.43	42.22	3	Horizontal	154	1.45	-	38.22	10.18	34.05
AV	12.51044G	43.07	54.00	-10.93	28.72	3	Horizontal	154	1.45	-	38.22	10.18	34.05

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6255MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76596G	45.06	83.54	-38.48	42.16	1	Vertical	0	1.56	-	37.72	15.01	49.83
AV	18.7627G	32.14	63.54	-31.40	29.25	1	Vertical	0	1.56	-	37.72	15.01	49.84

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6255MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76232G	46.66	83.54	-36.88	43.79	1	Horizontal	271	1.50	-	37.71	15.00	49.84
AV	18.7627G	32.16	63.54	-31.38	29.27	1	Horizontal	271	1.50	-	37.72	15.01	49.84



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 42  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8462G	57.71	88.20	-30.49	52.03	3	Vertical	11	1.80	-	32.00	6.02	32.34
RMS	5.923G	47.04	68.20	-21.16	41.21	3	Vertical	11	1.80	-	32.15	6.06	32.38
PK	6.4198G	108.40	Inf	-Inf	101.06	3	Vertical	11	1.80	-	33.54	6.41	32.61
RMS	6.4198G	98.15	Inf	-Inf	90.81	3	Vertical	11	1.80	-	33.54	6.41	32.61

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 42  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	57.24	88.20	-30.96	51.45	3	Horizontal	246	2.86	-	32.11	6.05	32.37
RMS	5.9206G	46.97	68.20	-21.23	41.15	3	Horizontal	246	2.86	-	32.14	6.06	32.38
PK	6.4198G	104.28	Inf	-Inf	96.94	3	Horizontal	246	2.86	-	33.54	6.41	32.61
RMS	6.4174G	93.57	Inf	-Inf	86.24	3	Horizontal	246	2.86	-	33.53	6.41	32.61

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 42  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83164G	57.67	88.20	-30.53	42.33	3	Vertical	155	2.92	-	38.93	10.42	34.01
RMS	12.83404G	44.08	68.20	-24.12	28.73	3	Vertical	155	2.92	-	38.93	10.43	34.01

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 42  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82866G	58.23	88.20	-29.97	42.89	3	Horizontal	178	2.64	-	38.93	10.42	34.01
RMS	12.83248G	44.17	68.20	-24.03	28.83	3	Horizontal	178	2.64	-	38.93	10.42	34.01

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 42  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24928G	44.88	83.54	-38.66	41.63	1	Vertical	263	1.55	-	37.70	15.20	49.65
AV	19.24128G	31.75	63.54	-31.79	28.49	1	Vertical	263	1.55	-	37.71	15.20	49.65

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6415MHz\_TnomVnom




EUT Z\_4TX  
Setting 42  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24562G	45.05	83.54	-38.49	41.79	1	Horizontal	214	1.53	-	37.71	15.20	49.65
AV	19.24948G	31.63	63.54	-31.91	28.38	1	Horizontal	214	1.53	-	37.70	15.20	49.65

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6435MHz\_TnomVnom




EUT Z\_4TX  
Setting 48  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8058G	57.87	88.20	-30.33	52.18	3	Vertical	8	1.80	-	32.00	6.00	32.31
RMS	5.9202G	46.97	68.20	-21.23	41.15	3	Vertical	8	1.80	-	32.14	6.06	32.38
PK	6.4272G	108.81	Inf	-Inf	101.47	3	Vertical	8	1.80	-	33.55	6.41	32.62
RMS	6.4272G	98.49	Inf	-Inf	91.15	3	Vertical	8	1.80	-	33.55	6.41	32.62

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT Z\_4TX  
Setting 48  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8058G	57.55	88.20	-30.65	51.86	3	Horizontal	248	2.31	-	32.00	6.00	32.31
RMS	5.915G	46.96	68.20	-21.24	41.15	3	Horizontal	248	2.31	-	32.13	6.06	32.38
PK	6.4376G	104.61	Inf	-Inf	97.23	3	Horizontal	248	2.31	-	33.58	6.42	32.62
RMS	6.4298G	94.20	Inf	-Inf	86.85	3	Horizontal	248	2.31	-	33.56	6.41	32.62



### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6435MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 48  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86622G	59.13	88.20	-29.07	43.72	3	Vertical	236	1.82	-	38.97	10.45	34.01
RMS	12.87128G	44.37	68.20	-23.83	28.96	3	Vertical	236	1.82	-	38.97	10.45	34.01

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6435MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 48  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86912G	57.90	88.20	-30.30	42.49	3	Horizontal	269	1.42	-	38.97	10.45	34.01
RMS	12.86734G	44.39	68.20	-23.81	28.98	3	Horizontal	269	1.42	-	38.97	10.45	34.01

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6435MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 48  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30638G	45.17	83.54	-38.37	41.86	1	Vertical	247	1.57	-	37.75	15.22	49.66
AV	19.30004G	31.79	63.54	-31.75	28.49	1	Vertical	247	1.57	-	37.74	15.22	49.66

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6435MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 48  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30264G	46.21	83.54	-37.33	42.91	1	Horizontal	39	1.57	-	37.74	15.22	49.66
AV	19.30266G	31.96	63.54	-31.58	28.66	1	Horizontal	39	1.57	-	37.74	15.22	49.66

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 45  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	57.46	88.20	-30.74	51.64	3	Vertical	10	1.93	-	32.14	6.06	32.38
RMS	5.9234G	46.99	68.20	-21.21	41.16	3	Vertical	10	1.93	-	32.15	6.06	32.38
PK	6.4834G	109.22	Inf	-Inf	101.62	3	Vertical	10	1.93	-	33.80	6.44	32.64
RMS	6.4806G	98.54	Inf	-Inf	90.96	3	Vertical	10	1.93	-	33.78	6.44	32.64
PK	7.1386G	62.20	88.20	-26.00	52.91	3	Vertical	10	1.93	-	35.83	6.84	33.38
RMS	7.1442G	51.55	68.20	-16.65	42.22	3	Vertical	10	1.93	-	35.87	6.84	33.38

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 45  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	57.81	88.20	-30.39	52.03	3	Horizontal	253	2.36	-	32.10	6.05	32.37
RMS	5.925G	46.99	68.20	-21.21	41.16	3	Horizontal	253	2.36	-	32.15	6.06	32.38
PK	6.4806G	104.86	Inf	-Inf	97.28	3	Horizontal	253	2.36	-	33.78	6.44	32.64
RMS	6.4778G	94.08	Inf	-Inf	86.51	3	Horizontal	253	2.36	-	33.77	6.44	32.64
PK	7.1358G	62.02	88.20	-26.18	52.75	3	Horizontal	253	2.36	-	35.81	6.84	33.38
RMS	7.147G	51.43	68.20	-16.77	42.08	3	Horizontal	253	2.36	-	35.88	6.85	33.38

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 45  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94678G	57.52	88.20	-30.68	41.96	3	Vertical	221	2.34	-	39.05	10.51	34.00
RMS	12.94852G	44.09	68.20	-24.11	28.53	3	Vertical	221	2.34	-	39.05	10.51	34.00

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 45  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95398G	58.44	88.20	-29.76	42.87	3	Horizontal	165	1.17	-	39.05	10.52	34.00
RMS	12.94856G	44.01	68.20	-24.19	28.45	3	Horizontal	165	1.17	-	39.05	10.51	34.00



### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 45  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42752G	44.97	83.54	-38.57	41.55	1	Vertical	241	1.57	-	37.84	15.27	49.69
AV	19.42188G	32.02	63.54	-31.52	28.59	1	Vertical	241	1.57	-	37.84	15.27	49.68

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 45  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4277G	45.25	83.54	-38.29	41.83	1	Horizontal	274	1.52	-	37.84	15.27	49.69
AV	19.42206G	32.26	63.54	-31.28	28.83	1	Horizontal	274	1.52	-	37.84	15.27	49.68

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	57.67	88.20	-30.53	51.89	3	Vertical	324	1.98	-	32.10	6.05	32.37
RMS	5.9186G	46.93	68.20	-21.27	41.11	3	Vertical	324	1.98	-	32.14	6.06	32.38
PK	6.5206G	110.56	Inf	-Inf	102.80	3	Vertical	324	1.98	-	33.98	6.46	32.68
RMS	6.5206G	99.25	Inf	-Inf	91.49	3	Vertical	324	1.98	-	33.98	6.46	32.68
PK	7.1422G	62.20	88.20	-26.00	52.89	3	Vertical	324	1.98	-	35.85	6.84	33.38
RMS	7.2122G	51.65	68.20	-16.55	42.02	3	Vertical	324	1.98	-	36.15	6.90	33.42

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	57.65	88.20	-30.55	51.91	3	Horizontal	238	2.90	-	32.06	6.04	32.36
RMS	5.9242G	46.93	68.20	-21.27	41.10	3	Horizontal	238	2.90	-	32.15	6.06	32.38
PK	6.5094G	103.14	Inf	-Inf	95.41	3	Horizontal	238	2.90	-	33.94	6.45	32.66
RMS	6.5122G	93.86	Inf	-Inf	86.12	3	Horizontal	238	2.90	-	33.95	6.46	32.67
PK	7.187G	61.91	88.20	-26.29	52.37	3	Horizontal	238	2.90	-	36.05	6.89	33.40
RMS	7.1954G	51.66	68.20	-16.54	42.09	3	Horizontal	238	2.90	-	36.08	6.90	33.41

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6515MHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 43  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02942G	58.90	88.20	-29.30	43.21	3	Vertical	332	2.85	-	39.10	10.57	33.98
RMS	13.02986G	45.22	68.20	-22.98	29.53	3	Vertical	332	2.85	-	39.10	10.57	33.98

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02548G	59.00	88.20	-29.20	43.31	3	Horizontal	123	2.27	-	39.10	10.57	33.98
RMS	13.03392G	45.10	68.20	-23.10	29.40	3	Horizontal	123	2.27	-	39.10	10.58	33.98

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54426G	46.06	83.54	-37.48	42.56	1	Vertical	312	1.56	-	37.88	15.32	49.70
AV	19.54116G	31.70	63.54	-31.84	28.20	1	Vertical	312	1.56	-	37.88	15.32	49.70

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54674G	46.39	83.54	-37.15	42.89	1	Horizontal	312	1.58	-	37.88	15.32	49.70
AV	19.54138G	31.85	63.54	-31.69	28.35	1	Horizontal	312	1.58	-	37.88	15.32	49.70



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	58.03	88.20	-30.17	52.21	3	Vertical	326	1.79	-	32.14	6.06	32.38
RMS	5.9246G	46.90	68.20	-21.30	41.07	3	Vertical	326	1.79	-	32.15	6.06	32.38
PK	6.5378G	108.42	Inf	-Inf	100.60	3	Vertical	326	1.79	-	34.05	6.47	32.70
RMS	6.5378G	98.51	Inf	-Inf	90.69	3	Vertical	326	1.79	-	34.05	6.47	32.70
PK	7.235G	62.38	88.20	-25.82	52.67	3	Vertical	326	1.79	-	36.24	6.90	33.43
RMS	7.2042G	51.73	68.20	-16.47	42.12	3	Vertical	326	1.79	-	36.12	6.90	33.41

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8434G	57.62	88.20	-30.58	51.94	3	Horizontal	239	2.89	-	32.00	6.02	32.34
RMS	5.9218G	46.85	68.20	-21.35	41.03	3	Horizontal	239	2.89	-	32.14	6.06	32.38
PK	6.5322G	104.08	Inf	-Inf	96.27	3	Horizontal	239	2.89	-	34.03	6.47	32.69
RMS	6.5294G	94.06	Inf	-Inf	86.27	3	Horizontal	239	2.89	-	34.02	6.46	32.69
PK	7.2182G	62.37	88.20	-25.83	52.72	3	Horizontal	239	2.89	-	36.17	6.90	33.42
RMS	7.2322G	51.77	68.20	-16.43	42.07	3	Horizontal	239	2.89	-	36.23	6.90	33.43

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06782G	59.01	88.20	-29.19	43.29	3	Vertical	110	1.72	-	39.10	10.60	33.98
RMS	13.07134G	45.11	68.20	-23.09	29.38	3	Vertical	110	1.72	-	39.10	10.60	33.97

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06526G	58.66	88.20	-29.54	42.94	3	Horizontal	221	1.22	-	39.10	10.60	33.98
RMS	13.066G	45.16	68.20	-23.04	29.44	3	Horizontal	221	1.22	-	39.10	10.60	33.98

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60688G	45.64	83.54	-37.90	42.14	1	Vertical	344	1.57	-	37.86	15.34	49.70
AV	19.6014G	32.36	63.54	-31.18	28.86	1	Vertical	344	1.57	-	37.86	15.34	49.70

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60806G	46.11	83.54	-37.43	42.61	1	Horizontal	270	1.54	-	37.86	15.34	49.70
AV	19.6048G	32.25	63.54	-31.29	28.75	1	Horizontal	270	1.54	-	37.86	15.34	49.70

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	108.83	Inf	-Inf	101.09	3	Vertical	323	1.90	-	34.10	6.55	32.91
RMS	6.6972G	99.36	Inf	-Inf	91.62	3	Vertical	323	1.90	-	34.10	6.55	32.91
PK	7.2098G	62.98	88.20	-25.22	53.35	3	Vertical	323	1.90	-	36.14	6.90	33.41
RMS	7.2318G	51.70	68.20	-16.50	42.00	3	Vertical	323	1.90	-	36.23	6.90	33.43

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	102.68	Inf	-Inf	94.94	3	Horizontal	312	2.36	-	34.10	6.55	32.91
RMS	6.6906G	93.34	Inf	-Inf	85.59	3	Horizontal	312	2.36	-	34.10	6.55	32.90
PK	7.2274G	62.94	88.20	-25.26	53.25	3	Horizontal	312	2.36	-	36.21	6.90	33.42
RMS	7.2142G	51.69	68.20	-16.51	42.05	3	Horizontal	312	2.36	-	36.16	6.90	33.42



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38742G	59.50	74.00	-14.50	42.65	3	Vertical	97	2.53	-	39.91	10.84	33.90
AV	13.39294G	45.80	54.00	-8.20	28.91	3	Vertical	97	2.53	-	39.95	10.84	33.90

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39066G	59.81	74.00	-14.19	42.94	3	Horizontal	239	1.98	-	39.93	10.84	33.90
AV	13.38794G	45.81	54.00	-8.19	28.95	3	Horizontal	239	1.98	-	39.92	10.84	33.90

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08214G	45.95	83.54	-37.59	42.67	1	Vertical	90	1.52	-	37.47	15.54	49.73
AV	20.08246G	32.00	63.54	-31.54	28.72	1	Vertical	90	1.52	-	37.47	15.54	49.73

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08186G	45.73	83.54	-37.81	42.45	1	Horizontal	216	1.52	-	37.47	15.54	49.73
AV	20.08444G	31.98	63.54	-31.56	28.70	1	Horizontal	216	1.52	-	37.47	15.54	49.73

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 44  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	110.30	Inf	-Inf	102.35	3	Vertical	313	1.80	-	34.45	6.63	33.13
RMS	6.8634G	99.92	Inf	-Inf	91.97	3	Vertical	313	1.80	-	34.45	6.63	33.13
PK	7.1462G	62.63	88.20	-25.57	53.28	3	Vertical	313	1.80	-	35.88	6.85	33.38
RMS	7.1966G	51.70	68.20	-16.50	42.12	3	Vertical	313	1.80	-	36.09	6.90	33.41

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 44  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	105.43	Inf	-Inf	97.51	3	Horizontal	313	2.34	-	34.40	6.63	33.11
RMS	6.8522G	95.82	Inf	-Inf	87.89	3	Horizontal	313	2.34	-	34.41	6.63	33.11
PK	7.1518G	62.85	88.20	-25.35	53.48	3	Horizontal	313	2.34	-	35.91	6.85	33.39
RMS	7.205G	51.74	68.20	-16.46	42.13	3	Horizontal	313	2.34	-	36.12	6.90	33.41

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6855MHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 44  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7136G	61.56	88.20	-26.64	44.52	3	Vertical	0	2.61	-	39.94	11.09	33.99
RMS	13.71464G	47.84	68.20	-20.36	30.80	3	Vertical	0	2.61	-	39.94	11.09	33.99

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7056G	62.03	88.20	-26.17	45.01	3	Horizontal	298	2.87	-	39.92	11.08	33.98
RMS	13.712G	47.88	68.20	-20.32	30.85	3	Horizontal	298	2.87	-	39.94	11.08	33.99



### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 44  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56674G	46.60	83.54	-36.94	42.93	1	Vertical	259	1.56	-	37.78	15.76	49.87
AV	20.56342G	32.60	63.54	-30.94	28.94	1	Vertical	259	1.56	-	37.78	15.75	49.87

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX


#### 6855MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 44  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5673G	46.39	83.54	-37.15	42.72	1	Horizontal	18	1.52	-	37.78	15.76	49.87
AV	20.56344G	32.66	63.54	-30.88	29.00	1	Horizontal	18	1.52	-	37.78	15.75	49.87


**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 43  
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	109.48	Inf	-Inf	101.47	3	Vertical	313	1.80	-	34.52	6.64	33.15
RMS	6.882G	99.40	Inf	-Inf	91.38	3	Vertical	313	1.80	-	34.53	6.64	33.15
PK	7.2054G	62.70	88.20	-25.50	53.09	3	Vertical	313	1.80	-	36.12	6.90	33.41
RMS	7.204G	51.75	68.20	-16.45	42.14	3	Vertical	313	1.80	-	36.12	6.90	33.41

**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 43  
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8722G	105.02	Inf	-Inf	97.03	3	Horizontal	315	2.32	-	34.49	6.64	33.14
RMS	6.8736G	95.34	Inf	-Inf	87.35	3	Horizontal	315	2.32	-	34.49	6.64	33.14
PK	7.2082G	62.87	88.20	-25.33	53.25	3	Horizontal	315	2.32	-	36.13	6.90	33.41
RMS	7.2124G	51.71	68.20	-16.49	42.08	3	Horizontal	315	2.32	-	36.15	6.90	33.42

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75182G	61.68	88.20	-26.52	44.52	3	Vertical	330	1.51	-	40.06	11.11	34.01
RMS	13.74682G	47.63	68.20	-20.57	30.48	3	Vertical	330	1.51	-	40.04	11.11	34.00

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




16/01/2022

EUT\_Z\_4TX  
Setting 43  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74614G	62.05	88.20	-26.15	44.90	3	Horizontal	264	2.62	-	40.04	11.11	34.00
RMS	13.74568G	47.62	68.20	-20.58	30.47	3	Horizontal	264	2.62	-	40.04	11.11	34.00

**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**

**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
Setting 43  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62464G	46.32	83.54	-37.22	42.54	1	Vertical	202	1.53	-	37.85	15.78	49.85
AV	20.62928G	32.38	63.54	-31.16	28.59	1	Vertical	202	1.53	-	37.86	15.78	49.85

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62758G	46.53	83.54	-37.01	42.75	1	Horizontal	188	1.52	-	37.85	15.78	49.85
AV	20.62626G	32.35	63.54	-31.19	28.57	1	Horizontal	188	1.52	-	37.85	15.78	49.85



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9022G	108.62	Inf	-Inf	100.54	3	Vertical	5	1.80	-	34.61	6.65	33.18
RMS	6.9034G	98.59	Inf	-Inf	90.50	3	Vertical	5	1.80	-	34.62	6.65	33.18
PK	7.1914G	62.41	88.20	-25.79	52.86	3	Vertical	5	1.80	-	36.07	6.89	33.41
RMS	7.195G	51.71	68.20	-16.49	42.14	3	Vertical	5	1.80	-	36.08	6.90	33.41

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	103.65	Inf	-Inf	95.62	3	Horizontal	246	2.75	-	34.55	6.64	33.16
RMS	6.8878G	93.67	Inf	-Inf	85.64	3	Horizontal	246	2.75	-	34.55	6.64	33.16
PK	7.1722G	63.23	88.20	-24.97	53.77	3	Horizontal	246	2.75	-	35.99	6.87	33.40
RMS	7.195G	51.65	68.20	-16.55	42.08	3	Horizontal	246	2.75	-	36.08	6.90	33.41

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78702G	61.59	88.20	-26.61	44.31	3	Vertical	87	1.35	-	40.16	11.14	34.02
RMS	13.78814G	47.43	68.20	-20.77	30.15	3	Vertical	87	1.35	-	40.16	11.14	34.02

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78746G	61.62	88.20	-26.58	44.34	3	Horizontal	329	2.85	-	40.16	11.14	34.02
RMS	13.79294G	47.38	68.20	-20.82	30.09	3	Horizontal	329	2.85	-	40.18	11.14	34.03

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68466G	45.90	83.54	-37.64	42.00	1	Vertical	343	1.57	-	37.92	15.81	49.83
AV	20.68466G	32.76	63.54	-30.78	28.86	1	Vertical	343	1.57	-	37.92	15.81	49.83

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68494G	46.11	83.54	-37.43	42.21	1	Horizontal	44	1.52	-	37.92	15.81	49.83
AV	20.68736G	32.81	63.54	-30.73	28.91	1	Horizontal	44	1.52	-	37.92	15.81	49.83

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9878G	109.78	Inf	-Inf	101.40	3	Vertical	10	1.80	-	34.98	6.69	33.29
RMS	6.987G	99.63	Inf	-Inf	91.26	3	Vertical	10	1.80	-	34.97	6.69	33.29
PK	7.1934G	62.85	88.20	-25.35	53.30	3	Vertical	10	1.80	-	36.07	6.89	33.41
RMS	7.195G	51.70	68.20	-16.50	42.13	3	Vertical	10	1.80	-	36.08	6.90	33.41

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT Z\_4TX  
Setting 43  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9934G	105.31	Inf	-Inf	96.92	3	Horizontal	316	2.24	-	34.99	6.70	33.30
RMS	6.9934G	94.79	Inf	-Inf	86.40	3	Horizontal	316	2.24	-	34.99	6.70	33.30
PK	7.1894G	62.27	88.20	-25.93	52.72	3	Horizontal	316	2.24	-	36.06	6.89	33.40
RMS	7.195G	51.70	68.20	-16.50	42.13	3	Horizontal	316	2.24	-	36.08	6.90	33.41



### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99388G	62.87	88.20	-25.33	45.12	3	Vertical	77	1.55	-	40.58	11.30	34.13
RMS	13.99488G	49.07	68.20	-19.13	31.32	3	Vertical	77	1.55	-	40.58	11.30	34.13

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98618G	63.10	88.20	-25.10	45.37	3	Horizontal	302	1.96	-	40.56	11.29	34.12
RMS	13.995G	49.06	68.20	-19.14	31.30	3	Horizontal	302	1.96	-	40.59	11.30	34.13

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98748G	45.30	83.54	-38.24	41.45	1	Vertical	210	1.56	-	37.62	15.94	49.71
AV	20.98746G	32.09	63.54	-31.45	28.24	1	Vertical	210	1.56	-	37.62	15.94	49.71

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9812G	45.30	83.54	-38.24	41.44	1	Horizontal	10	1.53	-	37.63	15.94	49.71
AV	20.982G	32.18	63.54	-31.36	28.32	1	Horizontal	10	1.53	-	37.63	15.94	49.71

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8802G	57.78	88.20	-30.42	52.04	3	Vertical	0	1.80	-	32.06	6.04	32.36
RMS	5.921G	47.15	68.20	-21.05	41.33	3	Vertical	0	1.80	-	32.14	6.06	32.38
PK	6.1262G	107.25	Inf	-Inf	101.08	3	Vertical	0	1.80	-	32.50	6.16	32.49
RMS	6.1226G	96.76	Inf	-Inf	90.59	3	Vertical	0	1.80	-	32.49	6.16	32.48

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6125MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 55  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	58.22	88.20	-29.98	52.39	3	Horizontal	261	2.44	-	32.15	6.06	32.38
RMS	5.9186G	47.11	68.20	-21.09	41.29	3	Horizontal	261	2.44	-	32.14	6.06	32.38
PK	6.1262G	104.78	Inf	-Inf	98.61	3	Horizontal	261	2.44	-	32.50	6.16	32.49
RMS	6.1214G	94.69	Inf	-Inf	88.52	3	Horizontal	261	2.44	-	32.49	6.16	32.48

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25314G	57.46	74.00	-16.54	42.95	3	Vertical	338	2.65	-	38.65	9.99	34.13
AV	12.24774G	43.72	54.00	-10.28	29.22	3	Vertical	338	2.65	-	38.65	9.99	34.14

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25238G	57.85	74.00	-16.15	43.34	3	Horizontal	108	1.54	-	38.65	9.99	34.13
AV	12.24802G	43.67	54.00	-10.33	29.17	3	Horizontal	108	1.54	-	38.65	9.99	34.14



### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37456G	46.19	83.54	-37.35	43.84	1	Vertical	102	1.52	-	37.65	14.85	50.15
AV	18.37192G	32.68	63.54	-30.86	30.33	1	Vertical	102	1.52	-	37.65	14.85	50.15

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT Z\_4TX  
Setting 55  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37732G	45.93	83.54	-37.61	43.58	1	Horizontal	46	1.57	-	37.65	14.85	50.15
AV	18.37238G	32.64	63.54	-30.90	30.29	1	Horizontal	46	1.57	-	37.65	14.85	50.15

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6245MHz\_TnomVnom




EUT Z\_4TX  
Setting 56  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	57.46	88.20	-30.74	51.68	3	Vertical	8	1.80	-	32.10	6.05	32.37
RMS	5.9186G	47.03	68.20	-21.17	41.21	3	Vertical	8	1.80	-	32.14	6.06	32.38
PK	6.2338G	106.83	Inf	-Inf	100.43	3	Vertical	8	1.80	-	32.70	6.23	32.53
RMS	6.237G	96.74	Inf	-Inf	90.31	3	Vertical	8	1.80	-	32.72	6.24	32.53

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 56  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.861G	57.74	88.20	-30.46	52.04	3	Horizontal	250	3.00	-	32.02	6.03	32.35
RMS	5.9234G	47.08	68.20	-21.12	41.25	3	Horizontal	250	3.00	-	32.15	6.06	32.38
PK	6.2386G	103.97	Inf	-Inf	97.53	3	Horizontal	250	3.00	-	32.73	6.24	32.53
RMS	6.2386G	93.07	Inf	-Inf	86.63	3	Horizontal	250	3.00	-	32.73	6.24	32.53

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 56  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48952G	57.55	74.00	-16.45	43.20	3	Vertical	129	2.08	-	38.23	10.17	34.05
AV	12.4872G	43.21	54.00	-10.79	28.85	3	Vertical	129	2.08	-	38.24	10.17	34.05

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 56  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49396G	57.02	74.00	-16.98	42.68	3	Horizontal	225	1.86	-	38.22	10.17	34.05
AV	12.49328G	43.17	54.00	-10.83	28.83	3	Horizontal	225	1.86	-	38.22	10.17	34.05

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 56  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7321G	46.75	83.54	-36.79	43.92	1	Vertical	80	1.52	-	37.71	14.99	49.87
AV	18.73228G	32.72	63.54	-30.82	29.89	1	Vertical	80	1.52	-	37.71	14.99	49.87

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 56  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73192G	46.09	83.54	-37.45	43.26	1	Horizontal	17	1.58	-	37.71	14.99	49.87
AV	18.7348G	32.66	63.54	-30.88	29.83	1	Horizontal	17	1.58	-	37.71	14.99	49.87



### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT Z\_4TX  
Setting 58  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8482G	57.86	88.20	-30.34	52.18	3	Vertical	8	1.80	-	32.00	6.02	32.34
RMS	5.9178G	47.04	68.20	-21.16	41.22	3	Vertical	8	1.80	-	32.14	6.06	32.38
PK	6.3954G	108.01	Inf	-Inf	100.75	3	Vertical	8	1.80	-	33.46	6.40	32.60
RMS	6.3954G	97.28	Inf	-Inf	90.02	3	Vertical	8	1.80	-	33.46	6.40	32.60

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TnomVnom




EUT Z\_4TX  
Setting 58  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8266G	59.33	88.20	-28.87	53.65	3	Horizontal	255	2.41	-	32.00	6.01	32.33
RMS	5.9226G	46.95	68.20	-21.25	41.12	3	Horizontal	255	2.41	-	32.15	6.06	32.38
PK	6.4098G	104.45	Inf	-Inf	97.14	3	Horizontal	255	2.41	-	33.52	6.40	32.61
RMS	6.4122G	93.37	Inf	-Inf	86.05	3	Horizontal	255	2.41	-	33.52	6.41	32.61

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8147G	58.28	88.20	-29.92	42.97	3	Vertical	3	1.40	-	38.91	10.41	34.01
RMS	12.8138G	44.05	68.20	-24.15	28.74	3	Vertical	3	1.40	-	38.91	10.41	34.01

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8139G	58.11	88.20	-30.09	42.80	3	Horizontal	196	2.40	-	38.91	10.41	34.01
RMS	12.80744G	44.10	68.20	-24.10	28.79	3	Horizontal	196	2.40	-	38.91	10.41	34.01

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21628G	46.34	83.54	-37.20	43.05	1	Vertical	244	1.52	-	37.74	15.19	49.64
AV	19.21596G	32.28	63.54	-31.26	28.99	1	Vertical	244	1.52	-	37.74	15.19	49.64

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21582G	46.77	83.54	-36.77	43.48	1	Horizontal	128	1.58	-	37.74	15.19	49.64
AV	19.21312G	32.11	63.54	-31.43	28.82	1	Horizontal	128	1.58	-	37.74	15.19	49.64

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT Z\_4TX  
Setting 55  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	58.24	88.20	-29.96	52.43	3	Vertical	326	1.80	-	32.13	6.06	32.38
RMS	5.9224G	46.99	68.20	-21.21	41.17	3	Vertical	326	1.80	-	32.14	6.06	32.38
PK	6.4528G	108.06	Inf	-Inf	100.64	3	Vertical	326	1.80	-	33.62	6.43	32.63
RMS	6.4528G	97.48	Inf	-Inf	90.06	3	Vertical	326	1.80	-	33.62	6.43	32.63

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9068G	57.56	88.20	-30.64	51.77	3	Horizontal	243	2.40	-	32.11	6.05	32.37
RMS	5.925G	46.97	68.20	-21.23	41.14	3	Horizontal	243	2.40	-	32.15	6.06	32.38
PK	6.4606G	104.04	Inf	-Inf	96.58	3	Horizontal	243	2.40	-	33.66	6.43	32.63
RMS	6.458G	93.55	Inf	-Inf	86.10	3	Horizontal	243	2.40	-	33.65	6.43	32.63



802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88516G	58.81	88.20	-29.39	43.36	3	Vertical	31	2.55	-	38.99	10.46	34.00
RMS	12.88748G	44.52	68.20	-23.68	29.06	3	Vertical	31	2.55	-	38.99	10.47	34.00

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89452G	58.54	88.20	-29.66	43.08	3	Horizontal	193	2.97	-	38.99	10.47	34.00
RMS	12.8934G	44.45	68.20	-23.75	28.99	3	Horizontal	193	2.97	-	38.99	10.47	34.00

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33038G	45.52	83.54	-38.02	42.20	1	Vertical	265	1.57	-	37.76	15.23	49.67
AV	19.33628G	32.03	63.54	-31.51	28.70	1	Vertical	265	1.57	-	37.77	15.23	49.67

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 55  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33884G	45.59	83.54	-37.95	42.25	1	Horizontal	131	1.56	-	37.77	15.24	49.67
AV	19.33314G	32.00	63.54	-31.54	28.67	1	Horizontal	131	1.56	-	37.77	15.23	49.67

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	58.41	88.20	-29.79	52.73	3	Vertical	153	1.80	-	32.00	6.01	32.33
RMS	5.925G	46.91	68.20	-21.29	41.08	3	Vertical	153	1.80	-	32.15	6.06	32.38
PK	6.4962G	106.28	Inf	-Inf	98.60	3	Vertical	153	1.80	-	33.88	6.45	32.65
RMS	6.5018G	95.57	Inf	-Inf	87.86	3	Vertical	153	1.80	-	33.91	6.45	32.65
PK	7.143G	62.24	88.20	-25.96	52.92	3	Vertical	153	1.80	-	35.86	6.84	33.38
RMS	7.1458G	51.57	68.20	-16.63	42.23	3	Vertical	153	1.80	-	35.87	6.85	33.38

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	58.42	88.20	-29.78	52.74	3	Horizontal	254	2.27	-	32.00	6.01	32.33
RMS	5.925G	46.97	68.20	-21.23	41.14	3	Horizontal	254	2.27	-	32.15	6.06	32.38
PK	6.471G	102.84	Inf	-Inf	95.31	3	Horizontal	254	2.27	-	33.73	6.44	32.64
RMS	6.4906G	92.15	Inf	-Inf	84.51	3	Horizontal	254	2.27	-	33.84	6.45	32.65
PK	7.1654G	61.95	88.20	-26.25	52.51	3	Horizontal	254	2.27	-	35.96	6.87	33.39
RMS	7.185G	51.50	68.20	-16.70	41.98	3	Horizontal	254	2.27	-	36.04	6.88	33.40

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97124G	58.30	88.20	-29.90	42.69	3	Vertical	309	1.49	-	39.07	10.53	33.99
RMS	12.9725G	44.15	68.20	-24.05	28.54	3	Vertical	309	1.49	-	39.07	10.53	33.99

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
06-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9745G	58.51	88.20	-29.69	42.90	3	Horizontal	221	3.00	-	39.07	10.53	33.99
RMS	12.9708G	44.17	68.20	-24.03	28.56	3	Horizontal	221	3.00	-	39.07	10.53	33.99



### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4567G	45.24	83.54	-38.30	41.78	1	Vertical	242	1.50	-	37.87	15.28	49.69
AV	19.45248G	32.08	63.54	-31.46	28.63	1	Vertical	242	1.50	-	37.86	15.28	49.69

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45606G	46.42	83.54	-37.12	42.97	1	Horizontal	35	1.51	-	37.86	15.28	49.69
AV	19.45312G	32.15	63.54	-31.39	28.70	1	Horizontal	35	1.51	-	37.86	15.28	49.69

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX


6525MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 53  
06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8614G	58.20	88.20	-30.00	52.50	3	Vertical	135	1.80	-	32.02	6.03	32.35
RMS	5.9118G	46.94	68.20	-21.26	41.14	3	Vertical	135	1.80	-	32.12	6.06	32.38
PK	6.5334G	104.97	Inf	-Inf	97.16	3	Vertical	135	1.80	-	34.03	6.47	32.69
RMS	6.539G	95.62	Inf	-Inf	87.79	3	Vertical	135	1.80	-	34.06	6.47	32.70
PK	7.127G	62.58	88.20	-25.62	53.36	3	Vertical	135	1.80	-	35.76	6.83	33.37
RMS	7.2166G	51.78	68.20	-16.42	42.13	3	Vertical	135	1.80	-	36.17	6.90	33.42

**802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 53  
 06-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8306G	57.71	88.20	-30.49	52.02	3	Horizontal	258	1.80	-	32.00	6.02	32.33
RMS	5.925G	46.97	68.20	-21.23	41.14	3	Horizontal	258	1.80	-	32.15	6.06	32.38
PK	6.5166G	99.88	Inf	-Inf	92.12	3	Horizontal	258	1.80	-	33.97	6.46	32.67
RMS	6.5194G	89.39	Inf	-Inf	81.63	3	Horizontal	258	1.80	-	33.98	6.46	32.68
PK	7.1942G	62.09	88.20	-26.11	52.53	3	Horizontal	258	1.80	-	36.08	6.89	33.41
RMS	7.2138G	51.70	68.20	-16.50	42.06	3	Horizontal	258	1.80	-	36.16	6.90	33.42