


802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	116.74	Inf	-Inf	121.84	3	Horizontal	218	1.80	-	31.80	5.89	42.79
AV	5.6992G	106.72	Inf	-Inf	111.82	3	Horizontal	218	1.80	-	31.80	5.89	42.79
PK	5.7254G	61.56	68.20	-6.64	66.54	3	Horizontal	218	1.80	-	31.90	5.89	42.77

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39636G	54.38	74.00	-19.62	48.49	3	Vertical	321	2.26	-	39.79	8.82	42.72
AV	11.39502G	40.32	54.00	-13.68	34.43	3	Vertical	321	2.26	-	39.79	8.82	42.72

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39638G	54.99	74.00	-19.01	49.10	3	Horizontal	152	1.64	-	39.79	8.82	42.72
AV	11.39514G	40.26	54.00	-13.74	34.37	3	Horizontal	152	1.64	-	39.79	8.82	42.72

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	126.40	Inf	-Inf	131.40	3	Vertical	36	2.29	-	31.88	5.89	42.77
AV	5.7192G	116.42	Inf	-Inf	121.42	3	Vertical	36	2.29	-	31.88	5.89	42.77
PK	5.8824G	61.69	68.20	-6.51	66.32	3	Vertical	36	2.29	-	32.06	5.98	42.67

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	124.74	Inf	-Inf	129.75	3	Horizontal	219	1.80	-	31.87	5.89	42.77
AV	5.7192G	114.71	Inf	-Inf	119.71	3	Horizontal	219	1.80	-	31.88	5.89	42.77
PK	5.8784G	59.01	68.20	-9.19	63.65	3	Horizontal	219	1.80	-	32.06	5.98	42.68

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4401G	54.34	74.00	-19.66	48.50	3	Vertical	117	1.83	-	39.72	8.84	42.72
AV	11.4365G	40.53	54.00	-13.47	34.68	3	Vertical	117	1.83	-	39.73	8.84	42.72

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44078G	54.08	74.00	-19.92	48.24	3	Horizontal	250	2.62	-	39.72	8.84	42.72
AV	11.43726G	40.51	54.00	-13.49	34.66	3	Horizontal	250	2.62	-	39.73	8.84	42.72

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.78	68.20	-7.42	66.11	3	Vertical	203	2.00	-	31.60	5.89	42.82
PK	5.749G	125.66	Inf	-Inf	130.53	3	Vertical	203	2.00	-	32.00	5.89	42.76
AV	5.748G	116.29	Inf	-Inf	121.17	3	Vertical	203	2.00	-	31.99	5.89	42.76
PK	5.948G	59.46	68.20	-8.74	63.84	3	Vertical	203	2.00	-	32.20	6.05	42.63

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	61.30	68.20	-6.90	66.84	3	Horizontal	218	1.84	-	31.50	5.84	42.88
PK	5.744G	124.99	Inf	-Inf	129.88	3	Horizontal	218	1.84	-	31.98	5.89	42.76
AV	5.744G	115.13	Inf	-Inf	120.02	3	Horizontal	218	1.84	-	31.98	5.89	42.76
PK	5.943G	57.76	68.20	-10.44	62.16	3	Horizontal	218	1.84	-	32.19	6.05	42.64

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47872G	54.41	74.00	-19.59	48.64	3	Vertical	136	1.77	-	39.64	8.86	42.73
AV	11.49006G	41.26	54.00	-12.74	35.50	3	Vertical	136	1.77	-	39.62	8.87	42.73
PK	17.23626G	57.37	68.20	-10.83	47.75	3	Vertical	338	1.95	-	41.05	10.41	41.84

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48622G	54.78	74.00	-19.22	49.01	3	Horizontal	357	2.14	-	39.63	8.87	42.73
AV	11.48844G	41.14	54.00	-12.86	35.38	3	Horizontal	357	2.14	-	39.62	8.87	42.73
PK	17.23482G	61.78	68.20	-6.42	52.17	3	Horizontal	139	1.47	-	41.04	10.41	41.84

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	60.03	68.20	-8.17	65.40	3	Vertical	206	1.80	-	31.59	5.89	42.85
PK	5.788G	125.86	Inf	-Inf	130.70	3	Vertical	206	1.80	-	32.00	5.89	42.73
AV	5.789G	114.14	Inf	-Inf	118.98	3	Vertical	206	1.80	-	32.00	5.89	42.73
PK	5.929G	60.32	68.20	-7.88	64.77	3	Vertical	206	1.80	-	32.16	6.03	42.64

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	60.86	68.20	-7.34	66.28	3	Horizontal	215	1.80	-	31.57	5.87	42.86
PK	5.784G	124.26	Inf	-Inf	129.10	3	Horizontal	215	1.80	-	32.00	5.89	42.73
AV	5.784G	114.45	Inf	-Inf	119.29	3	Horizontal	215	1.80	-	32.00	5.89	42.73
PK	5.926G	58.37	68.20	-9.83	62.84	3	Horizontal	215	1.80	-	32.15	6.03	42.65

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56766G	54.69	74.00	-19.31	48.98	3	Vertical	297	1.81	-	39.53	8.91	42.73
AV	11.5663G	41.15	54.00	-12.85	35.44	3	Vertical	297	1.81	-	39.53	8.91	42.73

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56548G	54.30	74.00	-19.70	48.59	3	Horizontal	352	1.06	-	39.53	8.91	42.73
AV	11.57318G	40.95	54.00	-13.05	35.23	3	Horizontal	352	1.06	-	39.53	8.92	42.73

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	63.49	68.20	-4.71	68.83	3	Vertical	142	2.35	-	31.60	5.89	42.83
PK	5.824G	127.34	Inf	-Inf	132.13	3	Vertical	142	2.35	-	32.00	5.92	42.71
AV	5.824G	117.68	Inf	-Inf	122.47	3	Vertical	142	2.35	-	32.00	5.92	42.71
PK	5.924G	67.25	68.94	-1.69	71.72	3	Vertical	142	2.35	-	32.15	6.03	42.65

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	61.70	68.20	-6.50	67.04	3	Horizontal	217	1.83	-	31.60	5.89	42.83
PK	5.824G	123.59	Inf	-Inf	128.38	3	Horizontal	217	1.83	-	32.00	5.92	42.71
AV	5.824G	113.59	Inf	-Inf	118.38	3	Horizontal	217	1.83	-	32.00	5.92	42.71
PK	5.93G	59.76	68.20	-8.44	64.21	3	Horizontal	217	1.83	-	32.16	6.03	42.64

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6484G	53.48	74.00	-20.52	47.91	3	Vertical	334	2.51	-	39.35	8.96	42.74
AV	11.65G	41.01	54.00	-12.99	35.44	3	Vertical	334	2.51	-	39.35	8.96	42.74
PK	17.47338G	60.74	68.20	-7.46	49.25	3	Vertical	216	1.80	-	42.89	10.48	41.88

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT Y_4TX
Setting 108
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64538G	54.03	74.00	-19.97	48.45	3	Horizontal	133	2.69	-	39.36	8.96	42.74
AV	11.65146G	40.81	54.00	-13.19	35.24	3	Horizontal	133	2.69	-	39.35	8.96	42.74
PK	17.47676G	62.53	68.20	-5.67	51.03	3	Horizontal	123	1.88	-	42.91	10.48	41.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
ax20_BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.96	54.00	-0.04	3	Vertical	52	2.94	-

ax20_BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	71.75	74.00	-2.25	63.66	3	Vertical	52	2.94	-	33.58	5.24	30.73
AV	5.15G	53.96	54.00	-0.04	45.84	3	Vertical	52	2.94	-	33.60	5.25	30.73
PK	5.172G	126.95	Inf	-Inf	118.77	3	Vertical	52	2.94	-	33.64	5.27	30.73
AV	5.1712G	114.96	Inf	-Inf	106.78	3	Vertical	52	2.94	-	33.64	5.27	30.73

ax20_BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.98	74.00	-9.02	56.86	3	Horizontal	149	1.80	-	33.60	5.25	30.73
AV	5.1462G	50.17	54.00	-3.83	42.06	3	Horizontal	149	1.80	-	33.59	5.25	30.73
PK	5.1882G	121.29	Inf	-Inf	113.05	3	Horizontal	149	1.80	-	33.68	5.29	30.73
AV	5.1878G	109.25	Inf	-Inf	101.01	3	Horizontal	149	1.80	-	33.68	5.29	30.73

ax20_BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36175G	51.98	68.20	-16.22	37.73	3	Vertical	253	2.75	-	38.64	7.44	31.83
PK	15.53874G	54.61	74.00	-19.39	38.30	3	Vertical	5	1.41	-	37.87	9.79	31.35
AV	15.54225G	41.04	54.00	-12.96	24.75	3	Vertical	5	1.41	-	37.85	9.79	31.35

ax20_BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35913G	52.64	68.20	-15.56	38.39	3	Horizontal	119	2.51	-	38.64	7.44	31.83
PK	15.53768G	54.24	74.00	-19.76	37.93	3	Horizontal	236	1.91	-	37.87	9.79	31.35
AV	15.54137G	41.07	54.00	-12.93	24.78	3	Horizontal	236	1.91	-	37.85	9.79	31.35

ax20_BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	72.82	74.00	-1.18	64.70	3	Vertical	47	2.90	-	33.60	5.25	30.73
AV	5.15G	53.58	54.00	-0.42	45.46	3	Vertical	47	2.90	-	33.60	5.25	30.73
PK	5.206G	127.39	Inf	-Inf	119.12	3	Vertical	47	2.90	-	33.70	5.30	30.73
AV	5.2072G	115.19	Inf	-Inf	106.92	3	Vertical	47	2.90	-	33.70	5.30	30.73

ax20_BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.09	74.00	-7.91	57.97	3	Horizontal	165	1.75	-	33.60	5.25	30.73
AV	5.15G	49.65	54.00	-4.35	41.53	3	Horizontal	165	1.75	-	33.60	5.25	30.73
PK	5.2084G	123.94	Inf	-Inf	115.67	3	Horizontal	165	1.75	-	33.70	5.30	30.73
AV	5.208G	111.50	Inf	-Inf	103.23	3	Horizontal	165	1.75	-	33.70	5.30	30.73

ax20_BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3979G	52.57	68.20	-15.63	38.34	3	Vertical	338	1.22	-	38.60	7.46	31.83
PK	15.60238G	54.38	74.00	-19.62	38.44	3	Vertical	301	2.17	-	37.50	9.82	31.38
AV	15.60035G	40.78	54.00	-13.22	24.84	3	Vertical	301	2.17	-	37.50	9.82	31.38

ax20_BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40033G	52.32	68.20	-15.88	38.09	3	Horizontal	201	1.76	-	38.60	7.46	31.83
PK	15.60146G	55.29	74.00	-18.71	39.35	3	Horizontal	212	2.71	-	37.50	9.82	31.38
AV	15.5976G	40.87	54.00	-13.13	24.92	3	Horizontal	212	2.71	-	37.51	9.82	31.38

ax20_BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	65.99	74.00	-8.01	57.90	3	Vertical	2	2.75	-	33.58	5.24	30.73
AV	5.1494G	49.80	54.00	-4.20	41.68	3	Vertical	2	2.75	-	33.60	5.25	30.73
PK	5.2466G	128.00	Inf	-Inf	119.71	3	Vertical	2	2.75	-	33.70	5.32	30.73
AV	5.246G	116.90	Inf	-Inf	108.61	3	Vertical	2	2.75	-	33.70	5.32	30.73
PK	5.3696G	63.04	74.00	-10.96	54.44	3	Vertical	2	2.75	-	33.94	5.38	30.72
AV	5.3558G	49.46	54.00	-4.54	40.89	3	Vertical	2	2.75	-	33.91	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	60.18	74.00	-13.82	52.18	3	Horizontal	179	1.95	-	33.52	5.21	30.73
AV	5.1122G	47.16	54.00	-6.84	39.16	3	Horizontal	179	1.95	-	33.52	5.21	30.73
PK	5.2322G	124.21	Inf	-Inf	115.92	3	Horizontal	179	1.95	-	33.70	5.32	30.73
AV	5.234G	111.57	Inf	-Inf	103.28	3	Horizontal	179	1.95	-	33.70	5.32	30.73
PK	5.351G	60.75	74.00	-13.25	52.19	3	Horizontal	179	1.95	-	33.90	5.38	30.72
AV	5.351G	48.49	54.00	-5.51	39.93	3	Horizontal	179	1.95	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48019G	52.83	68.20	-15.37	38.59	3	Vertical	237	1.77	-	38.60	7.49	31.85
PK	15.72231G	54.39	74.00	-19.61	38.46	3	Vertical	23	1.37	-	37.50	9.88	31.45
AV	15.71901G	40.78	54.00	-13.22	24.85	3	Vertical	23	1.37	-	37.50	9.87	31.44

ax20_BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47769G	52.47	68.20	-15.73	38.23	3	Horizontal	94	1.00	-	38.60	7.49	31.85
PK	15.71777G	55.25	74.00	-18.75	39.32	3	Horizontal	129	2.52	-	37.50	9.87	31.44
AV	15.72032G	40.77	54.00	-13.23	24.84	3	Horizontal	129	2.52	-	37.50	9.87	31.44

ax20_BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	62.12	74.00	-11.88	54.02	3	Vertical	46	2.75	-	33.59	5.24	30.73
AV	5.1436G	48.96	54.00	-5.04	40.86	3	Vertical	46	2.75	-	33.59	5.24	30.73
PK	5.2558G	128.96	Inf	-Inf	120.64	3	Vertical	46	2.75	-	33.71	5.33	30.72
AV	5.254G	116.58	Inf	-Inf	108.26	3	Vertical	46	2.75	-	33.71	5.33	30.72
PK	5.3542G	67.98	74.00	-6.02	59.41	3	Vertical	46	2.75	-	33.91	5.38	30.72
AV	5.35G	50.81	54.00	-3.19	42.25	3	Vertical	46	2.75	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	60.75	74.00	-13.25	52.65	3	Horizontal	161	1.48	-	33.59	5.24	30.73
AV	5.143G	47.54	54.00	-6.46	39.44	3	Horizontal	161	1.48	-	33.59	5.24	30.73
PK	5.269G	126.55	Inf	-Inf	118.20	3	Horizontal	161	1.48	-	33.74	5.33	30.72
AV	5.2678G	113.90	Inf	-Inf	105.55	3	Horizontal	161	1.48	-	33.74	5.33	30.72
PK	5.3518G	61.69	74.00	-12.31	53.13	3	Horizontal	161	1.48	-	33.90	5.38	30.72
AV	5.35G	48.97	54.00	-5.03	40.41	3	Horizontal	161	1.48	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51869G	52.43	68.20	-15.77	38.19	3	Vertical	196	1.66	-	38.58	7.51	31.85
PK	15.78179G	54.83	74.00	-19.17	38.91	3	Vertical	133	1.97	-	37.50	9.90	31.48
AV	15.7782G	41.27	54.00	-12.73	25.34	3	Vertical	133	1.97	-	37.50	9.90	31.47

ax20_BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51759G	51.90	68.20	-16.30	37.66	3	Horizontal	308	1.96	-	38.58	7.51	31.85
PK	15.77814G	54.82	74.00	-19.18	38.89	3	Horizontal	300	2.73	-	37.50	9.90	31.47
AV	15.78145G	41.17	54.00	-12.83	25.25	3	Horizontal	300	2.73	-	37.50	9.90	31.48

ax20_BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	128.17	Inf	-Inf	119.72	3	Vertical	324	2.84	-	33.82	5.35	30.72
AV	5.3084G	116.48	Inf	-Inf	108.03	3	Vertical	324	2.84	-	33.82	5.35	30.72
PK	5.3504G	73.38	74.00	-0.62	64.82	3	Vertical	324	2.84	-	33.90	5.38	30.72
AV	5.3512G	53.44	54.00	-0.56	44.88	3	Vertical	324	2.84	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	123.43	Inf	-Inf	114.99	3	Horizontal	138	1.87	-	33.81	5.35	30.72
AV	5.304G	110.59	Inf	-Inf	102.15	3	Horizontal	138	1.87	-	33.81	5.35	30.72
PK	5.3576G	72.46	74.00	-1.54	63.88	3	Horizontal	138	1.87	-	33.92	5.38	30.72
AV	5.352G	51.67	54.00	-2.33	43.11	3	Horizontal	138	1.87	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59814G	52.56	68.20	-15.64	38.38	3	Vertical	254	1.08	-	38.50	7.54	31.86
PK	15.90095G	54.76	74.00	-19.24	39.04	3	Vertical	87	2.32	-	37.30	9.96	31.54
AV	15.90091G	40.73	54.00	-13.27	25.01	3	Vertical	87	2.32	-	37.30	9.96	31.54

ax20_BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59821G	53.12	68.20	-15.08	38.94	3	Horizontal	137	2.75	-	38.50	7.54	31.86
PK	15.89911G	54.09	74.00	-19.91	38.38	3	Horizontal	111	1.34	-	37.30	9.95	31.54
AV	15.89933G	40.80	54.00	-13.20	25.09	3	Horizontal	111	1.34	-	37.30	9.95	31.54

ax20_BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	125.56	Inf	-Inf	117.09	3	Vertical	319	3.00	-	33.83	5.36	30.72
AV	5.318G	113.11	Inf	-Inf	104.63	3	Vertical	319	3.00	-	33.84	5.36	30.72
PK	5.3524G	71.59	74.00	-2.41	63.03	3	Vertical	319	3.00	-	33.90	5.38	30.72
AV	5.35G	53.93	54.00	-0.07	45.37	3	Vertical	319	3.00	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	122.46	Inf	-Inf	113.98	3	Horizontal	164	1.53	-	33.84	5.36	30.72
AV	5.318G	110.17	Inf	-Inf	101.69	3	Horizontal	164	1.53	-	33.84	5.36	30.72
PK	5.3548G	64.84	74.00	-9.16	56.27	3	Horizontal	164	1.53	-	33.91	5.38	30.72
AV	5.3506G	51.66	54.00	-2.34	43.10	3	Horizontal	164	1.53	-	33.90	5.38	30.72

ax20_BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63772G	53.04	74.00	-20.96	38.85	3	Vertical	134	2.36	-	38.50	7.56	31.87
AV	10.63857G	38.87	54.00	-15.13	24.68	3	Vertical	134	2.36	-	38.50	7.56	31.87
PK	15.96118G	53.88	74.00	-20.12	38.17	3	Vertical	120	1.94	-	37.30	9.98	31.57
AV	15.95897G	40.69	54.00	-13.31	24.98	3	Vertical	120	1.94	-	37.30	9.98	31.57

ax20_BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64075G	52.44	74.00	-21.56	38.25	3	Horizontal	108	2.05	-	38.50	7.56	31.87
AV	10.6388G	38.91	54.00	-15.09	24.72	3	Horizontal	108	2.05	-	38.50	7.56	31.87
PK	15.95952G	54.28	74.00	-19.72	38.57	3	Horizontal	326	2.82	-	37.30	9.98	31.57
AV	15.95963G	40.67	54.00	-13.33	24.96	3	Horizontal	326	2.82	-	37.30	9.98	31.57

ax20_BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
 Setting 95
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	69.32	74.00	-4.68	62.40	3	Vertical	69	2.86	-	34.52	7.26	34.86
AV	5.46G	52.98	54.00	-1.02	46.06	3	Vertical	69	2.86	-	34.52	7.26	34.86
PK	5.4604G	68.00	68.20	-0.20	61.08	3	Vertical	69	2.86	-	34.52	7.26	34.86
PK	5.5072G	126.20	Inf	-Inf	119.15	3	Vertical	69	2.86	-	34.60	7.31	34.86
AV	5.5072G	113.51	Inf	-Inf	106.46	3	Vertical	69	2.86	-	34.60	7.31	34.86

ax20_BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 95
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.91	74.00	-9.09	57.99	3	Horizontal	140	1.76	-	34.52	7.26	34.86
AV	5.4588G	51.03	54.00	-2.97	44.11	3	Horizontal	140	1.76	-	34.52	7.26	34.86
PK	5.4696G	65.83	68.20	-2.37	58.88	3	Horizontal	140	1.76	-	34.54	7.27	34.86
PK	5.494G	123.55	Inf	-Inf	116.53	3	Horizontal	140	1.76	-	34.59	7.29	34.86
AV	5.4948G	111.38	Inf	-Inf	104.36	3	Horizontal	140	1.76	-	34.59	7.29	34.86

ax20_BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
 Setting 95
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01182G	55.51	74.00	-18.49	41.22	3	Vertical	313	1.80	-	38.41	10.65	34.77
AV	11.00804G	41.84	54.00	-12.16	27.55	3	Vertical	313	1.80	-	38.41	10.65	34.77

ax20_BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 95
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.006G	55.48	74.00	-18.52	41.19	3	Horizontal	108	1.80	-	38.41	10.65	34.77
AV	10.98596G	41.80	54.00	-12.20	27.48	3	Horizontal	108	1.80	-	38.39	10.65	34.72

ax20_BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 115
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	62.78	68.20	-5.42	55.95	3	Vertical	181.7	2.27	-	34.50	7.20	34.87
PK	5.45G	67.94	74.00	-6.06	61.05	3	Vertical	181.7	2.27	-	34.50	7.25	34.86
AV	5.458G	52.73	54.00	-1.27	45.81	3	Vertical	181.7	2.27	-	34.52	7.26	34.86
PK	5.468G	67.97	68.20	-0.23	61.02	3	Vertical	181.7	2.27	-	34.54	7.27	34.86
PK	5.586G	129.82	Inf	-Inf	122.71	3	Vertical	181.7	2.27	-	34.60	7.39	34.88
AV	5.588G	118.22	Inf	-Inf	111.11	3	Vertical	181.7	2.27	-	34.60	7.39	34.88
PK	5.729G	66.22	68.20	-1.98	59.49	3	Vertical	181.7	2.27	-	34.24	7.40	34.91

ax20_BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 115
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	61.90	68.20	-6.30	55.07	3	Horizontal	137	1.85	-	34.50	7.20	34.87
PK	5.418G	63.64	74.00	-10.36	56.72	3	Horizontal	137	1.85	-	34.56	7.22	34.86
PK	5.463G	63.93	68.20	-4.27	57.00	3	Horizontal	137	1.85	-	34.53	7.26	34.86
AV	5.46G	50.94	54.00	-3.06	44.02	3	Horizontal	137	1.85	-	34.52	7.26	34.86
PK	5.579G	127.05	Inf	-Inf	119.95	3	Horizontal	137	1.85	-	34.60	7.38	34.88
AV	5.574G	115.73	Inf	-Inf	108.64	3	Horizontal	137	1.85	-	34.60	7.37	34.88
PK	5.792G	63.33	68.20	-4.87	56.65	3	Horizontal	137	1.85	-	34.20	7.40	34.92

ax20_BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 115
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15988G	55.24	74.00	-18.76	40.81	3	Vertical	214	1.80	-	38.56	10.67	34.80
AV	11.15556G	41.67	54.00	-12.33	27.24	3	Vertical	214	1.80	-	38.56	10.67	34.80
PK	16.7493G	63.14	68.20	-5.06	44.41	3	Vertical	321	2.63	-	39.05	13.92	34.24

ax20_BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 115
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1501G	55.97	74.00	-18.03	41.55	3	Horizontal	8	2.97	-	38.55	10.67	34.80
AV	11.1699G	41.78	54.00	-12.22	27.33	3	Horizontal	8	2.97	-	38.57	10.68	34.80
PK	16.72572G	63.75	68.20	-4.45	45.21	3	Horizontal	17	1.76	-	38.88	13.91	34.25

ax20_BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 70
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.709G	123.29	Inf	-Inf	116.52	3	Vertical	48.4	1.80	-	34.28	7.40	34.91
AV	5.7076G	110.46	Inf	-Inf	103.69	3	Vertical	48.4	1.80	-	34.28	7.40	34.91
PK	5.729G	67.93	68.20	-0.27	61.20	3	Vertical	48.4	1.80	-	34.24	7.40	34.91

ax20_BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
 Setting 70
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	120.47	Inf	-Inf	113.65	3	Horizontal	222	1.80	-	34.32	7.40	34.90
AV	5.6976G	106.16	Inf	-Inf	99.35	3	Horizontal	222	1.80	-	34.31	7.40	34.90
PK	5.7304G	61.91	68.20	-6.29	55.18	3	Horizontal	222	1.80	-	34.24	7.40	34.91

ax20_BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 70
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40408G	55.88	74.00	-18.12	41.20	3	Vertical	342	1.80	-	38.81	10.71	34.84
AV	11.38902G	42.54	54.00	-11.46	27.88	3	Vertical	342	1.80	-	38.79	10.71	34.84

ax20_BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 70
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41392G	56.17	74.00	-17.83	41.47	3	Horizontal	273	2.04	-	38.83	10.71	34.84
AV	11.3976G	42.52	54.00	-11.48	27.85	3	Horizontal	273	2.04	-	38.80	10.71	34.84

ax20_BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 114
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4302G	63.92	74.00	-10.08	57.01	3	Vertical	220	2.33	-	34.54	7.23	34.86
PK	5.4652G	63.56	68.20	-4.64	56.62	3	Vertical	220	2.33	-	34.53	7.27	34.86
AV	5.4526G	50.92	54.00	-3.08	44.02	3	Vertical	220	2.33	-	34.51	7.25	34.86
PK	5.727G	130.26	Inf	-Inf	123.52	3	Vertical	220	2.33	-	34.25	7.40	34.91
AV	5.7284G	121.21	Inf	-Inf	114.48	3	Vertical	220	2.33	-	34.24	7.40	34.91
PK	5.8516G	67.88	68.20	-0.32	61.06	3	Vertical	220	2.33	-	34.31	7.45	34.94

ax20_BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 114
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4372G	63.46	74.00	-10.54	56.55	3	Horizontal	135	1.74	-	34.53	7.24	34.86
AV	5.3984G	50.66	54.00	-3.34	43.73	3	Horizontal	135	1.74	-	34.60	7.20	34.87
PK	5.4616G	62.07	68.20	-6.13	55.15	3	Horizontal	135	1.74	-	34.52	7.26	34.86
PK	5.7284G	128.66	Inf	-Inf	121.93	3	Horizontal	135	1.74	-	34.24	7.40	34.91
AV	5.7284G	116.24	Inf	-Inf	109.51	3	Horizontal	135	1.74	-	34.24	7.40	34.91
PK	5.8572G	63.84	68.20	-4.36	56.98	3	Horizontal	135	1.74	-	34.34	7.46	34.94

ax20_BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 114
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43394G	56.05	74.00	-17.95	41.31	3	Vertical	316	2.53	-	38.87	10.72	34.85
AV	11.4367G	42.56	54.00	-11.44	27.82	3	Vertical	316	2.53	-	38.87	10.72	34.85

ax20_BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 114
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42968G	55.68	74.00	-18.32	40.96	3	Horizontal	360	1.41	-	38.86	10.71	34.85
AV	11.43886G	42.48	54.00	-11.52	27.73	3	Horizontal	360	1.41	-	38.88	10.72	34.85

ax20_BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTY_4TX
 Setting 113
 03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.66	68.20	-1.54	59.65	3	Vertical	360	2.32	-	34.50	7.40	34.89
PK	5.736G	129.86	Inf	-Inf	123.14	3	Vertical	360	2.32	-	34.23	7.40	34.91
AV	5.736G	119.34	Inf	-Inf	112.62	3	Vertical	360	2.32	-	34.23	7.40	34.91
PK	5.932G	63.90	68.20	-4.30	56.60	3	Vertical	360	2.32	-	34.73	7.53	34.96

ax20_BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTY_4TX
 Setting 113
 03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.66	68.20	-3.54	57.65	3	Horizontal	144	1.62	-	34.50	7.40	34.89
PK	5.753G	127.62	Inf	-Inf	120.94	3	Horizontal	144	1.62	-	34.20	7.40	34.92
AV	5.754G	117.58	Inf	-Inf	110.90	3	Horizontal	144	1.62	-	34.20	7.40	34.92
PK	5.949G	63.66	68.20	-4.54	56.27	3	Horizontal	144	1.62	-	34.80	7.55	34.96

ax20_BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTY_4TX
 Setting 113
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48688G	57.19	74.00	-16.81	42.36	3	Vertical	317	2.21	-	38.97	10.72	34.86
AV	11.50284G	42.84	54.00	-11.16	27.96	3	Vertical	317	2.21	-	39.01	10.73	34.86

ax20_BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUTY_4TX
Setting 113
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50188G	56.34	74.00	-17.66	41.46	3	Horizontal	342	2.11	-	39.01	10.73	34.86
AV	11.48688G	42.92	54.00	-11.08	28.09	3	Horizontal	342	2.11	-	38.97	10.72	34.86

ax20_BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTY_4TX
Setting 112
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	64.55	68.20	-3.65	57.47	3	Vertical	99	2.13	-	34.57	7.40	34.89
PK	5.792G	130.10	Inf	-Inf	123.42	3	Vertical	99	2.13	-	34.20	7.40	34.92
AV	5.794G	120.45	Inf	-Inf	113.77	3	Vertical	99	2.13	-	34.20	7.40	34.92
PK	5.928G	66.05	68.20	-2.15	58.76	3	Vertical	99	2.13	-	34.71	7.53	34.95

ax20_BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTY_4TX
Setting 112
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	64.59	68.20	-3.61	57.55	3	Horizontal	140	1.79	-	34.53	7.40	34.89
PK	5.777G	125.71	Inf	-Inf	119.03	3	Horizontal	140	1.79	-	34.20	7.40	34.92
AV	5.776G	113.42	Inf	-Inf	106.74	3	Horizontal	140	1.79	-	34.20	7.40	34.92
PK	5.952G	63.19	68.20	-5.01	55.80	3	Horizontal	140	1.79	-	34.80	7.55	34.96

ax20_BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTY_4TX
Setting 112
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58092G	56.82	74.00	-17.18	41.66	3	Vertical	338	1.24	-	39.32	10.74	34.90
AV	11.57336G	43.28	54.00	-10.72	28.15	3	Vertical	338	1.24	-	39.29	10.74	34.90

ax20_BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUTY_4TX
Setting 112
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56562G	58.49	74.00	-15.51	43.39	3	Horizontal	255	1.63	-	39.26	10.73	34.89
AV	11.58428G	43.28	54.00	-10.72	28.10	3	Horizontal	255	1.63	-	39.34	10.74	34.90

ax20_BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTY_4TX
Setting 109
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	65.79	68.20	-2.41	58.68	3	Vertical	38	2.29	-	34.59	7.40	34.88
PK	5.831G	130.23	Inf	-Inf	123.47	3	Vertical	38	2.29	-	34.26	7.43	34.93
AV	5.833G	120.02	Inf	-Inf	113.25	3	Vertical	38	2.29	-	34.27	7.43	34.93
PK	5.924G	67.98	68.94	-0.96	60.71	3	Vertical	38	2.29	-	34.70	7.52	34.95

ax20_BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTY_4TX
Setting 109
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	64.47	68.20	-3.73	57.44	3	Horizontal	0	1.76	-	34.52	7.40	34.89
PK	5.826G	125.63	Inf	-Inf	118.88	3	Horizontal	0	1.76	-	34.25	7.43	34.93
AV	5.826G	115.77	Inf	-Inf	109.02	3	Horizontal	0	1.76	-	34.25	7.43	34.93
PK	5.928G	64.98	68.20	-3.22	57.69	3	Horizontal	0	1.76	-	34.71	7.53	34.95

ax20_BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTY_4TX
Setting 109
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65396G	56.72	74.00	-17.28	41.51	3	Vertical	360	1.68	-	39.40	10.75	34.94
AV	11.64574G	43.12	54.00	-10.88	27.90	3	Vertical	360	1.68	-	39.40	10.75	34.93

ax20_BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUTY_4TX
Setting 109
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66134G	57.24	74.00	-16.76	42.03	3	Horizontal	89	1.80	-	39.40	10.75	34.94
AV	11.64874G	43.18	54.00	-10.82	27.96	3	Horizontal	89	1.80	-	39.40	10.75	34.93

ax40_BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.58	74.00	-7.42	58.46	3	Vertical	34	1.80	-	33.60	5.25	30.73
AV	5.1492G	53.88	54.00	-0.12	45.76	3	Vertical	34	1.80	-	33.60	5.25	30.73
PK	5.1976G	117.28	Inf	-Inf	109.01	3	Vertical	34	1.80	-	33.70	5.30	30.73
AV	5.178G	102.51	Inf	-Inf	94.30	3	Vertical	34	1.80	-	33.66	5.28	30.73

ax40_BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.03	74.00	-8.97	56.91	3	Horizontal	17	1.96	-	33.60	5.25	30.73
AV	5.1496G	52.39	54.00	-1.61	44.27	3	Horizontal	17	1.96	-	33.60	5.25	30.73
PK	5.1752G	115.44	Inf	-Inf	107.24	3	Horizontal	17	1.96	-	33.65	5.28	30.73
AV	5.1784G	103.21	Inf	-Inf	95.00	3	Horizontal	17	1.96	-	33.66	5.28	30.73

ax40_BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36998G	53.83	68.20	-14.37	39.58	3	Vertical	103	1.65	-	38.63	7.45	31.83
PK	15.56646G	55.92	74.00	-18.08	39.78	3	Vertical	188	2.52	-	37.70	9.80	31.36
AV	15.55686G	42.26	54.00	-11.74	26.06	3	Vertical	188	2.52	-	37.76	9.80	31.36

ax40_BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39134G	53.29	68.20	-14.91	39.05	3	Horizontal	255	2.52	-	38.61	7.46	31.83
PK	15.57768G	55.92	74.00	-18.08	39.85	3	Horizontal	190	1.94	-	37.63	9.81	31.37
AV	15.57516G	42.18	54.00	-11.82	26.09	3	Horizontal	190	1.94	-	37.65	9.81	31.37

ax40_BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 93
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.29	74.00	-6.71	59.17	3	Vertical	226	2.91	-	33.60	5.25	30.73
AV	5.15G	53.38	54.00	-0.62	45.26	3	Vertical	226	2.91	-	33.60	5.25	30.73
PK	5.2264G	125.14	Inf	-Inf	116.86	3	Vertical	226	2.91	-	33.70	5.31	30.73
AV	5.248G	111.99	Inf	-Inf	103.70	3	Vertical	226	2.91	-	33.70	5.32	30.73
PK	5.38G	64.55	74.00	-9.45	55.92	3	Vertical	226	2.91	-	33.96	5.39	30.72
AV	5.3506G	51.88	54.00	-2.12	43.32	3	Vertical	226	2.91	-	33.90	5.38	30.72

ax40_BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	63.51	74.00	-10.49	55.42	3	Horizontal	160	3.00	-	33.58	5.24	30.73
AV	5.146G	50.08	54.00	-3.92	41.97	3	Horizontal	160	3.00	-	33.59	5.25	30.73
PK	5.248G	122.51	Inf	-Inf	114.22	3	Horizontal	160	3.00	-	33.70	5.32	30.73
AV	5.248G	111.12	Inf	-Inf	102.83	3	Horizontal	160	3.00	-	33.70	5.32	30.73
PK	5.353G	63.44	74.00	-10.56	54.87	3	Horizontal	160	3.00	-	33.91	5.38	30.72
AV	5.3518G	50.61	54.00	-3.39	42.05	3	Horizontal	160	3.00	-	33.90	5.38	30.72

ax40_BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45874G	53.83	68.20	-14.37	39.59	3	Vertical	260	1.17	-	38.60	7.48	31.84
PK	15.69121G	55.45	74.00	-18.55	39.52	3	Vertical	197	1.28	-	37.50	9.86	31.43
AV	15.6897G	41.82	54.00	-12.18	25.89	3	Vertical	197	1.28	-	37.50	9.86	31.43

ax40_BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45928G	53.27	68.20	-14.93	39.03	3	Horizontal	257	2.28	-	38.60	7.48	31.84
PK	15.69053G	55.55	74.00	-18.45	39.62	3	Horizontal	296	1.39	-	37.50	9.86	31.43
AV	15.68905G	41.73	54.00	-12.27	25.80	3	Horizontal	296	1.39	-	37.50	9.86	31.43

ax40_BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	65.37	74.00	-8.63	57.27	3	Vertical	332	2.68	-	33.59	5.24	30.73
AV	5.1494G	49.78	54.00	-4.22	41.66	3	Vertical	332	2.68	-	33.60	5.25	30.73
PK	5.273G	119.90	Inf	-Inf	111.53	3	Vertical	332	2.68	-	33.75	5.34	30.72
AV	5.2724G	106.74	Inf	-Inf	98.38	3	Vertical	332	2.68	-	33.74	5.34	30.72
PK	5.351G	70.45	74.00	-3.55	61.89	3	Vertical	332	2.68	-	33.90	5.38	30.72
AV	5.351G	53.71	54.00	-0.29	45.15	3	Vertical	332	2.68	-	33.90	5.38	30.72

ax40_BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1278G	60.55	74.00	-13.45	52.49	3	Horizontal	161	1.50	-	33.56	5.23	30.73
AV	5.1434G	47.48	54.00	-6.52	39.38	3	Horizontal	161	1.50	-	33.59	5.24	30.73
PK	5.2712G	120.70	Inf	-Inf	112.34	3	Horizontal	161	1.50	-	33.74	5.34	30.72
AV	5.2682G	108.71	Inf	-Inf	100.36	3	Horizontal	161	1.50	-	33.74	5.33	30.72
PK	5.3528G	70.08	74.00	-3.92	61.51	3	Horizontal	161	1.50	-	33.91	5.38	30.72
AV	5.3504G	51.11	54.00	-2.89	42.55	3	Horizontal	161	1.50	-	33.90	5.38	30.72

ax40_BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
 Setting 95
 02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53853G	52.64	68.20	-15.56	38.42	3	Vertical	353	1.92	-	38.56	7.52	31.86
PK	15.80805G	54.53	74.00	-19.47	38.63	3	Vertical	319	2.48	-	37.48	9.91	31.49
AV	15.80961G	41.21	54.00	-12.79	25.31	3	Vertical	319	2.48	-	37.48	9.91	31.49

ax40_BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54054G	51.67	68.20	-16.53	37.45	3	Horizontal	88	1.56	-	38.56	7.52	31.86
PK	15.81062G	55.46	74.00	-18.54	39.56	3	Horizontal	108	1.73	-	37.48	9.91	31.49
AV	15.80983G	41.13	54.00	-12.87	25.23	3	Horizontal	108	1.73	-	37.48	9.91	31.49

ax40_BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	122.09	Inf	-Inf	113.61	3	Vertical	320	3.00	-	33.84	5.36	30.72
AV	5.316G	110.18	Inf	-Inf	101.71	3	Vertical	320	3.00	-	33.83	5.36	30.72
PK	5.3528G	72.96	74.00	-1.04	64.39	3	Vertical	320	3.00	-	33.91	5.38	30.72
AV	5.3532G	53.40	54.00	-0.60	44.83	3	Vertical	320	3.00	-	33.91	5.38	30.72

ax40_BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	119.55	Inf	-Inf	111.08	3	Horizontal	167	2.59	-	33.83	5.36	30.72
AV	5.3192G	106.00	Inf	-Inf	97.52	3	Horizontal	167	2.59	-	33.84	5.36	30.72
PK	5.3512G	73.28	74.00	-0.72	64.72	3	Horizontal	167	2.59	-	33.90	5.38	30.72
AV	5.3508G	52.98	54.00	-1.02	44.42	3	Horizontal	167	2.59	-	33.90	5.38	30.72

ax40_BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62104G	52.93	74.00	-21.07	38.75	3	Vertical	167	2.22	-	38.50	7.55	31.87
AV	10.61965G	38.72	54.00	-15.28	24.54	3	Vertical	167	2.22	-	38.50	7.55	31.87
PK	15.9288G	54.49	74.00	-19.51	38.77	3	Vertical	42	1.54	-	37.30	9.97	31.55
AV	15.93106G	40.84	54.00	-13.16	25.12	3	Vertical	42	1.54	-	37.30	9.97	31.55

ax40_BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6212G	52.31	74.00	-21.69	38.13	3	Horizontal	39	2.83	-	38.50	7.55	31.87
AV	10.6221G	38.58	54.00	-15.42	24.40	3	Horizontal	39	2.83	-	38.50	7.55	31.87
PK	15.92867G	54.83	74.00	-19.17	39.11	3	Horizontal	53	2.83	-	37.30	9.97	31.55
AV	15.9277G	40.77	54.00	-13.23	25.05	3	Horizontal	53	2.83	-	37.30	9.97	31.55

ax40_BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 90
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	68.34	74.00	-5.66	61.45	3	Vertical	59	2.85	-	34.50	7.25	34.86
AV	5.4588G	53.56	54.00	-0.44	46.64	3	Vertical	59	2.85	-	34.52	7.26	34.86
PK	5.4684G	67.00	68.20	-1.20	60.05	3	Vertical	59	2.85	-	34.54	7.27	34.86
PK	5.526G	123.33	Inf	-Inf	116.27	3	Vertical	59	2.85	-	34.60	7.33	34.87
AV	5.5256G	111.87	Inf	-Inf	104.81	3	Vertical	59	2.85	-	34.60	7.33	34.87

ax40_BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 90
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	67.18	74.00	-6.82	60.26	3	Horizontal	161	1.62	-	34.52	7.26	34.86
AV	5.46G	53.34	54.00	-0.66	46.42	3	Horizontal	161	1.62	-	34.52	7.26	34.86
PK	5.4696G	67.93	68.20	-0.27	60.98	3	Horizontal	161	1.62	-	34.54	7.27	34.86
PK	5.4936G	121.34	Inf	-Inf	114.32	3	Horizontal	161	1.62	-	34.59	7.29	34.86
AV	5.4932G	108.84	Inf	-Inf	101.82	3	Horizontal	161	1.62	-	34.59	7.29	34.86

ax40_BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 90
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.022G	55.50	74.00	-18.50	41.20	3	Vertical	103	1.56	-	38.42	10.65	34.77
AV	11.01818G	41.94	54.00	-12.06	27.64	3	Vertical	103	1.56	-	38.42	10.65	34.77

ax40_BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 90
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01976G	56.13	74.00	-17.87	41.83	3	Horizontal	235	2.46	-	38.42	10.65	34.77
AV	11.0242G	42.07	54.00	-11.93	27.77	3	Horizontal	235	2.46	-	38.42	10.65	34.77

ax40_BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 86
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	64.61	74.00	-9.39	57.70	3	Vertical	0	2.60	-	34.51	7.26	34.86
AV	5.4594G	52.22	54.00	-1.78	45.30	3	Vertical	0	2.60	-	34.52	7.26	34.86
PK	5.47G	67.72	68.20	-0.48	60.77	3	Vertical	0	2.60	-	34.54	7.27	34.86
PK	5.538G	124.03	Inf	-Inf	116.96	3	Vertical	0	2.60	-	34.60	7.34	34.87
AV	5.5332G	111.32	Inf	-Inf	104.26	3	Vertical	0	2.60	-	34.60	7.33	34.87

ax40_BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 86
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4198G	63.10	74.00	-10.90	56.18	3	Horizontal	228	1.80	-	34.56	7.22	34.86
PK	5.4678G	63.34	68.20	-4.86	56.39	3	Horizontal	228	1.80	-	34.54	7.27	34.86
AV	5.46G	50.38	54.00	-3.62	43.46	3	Horizontal	228	1.80	-	34.52	7.26	34.86
PK	5.541G	118.93	Inf	-Inf	111.86	3	Horizontal	228	1.80	-	34.60	7.34	34.87
AV	5.544G	106.52	Inf	-Inf	99.45	3	Horizontal	228	1.80	-	34.60	7.34	34.87

ax40_BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 86
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09544G	55.58	74.00	-18.42	41.21	3	Vertical	198	2.51	-	38.50	10.66	34.79
AV	11.09896G	42.11	54.00	-11.89	27.74	3	Vertical	198	2.51	-	38.50	10.66	34.79

ax40_BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 86
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0972G	56.43	74.00	-17.57	42.06	3	Horizontal	115	1.04	-	38.50	10.66	34.79
AV	11.09584G	42.07	54.00	-11.93	27.70	3	Horizontal	115	1.04	-	38.50	10.66	34.79

ax40_BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 77
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66G	121.68	Inf	-Inf	114.72	3	Vertical	219	2.59	-	34.46	7.40	34.90
AV	5.6676G	109.71	Inf	-Inf	102.78	3	Vertical	219	2.59	-	34.43	7.40	34.90
PK	5.7308G	67.46	68.20	-0.74	60.73	3	Vertical	219	2.59	-	34.24	7.40	34.91

ax40_BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 77
03-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6684G	116.63	Inf	-Inf	109.70	3	Horizontal	217	1.80	-	34.43	7.40	34.90
AV	5.6732G	102.83	Inf	-Inf	95.92	3	Horizontal	217	1.80	-	34.41	7.40	34.90
PK	5.7308G	67.07	68.20	-1.13	60.34	3	Horizontal	217	1.80	-	34.24	7.40	34.91

ax40_BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 77
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33926G	56.24	74.00	-17.76	41.63	3	Vertical	295	2.59	-	38.74	10.70	34.83
AV	11.33704G	42.30	54.00	-11.70	27.69	3	Vertical	295	2.59	-	38.74	10.70	34.83

ax40_BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 77
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3396G	55.84	74.00	-18.16	41.23	3	Horizontal	323	1.95	-	38.74	10.70	34.83
AV	11.3417G	42.31	54.00	-11.69	27.70	3	Horizontal	323	1.95	-	38.74	10.70	34.83

ax40_BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 104
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	127.23	Inf	-Inf	120.48	3	Vertical	221	2.49	-	34.26	7.40	34.91
AV	5.7196G	114.74	Inf	-Inf	107.99	3	Vertical	221	2.49	-	34.26	7.40	34.91
PK	5.8508G	68.09	68.20	-0.11	61.28	3	Vertical	221	2.49	-	34.30	7.45	34.94

ax40_BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 104
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	122.93	Inf	-Inf	116.17	3	Horizontal	227	1.80	-	34.27	7.40	34.91
AV	5.7156G	111.22	Inf	-Inf	104.46	3	Horizontal	227	1.80	-	34.27	7.40	34.91
PK	5.8612G	63.57	68.20	-4.63	56.68	3	Horizontal	227	1.80	-	34.37	7.46	34.94

ax40_BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 104
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42154G	56.87	74.00	-17.13	42.17	3	Vertical	141	2.07	-	38.84	10.71	34.85
AV	11.4196G	42.47	54.00	-11.53	27.77	3	Vertical	141	2.07	-	38.84	10.71	34.85

ax40_BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 104
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4181G	56.92	74.00	-17.08	42.22	3	Horizontal	146	1.81	-	38.84	10.71	34.85
AV	11.41942G	42.53	54.00	-11.47	27.83	3	Horizontal	146	1.81	-	38.84	10.71	34.85

ax40_BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTY_4TX
Setting 103
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.80	68.20	-0.40	60.78	3	Vertical	0	2.44	-	34.51	7.40	34.89
PK	5.738G	126.56	Inf	-Inf	119.85	3	Vertical	0	2.44	-	34.22	7.40	34.91
AV	5.741G	115.62	Inf	-Inf	108.91	3	Vertical	0	2.44	-	34.22	7.40	34.91
PK	5.926G	64.39	68.20	-3.81	57.11	3	Vertical	0	2.44	-	34.70	7.53	34.95

ax40_BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTY_4TX
Setting 103
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.74	68.20	-3.46	57.72	3	Horizontal	215	1.67	-	34.51	7.40	34.89
PK	5.763G	121.19	Inf	-Inf	114.51	3	Horizontal	215	1.67	-	34.20	7.40	34.92
AV	5.749G	109.09	Inf	-Inf	102.40	3	Horizontal	215	1.67	-	34.20	7.40	34.91
PK	5.93G	62.72	68.20	-5.48	55.42	3	Horizontal	215	1.67	-	34.72	7.53	34.95

ax40_BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTY_4TX
Setting 103
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50582G	55.91	74.00	-18.09	41.02	3	Vertical	331	1.99	-	39.02	10.73	34.86
AV	11.50988G	42.83	54.00	-11.17	27.92	3	Vertical	331	1.99	-	39.04	10.73	34.86

ax40_BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUTY_4TX
Setting 103
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50948G	56.71	74.00	-17.29	41.80	3	Horizontal	13	1.85	-	39.04	10.73	34.86
AV	11.50714G	42.88	54.00	-11.12	27.98	3	Horizontal	13	1.85	-	39.03	10.73	34.86

ax40_BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




09/07/2022

EUTY_4TX
Setting 104
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	66.42	68.20	-1.78	59.30	3	Vertical	0	2.19	-	34.60	7.40	34.88
PK	5.792G	126.86	Inf	-Inf	120.18	3	Vertical	0	2.19	-	34.20	7.40	34.92
AV	5.794G	115.61	Inf	-Inf	108.93	3	Vertical	0	2.19	-	34.20	7.40	34.92
PK	5.933G	67.76	68.20	-0.44	60.46	3	Vertical	0	2.19	-	34.73	7.53	34.96

ax40_BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTY_4TX
 Setting 104
 03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.96	68.20	-3.24	57.94	3	Horizontal	212	1.68	-	34.51	7.40	34.89
PK	5.797G	122.60	Inf	-Inf	115.93	3	Horizontal	212	1.68	-	34.20	7.40	34.93
AV	5.796G	109.89	Inf	-Inf	103.22	3	Horizontal	212	1.68	-	34.20	7.40	34.93
PK	5.927G	65.22	68.20	-2.98	57.93	3	Horizontal	212	1.68	-	34.71	7.53	34.95

ax40_BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTY_4TX
Setting 104
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58778G	56.43	74.00	-17.57	41.24	3	Vertical	67	2.99	-	39.35	10.74	34.90
AV	11.59052G	42.98	54.00	-11.02	27.79	3	Vertical	67	2.99	-	39.36	10.74	34.91

ax40_BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUTY_4TX
Setting 104
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58968G	57.40	74.00	-16.60	42.20	3	Horizontal	182	2.46	-	39.36	10.74	34.90
AV	11.59154G	43.05	54.00	-10.95	27.85	3	Horizontal	182	2.46	-	39.37	10.74	34.91

ax80_BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 90
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	70.73	74.00	-3.27	62.62	3	Vertical	348	2.96	-	33.59	5.25	30.73
AV	5.15G	53.80	54.00	-0.20	45.68	3	Vertical	348	2.96	-	33.60	5.25	30.73
PK	5.1932G	115.53	Inf	-Inf	107.28	3	Vertical	348	2.96	-	33.69	5.29	30.73
AV	5.1924G	103.32	Inf	-Inf	95.08	3	Vertical	348	2.96	-	33.68	5.29	30.73
PK	5.354G	62.20	74.00	-11.80	53.63	3	Vertical	348	2.96	-	33.91	5.38	30.72
AV	5.3668G	49.58	54.00	-4.42	40.99	3	Vertical	348	2.96	-	33.93	5.38	30.72

ax80_BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 90
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	66.46	74.00	-7.54	58.35	3	Horizontal	137	1.90	-	33.59	5.25	30.73
AV	5.1468G	51.15	54.00	-2.85	43.04	3	Horizontal	137	1.90	-	33.59	5.25	30.73
PK	5.1948G	111.91	Inf	-Inf	103.66	3	Horizontal	137	1.90	-	33.69	5.29	30.73
AV	5.1956G	100.02	Inf	-Inf	91.76	3	Horizontal	137	1.90	-	33.69	5.30	30.73
PK	5.3636G	60.22	74.00	-13.78	51.63	3	Horizontal	137	1.90	-	33.93	5.38	30.72
AV	5.3508G	47.82	54.00	-6.18	39.26	3	Horizontal	137	1.90	-	33.90	5.38	30.72

ax80_BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4197G	53.01	68.20	-15.19	38.78	3	Vertical	178	2.73	-	38.60	7.47	31.84
PK	15.63054G	55.50	74.00	-18.50	39.57	3	Vertical	226	2.11	-	37.50	9.83	31.40
AV	15.63144G	41.58	54.00	-12.42	25.65	3	Vertical	226	2.11	-	37.50	9.83	31.40

ax80_BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42246G	53.04	68.20	-15.16	38.81	3	Horizontal	161	2.91	-	38.60	7.47	31.84
PK	15.6275G	54.74	74.00	-19.26	38.81	3	Horizontal	76	2.17	-	37.50	9.83	31.40
AV	15.63128G	41.52	54.00	-12.48	25.59	3	Horizontal	76	2.17	-	37.50	9.83	31.40

ax80_BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.71	74.00	-11.29	54.59	3	Vertical	322	1.80	-	33.60	5.25	30.73
AV	5.1444G	49.98	54.00	-4.02	41.88	3	Vertical	322	1.80	-	33.59	5.24	30.73
PK	5.3076G	116.58	Inf	-Inf	108.13	3	Vertical	322	1.80	-	33.82	5.35	30.72
AV	5.3164G	103.80	Inf	-Inf	95.33	3	Vertical	322	1.80	-	33.83	5.36	30.72
PK	5.3612G	72.59	74.00	-1.41	64.01	3	Vertical	322	1.80	-	33.92	5.38	30.72
AV	5.35G	52.54	54.00	-1.46	43.98	3	Vertical	322	1.80	-	33.90	5.38	30.72
PK	5.4612G	59.93	68.20	-8.27	51.19	3	Vertical	322	1.80	-	34.00	5.46	30.72

ax80_BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	59.37	74.00	-14.63	51.41	3	Horizontal	13	1.80	-	33.50	5.19	30.73
AV	5.1284G	47.04	54.00	-6.96	38.98	3	Horizontal	13	1.80	-	33.56	5.23	30.73
PK	5.3116G	111.44	Inf	-Inf	102.98	3	Horizontal	13	1.80	-	33.82	5.36	30.72
AV	5.3076G	98.42	Inf	-Inf	89.97	3	Horizontal	13	1.80	-	33.82	5.35	30.72
PK	5.3812G	67.47	74.00	-6.53	58.84	3	Horizontal	13	1.80	-	33.96	5.39	30.72
AV	5.35G	51.97	54.00	-2.03	43.41	3	Horizontal	13	1.80	-	33.90	5.38	30.72
PK	5.4692G	59.70	68.20	-8.50	50.95	3	Horizontal	13	1.80	-	34.00	5.47	30.72

ax80_BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57851G	52.60	68.20	-15.60	38.41	3	Vertical	69	1.04	-	38.52	7.53	31.86
PK	15.87039G	54.34	74.00	-19.66	38.56	3	Vertical	340	2.23	-	37.36	9.94	31.52
AV	15.86911G	40.97	54.00	-13.03	25.19	3	Vertical	340	2.23	-	37.36	9.94	31.52

ax80_BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57999G	52.60	68.20	-15.60	38.41	3	Horizontal	47	1.98	-	38.52	7.53	31.86
PK	15.8707G	54.80	74.00	-19.20	39.02	3	Horizontal	204	2.09	-	37.36	9.94	31.52
AV	15.87096G	40.95	54.00	-13.05	25.17	3	Horizontal	204	2.09	-	37.36	9.94	31.52

ax80_BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTY_4TX
Setting 85
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	64.00	68.20	-4.20	57.17	3	Vertical	44	2.86	-	34.50	7.20	34.87
PK	5.443G	67.92	74.00	-6.08	61.03	3	Vertical	44	2.86	-	34.51	7.24	34.86
PK	5.467G	66.96	68.20	-1.24	60.02	3	Vertical	44	2.86	-	34.53	7.27	34.86
AV	5.46G	53.61	54.00	-0.39	46.69	3	Vertical	44	2.86	-	34.52	7.26	34.86
PK	5.544G	118.05	Inf	-Inf	110.98	3	Vertical	44	2.86	-	34.60	7.34	34.87
AV	5.54G	106.13	Inf	-Inf	99.06	3	Vertical	44	2.86	-	34.60	7.34	34.87
PK	5.725G	62.95	68.20	-5.25	56.21	3	Vertical	44	2.86	-	34.25	7.40	34.91

ax80_BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 85
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	62.22	68.20	-5.98	55.39	3	Horizontal	352	1.80	-	34.50	7.20	34.87
PK	5.362G	64.68	74.00	-9.32	57.83	3	Horizontal	352	1.80	-	34.52	7.20	34.87
PK	5.466G	64.99	68.20	-3.21	58.05	3	Horizontal	352	1.80	-	34.53	7.27	34.86
AV	5.46G	51.35	54.00	-2.65	44.43	3	Horizontal	352	1.80	-	34.52	7.26	34.86
PK	5.543G	112.68	Inf	-Inf	105.61	3	Horizontal	352	1.80	-	34.60	7.34	34.87
AV	5.544G	100.42	Inf	-Inf	93.35	3	Horizontal	352	1.80	-	34.60	7.34	34.87
PK	5.771G	62.50	68.20	-5.70	55.82	3	Horizontal	352	1.80	-	34.20	7.40	34.92

ax80_BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTY_4TX
 Setting 85
 03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06066G	56.49	74.00	-17.51	42.15	3	Vertical	327	1.06	-	38.46	10.66	34.78
AV	11.05674G	42.30	54.00	-11.70	27.96	3	Vertical	327	1.06	-	38.46	10.66	34.78

ax80_BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTY_4TX
 Setting 85
 03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06254G	55.92	74.00	-18.08	41.58	3	Horizontal	97	2.94	-	38.46	10.66	34.78
AV	11.06024G	42.25	54.00	-11.75	27.91	3	Horizontal	97	2.94	-	38.46	10.66	34.78

ax80_BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTY_4TX
 Setting 82
 03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.30	74.00	-10.70	56.39	3	Vertical	0	2.22	-	34.51	7.26	34.86
AV	5.457G	51.15	54.00	-2.85	44.24	3	Vertical	0	2.22	-	34.51	7.26	34.86
PK	5.465G	64.14	68.20	-4.06	57.21	3	Vertical	0	2.22	-	34.53	7.26	34.86
PK	5.645G	117.18	Inf	-Inf	110.16	3	Vertical	0	2.22	-	34.51	7.40	34.89
AV	5.614G	106.65	Inf	-Inf	99.57	3	Vertical	0	2.22	-	34.57	7.40	34.89
PK	5.736G	68.16	68.20	-0.04	61.44	3	Vertical	0	2.22	-	34.23	7.40	34.91

ax80_BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTY_4TX
 Setting 82
 03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.413G	63.81	74.00	-10.19	56.90	3	Horizontal	7	1.80	-	34.57	7.21	34.87
PK	5.466G	65.01	68.20	-3.19	58.07	3	Horizontal	7	1.80	-	34.53	7.27	34.86
AV	5.46G	50.77	54.00	-3.23	43.85	3	Horizontal	7	1.80	-	34.52	7.26	34.86
PK	5.573G	117.30	Inf	-Inf	110.21	3	Horizontal	7	1.80	-	34.60	7.37	34.88
AV	5.572G	105.84	Inf	-Inf	98.75	3	Horizontal	7	1.80	-	34.60	7.37	34.88
PK	5.726G	67.87	68.20	-0.33	61.13	3	Horizontal	7	1.80	-	34.25	7.40	34.91

ax80_BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTY_4TX
Setting 82
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2213G	55.93	74.00	-18.07	41.44	3	Vertical	242	1.56	-	38.62	10.68	34.81
AV	11.21702G	41.97	54.00	-12.03	27.48	3	Vertical	242	1.56	-	38.62	10.68	34.81

ax80_BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUTY_4TX
Setting 82
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22228G	55.83	74.00	-18.17	41.34	3	Horizontal	318	1.98	-	38.62	10.68	34.81
AV	11.2195G	41.90	54.00	-12.10	27.41	3	Horizontal	318	1.98	-	38.62	10.68	34.81

ax80_BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 87
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.55	74.00	-11.45	55.63	3	Vertical	179	2.10	-	34.52	7.26	34.86
AV	5.46G	50.72	54.00	-3.28	43.80	3	Vertical	179	2.10	-	34.52	7.26	34.86
PK	5.461G	62.78	68.20	-5.42	55.86	3	Vertical	179	2.10	-	34.52	7.26	34.86
PK	5.706G	120.44	Inf	-Inf	113.66	3	Vertical	179	2.10	-	34.29	7.40	34.91
AV	5.708G	107.43	Inf	-Inf	100.66	3	Vertical	179	2.10	-	34.28	7.40	34.91
PK	5.856G	67.99	68.20	-0.21	61.13	3	Vertical	179	2.10	-	34.34	7.46	34.94

ax80_BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
 Setting 87
 03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.39	74.00	-11.61	55.47	3	Horizontal	143	1.75	-	34.52	7.26	34.86
AV	5.452G	50.16	54.00	-3.84	43.27	3	Horizontal	143	1.75	-	34.50	7.25	34.86
PK	5.463G	62.54	68.20	-5.66	55.61	3	Horizontal	143	1.75	-	34.53	7.26	34.86
PK	5.656G	115.83	Inf	-Inf	108.84	3	Horizontal	143	1.75	-	34.48	7.40	34.89
AV	5.653G	103.86	Inf	-Inf	96.86	3	Horizontal	143	1.75	-	34.49	7.40	34.89
PK	5.852G	66.54	68.20	-1.66	59.72	3	Horizontal	143	1.75	-	34.31	7.45	34.94

ax80_BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 87
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37584G	56.03	74.00	-17.97	41.38	3	Vertical	225	1.31	-	38.78	10.71	34.84
AV	11.37648G	42.63	54.00	-11.37	27.98	3	Vertical	225	1.31	-	38.78	10.71	34.84

ax80_BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 87
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38218G	55.96	74.00	-18.04	41.31	3	Horizontal	320	1.83	-	38.78	10.71	34.84
AV	11.3842G	42.67	54.00	-11.33	28.02	3	Horizontal	320	1.83	-	38.78	10.71	34.84

ax80_BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6142G	67.96	68.20	-0.24	59.30	3	Vertical	32	1.80	-	33.87	5.60	30.81
PK	5.7926G	117.93	Inf	-Inf	109.47	3	Vertical	32	1.80	-	33.80	5.60	30.94
AV	5.7374G	104.70	Inf	-Inf	96.17	3	Vertical	32	1.80	-	33.83	5.60	30.90
PK	5.9406G	66.03	68.20	-2.17	57.16	3	Vertical	32	1.80	-	34.18	5.74	31.05

ax80_BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	67.89	68.35	-0.46	59.32	3	Horizontal	189	1.80	-	33.80	5.60	30.83
PK	5.7398G	114.90	Inf	-Inf	106.38	3	Horizontal	189	1.80	-	33.82	5.60	30.90
AV	5.7782G	102.54	Inf	-Inf	94.07	3	Horizontal	189	1.80	-	33.80	5.60	30.93
PK	5.9494G	62.55	68.20	-5.65	53.66	3	Horizontal	189	1.80	-	34.20	5.75	31.06

ax80_BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55245G	53.90	74.00	-20.10	38.97	3	Vertical	167	2.59	-	39.16	7.92	32.15
AV	11.54977G	39.39	54.00	-14.61	24.47	3	Vertical	167	2.59	-	39.15	7.92	32.15
PK	17.3231G	62.54	68.20	-5.66	39.47	3	Vertical	335	1.80	-	42.64	10.66	30.23

ax80_BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55238G	53.21	74.00	-20.79	38.28	3	Horizontal	333	2.34	-	39.16	7.92	32.15
AV	11.54894G	39.40	54.00	-14.60	24.48	3	Horizontal	333	2.34	-	39.15	7.92	32.15
PK	17.32383G	62.21	68.20	-5.99	39.14	3	Horizontal	24	1.74	-	42.64	10.66	30.23

ax160_BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_V_4TX
Setting 75
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	71.13	74.00	-2.87	63.04	3	Vertical	190	3.00	-	33.58	5.24	30.73
AV	5.0772G	53.25	54.00	-0.75	45.30	3	Vertical	190	3.00	-	33.50	5.18	30.73
AV	5.2244G	100.40	Inf	-Inf	92.12	3	Vertical	190	3.00	-	33.70	5.31	30.73
PK	5.3252G	112.20	Inf	-Inf	103.71	3	Vertical	190	3.00	-	33.85	5.36	30.72
PK	5.3636G	72.98	74.00	-1.02	64.39	3	Vertical	190	3.00	-	33.93	5.38	30.72
PK	5.4644G	66.40	68.20	-1.80	57.66	3	Vertical	190	3.00	-	34.00	5.46	30.72
AV	5.4292G	52.59	54.00	-1.41	43.88	3	Vertical	190	3.00	-	34.00	5.43	30.72

ax160_BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_V_4TX
Setting 75
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0948G	67.68	74.00	-6.32	59.72	3	Horizontal	147	1.80	-	33.50	5.19	30.73
AV	5.146G	50.80	54.00	-3.20	42.69	3	Horizontal	147	1.80	-	33.59	5.25	30.73
PK	5.2772G	109.98	Inf	-Inf	101.61	3	Horizontal	147	1.80	-	33.75	5.34	30.72
AV	5.2724G	98.10	Inf	-Inf	89.74	3	Horizontal	147	1.80	-	33.74	5.34	30.72
PK	5.3908G	70.86	74.00	-3.14	62.20	3	Horizontal	147	1.80	-	33.98	5.40	30.72
AV	5.378G	50.69	54.00	-3.31	42.06	3	Horizontal	147	1.80	-	33.96	5.39	30.72
PK	5.466G	63.42	68.20	-4.78	54.67	3	Horizontal	147	1.80	-	34.00	5.47	30.72

ax160_BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 75
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49849G	53.42	68.20	-14.78	39.17	3	Vertical	22	2.84	-	38.60	7.50	31.85
PK	15.74841G	55.60	74.00	-18.40	39.67	3	Vertical	157	1.53	-	37.50	9.89	31.46
AV	15.75006G	41.70	54.00	-12.30	25.77	3	Vertical	157	1.53	-	37.50	9.89	31.46

ax160_BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 75
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49891G	54.13	68.20	-14.07	39.88	3	Horizontal	262	2.67	-	38.60	7.50	31.85
PK	15.75199G	55.45	74.00	-18.55	39.52	3	Horizontal	111	1.04	-	37.50	9.89	31.46
AV	15.74973G	41.66	54.00	-12.34	25.73	3	Horizontal	111	1.04	-	37.50	9.89	31.46

ax160_BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 68
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.274G	63.12	68.20	-5.08	56.34	3	Vertical	357	2.51	-	34.45	7.20	34.87
PK	5.4084G	67.03	74.00	-6.97	60.11	3	Vertical	357	2.51	-	34.58	7.21	34.87
AV	5.4212G	53.58	54.00	-0.42	46.66	3	Vertical	357	2.51	-	34.56	7.22	34.86
PK	5.4692G	66.64	68.20	-1.56	59.69	3	Vertical	357	2.51	-	34.54	7.27	34.86
PK	5.5972G	113.34	Inf	-Inf	106.22	3	Vertical	357	2.51	-	34.60	7.40	34.88
AV	5.5956G	101.38	Inf	-Inf	94.26	3	Vertical	357	2.51	-	34.60	7.40	34.88
PK	5.7556G	67.31	68.20	-0.89	60.63	3	Vertical	357	2.51	-	34.20	7.40	34.92

ax160_BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Y_4TX
Setting 68
03-D-G-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.282G	63.70	68.20	-4.50	56.91	3	Horizontal	201	1.80	-	34.46	7.20	34.87
PK	5.4548G	64.73	74.00	-9.27	57.83	3	Horizontal	201	1.80	-	34.51	7.25	34.86
AV	5.4084G	51.16	54.00	-2.84	44.24	3	Horizontal	201	1.80	-	34.58	7.21	34.87
PK	5.4676G	62.58	68.20	-5.62	55.63	3	Horizontal	201	1.80	-	34.54	7.27	34.86
PK	5.5732G	106.74	Inf	-Inf	99.65	3	Horizontal	201	1.80	-	34.60	7.37	34.88
AV	5.5748G	94.72	Inf	-Inf	87.63	3	Horizontal	201	1.80	-	34.60	7.37	34.88
PK	5.7316G	63.80	68.20	-4.40	57.07	3	Horizontal	201	1.80	-	34.24	7.40	34.91

ax160_BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUTY_4TX
Setting 68
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13644G	55.84	74.00	-18.16	41.42	3	Vertical	150	1.06	-	38.54	10.67	34.79
AV	11.14008G	41.56	54.00	-12.44	27.15	3	Vertical	150	1.06	-	38.54	10.67	34.80

ax160_BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUTY_4TX
Setting 68
03-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14356G	55.47	74.00	-18.53	41.06	3	Horizontal	220	2.91	-	38.54	10.67	34.80
AV	11.13604G	41.53	54.00	-12.47	27.11	3	Horizontal	220	2.91	-	38.54	10.67	34.79




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2 (MCS0)_4TX	Pass	AV	5.1492G	53.95	54.00	-0.05	3	Vertical	3	2.92	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	66.56	74.00	-7.44	58.45	3	Vertical	3	2.92	-	33.59	5.25	30.73
AV	5.1492G	53.95	54.00	-0.05	45.83	3	Vertical	3	2.92	-	33.60	5.25	30.73
PK	5.1748G	124.14	Inf	-Inf	115.95	3	Vertical	3	2.92	-	33.65	5.27	30.73
AV	5.1764G	112.16	Inf	-Inf	103.96	3	Vertical	3	2.92	-	33.65	5.28	30.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	63.38	74.00	-10.62	55.28	3	Horizontal	144	2.65	-	33.59	5.24	30.73
AV	5.15G	49.75	54.00	-4.25	41.63	3	Horizontal	144	2.65	-	33.60	5.25	30.73
PK	5.1756G	120.08	Inf	-Inf	111.88	3	Horizontal	144	2.65	-	33.65	5.28	30.73
AV	5.1764G	107.50	Inf	-Inf	99.30	3	Horizontal	144	2.65	-	33.65	5.28	30.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36044G	52.36	68.20	-15.84	38.11	3	Vertical	318	2.51	-	38.64	7.44	31.83
PK	15.54023G	55.19	74.00	-18.81	38.89	3	Vertical	220	2.62	-	37.86	9.79	31.35
AV	15.53881G	41.00	54.00	-13.00	24.69	3	Vertical	220	2.62	-	37.87	9.79	31.35

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35797G	53.20	68.20	-15.00	38.95	3	Horizontal	86	2.07	-	38.64	7.44	31.83
PK	15.5396G	54.80	74.00	-19.20	38.50	3	Horizontal	142	1.42	-	37.86	9.79	31.35
AV	15.54053G	41.02	54.00	-12.98	24.72	3	Horizontal	142	1.42	-	37.86	9.79	31.35

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	71.31	74.00	-2.69	63.19	3	Vertical	-0	2.78	-	33.60	5.25	30.73
AV	5.15G	53.68	54.00	-0.32	45.56	3	Vertical	-0	2.78	-	33.60	5.25	30.73
PK	5.202G	126.88	Inf	-Inf	118.61	3	Vertical	-0	2.78	-	33.70	5.30	30.73
AV	5.204G	114.11	Inf	-Inf	105.84	3	Vertical	-0	2.78	-	33.70	5.30	30.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.61	74.00	-10.39	55.49	3	Horizontal	199	2.94	-	33.60	5.25	30.73
AV	5.15G	48.68	54.00	-5.32	40.56	3	Horizontal	199	2.94	-	33.60	5.25	30.73
PK	5.2076G	121.45	Inf	-Inf	113.18	3	Horizontal	199	2.94	-	33.70	5.30	30.73
AV	5.2068G	108.68	Inf	-Inf	100.41	3	Horizontal	199	2.94	-	33.70	5.30	30.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40123G	52.30	68.20	-15.90	38.07	3	Vertical	17	2.86	-	38.60	7.46	31.83
PK	15.60096G	54.44	74.00	-19.56	38.50	3	Vertical	210	1.25	-	37.50	9.82	31.38
AV	15.59972G	40.92	54.00	-13.08	24.98	3	Vertical	210	1.25	-	37.50	9.82	31.38

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4001G	52.45	68.20	-15.75	38.22	3	Horizontal	315	1.39	-	38.60	7.46	31.83
PK	15.59759G	54.26	74.00	-19.74	38.31	3	Horizontal	207	1.40	-	37.51	9.82	31.38
AV	15.59922G	40.99	54.00	-13.01	25.05	3	Horizontal	207	1.40	-	37.50	9.82	31.38

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	62.27	74.00	-11.73	54.16	3	Vertical	360	3.00	-	33.59	5.25	30.73
AV	5.1488G	49.29	54.00	-4.71	41.17	3	Vertical	360	3.00	-	33.60	5.25	30.73
PK	5.2334G	125.66	Inf	-Inf	117.37	3	Vertical	360	3.00	-	33.70	5.32	30.73
AV	5.2382G	113.95	Inf	-Inf	105.66	3	Vertical	360	3.00	-	33.70	5.32	30.73
PK	5.3558G	63.11	74.00	-10.89	54.54	3	Vertical	360	3.00	-	33.91	5.38	30.72
AV	5.3522G	49.77	54.00	-4.23	41.21	3	Vertical	360	3.00	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	60.39	74.00	-13.61	52.27	3	Horizontal	134	1.82	-	33.60	5.25	30.73
AV	5.1458G	47.03	54.00	-6.97	38.92	3	Horizontal	134	1.82	-	33.59	5.25	30.73
PK	5.2484G	122.23	Inf	-Inf	113.94	3	Horizontal	134	1.82	-	33.70	5.32	30.73
AV	5.2478G	110.27	Inf	-Inf	101.98	3	Horizontal	134	1.82	-	33.70	5.32	30.73
PK	5.3684G	60.81	74.00	-13.19	52.21	3	Horizontal	134	1.82	-	33.94	5.38	30.72
AV	5.3534G	47.81	54.00	-6.19	39.24	3	Horizontal	134	1.82	-	33.91	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47786G	52.67	68.20	-15.53	38.43	3	Vertical	238	2.49	-	38.60	7.49	31.85
PK	15.72085G	54.73	74.00	-19.27	38.80	3	Vertical	48	2.93	-	37.50	9.87	31.44
AV	15.71958G	40.70	54.00	-13.30	24.77	3	Vertical	48	2.93	-	37.50	9.87	31.44

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47853G	52.88	68.20	-15.32	38.64	3	Horizontal	201	2.99	-	38.60	7.49	31.85
PK	15.72149G	54.23	74.00	-19.77	38.31	3	Horizontal	211	2.58	-	37.50	9.87	31.45
AV	15.71918G	40.72	54.00	-13.28	24.79	3	Horizontal	211	2.58	-	37.50	9.87	31.44

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.70	74.00	-10.30	55.59	3	Vertical	130	2.97	-	33.59	5.25	30.73
AV	5.1442G	50.14	54.00	-3.86	42.04	3	Vertical	130	2.97	-	33.59	5.24	30.73
PK	5.2522G	127.35	Inf	-Inf	119.04	3	Vertical	130	2.97	-	33.70	5.33	30.72
AV	5.254G	115.75	Inf	-Inf	107.43	3	Vertical	130	2.97	-	33.71	5.33	30.72
PK	5.35G	65.14	74.00	-8.86	56.58	3	Vertical	130	2.97	-	33.90	5.38	30.72
AV	5.3506G	51.62	54.00	-2.38	43.06	3	Vertical	130	2.97	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	61.06	74.00	-12.94	52.97	3	Horizontal	167	1.80	-	33.58	5.24	30.73
AV	5.1442G	47.95	54.00	-6.05	39.85	3	Horizontal	167	1.80	-	33.59	5.24	30.73
PK	5.2522G	124.04	Inf	-Inf	115.73	3	Horizontal	167	1.80	-	33.70	5.33	30.72
AV	5.2522G	112.14	Inf	-Inf	103.83	3	Horizontal	167	1.80	-	33.70	5.33	30.72
PK	5.3536G	63.77	74.00	-10.23	55.20	3	Horizontal	167	1.80	-	33.91	5.38	30.72
AV	5.3512G	49.53	54.00	-4.47	40.97	3	Horizontal	167	1.80	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51648G	52.41	68.20	-15.79	38.17	3	Vertical	64	2.99	-	38.58	7.51	31.85

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52114G	52.62	68.20	-15.58	38.38	3	Horizontal	306	1.31	-	38.58	7.51	31.85

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	123.97	Inf	-Inf	115.52	3	Vertical	327	2.78	-	33.82	5.35	30.72
AV	5.3036G	111.68	Inf	-Inf	103.24	3	Vertical	327	2.78	-	33.81	5.35	30.72
PK	5.3504G	71.37	74.00	-2.63	62.81	3	Vertical	327	2.78	-	33.90	5.38	30.72
AV	5.35G	53.55	54.00	-0.45	44.99	3	Vertical	327	2.78	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	122.18	Inf	-Inf	113.73	3	Horizontal	166	1.37	-	33.82	5.35	30.72
AV	5.3088G	111.17	Inf	-Inf	102.72	3	Horizontal	166	1.37	-	33.82	5.35	30.72
PK	5.35G	71.54	74.00	-2.46	62.98	3	Horizontal	166	1.37	-	33.90	5.38	30.72
AV	5.35G	52.49	54.00	-1.51	43.93	3	Horizontal	166	1.37	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60208G	53.40	74.00	-20.60	39.22	3	Vertical	348	1.20	-	38.50	7.54	31.86
PK	15.90368G	55.10	74.00	-18.90	39.38	3	Vertical	3	1.43	-	37.30	9.96	31.54
AV	15.90294G	40.80	54.00	-13.20	25.08	3	Vertical	3	1.43	-	37.30	9.96	31.54

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5986G	53.11	68.20	-15.09	38.93	3	Horizontal	14	2.14	-	38.50	7.54	31.86
PK	15.89714G	53.60	74.00	-20.40	37.88	3	Horizontal	95	1.01	-	37.31	9.95	31.54
AV	15.90492G	40.85	54.00	-13.15	25.13	3	Horizontal	95	1.01	-	37.30	9.96	31.54

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	124.08	Inf	-Inf	115.60	3	Vertical	221	2.80	-	33.84	5.36	30.72
AV	5.3216G	111.59	Inf	-Inf	103.11	3	Vertical	221	2.80	-	33.84	5.36	30.72
PK	5.353G	66.85	74.00	-7.15	58.28	3	Vertical	221	2.80	-	33.91	5.38	30.72
AV	5.3538G	53.66	54.00	-0.34	45.09	3	Vertical	221	2.80	-	33.91	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	120.62	Inf	-Inf	112.14	3	Horizontal	166	1.47	-	33.84	5.36	30.72
AV	5.315G	107.64	Inf	-Inf	99.17	3	Horizontal	166	1.47	-	33.83	5.36	30.72
PK	5.3518G	64.17	74.00	-9.83	55.61	3	Horizontal	166	1.47	-	33.90	5.38	30.72
AV	5.3518G	51.63	54.00	-2.37	43.07	3	Horizontal	166	1.47	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63846G	52.39	74.00	-21.61	38.20	3	Vertical	31	2.30	-	38.50	7.56	31.87
AV	10.63846G	38.57	54.00	-15.43	24.38	3	Vertical	31	2.30	-	38.50	7.56	31.87
PK	15.95799G	53.92	74.00	-20.08	38.21	3	Vertical	320	2.15	-	37.30	9.98	31.57
AV	15.95999G	40.71	54.00	-13.29	25.00	3	Vertical	320	2.15	-	37.30	9.98	31.57

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64182G	52.58	74.00	-21.42	38.39	3	Horizontal	300	2.50	-	38.50	7.56	31.87
AV	10.63766G	38.56	54.00	-15.44	24.37	3	Horizontal	300	2.50	-	38.50	7.56	31.87
PK	15.9637G	54.38	74.00	-19.62	38.67	3	Horizontal	183	2.97	-	37.30	9.98	31.57
AV	15.95902G	40.77	54.00	-13.23	25.06	3	Horizontal	183	2.97	-	37.30	9.98	31.57

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	67.18	74.00	-6.82	58.44	3	Vertical	136	2.51	-	34.00	5.46	30.72
AV	5.4592G	52.91	54.00	-1.09	44.17	3	Vertical	136	2.51	-	34.00	5.46	30.72
PK	5.4626G	68.11	68.20	-0.09	59.37	3	Vertical	136	2.51	-	34.00	5.46	30.72
PK	5.4954G	125.69	Inf	-Inf	116.91	3	Vertical	136	2.51	-	34.00	5.50	30.72
AV	5.493G	112.30	Inf	-Inf	103.53	3	Vertical	136	2.51	-	34.00	5.49	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.19	74.00	-11.81	53.45	3	Horizontal	163	1.62	-	34.00	5.46	30.72
AV	5.4596G	49.61	54.00	-4.39	40.87	3	Horizontal	163	1.62	-	34.00	5.46	30.72
PK	5.4672G	62.96	68.20	-5.24	54.21	3	Horizontal	163	1.62	-	34.00	5.47	30.72
PK	5.4958G	121.09	Inf	-Inf	112.31	3	Horizontal	163	1.62	-	34.00	5.50	30.72
AV	5.494G	107.97	Inf	-Inf	99.20	3	Horizontal	163	1.62	-	34.00	5.49	30.72

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9972G	53.16	74.00	-20.84	38.78	3	Vertical	332	1.71	-	38.60	7.70	31.92
AV	11.00474G	38.92	54.00	-15.08	24.54	3	Vertical	332	1.71	-	38.60	7.70	31.92
PK	16.50104G	58.07	68.20	-10.13	39.70	3	Vertical	266	1.55	-	39.10	10.25	30.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00126G	53.17	74.00	-20.83	38.79	3	Horizontal	3	2.10	-	38.60	7.70	31.92
AV	11.00456G	38.92	54.00	-15.08	24.54	3	Horizontal	3	2.10	-	38.60	7.70	31.92
PK	16.5017G	56.94	68.20	-11.26	38.56	3	Horizontal	286	2.33	-	39.11	10.25	30.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4464G	63.14	74.00	-10.86	54.41	3	Vertical	216	2.45	-	34.00	5.45	30.72
PK	5.4624G	64.85	68.20	-3.35	56.11	3	Vertical	216	2.45	-	34.00	5.46	30.72
AV	5.4592G	50.44	54.00	-3.56	41.70	3	Vertical	216	2.45	-	34.00	5.46	30.72
PK	5.5736G	129.39	Inf	-Inf	120.65	3	Vertical	216	2.45	-	33.95	5.57	30.78
AV	5.572G	117.11	Inf	-Inf	108.35	3	Vertical	216	2.45	-	33.96	5.57	30.77
PK	5.7368G	61.83	68.20	-6.37	53.30	3	Vertical	216	2.45	-	33.83	5.60	30.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	61.14	74.00	-12.86	52.42	3	Horizontal	136	1.78	-	34.00	5.44	30.72
PK	5.4664G	59.96	68.20	-8.24	51.21	3	Horizontal	136	1.78	-	34.00	5.47	30.72
AV	5.46G	48.28	54.00	-5.72	39.54	3	Horizontal	136	1.78	-	34.00	5.46	30.72
PK	5.5824G	124.53	Inf	-Inf	115.79	3	Horizontal	136	1.78	-	33.94	5.58	30.78
AV	5.584G	111.95	Inf	-Inf	103.22	3	Horizontal	136	1.78	-	33.93	5.58	30.78
PK	5.7432G	60.68	68.20	-7.52	52.17	3	Horizontal	136	1.78	-	33.81	5.60	30.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16324G	53.28	74.00	-20.72	38.74	3	Vertical	151	1.80	-	38.76	7.77	31.99
AV	11.15802G	39.04	54.00	-14.96	24.50	3	Vertical	151	1.80	-	38.76	7.76	31.98
PK	16.74098G	59.01	68.20	-9.19	39.34	3	Vertical	274	2.14	-	39.93	10.37	30.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15528G	53.15	74.00	-20.85	38.61	3	Horizontal	35	1.51	-	38.76	7.76	31.98
AV	11.1596G	39.09	54.00	-14.91	24.55	3	Horizontal	35	1.51	-	38.76	7.76	31.98
PK	16.73758G	58.42	68.20	-9.78	38.79	3	Horizontal	92	2.49	-	39.90	10.37	30.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6978G	119.72	Inf	-Inf	111.09	3	Vertical	214	2.06	-	33.90	5.60	30.87
AV	5.6942G	106.73	Inf	-Inf	98.11	3	Vertical	214	2.06	-	33.89	5.60	30.87
PK	5.7286G	67.69	68.20	-0.51	59.14	3	Vertical	214	2.06	-	33.84	5.60	30.89

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	114.44	Inf	-Inf	105.82	3	Horizontal	0	1.80	-	33.89	5.60	30.87
AV	5.6954G	101.30	Inf	-Inf	92.68	3	Horizontal	0	1.80	-	33.89	5.60	30.87
PK	5.7282G	63.17	68.20	-5.03	54.62	3	Horizontal	0	1.80	-	33.84	5.60	30.89

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3952G	53.95	74.00	-20.05	39.37	3	Vertical	34	1.46	-	38.80	7.86	32.08
AV	11.4023G	38.91	54.00	-15.09	24.33	3	Vertical	34	1.46	-	38.80	7.86	32.08
PK	17.10274G	60.15	68.20	-8.05	38.43	3	Vertical	350	2.80	-	41.42	10.55	30.25

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


5700MHz_TnomVnom



EUT Y_4TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40272G	52.91	74.00	-21.09	38.32	3	Horizontal	38	1.04	-	38.81	7.86	32.08
AV	11.40346G	38.91	54.00	-15.09	24.32	3	Horizontal	38	1.04	-	38.81	7.86	32.08
PK	17.09858G	60.54	68.20	-7.66	38.85	3	Horizontal	341	2.78	-	41.39	10.55	30.25


802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 108
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	126.79	Inf	-Inf	118.22	3	Vertical	170	2.08	-	33.86	5.60	30.89
AV	5.7192G	115.40	Inf	-Inf	106.83	3	Vertical	170	2.08	-	33.86	5.60	30.89
PK	5.8776G	64.17	68.20	-4.03	55.53	3	Vertical	170	2.08	-	33.97	5.68	31.01

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 108
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	121.09	Inf	-Inf	112.52	3	Horizontal	146	2.29	-	33.86	5.60	30.89
AV	5.7184G	108.89	Inf	-Inf	100.32	3	Horizontal	146	2.29	-	33.86	5.60	30.89
PK	5.92G	60.14	68.20	-8.06	51.32	3	Horizontal	146	2.29	-	34.14	5.72	31.04

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44428G	52.90	74.00	-21.10	38.23	3	Vertical	15	1.37	-	38.89	7.88	32.10
AV	11.44432G	39.16	54.00	-14.84	24.49	3	Vertical	15	1.37	-	38.89	7.88	32.10
PK	17.15942G	61.25	68.20	-6.95	39.15	3	Vertical	197	2.40	-	41.76	10.58	30.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43872G	53.50	74.00	-20.50	38.84	3	Horizontal	300	1.34	-	38.88	7.88	32.10
AV	11.4448G	39.10	54.00	-14.90	24.43	3	Horizontal	300	1.34	-	38.89	7.88	32.10
PK	17.15606G	61.06	68.20	-7.14	38.98	3	Horizontal	210	2.39	-	41.74	10.58	30.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	63.31	68.20	-4.89	54.73	3	Vertical	154	2.16	-	33.81	5.60	30.83
PK	5.74G	127.46	Inf	-Inf	118.94	3	Vertical	154	2.16	-	33.82	5.60	30.90
AV	5.741G	115.44	Inf	-Inf	106.92	3	Vertical	154	2.16	-	33.82	5.60	30.90
PK	5.947G	61.08	68.20	-7.12	52.20	3	Vertical	154	2.16	-	34.19	5.75	31.06

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	61.62	68.20	-6.58	52.83	3	Horizontal	1	2.12	-	34.00	5.55	30.76
PK	5.738G	121.11	Inf	-Inf	112.59	3	Horizontal	1	2.12	-	33.82	5.60	30.90
AV	5.736G	109.18	Inf	-Inf	100.65	3	Horizontal	1	2.12	-	33.83	5.60	30.90
PK	5.956G	59.32	68.20	-8.88	50.43	3	Horizontal	1	2.12	-	34.20	5.76	31.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49332G	53.30	74.00	-20.70	38.53	3	Vertical	204	1.52	-	38.99	7.90	32.12
AV	11.49244G	39.06	54.00	-14.94	24.30	3	Vertical	204	1.52	-	38.98	7.90	32.12
PK	17.23632G	60.69	68.20	-7.51	38.13	3	Vertical	228	1.87	-	42.18	10.62	30.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4877G	52.90	74.00	-21.10	38.14	3	Horizontal	281	2.76	-	38.98	7.90	32.12
AV	11.4878G	38.99	54.00	-15.01	24.23	3	Horizontal	281	2.76	-	38.98	7.90	32.12
PK	17.2321G	61.67	68.20	-6.53	39.13	3	Horizontal	40	2.41	-	42.16	10.62	30.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	62.73	68.20	-5.47	54.07	3	Vertical	221	2.34	-	33.87	5.60	30.81
PK	5.786G	125.68	Inf	-Inf	117.22	3	Vertical	221	2.34	-	33.80	5.60	30.94
AV	5.786G	113.19	Inf	-Inf	104.73	3	Vertical	221	2.34	-	33.80	5.60	30.94
PK	5.979G	61.19	68.20	-7.01	52.29	3	Vertical	221	2.34	-	34.20	5.78	31.08

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	59.97	68.20	-8.23	51.20	3	Horizontal	127	1.80	-	33.98	5.56	30.77
PK	5.791G	120.84	Inf	-Inf	112.38	3	Horizontal	127	1.80	-	33.80	5.60	30.94
AV	5.792G	108.88	Inf	-Inf	100.42	3	Horizontal	127	1.80	-	33.80	5.60	30.94
PK	5.955G	59.89	68.20	-8.31	51.01	3	Horizontal	127	1.80	-	34.20	5.75	31.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57354G	53.42	74.00	-20.58	38.43	3	Vertical	256	2.60	-	39.22	7.93	32.16
AV	11.56566G	39.20	54.00	-14.80	24.23	3	Vertical	256	2.60	-	39.20	7.93	32.16
PK	17.35708G	62.08	68.20	-6.12	38.78	3	Vertical	337	1.98	-	42.84	10.68	30.22

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5713G	53.53	74.00	-20.47	38.55	3	Horizontal	4	2.17	-	39.21	7.93	32.16
AV	11.57464G	39.16	54.00	-14.84	24.17	3	Horizontal	4	2.17	-	39.22	7.93	32.16
PK	17.35614G	62.37	68.20	-5.83	39.07	3	Horizontal	134	2.16	-	42.84	10.68	30.22

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	64.64	68.20	-3.56	56.02	3	Vertical	176	2.15	-	33.84	5.60	30.82
PK	5.829G	128.96	Inf	-Inf	120.50	3	Vertical	176	2.15	-	33.80	5.63	30.97
AV	5.828G	116.56	Inf	-Inf	108.10	3	Vertical	176	2.15	-	33.80	5.63	30.97
PK	5.927G	67.10	68.20	-1.10	58.26	3	Vertical	176	2.15	-	34.15	5.73	31.04

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	62.15	68.20	-6.05	53.49	3	Horizontal	138	1.80	-	33.87	5.60	30.81
PK	5.827G	121.80	Inf	-Inf	113.34	3	Horizontal	138	1.80	-	33.80	5.63	30.97
AV	5.832G	109.77	Inf	-Inf	101.31	3	Horizontal	138	1.80	-	33.80	5.63	30.97
PK	5.929G	62.25	68.20	-5.95	53.41	3	Horizontal	138	1.80	-	34.16	5.73	31.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64834G	53.09	74.00	-20.91	37.94	3	Vertical	312	1.47	-	39.40	7.96	32.21
AV	11.6508G	39.36	54.00	-14.64	24.21	3	Vertical	312	1.47	-	39.40	7.96	32.21
PK	17.47978G	63.39	68.20	-4.81	39.12	3	Vertical	191	1.51	-	43.74	10.74	30.21

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65474G	53.64	74.00	-20.36	38.48	3	Horizontal	207	1.63	-	39.41	7.96	32.21
AV	11.6531G	39.37	54.00	-14.63	24.21	3	Horizontal	207	1.63	-	39.41	7.96	32.21
PK	17.47692G	63.16	68.20	-5.04	38.91	3	Horizontal	84	1.45	-	43.72	10.74	30.21

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	68.41	74.00	-5.59	60.35	3	Vertical	153	2.93	-	33.56	5.23	30.73
AV	5.15G	53.89	54.00	-0.11	45.77	3	Vertical	153	2.93	-	33.60	5.25	30.73
PK	5.1752G	117.64	Inf	-Inf	109.44	3	Vertical	153	2.93	-	33.65	5.28	30.73
AV	5.174G	105.26	Inf	-Inf	97.07	3	Vertical	153	2.93	-	33.65	5.27	30.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	63.52	74.00	-10.48	55.41	3	Horizontal	132	1.80	-	33.59	5.25	30.73
AV	5.15G	49.91	54.00	-4.09	41.79	3	Horizontal	132	1.80	-	33.60	5.25	30.73
PK	5.1796G	114.48	Inf	-Inf	106.27	3	Horizontal	132	1.80	-	33.66	5.28	30.73
AV	5.1788G	101.13	Inf	-Inf	92.92	3	Horizontal	132	1.80	-	33.66	5.28	30.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38025G	52.87	68.20	-15.33	38.63	3	Vertical	167	1.29	-	38.62	7.45	31.83
PK	15.56795G	54.26	74.00	-19.74	38.13	3	Vertical	204	1.31	-	37.69	9.81	31.37
AV	15.56757G	40.90	54.00	-13.10	24.77	3	Vertical	204	1.31	-	37.69	9.81	31.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38213G	52.68	68.20	-15.52	38.44	3	Horizontal	351	1.66	-	38.62	7.45	31.83
PK	15.57213G	54.49	74.00	-19.51	38.38	3	Horizontal	173	2.53	-	37.67	9.81	31.37
AV	15.56981G	40.93	54.00	-13.07	24.81	3	Horizontal	173	2.53	-	37.68	9.81	31.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	71.52	74.00	-2.48	63.40	3	Vertical	126	3.00	-	33.60	5.25	30.73
AV	5.15G	53.53	54.00	-0.47	45.41	3	Vertical	126	3.00	-	33.60	5.25	30.73
PK	5.218G	121.35	Inf	-Inf	113.07	3	Vertical	126	3.00	-	33.70	5.31	30.73
AV	5.2216G	108.62	Inf	-Inf	100.34	3	Vertical	126	3.00	-	33.70	5.31	30.73
PK	5.35G	63.66	74.00	-10.34	55.10	3	Vertical	126	3.00	-	33.90	5.38	30.72
AV	5.3512G	50.72	54.00	-3.28	42.16	3	Vertical	126	3.00	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	63.82	74.00	-10.18	55.73	3	Horizontal	169	2.53	-	33.58	5.24	30.73
AV	5.149G	48.34	54.00	-5.66	40.22	3	Horizontal	169	2.53	-	33.60	5.25	30.73
PK	5.2432G	115.78	Inf	-Inf	107.49	3	Horizontal	169	2.53	-	33.70	5.32	30.73
AV	5.2414G	103.74	Inf	-Inf	95.45	3	Horizontal	169	2.53	-	33.70	5.32	30.73
PK	5.35G	62.05	74.00	-11.95	53.49	3	Horizontal	169	2.53	-	33.90	5.38	30.72
AV	5.353G	48.55	54.00	-5.45	39.98	3	Horizontal	169	2.53	-	33.91	5.38	30.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45868G	52.71	68.20	-15.49	38.47	3	Vertical	319	2.05	-	38.60	7.48	31.84
PK	15.69022G	54.41	74.00	-19.59	38.48	3	Vertical	293	1.20	-	37.50	9.86	31.43
AV	15.69098G	40.68	54.00	-13.32	24.75	3	Vertical	293	1.20	-	37.50	9.86	31.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45822G	52.16	68.20	-16.04	37.92	3	Horizontal	93	2.10	-	38.60	7.48	31.84
PK	15.68966G	54.50	74.00	-19.50	38.57	3	Horizontal	322	2.64	-	37.50	9.86	31.43
AV	15.69082G	40.75	54.00	-13.25	24.82	3	Horizontal	322	2.64	-	37.50	9.86	31.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2516G	121.54	Inf	-Inf	113.23	3	Vertical	212	2.75	-	33.70	5.33	30.72
AV	5.2576G	109.07	Inf	-Inf	100.74	3	Vertical	212	2.75	-	33.72	5.33	30.72
PK	5.35G	70.89	74.00	-3.11	62.33	3	Vertical	212	2.75	-	33.90	5.38	30.72
AV	5.35G	53.91	54.00	-0.09	45.35	3	Vertical	212	2.75	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2772G	118.08	Inf	-Inf	109.71	3	Horizontal	160	1.73	-	33.75	5.34	30.72
AV	5.2784G	105.65	Inf	-Inf	97.27	3	Horizontal	160	1.73	-	33.76	5.34	30.72
PK	5.3544G	66.16	74.00	-7.84	57.59	3	Horizontal	160	1.73	-	33.91	5.38	30.72
AV	5.35G	50.18	54.00	-3.82	41.62	3	Horizontal	160	1.73	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54248G	52.02	68.20	-16.18	37.80	3	Vertical	335	1.95	-	38.56	7.52	31.86
PK	15.80582G	55.50	74.00	-18.50	39.59	3	Vertical	120	2.00	-	37.49	9.91	31.49
AV	15.80948G	41.23	54.00	-12.77	25.33	3	Vertical	120	2.00	-	37.48	9.91	31.49

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5397G	52.78	68.20	-15.42	38.56	3	Horizontal	352	2.65	-	38.56	7.52	31.86
PK	15.80928G	54.82	74.00	-19.18	38.92	3	Horizontal	144	1.23	-	37.48	9.91	31.49
AV	15.80548G	41.09	54.00	-12.91	25.18	3	Horizontal	144	1.23	-	37.49	9.91	31.49

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	120.27	Inf	-Inf	111.81	3	Vertical	1	2.97	-	33.82	5.36	30.72
AV	5.3076G	107.04	Inf	-Inf	98.59	3	Vertical	1	2.97	-	33.82	5.35	30.72
PK	5.3692G	71.95	74.00	-2.05	63.35	3	Vertical	1	2.97	-	33.94	5.38	30.72
AV	5.3508G	53.54	54.00	-0.46	44.98	3	Vertical	1	2.97	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	116.07	Inf	-Inf	107.60	3	Horizontal	141	1.80	-	33.83	5.36	30.72
AV	5.3132G	102.65	Inf	-Inf	94.18	3	Horizontal	141	1.80	-	33.83	5.36	30.72
PK	5.3688G	67.08	74.00	-6.92	58.48	3	Horizontal	141	1.80	-	33.94	5.38	30.72
AV	5.3508G	53.78	54.00	-0.22	45.22	3	Horizontal	141	1.80	-	33.90	5.38	30.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61564G	52.42	74.00	-21.58	38.24	3	Vertical	260	1.83	-	38.50	7.55	31.87
AV	10.61626G	38.62	54.00	-15.38	24.44	3	Vertical	260	1.83	-	38.50	7.55	31.87
PK	15.92888G	54.97	74.00	-19.03	39.25	3	Vertical	203	1.47	-	37.30	9.97	31.55
AV	15.9295G	41.01	54.00	-12.99	25.29	3	Vertical	203	1.47	-	37.30	9.97	31.55

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61742G	52.61	74.00	-21.39	38.43	3	Horizontal	31	1.61	-	38.50	7.55	31.87
AV	10.61732G	38.55	54.00	-15.45	24.37	3	Horizontal	31	1.61	-	38.50	7.55	31.87
PK	15.9275G	54.78	74.00	-19.22	39.06	3	Horizontal	0	1.80	-	37.30	9.97	31.55
AV	15.93298G	41.04	54.00	-12.96	25.33	3	Horizontal	0	1.80	-	37.30	9.97	31.56

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.35	74.00	-9.65	55.61	3	Vertical	2	2.86	-	34.00	5.46	30.72
AV	5.46G	50.73	54.00	-3.27	41.99	3	Vertical	2	2.86	-	34.00	5.46	30.72
PK	5.4624G	67.71	68.20	-0.49	58.97	3	Vertical	2	2.86	-	34.00	5.46	30.72
PK	5.506G	119.28	Inf	-Inf	110.49	3	Vertical	2	2.86	-	34.00	5.51	30.72
AV	5.5108G	106.83	Inf	-Inf	98.05	3	Vertical	2	2.86	-	34.00	5.51	30.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4492G	62.85	74.00	-11.15	54.12	3	Horizontal	138	1.80	-	34.00	5.45	30.72
PK	5.462G	65.01	68.20	-3.19	56.27	3	Horizontal	138	1.80	-	34.00	5.46	30.72
AV	5.4596G	49.84	54.00	-4.16	41.10	3	Horizontal	138	1.80	-	34.00	5.46	30.72
PK	5.524G	116.88	Inf	-Inf	108.10	3	Horizontal	138	1.80	-	34.00	5.52	30.74
AV	5.518G	104.04	Inf	-Inf	95.25	3	Horizontal	138	1.80	-	34.00	5.52	30.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01668G	53.63	74.00	-20.37	39.23	3	Vertical	294	1.04	-	38.62	7.71	31.93
AV	11.01506G	39.31	54.00	-14.69	24.91	3	Vertical	294	1.04	-	38.62	7.71	31.93
PK	16.53072G	57.47	68.20	-10.73	38.95	3	Vertical	323	2.96	-	39.19	10.27	30.94

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01976G	53.43	74.00	-20.57	39.03	3	Horizontal	118	1.91	-	38.62	7.71	31.93
AV	11.0188G	39.28	54.00	-14.72	24.88	3	Horizontal	118	1.91	-	38.62	7.71	31.93
PK	16.52554G	57.18	68.20	-11.02	38.68	3	Horizontal	180	1.25	-	39.18	10.26	30.94

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	67.06	74.00	-6.94	58.33	3	Vertical	116	2.60	-	34.00	5.45	30.72
AV	5.46G	51.07	54.00	-2.93	42.33	3	Vertical	116	2.60	-	34.00	5.46	30.72
PK	5.4684G	67.55	68.20	-0.65	58.80	3	Vertical	116	2.60	-	34.00	5.47	30.72
PK	5.541G	121.71	Inf	-Inf	112.92	3	Vertical	116	2.60	-	34.00	5.54	30.75
AV	5.5446G	108.20	Inf	-Inf	99.41	3	Vertical	116	2.60	-	34.00	5.54	30.75

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	63.15	74.00	-10.85	54.41	3	Horizontal	164	1.80	-	34.00	5.46	30.72
AV	5.4594G	48.59	54.00	-5.41	39.85	3	Horizontal	164	1.80	-	34.00	5.46	30.72
PK	5.4684G	63.76	68.20	-4.44	55.01	3	Horizontal	164	1.80	-	34.00	5.47	30.72
PK	5.5332G	115.68	Inf	-Inf	106.90	3	Horizontal	164	1.80	-	34.00	5.53	30.75
AV	5.5326G	102.13	Inf	-Inf	93.34	3	Horizontal	164	1.80	-	34.00	5.53	30.74

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09954G	53.14	74.00	-20.86	38.66	3	Vertical	66	2.87	-	38.70	7.74	31.96
AV	11.10266G	39.08	54.00	-14.92	24.60	3	Vertical	66	2.87	-	38.70	7.74	31.96
PK	16.6538G	57.88	68.20	-10.32	38.80	3	Vertical	38	2.35	-	39.51	10.33	30.76

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10006G	53.44	74.00	-20.56	38.96	3	Horizontal	297	2.82	-	38.70	7.74	31.96
AV	11.10438G	39.08	54.00	-14.92	24.60	3	Horizontal	297	2.82	-	38.70	7.74	31.96
PK	16.65242G	57.26	68.20	-10.94	38.19	3	Horizontal	180	1.81	-	39.50	10.33	30.76

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6812G	118.96	Inf	-Inf	110.36	3	Vertical	141	2.37	-	33.86	5.60	30.86
AV	5.6812G	106.01	Inf	-Inf	97.41	3	Vertical	141	2.37	-	33.86	5.60	30.86
PK	5.7288G	68.05	68.20	-0.15	59.50	3	Vertical	141	2.37	-	33.84	5.60	30.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	112.49	Inf	-Inf	103.90	3	Horizontal	0	1.80	-	33.84	5.60	30.85
AV	5.6692G	99.68	Inf	-Inf	91.09	3	Horizontal	0	1.80	-	33.84	5.60	30.85
PK	5.7312G	60.94	68.20	-7.26	52.40	3	Horizontal	0	1.80	-	33.84	5.60	30.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34362G	52.34	74.00	-21.66	37.76	3	Vertical	317	2.46	-	38.80	7.84	32.06
AV	11.3429G	38.41	54.00	-15.59	23.83	3	Vertical	317	2.46	-	38.80	7.84	32.06
PK	17.00724G	59.46	68.20	-8.74	38.19	3	Vertical	316	2.44	-	41.03	10.50	30.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5670MHz_TnomVnom



EUT Y_4TX
Setting 76
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33736G	52.48	74.00	-21.52	37.90	3	Horizontal	323	2.67	-	38.80	7.83	32.05
AV	11.33518G	38.51	54.00	-15.49	23.93	3	Horizontal	323	2.67	-	38.80	7.83	32.05
PK	17.00962G	60.05	68.20	-8.15	38.77	3	Horizontal	357	2.52	-	41.04	10.50	30.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 106
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7268G	124.71	Inf	-Inf	116.15	3	Vertical	155	2.01	-	33.85	5.60	30.89
AV	5.7244G	112.57	Inf	-Inf	104.01	3	Vertical	155	2.01	-	33.85	5.60	30.89
PK	5.8516G	67.87	68.20	-0.33	59.40	3	Vertical	155	2.01	-	33.81	5.65	30.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	118.57	Inf	-Inf	109.96	3	Horizontal	218	1.80	-	33.89	5.60	30.88
AV	5.7044G	106.90	Inf	-Inf	98.29	3	Horizontal	218	1.80	-	33.89	5.60	30.88
PK	5.8516G	64.41	68.20	-3.79	55.94	3	Horizontal	218	1.80	-	33.81	5.65	30.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41988G	53.28	74.00	-20.72	38.66	3	Vertical	20	2.57	-	38.84	7.87	32.09
AV	11.42114G	39.11	54.00	-14.89	24.49	3	Vertical	20	2.57	-	38.84	7.87	32.09
PK	17.13108G	60.45	68.20	-7.75	38.54	3	Vertical	258	2.46	-	41.59	10.57	30.25

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41922G	54.05	74.00	-19.95	39.43	3	Horizontal	56	2.68	-	38.84	7.87	32.09
AV	11.41912G	39.10	54.00	-14.90	24.48	3	Horizontal	56	2.68	-	38.84	7.87	32.09
PK	17.13058G	60.17	68.20	-8.03	38.27	3	Horizontal	270	2.97	-	41.58	10.57	30.25

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.56	68.20	-0.64	58.99	3	Vertical	152	2.12	-	33.80	5.60	30.83
PK	5.751G	124.89	Inf	-Inf	116.40	3	Vertical	152	2.12	-	33.80	5.60	30.91
AV	5.743G	112.29	Inf	-Inf	103.78	3	Vertical	152	2.12	-	33.81	5.60	30.90
PK	5.926G	61.25	68.20	-6.95	52.41	3	Vertical	152	2.12	-	34.15	5.73	31.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	62.98	68.20	-5.22	54.40	3	Horizontal	134	1.80	-	33.81	5.60	30.83
PK	5.741G	118.77	Inf	-Inf	110.25	3	Horizontal	134	1.80	-	33.82	5.60	30.90
AV	5.74G	106.23	Inf	-Inf	97.71	3	Horizontal	134	1.80	-	33.82	5.60	30.90
PK	5.927G	60.05	68.20	-8.15	51.21	3	Horizontal	134	1.80	-	34.15	5.73	31.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50716G	52.90	74.00	-21.10	38.10	3	Vertical	66	1.54	-	39.02	7.90	32.12
AV	11.50602G	38.90	54.00	-15.10	24.10	3	Vertical	66	1.54	-	39.02	7.90	32.12
PK	17.26732G	61.14	68.20	-7.06	38.40	3	Vertical	113	2.48	-	42.34	10.63	30.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51412G	53.05	74.00	-20.95	38.23	3	Horizontal	97	1.30	-	39.04	7.91	32.13
AV	11.50788G	38.90	54.00	-15.10	24.10	3	Horizontal	97	1.30	-	39.02	7.90	32.12
PK	17.26164G	61.24	68.20	-6.96	38.53	3	Horizontal	157	2.55	-	42.31	10.63	30.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	64.30	68.20	-3.90	55.65	3	Vertical	221	2.31	-	33.86	5.60	30.81
PK	5.783G	123.53	Inf	-Inf	115.07	3	Vertical	221	2.31	-	33.80	5.60	30.94
AV	5.782G	110.82	Inf	-Inf	102.35	3	Vertical	221	2.31	-	33.80	5.60	30.93
PK	5.936G	67.86	68.20	-0.34	59.00	3	Vertical	221	2.31	-	34.17	5.74	31.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	62.66	68.20	-5.54	54.05	3	Horizontal	3	1.80	-	33.83	5.60	30.82
PK	5.781G	116.95	Inf	-Inf	108.48	3	Horizontal	3	1.80	-	33.80	5.60	30.93
AV	5.783G	104.58	Inf	-Inf	96.12	3	Horizontal	3	1.80	-	33.80	5.60	30.94
PK	5.926G	63.62	68.20	-4.58	54.78	3	Horizontal	3	1.80	-	34.15	5.73	31.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5855G	53.33	74.00	-20.67	38.31	3	Vertical	108	1.93	-	39.26	7.93	32.17
AV	11.58938G	39.18	54.00	-14.82	24.14	3	Vertical	108	1.93	-	39.27	7.94	32.17
PK	17.38634G	62.49	68.20	-5.71	39.00	3	Vertical	47	2.89	-	43.02	10.69	30.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58614G	53.50	74.00	-20.50	38.48	3	Horizontal	276	2.67	-	39.26	7.93	32.17
AV	11.58818G	39.26	54.00	-14.74	24.23	3	Horizontal	276	2.67	-	39.26	7.94	32.17
PK	17.38336G	63.24	68.20	-4.96	39.77	3	Horizontal	64	2.25	-	43.00	10.69	30.22

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 89
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	68.80	74.00	-5.20	60.69	3	Vertical	354	1.80	-	33.59	5.25	30.73
AV	5.1324G	53.43	54.00	-0.57	45.37	3	Vertical	354	1.80	-	33.56	5.23	30.73
PK	5.234G	114.44	Inf	-Inf	106.15	3	Vertical	354	1.80	-	33.70	5.32	30.73
AV	5.222G	101.89	Inf	-Inf	93.61	3	Vertical	354	1.80	-	33.70	5.31	30.73
PK	5.3636G	60.17	74.00	-13.83	51.58	3	Vertical	354	1.80	-	33.93	5.38	30.72
AV	5.3516G	47.13	54.00	-6.87	38.57	3	Vertical	354	1.80	-	33.90	5.38	30.72

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 89
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	64.24	74.00	-9.76	56.18	3	Horizontal	127	1.80	-	33.56	5.23	30.73
AV	5.13G	50.07	54.00	-3.93	42.01	3	Horizontal	127	1.80	-	33.56	5.23	30.73
PK	5.1796G	113.45	Inf	-Inf	105.24	3	Horizontal	127	1.80	-	33.66	5.28	30.73
AV	5.2156G	97.03	Inf	-Inf	88.75	3	Horizontal	127	1.80	-	33.70	5.31	30.73
PK	5.374G	60.07	74.00	-13.93	51.45	3	Horizontal	127	1.80	-	33.95	5.39	30.72
AV	5.3516G	47.09	54.00	-6.91	38.53	3	Horizontal	127	1.80	-	33.90	5.38	30.72

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42147G	52.18	68.20	-16.02	37.95	3	Vertical	285	3.00	-	38.60	7.47	31.84
PK	15.6277G	54.56	74.00	-19.44	38.63	3	Vertical	291	1.03	-	37.50	9.83	31.40
AV	15.62936G	40.51	54.00	-13.49	24.58	3	Vertical	291	1.03	-	37.50	9.83	31.40

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4191G	51.96	68.20	-16.24	37.73	3	Horizontal	208	2.97	-	38.60	7.47	31.84
PK	15.62919G	54.18	74.00	-19.82	38.25	3	Horizontal	351	2.12	-	37.50	9.83	31.40
AV	15.62974G	40.59	54.00	-13.41	24.66	3	Horizontal	351	2.12	-	37.50	9.83	31.40

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	62.06	74.00	-11.94	54.02	3	Vertical	353	3.00	-	33.55	5.22	30.73
AV	5.1476G	49.62	54.00	-4.38	41.50	3	Vertical	353	3.00	-	33.60	5.25	30.73
PK	5.266G	120.91	Inf	-Inf	112.57	3	Vertical	353	3.00	-	33.73	5.33	30.72
AV	5.2532G	104.21	Inf	-Inf	95.89	3	Vertical	353	3.00	-	33.71	5.33	30.72
PK	5.3748G	68.64	74.00	-5.36	60.02	3	Vertical	353	3.00	-	33.95	5.39	30.72
AV	5.3676G	53.80	54.00	-0.20	45.20	3	Vertical	353	3.00	-	33.94	5.38	30.72
PK	5.4628G	63.18	68.20	-5.02	54.44	3	Vertical	353	3.00	-	34.00	5.46	30.72

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.40	74.00	-13.60	52.28	3	Horizontal	153	2.65	-	33.60	5.25	30.73
AV	5.15G	47.83	54.00	-6.17	39.71	3	Horizontal	153	2.65	-	33.60	5.25	30.73
PK	5.254G	112.30	Inf	-Inf	103.98	3	Horizontal	153	2.65	-	33.71	5.33	30.72
PK	5.3564G	68.76	74.00	-5.24	60.19	3	Horizontal	153	2.65	-	33.91	5.38	30.72
AV	5.3188G	99.51	Inf	-Inf	91.03	3	Horizontal	153	2.65	-	33.84	5.36	30.72
AV	5.35G	53.11	54.00	-0.89	44.55	3	Horizontal	153	2.65	-	33.90	5.38	30.72
PK	5.4684G	60.45	68.20	-7.75	51.70	3	Horizontal	153	2.65	-	34.00	5.47	30.72

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57556G	52.72	68.20	-15.48	38.53	3	Vertical	119	1.48	-	38.52	7.53	31.86
PK	15.8695G	54.76	74.00	-19.24	38.98	3	Vertical	225	2.12	-	37.36	9.94	31.52
AV	15.86744G	40.91	54.00	-13.09	25.12	3	Vertical	225	2.12	-	37.37	9.94	31.52

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5823G	52.99	68.20	-15.21	38.80	3	Horizontal	211	2.75	-	38.52	7.53	31.86
PK	15.8714G	55.07	74.00	-18.93	39.29	3	Horizontal	359	1.97	-	37.36	9.94	31.52
AV	15.87458G	40.99	54.00	-13.01	25.22	3	Horizontal	359	1.97	-	37.35	9.94	31.52

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
Setting 86
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	60.24	68.20	-7.96	51.70	3	Vertical	91	2.71	-	33.89	5.37	30.72
AV	5.35G	47.31	54.00	-6.69	38.76	3	Vertical	91	2.71	-	33.90	5.37	30.72
PK	5.455G	65.84	74.00	-8.16	57.10	3	Vertical	91	2.71	-	34.00	5.46	30.72
AV	5.457G	51.61	54.00	-2.39	42.87	3	Vertical	91	2.71	-	34.00	5.46	30.72
PK	5.466G	67.61	68.20	-0.59	58.86	3	Vertical	91	2.71	-	34.00	5.47	30.72
PK	5.512G	112.89	Inf	-Inf	104.11	3	Vertical	91	2.71	-	34.00	5.51	30.73
AV	5.504G	100.97	Inf	-Inf	92.19	3	Vertical	91	2.71	-	34.00	5.50	30.72
PK	5.778G	62.58	68.20	-5.62	54.11	3	Vertical	91	2.71	-	33.80	5.60	30.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 86
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	59.01	68.20	-9.19	50.54	3	Horizontal	149	2.87	-	33.83	5.36	30.72
PK	5.446G	63.50	74.00	-10.50	54.77	3	Horizontal	149	2.87	-	34.00	5.45	30.72
PK	5.468G	62.49	68.20	-5.71	53.74	3	Horizontal	149	2.87	-	34.00	5.47	30.72
PK	5.523G	110.81	Inf	-Inf	102.03	3	Horizontal	149	2.87	-	34.00	5.52	30.74
AV	5.523G	98.19	Inf	-Inf	89.41	3	Horizontal	149	2.87	-	34.00	5.52	30.74
PK	5.779G	67.25	68.20	-0.95	58.78	3	Horizontal	149	2.87	-	33.80	5.60	30.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0582G	53.05	74.00	-20.95	38.61	3	Vertical	180	1.50	-	38.66	7.72	31.94
AV	11.05636G	38.97	54.00	-15.03	24.53	3	Vertical	180	1.50	-	38.66	7.72	31.94
PK	16.5936G	57.64	68.20	-10.56	38.81	3	Vertical	305	2.07	-	39.38	10.30	30.85

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06204G	53.62	74.00	-20.38	39.18	3	Horizontal	96	1.39	-	38.66	7.72	31.94
AV	11.05754G	38.95	54.00	-15.05	24.51	3	Horizontal	96	1.39	-	38.66	7.72	31.94
PK	16.59236G	58.13	68.20	-10.07	39.30	3	Horizontal	345	2.24	-	39.38	10.30	30.85

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 80
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	58.72	74.00	-15.28	50.00	3	Vertical	177	1.80	-	34.00	5.44	30.72
PK	5.465G	59.00	68.20	-9.20	50.26	3	Vertical	177	1.80	-	34.00	5.46	30.72
AV	5.458G	46.43	54.00	-7.57	37.69	3	Vertical	177	1.80	-	34.00	5.46	30.72
PK	5.638G	112.08	Inf	-Inf	103.48	3	Vertical	177	1.80	-	33.82	5.60	30.82
AV	5.582G	100.11	Inf	-Inf	91.37	3	Vertical	177	1.80	-	33.94	5.58	30.78
PK	5.785G	68.14	68.20	-0.06	59.68	3	Vertical	177	1.80	-	33.80	5.60	30.94

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 80
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.422G	59.04	74.00	-14.96	50.34	3	Horizontal	194	1.78	-	34.00	5.42	30.72
PK	5.461G	59.93	68.20	-8.27	51.19	3	Horizontal	194	1.78	-	34.00	5.46	30.72
PK	5.599G	109.44	Inf	-Inf	100.74	3	Horizontal	194	1.78	-	33.90	5.60	30.80
AV	5.594G	96.87	Inf	-Inf	88.16	3	Horizontal	194	1.78	-	33.91	5.59	30.79
PK	5.787G	67.08	68.20	-1.12	58.62	3	Horizontal	194	1.78	-	33.80	5.60	30.94

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 80
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2188G	53.34	74.00	-20.66	38.76	3	Vertical	268	2.50	-	38.80	7.79	32.01
AV	11.22486G	38.98	54.00	-15.02	24.40	3	Vertical	268	2.50	-	38.80	7.79	32.01
PK	16.83136G	59.14	68.20	-9.06	38.73	3	Vertical	321	2.39	-	40.49	10.42	30.50

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 80
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22476G	53.32	74.00	-20.68	38.74	3	Horizontal	54	2.91	-	38.80	7.79	32.01
AV	11.21506G	38.90	54.00	-15.10	24.32	3	Horizontal	54	2.91	-	38.80	7.79	32.01
PK	16.83456G	58.75	68.20	-9.45	38.33	3	Horizontal	55	2.72	-	40.50	10.42	30.50

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	59.17	74.00	-14.83	50.45	3	Vertical	141	1.80	-	34.00	5.44	30.72
PK	5.467G	59.36	68.20	-8.84	50.61	3	Vertical	141	1.80	-	34.00	5.47	30.72
AV	5.46G	46.76	54.00	-7.24	38.02	3	Vertical	141	1.80	-	34.00	5.46	30.72
PK	5.679G	120.83	Inf	-Inf	112.23	3	Vertical	141	1.80	-	33.86	5.60	30.86
AV	5.684G	104.40	Inf	-Inf	95.79	3	Vertical	141	1.80	-	33.87	5.60	30.86
PK	5.85G	67.24	68.20	-0.96	58.78	3	Vertical	141	1.80	-	33.80	5.65	30.99

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	58.95	74.00	-15.05	50.21	3	Horizontal	214	1.80	-	34.00	5.46	30.72
AV	5.46G	46.99	54.00	-7.01	38.25	3	Horizontal	214	1.80	-	34.00	5.46	30.72
PK	5.47G	59.96	68.20	-8.24	51.21	3	Horizontal	214	1.80	-	34.00	5.47	30.72
PK	5.658G	112.31	Inf	-Inf	103.73	3	Horizontal	214	1.80	-	33.82	5.60	30.84
AV	5.659G	99.80	Inf	-Inf	91.22	3	Horizontal	214	1.80	-	33.82	5.60	30.84
PK	5.861G	62.87	68.20	-5.33	54.33	3	Horizontal	214	1.80	-	33.87	5.66	30.99

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38046G	52.43	74.00	-21.57	37.85	3	Vertical	171	2.34	-	38.80	7.85	32.07
AV	11.38318G	38.85	54.00	-15.15	24.27	3	Vertical	171	2.34	-	38.80	7.85	32.07
PK	17.07242G	60.15	68.20	-8.05	38.57	3	Vertical	39	2.07	-	41.29	10.54	30.25

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38312G	53.12	74.00	-20.88	38.54	3	Horizontal	286	2.10	-	38.80	7.85	32.07
AV	11.3797G	38.83	54.00	-15.17	24.25	3	Horizontal	286	2.10	-	38.80	7.85	32.07
PK	17.06504G	59.90	68.20	-8.30	38.36	3	Horizontal	70	1.39	-	41.26	10.53	30.25

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	67.33	68.20	-0.87	58.68	3	Vertical	120	2.49	-	33.86	5.60	30.81
PK	5.746G	117.21	Inf	-Inf	108.71	3	Vertical	120	2.49	-	33.81	5.60	30.91
AV	5.747G	104.72	Inf	-Inf	96.22	3	Vertical	120	2.49	-	33.81	5.60	30.91
PK	5.931G	64.30	68.20	-3.90	55.46	3	Vertical	120	2.49	-	34.16	5.73	31.05

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.25	68.20	-3.95	55.67	3	Horizontal	210	1.53	-	33.81	5.60	30.83
PK	5.739G	111.65	Inf	-Inf	103.13	3	Horizontal	210	1.53	-	33.82	5.60	30.90
AV	5.747G	99.25	Inf	-Inf	90.75	3	Horizontal	210	1.53	-	33.81	5.60	30.91
PK	5.93G	60.04	68.20	-8.16	51.20	3	Horizontal	210	1.53	-	34.16	5.73	31.05

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55026G	53.26	74.00	-20.74	38.34	3	Vertical	238	1.46	-	39.15	7.92	32.15
AV	11.54676G	38.95	54.00	-15.05	24.04	3	Vertical	238	1.46	-	39.14	7.92	32.15
PK	17.3251G	61.39	68.20	-6.81	38.31	3	Vertical	308	1.19	-	42.65	10.66	30.23

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54938G	53.05	74.00	-20.95	38.13	3	Horizontal	151	1.32	-	39.15	7.92	32.15
AV	11.54874G	38.93	54.00	-15.07	24.01	3	Horizontal	151	1.32	-	39.15	7.92	32.15
PK	17.3202G	61.67	68.20	-6.53	38.62	3	Horizontal	114	1.75	-	42.62	10.66	30.23

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 69
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	70.86	74.00	-3.14	62.74	3	Vertical	45.9	2.64	-	33.60	5.25	30.73
AV	5.1124G	49.71	54.00	-4.29	41.71	3	Vertical	45.9	2.64	-	33.52	5.21	30.73
AV	5.178G	95.67	Inf	-Inf	87.46	3	Vertical	45.9	2.64	-	33.66	5.28	30.73
PK	5.274G	108.77	Inf	-Inf	100.40	3	Vertical	45.9	2.64	-	33.75	5.34	30.72
PK	5.3908G	71.06	74.00	-2.94	62.40	3	Vertical	45.9	2.64	-	33.98	5.40	30.72
AV	5.402G	49.46	54.00	-4.54	40.78	3	Vertical	45.9	2.64	-	34.00	5.40	30.72
PK	5.4612G	66.81	68.20	-1.39	58.07	3	Vertical	45.9	2.64	-	34.00	5.46	30.72

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 69
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.17	74.00	-6.83	59.05	3	Horizontal	140	2.57	-	33.60	5.25	30.73
AV	5.1396G	48.31	54.00	-5.69	40.22	3	Horizontal	140	2.57	-	33.58	5.24	30.73
PK	5.178G	106.71	Inf	-Inf	98.50	3	Horizontal	140	2.57	-	33.66	5.28	30.73
AV	5.274G	92.72	Inf	-Inf	84.35	3	Horizontal	140	2.57	-	33.75	5.34	30.72
PK	5.37G	70.81	74.00	-3.19	62.20	3	Horizontal	140	2.57	-	33.94	5.39	30.72
PK	5.4676G	62.82	68.20	-5.38	54.07	3	Horizontal	140	2.57	-	34.00	5.47	30.72
AV	5.4196G	48.45	54.00	-5.55	39.75	3	Horizontal	140	2.57	-	34.00	5.42	30.72

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50208G	53.02	68.20	-15.18	38.77	3	Vertical	300	1.42	-	38.60	7.50	31.85
PK	15.7513G	55.11	74.00	-18.89	39.18	3	Vertical	346	2.25	-	37.50	9.89	31.46
AV	15.7492G	40.98	54.00	-13.02	25.05	3	Vertical	346	2.25	-	37.50	9.89	31.46

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49634G	53.11	68.20	-15.09	38.86	3	Horizontal	93	2.16	-	38.60	7.50	31.85
PK	15.74566G	54.36	74.00	-19.64	38.43	3	Horizontal	40	2.20	-	37.50	9.89	31.46
AV	15.75218G	40.95	54.00	-13.05	25.02	3	Horizontal	40	2.20	-	37.50	9.89	31.46

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 69
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	60.17	68.20	-8.03	51.64	3	Vertical	108	2.84	-	33.88	5.37	30.72
PK	5.4532G	69.93	74.00	-4.07	61.20	3	Vertical	108	2.84	-	34.00	5.45	30.72
AV	5.4276G	50.49	54.00	-3.51	41.78	3	Vertical	108	2.84	-	34.00	5.43	30.72
PK	5.4644G	63.20	68.20	-5.00	54.46	3	Vertical	108	2.84	-	34.00	5.46	30.72
PK	5.5012G	113.57	Inf	-Inf	104.79	3	Vertical	108	2.84	-	34.00	5.50	30.72
PK	5.7652G	66.64	68.20	-1.56	58.16	3	Vertical	108	2.84	-	33.80	5.60	30.92
AV	5.6468G	94.60	Inf	-Inf	86.02	3	Vertical	108	2.84	-	33.81	5.60	30.83

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 69
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	58.71	68.20	-9.49	50.18	3	Horizontal	139	2.20	-	33.88	5.37	30.72
PK	5.3892G	65.58	74.00	-8.42	56.93	3	Horizontal	139	2.20	-	33.98	5.39	30.72
AV	5.4164G	48.40	54.00	-5.60	39.70	3	Horizontal	139	2.20	-	34.00	5.42	30.72
PK	5.4644G	65.23	68.20	-2.97	56.49	3	Horizontal	139	2.20	-	34.00	5.46	30.72
AV	5.4932G	92.94	Inf	-Inf	84.17	3	Horizontal	139	2.20	-	34.00	5.49	30.72
PK	5.5428G	104.47	Inf	-Inf	95.68	3	Horizontal	139	2.20	-	34.00	5.54	30.75
PK	5.7796G	67.19	68.20	-1.01	58.72	3	Horizontal	139	2.20	-	33.80	5.60	30.93

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14198G	53.22	74.00	-20.78	38.70	3	Vertical	317	1.44	-	38.74	7.76	31.98
AV	11.1429G	39.16	54.00	-14.84	24.64	3	Vertical	317	1.44	-	38.74	7.76	31.98
PK	16.71302G	57.85	68.20	-10.35	38.46	3	Vertical	248	1.36	-	39.70	10.36	30.67

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 69
02-B-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14364G	52.94	74.00	-21.06	38.42	3	Horizontal	159	2.43	-	38.74	7.76	31.98
AV	11.14042G	39.14	54.00	-14.86	24.62	3	Horizontal	159	2.43	-	38.74	7.76	31.98
PK	16.71192G	57.67	68.20	-10.53	38.28	3	Horizontal	125	2.39	-	39.70	10.36	30.67



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.50002G	33.44	54.00	-20.56	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.49986G	40.46	74.00	-33.54	-5.87	3	Vertical	360	1.53	-	46.33	25.10	4.25	35.22
AV	1.50002G	33.44	54.00	-20.56	-5.87	3	Vertical	360	1.53	"Worst"	39.31	25.10	4.25	35.22

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.49995G	38.52	74.00	-35.48	-5.87	3	Horizontal	190	1.40	-	44.39	25.10	4.25	35.22
AV	1.49999G	29.88	54.00	-24.12	-5.87	3	Horizontal	190	1.40	"Worst"	35.75	25.10	4.25	35.22