



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5180MHz	Pass	7.39	10.47	10.99	10.93	15.29	15.61	22.68	23.00
5200MHz	Pass	7.39	9.72	11.12	11.49	15.43	15.61	22.82	23.00
5240MHz	Pass	7.39	10.24	11.34	11.23	15.15	15.61	22.54	23.00
5260MHz	Pass	7.39	3.88	5.43	6.14	9.43	9.61	16.82	17.00
5300MHz	Pass	7.39	4.33	4.69	5.50	9.43	9.61	16.82	17.00
5320MHz	Pass	7.39	4.53	4.58	5.21	9.33	9.61	16.72	17.00
5500MHz	Pass	7.40	4.57	5.13	5.05	9.40	9.60	16.80	17.00
5580MHz	Pass	7.40	4.75	5.24	5.17	9.59	9.60	16.99	17.00
5700MHz	Pass	7.40	4.05	4.75	5.46	9.45	9.60	16.85	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.40	5.15	4.72	5.09	9.44	9.60	16.84	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.44	0.65	1.74	2.48	6.46	28.56	13.90	36.00
5745MHz	Pass	7.44	9.82	10.21	9.96	14.59	28.56	22.03	36.00
5785MHz	Pass	7.44	10.30	9.79	9.92	14.71	28.56	22.15	36.00
5825MHz	Pass	7.44	10.04	10.08	10.54	14.61	28.56	22.05	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5190MHz	Pass	7.39	6.69	7.70	8.63	12.37	15.61	19.76	23.00
5230MHz	Pass	7.39	8.48	8.88	9.14	13.43	15.61	20.82	23.00
5270MHz	Pass	7.39	2.68	3.05	3.95	7.81	9.61	15.20	17.00
5310MHz	Pass	7.39	2.26	2.61	3.54	7.20	9.61	14.59	17.00
5510MHz	Pass	7.40	1.70	1.82	3.42	6.95	9.60	14.35	17.00
5550MHz	Pass	7.40	2.08	2.91	2.61	7.19	9.60	14.59	17.00
5670MHz	Pass	7.40	2.95	2.70	3.09	7.56	9.60	14.96	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.40	2.93	2.50	2.94	7.43	9.60	14.83	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.44	-3.01	-1.34	-1.70	2.76	28.56	10.20	36.00
5755MHz	Pass	7.44	7.63	7.97	7.57	12.03	28.56	19.47	36.00
5795MHz	Pass	7.44	7.08	7.01	7.72	11.89	28.56	19.33	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5210MHz	Pass	7.39	3.02	3.40	3.69	8.00	15.61	15.39	23.00
5290MHz	Pass	7.39	-0.37	-1.28	-0.04	4.11	9.61	11.50	17.00
5530MHz	Pass	7.40	-1.09	-0.90	0.06	4.01	9.60	11.41	17.00
5610MHz	Pass	7.40	-0.90	-1.16	-0.00	3.98	9.60	11.38	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.40	-0.84	-1.03	-0.40	3.98	9.60	11.38	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.44	-5.75	-6.37	-4.82	-1.03	28.56	6.41	36.00
5775MHz	Pass	7.44	3.56	3.38	3.19	8.04	28.56	15.48	36.00
802.11ax HEW160-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.39	-4.71	-3.49	-3.04	0.70	15.61	8.09	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.39	-4.26	-3.32	-3.08	1.10	9.61	8.49	17.00
5570MHz	Pass	7.40	-4.39	-3.42	-2.47	0.81	9.60	8.21	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5180MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.29	15.29	10.47	10.99	10.93

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5200MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.43	15.43	9.72	11.12	11.49

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5240MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.15	15.15	10.24	11.34	11.23

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5260MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.43	9.43	3.88	5.43	6.14

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5300MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.43	9.43	4.33	4.69	5.50

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5320MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.33	9.33	4.53	4.58	5.21

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5500MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.40	9.40	4.57	5.13	5.05

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5580MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.59	9.59	4.75	5.24	5.17

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5700MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.45	9.45	4.05	4.75	5.46

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5720MHz Straddle 5.47-5.725GHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.44	9.44	5.15	4.72	5.09

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz Straddle 5.725-5.85GHz

14/09/2022

PSD




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.46	6.46	0.65	1.74	2.48

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz

14/09/2022

PSD




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.59	14.59	9.82	10.21	9.96

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5785MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.71	14.71	10.30	9.79	9.92

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

PSD

5825MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.61	14.61	10.04	10.08	10.54

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5190MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.37	12.37	6.69	7.70	8.63

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5230MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.43	13.43	8.48	8.88	9.14

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5270MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.81	7.81	2.68	3.05	3.95

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5310MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.20	7.20	2.26	2.61	3.54

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5510MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.95	6.95	1.70	1.82	3.42

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5550MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.19	7.19	2.08	2.91	2.61

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5670MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.56	7.56	2.95	2.70	3.09

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5710MHz Straddle 5.47-5.725GHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.43	7.43	2.93	2.50	2.94

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.725-5.85GHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.76	2.76	-3.01	-1.34	-1.70

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz

14/09/2022



Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.03	12.03	7.63	7.97	7.57


802.11ax HEW40-BF_Nss1,(MCS0)_3TX

PSD

5795MHz

14/09/2022

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.89	11.89	7.08	7.01	7.72


802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5210MHz

14/09/2022

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3


Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.00	8.00	3.02	3.40	3.69

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5290MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.11	4.11	-0.37	-1.28	-0.04

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5530MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.01	4.01	-1.09	-0.90	0.06

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5610MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.98	3.98	-0.90	-1.16	-0.00

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.98	3.98	-0.84	-1.03	-0.40

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.03	-1.03	-5.75	-6.37	-4.82

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

PSD

5775MHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.04	8.04	3.56	3.38	3.19

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.15-5.25GHz

14/09/2022




Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.70	0.70	-4.71	-3.49	-3.04


802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz

14/09/2022



Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.10	1.10	-4.26	-3.32	-3.08






Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	35.82M	33.54	40.00	-6.46	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30M	32.38	40.00	-7.62	-7.12	3	Vertical	245	3.00	"Worst"	39.50	23.99	0.44	31.55
PK	58.13M	24.27	40.00	-15.73	-18.84	3	Vertical	323	1.00	-	43.11	12.32	0.75	31.91
PK	72.68M	29.30	40.00	-10.70	-18.92	3	Vertical	331	1.50	-	48.22	12.17	0.88	31.97
PK	730.34M	29.75	46.00	-16.25	-3.91	3	Vertical	107	3.00	-	33.66	24.98	3.70	32.59
PK	770.11M	29.89	46.00	-16.11	-3.35	3	Vertical	209	2.00	-	33.24	25.38	3.84	32.57
PK	893.3M	29.83	46.00	-16.17	-2.18	3	Vertical	148	2.00	-	32.01	26.17	4.14	32.49

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	33.54	40.00	-6.46	-10.26	3	Horizontal	176	1.00	"Worst"	43.80	20.92	0.52	31.70
PK	48.43M	26.33	40.00	-13.67	-16.61	3	Horizontal	185	1.00	-	42.94	14.59	0.65	31.85
PK	96.93M	27.67	43.50	-15.83	-14.72	3	Horizontal	202	1.00	-	42.39	16.17	1.07	31.96
PK	110.51M	28.42	43.50	-15.08	-13.19	3	Horizontal	185	1.00	-	41.61	17.61	1.17	31.97
PK	730.34M	30.06	46.00	-15.94	-3.91	3	Horizontal	90	1.25	-	33.97	24.98	3.70	32.59
PK	746.83M	30.41	46.00	-15.59	-3.62	3	Horizontal	0	1.25	-	34.03	25.23	3.76	32.61




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	Pass	AV	5.3516G	53.96	54.00	-0.04	3	Vertical	25	1.80	-

802.11a_Nss1,(6Mbps)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	73.88	74.00	-0.12	68.89	3	Vertical	336	1.75	-	31.90	5.55	32.46
AV	5.1496G	53.41	54.00	-0.59	48.42	3	Vertical	336	1.75	-	31.90	5.55	32.46
PK	5.1816G	122.72	Inf	-Inf	117.76	3	Vertical	336	1.75	-	31.84	5.58	32.46
AV	5.1812G	114.42	Inf	-Inf	109.46	3	Vertical	336	1.75	-	31.84	5.58	32.46

802.11a_Nss1,(6Mbps)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35356G	57.61	68.20	-10.59	43.79	3	Vertical	359	1.33	-	39.91	8.51	34.60
PK	15.54052G	60.22	74.00	-13.78	46.35	3	Vertical	316	2.41	-	38.46	10.23	34.82
AV	15.54496G	49.76	54.00	-4.24	35.92	3	Vertical	316	2.41	-	38.43	10.23	34.82

802.11a_Nss1,(6Mbps)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37G	55.81	68.20	-12.39	41.92	3	Horizontal	245	2.39	-	39.98	8.52	34.61
PK	15.54464G	60.18	74.00	-13.82	46.34	3	Horizontal	32	1.29	-	38.43	10.23	34.82
AV	15.55G	49.59	54.00	-4.41	35.78	3	Horizontal	32	1.29	-	38.40	10.23	34.82

802.11a_Nss1,(6Mbps)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
 Setting 45
 06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.91	74.00	-5.09	63.92	3	Vertical	328	1.80	-	31.90	5.55	32.46
AV	5.1496G	53.77	54.00	-0.23	48.78	3	Vertical	328	1.80	-	31.90	5.55	32.46
PK	5.1988G	124.60	Inf	-Inf	119.66	3	Vertical	328	1.80	-	31.80	5.60	32.46
AV	5.1988G	115.34	Inf	-Inf	110.40	3	Vertical	328	1.80	-	31.80	5.60	32.46
PK	5.368G	61.17	74.00	-12.83	56.60	3	Vertical	328	1.80	-	31.37	5.68	32.48
PK	5.4748G	60.75	68.20	-7.45	55.68	3	Vertical	328	1.80	-	31.80	5.77	32.50
AV	5.4412G	52.38	54.00	-1.62	47.47	3	Vertical	328	1.80	-	31.66	5.74	32.49

802.11a_Nss1,(6Mbps)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39814G	64.69	68.20	-3.51	50.69	3	Vertical	198	2.13	-	40.09	8.54	34.63
PK	15.59612G	62.55	74.00	-11.45	49.00	3	Vertical	333	2.06	-	38.12	10.24	34.81
AV	15.59712G	51.21	54.00	-2.79	37.66	3	Vertical	333	2.06	-	38.12	10.24	34.81

802.11a_Nss1,(6Mbps)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4063G	57.31	68.20	-10.89	43.29	3	Horizontal	314	1.01	-	40.11	8.54	34.63
PK	15.6033G	60.31	74.00	-13.69	46.79	3	Horizontal	166	2.86	-	38.09	10.24	34.81
AV	15.59148G	49.60	54.00	-4.40	36.02	3	Horizontal	166	2.86	-	38.15	10.24	34.81

802.11a_Nss1,(6Mbps)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	63.42	74.00	-10.58	58.43	3	Vertical	29	1.80	-	31.91	5.54	32.46
AV	5.1446G	49.72	54.00	-4.28	44.73	3	Vertical	29	1.80	-	31.91	5.54	32.46
PK	5.2358G	128.33	Inf	-Inf	123.52	3	Vertical	29	1.80	-	31.66	5.62	32.47
AV	5.2352G	119.01	Inf	-Inf	114.20	3	Vertical	29	1.80	-	31.66	5.62	32.47
PK	5.3552G	60.93	74.00	-13.07	56.41	3	Vertical	29	1.80	-	31.32	5.68	32.48
AV	5.3654G	50.03	54.00	-3.97	45.47	3	Vertical	29	1.80	-	31.36	5.68	32.48

802.11a_Nss1,(6Mbps)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4803G	60.97	68.20	-7.23	46.89	3	Vertical	176	2.05	-	40.18	8.59	34.69
PK	15.717G	63.62	74.00	-10.38	50.27	3	Vertical	230	1.98	-	37.90	10.26	34.81
AV	15.7155G	52.64	54.00	-1.36	39.29	3	Vertical	230	1.98	-	37.90	10.26	34.81

802.11a_Nss1,(6Mbps)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4818G	58.78	68.20	-9.42	44.70	3	Horizontal	196	2.46	-	40.18	8.59	34.69
PK	15.71598G	60.61	74.00	-13.39	47.26	3	Horizontal	227	1.80	-	37.90	10.26	34.81
AV	15.71814G	49.75	54.00	-4.25	36.40	3	Horizontal	227	1.80	-	37.90	10.26	34.81

802.11a_Nss1,(6Mbps)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	61.32	74.00	-12.68	56.32	3	Vertical	40	1.80	-	31.92	5.54	32.46
AV	5.14G	51.40	54.00	-2.60	46.40	3	Vertical	40	1.80	-	31.92	5.54	32.46
PK	5.2594G	125.73	Inf	-Inf	121.01	3	Vertical	40	1.80	-	31.56	5.63	32.47
AV	5.2594G	117.32	Inf	-Inf	112.60	3	Vertical	40	1.80	-	31.56	5.63	32.47
PK	5.3506G	64.85	74.00	-9.15	60.35	3	Vertical	40	1.80	-	31.30	5.68	32.48
AV	5.3506G	52.99	54.00	-1.01	48.49	3	Vertical	40	1.80	-	31.30	5.68	32.48

802.11a_Nss1,(6Mbps)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52126G	63.63	68.20	-4.57	49.54	3	Vertical	152	1.80	-	40.18	8.61	34.70
PK	15.77742G	62.82	74.00	-11.18	49.45	3	Vertical	229	1.97	-	37.90	10.27	34.80
AV	15.77724G	51.82	54.00	-2.18	38.45	3	Vertical	229	1.97	-	37.90	10.27	34.80

802.11a_Nss1,(6Mbps)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52108G	58.45	68.20	-9.75	44.36	3	Horizontal	308	1.00	-	40.18	8.61	34.70
PK	15.78714G	61.23	74.00	-12.77	47.86	3	Horizontal	226	1.87	-	37.90	10.27	34.80
AV	15.777G	50.04	54.00	-3.96	36.67	3	Horizontal	226	1.87	-	37.90	10.27	34.80

802.11a_Nss1,(6Mbps)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	123.61	Inf	-Inf	119.04	3	Vertical	25	1.80	-	31.40	5.65	32.48
AV	5.3012G	115.17	Inf	-Inf	110.60	3	Vertical	25	1.80	-	31.40	5.65	32.48
PK	5.35G	69.81	74.00	-4.19	65.31	3	Vertical	25	1.80	-	31.30	5.68	32.48
AV	5.3516G	53.96	54.00	-0.04	49.45	3	Vertical	25	1.80	-	31.31	5.68	32.48

802.11a_Nss1,(6Mbps)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6021G	60.14	74.00	-13.86	46.07	3	Vertical	202	2.09	-	40.10	8.66	34.69
AV	10.6021G	48.04	54.00	-5.96	33.97	3	Vertical	202	2.09	-	40.10	8.66	34.69
PK	15.9027G	58.57	74.00	-15.43	45.38	3	Vertical	0	1.90	-	37.70	10.29	34.80
AV	15.91416G	47.53	54.00	-6.47	34.35	3	Vertical	0	1.90	-	37.69	10.29	34.80

802.11a_Nss1,(6Mbps)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6075G	56.40	74.00	-17.60	42.33	3	Horizontal	360	1.12	-	40.10	8.66	34.69
AV	10.6081G	45.87	54.00	-8.13	31.80	3	Horizontal	360	1.12	-	40.10	8.66	34.69
PK	15.91302G	58.78	74.00	-15.22	45.60	3	Horizontal	226	1.80	-	37.69	10.29	34.80
AV	15.91338G	48.04	54.00	-5.96	34.86	3	Horizontal	226	1.80	-	37.69	10.29	34.80

802.11a_Nss1,(6Mbps)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	120.20	Inf	-Inf	115.66	3	Vertical	34	1.98	-	31.36	5.66	32.48
AV	5.3212G	111.50	Inf	-Inf	106.96	3	Vertical	34	1.98	-	31.36	5.66	32.48
PK	5.3512G	71.93	74.00	-2.07	67.43	3	Vertical	34	1.98	-	31.30	5.68	32.48
AV	5.3504G	53.93	54.00	-0.07	49.43	3	Vertical	34	1.98	-	31.30	5.68	32.48

802.11a_Nss1,(6Mbps)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6447G	56.88	74.00	-17.12	42.78	3	Vertical	43	2.25	-	40.10	8.69	34.69
AV	10.64416G	45.27	54.00	-8.73	31.17	3	Vertical	43	2.25	-	40.10	8.69	34.69

802.11a_Nss1,(6Mbps)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63814G	56.27	74.00	-17.73	42.18	3	Horizontal	85	2.73	-	40.10	8.68	34.69
AV	10.64274G	45.42	54.00	-8.58	31.32	3	Horizontal	85	2.73	-	40.10	8.69	34.69

802.11a_Nss1,(6Mbps)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.31	74.00	-12.69	56.31	3	Vertical	5	2.25	-	31.74	5.76	32.50
AV	5.46G	51.29	54.00	-2.71	46.29	3	Vertical	5	2.25	-	31.74	5.76	32.50
PK	5.4692G	65.32	68.20	-2.88	60.27	3	Vertical	5	2.25	-	31.78	5.77	32.50
PK	5.5008G	120.69	Inf	-Inf	115.49	3	Vertical	5	2.25	-	31.90	5.80	32.50
AV	5.5012G	112.39	Inf	-Inf	107.19	3	Vertical	5	2.25	-	31.90	5.80	32.50

802.11a_Nss1,(6Mbps)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0046G	57.22	74.00	-16.78	42.39	3	Vertical	286	2.88	-	40.58	8.90	34.65
AV	10.99808G	45.84	54.00	-8.16	30.99	3	Vertical	286	2.88	-	40.60	8.90	34.65

802.11a_Nss1,(6Mbps)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99984G	56.73	74.00	-17.27	41.88	3	Horizontal	189	2.53	-	40.60	8.90	34.65
AV	11.00198G	46.06	54.00	-7.94	31.22	3	Horizontal	189	2.53	-	40.59	8.90	34.65

802.11a_Nss1,(6Mbps)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4414G	60.93	74.00	-13.07	56.01	3	Vertical	18	2.04	-	31.67	5.74	32.49
PK	5.4678G	62.23	68.20	-5.97	57.19	3	Vertical	18	2.04	-	31.77	5.77	32.50
AV	5.4588G	51.67	54.00	-2.33	46.67	3	Vertical	18	2.04	-	31.74	5.76	32.50
PK	5.5788G	126.33	Inf	-Inf	121.02	3	Vertical	18	2.04	-	31.90	5.88	32.47
AV	5.5782G	116.03	Inf	-Inf	110.72	3	Vertical	18	2.04	-	31.90	5.88	32.47
PK	5.7294G	61.55	68.20	-6.65	55.96	3	Vertical	18	2.04	-	32.12	5.90	32.43

802.11a_Nss1,(6Mbps)_3TX

5580MHz_TnomVnom




EUT Z_3TX
Setting 47
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16282G	58.75	74.00	-15.25	44.38	3	Vertical	331	3.00	-	40.01	9.00	34.64
AV	11.16222G	47.95	54.00	-6.05	33.58	3	Vertical	331	3.00	-	40.01	9.00	34.64
PK	16.73208G	62.93	68.20	-5.27	47.03	3	Vertical	98	1.01	-	40.26	10.48	34.84

802.11a_Nss1,(6Mbps)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15748G	56.42	74.00	-17.58	42.04	3	Horizontal	17.3	1.64	-	40.03	8.99	34.64
AV	11.16984G	45.73	54.00	-8.27	31.38	3	Horizontal	17.3	1.64	-	39.99	9.00	34.64
PK	16.74642G	62.77	68.20	-5.43	46.75	3	Horizontal	233	1.49	-	40.37	10.49	34.84

802.11a_Nss1,(6Mbps)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 36
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	120.73	Inf	-Inf	115.27	3	Vertical	5	2.03	-	32.00	5.90	32.44
AV	5.7008G	112.20	Inf	-Inf	106.74	3	Vertical	5	2.03	-	32.00	5.90	32.44
PK	5.7308G	67.88	68.20	-0.32	62.29	3	Vertical	5	2.03	-	32.12	5.90	32.43

802.11a_Nss1,(6Mbps)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 36
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39536G	56.99	74.00	-17.01	42.39	3	Vertical	130	2.36	-	40.09	9.14	34.63
AV	11.39708G	45.67	54.00	-8.33	31.07	3	Vertical	130	2.36	-	40.09	9.14	34.63

802.11a_Nss1,(6Mbps)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 36
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4042G	56.01	74.00	-17.99	41.40	3	Horizontal	150	1.51	-	40.10	9.14	34.63
AV	11.4026G	45.60	54.00	-8.40	30.99	3	Horizontal	150	1.51	-	40.10	9.14	34.63

802.11a_Nss1,(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
Setting 52
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.722G	128.44	Inf	-Inf	122.88	3	Vertical	4	1.99	-	32.09	5.90	32.43
AV	5.721G	119.50	Inf	-Inf	113.95	3	Vertical	4	1.99	-	32.08	5.90	32.43
PK	5.88G	64.04	68.20	-4.16	57.96	3	Vertical	4	1.99	-	32.48	5.98	32.38

802.11a_Nss1,(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
Setting 52
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44G	62.58	74.00	-11.42	47.95	3	Vertical	74	1.02	-	40.10	9.16	34.63
AV	11.43982G	51.83	54.00	-2.17	37.20	3	Vertical	74	1.02	-	40.10	9.16	34.63

802.11a_Nss1,(6Mbps)_3TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
Setting 52
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44018G	58.30	74.00	-15.70	43.67	3	Horizontal	312	1.01	-	40.10	9.16	34.63
AV	11.44072G	47.32	54.00	-6.68	32.69	3	Horizontal	312	1.01	-	40.10	9.16	34.63

802.11a_Nss1,(6Mbps)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 53
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	68.10	68.20	-0.10	62.81	3	Vertical	4	2.09	-	31.85	5.90	32.46
PK	5.7458G	128.67	Inf	-Inf	123.01	3	Vertical	4	2.09	-	32.18	5.90	32.42
AV	5.7466G	120.00	Inf	-Inf	114.33	3	Vertical	4	2.09	-	32.19	5.90	32.42
PK	5.9426G	60.93	68.20	-7.27	54.65	3	Vertical	4	2.09	-	32.60	6.04	32.36

802.11a_Nss1,(6Mbps)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 53
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49132G	57.97	74.00	-16.03	43.31	3	Vertical	115	2.20	-	40.10	9.19	34.63
AV	11.49126G	48.43	54.00	-5.57	33.77	3	Vertical	115	2.20	-	40.10	9.19	34.63

802.11a_Nss1,(6Mbps)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 53
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4903G	56.77	74.00	-17.23	42.11	3	Horizontal	221	2.84	-	40.10	9.19	34.63
AV	11.4825G	45.03	54.00	-8.97	30.37	3	Horizontal	221	2.84	-	40.10	9.19	34.63

802.11a_Nss1,(6Mbps)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 54
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	65.51	68.20	-2.69	60.22	3	Vertical	19	2.00	-	31.85	5.90	32.46
PK	5.784G	128.63	Inf	-Inf	122.87	3	Vertical	19	2.00	-	32.27	5.90	32.41
AV	5.784G	120.67	Inf	-Inf	114.91	3	Vertical	19	2.00	-	32.27	5.90	32.41
PK	5.945G	63.22	68.20	-4.98	56.94	3	Vertical	19	2.00	-	32.60	6.04	32.36

802.11a_Nss1,(6Mbps)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 54
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57192G	57.43	74.00	-16.57	42.87	3	Vertical	327	3.00	-	39.96	9.24	34.64
AV	11.57114G	47.10	54.00	-6.90	32.54	3	Vertical	327	3.00	-	39.96	9.24	34.64
PK	17.34522G	63.88	68.20	-4.32	46.45	3	Vertical	73	2.10	-	41.95	10.64	35.16

802.11a_Nss1,(6Mbps)_3TX

5785MHz_TnomVnom




EUT Z_3TX
Setting 54
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55602G	56.72	74.00	-17.28	42.14	3	Horizontal	242	1.80	-	39.99	9.23	34.64
AV	11.56406G	45.68	54.00	-8.32	31.11	3	Horizontal	242	1.80	-	39.97	9.24	34.64
PK	17.35692G	64.08	68.20	-4.12	46.55	3	Horizontal	175	1.80	-	42.07	10.64	35.18

802.11a_Nss1,(6Mbps)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 53
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	63.41	68.20	-4.79	58.10	3	Vertical	17	1.95	-	31.90	5.88	32.47
PK	5.825G	126.87	Inf	-Inf	121.04	3	Vertical	17	1.95	-	32.30	5.93	32.40
AV	5.824G	118.89	Inf	-Inf	113.07	3	Vertical	17	1.95	-	32.30	5.92	32.40
PK	5.929G	66.16	68.20	-2.04	59.89	3	Vertical	17	1.95	-	32.60	6.03	32.36

802.11a_Nss1,(6Mbps)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 53
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65138G	61.83	74.00	-12.17	47.60	3	Vertical	115	1.06	-	39.59	9.29	34.65
AV	11.65G	50.76	54.00	-3.24	36.52	3	Vertical	115	1.06	-	39.60	9.29	34.65

802.11a_Nss1,(6Mbps)_3TX

5825MHz_TnomVnom



EUT_Z_3TX
Setting 53
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64862G	57.18	74.00	-16.82	42.92	3	Horizontal	216	1.03	-	39.61	9.29	34.64
AV	11.64952G	46.21	54.00	-7.79	31.96	3	Horizontal	216	1.03	-	39.60	9.29	34.64




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_3TX	Pass	AV	5.35G	53.85	54.00	-0.15	3	Vertical	27	2.15	-

802.11ax HEW20_Nss2,(MCS0)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.83	74.00	-3.17	65.84	3	Vertical	327	1.80	-	31.90	5.55	32.46
AV	5.1498G	53.19	54.00	-0.81	48.20	3	Vertical	327	1.80	-	31.90	5.55	32.46
PK	5.1788G	123.91	Inf	-Inf	118.95	3	Vertical	327	1.80	-	31.84	5.58	32.46
AV	5.179G	110.21	Inf	-Inf	105.25	3	Vertical	327	1.80	-	31.84	5.58	32.46

802.11ax HEW20_Nss2,(MCS0)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36442G	56.32	68.20	-11.88	42.45	3	Vertical	254	2.95	-	39.96	8.52	34.61

802.11ax HEW20_Nss2,(MCS0)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35676G	55.76	68.20	-12.44	41.92	3	Horizontal	52	1.82	-	39.93	8.51	34.60

802.11ax HEW20_Nss2,(MCS0)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.04	74.00	-7.96	61.05	3	Vertical	12	1.79	-	31.90	5.55	32.46
AV	5.15G	51.01	54.00	-2.99	46.02	3	Vertical	12	1.79	-	31.90	5.55	32.46
PK	5.1988G	125.13	Inf	-Inf	120.19	3	Vertical	12	1.79	-	31.80	5.60	32.46
AV	5.1992G	112.64	Inf	-Inf	107.70	3	Vertical	12	1.79	-	31.80	5.60	32.46

802.11ax HEW20_Nss2,(MCS0)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.39972G	55.61	68.20	-12.59	41.60	3	Vertical	214	2.23	-	40.10	8.54	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.3964G	55.63	68.20	-12.57	41.63	3	Horizontal	274	2.45	-	40.09	8.54	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.65	74.00	-10.35	58.66	3	Vertical	328	2.35	-	31.90	5.55	32.46
AV	5.15G	50.02	54.00	-3.98	45.03	3	Vertical	328	2.35	-	31.90	5.55	32.46
PK	5.2382G	127.88	Inf	-Inf	123.08	3	Vertical	328	2.35	-	31.65	5.62	32.47
AV	5.2394G	114.65	Inf	-Inf	109.86	3	Vertical	328	2.35	-	31.64	5.62	32.47
PK	5.35G	61.46	74.00	-12.54	56.96	3	Vertical	328	2.35	-	31.30	5.68	32.48
AV	5.35G	47.95	54.00	-6.05	43.45	3	Vertical	328	2.35	-	31.30	5.68	32.48

802.11ax HEW20_Nss2,(MCS0)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48138G	63.83	68.20	-4.37	49.75	3	Vertical	176	2.06	-	40.18	8.59	34.69
PK	15.71658G	63.21	74.00	-10.79	49.86	3	Vertical	230	2.00	-	37.90	10.26	34.81
AV	15.72198G	49.19	54.00	-4.81	35.84	3	Vertical	230	2.00	-	37.90	10.26	34.81

802.11ax HEW20_Nss2,(MCS0)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47646G	57.03	68.20	-11.17	42.94	3	Horizontal	102	1.68	-	40.18	8.59	34.68
PK	15.73152G	60.80	74.00	-13.20	47.45	3	Horizontal	228	1.95	-	37.90	10.26	34.81
AV	15.71994G	47.35	54.00	-6.65	34.00	3	Horizontal	228	1.95	-	37.90	10.26	34.81

802.11ax HEW20_Nss2,(MCS0)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	61.42	74.00	-12.58	56.43	3	Vertical	27	1.80	-	31.90	5.55	32.46
AV	5.1472G	46.96	54.00	-7.04	41.96	3	Vertical	27	1.80	-	31.91	5.55	32.46
PK	5.2588G	128.00	Inf	-Inf	123.28	3	Vertical	27	1.80	-	31.56	5.63	32.47
AV	5.2588G	115.87	Inf	-Inf	111.15	3	Vertical	27	1.80	-	31.56	5.63	32.47
PK	5.353G	65.03	74.00	-8.97	60.52	3	Vertical	27	1.80	-	31.31	5.68	32.48
AV	5.35G	50.16	54.00	-3.84	45.66	3	Vertical	27	1.80	-	31.30	5.68	32.48

802.11ax HEW20_Nss2,(MCS0)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52138G	62.21	68.20	-5.99	48.12	3	Vertical	151	2.16	-	40.18	8.61	34.70
PK	15.77874G	60.40	74.00	-13.60	47.03	3	Vertical	234	2.00	-	37.90	10.27	34.80
AV	15.78108G	46.88	54.00	-7.12	33.51	3	Vertical	234	2.00	-	37.90	10.27	34.80

802.11ax HEW20_Nss2,(MCS0)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53242G	56.35	68.20	-11.85	42.26	3	Horizontal	263	2.60	-	40.17	8.62	34.70
PK	15.7761G	58.95	74.00	-15.05	45.58	3	Horizontal	70	2.27	-	37.90	10.27	34.80
AV	15.78024G	45.51	54.00	-8.49	32.14	3	Horizontal	70	2.27	-	37.90	10.27	34.80

802.11ax HEW20_Nss2,(MCS0)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2982G	127.35	Inf	-Inf	122.77	3	Vertical	28	2.06	-	31.41	5.65	32.48
AV	5.3012G	113.68	Inf	-Inf	109.11	3	Vertical	28	2.06	-	31.40	5.65	32.48
PK	5.35G	67.68	74.00	-6.32	63.18	3	Vertical	28	2.06	-	31.30	5.68	32.48
AV	5.35G	52.86	54.00	-1.14	48.36	3	Vertical	28	2.06	-	31.30	5.68	32.48

802.11ax HEW20_Nss2,(MCS0)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60286G	56.85	74.00	-17.15	42.78	3	Vertical	170	1.13	-	40.10	8.66	34.69

802.11ax HEW20_Nss2,(MCS0)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5961G	56.96	68.20	-11.24	42.89	3	Horizontal	113	2.29	-	40.10	8.66	34.69

802.11ax HEW20_Nss2,(MCS0)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	123.28	Inf	-Inf	118.74	3	Vertical	44	1.80	-	31.36	5.66	32.48
AV	5.3192G	109.61	Inf	-Inf	105.07	3	Vertical	44	1.80	-	31.36	5.66	32.48
PK	5.3514G	68.52	74.00	-5.48	64.01	3	Vertical	44	1.80	-	31.31	5.68	32.48
AV	5.35G	52.07	54.00	-1.93	47.57	3	Vertical	44	1.80	-	31.30	5.68	32.48

802.11ax HEW20_Nss2,(MCS0)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64326G	57.20	74.00	-16.80	43.10	3	Vertical	267	1.50	-	40.10	8.69	34.69
AV	10.63792G	42.75	54.00	-11.25	28.66	3	Vertical	267	1.50	-	40.10	8.68	34.69

802.11ax HEW20_Nss2,(MCS0)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63818G	56.50	74.00	-17.50	42.41	3	Horizontal	356	1.99	-	40.10	8.68	34.69
AV	10.63762G	42.85	54.00	-11.15	28.76	3	Horizontal	356	1.99	-	40.10	8.68	34.69

802.11ax HEW20_Nss2,(MCS0)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.10	74.00	-13.90	55.10	3	Vertical	20	1.80	-	31.74	5.76	32.50
AV	5.4598G	47.66	54.00	-6.34	42.66	3	Vertical	20	1.80	-	31.74	5.76	32.50
PK	5.4686G	66.05	68.20	-2.15	61.01	3	Vertical	20	1.80	-	31.77	5.77	32.50
PK	5.4986G	123.85	Inf	-Inf	118.66	3	Vertical	20	1.80	-	31.89	5.80	32.50
AV	5.4992G	110.01	Inf	-Inf	104.81	3	Vertical	20	1.80	-	31.90	5.80	32.50

802.11ax HEW20_Nss2,(MCS0)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99748G	56.98	74.00	-17.02	42.13	3	Vertical	323	1.84	-	40.60	8.90	34.65
AV	10.9954G	43.03	54.00	-10.97	28.18	3	Vertical	323	1.84	-	40.60	8.90	34.65

802.11ax HEW20_Nss2,(MCS0)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00264G	56.81	74.00	-17.19	41.97	3	Horizontal	224	2.89	-	40.59	8.90	34.65
AV	11.00042G	43.07	54.00	-10.93	28.22	3	Horizontal	224	2.89	-	40.60	8.90	34.65

802.11ax HEW20_Nss2,(MCS0)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	60.88	74.00	-13.12	55.90	3	Vertical	29	1.80	-	31.72	5.75	32.49
AV	5.4208G	49.19	54.00	-4.81	44.38	3	Vertical	29	1.80	-	31.58	5.72	32.49
PK	5.4696G	62.39	68.20	-5.81	57.34	3	Vertical	29	1.80	-	31.78	5.77	32.50
PK	5.5808G	127.52	Inf	-Inf	122.21	3	Vertical	29	1.80	-	31.90	5.88	32.47
AV	5.5792G	114.57	Inf	-Inf	109.26	3	Vertical	29	1.80	-	31.90	5.88	32.47
PK	5.7392G	61.50	68.20	-6.70	55.86	3	Vertical	29	1.80	-	32.16	5.90	32.42

802.11ax HEW20_Nss2,(MCS0)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1657G	57.72	74.00	-16.28	43.36	3	Vertical	303	2.45	-	40.00	9.00	34.64
AV	11.15898G	44.30	54.00	-9.70	29.92	3	Vertical	303	2.45	-	40.02	9.00	34.64
PK	16.74984G	62.27	68.20	-5.93	46.22	3	Vertical	25	2.09	-	40.40	10.49	34.84

802.11ax HEW20_Nss2,(MCS0)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14746G	56.46	74.00	-17.54	42.05	3	Horizontal	230	1.28	-	40.06	8.99	34.64
AV	11.15064G	43.23	54.00	-10.77	28.83	3	Horizontal	230	1.28	-	40.05	8.99	34.64
PK	16.7379G	62.16	68.20	-6.04	46.22	3	Horizontal	324	1.11	-	40.30	10.48	34.84

802.11ax HEW20_Nss2,(MCS0)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	121.70	Inf	-Inf	116.24	3	Vertical	20	1.80	-	32.00	5.90	32.44
AV	5.6984G	109.61	Inf	-Inf	104.16	3	Vertical	20	1.80	-	31.99	5.90	32.44
PK	5.7256G	66.26	68.20	-1.94	60.69	3	Vertical	20	1.80	-	32.10	5.90	32.43

802.11ax HEW20_Nss2,(MCS0)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40122G	56.95	74.00	-17.05	42.34	3	Vertical	354	2.71	-	40.10	9.14	34.63
AV	11.39666G	43.03	54.00	-10.97	28.43	3	Vertical	354	2.71	-	40.09	9.14	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX


5700MHz_TnomVnom



EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40498G	57.78	74.00	-16.22	43.17	3	Horizontal	142	2.66	-	40.10	9.14	34.63
AV	11.39966G	43.09	54.00	-10.91	28.48	3	Horizontal	142	2.66	-	40.10	9.14	34.63


802.11ax HEW20_Nss2,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_3TX
 Setting 48
 06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	126.49	Inf	-Inf	120.94	3	Vertical	19	1.80	-	32.08	5.90	32.43
AV	5.7184G	114.42	Inf	-Inf	108.88	3	Vertical	19	1.80	-	32.07	5.90	32.43
PK	5.88G	62.37	68.20	-5.83	56.29	3	Vertical	19	1.80	-	32.48	5.98	32.38


802.11ax HEW20_Nss2,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_3TX
 Setting 48
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44894G	57.36	74.00	-16.64	42.72	3	Vertical	43	2.34	-	40.10	9.17	34.63
AV	11.43958G	44.23	54.00	-9.77	29.60	3	Vertical	43	2.34	-	40.10	9.16	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
 Setting 48
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44318G	56.69	74.00	-17.31	42.05	3	Horizontal	163	2.27	-	40.10	9.17	34.63
AV	11.43364G	43.17	54.00	-10.83	28.54	3	Horizontal	163	2.27	-	40.10	9.16	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX

5745MHz_TnomVnom




EUT Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6546G	66.26	71.60	-5.34	60.99	3	Vertical	354	1.80	-	31.82	5.90	32.45
PK	5.7514G	126.71	Inf	-Inf	121.03	3	Vertical	354	1.80	-	32.20	5.90	32.42
AV	5.7442G	114.28	Inf	-Inf	108.62	3	Vertical	354	1.80	-	32.18	5.90	32.42
PK	5.9306G	59.13	68.20	-9.07	52.86	3	Vertical	354	1.80	-	32.60	6.03	32.36

802.11ax HEW20_Nss2,(MCS0)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4915G	59.52	74.00	-14.48	44.86	3	Vertical	34	1.49	-	40.10	9.19	34.63
AV	11.49282G	44.89	54.00	-9.11	30.22	3	Vertical	34	1.49	-	40.10	9.20	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4774G	55.89	74.00	-18.11	41.23	3	Horizontal	162	2.91	-	40.10	9.19	34.63
AV	11.47596G	42.76	54.00	-11.24	28.10	3	Horizontal	162	2.91	-	40.10	9.19	34.63

802.11ax HEW20_Nss2,(MCS0)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	62.13	68.20	-6.07	56.85	3	Vertical	19	1.80	-	31.84	5.90	32.46
PK	5.782G	128.70	Inf	-Inf	122.95	3	Vertical	19	1.80	-	32.26	5.90	32.41
AV	5.784G	115.93	Inf	-Inf	110.17	3	Vertical	19	1.80	-	32.27	5.90	32.41
PK	5.947G	62.34	68.20	-5.86	56.05	3	Vertical	19	1.80	-	32.60	6.05	32.36

802.11ax HEW20_Nss2,(MCS0)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57108G	57.82	74.00	-16.18	43.26	3	Vertical	326	2.98	-	39.96	9.24	34.64
AV	11.5709G	44.42	54.00	-9.58	29.86	3	Vertical	326	2.98	-	39.96	9.24	34.64

802.11ax HEW20_Nss2,(MCS0)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57384G	56.68	74.00	-17.32	42.13	3	Horizontal	312	1.04	-	39.95	9.24	34.64
AV	11.57096G	43.13	54.00	-10.87	28.57	3	Horizontal	312	1.04	-	39.96	9.24	34.64

802.11ax HEW20_Nss2,(MCS0)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	60.72	68.20	-7.48	55.41	3	Vertical	20	1.80	-	31.90	5.88	32.47
PK	5.822G	128.50	Inf	-Inf	122.68	3	Vertical	20	1.80	-	32.30	5.92	32.40
AV	5.824G	115.63	Inf	-Inf	109.81	3	Vertical	20	1.80	-	32.30	5.92	32.40
PK	5.93G	62.64	68.20	-5.56	56.37	3	Vertical	20	1.80	-	32.60	6.03	32.36

802.11ax HEW20_Nss2,(MCS0)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64964G	58.07	74.00	-15.93	43.82	3	Vertical	313	1.01	-	39.60	9.29	34.64
AV	11.65258G	44.29	54.00	-9.71	30.07	3	Vertical	313	1.01	-	39.58	9.29	34.65

802.11ax HEW20_Nss2,(MCS0)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63908G	56.21	74.00	-17.79	41.90	3	Horizontal	352	1.48	-	39.67	9.28	34.64
AV	11.63836G	42.71	54.00	-11.29	28.40	3	Horizontal	352	1.48	-	39.67	9.28	34.64

802.11ax HEW40_Nss2,(MCS0)_3TX

5190MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.46	74.00	-7.54	61.47	3	Vertical	331	1.83	-	31.90	5.55	32.46
AV	5.15G	53.62	54.00	-0.38	48.63	3	Vertical	331	1.83	-	31.90	5.55	32.46
PK	5.192G	120.44	Inf	-Inf	115.49	3	Vertical	331	1.83	-	31.82	5.59	32.46
AV	5.1916G	108.13	Inf	-Inf	103.18	3	Vertical	331	1.83	-	31.82	5.59	32.46

802.11ax HEW40_Nss2,(MCS0)_3TX

5190MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37628G	55.94	68.20	-12.26	42.01	3	Vertical	4	1.37	-	40.01	8.53	34.61

802.11ax HEW40_Nss2,(MCS0)_3TX

5190MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38294G	56.03	68.20	-12.17	42.09	3	Horizontal	111	2.14	-	40.03	8.53	34.62

802.11ax HEW40_Nss2,(MCS0)_3TX

5230MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.37	74.00	-5.63	63.38	3	Vertical	37	1.96	-	31.90	5.55	32.46
AV	5.1496G	51.78	54.00	-2.22	46.79	3	Vertical	37	1.96	-	31.90	5.55	32.46
PK	5.228G	122.21	Inf	-Inf	117.38	3	Vertical	37	1.96	-	31.69	5.61	32.47
AV	5.2312G	110.72	Inf	-Inf	105.89	3	Vertical	37	1.96	-	31.68	5.62	32.47

802.11ax HEW40_Nss2,(MCS0)_3TX

5230MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4616G	56.18	68.20	-12.02	42.11	3	Vertical	241	1.67	-	40.16	8.58	34.67

802.11ax HEW40_Nss2,(MCS0)_3TX

5230MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4589G	55.83	68.20	-12.37	41.76	3	Horizontal	311	1.62	-	40.16	8.58	34.67

802.11ax HEW40_Nss2,(MCS0)_3TX

5270MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	59.96	74.00	-14.04	54.96	3	Vertical	24	2.02	-	31.91	5.55	32.46
AV	5.1494G	47.34	54.00	-6.66	42.35	3	Vertical	24	2.02	-	31.90	5.55	32.46
PK	5.2724G	123.54	Inf	-Inf	118.86	3	Vertical	24	2.02	-	31.51	5.64	32.47
AV	5.2694G	111.82	Inf	-Inf	107.14	3	Vertical	24	2.02	-	31.52	5.63	32.47
PK	5.3552G	66.88	74.00	-7.12	62.36	3	Vertical	24	2.02	-	31.32	5.68	32.48
AV	5.35G	53.37	54.00	-0.63	48.87	3	Vertical	24	2.02	-	31.30	5.68	32.48

802.11ax HEW40_Nss2,(MCS0)_3TX

5270MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53948G	56.86	68.20	-11.34	42.78	3	Vertical	293	1.07	-	40.16	8.62	34.70

802.11ax HEW40_Nss2,(MCS0)_3TX

5270MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.53548G	56.19	68.20	-12.01	42.11	3	Horizontal	111	2.75	-	40.16	8.62	34.70

802.11ax HEW40_Nss2,(MCS0)_3TX

5310MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	120.10	Inf	-Inf	115.55	3	Vertical	14	2.22	-	31.37	5.66	32.48
AV	5.3124G	107.88	Inf	-Inf	103.32	3	Vertical	14	2.22	-	31.38	5.66	32.48
PK	5.35G	65.05	74.00	-8.95	60.55	3	Vertical	14	2.22	-	31.30	5.68	32.48
AV	5.35G	53.67	54.00	-0.33	49.17	3	Vertical	14	2.22	-	31.30	5.68	32.48

802.11ax HEW40_Nss2,(MCS0)_3TX

5310MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62054G	56.69	74.00	-17.31	42.61	3	Vertical	276	2.87	-	40.10	8.67	34.69
AV	10.618G	43.41	54.00	-10.59	29.33	3	Vertical	276	2.87	-	40.10	8.67	34.69

802.11ax HEW40_Nss2,(MCS0)_3TX

5310MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61836G	56.76	74.00	-17.24	42.68	3	Horizontal	187	1.25	-	40.10	8.67	34.69
AV	10.61828G	43.42	54.00	-10.58	29.34	3	Horizontal	187	1.25	-	40.10	8.67	34.69

802.11ax HEW40_Nss2,(MCS0)_3TX

5510MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.83	74.00	-12.17	56.83	3	Vertical	28	1.80	-	31.74	5.76	32.50
AV	5.46G	48.82	54.00	-5.18	43.82	3	Vertical	28	1.80	-	31.74	5.76	32.50
PK	5.4698G	64.23	68.20	-3.97	59.18	3	Vertical	28	1.80	-	31.78	5.77	32.50
PK	5.5076G	122.79	Inf	-Inf	117.58	3	Vertical	28	1.80	-	31.90	5.81	32.50
AV	5.5076G	109.17	Inf	-Inf	103.96	3	Vertical	28	1.80	-	31.90	5.81	32.50

802.11ax HEW40_Nss2,(MCS0)_3TX

5510MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01548G	56.74	74.00	-17.26	41.94	3	Vertical	19	2.56	-	40.54	8.91	34.65
AV	11.0216G	43.62	54.00	-10.38	28.85	3	Vertical	19	2.56	-	40.51	8.91	34.65

802.11ax HEW40_Nss2,(MCS0)_3TX

5510MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01594G	57.02	74.00	-16.98	42.22	3	Horizontal	154	1.39	-	40.54	8.91	34.65
AV	11.015G	43.72	54.00	-10.28	28.92	3	Horizontal	154	1.39	-	40.54	8.91	34.65

802.11ax HEW40_Nss2,(MCS0)_3TX

5550MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.49	74.00	-10.51	58.49	3	Vertical	29	1.80	-	31.74	5.76	32.50
AV	5.4594G	48.30	54.00	-5.70	43.30	3	Vertical	29	1.80	-	31.74	5.76	32.50
PK	5.47G	66.77	68.20	-1.43	61.72	3	Vertical	29	1.80	-	31.78	5.77	32.50
PK	5.5476G	121.07	Inf	-Inf	115.80	3	Vertical	29	1.80	-	31.90	5.85	32.48
AV	5.5524G	109.16	Inf	-Inf	103.89	3	Vertical	29	1.80	-	31.90	5.85	32.48

802.11ax HEW40_Nss2,(MCS0)_3TX

5550MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0964G	57.23	74.00	-16.77	42.71	3	Vertical	151	1.14	-	40.21	8.96	34.65
AV	11.0991G	43.88	54.00	-10.12	29.37	3	Vertical	151	1.14	-	40.20	8.96	34.65

802.11ax HEW40_Nss2,(MCS0)_3TX

5550MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1023G	57.23	74.00	-16.77	42.73	3	Horizontal	54	1.77	-	40.19	8.96	34.65
AV	11.1025G	43.94	54.00	-10.06	29.44	3	Horizontal	54	1.77	-	40.19	8.96	34.65

802.11ax HEW40_Nss2,(MCS0)_3TX

5670MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6682G	121.54	Inf	-Inf	116.22	3	Vertical	28	1.79	-	31.87	5.90	32.45
AV	5.6676G	108.93	Inf	-Inf	103.61	3	Vertical	28	1.79	-	31.87	5.90	32.45
PK	5.7294G	66.84	68.20	-1.36	61.25	3	Vertical	28	1.79	-	32.12	5.90	32.43

802.11ax HEW40_Nss2,(MCS0)_3TX

5670MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34046G	56.85	74.00	-17.15	42.41	3	Vertical	340	1.64	-	39.98	9.10	34.64
AV	11.34442G	43.71	54.00	-10.29	29.25	3	Vertical	340	1.64	-	39.99	9.11	34.64

802.11ax HEW40_Nss2,(MCS0)_3TX

5670MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34116G	56.99	74.00	-17.01	42.55	3	Horizontal	133	2.08	-	39.98	9.10	34.64
AV	11.336G	43.79	54.00	-10.21	29.36	3	Horizontal	133	2.08	-	39.97	9.10	34.64

802.11ax HEW40_Nss2,(MCS0)_3TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	124.32	Inf	-Inf	118.81	3	Vertical	28	1.80	-	32.04	5.90	32.43
AV	5.7124G	112.13	Inf	-Inf	106.61	3	Vertical	28	1.80	-	32.05	5.90	32.43
PK	5.8596G	65.19	68.20	-3.01	59.25	3	Vertical	28	1.80	-	32.36	5.96	32.38


802.11ax HEW40_Nss2,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_3TX
 Setting 48
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41844G	56.90	74.00	-17.10	42.28	3	Vertical	4	2.22	-	40.10	9.15	34.63
AV	11.4158G	43.86	54.00	-10.14	29.24	3	Vertical	4	2.22	-	40.10	9.15	34.63

802.11ax HEW40_Nss2,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
 Setting 48
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41936G	57.36	74.00	-16.64	42.74	3	Horizontal	345	2.82	-	40.10	9.15	34.63
AV	11.41526G	43.98	54.00	-10.02	29.36	3	Horizontal	345	2.82	-	40.10	9.15	34.63

802.11ax HEW40_Nss2,(MCS0)_3TX

5755MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.69	68.20	-4.51	58.44	3	Vertical	20	1.80	-	31.80	5.90	32.45
PK	5.753G	124.00	Inf	-Inf	118.31	3	Vertical	20	1.80	-	32.21	5.90	32.42
AV	5.756G	112.82	Inf	-Inf	107.13	3	Vertical	20	1.80	-	32.21	5.90	32.42
PK	5.953G	59.86	68.20	-8.34	53.58	3	Vertical	20	1.80	-	32.59	6.05	32.36

802.11ax HEW40_Nss2,(MCS0)_3TX

5755MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50682G	56.64	74.00	-17.36	41.98	3	Vertical	262	2.13	-	40.09	9.20	34.63
AV	11.50902G	43.63	54.00	-10.37	28.97	3	Vertical	262	2.13	-	40.08	9.21	34.63

802.11ax HEW40_Nss2,(MCS0)_3TX

5755MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51098G	57.19	74.00	-16.81	42.53	3	Horizontal	58	1.28	-	40.08	9.21	34.63
AV	11.51076G	43.66	54.00	-10.34	29.00	3	Horizontal	58	1.28	-	40.08	9.21	34.63

802.11ax HEW40_Nss2,(MCS0)_3TX

5795MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	61.25	68.20	-6.95	55.99	3	Vertical	356	1.80	-	31.81	5.90	32.45
PK	5.792G	124.56	Inf	-Inf	118.79	3	Vertical	356	1.80	-	32.28	5.90	32.41
AV	5.793G	112.41	Inf	-Inf	106.63	3	Vertical	356	1.80	-	32.29	5.90	32.41
PK	5.925G	65.42	68.20	-2.78	59.15	3	Vertical	356	1.80	-	32.60	6.03	32.36

802.11ax HEW40_Nss2,(MCS0)_3TX

5795MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59312G	57.88	74.00	-16.12	43.35	3	Vertical	209	2.49	-	39.91	9.26	34.64
AV	11.58904G	43.62	54.00	-10.38	29.09	3	Vertical	209	2.49	-	39.92	9.25	34.64

802.11ax HEW40_Nss2,(MCS0)_3TX

5795MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58624G	57.11	74.00	-16.89	42.57	3	Horizontal	319	1.25	-	39.93	9.25	34.64
AV	11.59252G	43.88	54.00	-10.12	29.35	3	Horizontal	319	1.25	-	39.91	9.26	34.64

802.11ax HEW80_Nss2,(MCS0)_3TX

5210MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.17	74.00	-9.83	59.18	3	Vertical	38	1.88	-	31.90	5.55	32.46
AV	5.15G	53.78	54.00	-0.22	48.79	3	Vertical	38	1.88	-	31.90	5.55	32.46
PK	5.211G	111.45	Inf	-Inf	106.55	3	Vertical	38	1.88	-	31.76	5.61	32.47
AV	5.208G	100.35	Inf	-Inf	95.44	3	Vertical	38	1.88	-	31.77	5.60	32.46
PK	5.394G	58.65	74.00	-15.35	53.96	3	Vertical	38	1.88	-	31.48	5.70	32.49
AV	5.37G	46.76	54.00	-7.24	42.17	3	Vertical	38	1.88	-	31.38	5.69	32.48

802.11ax HEW80_Nss2,(MCS0)_3TX

5210MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41986G	56.43	68.20	-11.77	42.40	3	Vertical	222	1.58	-	40.12	8.55	34.64

802.11ax HEW80_Nss2,(MCS0)_3TX

5210MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42456G	55.99	68.20	-12.21	41.97	3	Horizontal	245	2.53	-	40.12	8.55	34.65

802.11ax HEW80_Nss2,(MCS0)_3TX

5290MHz_TnomVnom




EUT_Z_3TX
Setting 31
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.043G	58.13	74.00	-15.87	53.25	3	Vertical	27	2.15	-	31.89	5.44	32.45
AV	5.086G	46.22	54.00	-7.78	41.21	3	Vertical	27	2.15	-	31.97	5.49	32.45
PK	5.286G	111.77	Inf	-Inf	107.14	3	Vertical	27	2.15	-	31.46	5.64	32.47
AV	5.288G	99.79	Inf	-Inf	95.17	3	Vertical	27	2.15	-	31.45	5.64	32.47
PK	5.35G	65.24	74.00	-8.76	60.74	3	Vertical	27	2.15	-	31.30	5.68	32.48
AV	5.35G	53.85	54.00	-0.15	49.35	3	Vertical	27	2.15	-	31.30	5.68	32.48
PK	5.463G	58.70	68.20	-9.50	53.69	3	Vertical	27	2.15	-	31.75	5.76	32.50

802.11ax HEW80_Nss2,(MCS0)_3TX

5290MHz_TnomVnom




EUT_Z_3TX
Setting 31
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.58374G	57.09	68.20	-11.11	43.01	3	Vertical	58	2.47	-	40.12	8.65	34.69

802.11ax HEW80_Nss2,(MCS0)_3TX

5290MHz_TnomVnom




EUT_Z_3TX
Setting 31
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58418G	56.51	68.20	-11.69	42.43	3	Horizontal	355	1.55	-	40.12	8.65	34.69

802.11ax HEW80_Nss2,(MCS0)_3TX

5530MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	58.04	68.20	-10.16	53.54	3	Vertical	22	1.80	-	31.31	5.67	32.48
PK	5.458G	62.41	74.00	-11.59	57.41	3	Vertical	22	1.80	-	31.73	5.76	32.49
AV	5.458G	51.53	54.00	-2.47	46.53	3	Vertical	22	1.80	-	31.73	5.76	32.49
PK	5.47G	65.27	68.20	-2.93	60.22	3	Vertical	22	1.80	-	31.78	5.77	32.50
PK	5.534G	114.54	Inf	-Inf	109.30	3	Vertical	22	1.80	-	31.90	5.83	32.49
AV	5.529G	103.38	Inf	-Inf	98.14	3	Vertical	22	1.80	-	31.90	5.83	32.49
PK	5.744G	59.33	68.20	-8.87	53.67	3	Vertical	22	1.80	-	32.18	5.90	32.42

802.11ax HEW80_Nss2,(MCS0)_3TX

5530MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0571G	56.90	74.00	-17.10	42.25	3	Vertical	29	1.25	-	40.37	8.93	34.65
AV	11.06172G	44.46	54.00	-9.54	29.82	3	Vertical	29	1.25	-	40.35	8.94	34.65

802.11ax HEW80_Nss2,(MCS0)_3TX

5530MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05578G	56.85	74.00	-17.15	42.19	3	Horizontal	295	2.56	-	40.38	8.93	34.65
AV	11.06486G	44.56	54.00	-9.44	29.93	3	Horizontal	295	2.56	-	40.34	8.94	34.65

802.11ax HEW80_Nss2,(MCS0)_3TX

5610MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	61.20	74.00	-12.80	56.24	3	Vertical	18	2.15	-	31.70	5.75	32.49
PK	5.466G	61.14	68.20	-7.06	56.11	3	Vertical	18	2.15	-	31.76	5.77	32.50
AV	5.46G	48.54	54.00	-5.46	43.54	3	Vertical	18	2.15	-	31.74	5.76	32.50
PK	5.614G	115.86	Inf	-Inf	110.55	3	Vertical	18	2.15	-	31.87	5.90	32.46
AV	5.612G	104.47	Inf	-Inf	99.15	3	Vertical	18	2.15	-	31.88	5.90	32.46
PK	5.728G	66.31	68.20	-1.89	60.73	3	Vertical	18	2.15	-	32.11	5.90	32.43

802.11ax HEW80_Nss2,(MCS0)_3TX

5610MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2167G	57.37	74.00	-16.63	43.08	3	Vertical	158	3.00	-	39.90	9.03	34.64
AV	11.21954G	44.39	54.00	-9.61	30.10	3	Vertical	158	3.00	-	39.90	9.03	34.64

802.11ax HEW80_Nss2,(MCS0)_3TX


5610MHz_TnomVnom



EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22098G	56.65	74.00	-17.35	42.36	3	Horizontal	157	1.20	-	39.90	9.03	34.64
AV	11.21666G	44.38	54.00	-9.62	30.09	3	Horizontal	157	1.20	-	39.90	9.03	34.64

802.11ax HEW80_Nss2,(MCS0)_3TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
 Setting 43
 06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.03	74.00	-13.97	55.04	3	Vertical	22	1.80	-	31.72	5.76	32.49
AV	5.449G	48.67	54.00	-5.33	43.71	3	Vertical	22	1.80	-	31.70	5.75	32.49
PK	5.464G	60.34	68.20	-7.86	55.32	3	Vertical	22	1.80	-	31.76	5.76	32.50
PK	5.691G	118.06	Inf	-Inf	112.64	3	Vertical	22	1.80	-	31.96	5.90	32.44
AV	5.692G	106.51	Inf	-Inf	101.08	3	Vertical	22	1.80	-	31.97	5.90	32.44
PK	5.851G	65.57	68.20	-2.63	59.70	3	Vertical	22	1.80	-	32.31	5.95	32.39

802.11ax HEW80_Nss2,(MCS0)_3TX

5690MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37758G	56.98	74.00	-17.02	42.42	3	Vertical	48	1.72	-	40.06	9.13	34.63
AV	11.37934G	44.49	54.00	-9.51	29.93	3	Vertical	48	1.72	-	40.06	9.13	34.63

802.11ax HEW80_Nss2,(MCS0)_3TX

5690MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38362G	56.63	74.00	-17.37	42.06	3	Horizontal	204	1.02	-	40.07	9.13	34.63
AV	11.37748G	44.59	54.00	-9.41	30.04	3	Horizontal	204	1.02	-	40.05	9.13	34.63

802.11ax HEW80_Nss2,(MCS0)_3TX

5775MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.52	68.20	-1.68	61.27	3	Vertical	20	1.80	-	31.80	5.90	32.45
PK	5.763G	118.19	Inf	-Inf	112.48	3	Vertical	20	1.80	-	32.23	5.90	32.42
AV	5.774G	107.32	Inf	-Inf	101.58	3	Vertical	20	1.80	-	32.25	5.90	32.41
PK	5.927G	64.80	68.20	-3.40	58.53	3	Vertical	20	1.80	-	32.60	6.03	32.36

802.11ax HEW80_Nss2,(MCS0)_3TX

5775MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55436G	56.78	74.00	-17.22	42.20	3	Vertical	238	2.78	-	39.99	9.23	34.64
AV	11.54636G	44.63	54.00	-9.37	30.02	3	Vertical	238	2.78	-	40.01	9.23	34.63

802.11ax HEW80_Nss2,(MCS0)_3TX

5775MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55098G	56.96	74.00	-17.04	42.37	3	Horizontal	326	2.26	-	40.00	9.23	34.64
AV	11.54758G	44.18	54.00	-9.82	29.58	3	Horizontal	326	2.26	-	40.00	9.23	34.63

802.11ax HEW160_Nss2,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_3TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	60.14	74.00	-13.86	55.11	3	Vertical	337	1.80	-	31.96	5.52	32.45
AV	5.146G	50.66	54.00	-3.34	45.66	3	Vertical	337	1.80	-	31.91	5.55	32.46
PK	5.2612G	107.38	Inf	-Inf	102.66	3	Vertical	337	1.80	-	31.56	5.63	32.47
AV	5.2564G	97.12	Inf	-Inf	92.39	3	Vertical	337	1.80	-	31.57	5.63	32.47
PK	5.35G	62.67	74.00	-11.33	58.17	3	Vertical	337	1.80	-	31.30	5.68	32.48
AV	5.35G	53.73	54.00	-0.27	49.23	3	Vertical	337	1.80	-	31.30	5.68	32.48
PK	5.4628G	58.59	68.20	-9.61	53.58	3	Vertical	337	1.80	-	31.75	5.76	32.50

802.11ax HEW160_Nss2,(MCS0)_3TX

5250MHz_TnomVnom




EUT_Z_3TX
Setting 30
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.50202G	56.02	68.20	-12.18	41.92	3	Vertical	130	2.81	-	40.20	8.60	34.70

802.11ax HEW160_Nss2,(MCS0)_3TX

5250MHz_TnomVnom




EUT_Z_3TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50298G	56.05	68.20	-12.15	41.95	3	Horizontal	113	1.75	-	40.20	8.60	34.70

802.11ax HEW160_Nss2,(MCS0)_3TX

5570MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2276G	59.36	68.20	-8.84	54.53	3	Vertical	18	2.27	-	31.69	5.61	32.47
PK	5.45G	63.42	74.00	-10.58	58.46	3	Vertical	18	2.27	-	31.70	5.75	32.49
AV	5.4484G	53.14	54.00	-0.86	48.19	3	Vertical	18	2.27	-	31.69	5.75	32.49
PK	5.466G	64.68	68.20	-3.52	59.65	3	Vertical	18	2.27	-	31.76	5.77	32.50
PK	5.5508G	110.06	Inf	-Inf	104.79	3	Vertical	18	2.27	-	31.90	5.85	32.48
AV	5.5588G	99.99	Inf	-Inf	94.71	3	Vertical	18	2.27	-	31.90	5.86	32.48
PK	5.7604G	61.88	68.20	-6.32	56.18	3	Vertical	18	2.27	-	32.22	5.90	32.42

802.11ax HEW160_Nss2,(MCS0)_3TX

5570MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13854G	57.38	74.00	-16.62	42.96	3	Vertical	158	1.56	-	40.08	8.98	34.64
AV	11.14406G	46.52	54.00	-7.48	32.10	3	Vertical	158	1.56	-	40.07	8.99	34.64

802.11ax HEW160_Nss2,(MCS0)_3TX

5570MHz_TnomVnom



EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13906G	56.75	74.00	-17.25	42.33	3	Horizontal	222	1.25	-	40.08	8.98	34.64
AV	11.13644G	46.42	54.00	-7.58	31.99	3	Horizontal	222	1.25	-	40.09	8.98	34.64




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_3TX	Pass	AV	5.35G	53.92	54.00	-0.08	3	Vertical	199	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.49	74.00	-5.51	63.50	3	Vertical	150.3	1.80	-	31.90	5.55	32.46
AV	5.15G	53.32	54.00	-0.68	48.33	3	Vertical	150.3	1.80	-	31.90	5.55	32.46
PK	5.1816G	125.42	Inf	-Inf	120.46	3	Vertical	150.3	1.80	-	31.84	5.58	32.46
AV	5.1816G	112.05	Inf	-Inf	107.09	3	Vertical	150.3	1.80	-	31.84	5.58	32.46

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35806G	56.40	68.20	-11.80	42.56	3	Vertical	27	2.65	-	39.93	8.51	34.60

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5180MHz_TnomVnom




EUT_Z_3TX
Setting 41
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35594G	55.96	68.20	-12.24	42.13	3	Horizontal	120	1.21	-	39.92	8.51	34.60

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	67.80	74.00	-6.20	62.80	3	Vertical	154.5	1.80	-	31.92	5.54	32.46
AV	5.1496G	52.49	54.00	-1.51	47.50	3	Vertical	154.5	1.80	-	31.90	5.55	32.46
PK	5.1988G	128.93	Inf	-Inf	123.99	3	Vertical	154.5	1.80	-	31.80	5.60	32.46
AV	5.1988G	115.46	Inf	-Inf	110.52	3	Vertical	154.5	1.80	-	31.80	5.60	32.46

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39592G	56.22	68.20	-11.98	42.23	3	Vertical	354	1.33	-	40.08	8.54	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5200MHz_TnomVnom




EUT_Z_3TX
Setting 45
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.40416G	56.03	68.20	-12.17	42.02	3	Horizontal	20	2.16	-	40.10	8.54	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	65.50	74.00	-8.50	60.50	3	Vertical	30	1.80	-	31.91	5.55	32.46
AV	5.0808G	51.59	54.00	-2.41	46.60	3	Vertical	30	1.80	-	31.96	5.48	32.45
PK	5.2416G	129.50	Inf	-Inf	124.72	3	Vertical	30	1.80	-	31.63	5.62	32.47
AV	5.2392G	119.06	Inf	-Inf	114.27	3	Vertical	30	1.80	-	31.64	5.62	32.47
PK	5.352G	64.75	74.00	-9.25	60.24	3	Vertical	30	1.80	-	31.31	5.68	32.48
AV	5.3992G	51.55	54.00	-2.45	46.84	3	Vertical	30	1.80	-	31.50	5.70	32.49

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48132G	65.18	68.20	-3.02	51.10	3	Vertical	165.1	1.80	-	40.18	8.59	34.69
PK	15.7224G	63.19	74.00	-10.81	49.84	3	Vertical	230	1.97	-	37.90	10.26	34.81
AV	15.7236G	49.52	54.00	-4.48	36.17	3	Vertical	230	1.97	-	37.90	10.26	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5240MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48366G	57.57	68.20	-10.63	43.49	3	Horizontal	198	1.80	-	40.18	8.59	34.69
PK	15.7185G	61.69	74.00	-12.31	48.34	3	Horizontal	225	1.93	-	37.90	10.26	34.81
AV	15.72402G	48.17	54.00	-5.83	34.82	3	Horizontal	225	1.93	-	37.90	10.26	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	60.62	74.00	-13.38	55.62	3	Vertical	30	1.80	-	31.92	5.54	32.46
AV	5.1412G	47.36	54.00	-6.64	42.36	3	Vertical	30	1.80	-	31.92	5.54	32.46
PK	5.2588G	128.19	Inf	-Inf	123.47	3	Vertical	30	1.80	-	31.56	5.63	32.47
AV	5.2588G	117.02	Inf	-Inf	112.30	3	Vertical	30	1.80	-	31.56	5.63	32.47
PK	5.3572G	62.54	74.00	-11.46	58.01	3	Vertical	30	1.80	-	31.33	5.68	32.48
AV	5.35G	48.75	54.00	-5.25	44.25	3	Vertical	30	1.80	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51978G	55.95	68.20	-12.25	41.86	3	Vertical	66	1.84	-	40.18	8.61	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5260MHz_TnomVnom




EUT_Z_3TX
Setting 47
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52302G	55.82	68.20	-12.38	41.73	3	Horizontal	118	2.94	-	40.18	8.61	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 46
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	127.12	Inf	-Inf	122.55	3	Vertical	337	1.80	-	31.40	5.65	32.48
AV	5.2984G	114.22	Inf	-Inf	109.64	3	Vertical	337	1.80	-	31.41	5.65	32.48
PK	5.3568G	66.73	74.00	-7.27	62.20	3	Vertical	337	1.80	-	31.33	5.68	32.48
AV	5.35G	51.61	54.00	-2.39	47.11	3	Vertical	337	1.80	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 46
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5985G	56.65	68.20	-11.55	42.58	3	Vertical	344	1.18	-	40.10	8.66	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5300MHz_TnomVnom




EUT_Z_3TX
Setting 46
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59044G	57.14	68.20	-11.06	43.07	3	Horizontal	36	2.58	-	40.11	8.65	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	127.26	Inf	-Inf	122.73	3	Vertical	24	1.80	-	31.35	5.66	32.48
AV	5.3208G	114.60	Inf	-Inf	110.06	3	Vertical	24	1.80	-	31.36	5.66	32.48
PK	5.3636G	68.49	74.00	-5.51	63.94	3	Vertical	24	1.80	-	31.35	5.68	32.48
AV	5.35G	53.37	54.00	-0.63	48.87	3	Vertical	24	1.80	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6418G	56.91	74.00	-17.09	42.81	3	Vertical	130	1.72	-	40.10	8.69	34.69
AV	10.6436G	42.80	54.00	-11.20	28.70	3	Vertical	130	1.72	-	40.10	8.69	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5320MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64394G	56.28	74.00	-17.72	42.18	3	Horizontal	263	2.16	-	40.10	8.69	34.69
AV	10.63772G	42.92	54.00	-11.08	28.83	3	Horizontal	263	2.16	-	40.10	8.68	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.21	74.00	-12.79	56.21	3	Vertical	22	1.80	-	31.74	5.76	32.50
AV	5.4596G	47.97	54.00	-6.03	42.97	3	Vertical	22	1.80	-	31.74	5.76	32.50
PK	5.4676G	65.23	68.20	-2.97	60.19	3	Vertical	22	1.80	-	31.77	5.77	32.50
PK	5.5024G	125.27	Inf	-Inf	120.07	3	Vertical	22	1.80	-	31.90	5.80	32.50
AV	5.5008G	113.44	Inf	-Inf	108.24	3	Vertical	22	1.80	-	31.90	5.80	32.50

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00274G	57.12	74.00	-16.88	42.28	3	Vertical	302	1.30	-	40.59	8.90	34.65
AV	10.997G	43.36	54.00	-10.64	28.51	3	Vertical	302	1.30	-	40.60	8.90	34.65

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5500MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99934G	57.66	74.00	-16.34	42.81	3	Horizontal	14	1.08	-	40.60	8.90	34.65
AV	10.9969G	43.44	54.00	-10.56	28.59	3	Horizontal	14	1.08	-	40.60	8.90	34.65

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.69	74.00	-13.31	55.70	3	Vertical	49	1.80	-	31.73	5.76	32.50
AV	5.4224G	48.54	54.00	-5.46	43.72	3	Vertical	49	1.80	-	31.59	5.72	32.49
PK	5.4624G	63.87	68.20	-4.33	58.86	3	Vertical	49	1.80	-	31.75	5.76	32.50
PK	5.5792G	125.51	Inf	-Inf	120.20	3	Vertical	49	1.80	-	31.90	5.88	32.47
AV	5.5816G	114.64	Inf	-Inf	109.33	3	Vertical	49	1.80	-	31.90	5.88	32.47
PK	5.7408G	60.80	68.20	-7.40	55.16	3	Vertical	49	1.80	-	32.16	5.90	32.42

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16322G	57.06	74.00	-16.94	42.69	3	Vertical	307	2.47	-	40.01	9.00	34.64
AV	11.15862G	43.27	54.00	-10.73	28.89	3	Vertical	307	2.47	-	40.02	9.00	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TnomVnom




EUT_Z_3TX
Setting 49
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1607G	57.22	74.00	-16.78	42.84	3	Horizontal	99	2.13	-	40.02	9.00	34.64
AV	11.16486G	43.15	54.00	-10.85	28.78	3	Horizontal	99	2.13	-	40.01	9.00	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	124.43	Inf	-Inf	118.97	3	Vertical	19	1.90	-	32.00	5.90	32.44
AV	5.6992G	113.03	Inf	-Inf	107.57	3	Vertical	19	1.90	-	32.00	5.90	32.44
PK	5.7256G	66.93	68.20	-1.27	61.36	3	Vertical	19	1.90	-	32.10	5.90	32.43

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3955G	57.15	74.00	-16.85	42.55	3	Vertical	3	1.82	-	40.09	9.14	34.63
AV	11.39992G	43.26	54.00	-10.74	28.65	3	Vertical	3	1.82	-	40.10	9.14	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40308G	56.74	74.00	-17.26	42.13	3	Horizontal	205	2.25	-	40.10	9.14	34.63
AV	11.39984G	43.21	54.00	-10.79	28.60	3	Horizontal	205	2.25	-	40.10	9.14	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	128.08	Inf	-Inf	122.53	3	Vertical	351.4	1.80	-	32.08	5.90	32.43
AV	5.7216G	116.15	Inf	-Inf	110.59	3	Vertical	351.4	1.80	-	32.09	5.90	32.43
PK	5.884G	62.57	68.20	-5.63	56.47	3	Vertical	351.4	1.80	-	32.50	5.98	32.38

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44188G	56.68	74.00	-17.32	42.04	3	Vertical	246	2.92	-	40.10	9.17	34.63
AV	11.4411G	43.24	54.00	-10.76	28.61	3	Vertical	246	2.92	-	40.10	9.16	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43962G	56.68	74.00	-17.32	42.05	3	Horizontal	220	2.29	-	40.10	9.16	34.63
AV	11.4362G	43.27	54.00	-10.73	28.64	3	Horizontal	220	2.29	-	40.10	9.16	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.87	68.20	-2.33	60.62	3	Vertical	20.2	1.80	-	31.80	5.90	32.45
PK	5.746G	129.87	Inf	-Inf	124.21	3	Vertical	20.2	1.80	-	32.18	5.90	32.42
AV	5.746G	118.09	Inf	-Inf	112.43	3	Vertical	20.2	1.80	-	32.18	5.90	32.42
PK	5.985G	60.73	68.20	-7.47	54.46	3	Vertical	20.2	1.80	-	32.53	6.08	32.34

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49316G	56.14	74.00	-17.86	41.47	3	Vertical	275	2.87	-	40.10	9.20	34.63
AV	11.4914G	43.05	54.00	-10.95	28.39	3	Vertical	275	2.87	-	40.10	9.19	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49496G	57.90	74.00	-16.10	43.23	3	Horizontal	229	2.92	-	40.10	9.20	34.63
AV	11.48934G	43.07	54.00	-10.93	28.41	3	Horizontal	229	2.92	-	40.10	9.19	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	64.25	68.20	-3.95	58.95	3	Vertical	26	1.74	-	31.86	5.90	32.46
PK	5.784G	130.06	Inf	-Inf	124.30	3	Vertical	26	1.74	-	32.27	5.90	32.41
AV	5.784G	118.29	Inf	-Inf	112.53	3	Vertical	26	1.74	-	32.27	5.90	32.41
PK	5.946G	63.15	68.20	-5.05	56.86	3	Vertical	26	1.74	-	32.60	6.05	32.36

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5729G	57.51	74.00	-16.49	42.96	3	Vertical	227	1.09	-	39.95	9.24	34.64
AV	11.57054G	42.93	54.00	-11.07	28.37	3	Vertical	227	1.09	-	39.96	9.24	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56782G	56.56	74.00	-17.44	42.00	3	Horizontal	113	2.02	-	39.96	9.24	34.64
AV	11.56756G	42.99	54.00	-11.01	28.43	3	Horizontal	113	2.02	-	39.96	9.24	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	61.24	68.20	-6.96	55.92	3	Vertical	11	1.96	-	31.90	5.89	32.47
PK	5.824G	130.34	Inf	-Inf	124.52	3	Vertical	11	1.96	-	32.30	5.92	32.40
AV	5.826G	118.92	Inf	-Inf	113.09	3	Vertical	11	1.96	-	32.30	5.93	32.40
PK	5.921G	66.38	71.16	-4.78	60.13	3	Vertical	11	1.96	-	32.60	6.02	32.37

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64546G	57.19	74.00	-16.81	42.91	3	Vertical	102	3.00	-	39.63	9.29	34.64
AV	11.6493G	43.06	54.00	-10.94	28.81	3	Vertical	102	3.00	-	39.60	9.29	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64632G	56.74	74.00	-17.26	42.47	3	Horizontal	231	2.99	-	39.62	9.29	34.64
AV	11.65434G	43.00	54.00	-11.00	28.79	3	Horizontal	231	2.99	-	39.57	9.29	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.34	74.00	-7.66	61.35	3	Vertical	155	1.80	-	31.90	5.55	32.46
AV	5.15G	52.99	54.00	-1.01	48.00	3	Vertical	155	1.80	-	31.90	5.55	32.46
PK	5.1884G	122.85	Inf	-Inf	117.90	3	Vertical	155	1.80	-	31.82	5.59	32.46
AV	5.1888G	109.43	Inf	-Inf	104.48	3	Vertical	155	1.80	-	31.82	5.59	32.46

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37966G	55.63	68.20	-12.57	41.70	3	Vertical	346	2.42	-	40.02	8.53	34.62

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38184G	55.83	68.20	-12.37	41.89	3	Horizontal	158	1.88	-	40.03	8.53	34.62

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.31	74.00	-3.69	65.32	3	Vertical	29	1.80	-	31.90	5.55	32.46
AV	5.15G	53.07	54.00	-0.93	48.08	3	Vertical	29	1.80	-	31.90	5.55	32.46
PK	5.2324G	125.07	Inf	-Inf	120.25	3	Vertical	29	1.80	-	31.67	5.62	32.47
AV	5.2288G	112.50	Inf	-Inf	107.68	3	Vertical	29	1.80	-	31.68	5.61	32.47

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.45874G	56.01	68.20	-12.19	41.94	3	Vertical	230	2.93	-	40.16	8.58	34.67

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.45626G	55.93	68.20	-12.27	41.87	3	Horizontal	92	1.47	-	40.16	8.57	34.67

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TnomVnom




EUT_Z_3TX
Setting 46
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	61.27	74.00	-12.73	56.26	3	Vertical	204.2	1.80	-	31.94	5.53	32.46
AV	5.15G	47.59	54.00	-6.41	42.60	3	Vertical	204.2	1.80	-	31.90	5.55	32.46
PK	5.2742G	124.56	Inf	-Inf	119.89	3	Vertical	204.2	1.80	-	31.50	5.64	32.47
AV	5.2724G	113.80	Inf	-Inf	109.12	3	Vertical	204.2	1.80	-	31.51	5.64	32.47
PK	5.363G	73.21	74.00	-0.79	68.66	3	Vertical	204.2	1.80	-	31.35	5.68	32.48
AV	5.35G	53.50	54.00	-0.50	49.00	3	Vertical	204.2	1.80	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TnomVnom




EUT_Z_3TX
Setting 46
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53926G	56.80	68.20	-11.40	42.72	3	Vertical	60	3.00	-	40.16	8.62	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TnomVnom




EUT_Z_3TX
Setting 46
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54116G	56.50	68.20	-11.70	42.42	3	Horizontal	177	2.30	-	40.16	8.62	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	121.44	Inf	-Inf	116.89	3	Vertical	329	2.48	-	31.37	5.66	32.48
AV	5.3118G	108.64	Inf	-Inf	104.08	3	Vertical	329	2.48	-	31.38	5.66	32.48
PK	5.35G	65.13	74.00	-8.87	60.63	3	Vertical	329	2.48	-	31.30	5.68	32.48
AV	5.35G	53.33	54.00	-0.67	48.83	3	Vertical	329	2.48	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6248G	56.56	74.00	-17.44	42.48	3	Vertical	13	2.20	-	40.10	8.67	34.69
AV	10.62094G	43.37	54.00	-10.63	29.29	3	Vertical	13	2.20	-	40.10	8.67	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6243G	56.47	74.00	-17.53	42.39	3	Horizontal	356	1.28	-	40.10	8.67	34.69
AV	10.61554G	43.32	54.00	-10.68	29.24	3	Horizontal	356	1.28	-	40.10	8.67	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3372G	58.16	68.20	-10.04	53.64	3	Vertical	16	1.80	-	31.33	5.67	32.48
PK	5.4596G	67.84	74.00	-6.16	62.84	3	Vertical	16	1.80	-	31.74	5.76	32.50
AV	5.458G	48.62	54.00	-5.38	43.62	3	Vertical	16	1.80	-	31.73	5.76	32.49
PK	5.47G	67.63	68.20	-0.57	62.58	3	Vertical	16	1.80	-	31.78	5.77	32.50
PK	5.5052G	121.71	Inf	-Inf	116.50	3	Vertical	16	1.80	-	31.90	5.81	32.50
AV	5.5052G	110.15	Inf	-Inf	104.94	3	Vertical	16	1.80	-	31.90	5.81	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02394G	56.73	74.00	-17.27	41.97	3	Vertical	330	1.87	-	40.50	8.91	34.65
AV	11.01678G	43.57	54.00	-10.43	28.78	3	Vertical	330	1.87	-	40.53	8.91	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TnomVnom




EUT_Z_3TX
Setting 40
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01596G	56.57	74.00	-17.43	41.77	3	Horizontal	266	1.74	-	40.54	8.91	34.65
AV	11.02082G	43.73	54.00	-10.27	28.95	3	Horizontal	266	1.74	-	40.52	8.91	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.95	74.00	-8.05	60.95	3	Vertical	17	1.77	-	31.73	5.76	32.49
AV	5.46G	49.92	54.00	-4.08	44.92	3	Vertical	17	1.77	-	31.74	5.76	32.50
PK	5.47G	66.09	68.20	-2.11	61.04	3	Vertical	17	1.77	-	31.78	5.77	32.50
PK	5.5458G	124.12	Inf	-Inf	118.86	3	Vertical	17	1.77	-	31.90	5.85	32.49
AV	5.5482G	111.73	Inf	-Inf	106.46	3	Vertical	17	1.77	-	31.90	5.85	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1001G	57.76	74.00	-16.24	43.25	3	Vertical	61	1.04	-	40.20	8.96	34.65
AV	11.1019G	43.76	54.00	-10.24	29.26	3	Vertical	61	1.04	-	40.19	8.96	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09688G	57.01	74.00	-16.99	42.49	3	Horizontal	98	1.69	-	40.21	8.96	34.65
AV	11.10286G	43.75	54.00	-10.25	29.25	3	Horizontal	98	1.69	-	40.19	8.96	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6556G	119.87	Inf	-Inf	114.60	3	Vertical	18.9	1.80	-	31.82	5.90	32.45
AV	5.6562G	107.51	Inf	-Inf	102.24	3	Vertical	18.9	1.80	-	31.82	5.90	32.45
PK	5.7258G	68.10	68.20	-0.10	62.53	3	Vertical	18.9	1.80	-	32.10	5.90	32.43

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33572G	57.09	74.00	-16.91	42.66	3	Vertical	242	1.77	-	39.97	9.10	34.64
AV	11.33774G	43.64	54.00	-10.36	29.20	3	Vertical	242	1.77	-	39.98	9.10	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TnomVnom




EUT_Z_3TX
Setting 42
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33778G	56.81	74.00	-17.19	42.37	3	Horizontal	288	1.55	-	39.98	9.10	34.64
AV	11.33638G	43.56	54.00	-10.44	29.13	3	Horizontal	288	1.55	-	39.97	9.10	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
Setting 50
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	123.86	Inf	-Inf	118.36	3	Vertical	227.7	1.80	-	32.03	5.90	32.43
AV	5.7068G	112.47	Inf	-Inf	106.97	3	Vertical	227.7	1.80	-	32.03	5.90	32.43
PK	5.8572G	64.71	68.20	-3.49	58.80	3	Vertical	227.7	1.80	-	32.34	5.96	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz_TnomVnom




EUT_Z_3TX
Setting 50
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41576G	56.69	74.00	-17.31	42.07	3	Vertical	294	2.08	-	40.10	9.15	34.63
AV	11.42208G	43.79	54.00	-10.21	29.17	3	Vertical	294	2.08	-	40.10	9.15	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz_TnomVnom




EUT_Z_3TX
Setting 50
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4187G	56.95	74.00	-17.05	42.33	3	Horizontal	127	2.87	-	40.10	9.15	34.63
AV	11.42486G	43.74	54.00	-10.26	29.12	3	Horizontal	127	2.87	-	40.10	9.15	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.13	68.94	-1.81	61.88	3	Vertical	23	1.83	-	31.80	5.90	32.45
PK	5.762G	127.38	Inf	-Inf	121.68	3	Vertical	23	1.83	-	32.22	5.90	32.42
AV	5.764G	114.95	Inf	-Inf	109.24	3	Vertical	23	1.83	-	32.23	5.90	32.42
PK	5.926G	61.68	68.20	-6.52	55.41	3	Vertical	23	1.83	-	32.60	6.03	32.36

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5121G	56.44	74.00	-17.56	41.78	3	Vertical	360	2.57	-	40.08	9.21	34.63
AV	11.51178G	43.49	54.00	-10.51	28.83	3	Vertical	360	2.57	-	40.08	9.21	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5065G	56.72	74.00	-17.28	42.06	3	Horizontal	234	2.16	-	40.09	9.20	34.63
AV	11.50508G	43.22	54.00	-10.78	28.56	3	Horizontal	234	2.16	-	40.09	9.20	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	62.36	68.94	-6.58	57.11	3	Vertical	95.9	1.80	-	31.80	5.90	32.45
PK	5.789G	124.59	Inf	-Inf	118.82	3	Vertical	95.9	1.80	-	32.28	5.90	32.41
AV	5.791G	112.56	Inf	-Inf	106.79	3	Vertical	95.9	1.80	-	32.28	5.90	32.41
PK	5.93G	65.33	68.20	-2.87	59.06	3	Vertical	95.9	1.80	-	32.60	6.03	32.36

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59132G	56.32	74.00	-17.68	41.79	3	Vertical	79	2.28	-	39.92	9.25	34.64
AV	11.59014G	43.30	54.00	-10.70	28.77	3	Vertical	79	2.28	-	39.92	9.25	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TnomVnom




EUT_Z_3TX
Setting 48
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59276G	56.76	74.00	-17.24	42.23	3	Horizontal	52	2.35	-	39.91	9.26	34.64
AV	11.5924G	43.51	54.00	-10.49	28.97	3	Horizontal	52	2.35	-	39.92	9.26	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.52	74.00	-9.48	59.53	3	Vertical	26	2.04	-	31.90	5.55	32.46
AV	5.15G	53.75	54.00	-0.25	48.76	3	Vertical	26	2.04	-	31.90	5.55	32.46
PK	5.2112G	115.06	Inf	-Inf	110.16	3	Vertical	26	2.04	-	31.76	5.61	32.47
AV	5.2088G	104.97	Inf	-Inf	100.08	3	Vertical	26	2.04	-	31.76	5.60	32.47
PK	5.4104G	58.67	74.00	-15.33	53.91	3	Vertical	26	2.04	-	31.54	5.71	32.49
AV	5.3684G	47.20	54.00	-6.80	42.63	3	Vertical	26	2.04	-	31.37	5.68	32.48
PK	5.4896G	58.00	68.20	-10.20	52.85	3	Vertical	26	2.04	-	31.86	5.79	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42016G	56.34	68.20	-11.86	42.31	3	Vertical	204	1.26	-	40.12	8.55	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42256G	56.29	68.20	-11.91	42.27	3	Horizontal	204	2.23	-	40.12	8.55	34.65

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TnomVnom




EUT_Z_3TX
Setting 33
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	57.64	74.00	-16.36	52.63	3	Vertical	199	1.80	-	31.94	5.53	32.46
AV	5.1316G	46.10	54.00	-7.90	41.09	3	Vertical	199	1.80	-	31.94	5.53	32.46
PK	5.2876G	113.14	Inf	-Inf	108.52	3	Vertical	199	1.80	-	31.45	5.64	32.47
AV	5.2932G	101.17	Inf	-Inf	96.57	3	Vertical	199	1.80	-	31.43	5.65	32.48
PK	5.35G	64.85	74.00	-9.15	60.35	3	Vertical	199	1.80	-	31.30	5.68	32.48
AV	5.35G	53.92	54.00	-0.08	49.42	3	Vertical	199	1.80	-	31.30	5.68	32.48
PK	5.4684G	57.53	68.20	-10.67	52.49	3	Vertical	199	1.80	-	31.77	5.77	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TnomVnom




EUT_Z_3TX
Setting 33
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58048G	56.98	68.20	-11.22	42.90	3	Vertical	94	2.41	-	40.12	8.65	34.69

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TnomVnom




EUT_Z_3TX
Setting 33
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.5787G	56.55	68.20	-11.65	42.47	3	Horizontal	109	2.41	-	40.12	8.65	34.69

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	58.95	68.20	-9.25	54.45	3	Vertical	26	1.80	-	31.31	5.67	32.48
PK	5.458G	64.95	74.00	-9.05	59.95	3	Vertical	26	1.80	-	31.73	5.76	32.49
AV	5.4572G	53.78	54.00	-0.22	48.78	3	Vertical	26	1.80	-	31.73	5.76	32.49
PK	5.47G	66.73	68.20	-1.47	61.68	3	Vertical	26	1.80	-	31.78	5.77	32.50
PK	5.5348G	116.24	Inf	-Inf	111.00	3	Vertical	26	1.80	-	31.90	5.83	32.49
AV	5.5332G	104.70	Inf	-Inf	99.46	3	Vertical	26	1.80	-	31.90	5.83	32.49
PK	5.7268G	57.55	68.20	-10.65	51.97	3	Vertical	26	1.80	-	32.11	5.90	32.43

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05868G	56.76	74.00	-17.24	42.10	3	Vertical	13	1.62	-	40.37	8.94	34.65
AV	11.05534G	44.66	54.00	-9.34	30.00	3	Vertical	13	1.62	-	40.38	8.93	34.65

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TnomVnom




EUT_Z_3TX
Setting 38
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06498G	57.35	74.00	-16.65	42.72	3	Horizontal	302	1.36	-	40.34	8.94	34.65
AV	11.06208G	44.44	54.00	-9.56	29.80	3	Horizontal	302	1.36	-	40.35	8.94	34.65

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.10	74.00	-10.90	58.12	3	Vertical	5	2.06	-	31.72	5.75	32.49
AV	5.4428G	48.15	54.00	-5.85	43.23	3	Vertical	5	2.06	-	31.67	5.74	32.49
PK	5.47G	60.19	68.20	-8.01	55.14	3	Vertical	5	2.06	-	31.78	5.77	32.50
PK	5.5972G	119.47	Inf	-Inf	114.14	3	Vertical	5	2.06	-	31.90	5.90	32.47
AV	5.6004G	107.02	Inf	-Inf	101.69	3	Vertical	5	2.06	-	31.90	5.90	32.47
PK	5.7348G	66.63	68.20	-1.57	61.01	3	Vertical	5	2.06	-	32.14	5.90	32.42

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22066G	57.35	74.00	-16.65	43.06	3	Vertical	351	2.12	-	39.90	9.03	34.64
AV	11.2179G	44.32	54.00	-9.68	30.03	3	Vertical	351	2.12	-	39.90	9.03	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TnomVnom




EUT_Z_3TX
Setting 39
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21996G	57.53	74.00	-16.47	43.24	3	Horizontal	135	1.76	-	39.90	9.03	34.64
AV	11.22038G	44.64	54.00	-9.36	30.35	3	Horizontal	135	1.76	-	39.90	9.03	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	119.56	Inf	-Inf	114.13	3	Vertical	0	2.02	-	31.97	5.90	32.44
AV	5.6924G	108.09	Inf	-Inf	102.66	3	Vertical	0	2.02	-	31.97	5.90	32.44
PK	5.8508G	66.00	68.20	-2.20	60.14	3	Vertical	0	2.02	-	32.30	5.95	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37618G	56.93	74.00	-17.07	42.38	3	Vertical	273	1.01	-	40.05	9.13	34.63
AV	11.3806G	44.55	54.00	-9.45	29.99	3	Vertical	273	1.01	-	40.06	9.13	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz_TnomVnom




EUT_Z_3TX
Setting 43
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37512G	57.13	74.00	-16.87	42.58	3	Horizontal	303	1.30	-	40.05	9.13	34.63
AV	11.38158G	44.51	54.00	-9.49	29.95	3	Horizontal	303	1.30	-	40.06	9.13	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.54	68.20	-1.66	61.28	3	Vertical	15	2.00	-	31.81	5.90	32.45
PK	5.768G	121.59	Inf	-Inf	115.86	3	Vertical	15	2.00	-	32.24	5.90	32.41
AV	5.769G	109.75	Inf	-Inf	104.02	3	Vertical	15	2.00	-	32.24	5.90	32.41
PK	5.929G	66.17	68.20	-2.03	59.90	3	Vertical	15	2.00	-	32.60	6.03	32.36

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5458G	56.22	74.00	-17.78	41.61	3	Vertical	104	2.90	-	40.01	9.23	34.63
AV	11.55344G	44.26	54.00	-9.74	29.68	3	Vertical	104	2.90	-	39.99	9.23	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TnomVnom




EUT_Z_3TX
Setting 44
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55434G	56.70	74.00	-17.30	42.12	3	Horizontal	221	2.03	-	39.99	9.23	34.64
AV	11.5473G	44.25	54.00	-9.75	29.64	3	Horizontal	221	2.03	-	40.01	9.23	34.63

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_3TX
Setting 29
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	61.76	74.00	-12.24	56.75	3	Vertical	336	1.80	-	31.94	5.53	32.46
AV	5.146G	50.93	54.00	-3.07	45.93	3	Vertical	336	1.80	-	31.91	5.55	32.46
PK	5.226G	108.94	Inf	-Inf	104.10	3	Vertical	336	1.80	-	31.70	5.61	32.47
AV	5.2564G	98.44	Inf	-Inf	93.71	3	Vertical	336	1.80	-	31.57	5.63	32.47
PK	5.35G	63.40	74.00	-10.60	58.90	3	Vertical	336	1.80	-	31.30	5.68	32.48
AV	5.35G	53.34	54.00	-0.66	48.84	3	Vertical	336	1.80	-	31.30	5.68	32.48
PK	5.6484G	57.93	68.20	-10.27	52.68	3	Vertical	336	1.80	-	31.80	5.90	32.45

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz_TnomVnom




EUT_Z_3TX
Setting 29
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50324G	55.93	68.20	-12.27	41.83	3	Vertical	164	2.37	-	40.20	8.60	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz_TnomVnom




EUT_Z_3TX
Setting 29
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49734G	56.79	68.20	-11.41	42.69	3	Horizontal	31	2.44	-	40.20	8.60	34.70

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	60.36	68.20	-7.84	55.83	3	Vertical	20	2.06	-	31.34	5.67	32.48
PK	5.4468G	64.46	74.00	-9.54	59.51	3	Vertical	20	2.06	-	31.69	5.75	32.49
AV	5.4484G	53.20	54.00	-0.80	48.25	3	Vertical	20	2.06	-	31.69	5.75	32.49
PK	5.466G	65.56	68.20	-2.64	60.53	3	Vertical	20	2.06	-	31.76	5.77	32.50
PK	5.5572G	115.66	Inf	-Inf	110.38	3	Vertical	20	2.06	-	31.90	5.86	32.48
AV	5.5556G	104.17	Inf	-Inf	98.89	3	Vertical	20	2.06	-	31.90	5.86	32.48
PK	5.7764G	64.64	68.20	-3.56	58.90	3	Vertical	20	2.06	-	32.25	5.90	32.41

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TnomVnom




EUT_Z_3TX
Setting 37
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13606G	57.60	74.00	-16.40	43.17	3	Vertical	9	2.02	-	40.09	8.98	34.64
AV	11.14488G	44.78	54.00	-9.22	30.36	3	Vertical	9	2.02	-	40.07	8.99	34.64

802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TnomVnom



EUT_Z_3TX
Setting 37
06-E-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13942G	56.46	74.00	-17.54	42.04	3	Horizontal	32	2.95	-	40.08	8.98	34.64
AV	11.13522G	44.62	54.00	-9.38	30.19	3	Horizontal	32	2.95	-	40.09	8.98	34.64



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.71982G	39.00	54.00	-15.00	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71229G	48.45	74.00	-25.55	-7.80	3	Vertical	172	1.62	-	56.25	24.90	3.71	36.41
AV	1.71982G	38.86	54.00	-15.14	-7.73	3	Vertical	172	1.62	"Worst"	46.59	24.96	3.72	36.41

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72003G	49.01	74.00	-24.99	-7.73	3	Horizontal	265	1.57	-	56.74	24.96	3.72	36.41
AV	1.71982G	39.00	54.00	-15.00	-7.73	3	Horizontal	265	1.57	"Worst"	46.73	24.96	3.72	36.41