


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT X_4TX
Setting 105
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75432G	52.90	74.00	-21.10	38.69	3	Horizontal	0	2.23	-	39.50	8.00	33.29
AV	11.7468G	39.14	54.00	-14.86	24.92	3	Horizontal	0	2.23	-	39.50	8.00	33.28
PK	17.62792G	62.86	88.20	-25.34	40.11	3	Horizontal	155	2.40	-	45.12	10.81	33.18

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT_X_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.84	68.20	-6.36	54.58	3	Vertical	108	2.99	-	33.80	5.60	32.14
PK	5.819G	118.96	Inf	-Inf	111.69	3	Vertical	108	2.99	-	33.80	5.62	32.15
AV	5.864G	105.84	Inf	-Inf	98.45	3	Vertical	108	2.99	-	33.88	5.66	32.15
PK	5.925G	87.19	88.20	-1.01	79.47	3	Vertical	108	2.99	-	34.15	5.73	32.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT_X_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.19	68.20	-6.01	54.92	3	Horizontal	348	1.48	-	33.81	5.60	32.14
PK	5.867G	117.83	Inf	-Inf	110.41	3	Horizontal	348	1.48	-	33.90	5.67	32.15
AV	5.871G	105.96	Inf	-Inf	98.51	3	Horizontal	348	1.48	-	33.93	5.67	32.15
PK	5.925G	87.24	88.20	-0.96	79.52	3	Horizontal	348	1.48	-	34.15	5.73	32.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT X_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70768G	52.97	74.00	-21.03	38.76	3	Vertical	138	2.13	-	39.50	7.98	33.27
AV	11.71288G	39.09	54.00	-14.91	24.88	3	Vertical	138	2.13	-	39.50	7.99	33.28
PK	17.5673G	61.94	88.20	-26.26	39.67	3	Vertical	163	1.95	-	44.57	10.78	33.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TnomVnom




EUT X_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71308G	53.15	74.00	-20.85	38.94	3	Horizontal	347	1.03	-	39.50	7.99	33.28
AV	11.7061G	39.03	54.00	-14.97	24.82	3	Horizontal	347	1.03	-	39.50	7.98	33.27
PK	17.5689G	61.82	88.20	-26.38	39.53	3	Horizontal	195	1.25	-	44.59	10.78	33.08

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT_X_4TX
Setting 80
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5486G	68.10	68.20	-0.10	60.68	3	Vertical	38	2.31	-	34.00	5.55	32.13
PK	5.8102G	109.18	Inf	-Inf	101.92	3	Vertical	38	2.31	-	33.80	5.61	32.15
AV	5.8042G	96.41	Inf	-Inf	89.16	3	Vertical	38	2.31	-	33.80	5.60	32.15
PK	5.9614G	73.81	88.20	-14.39	66.01	3	Vertical	38	2.31	-	34.20	5.76	32.16

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT_X_4TX
Setting 80
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6026G	67.04	68.20	-1.16	59.69	3	Horizontal	352	1.18	-	33.89	5.60	32.14
PK	5.7826G	112.66	Inf	-Inf	105.41	3	Horizontal	352	1.18	-	33.80	5.60	32.15
AV	5.7838G	100.02	Inf	-Inf	92.77	3	Horizontal	352	1.18	-	33.80	5.60	32.15
PK	5.9434G	75.66	88.20	-12.54	67.89	3	Horizontal	352	1.18	-	34.19	5.74	32.16

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom




EUT X_4TX
Setting 80
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63272G	53.34	74.00	-20.66	39.27	3	Vertical	43	1.46	-	39.37	7.95	33.25
AV	11.62566G	39.08	54.00	-14.92	25.03	3	Vertical	43	1.46	-	39.35	7.95	33.25
PK	17.44914G	61.19	88.20	-27.01	40.01	3	Vertical	33	2.66	-	43.49	10.72	33.03

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TnomVnom



EUT X_4TX
Setting 80
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63076G	53.48	74.00	-20.52	39.42	3	Horizontal	328	2.53	-	39.36	7.95	33.25
AV	11.63108G	39.04	54.00	-14.96	24.98	3	Horizontal	328	2.53	-	39.36	7.95	33.25
PK	17.44338G	60.66	88.20	-27.54	39.52	3	Horizontal	277	1.61	-	43.45	10.72	33.03




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	PK	5.953G	87.50	88.20	-0.70	3	Vertical	116	1.45	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	62.85	68.20	-5.35	55.58	3	Vertical	241	1.72	-	33.81	5.60	32.14
PK	5.844G	124.50	Inf	-Inf	117.21	3	Vertical	241	1.72	-	33.80	5.64	32.15
AV	5.841G	113.11	Inf	-Inf	105.82	3	Vertical	241	1.72	-	33.80	5.64	32.15
PK	5.935G	62.23	88.20	-25.97	54.48	3	Vertical	241	1.72	-	34.17	5.74	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.32	68.20	-9.88	51.04	3	Horizontal	331	2.66	-	33.82	5.60	32.14
PK	5.852G	116.80	Inf	-Inf	109.49	3	Horizontal	331	2.66	-	33.81	5.65	32.15
AV	5.852G	104.43	Inf	-Inf	97.12	3	Horizontal	331	2.66	-	33.81	5.65	32.15
PK	6.015G	58.31	88.20	-29.89	50.44	3	Horizontal	331	2.66	-	34.23	5.80	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68672G	53.00	74.00	-21.00	38.83	3	Vertical	333	1.12	-	39.47	7.97	33.27
AV	11.69322G	39.16	54.00	-14.84	24.96	3	Vertical	333	1.12	-	39.49	7.98	33.27
PK	17.53632G	61.31	88.20	-26.89	39.31	3	Vertical	82	2.12	-	44.26	10.77	33.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5845MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69446G	52.88	74.00	-21.12	38.68	3	Horizontal	72	2.45	-	39.49	7.98	33.27
AV	11.68778G	39.13	54.00	-14.87	24.94	3	Horizontal	72	2.45	-	39.48	7.98	33.27
PK	17.5387G	61.70	88.20	-26.50	39.67	3	Horizontal	224	1.80	-	44.29	10.77	33.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.79	68.20	-6.41	54.53	3	Vertical	240	1.80	-	33.80	5.60	32.14
PK	5.859G	125.35	Inf	-Inf	117.99	3	Vertical	240	1.80	-	33.85	5.66	32.15
AV	5.863G	113.82	Inf	-Inf	106.43	3	Vertical	240	1.80	-	33.88	5.66	32.15
PK	5.922G	66.16	90.40	-24.24	58.46	3	Vertical	240	1.80	-	34.14	5.72	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	57.30	68.20	-10.90	50.00	3	Horizontal	316	1.86	-	33.84	5.60	32.14
PK	5.857G	118.64	Inf	-Inf	111.29	3	Horizontal	316	1.86	-	33.84	5.66	32.15
AV	5.856G	106.19	Inf	-Inf	98.84	3	Horizontal	316	1.86	-	33.84	5.66	32.15
PK	5.925G	58.52	88.20	-29.68	50.80	3	Horizontal	316	1.86	-	34.15	5.73	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72974G	53.44	74.00	-20.56	39.23	3	Vertical	225	2.93	-	39.50	7.99	33.28
AV	11.72596G	39.21	54.00	-14.79	25.00	3	Vertical	225	2.93	-	39.50	7.99	33.28
PK	17.5954G	63.20	88.20	-25.00	40.67	3	Vertical	106	2.57	-	44.85	10.80	33.12

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5865MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73376G	53.93	74.00	-20.07	39.72	3	Horizontal	237	1.97	-	39.50	7.99	33.28
AV	11.7293G	39.24	54.00	-14.76	25.03	3	Horizontal	237	1.97	-	39.50	7.99	33.28
PK	17.59398G	62.35	88.20	-25.85	39.83	3	Horizontal	223	1.19	-	44.84	10.80	33.12

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	58.06	68.20	-10.14	50.79	3	Vertical	233	1.53	-	33.81	5.60	32.14
PK	5.887G	115.83	Inf	-Inf	108.27	3	Vertical	233	1.53	-	34.02	5.69	32.15
AV	5.886G	103.91	Inf	-Inf	96.35	3	Vertical	233	1.53	-	34.02	5.69	32.15
PK	5.895G	109.38	110.20	-0.82	101.76	3	Vertical	233	1.53	-	34.07	5.70	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.05	68.20	-11.15	49.76	3	Horizontal	16	1.72	-	33.83	5.60	32.14
PK	5.877G	107.29	Inf	-Inf	99.80	3	Horizontal	16	1.72	-	33.96	5.68	32.15
AV	5.876G	96.08	Inf	-Inf	88.59	3	Horizontal	16	1.72	-	33.96	5.68	32.15
PK	5.895G	90.21	110.20	-19.99	82.59	3	Horizontal	16	1.72	-	34.07	5.70	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76876G	53.23	74.00	-20.77	39.01	3	Vertical	51	1.13	-	39.50	8.01	33.29
AV	11.76934G	39.00	54.00	-15.00	24.78	3	Vertical	51	1.13	-	39.50	8.01	33.29
PK	17.65944G	62.90	88.20	-25.30	39.92	3	Vertical	117	1.11	-	45.38	10.83	33.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5885MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77444G	52.92	74.00	-21.08	38.70	3	Horizontal	270	2.26	-	39.50	8.01	33.29
AV	11.77006G	39.16	54.00	-14.84	24.94	3	Horizontal	270	2.26	-	39.50	8.01	33.29
PK	17.65634G	62.67	88.20	-25.53	39.71	3	Horizontal	215	2.57	-	45.35	10.83	33.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.58	68.20	-6.62	54.31	3	Vertical	254	1.86	-	33.81	5.60	32.14
PK	5.84G	121.09	Inf	-Inf	113.80	3	Vertical	254	1.86	-	33.80	5.64	32.15
AV	5.842G	109.01	Inf	-Inf	101.72	3	Vertical	254	1.86	-	33.80	5.64	32.15
PK	5.937G	71.35	88.20	-16.85	63.60	3	Vertical	254	1.86	-	34.17	5.74	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	59.07	68.20	-9.13	51.79	3	Horizontal	351	3.00	-	33.82	5.60	32.14
PK	5.826G	115.72	Inf	-Inf	108.44	3	Horizontal	351	3.00	-	33.80	5.63	32.15
AV	5.826G	102.94	Inf	-Inf	95.66	3	Horizontal	351	3.00	-	33.80	5.63	32.15
PK	5.933G	63.08	88.20	-25.12	55.34	3	Horizontal	351	3.00	-	34.17	5.73	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66624G	53.65	74.00	-20.35	39.51	3	Vertical	23	2.66	-	39.43	7.97	33.26
AV	11.67434G	39.27	54.00	-14.73	25.12	3	Vertical	23	2.66	-	39.45	7.97	33.27
PK	17.5064G	61.39	88.20	-26.81	39.66	3	Vertical	74	1.67	-	43.96	10.75	32.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5835MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67372G	53.44	74.00	-20.56	39.29	3	Horizontal	268	2.75	-	39.45	7.97	33.27
AV	11.66624G	39.16	54.00	-14.84	25.02	3	Horizontal	268	2.75	-	39.43	7.97	33.26
PK	17.50924G	62.08	88.20	-26.12	40.32	3	Horizontal	4	2.19	-	43.99	10.75	32.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	60.54	68.20	-7.66	53.25	3	Vertical	235	1.79	-	33.83	5.60	32.14
PK	5.876G	121.91	Inf	-Inf	114.42	3	Vertical	235	1.79	-	33.96	5.68	32.15
AV	5.879G	109.80	Inf	-Inf	102.30	3	Vertical	235	1.79	-	33.97	5.68	32.15
PK	5.895G	108.21	110.20	-1.99	100.59	3	Vertical	235	1.79	-	34.07	5.70	32.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.11	68.20	-10.09	50.83	3	Horizontal	20	1.80	-	33.82	5.60	32.14
PK	5.871G	116.66	Inf	-Inf	109.21	3	Horizontal	20	1.80	-	33.93	5.67	32.15
AV	5.865G	101.81	Inf	-Inf	94.41	3	Horizontal	20	1.80	-	33.89	5.66	32.15
PK	5.921G	82.89	91.13	-8.24	75.19	3	Horizontal	20	1.80	-	34.14	5.72	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




07/06/2022

EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74628G	53.74	74.00	-20.26	39.52	3	Vertical	277	2.66	-	39.50	8.00	33.28
AV	11.74738G	39.30	54.00	-14.70	25.08	3	Vertical	277	2.66	-	39.50	8.00	33.28
PK	17.62116G	62.78	88.20	-25.42	40.07	3	Vertical	306	1.00	-	45.07	10.81	33.17

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5875MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75272G	52.64	74.00	-21.36	38.43	3	Horizontal	245	2.67	-	39.50	8.00	33.29
AV	11.74682G	39.28	54.00	-14.72	25.06	3	Horizontal	245	2.67	-	39.50	8.00	33.28
PK	17.62808G	62.53	88.20	-25.67	39.78	3	Horizontal	77	1.38	-	45.12	10.81	33.18

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 105
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	62.74	68.20	-5.46	55.43	3	Vertical	116	1.45	-	33.85	5.60	32.14
PK	5.843G	117.23	Inf	-Inf	109.94	3	Vertical	116	1.45	-	33.80	5.64	32.15
AV	5.842G	104.97	Inf	-Inf	97.68	3	Vertical	116	1.45	-	33.80	5.64	32.15
PK	5.953G	87.50	88.20	-0.70	79.71	3	Vertical	116	1.45	-	34.20	5.75	32.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 105
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	58.31	68.20	-9.89	51.00	3	Horizontal	357	3.00	-	33.85	5.60	32.14
PK	5.832G	111.07	Inf	-Inf	103.79	3	Horizontal	357	3.00	-	33.80	5.63	32.15
AV	5.827G	98.41	Inf	-Inf	91.13	3	Horizontal	357	3.00	-	33.80	5.63	32.15
PK	5.931G	82.50	88.20	-5.70	74.77	3	Horizontal	357	3.00	-	34.16	5.73	32.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom




EUT Y_4TX
Setting 105
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7087G	52.95	74.00	-21.05	38.74	3	Vertical	181	2.83	-	39.50	7.98	33.27
AV	11.71412G	39.22	54.00	-14.78	25.01	3	Vertical	181	2.83	-	39.50	7.99	33.28
PK	17.56842G	62.15	88.20	-26.05	39.87	3	Vertical	275	2.22	-	44.58	10.78	33.08

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5855MHz_TnomVnom



EUT Y_4TX
Setting 105
02-B-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71026G	54.18	74.00	-19.82	39.97	3	Horizontal	62	1.66	-	39.50	7.98	33.27
AV	11.71494G	39.17	54.00	-14.83	24.96	3	Horizontal	62	1.66	-	39.50	7.99	33.28
PK	17.56872G	63.06	88.20	-25.14	40.77	3	Horizontal	30	1.70	-	44.59	10.78	33.08



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.25352G	28.12	54.00	-25.88	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.25498G	37.03	74.00	-36.97	-16.18	3	Vertical	158	1.50	-	53.21	25.12	2.74	44.04
AV	1.24755G	27.17	54.00	-26.83	-16.19	3	Vertical	158	1.50	"Worst"	43.36	25.10	2.74	44.03

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.25283G	38.72	74.00	-35.28	-16.19	3	Horizontal	135	1.29	-	54.91	25.11	2.74	44.04
AV	1.25352G	28.12	54.00	-25.88	-16.19	3	Horizontal	135	1.29	"Worst"	44.31	25.11	2.74	44.04