


802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
Setting 106
02-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	117.59	Inf	-Inf	110.57	3	Horizontal	23	1.78	-	33.81	5.35	32.14
AV	5.3064G	107.04	Inf	-Inf	100.02	3	Horizontal	23	1.78	-	33.81	5.35	32.14
PK	5.3504G	66.15	74.00	-7.85	59.01	3	Horizontal	23	1.78	-	33.90	5.38	32.14
AV	5.35G	48.99	54.00	-5.01	41.85	3	Horizontal	23	1.78	-	33.90	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_V_4TX
Setting 106
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.90436G	55.13	74.00	-18.87	41.50	3	Vertical	4	2.60	-	37.30	9.96	33.63	
AV	15.9005G	41.19	54.00	-12.81	27.55	3	Vertical	4	2.60	-	37.30	9.96	33.62	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 106
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89782G	55.31	74.00	-18.69	41.68	3	Horizontal	42	2.04	-	37.30	9.95	33.62
AV	15.89526G	41.15	54.00	-12.85	27.51	3	Horizontal	42	2.04	-	37.31	9.95	33.62

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	122.01	Inf	-Inf	114.96	3	Vertical	44	1.67	-	33.83	5.36	32.14
AV	5.3136G	111.56	Inf	-Inf	104.51	3	Vertical	44	1.67	-	33.83	5.36	32.14
PK	5.3528G	72.44	74.00	-1.56	65.29	3	Vertical	44	1.67	-	33.91	5.38	32.14
AV	5.352G	53.56	54.00	-0.44	46.42	3	Vertical	44	1.67	-	33.90	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3152G	115.79	Inf	-Inf	108.74	3	Horizontal	151	2.79	-	33.83	5.36	32.14	
AV	5.3152G	105.70	Inf	-Inf	98.65	3	Horizontal	151	2.79	-	33.83	5.36	32.14	
PK	5.3564G	61.92	74.00	-12.08	54.77	3	Horizontal	151	2.79	-	33.91	5.38	32.14	
AV	5.35G	47.25	54.00	-6.75	40.11	3	Horizontal	151	2.79	-	33.90	5.38	32.14	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6322G	50.58	74.00	-23.42	37.64	3	Vertical	258	1.97	-	38.50	7.55	33.11
AV	10.62644G	36.66	54.00	-17.34	23.72	3	Vertical	258	1.97	-	38.50	7.55	33.11
PK	15.95574G	52.11	74.00	-21.89	38.52	3	Vertical	147	1.11	-	37.30	9.98	33.69
AV	15.94824G	38.71	54.00	-15.29	25.11	3	Vertical	147	1.11	-	37.30	9.98	33.68

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64402G	50.17	74.00	-23.83	37.22	3	Horizontal	96	1.43	-	38.50	7.56	33.11
AV	10.6253G	36.62	54.00	-17.38	23.68	3	Horizontal	96	1.43	-	38.50	7.55	33.11
PK	15.96132G	52.26	74.00	-21.74	38.67	3	Horizontal	24	2.82	-	37.30	9.98	33.69
AV	15.94638G	38.64	54.00	-15.36	25.04	3	Horizontal	24	2.82	-	37.30	9.98	33.68

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.43	74.00	-6.57	60.74	3	Vertical	42	1.80	-	33.59	5.25	32.15
AV	5.15G	53.81	54.00	-0.19	47.11	3	Vertical	42	1.80	-	33.60	5.25	32.15
PK	5.239G	114.35	Inf	-Inf	107.48	3	Vertical	42	1.80	-	33.70	5.32	32.15
AV	5.217G	101.24	Inf	-Inf	94.38	3	Vertical	42	1.80	-	33.70	5.31	32.15
PK	5.35G	60.56	74.00	-13.44	53.42	3	Vertical	42	1.80	-	33.90	5.38	32.14
AV	5.35G	48.23	54.00	-5.77	41.09	3	Vertical	42	1.80	-	33.90	5.38	32.14

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 93
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.28	74.00	-11.72	55.58	3	Horizontal	219	1.65	-	33.60	5.25	32.15
AV	5.15G	49.17	54.00	-4.83	42.47	3	Horizontal	219	1.65	-	33.60	5.25	32.15
PK	5.213G	108.69	Inf	-Inf	101.83	3	Horizontal	219	1.65	-	33.70	5.31	32.15
AV	5.217G	95.20	Inf	-Inf	88.34	3	Horizontal	219	1.65	-	33.70	5.31	32.15
PK	5.419G	57.63	74.00	-16.37	50.34	3	Horizontal	219	1.65	-	34.00	5.42	32.13
AV	5.35G	44.98	54.00	-9.02	37.84	3	Horizontal	219	1.65	-	33.90	5.38	32.14

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.63416G	56.05	74.00	-17.95	42.02	3	Vertical	338	1.76	-	37.50	9.84	33.31	
AV	15.63422G	42.25	54.00	-11.75	28.22	3	Vertical	338	1.76	-	37.50	9.84	33.31	

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62574G	55.78	74.00	-18.22	41.75	3	Horizontal	10	1.05	-	37.50	9.83	33.30
AV	15.63228G	42.19	54.00	-11.81	28.17	3	Horizontal	10	1.05	-	37.50	9.83	33.31

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 89
02-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.35	74.00	-13.65	53.65	3	Vertical	48	1.78	-	33.60	5.25	32.15
AV	5.15G	48.26	54.00	-5.74	41.56	3	Vertical	48	1.78	-	33.60	5.25	32.15
PK	5.28G	113.22	Inf	-Inf	106.26	3	Vertical	48	1.78	-	33.76	5.34	32.14
AV	5.28G	100.21	Inf	-Inf	93.25	3	Vertical	48	1.78	-	33.76	5.34	32.14
PK	5.35G	64.15	74.00	-9.85	57.02	3	Vertical	48	1.78	-	33.90	5.37	32.14
AV	5.35G	53.77	54.00	-0.23	46.64	3	Vertical	48	1.78	-	33.90	5.37	32.14
PK	5.465G	56.85	68.20	-11.35	49.52	3	Vertical	48	1.78	-	34.00	5.46	32.13

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 89
02-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.094G	58.51	74.00	-15.49	51.97	3	Horizontal	26	1.77	-	33.50	5.19	32.15
AV	5.147G	44.78	54.00	-9.22	38.09	3	Horizontal	26	1.77	-	33.59	5.25	32.15
PK	5.303G	106.48	Inf	-Inf	99.46	3	Horizontal	26	1.77	-	33.81	5.35	32.14
AV	5.301G	93.34	Inf	-Inf	86.33	3	Horizontal	26	1.77	-	33.80	5.35	32.14
PK	5.35G	58.60	74.00	-15.40	51.46	3	Horizontal	26	1.77	-	33.90	5.38	32.14
AV	5.35G	46.57	54.00	-7.43	39.43	3	Horizontal	26	1.77	-	33.90	5.38	32.14
PK	5.52G	58.07	68.20	-10.13	50.68	3	Horizontal	26	1.77	-	34.00	5.52	32.13

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.87282G	55.34	74.00	-18.66	41.64	3	Vertical	34	2.13	-	37.35	9.94	33.59	
AV	15.865G	41.45	54.00	-12.55	27.72	3	Vertical	34	2.13	-	37.37	9.94	33.58	

802.11ax HEW80_Nss4,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86684G	55.22	74.00	-18.78	41.49	3	Horizontal	144	1.99	-	37.37	9.94	33.58
AV	15.86764G	41.44	54.00	-12.56	27.72	3	Horizontal	144	1.99	-	37.36	9.94	33.58

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 79
02-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	68.41	74.00	-5.59	61.79	3	Vertical	52	1.83	-	33.55	5.22	32.15
PK	5.2772G	107.70	Inf	-Inf	100.75	3	Vertical	52	1.83	-	33.75	5.34	32.14
AV	5.1444G	53.84	54.00	-0.16	47.16	3	Vertical	52	1.83	-	33.59	5.24	32.15
PK	5.3524G	68.09	74.00	-5.91	60.95	3	Vertical	52	1.83	-	33.90	5.38	32.14
AV	5.2804G	96.75	Inf	-Inf	89.79	3	Vertical	52	1.83	-	33.76	5.34	32.14
PK	5.506G	57.05	68.20	-11.15	49.67	3	Vertical	52	1.83	-	34.00	5.51	32.13
AV	5.35G	53.03	54.00	-0.97	45.90	3	Vertical	52	1.83	-	33.90	5.37	32.14

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 79
02-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	68.03	74.00	-5.97	61.38	3	Horizontal	25	1.80	-	33.57	5.23	32.15
AV	5.1332G	49.05	54.00	-4.95	42.40	3	Horizontal	25	1.80	-	33.57	5.23	32.15
PK	5.1956G	102.22	Inf	-Inf	95.38	3	Horizontal	25	1.80	-	33.69	5.30	32.15
PK	5.362G	63.86	74.00	-10.14	56.70	3	Horizontal	25	1.80	-	33.92	5.38	32.14
AV	5.2836G	89.54	Inf	-Inf	82.57	3	Horizontal	25	1.80	-	33.77	5.34	32.14
AV	5.3508G	47.91	54.00	-6.09	40.77	3	Horizontal	25	1.80	-	33.90	5.38	32.14
PK	5.65G	57.19	68.20	-11.01	49.93	3	Horizontal	25	1.80	-	33.80	5.60	32.14

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 79
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75266G	55.90	74.00	-18.10	41.96	3	Vertical	191	1.60	-	37.50	9.89	33.45
AV	15.74754G	43.35	54.00	-10.65	29.40	3	Vertical	191	1.60	-	37.50	9.89	33.44

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz_TnomVnom



EUT Y_4TX
Setting 79
02-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75462G	55.46	74.00	-18.54	41.52	3	Horizontal	346	2.80	-	37.50	9.89	33.45
AV	15.74956G	43.33	54.00	-10.67	29.38	3	Horizontal	346	2.80	-	37.50	9.89	33.44




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3502G	53.88	54.00	-0.12	3	Vertical	56	1.91	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	66.91	74.00	-7.09	60.21	3	Vertical	43	1.79	-	33.60	5.25	32.15	
AV	5.1478G	53.46	54.00	-0.54	46.76	3	Vertical	43	1.79	-	33.60	5.25	32.15	
PK	5.1742G	125.33	Inf	-Inf	118.56	3	Vertical	43	1.79	-	33.65	5.27	32.15	
AV	5.1738G	113.45	Inf	-Inf	106.68	3	Vertical	43	1.79	-	33.65	5.27	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	62.51	74.00	-11.49	55.83	3	Horizontal	226	1.75	-	33.59	5.24	32.15
AV	5.15G	48.16	54.00	-5.84	41.46	3	Horizontal	226	1.75	-	33.60	5.25	32.15
PK	5.189G	118.91	Inf	-Inf	112.09	3	Horizontal	226	1.75	-	33.68	5.29	32.15
AV	5.188G	106.98	Inf	-Inf	100.16	3	Horizontal	226	1.75	-	33.68	5.29	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36294G	52.29	68.20	-15.91	39.16	3	Vertical	170	1.69	-	38.64	7.45	32.96
PK	15.5424G	54.21	74.00	-19.79	39.77	3	Vertical	87	2.50	-	37.85	9.79	33.20
AV	15.54444G	41.21	54.00	-12.79	26.79	3	Vertical	87	2.50	-	37.83	9.79	33.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3486G	51.29	68.20	-16.91	38.47	3	Horizontal	32	2.02	-	38.95	7.84	33.97
PK	15.53352G	52.56	74.00	-21.44	39.84	3	Horizontal	172	1.23	-	38.87	8.98	35.13
AV	15.52578G	39.10	54.00	-14.90	26.35	3	Horizontal	172	1.23	-	38.90	8.98	35.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 101
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1484G	72.37	74.00	-1.63	65.67	3	Vertical	124	1.77	-	33.60	5.25	32.15	
AV	5.15G	53.16	54.00	-0.84	46.46	3	Vertical	124	1.77	-	33.60	5.25	32.15	
PK	5.1948G	126.76	Inf	-Inf	119.93	3	Vertical	124	1.77	-	33.69	5.29	32.15	
AV	5.1928G	114.50	Inf	-Inf	107.67	3	Vertical	124	1.77	-	33.69	5.29	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 101
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1444G	62.71	74.00	-11.29	56.03	3	Horizontal	326	1.80	-	33.59	5.24	32.15	
AV	5.1488G	46.27	54.00	-7.73	39.57	3	Horizontal	326	1.80	-	33.60	5.25	32.15	
PK	5.2024G	119.39	Inf	-Inf	112.54	3	Horizontal	326	1.80	-	33.70	5.30	32.15	
AV	5.2016G	107.46	Inf	-Inf	100.61	3	Horizontal	326	1.80	-	33.70	5.30	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39568G	51.80	68.20	-16.40	38.94	3	Vertical	296	2.04	-	39.00	7.88	34.02
PK	15.58674G	52.48	74.00	-21.52	39.97	3	Vertical	204	1.46	-	38.65	9.00	35.14
AV	15.58788G	38.90	54.00	-15.10	26.39	3	Vertical	204	1.46	-	38.65	9.00	35.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3895G	50.67	68.20	-17.53	37.82	3	Horizontal	221	1.62	-	38.99	7.87	34.01
PK	15.61212G	52.53	74.00	-21.47	40.11	3	Horizontal	6	2.63	-	38.56	9.00	35.14
AV	15.5865G	38.90	54.00	-15.10	26.39	3	Horizontal	6	2.63	-	38.65	9.00	35.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.76	74.00	-10.24	58.98	3	Vertical	132	1.80	-	32.90	5.05	33.17
AV	5.1488G	51.61	54.00	-2.39	46.83	3	Vertical	132	1.80	-	32.90	5.05	33.17
PK	5.2352G	127.84	Inf	-Inf	122.91	3	Vertical	132	1.80	-	33.00	5.10	33.17
AV	5.2376G	118.48	Inf	-Inf	113.55	3	Vertical	132	1.80	-	33.00	5.10	33.17
PK	5.3588G	63.77	74.00	-10.23	58.69	3	Vertical	132	1.80	-	33.15	5.10	33.17
AV	5.351G	50.90	54.00	-3.10	45.86	3	Vertical	132	1.80	-	33.11	5.10	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	61.60	74.00	-12.40	56.69	3	Horizontal	13	1.67	-	33.08	4.99	33.16
AV	5.1488G	48.71	54.00	-5.29	43.93	3	Horizontal	13	1.67	-	32.90	5.05	33.17
PK	5.231G	122.40	Inf	-Inf	117.47	3	Horizontal	13	1.67	-	33.00	5.10	33.17
AV	5.231G	111.11	Inf	-Inf	106.18	3	Horizontal	13	1.67	-	33.00	5.10	33.17
PK	5.3522G	61.32	74.00	-12.68	56.28	3	Horizontal	13	1.67	-	33.11	5.10	33.17
AV	5.3552G	48.85	54.00	-5.15	43.79	3	Horizontal	13	1.67	-	33.13	5.10	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48042G	55.31	68.20	-12.89	42.31	3	Vertical	332	1.57	-	39.16	7.94	34.10
PK	15.71762G	57.21	74.00	-16.79	44.95	3	Vertical	193	2.02	-	38.37	9.03	35.14
AV	15.71562G	43.57	54.00	-10.43	31.32	3	Vertical	193	2.02	-	38.36	9.03	35.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48396G	54.73	68.20	-13.47	41.72	3	Horizontal	342	1.79	-	39.17	7.94	34.10
PK	15.72474G	57.18	74.00	-16.82	44.89	3	Horizontal	132	2.69	-	38.40	9.03	35.14
AV	15.7203G	43.52	54.00	-10.48	31.25	3	Horizontal	132	2.69	-	38.38	9.03	35.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.54	74.00	-10.46	58.75	3	Vertical	82	1.59	-	32.91	5.05	33.17
AV	5.1496G	51.26	54.00	-2.74	46.48	3	Vertical	82	1.59	-	32.90	5.05	33.17
PK	5.2534G	127.95	Inf	-Inf	123.01	3	Vertical	82	1.59	-	33.01	5.10	33.17
AV	5.2522G	119.71	Inf	-Inf	114.78	3	Vertical	82	1.59	-	33.00	5.10	33.17
PK	5.35G	66.03	74.00	-7.97	61.00	3	Vertical	82	1.59	-	33.10	5.10	33.17
AV	5.35G	51.66	54.00	-2.34	46.63	3	Vertical	82	1.59	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	61.14	74.00	-12.86	56.27	3	Horizontal	22	1.84	-	33.01	5.02	33.16
AV	5.1484G	48.93	54.00	-5.07	44.14	3	Horizontal	22	1.84	-	32.91	5.05	33.17
PK	5.2654G	122.42	Inf	-Inf	117.46	3	Horizontal	22	1.84	-	33.03	5.10	33.17
AV	5.269G	110.86	Inf	-Inf	105.89	3	Horizontal	22	1.84	-	33.04	5.10	33.17
PK	5.3512G	62.32	74.00	-11.68	57.28	3	Horizontal	22	1.84	-	33.11	5.10	33.17
AV	5.35G	49.38	54.00	-4.62	44.35	3	Horizontal	22	1.84	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52058G	55.38	68.20	-12.82	42.36	3	Vertical	173	1.80	-	39.20	7.96	34.14
PK	15.77688G	57.35	74.00	-16.65	44.85	3	Vertical	279	1.43	-	38.61	9.04	35.15
AV	15.77506G	43.85	54.00	-10.15	31.36	3	Vertical	279	1.43	-	38.60	9.04	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52272G	55.25	68.20	-12.95	42.22	3	Horizontal	252	1.63	-	39.20	7.97	34.14
PK	15.7842G	57.26	74.00	-16.74	44.72	3	Horizontal	249	2.65	-	38.64	9.05	35.15
AV	15.78098G	43.73	54.00	-10.27	31.21	3	Horizontal	249	2.65	-	38.62	9.05	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2944G	127.63	Inf	-Inf	122.61	3	Vertical	121	1.59	-	33.09	5.10	33.17	
AV	5.2932G	115.20	Inf	-Inf	110.18	3	Vertical	121	1.59	-	33.09	5.10	33.17	
PK	5.3528G	73.82	74.00	-0.18	68.77	3	Vertical	121	1.59	-	33.12	5.10	33.17	
AV	5.3504G	53.01	54.00	-0.99	47.98	3	Vertical	121	1.59	-	33.10	5.10	33.17	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3024G	119.12	Inf	-Inf	114.09	3	Horizontal	28	1.80	-	33.10	5.10	33.17	
AV	5.302G	106.26	Inf	-Inf	101.23	3	Horizontal	28	1.80	-	33.10	5.10	33.17	
PK	5.352G	62.85	74.00	-11.15	57.81	3	Horizontal	28	1.80	-	33.11	5.10	33.17	
AV	5.3524G	49.18	54.00	-4.82	44.14	3	Horizontal	28	1.80	-	33.11	5.10	33.17	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59624G	55.06	68.20	-13.14	42.04	3	Vertical	36	1.96	-	39.20	8.02	34.20
PK	15.89514G	59.77	74.00	-14.23	46.96	3	Vertical	292	2.76	-	38.89	9.07	35.15
AV	15.90364G	45.47	54.00	-8.53	32.65	3	Vertical	292	2.76	-	38.89	9.08	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5995G	55.52	68.20	-12.68	42.50	3	Horizontal	237	1.07	-	39.20	8.02	34.20
PK	15.90146G	58.87	74.00	-15.13	46.04	3	Horizontal	243	2.48	-	38.90	9.08	35.15
AV	15.90496G	45.40	54.00	-8.60	32.58	3	Horizontal	243	2.48	-	38.89	9.08	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3186G	126.98	Inf	-Inf	121.95	3	Vertical	56	1.91	-	33.10	5.10	33.17	
AV	5.3216G	113.84	Inf	-Inf	108.81	3	Vertical	56	1.91	-	33.10	5.10	33.17	
PK	5.3566G	66.79	74.00	-7.21	61.72	3	Vertical	56	1.91	-	33.14	5.10	33.17	
AV	5.3502G	53.88	54.00	-0.12	48.85	3	Vertical	56	1.91	-	33.10	5.10	33.17	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	119.89	Inf	-Inf	114.86	3	Horizontal	24	1.86	-	33.10	5.10	33.17
AV	5.3172G	106.79	Inf	-Inf	101.76	3	Horizontal	24	1.86	-	33.10	5.10	33.17
PK	5.3502G	63.41	74.00	-10.59	58.38	3	Horizontal	24	1.86	-	33.10	5.10	33.17
AV	5.35G	50.06	54.00	-3.94	45.03	3	Horizontal	24	1.86	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6372G	54.83	74.00	-19.17	41.70	3	Vertical	250	1.56	-	39.31	8.05	34.23
AV	10.63552G	41.59	54.00	-12.41	28.47	3	Vertical	250	1.56	-	39.31	8.04	34.23
PK	15.962G	59.84	74.00	-14.16	47.13	3	Vertical	64	2.20	-	38.78	9.09	35.16
AV	15.95982G	46.06	54.00	-7.94	33.35	3	Vertical	64	2.20	-	38.78	9.09	35.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 91
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64116G	55.15	74.00	-18.85	42.01	3	Horizontal	248	1.26	-	39.32	8.05	34.23	
AV	10.63528G	41.56	54.00	-12.44	28.44	3	Horizontal	248	1.26	-	39.31	8.04	34.23	
PK	15.95688G	59.64	74.00	-14.36	46.92	3	Horizontal	167	2.18	-	38.79	9.09	35.16	
AV	15.96434G	46.09	54.00	-7.91	33.39	3	Horizontal	167	2.18	-	38.77	9.09	35.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1472G	71.87	74.00	-2.13	65.18	3	Vertical	42	1.80	-	33.59	5.25	32.15	
AV	5.1492G	53.78	54.00	-0.22	47.08	3	Vertical	42	1.80	-	33.60	5.25	32.15	
PK	5.1748G	121.51	Inf	-Inf	114.74	3	Vertical	42	1.80	-	33.65	5.27	32.15	
AV	5.172G	105.70	Inf	-Inf	98.94	3	Vertical	42	1.80	-	33.64	5.27	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1428G	60.13	74.00	-13.87	53.45	3	Horizontal	327	1.80	-	33.59	5.24	32.15	
AV	5.1452G	46.45	54.00	-7.55	39.76	3	Horizontal	327	1.80	-	33.59	5.25	32.15	
PK	5.2032G	116.26	Inf	-Inf	109.41	3	Horizontal	327	1.80	-	33.70	5.30	32.15	
AV	5.2032G	99.47	Inf	-Inf	92.62	3	Horizontal	327	1.80	-	33.70	5.30	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3782G	54.87	68.20	-13.33	42.03	3	Vertical	181	1.36	-	38.98	7.86	34.00
PK	15.56702G	59.11	74.00	-14.89	46.52	3	Vertical	325	2.51	-	38.73	8.99	35.13
AV	15.5676G	44.99	54.00	-9.01	32.40	3	Vertical	325	2.51	-	38.73	8.99	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37724G	54.40	68.20	-13.80	41.56	3	Horizontal	214	2.49	-	38.98	7.86	34.00
PK	15.56968G	58.96	74.00	-15.04	46.38	3	Horizontal	216	1.96	-	38.72	8.99	35.13
AV	15.56978G	44.96	54.00	-9.04	32.38	3	Horizontal	216	1.96	-	38.72	8.99	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 95
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	71.27	74.00	-2.73	64.59	3	Vertical	112	1.66	-	33.59	5.24	32.15
AV	5.15G	53.19	54.00	-0.81	46.49	3	Vertical	112	1.66	-	33.60	5.25	32.15
PK	5.248G	124.00	Inf	-Inf	117.13	3	Vertical	112	1.66	-	33.70	5.32	32.15
AV	5.245G	107.39	Inf	-Inf	100.52	3	Vertical	112	1.66	-	33.70	5.32	32.15
PK	5.3548G	62.47	74.00	-11.53	55.32	3	Vertical	112	1.66	-	33.91	5.38	32.14
AV	5.35G	47.70	54.00	-6.30	40.56	3	Vertical	112	1.66	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 95
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.11	74.00	-9.89	57.41	3	Horizontal	358	1.80	-	33.60	5.25	32.15
AV	5.1496G	47.32	54.00	-6.68	40.62	3	Horizontal	358	1.80	-	33.60	5.25	32.15
PK	5.215G	115.53	Inf	-Inf	108.67	3	Horizontal	358	1.80	-	33.70	5.31	32.15
AV	5.2126G	99.45	Inf	-Inf	92.59	3	Horizontal	358	1.80	-	33.70	5.31	32.15
PK	5.362G	56.94	74.00	-17.06	49.78	3	Horizontal	358	1.80	-	33.92	5.38	32.14
AV	5.3566G	44.66	54.00	-9.34	37.51	3	Horizontal	358	1.80	-	33.91	5.38	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46068G	54.93	68.20	-13.27	41.97	3	Vertical	227	1.65	-	39.12	7.92	34.08
PK	15.68938G	58.12	74.00	-15.88	45.91	3	Vertical	316	2.13	-	38.33	9.02	35.14
AV	15.6853G	43.87	54.00	-10.13	31.65	3	Vertical	316	2.13	-	38.34	9.02	35.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45538G	54.65	68.20	-13.55	41.70	3	Horizontal	344	1.19	-	39.11	7.92	34.08
PK	15.68572G	58.00	74.00	-16.00	45.78	3	Horizontal	122	1.99	-	38.34	9.02	35.14
AV	15.68636G	43.88	54.00	-10.12	31.66	3	Horizontal	122	1.99	-	38.34	9.02	35.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Y_4TX
Setting 91
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2692G	125.57	Inf	-Inf	120.60	3	Vertical	86	1.60	-	33.04	5.10	33.17	
AV	5.2824G	112.20	Inf	-Inf	107.21	3	Vertical	86	1.60	-	33.06	5.10	33.17	
PK	5.3512G	69.95	74.00	-4.05	64.91	3	Vertical	86	1.60	-	33.11	5.10	33.17	
AV	5.35G	53.69	54.00	-0.31	48.66	3	Vertical	86	1.60	-	33.10	5.10	33.17	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2672G	116.64	Inf	-Inf	111.68	3	Horizontal	24	1.91	-	33.03	5.10	33.17
AV	5.2684G	104.55	Inf	-Inf	99.58	3	Horizontal	24	1.91	-	33.04	5.10	33.17
PK	5.3512G	62.93	74.00	-11.07	57.89	3	Horizontal	24	1.91	-	33.11	5.10	33.17
AV	5.35G	49.27	54.00	-4.73	44.24	3	Horizontal	24	1.91	-	33.10	5.10	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53972G	55.22	68.20	-12.98	42.19	3	Vertical	354	2.91	-	39.20	7.98	34.15
PK	15.80712G	57.71	74.00	-16.29	45.10	3	Vertical	358	2.46	-	38.71	9.05	35.15
AV	15.81268G	43.38	54.00	-10.62	30.75	3	Vertical	358	2.46	-	38.73	9.05	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53964G	55.42	68.20	-12.78	42.39	3	Horizontal	259	1.89	-	39.20	7.98	34.15
PK	15.80944G	57.11	74.00	-16.89	44.49	3	Horizontal	159	2.19	-	38.72	9.05	35.15
AV	15.81276G	43.56	54.00	-10.44	30.93	3	Horizontal	159	2.19	-	38.73	9.05	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	122.37	Inf	-Inf	117.34	3	Vertical	77	1.79	-	33.10	5.10	33.17
AV	5.2972G	109.26	Inf	-Inf	104.24	3	Vertical	77	1.79	-	33.09	5.10	33.17
PK	5.35G	68.96	74.00	-5.04	63.93	3	Vertical	77	1.79	-	33.10	5.10	33.17
AV	5.3516G	53.21	54.00	-0.79	48.17	3	Vertical	77	1.79	-	33.11	5.10	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	115.02	Inf	-Inf	109.99	3	Horizontal	25	1.80	-	33.10	5.10	33.17
AV	5.318G	102.04	Inf	-Inf	97.01	3	Horizontal	25	1.80	-	33.10	5.10	33.17
PK	5.3576G	62.20	74.00	-11.80	57.12	3	Horizontal	25	1.80	-	33.15	5.10	33.17
AV	5.35G	49.56	54.00	-4.44	44.53	3	Horizontal	25	1.80	-	33.10	5.10	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.61822G	55.06	74.00	-18.94	41.99	3	Vertical	143	1.42	-	39.25	8.03	34.21	
AV	10.61622G	40.98	54.00	-13.02	27.91	3	Vertical	143	1.42	-	39.25	8.03	34.21	
PK	15.92526G	59.17	74.00	-14.83	46.40	3	Vertical	65	1.47	-	38.85	9.08	35.16	
AV	15.93084G	44.92	54.00	-9.08	32.16	3	Vertical	65	1.47	-	38.84	9.08	35.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 87
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6168G	55.69	74.00	-18.31	42.62	3	Horizontal	81	1.13	-	39.25	8.03	34.21	
AV	10.61638G	40.96	54.00	-13.04	27.89	3	Horizontal	81	1.13	-	39.25	8.03	34.21	
PK	15.93402G	58.96	74.00	-15.04	46.21	3	Horizontal	181	2.23	-	38.83	9.08	35.16	
AV	15.93074G	44.94	54.00	-9.06	32.18	3	Horizontal	181	2.23	-	38.84	9.08	35.16	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Y_4TX
Setting 93
02-B-S-5-10
GT10
R1.10 NoA18 FW386_48848
ANT LW No.3 Client ET12 Chain1(45)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	68.11	74.00	-5.89	61.42	3	Vertical	109.6	1.80	-	33.59	5.25	32.15
AV	5.15G	53.44	54.00	-0.56	46.74	3	Vertical	109.6	1.80	-	33.60	5.25	32.15
PK	5.183G	116.77	Inf	-Inf	109.97	3	Vertical	109.6	1.80	-	33.67	5.28	32.15
AV	5.18G	104.84	Inf	-Inf	98.05	3	Vertical	109.6	1.80	-	33.66	5.28	32.15
PK	5.35G	59.84	74.00	-14.16	52.71	3	Vertical	109.6	1.80	-	33.90	5.37	32.14
AV	5.351G	48.00	54.00	-6.00	40.86	3	Vertical	109.6	1.80	-	33.90	5.38	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 93
02-B-S-5-10
GT10
R1.10 NoA18 FW386_48848
ANT LW No.3 Client ET12 Chain1(45)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	59.46	74.00	-14.54	52.85	3	Horizontal	222	1.25	-	33.54	5.22	32.15
AV	5.15G	47.77	54.00	-6.23	41.07	3	Horizontal	222	1.25	-	33.60	5.25	32.15
PK	5.205G	110.49	Inf	-Inf	103.64	3	Horizontal	222	1.25	-	33.70	5.30	32.15
AV	5.205G	99.57	Inf	-Inf	92.72	3	Horizontal	222	1.25	-	33.70	5.30	32.15
PK	5.441G	57.20	74.00	-16.80	49.89	3	Horizontal	222	1.25	-	34.00	5.44	32.13
AV	5.351G	44.94	54.00	-9.06	37.80	3	Horizontal	222	1.25	-	33.90	5.38	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 93
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41848G	54.73	68.20	-13.47	41.84	3	Vertical	189	2.55	-	39.04	7.89	34.04
PK	15.63428G	58.68	74.00	-15.32	46.31	3	Vertical	307	1.07	-	38.50	9.01	35.14
AV	15.62504G	44.61	54.00	-9.39	32.22	3	Vertical	307	1.07	-	38.52	9.01	35.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 93
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42068G	54.27	68.20	-13.93	41.38	3	Horizontal	286	1.09	-	39.04	7.89	34.04
PK	15.62868G	59.20	74.00	-14.80	46.82	3	Horizontal	344	2.79	-	38.51	9.01	35.14
AV	15.6275G	44.56	54.00	-9.44	32.17	3	Horizontal	344	2.79	-	38.52	9.01	35.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 88
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.60	74.00	-11.40	57.82	3	Vertical	353	1.80	-	32.90	5.05	33.17
AV	5.15G	50.25	54.00	-3.75	45.47	3	Vertical	353	1.80	-	32.90	5.05	33.17
PK	5.3028G	119.20	Inf	-Inf	114.17	3	Vertical	353	1.80	-	33.10	5.10	33.17
AV	5.3036G	105.07	Inf	-Inf	100.04	3	Vertical	353	1.80	-	33.10	5.10	33.17
PK	5.3532G	67.14	74.00	-6.86	62.09	3	Vertical	353	1.80	-	33.12	5.10	33.17
AV	5.35G	53.20	54.00	-0.80	48.17	3	Vertical	353	1.80	-	33.10	5.10	33.17
PK	5.4644G	61.18	68.20	-7.02	55.37	3	Vertical	353	1.80	-	33.83	5.16	33.18

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 88
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1036G	62.18	74.00	-11.82	57.25	3	Horizontal	224	1.28	-	33.09	5.00	33.16
AV	5.1492G	48.11	54.00	-5.89	43.33	3	Horizontal	224	1.28	-	32.90	5.05	33.17
PK	5.3012G	111.50	Inf	-Inf	106.47	3	Horizontal	224	1.28	-	33.10	5.10	33.17
AV	5.3164G	99.16	Inf	-Inf	94.13	3	Horizontal	224	1.28	-	33.10	5.10	33.17
PK	5.35G	62.27	74.00	-11.73	57.24	3	Horizontal	224	1.28	-	33.10	5.10	33.17
AV	5.35G	49.26	54.00	-4.74	44.23	3	Horizontal	224	1.28	-	33.10	5.10	33.17
PK	5.4852G	61.59	68.20	-6.61	55.71	3	Horizontal	224	1.28	-	33.87	5.19	33.18

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 88
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58346G	54.86	68.20	-13.34	41.84	3	Vertical	246	2.10	-	39.20	8.01	34.19
PK	15.87272G	58.66	74.00	-15.34	45.89	3	Vertical	5	1.74	-	38.85	9.07	35.15
AV	15.87286G	44.12	54.00	-9.88	31.35	3	Vertical	5	1.74	-	38.85	9.07	35.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 88
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58338G	55.50	68.20	-12.70	42.48	3	Horizontal	337	2.46	-	39.20	8.01	34.19
PK	15.8743G	58.26	74.00	-15.74	45.49	3	Horizontal	254	2.27	-	38.85	9.07	35.15
AV	15.87268G	44.17	54.00	-9.83	31.40	3	Horizontal	254	2.27	-	38.85	9.07	35.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 81
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	72.09	74.00	-1.91	65.45	3	Vertical	78	1.80	-	33.56	5.23	32.15
AV	5.1476G	53.11	54.00	-0.89	46.41	3	Vertical	78	1.80	-	33.60	5.25	32.15
PK	5.2788G	113.68	Inf	-Inf	106.72	3	Vertical	78	1.80	-	33.76	5.34	32.14
AV	5.2756G	100.59	Inf	-Inf	93.64	3	Vertical	78	1.80	-	33.75	5.34	32.14
PK	5.3556G	69.54	74.00	-4.46	62.39	3	Vertical	78	1.80	-	33.91	5.38	32.14
AV	5.35G	52.46	54.00	-1.54	45.32	3	Vertical	78	1.80	-	33.90	5.38	32.14
PK	5.6324G	57.15	68.20	-11.05	49.85	3	Vertical	78	1.80	-	33.84	5.60	32.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 81
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.40	74.00	-8.60	58.71	3	Horizontal	15	1.89	-	33.59	5.25	32.15
AV	5.1476G	47.36	54.00	-6.64	40.66	3	Horizontal	15	1.89	-	33.60	5.25	32.15
AV	5.2068G	96.93	Inf	-Inf	90.08	3	Horizontal	15	1.89	-	33.70	5.30	32.15
PK	5.2772G	105.53	Inf	-Inf	98.58	3	Horizontal	15	1.89	-	33.75	5.34	32.14
PK	5.35G	61.50	74.00	-12.50	54.36	3	Horizontal	15	1.89	-	33.90	5.38	32.14
AV	5.3524G	47.14	54.00	-6.86	40.00	3	Horizontal	15	1.89	-	33.90	5.38	32.14
PK	5.5204G	57.53	68.20	-10.67	50.14	3	Horizontal	15	1.89	-	34.00	5.52	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 81
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49746G	54.82	68.20	-13.38	41.80	3	Vertical	113	2.62	-	39.19	7.95	34.12
PK	15.75396G	56.87	74.00	-17.13	44.46	3	Vertical	336	1.23	-	38.52	9.04	35.15
AV	15.75246G	43.77	54.00	-10.23	31.37	3	Vertical	336	1.23	-	38.51	9.04	35.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom



EUT Y_4TX
Setting 81
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49674G	55.29	68.20	-12.91	42.27	3	Horizontal	164	1.59	-	39.19	7.95	34.12
PK	15.75312G	58.04	74.00	-15.96	45.64	3	Horizontal	25	1.75	-	38.51	9.04	35.15
AV	15.75466G	43.79	54.00	-10.21	31.38	3	Horizontal	25	1.75	-	38.52	9.04	35.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	AV	5.3504G	53.83	54.00	-0.17	3	Vertical	137	2.45	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	67.89	74.00	-6.11	63.11	3	Vertical	48	1.76	-	32.90	5.05	33.17	
AV	5.1498G	52.95	54.00	-1.05	48.17	3	Vertical	48	1.76	-	32.90	5.05	33.17	
PK	5.1854G	125.04	Inf	-Inf	120.15	3	Vertical	48	1.76	-	32.97	5.09	33.17	
AV	5.1864G	112.01	Inf	-Inf	107.12	3	Vertical	48	1.76	-	32.97	5.09	33.17	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1448G	68.46	74.00	-5.54	63.67	3	Horizontal	219	1.57	-	32.92	5.04	33.17	
AV	5.15G	48.61	54.00	-5.39	43.83	3	Horizontal	219	1.57	-	32.90	5.05	33.17	
PK	5.1824G	117.27	Inf	-Inf	112.40	3	Horizontal	219	1.57	-	32.96	5.08	33.17	
AV	5.176G	104.78	Inf	-Inf	99.92	3	Horizontal	219	1.57	-	32.95	5.08	33.17	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 96
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36368G	54.92	68.20	-13.28	42.10	3	Vertical	286	2.55	-	38.96	7.85	33.99
PK	15.53548G	59.71	74.00	-14.29	47.00	3	Vertical	8	2.20	-	38.86	8.98	35.13
AV	15.54122G	45.05	54.00	-8.95	32.35	3	Vertical	8	2.20	-	38.84	8.99	35.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 96
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3564G	54.54	68.20	-13.66	41.71	3	Horizontal	13	2.81	-	38.96	7.85	33.98
PK	15.54226G	59.86	74.00	-14.14	47.17	3	Horizontal	318	2.19	-	38.83	8.99	35.13
AV	15.54216G	45.09	54.00	-8.91	32.40	3	Horizontal	318	2.19	-	38.83	8.99	35.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.59	74.00	-7.41	61.81	3	Vertical	52	1.80	-	32.90	5.05	33.17
AV	5.1492G	53.40	54.00	-0.60	48.62	3	Vertical	52	1.80	-	32.90	5.05	33.17
PK	5.1936G	126.99	Inf	-Inf	122.08	3	Vertical	52	1.80	-	32.99	5.09	33.17
AV	5.1916G	113.84	Inf	-Inf	108.94	3	Vertical	52	1.80	-	32.98	5.09	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1416G	62.26	74.00	-11.74	57.46	3	Horizontal	34	1.94	-	32.93	5.04	33.17	
AV	5.15G	48.65	54.00	-5.35	43.87	3	Horizontal	34	1.94	-	32.90	5.05	33.17	
PK	5.1944G	118.57	Inf	-Inf	113.66	3	Horizontal	34	1.94	-	32.99	5.09	33.17	
AV	5.1964G	104.84	Inf	-Inf	99.92	3	Horizontal	34	1.94	-	32.99	5.10	33.17	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39624G	55.26	68.20	-12.94	42.40	3	Vertical	52	1.57	-	39.00	7.88	34.02
PK	15.6034G	59.21	74.00	-14.79	46.76	3	Vertical	204	2.87	-	38.59	9.00	35.14
AV	15.59628G	44.51	54.00	-9.49	32.04	3	Vertical	204	2.87	-	38.61	9.00	35.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 100
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40212G	54.71	68.20	-13.49	41.85	3	Horizontal	200	1.89	-	39.00	7.88	34.02
PK	15.60174G	59.65	74.00	-14.35	47.20	3	Horizontal	281	2.66	-	38.59	9.00	35.14
AV	15.60064G	44.52	54.00	-9.48	32.06	3	Horizontal	281	2.66	-	38.60	9.00	35.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.38	74.00	-10.62	58.60	3	Vertical	85	1.61	-	32.90	5.05	33.17
AV	5.1488G	50.69	54.00	-3.31	45.91	3	Vertical	85	1.61	-	32.90	5.05	33.17
PK	5.2478G	127.49	Inf	-Inf	122.56	3	Vertical	85	1.61	-	33.00	5.10	33.17
AV	5.2424G	115.23	Inf	-Inf	110.30	3	Vertical	85	1.61	-	33.00	5.10	33.17
PK	5.3618G	62.27	74.00	-11.73	57.17	3	Vertical	85	1.61	-	33.17	5.10	33.17
AV	5.35G	49.64	54.00	-4.36	44.61	3	Vertical	85	1.61	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1086G	61.07	74.00	-12.93	56.15	3	Horizontal	129	1.74	-	33.07	5.01	33.16
AV	5.1494G	48.12	54.00	-5.88	43.34	3	Horizontal	129	1.74	-	32.90	5.05	33.17
PK	5.2472G	121.87	Inf	-Inf	116.94	3	Horizontal	129	1.74	-	33.00	5.10	33.17
AV	5.246G	108.41	Inf	-Inf	103.48	3	Horizontal	129	1.74	-	33.00	5.10	33.17
PK	5.3546G	61.80	74.00	-12.20	56.74	3	Horizontal	129	1.74	-	33.13	5.10	33.17
AV	5.35G	48.19	54.00	-5.81	43.16	3	Horizontal	129	1.74	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48266G	55.24	68.20	-12.96	42.23	3	Vertical	358	1.07	-	39.17	7.94	34.10
PK	15.7207G	57.70	74.00	-16.30	45.43	3	Vertical	266	1.92	-	38.38	9.03	35.14
AV	15.7152G	42.79	54.00	-11.21	30.54	3	Vertical	266	1.92	-	38.36	9.03	35.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4828G	55.34	68.20	-12.86	42.33	3	Horizontal	153	2.98	-	39.17	7.94	34.10
PK	15.71562G	57.32	74.00	-16.68	45.07	3	Horizontal	138	2.83	-	38.36	9.03	35.14
AV	15.71844G	42.80	54.00	-11.20	30.54	3	Horizontal	138	2.83	-	38.37	9.03	35.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.06	74.00	-9.94	59.28	3	Vertical	310	1.78	-	32.90	5.05	33.17
AV	5.15G	50.52	54.00	-3.48	45.74	3	Vertical	310	1.78	-	32.90	5.05	33.17
PK	5.2648G	127.76	Inf	-Inf	122.80	3	Vertical	310	1.78	-	33.03	5.10	33.17
AV	5.2648G	115.89	Inf	-Inf	110.93	3	Vertical	310	1.78	-	33.03	5.10	33.17
PK	5.3512G	66.85	74.00	-7.15	61.81	3	Vertical	310	1.78	-	33.11	5.10	33.17
AV	5.35G	51.52	54.00	-2.48	46.49	3	Vertical	310	1.78	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Y_4TX
Setting 108
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	61.51	74.00	-12.49	56.68	3	Horizontal	160	3.00	-	32.97	5.03	33.17
AV	5.15G	48.24	54.00	-5.76	43.46	3	Horizontal	160	3.00	-	32.90	5.05	33.17
PK	5.2654G	124.93	Inf	-Inf	119.97	3	Horizontal	160	3.00	-	33.03	5.10	33.17
AV	5.2666G	111.51	Inf	-Inf	106.55	3	Horizontal	160	3.00	-	33.03	5.10	33.17
PK	5.3518G	61.87	74.00	-12.13	56.83	3	Horizontal	160	3.00	-	33.11	5.10	33.17
AV	5.35G	48.82	54.00	-5.18	43.79	3	Horizontal	160	3.00	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52226G	55.24	68.20	-12.96	42.21	3	Vertical	101	2.76	-	39.20	7.97	34.14
PK	15.78408G	57.49	74.00	-16.51	44.95	3	Vertical	248	2.73	-	38.64	9.05	35.15
AV	15.775G	42.99	54.00	-11.01	30.50	3	Vertical	248	2.73	-	38.60	9.04	35.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51658G	55.68	68.20	-12.52	42.65	3	Horizontal	25	2.57	-	39.20	7.96	34.13
PK	15.78218G	57.41	74.00	-16.59	44.88	3	Horizontal	150	2.31	-	38.63	9.05	35.15
AV	15.77808G	42.99	54.00	-11.01	30.49	3	Horizontal	150	2.31	-	38.61	9.04	35.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	126.01	Inf	-Inf	120.99	3	Vertical	137	2.45	-	33.09	5.10	33.17
AV	5.2924G	113.20	Inf	-Inf	108.19	3	Vertical	137	2.45	-	33.08	5.10	33.17
PK	5.352G	71.30	74.00	-2.70	66.26	3	Vertical	137	2.45	-	33.11	5.10	33.17
AV	5.3504G	53.83	54.00	-0.17	48.80	3	Vertical	137	2.45	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3084G	119.59	Inf	-Inf	114.56	3	Horizontal	7	1.75	-	33.10	5.10	33.17	
AV	5.3076G	107.00	Inf	-Inf	101.97	3	Horizontal	7	1.75	-	33.10	5.10	33.17	
PK	5.3552G	66.44	74.00	-7.56	61.38	3	Horizontal	7	1.75	-	33.13	5.10	33.17	
AV	5.3508G	50.19	54.00	-3.81	45.16	3	Horizontal	7	1.75	-	33.10	5.10	33.17	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60374G	56.21	74.00	-17.79	43.18	3	Vertical	136	2.87	-	39.21	8.02	34.20
PK	15.89812G	59.24	74.00	-14.76	46.42	3	Vertical	7	2.90	-	38.90	9.07	35.15
AV	15.90456G	44.72	54.00	-9.28	31.90	3	Vertical	7	2.90	-	38.89	9.08	35.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5982G	55.71	68.20	-12.49	42.69	3	Horizontal	307	2.82	-	39.20	8.02	34.20
PK	15.90034G	58.70	74.00	-15.30	45.87	3	Horizontal	349	1.30	-	38.90	9.08	35.15
AV	15.90468G	44.69	54.00	-9.31	31.87	3	Horizontal	349	1.30	-	38.89	9.08	35.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.317G	124.04	Inf	-Inf	119.01	3	Vertical	52	1.77	-	33.10	5.10	33.17	
AV	5.315G	109.55	Inf	-Inf	104.52	3	Vertical	52	1.77	-	33.10	5.10	33.17	
PK	5.3558G	69.88	74.00	-4.12	64.82	3	Vertical	52	1.77	-	33.13	5.10	33.17	
AV	5.3504G	53.08	54.00	-0.92	48.05	3	Vertical	52	1.77	-	33.10	5.10	33.17	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3162G	118.34	Inf	-Inf	113.31	3	Horizontal	25	1.80	-	33.10	5.10	33.17
AV	5.3162G	103.94	Inf	-Inf	98.91	3	Horizontal	25	1.80	-	33.10	5.10	33.17
PK	5.3522G	62.48	74.00	-11.52	57.44	3	Horizontal	25	1.80	-	33.11	5.10	33.17
AV	5.3502G	49.13	54.00	-4.87	44.10	3	Horizontal	25	1.80	-	33.10	5.10	33.17

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64046G	55.82	74.00	-18.18	42.68	3	Vertical	77	1.66	-	39.32	8.05	34.23
AV	10.64418G	41.09	54.00	-12.91	27.94	3	Vertical	77	1.66	-	39.33	8.05	34.23
PK	15.95924G	59.27	74.00	-14.73	46.56	3	Vertical	104	2.92	-	38.78	9.09	35.16
AV	15.96248G	45.01	54.00	-8.99	32.30	3	Vertical	104	2.92	-	38.78	9.09	35.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 92
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64254G	55.74	74.00	-18.26	42.59	3	Horizontal	255	1.84	-	39.33	8.05	34.23
AV	10.64418G	41.10	54.00	-12.90	27.95	3	Horizontal	255	1.84	-	39.33	8.05	34.23
PK	15.9644G	59.42	74.00	-14.58	46.72	3	Horizontal	156	2.73	-	38.77	9.09	35.16
AV	15.96216G	45.01	54.00	-8.99	32.30	3	Horizontal	156	2.73	-	38.78	9.09	35.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 93
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.148G	72.53	74.00	-1.47	65.83	3	Vertical	120	1.41	-	33.60	5.25	32.15	
AV	5.1496G	52.20	54.00	-1.80	45.50	3	Vertical	120	1.41	-	33.60	5.25	32.15	
PK	5.1804G	120.02	Inf	-Inf	113.23	3	Vertical	120	1.41	-	33.66	5.28	32.15	
AV	5.1844G	100.20	Inf	-Inf	93.40	3	Vertical	120	1.41	-	33.67	5.28	32.15	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1324G	66.37	74.00	-7.63	59.73	3	Horizontal	224	1.80	-	33.56	5.23	32.15	
AV	5.15G	46.80	54.00	-7.20	40.10	3	Horizontal	224	1.80	-	33.60	5.25	32.15	
PK	5.1964G	114.09	Inf	-Inf	107.25	3	Horizontal	224	1.80	-	33.69	5.30	32.15	
AV	5.1924G	95.15	Inf	-Inf	88.33	3	Horizontal	224	1.80	-	33.68	5.29	32.15	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 93
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37774G	55.34	68.20	-12.86	42.50	3	Vertical	205	1.05	-	38.98	7.86	34.00
PK	15.57198G	59.09	74.00	-14.91	46.52	3	Vertical	262	1.56	-	38.71	8.99	35.13
AV	15.565G	44.77	54.00	-9.23	32.17	3	Vertical	262	1.56	-	38.74	8.99	35.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 93
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.38002G	54.93	68.20	-13.27	42.08	3	Horizontal	324	2.57	-	38.98	7.87	34.00	
PK	15.57238G	58.85	74.00	-15.15	46.28	3	Horizontal	267	1.62	-	38.71	8.99	35.13	
AV	15.56618G	44.78	54.00	-9.22	32.18	3	Horizontal	267	1.62	-	38.74	8.99	35.13	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 95
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.44	74.00	-2.56	64.74	3	Vertical	75	1.80	-	33.60	5.25	32.15
AV	5.15G	53.61	54.00	-0.39	46.91	3	Vertical	75	1.80	-	33.60	5.25	32.15
PK	5.2444G	123.71	Inf	-Inf	116.84	3	Vertical	75	1.80	-	33.70	5.32	32.15
AV	5.248G	104.78	Inf	-Inf	97.91	3	Vertical	75	1.80	-	33.70	5.32	32.15
PK	5.3512G	63.00	74.00	-11.00	55.86	3	Vertical	75	1.80	-	33.90	5.38	32.14
AV	5.35G	49.39	54.00	-4.61	42.25	3	Vertical	75	1.80	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	66.16	74.00	-7.84	59.48	3	Horizontal	27	1.80	-	33.59	5.24	32.15
AV	5.15G	49.35	54.00	-4.65	42.65	3	Horizontal	27	1.80	-	33.60	5.25	32.15
PK	5.2456G	117.25	Inf	-Inf	110.38	3	Horizontal	27	1.80	-	33.70	5.32	32.15
AV	5.2456G	98.45	Inf	-Inf	91.58	3	Horizontal	27	1.80	-	33.70	5.32	32.15
PK	5.3506G	60.72	74.00	-13.28	53.58	3	Horizontal	27	1.80	-	33.90	5.38	32.14
AV	5.3512G	47.45	54.00	-6.55	40.31	3	Horizontal	27	1.80	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4647G	55.66	68.20	-12.54	42.69	3	Vertical	252	2.72	-	39.13	7.93	34.09
PK	15.69362G	58.39	74.00	-15.61	46.19	3	Vertical	83	1.71	-	38.32	9.02	35.14
AV	15.68716G	43.64	54.00	-10.36	31.42	3	Vertical	83	1.71	-	38.34	9.02	35.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46476G	55.22	68.20	-12.98	42.25	3	Horizontal	205	1.88	-	39.13	7.93	34.09
PK	15.68626G	57.86	74.00	-16.14	45.64	3	Horizontal	99	1.50	-	38.34	9.02	35.14
AV	15.68502G	43.67	54.00	-10.33	31.45	3	Horizontal	99	1.50	-	38.34	9.02	35.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Y_4TX
Setting 91
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.28	74.00	-9.72	59.49	3	Vertical	82	1.67	-	32.91	5.05	33.17
AV	5.15G	50.70	54.00	-3.30	45.92	3	Vertical	82	1.67	-	32.90	5.05	33.17
PK	5.264G	124.05	Inf	-Inf	119.09	3	Vertical	82	1.67	-	33.03	5.10	33.17
AV	5.258G	110.18	Inf	-Inf	105.23	3	Vertical	82	1.67	-	33.02	5.10	33.17
PK	5.354G	68.51	74.00	-5.49	63.46	3	Vertical	82	1.67	-	33.12	5.10	33.17
AV	5.35G	53.56	54.00	-0.44	48.53	3	Vertical	82	1.67	-	33.10	5.10	33.17

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Y_4TX
Setting 91
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	61.09	74.00	-12.91	56.27	3	Horizontal	139	1.42	-	32.95	5.04	33.17
AV	5.15G	47.89	54.00	-6.11	43.11	3	Horizontal	139	1.42	-	32.90	5.05	33.17
PK	5.2646G	113.26	Inf	-Inf	108.30	3	Horizontal	139	1.42	-	33.03	5.10	33.17
AV	5.2514G	99.47	Inf	-Inf	94.54	3	Horizontal	139	1.42	-	33.00	5.10	33.17
PK	5.3504G	61.97	74.00	-12.03	56.94	3	Horizontal	139	1.42	-	33.10	5.10	33.17
AV	5.351G	48.66	54.00	-5.34	43.62	3	Horizontal	139	1.42	-	33.11	5.10	33.17

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Y_4TX
Setting 91
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5419G	55.47	68.20	-12.73	42.44	3	Vertical	56	2.51	-	39.20	7.98	34.15
PK	15.80992G	57.22	74.00	-16.78	44.60	3	Vertical	160	1.62	-	38.72	9.05	35.15
AV	15.81292G	43.18	54.00	-10.82	30.55	3	Vertical	160	1.62	-	38.73	9.05	35.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53824G	55.57	68.20	-12.63	42.54	3	Horizontal	345	1.54	-	39.20	7.98	34.15
PK	15.81452G	57.84	74.00	-16.16	45.21	3	Horizontal	72	1.55	-	38.73	9.05	35.15
AV	15.81498G	43.12	54.00	-10.88	30.49	3	Horizontal	72	1.55	-	38.73	9.05	35.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 88
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	121.54	Inf	-Inf	116.51	3	Vertical	98	1.80	-	33.10	5.10	33.17
AV	5.3052G	106.70	Inf	-Inf	101.67	3	Vertical	98	1.80	-	33.10	5.10	33.17
PK	5.3516G	69.37	74.00	-4.63	64.33	3	Vertical	98	1.80	-	33.11	5.10	33.17
AV	5.35G	53.28	54.00	-0.72	48.25	3	Vertical	98	1.80	-	33.10	5.10	33.17

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 88
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3188G	112.40	Inf	-Inf	107.37	3	Horizontal	30	1.46	-	33.10	5.10	33.17	
AV	5.3232G	99.08	Inf	-Inf	94.05	3	Horizontal	30	1.46	-	33.10	5.10	33.17	
PK	5.3576G	64.61	74.00	-9.39	59.53	3	Horizontal	30	1.46	-	33.15	5.10	33.17	
AV	5.35G	49.29	54.00	-4.71	44.26	3	Horizontal	30	1.46	-	33.10	5.10	33.17	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 88
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.61556G	55.30	74.00	-18.70	42.23	3	Vertical	108	1.45	-	39.25	8.03	34.21	
AV	10.6242G	41.21	54.00	-12.79	28.12	3	Vertical	108	1.45	-	39.27	8.04	34.22	
PK	15.93168G	59.93	74.00	-14.07	47.17	3	Vertical	303	2.82	-	38.84	9.08	35.16	
AV	15.92796G	44.73	54.00	-9.27	31.97	3	Vertical	303	2.82	-	38.84	9.08	35.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 88
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62374G	55.52	74.00	-18.48	42.43	3	Horizontal	347	2.20	-	39.27	8.04	34.22	
AV	10.61556G	41.15	54.00	-12.85	28.08	3	Horizontal	347	2.20	-	39.25	8.03	34.21	
PK	15.92886G	58.85	74.00	-15.15	46.09	3	Horizontal	293	2.09	-	38.84	9.08	35.16	
AV	15.92742G	44.72	54.00	-9.28	31.95	3	Horizontal	293	2.09	-	38.85	9.08	35.16	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Y_4TX
Setting 84
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.85	74.00	-7.15	62.06	3	Vertical	52	1.79	-	32.91	5.05	33.17
AV	5.15G	53.12	54.00	-0.88	48.34	3	Vertical	52	1.79	-	32.90	5.05	33.17
PK	5.173G	120.49	Inf	-Inf	115.64	3	Vertical	52	1.79	-	32.95	5.07	33.17
AV	5.197G	104.75	Inf	-Inf	99.83	3	Vertical	52	1.79	-	32.99	5.10	33.17
PK	5.351G	62.58	74.00	-11.42	57.54	3	Vertical	52	1.79	-	33.11	5.10	33.17
AV	5.35G	50.28	54.00	-3.72	45.25	3	Vertical	52	1.79	-	33.10	5.10	33.17

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Y_4TX
Setting 84
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	67.83	74.00	-6.17	63.04	3	Horizontal	17	1.83	-	32.92	5.04	33.17
AV	5.15G	48.62	54.00	-5.38	43.84	3	Horizontal	17	1.83	-	32.90	5.05	33.17
PK	5.219G	110.16	Inf	-Inf	105.23	3	Horizontal	17	1.83	-	33.00	5.10	33.17
AV	5.219G	98.31	Inf	-Inf	93.38	3	Horizontal	17	1.83	-	33.00	5.10	33.17
PK	5.427G	62.87	74.00	-11.13	57.30	3	Horizontal	17	1.83	-	33.62	5.13	33.18
AV	5.45G	48.76	54.00	-5.24	42.99	3	Horizontal	17	1.83	-	33.80	5.15	33.18

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 84
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41912G	55.24	68.20	-12.96	42.35	3	Vertical	190	1.85	-	39.04	7.89	34.04
PK	15.63012G	58.43	74.00	-15.57	46.05	3	Vertical	102	2.26	-	38.51	9.01	35.14
AV	15.62738G	44.65	54.00	-9.35	32.26	3	Vertical	102	2.26	-	38.52	9.01	35.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 84
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42216G	55.49	68.20	-12.71	42.59	3	Horizontal	6	2.03	-	39.04	7.90	34.04
PK	15.63208G	58.66	74.00	-15.34	46.29	3	Horizontal	3	2.35	-	38.50	9.01	35.14
AV	15.6296G	44.57	54.00	-9.43	32.19	3	Horizontal	3	2.35	-	38.51	9.01	35.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 86
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.63	74.00	-11.37	57.83	3	Vertical	128	1.70	-	32.92	5.05	33.17
AV	5.146G	50.47	54.00	-3.53	45.67	3	Vertical	128	1.70	-	32.92	5.05	33.17
PK	5.262G	117.70	Inf	-Inf	112.75	3	Vertical	128	1.70	-	33.02	5.10	33.17
AV	5.301G	105.34	Inf	-Inf	100.31	3	Vertical	128	1.70	-	33.10	5.10	33.17
PK	5.354G	67.43	74.00	-6.57	62.38	3	Vertical	128	1.70	-	33.12	5.10	33.17
AV	5.35G	53.58	54.00	-0.42	48.55	3	Vertical	128	1.70	-	33.10	5.10	33.17
PK	5.495G	63.93	68.20	-4.27	58.02	3	Vertical	128	1.70	-	33.89	5.20	33.18

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 86
04-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.19	74.00	-12.81	56.41	3	Horizontal	33	1.70	-	32.90	5.05	33.17
AV	5.141G	48.16	54.00	-5.84	43.35	3	Horizontal	33	1.70	-	32.94	5.04	33.17
PK	5.267G	114.94	Inf	-Inf	109.98	3	Horizontal	33	1.70	-	33.03	5.10	33.17
AV	5.295G	97.93	Inf	-Inf	92.91	3	Horizontal	33	1.70	-	33.09	5.10	33.17
PK	5.426G	62.03	74.00	-11.97	56.47	3	Horizontal	33	1.70	-	33.61	5.13	33.18
AV	5.354G	49.30	54.00	-4.70	44.25	3	Horizontal	33	1.70	-	33.12	5.10	33.17
PK	5.496G	63.76	68.20	-4.44	57.85	3	Horizontal	33	1.70	-	33.89	5.20	33.18

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 86
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5755G	55.44	68.20	-12.76	42.42	3	Vertical	5	2.27	-	39.20	8.00	34.18
PK	15.86574G	57.95	74.00	-16.05	45.20	3	Vertical	86	1.48	-	38.83	9.07	35.15
AV	15.8732G	44.17	54.00	-9.83	31.40	3	Vertical	86	1.48	-	38.85	9.07	35.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 86
04-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58092G	55.78	68.20	-12.42	42.75	3	Horizontal	184	1.79	-	39.20	8.01	34.18
PK	15.87364G	59.02	74.00	-14.98	46.25	3	Horizontal	172	2.06	-	38.85	9.07	35.15
AV	15.87338G	44.18	54.00	-9.82	31.41	3	Horizontal	172	2.06	-	38.85	9.07	35.15

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	73.15	74.00	-0.85	66.48	3	Vertical	108	1.80	-	33.58	5.24	32.15
AV	5.1428G	50.55	54.00	-3.45	43.87	3	Vertical	108	1.80	-	33.59	5.24	32.15
PK	5.2724G	112.07	Inf	-Inf	105.13	3	Vertical	108	1.80	-	33.74	5.34	32.14
AV	5.2788G	90.01	Inf	-Inf	83.05	3	Vertical	108	1.80	-	33.76	5.34	32.14
PK	5.362G	70.85	74.00	-3.15	63.69	3	Vertical	108	1.80	-	33.92	5.38	32.14
AV	5.35G	48.71	54.00	-5.29	41.57	3	Vertical	108	1.80	-	33.90	5.38	32.14
PK	5.5236G	57.34	68.20	-10.86	49.95	3	Vertical	108	1.80	-	34.00	5.52	32.13

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	65.60	74.00	-8.40	60.78	3	Horizontal	16	1.80	-	32.95	5.04	33.17
AV	5.1364G	44.27	54.00	-9.73	39.45	3	Horizontal	16	1.80	-	32.95	5.04	33.17
PK	5.2644G	102.77	Inf	-Inf	97.81	3	Horizontal	16	1.80	-	33.03	5.10	33.17
AV	5.2676G	82.42	Inf	-Inf	77.45	3	Horizontal	16	1.80	-	33.04	5.10	33.17
PK	5.3588G	62.66	74.00	-11.34	57.58	3	Horizontal	16	1.80	-	33.15	5.10	33.17
AV	5.3508G	43.35	54.00	-10.65	38.32	3	Horizontal	16	1.80	-	33.10	5.10	33.17
PK	5.5444G	56.15	68.20	-12.05	50.03	3	Horizontal	16	1.80	-	34.08	5.24	33.20

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49604G	51.67	68.20	-16.53	38.62	3	Vertical	15	2.24	-	38.60	7.50	33.05
PK	15.74328G	53.33	74.00	-20.67	39.39	3	Vertical	135	1.42	-	37.50	9.88	33.44
AV	15.76464G	39.87	54.00	-14.13	25.94	3	Vertical	135	1.42	-	37.50	9.89	33.46

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom



EUT Y_4TX
Setting 76
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50966G	51.57	68.20	-16.63	38.53	3	Horizontal	197	2.42	-	38.59	7.50	33.05
PK	15.75948G	53.37	74.00	-20.63	39.44	3	Horizontal	339	1.01	-	37.50	9.89	33.46
AV	15.75354G	39.92	54.00	-14.08	25.98	3	Horizontal	339	1.01	-	37.50	9.89	33.45




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7256G	67.44	68.20	-0.76	3	Horizontal	9	1.64	-

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4582G	59.79	74.00	-14.21	52.46	3	Vertical	212	1.99	-	34.00	5.46	32.13	
AV	5.46G	46.69	54.00	-7.31	39.36	3	Vertical	212	1.99	-	34.00	5.46	32.13	
PK	5.4686G	61.95	68.20	-6.25	54.61	3	Vertical	212	1.99	-	34.00	5.47	32.13	
PK	5.5018G	116.85	Inf	-Inf	109.48	3	Vertical	212	1.99	-	34.00	5.50	32.13	
AV	5.5018G	106.14	Inf	-Inf	98.77	3	Vertical	212	1.99	-	34.00	5.50	32.13	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4582G	61.52	74.00	-12.48	54.19	3	Horizontal	344	1.65	-	34.00	5.46	32.13	
AV	5.46G	47.70	54.00	-6.30	40.37	3	Horizontal	344	1.65	-	34.00	5.46	32.13	
PK	5.4674G	67.29	68.20	-0.91	59.95	3	Horizontal	344	1.65	-	34.00	5.47	32.13	
PK	5.5068G	120.78	Inf	-Inf	113.40	3	Horizontal	344	1.65	-	34.00	5.51	32.13	
AV	5.5064G	110.02	Inf	-Inf	102.64	3	Horizontal	344	1.65	-	34.00	5.51	32.13	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99622G	51.05	74.00	-22.95	38.02	3	Vertical	230	2.96	-	38.60	7.70	33.27
AV	11.01368G	37.66	54.00	-16.34	24.61	3	Vertical	230	2.96	-	38.61	7.71	33.27
PK	16.49832G	56.21	68.20	-11.99	39.94	3	Vertical	119	2.18	-	39.09	10.25	33.07

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00114G	51.33	74.00	-22.67	38.30	3	Horizontal	82	2.05	-	38.60	7.70	33.27
AV	11.015G	37.64	54.00	-16.36	24.58	3	Horizontal	82	2.05	-	38.62	7.71	33.27
PK	16.50408G	55.42	68.20	-12.78	39.13	3	Horizontal	0	1.38	-	39.11	10.25	33.07

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	57.95	74.00	-16.05	50.62	3	Vertical	272	2.60	-	34.00	5.46	32.13
AV	5.46G	45.37	54.00	-8.63	38.04	3	Vertical	272	2.60	-	34.00	5.46	32.13
PK	5.4608G	57.97	68.20	-10.23	50.64	3	Vertical	272	2.60	-	34.00	5.46	32.13
PK	5.5816G	120.97	Inf	-Inf	113.58	3	Vertical	272	2.60	-	33.94	5.58	32.13
AV	5.5808G	110.75	Inf	-Inf	103.36	3	Vertical	272	2.60	-	33.94	5.58	32.13
PK	5.7784G	58.82	68.20	-9.38	51.57	3	Vertical	272	2.60	-	33.80	5.60	32.15

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.89	74.00	-15.11	51.56	3	Horizontal	0	1.73	-	34.00	5.46	32.13
AV	5.4592G	45.87	54.00	-8.13	38.54	3	Horizontal	0	1.73	-	34.00	5.46	32.13
PK	5.4608G	59.06	68.20	-9.14	51.73	3	Horizontal	0	1.73	-	34.00	5.46	32.13
PK	5.5872G	123.04	Inf	-Inf	115.66	3	Horizontal	0	1.73	-	33.93	5.59	32.14
AV	5.5864G	112.91	Inf	-Inf	105.53	3	Horizontal	0	1.73	-	33.93	5.59	32.14
PK	5.748G	59.16	68.20	-9.04	51.90	3	Horizontal	0	1.73	-	33.80	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16492G	50.98	74.00	-23.02	37.70	3	Vertical	249	1.71	-	38.76	7.77	33.25
AV	11.15712G	37.53	54.00	-16.47	24.26	3	Vertical	249	1.71	-	38.76	7.76	33.25
PK	16.746G	56.22	68.20	-11.98	39.18	3	Vertical	4	1.01	-	39.97	10.37	33.30

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1453G	51.26	74.00	-22.74	38.01	3	Horizontal	175	2.24	-	38.75	7.76	33.26
AV	11.15436G	37.62	54.00	-16.38	24.36	3	Horizontal	175	2.24	-	38.75	7.76	33.25
PK	16.75164G	56.18	68.20	-12.02	39.10	3	Horizontal	153	1.18	-	40.01	10.38	33.31

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 71
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	113.79	Inf	-Inf	106.44	3	Vertical	310	2.09	-	33.89	5.60	32.14
AV	5.7036G	102.90	Inf	-Inf	95.55	3	Vertical	310	2.09	-	33.89	5.60	32.14
PK	5.725G	60.82	68.20	-7.38	53.51	3	Vertical	310	2.09	-	33.85	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 71
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	115.53	Inf	-Inf	108.18	3	Horizontal	9	1.64	-	33.89	5.60	32.14
AV	5.7064G	104.89	Inf	-Inf	97.54	3	Horizontal	9	1.64	-	33.89	5.60	32.14
PK	5.7256G	67.44	68.20	-0.76	60.13	3	Horizontal	9	1.64	-	33.85	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 71
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39238G	51.26	74.00	-22.74	37.83	3	Vertical	193	1.29	-	38.80	7.86	33.23
AV	11.4111G	37.67	54.00	-16.33	24.22	3	Vertical	193	1.29	-	38.82	7.86	33.23
PK	17.10246G	57.52	68.20	-10.68	38.98	3	Vertical	333	2.18	-	41.41	10.55	33.42

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 71
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39508G	51.59	74.00	-22.41	38.16	3	Horizontal	342	2.10	-	38.80	7.86	33.23
AV	11.40252G	37.69	54.00	-16.31	24.25	3	Horizontal	342	2.10	-	38.81	7.86	33.23
PK	17.10702G	57.74	68.20	-10.46	39.17	3	Horizontal	8	1.18	-	41.44	10.55	33.42

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7136G	121.65	Inf	-Inf	114.32	3	Vertical	40	2.53	-	33.87	5.60	32.14
AV	5.7136G	111.22	Inf	-Inf	103.89	3	Vertical	40	2.53	-	33.87	5.60	32.14
PK	5.856G	59.24	68.20	-8.96	51.89	3	Vertical	40	2.53	-	33.84	5.66	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	123.02	Inf	-Inf	115.71	3	Horizontal	345	1.82	-	33.85	5.60	32.14
PK	5.7256G	112.94	Inf	-Inf	105.63	3	Horizontal	345	1.82	-	33.85	5.60	32.14
PK	5.8584G	60.57	68.20	-7.63	53.21	3	Horizontal	345	1.82	-	33.85	5.66	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43514G	52.45	74.00	-21.55	38.94	3	Vertical	107	2.43	-	38.87	7.87	33.23
AV	11.42878G	37.92	54.00	-16.08	24.42	3	Vertical	107	2.43	-	38.86	7.87	33.23
PK	17.15418G	58.04	68.20	-10.16	39.09	3	Vertical	115	2.54	-	41.73	10.58	33.36

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4451G	51.60	74.00	-22.40	38.06	3	Horizontal	6	1.52	-	38.89	7.88	33.23
AV	11.44522G	37.93	54.00	-16.07	24.39	3	Horizontal	6	1.52	-	38.89	7.88	33.23
PK	17.15166G	58.50	68.20	-9.70	39.58	3	Horizontal	187	2.87	-	41.71	10.58	33.37

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.553G	60.06	68.20	-8.14	52.65	3	Vertical	41	2.64	-	33.99	5.55	32.13	
PK	5.738G	121.18	Inf	-Inf	113.90	3	Vertical	41	2.64	-	33.82	5.60	32.14	
AV	5.738G	110.80	Inf	-Inf	103.52	3	Vertical	41	2.64	-	33.82	5.60	32.14	
PK	5.943G	58.77	68.20	-9.43	51.00	3	Vertical	41	2.64	-	34.19	5.74	32.16	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.551G	63.02	68.20	-5.18	55.60	3	Horizontal	343	1.63	-	34.00	5.55	32.13	
PK	5.751G	123.29	Inf	-Inf	116.04	3	Horizontal	343	1.63	-	33.80	5.60	32.15	
AV	5.751G	112.89	Inf	-Inf	105.64	3	Horizontal	343	1.63	-	33.80	5.60	32.15	
PK	5.952G	59.59	68.20	-8.61	51.80	3	Horizontal	343	1.63	-	34.20	5.75	32.16	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48076G	51.34	74.00	-22.66	37.71	3	Vertical	186	2.68	-	38.96	7.89	33.22
AV	11.47746G	37.97	54.00	-16.03	24.35	3	Vertical	186	2.68	-	38.95	7.89	33.22
PK	17.22102G	58.73	68.20	-9.47	39.30	3	Vertical	184	2.24	-	42.11	10.61	33.29

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48814G	51.51	74.00	-22.49	37.85	3	Horizontal	32	1.62	-	38.98	7.90	33.22	
AV	11.47764G	37.79	54.00	-16.21	24.16	3	Horizontal	32	1.62	-	38.96	7.89	33.22	
PK	17.23752G	58.29	68.20	-9.91	38.75	3	Horizontal	85	2.68	-	42.19	10.62	33.27	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	59.47	68.20	-8.73	52.19	3	Vertical	42	1.30	-	33.82	5.60	32.14	
PK	5.788G	120.75	Inf	-Inf	113.50	3	Vertical	42	1.30	-	33.80	5.60	32.15	
AV	5.788G	110.99	Inf	-Inf	103.74	3	Vertical	42	1.30	-	33.80	5.60	32.15	
PK	5.987G	59.73	68.20	-8.47	51.90	3	Vertical	42	1.30	-	34.20	5.79	32.16	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.59G	61.12	68.20	-7.08	53.75	3	Horizontal	341	1.54	-	33.92	5.59	32.14	
PK	5.791G	123.48	Inf	-Inf	116.23	3	Horizontal	341	1.54	-	33.80	5.60	32.15	
AV	5.791G	113.17	Inf	-Inf	105.92	3	Horizontal	341	1.54	-	33.80	5.60	32.15	
PK	5.942G	59.14	68.20	-9.06	51.38	3	Horizontal	341	1.54	-	34.18	5.74	32.16	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56106G	51.91	74.00	-22.09	38.05	3	Vertical	178	1.74	-	39.18	7.92	33.24
AV	11.56784G	38.21	54.00	-15.79	24.32	3	Vertical	178	1.74	-	39.20	7.93	33.24
PK	17.36778G	59.67	68.20	-8.53	39.20	3	Vertical	292	1.57	-	42.91	10.68	33.12

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58014G	52.06	74.00	-21.94	38.13	3	Horizontal	179	1.42	-	39.24	7.93	33.24
AV	11.57174G	38.38	54.00	-15.62	24.47	3	Horizontal	179	1.42	-	39.22	7.93	33.24
PK	17.35386G	59.67	68.20	-8.53	39.31	3	Horizontal	335	1.28	-	42.82	10.68	33.14

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	59.46	68.20	-8.74	52.19	3	Vertical	42	1.12	-	33.81	5.60	32.14	
PK	5.829G	120.73	Inf	-Inf	113.45	3	Vertical	42	1.12	-	33.80	5.63	32.15	
AV	5.829G	110.43	Inf	-Inf	103.15	3	Vertical	42	1.12	-	33.80	5.63	32.15	
PK	6.022G	59.26	68.20	-8.94	51.38	3	Vertical	42	1.12	-	34.24	5.80	32.16	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	61.94	68.20	-6.26	54.64	3	Horizontal	342	1.52	-	33.84	5.60	32.14	
PK	5.831G	123.46	Inf	-Inf	116.18	3	Horizontal	342	1.52	-	33.80	5.63	32.15	
AV	5.831G	112.93	Inf	-Inf	105.65	3	Horizontal	342	1.52	-	33.80	5.63	32.15	
PK	6.002G	59.47	68.20	-8.73	51.63	3	Horizontal	342	1.52	-	34.20	5.80	32.16	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65798G	53.10	74.00	-20.90	38.98	3	Vertical	284	1.08	-	39.42	7.96	33.26
AV	11.65786G	38.57	54.00	-15.43	24.45	3	Vertical	284	1.08	-	39.42	7.96	33.26
PK	17.47848G	60.04	68.20	-8.16	38.56	3	Vertical	146	1.99	-	43.73	10.74	32.99

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT_X_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64022G	52.43	74.00	-21.57	38.35	3	Horizontal	8	2.12	-	39.38	7.96	33.26
AV	11.66236G	38.59	54.00	-15.41	24.47	3	Horizontal	8	2.12	-	39.42	7.96	33.26
PK	17.46894G	60.65	68.20	-7.55	39.28	3	Horizontal	94	2.39	-	43.65	10.73	33.01




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	68.18	68.20	-0.02	3	Horizontal	161.8	1.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	60.62	74.00	-13.38	53.29	3	Vertical	92	2.08	-	34.00	5.46	32.13	
AV	5.4596G	47.74	54.00	-6.26	40.41	3	Vertical	92	2.08	-	34.00	5.46	32.13	
PK	5.467G	64.89	68.20	-3.31	57.55	3	Vertical	92	2.08	-	34.00	5.47	32.13	
PK	5.5072G	121.78	Inf	-Inf	114.40	3	Vertical	92	2.08	-	34.00	5.51	32.13	
AV	5.5078G	109.68	Inf	-Inf	102.30	3	Vertical	92	2.08	-	34.00	5.51	32.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4556G	66.54	74.00	-7.46	59.21	3	Horizontal	146	1.54	-	34.00	5.46	32.13	
AV	5.459G	49.47	54.00	-4.53	42.14	3	Horizontal	146	1.54	-	34.00	5.46	32.13	
PK	5.4676G	67.96	68.20	-0.24	60.62	3	Horizontal	146	1.54	-	34.00	5.47	32.13	
PK	5.509G	121.35	Inf	-Inf	113.97	3	Horizontal	146	1.54	-	34.00	5.51	32.13	
AV	5.5086G	110.10	Inf	-Inf	102.72	3	Horizontal	146	1.54	-	34.00	5.51	32.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00128G	51.60	74.00	-22.40	38.57	3	Vertical	247	1.67	-	38.60	7.70	33.27
AV	11.00498G	37.95	54.00	-16.05	24.92	3	Vertical	247	1.67	-	38.60	7.70	33.27
PK	16.49514G	55.12	68.20	-13.08	38.89	3	Vertical	200	1.21	-	39.06	10.25	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00334G	51.98	74.00	-22.02	38.95	3	Horizontal	31	2.71	-	38.60	7.70	33.27
AV	11.00152G	38.13	54.00	-15.87	25.10	3	Horizontal	31	2.71	-	38.60	7.70	33.27
PK	16.50228G	55.30	68.20	-12.90	39.01	3	Horizontal	93	1.26	-	39.11	10.25	33.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	58.94	74.00	-15.06	51.61	3	Vertical	86	1.97	-	34.00	5.46	32.13
PK	5.4632G	58.94	68.20	-9.26	51.61	3	Vertical	86	1.97	-	34.00	5.46	32.13
AV	5.46G	45.63	54.00	-8.37	38.30	3	Vertical	86	1.97	-	34.00	5.46	32.13
PK	5.5864G	124.92	Inf	-Inf	117.54	3	Vertical	86	1.97	-	33.93	5.59	32.14
AV	5.588G	111.79	Inf	-Inf	104.42	3	Vertical	86	1.97	-	33.92	5.59	32.14
PK	5.776G	58.76	68.20	-9.44	51.51	3	Vertical	86	1.97	-	33.80	5.60	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4512G	59.29	74.00	-14.71	51.97	3	Horizontal	13	1.79	-	34.00	5.45	32.13	
PK	5.4616G	59.48	68.20	-8.72	52.15	3	Horizontal	13	1.79	-	34.00	5.46	32.13	
AV	5.46G	46.15	54.00	-7.85	38.82	3	Horizontal	13	1.79	-	34.00	5.46	32.13	
PK	5.5744G	123.89	Inf	-Inf	116.50	3	Horizontal	13	1.79	-	33.95	5.57	32.13	
AV	5.5728G	112.00	Inf	-Inf	104.61	3	Horizontal	13	1.79	-	33.95	5.57	32.13	
PK	5.7424G	59.51	68.20	-8.69	52.23	3	Horizontal	13	1.79	-	33.82	5.60	32.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1646G	51.58	74.00	-22.42	38.30	3	Vertical	166	2.63	-	38.76	7.77	33.25
AV	11.16244G	38.09	54.00	-15.91	24.82	3	Vertical	166	2.63	-	38.76	7.76	33.25
PK	16.74204G	55.56	68.20	-12.64	38.55	3	Vertical	288	1.67	-	39.94	10.37	33.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16144G	51.66	74.00	-22.34	38.39	3	Horizontal	68	2.13	-	38.76	7.76	33.25
AV	11.16276G	38.23	54.00	-15.77	24.95	3	Horizontal	68	2.13	-	38.76	7.77	33.25
PK	16.73516G	55.75	68.20	-12.45	38.79	3	Horizontal	253	1.73	-	39.88	10.37	33.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 75
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6912G	118.62	Inf	-Inf	111.28	3	Vertical	313	1.05	-	33.88	5.60	32.14	
AV	5.6912G	105.19	Inf	-Inf	97.85	3	Vertical	313	1.05	-	33.88	5.60	32.14	
PK	5.7266G	66.28	68.20	-1.92	58.97	3	Vertical	360	1.50	-	33.85	5.60	32.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 75
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6908G	118.87	Inf	-Inf	111.53	3	Horizontal	6	1.66	-	33.88	5.60	32.14
AV	5.6912G	106.96	Inf	-Inf	99.62	3	Horizontal	6	1.66	-	33.88	5.60	32.14
PK	5.7274G	67.96	68.20	-0.24	60.65	3	Horizontal	6	1.66	-	33.85	5.60	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 75
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4023G	52.13	74.00	-21.87	38.70	3	Vertical	341	2.68	-	38.80	7.86	33.23
AV	11.40198G	38.37	54.00	-15.63	24.94	3	Vertical	341	2.68	-	38.80	7.86	33.23
PK	17.10316G	57.63	68.20	-10.57	39.08	3	Vertical	57	2.72	-	41.42	10.55	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT X_4TX
Setting 75
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4022G	51.74	74.00	-22.26	38.31	3	Horizontal	107	2.97	-	38.80	7.86	33.23
AV	11.40392G	38.25	54.00	-15.75	24.81	3	Horizontal	107	2.97	-	38.81	7.86	33.23
PK	17.09866G	57.18	68.20	-11.02	38.67	3	Horizontal	217	1.68	-	41.39	10.55	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	122.56	Inf	-Inf	115.25	3	Vertical	311.2	1.32	-	33.85	5.60	32.14
AV	5.7264G	111.32	Inf	-Inf	104.01	3	Vertical	311.2	1.32	-	33.85	5.60	32.14
PK	5.8712G	59.54	68.20	-8.66	52.09	3	Vertical	311.2	1.32	-	33.93	5.67	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	123.40	Inf	-Inf	116.09	3	Horizontal	360	1.72	-	33.85	5.60	32.14
AV	5.728G	112.19	Inf	-Inf	104.89	3	Horizontal	360	1.72	-	33.84	5.60	32.14
PK	5.8808G	59.12	68.20	-9.08	51.61	3	Horizontal	360	1.72	-	33.98	5.68	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44356G	52.12	74.00	-21.88	38.58	3	Vertical	145	2.07	-	38.89	7.88	33.23
AV	11.44246G	38.62	54.00	-15.38	25.09	3	Vertical	145	2.07	-	38.88	7.88	33.23
PK	17.16332G	57.68	68.20	-10.52	38.67	3	Vertical	335	2.09	-	41.78	10.58	33.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44268G	52.25	74.00	-21.75	38.71	3	Horizontal	313	1.64	-	38.89	7.88	33.23
AV	11.44426G	38.60	54.00	-15.40	25.06	3	Horizontal	313	1.64	-	38.89	7.88	33.23
PK	17.16168G	58.69	68.20	-9.51	39.70	3	Horizontal	327	1.02	-	41.77	10.58	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.536G	59.93	68.20	-8.27	52.52	3	Vertical	115	2.85	-	34.00	5.54	32.13	
PK	5.74G	124.30	Inf	-Inf	117.02	3	Vertical	115	2.85	-	33.82	5.60	32.14	
AV	5.739G	110.96	Inf	-Inf	103.68	3	Vertical	115	2.85	-	33.82	5.60	32.14	
PK	5.938G	58.89	68.20	-9.31	51.13	3	Vertical	115	2.85	-	34.18	5.74	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.552G	61.16	68.20	-7.04	53.74	3	Horizontal	14	1.61	-	34.00	5.55	32.13	
PK	5.739G	125.28	Inf	-Inf	118.00	3	Horizontal	14	1.61	-	33.82	5.60	32.14	
AV	5.74G	113.27	Inf	-Inf	105.99	3	Horizontal	14	1.61	-	33.82	5.60	32.14	
PK	5.942G	60.03	68.20	-8.17	52.27	3	Horizontal	14	1.61	-	34.18	5.74	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48876G	52.01	74.00	-21.99	38.35	3	Vertical	151	2.86	-	38.98	7.90	33.22
AV	11.48556G	38.34	54.00	-15.66	24.70	3	Vertical	151	2.86	-	38.97	7.89	33.22
PK	17.23678G	58.62	68.20	-9.58	39.09	3	Vertical	127	1.34	-	42.18	10.62	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48908G	52.32	74.00	-21.68	38.66	3	Horizontal	24	1.73	-	38.98	7.90	33.22	
AV	11.4894G	38.36	54.00	-15.64	24.70	3	Horizontal	24	1.73	-	38.98	7.90	33.22	
PK	17.23644G	58.35	68.20	-9.85	38.82	3	Horizontal	310	1.92	-	42.18	10.62	33.27	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.585G	60.78	68.20	-7.42	53.41	3	Vertical	311	2.12	-	33.93	5.58	32.14	
PK	5.78G	124.52	Inf	-Inf	117.27	3	Vertical	311	2.12	-	33.80	5.60	32.15	
AV	5.782G	112.17	Inf	-Inf	104.92	3	Vertical	311	2.12	-	33.80	5.60	32.15	
PK	5.934G	59.07	68.20	-9.13	51.33	3	Vertical	311	2.12	-	34.17	5.73	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.577G	60.99	68.20	-7.21	53.59	3	Horizontal	2	1.70	-	33.95	5.58	32.13	
PK	5.776G	126.08	Inf	-Inf	118.83	3	Horizontal	2	1.70	-	33.80	5.60	32.15	
AV	5.776G	113.84	Inf	-Inf	106.59	3	Horizontal	2	1.70	-	33.80	5.60	32.15	
PK	5.977G	59.14	68.20	-9.06	51.32	3	Horizontal	2	1.70	-	34.20	5.78	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57104G	52.85	74.00	-21.15	38.95	3	Vertical	135	2.19	-	39.21	7.93	33.24
AV	11.57394G	38.88	54.00	-15.12	24.97	3	Vertical	135	2.19	-	39.22	7.93	33.24
PK	17.35296G	60.08	68.20	-8.12	39.72	3	Vertical	248	1.35	-	42.82	10.68	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57076G	53.12	74.00	-20.88	39.22	3	Horizontal	253	2.50	-	39.21	7.93	33.24
AV	11.57174G	38.79	54.00	-15.21	24.88	3	Horizontal	253	2.50	-	39.22	7.93	33.24
PK	17.35852G	59.94	68.20	-8.26	39.54	3	Horizontal	251	2.25	-	42.85	10.68	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.618G	59.95	68.20	-8.25	52.63	3	Vertical	92	1.88	-	33.86	5.60	32.14	
PK	5.816G	119.73	Inf	-Inf	112.46	3	Vertical	92	1.88	-	33.80	5.62	32.15	
AV	5.817G	108.74	Inf	-Inf	101.47	3	Vertical	92	1.88	-	33.80	5.62	32.15	
PK	5.953G	58.72	68.20	-9.48	50.93	3	Vertical	92	1.88	-	34.20	5.75	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.616G	59.22	68.20	-8.98	51.89	3	Horizontal	10	2.00	-	33.87	5.60	32.14	
PK	5.817G	123.99	Inf	-Inf	116.72	3	Horizontal	10	2.00	-	33.80	5.62	32.15	
AV	5.816G	112.25	Inf	-Inf	104.98	3	Horizontal	10	2.00	-	33.80	5.62	32.15	
PK	5.926G	59.18	68.20	-9.02	51.46	3	Horizontal	10	2.00	-	34.15	5.73	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6507G	53.03	74.00	-20.97	38.93	3	Vertical	337	1.05	-	39.40	7.96	33.26
AV	11.64952G	39.14	54.00	-14.86	25.04	3	Vertical	337	1.05	-	39.40	7.96	33.26
PK	17.47714G	60.58	68.20	-7.62	39.12	3	Vertical	342	1.70	-	43.72	10.74	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6469G	53.09	74.00	-20.91	39.00	3	Horizontal	129	1.40	-	39.39	7.96	33.26
AV	11.65356G	38.96	54.00	-15.04	24.85	3	Horizontal	129	1.40	-	39.41	7.96	33.26
PK	17.47298G	59.99	68.20	-8.21	38.57	3	Horizontal	229	1.45	-	43.68	10.74	33.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4572G	70.15	74.00	-3.85	62.82	3	Vertical	84	3.00	-	34.00	5.46	32.13	
AV	5.46G	51.15	54.00	-2.85	43.82	3	Vertical	84	3.00	-	34.00	5.46	32.13	
PK	5.4652G	68.11	68.20	-0.09	60.77	3	Vertical	84	3.00	-	34.00	5.47	32.13	
PK	5.516G	114.56	Inf	-Inf	107.17	3	Vertical	84	3.00	-	34.00	5.52	32.13	
AV	5.506G	100.02	Inf	-Inf	92.64	3	Vertical	84	3.00	-	34.00	5.51	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4552G	70.47	74.00	-3.53	63.14	3	Horizontal	161.8	1.44	-	34.00	5.46	32.13	
AV	5.4588G	50.01	54.00	-3.99	42.68	3	Horizontal	161.8	1.44	-	34.00	5.46	32.13	
PK	5.4696G	68.18	68.20	-0.02	60.84	3	Horizontal	161.8	1.44	-	34.00	5.47	32.13	
PK	5.5088G	119.28	Inf	-Inf	111.90	3	Horizontal	161.8	1.44	-	34.00	5.51	32.13	
AV	5.5116G	105.58	Inf	-Inf	98.20	3	Horizontal	161.8	1.44	-	34.00	5.51	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02268G	51.68	74.00	-22.32	38.62	3	Vertical	326	1.62	-	38.62	7.71	33.27
AV	11.01874G	37.91	54.00	-16.09	24.85	3	Vertical	326	1.62	-	38.62	7.71	33.27
PK	16.52516G	55.60	68.20	-12.60	39.25	3	Vertical	286	1.28	-	39.18	10.26	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02182G	52.09	74.00	-21.91	39.03	3	Horizontal	317	2.26	-	38.62	7.71	33.27
AV	11.01846G	37.96	54.00	-16.04	24.90	3	Horizontal	317	2.26	-	38.62	7.71	33.27
PK	16.52858G	56.08	68.20	-12.12	39.73	3	Horizontal	4	1.47	-	39.19	10.26	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 97
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4576G	65.61	74.00	-8.39	58.28	3	Vertical	65	2.80	-	34.00	5.46	32.13	
AV	5.46G	47.82	54.00	-6.18	40.49	3	Vertical	65	2.80	-	34.00	5.46	32.13	
PK	5.4666G	65.87	68.20	-2.33	58.53	3	Vertical	65	2.80	-	34.00	5.47	32.13	
PK	5.5404G	118.36	Inf	-Inf	110.95	3	Vertical	65	2.80	-	34.00	5.54	32.13	
AV	5.5404G	105.72	Inf	-Inf	98.31	3	Vertical	65	2.80	-	34.00	5.54	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	64.32	74.00	-9.68	56.99	3	Horizontal	342	1.80	-	34.00	5.46	32.13	
AV	5.46G	48.64	54.00	-5.36	41.31	3	Horizontal	342	1.80	-	34.00	5.46	32.13	
PK	5.4684G	67.63	68.20	-0.57	60.29	3	Horizontal	342	1.80	-	34.00	5.47	32.13	
PK	5.5626G	118.21	Inf	-Inf	110.81	3	Horizontal	342	1.80	-	33.97	5.56	32.13	
AV	5.5326G	105.54	Inf	-Inf	98.14	3	Horizontal	342	1.80	-	34.00	5.53	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09578G	52.31	74.00	-21.69	39.13	3	Vertical	86	1.67	-	38.70	7.74	33.26
AV	11.10326G	37.64	54.00	-16.36	24.46	3	Vertical	86	1.67	-	38.70	7.74	33.26
PK	16.64994G	56.32	68.20	-11.88	39.71	3	Vertical	155	1.56	-	39.50	10.32	33.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10402G	52.06	74.00	-21.94	38.88	3	Horizontal	144	2.72	-	38.70	7.74	33.26
AV	11.1033G	37.65	54.00	-16.35	24.47	3	Horizontal	144	2.72	-	38.70	7.74	33.26
PK	16.65084G	55.71	68.20	-12.49	39.09	3	Horizontal	268	2.28	-	39.50	10.33	33.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 85
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6884G	118.04	Inf	-Inf	110.70	3	Vertical	94	2.93	-	33.88	5.60	32.14
AV	5.6884G	105.47	Inf	-Inf	98.13	3	Vertical	94	2.93	-	33.88	5.60	32.14
PK	5.7288G	68.07	68.20	-0.13	60.77	3	Vertical	94	2.93	-	33.84	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 85
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	116.97	Inf	-Inf	109.66	3	Horizontal	0	1.58	-	33.85	5.60	32.14
AV	5.6732G	104.37	Inf	-Inf	97.06	3	Horizontal	0	1.58	-	33.85	5.60	32.14
PK	5.7396G	68.05	68.20	-0.15	60.77	3	Horizontal	0	1.58	-	33.82	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 85
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33976G	51.28	74.00	-22.72	37.88	3	Vertical	211	2.28	-	38.80	7.84	33.24
AV	11.3407G	37.20	54.00	-16.80	23.80	3	Vertical	211	2.28	-	38.80	7.84	33.24
PK	17.01204G	56.59	68.20	-11.61	38.56	3	Vertical	99	1.39	-	41.05	10.51	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 85
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.34418G	51.01	74.00	-22.99	37.61	3	Horizontal	275	2.76	-	38.80	7.84	33.24	
AV	11.33788G	37.12	54.00	-16.88	23.72	3	Horizontal	275	2.76	-	38.80	7.84	33.24	
PK	17.01384G	56.88	68.20	-11.32	38.83	3	Horizontal	284	1.82	-	41.06	10.51	33.52	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7044G	118.62	Inf	-Inf	111.27	3	Vertical	95	2.56	-	33.89	5.60	32.14	
AV	5.7044G	105.32	Inf	-Inf	97.97	3	Vertical	95	2.56	-	33.89	5.60	32.14	
PK	5.8564G	61.32	68.20	-6.88	53.97	3	Vertical	95	2.56	-	33.84	5.66	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	121.01	Inf	-Inf	113.66	3	Horizontal	0	1.48	-	33.89	5.60	32.14
AV	5.7108G	107.36	Inf	-Inf	100.02	3	Horizontal	0	1.48	-	33.88	5.60	32.14
PK	5.85G	67.61	68.20	-0.59	60.31	3	Horizontal	0	1.48	-	33.80	5.65	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_X_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4168G	51.95	74.00	-22.05	38.48	3	Vertical	26	2.61	-	38.83	7.87	33.23
AV	11.42292G	37.97	54.00	-16.03	24.48	3	Vertical	26	2.61	-	38.85	7.87	33.23
PK	17.13384G	57.94	68.20	-10.26	39.16	3	Vertical	226	1.97	-	41.60	10.57	33.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_X_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42402G	51.98	74.00	-22.02	38.49	3	Horizontal	35	2.22	-	38.85	7.87	33.23
AV	11.42326G	37.99	54.00	-16.01	24.50	3	Horizontal	35	2.22	-	38.85	7.87	33.23
PK	17.13116G	57.65	68.20	-10.55	38.88	3	Horizontal	163	2.73	-	41.59	10.57	33.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	59.85	68.20	-8.35	52.58	3	Vertical	305.4	1.44	-	33.81	5.60	32.14	
PK	5.741G	120.37	Inf	-Inf	113.09	3	Vertical	305.4	1.44	-	33.82	5.60	32.14	
AV	5.739G	107.65	Inf	-Inf	100.37	3	Vertical	305.4	1.44	-	33.82	5.60	32.14	
PK	5.945G	59.99	68.20	-8.21	52.21	3	Vertical	305.4	1.44	-	34.19	5.75	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	66.41	68.20	-1.79	59.14	3	Horizontal	11	1.62	-	33.81	5.60	32.14	
PK	5.766G	122.65	Inf	-Inf	115.40	3	Horizontal	11	1.62	-	33.80	5.60	32.15	
AV	5.765G	109.99	Inf	-Inf	102.74	3	Horizontal	11	1.62	-	33.80	5.60	32.15	
PK	5.938G	59.95	68.20	-8.25	52.19	3	Horizontal	11	1.62	-	34.18	5.74	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51138G	51.97	74.00	-22.03	38.26	3	Vertical	86	1.63	-	39.03	7.90	33.22	
AV	11.51388G	37.90	54.00	-16.10	24.17	3	Vertical	86	1.63	-	39.04	7.91	33.22	
PK	17.26004G	58.96	68.20	-9.24	39.27	3	Vertical	27	1.78	-	42.30	10.63	33.24	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5075G	51.79	74.00	-22.21	38.09	3	Horizontal	195	1.01	-	39.02	7.90	33.22	
AV	11.50972G	37.89	54.00	-16.11	24.18	3	Horizontal	195	1.01	-	39.03	7.90	33.22	
PK	17.26662G	58.71	68.20	-9.49	38.99	3	Horizontal	189	2.50	-	42.33	10.63	33.24	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	64.66	68.20	-3.54	57.39	3	Vertical	307.3	1.88	-	33.81	5.60	32.14	
PK	5.786G	120.08	Inf	-Inf	112.83	3	Vertical	307.3	1.88	-	33.80	5.60	32.15	
AV	5.777G	107.84	Inf	-Inf	100.59	3	Vertical	307.3	1.88	-	33.80	5.60	32.15	
PK	5.925G	66.86	68.20	-1.34	59.14	3	Vertical	307.3	1.88	-	34.15	5.73	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	62.63	68.20	-5.57	55.35	3	Horizontal	7.8	1.60	-	33.82	5.60	32.14	
PK	5.806G	122.70	Inf	-Inf	115.44	3	Horizontal	7.8	1.60	-	33.80	5.61	32.15	
AV	5.8G	110.02	Inf	-Inf	102.77	3	Horizontal	7.8	1.60	-	33.80	5.60	32.15	
PK	5.922G	68.40	70.42	-2.02	60.70	3	Horizontal	7.8	1.60	-	34.14	5.72	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59278G	53.22	74.00	-20.78	39.24	3	Vertical	311	1.98	-	39.28	7.94	33.24	
AV	11.58708G	38.25	54.00	-15.75	24.30	3	Vertical	311	1.98	-	39.26	7.93	33.24	
PK	17.38676G	60.10	68.20	-8.10	39.49	3	Vertical	274	2.11	-	43.02	10.69	33.10	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59036G	52.38	74.00	-21.62	38.41	3	Horizontal	114	1.54	-	39.27	7.94	33.24
AV	11.58864G	38.28	54.00	-15.72	24.31	3	Horizontal	114	1.54	-	39.27	7.94	33.24
PK	17.38794G	59.73	68.20	-8.47	39.11	3	Horizontal	50	2.36	-	43.03	10.69	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	56.96	68.20	-11.24	49.85	3	Vertical	94.9	2.97	-	33.88	5.37	32.14
PK	5.442G	66.90	74.00	-7.10	59.59	3	Vertical	94.9	2.97	-	34.00	5.44	32.13
PK	5.468G	65.09	68.20	-3.11	57.75	3	Vertical	94.9	2.97	-	34.00	5.47	32.13
AV	5.46G	51.66	54.00	-2.34	44.33	3	Vertical	94.9	2.97	-	34.00	5.46	32.13
PK	5.505G	115.06	Inf	-Inf	107.69	3	Vertical	94.9	2.97	-	34.00	5.50	32.13
AV	5.508G	103.01	Inf	-Inf	95.63	3	Vertical	94.9	2.97	-	34.00	5.51	32.13
PK	5.737G	58.65	68.20	-9.55	51.36	3	Vertical	94.9	2.97	-	33.83	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 96
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.32G	56.45	68.20	-11.75	49.39	3	Horizontal	2.7	1.36	-	33.84	5.36	32.14	
PK	5.44G	67.57	74.00	-6.43	60.26	3	Horizontal	2.7	1.36	-	34.00	5.44	32.13	
PK	5.464G	67.80	68.20	-0.40	60.47	3	Horizontal	2.7	1.36	-	34.00	5.46	32.13	
AV	5.46G	53.85	54.00	-0.15	46.52	3	Horizontal	2.7	1.36	-	34.00	5.46	32.13	
PK	5.515G	115.84	Inf	-Inf	108.46	3	Horizontal	2.7	1.36	-	34.00	5.51	32.13	
AV	5.516G	103.73	Inf	-Inf	96.34	3	Horizontal	2.7	1.36	-	34.00	5.52	32.13	
PK	5.729G	60.21	68.20	-7.99	52.91	3	Horizontal	2.7	1.36	-	33.84	5.60	32.14	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06078G	51.74	74.00	-22.26	38.62	3	Vertical	202	2.90	-	38.66	7.72	33.26
AV	11.05996G	37.88	54.00	-16.12	24.76	3	Vertical	202	2.90	-	38.66	7.72	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 96
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0555G	51.20	74.00	-22.80	38.08	3	Horizontal	24	1.45	-	38.66	7.72	33.26
AV	11.06042G	37.68	54.00	-16.32	24.56	3	Horizontal	24	1.45	-	38.66	7.72	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 89
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	62.09	74.00	-11.91	54.77	3	Vertical	88	2.36	-	34.00	5.45	32.13
AV	5.459G	47.82	54.00	-6.18	40.49	3	Vertical	88	2.36	-	34.00	5.46	32.13
PK	5.47G	63.21	68.20	-4.99	55.87	3	Vertical	88	2.36	-	34.00	5.47	32.13
PK	5.597G	113.65	Inf	-Inf	106.28	3	Vertical	88	2.36	-	33.91	5.60	32.14
AV	5.597G	102.02	Inf	-Inf	94.65	3	Vertical	88	2.36	-	33.91	5.60	32.14
PK	5.732G	66.66	68.20	-1.54	59.36	3	Vertical	88	2.36	-	33.84	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 89
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.33	74.00	-10.67	56.00	3	Horizontal	359.7	1.63	-	34.00	5.46	32.13
AV	5.459G	47.67	54.00	-6.33	40.34	3	Horizontal	359.7	1.63	-	34.00	5.46	32.13
PK	5.47G	63.45	68.20	-4.75	56.11	3	Horizontal	359.7	1.63	-	34.00	5.47	32.13
PK	5.587G	118.31	Inf	-Inf	110.93	3	Horizontal	359.7	1.63	-	33.93	5.59	32.14
AV	5.599G	103.47	Inf	-Inf	96.11	3	Horizontal	359.7	1.63	-	33.90	5.60	32.14
PK	5.739G	67.88	68.20	-0.32	60.60	3	Horizontal	359.7	1.63	-	33.82	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 89
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22056G	51.48	74.00	-22.52	38.14	3	Vertical	78	2.28	-	38.80	7.79	33.25
AV	11.2201G	37.55	54.00	-16.45	24.21	3	Vertical	78	2.28	-	38.80	7.79	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 89
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22412G	50.75	74.00	-23.25	37.41	3	Horizontal	267	2.61	-	38.80	7.79	33.25
AV	11.2191G	37.48	54.00	-16.52	24.14	3	Horizontal	267	2.61	-	38.80	7.79	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 99
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4272G	58.35	74.00	-15.65	51.05	3	Vertical	310.3	2.41	-	34.00	5.43	32.13	
PK	5.47G	58.75	68.20	-9.45	51.41	3	Vertical	310.3	2.41	-	34.00	5.47	32.13	
AV	5.4584G	46.65	54.00	-7.35	39.32	3	Vertical	310.3	2.41	-	34.00	5.46	32.13	
PK	5.6612G	117.42	Inf	-Inf	110.14	3	Vertical	310.3	2.41	-	33.82	5.60	32.14	
AV	5.6612G	104.09	Inf	-Inf	96.81	3	Vertical	310.3	2.41	-	33.82	5.60	32.14	
PK	5.8568G	65.77	68.20	-2.43	58.42	3	Vertical	310.3	2.41	-	33.84	5.66	32.15	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 99
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	58.18	74.00	-15.82	50.85	3	Horizontal	127.3	2.21	-	34.00	5.46	32.13
AV	5.4596G	46.41	54.00	-7.59	39.08	3	Horizontal	127.3	2.21	-	34.00	5.46	32.13
PK	5.4644G	58.95	68.20	-9.25	51.62	3	Horizontal	127.3	2.21	-	34.00	5.46	32.13
PK	5.654G	118.53	Inf	-Inf	111.26	3	Horizontal	127.3	2.21	-	33.81	5.60	32.14
AV	5.6528G	105.50	Inf	-Inf	98.23	3	Horizontal	127.3	2.21	-	33.81	5.60	32.14
PK	5.852G	67.98	68.20	-0.22	60.67	3	Horizontal	127.3	2.21	-	33.81	5.65	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT X_4TX
Setting 99
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3828G	51.40	74.00	-22.60	37.98	3	Vertical	5	2.15	-	38.80	7.85	33.23
AV	11.37796G	37.53	54.00	-16.47	24.11	3	Vertical	5	2.15	-	38.80	7.85	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT_X_4TX
Setting 99
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3826G	51.06	74.00	-22.94	37.64	3	Horizontal	17	2.24	-	38.80	7.85	33.23	
AV	11.37812G	37.50	54.00	-16.50	24.08	3	Horizontal	17	2.24	-	38.80	7.85	33.23	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 101
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.638G	65.91	68.20	-2.29	58.63	3	Vertical	113	2.90	-	33.82	5.60	32.14	
PK	5.763G	116.15	Inf	-Inf	108.90	3	Vertical	113	2.90	-	33.80	5.60	32.15	
AV	5.763G	103.88	Inf	-Inf	96.63	3	Vertical	113	2.90	-	33.80	5.60	32.15	
PK	5.925G	65.10	68.20	-3.10	57.38	3	Vertical	113	2.90	-	34.15	5.73	32.16	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 101
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	67.99	68.20	-0.21	60.71	3	Horizontal	13.1	1.78	-	33.82	5.60	32.14
PK	5.809G	117.08	Inf	-Inf	109.82	3	Horizontal	13.1	1.78	-	33.80	5.61	32.15
AV	5.812G	104.65	Inf	-Inf	97.39	3	Horizontal	13.1	1.78	-	33.80	5.61	32.15
PK	5.929G	63.23	68.20	-4.97	55.50	3	Horizontal	13.1	1.78	-	34.16	5.73	32.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 101
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54996G	52.53	74.00	-21.47	38.69	3	Vertical	50	1.13	-	39.15	7.92	33.23
AV	11.54732G	38.00	54.00	-16.00	24.17	3	Vertical	50	1.13	-	39.14	7.92	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 101
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55232G	52.16	74.00	-21.84	38.31	3	Horizontal	81	2.12	-	39.16	7.92	33.23
AV	11.55286G	38.00	54.00	-16.00	24.15	3	Horizontal	81	2.12	-	39.16	7.92	33.23

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 77
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2212G	57.26	68.20	-10.94	50.40	3	Vertical	86.2	2.31	-	33.70	5.31	32.15
PK	5.4564G	65.69	74.00	-8.31	58.36	3	Vertical	86.2	2.31	-	34.00	5.46	32.13
AV	5.458G	48.33	54.00	-5.67	41.00	3	Vertical	86.2	2.31	-	34.00	5.46	32.13
PK	5.4644G	66.25	68.20	-1.95	58.92	3	Vertical	86.2	2.31	-	34.00	5.46	32.13
PK	5.4932G	110.77	Inf	-Inf	103.41	3	Vertical	86.2	2.31	-	34.00	5.49	32.13
AV	5.5204G	96.35	Inf	-Inf	88.96	3	Vertical	86.2	2.31	-	34.00	5.52	32.13
PK	5.7828G	65.42	68.20	-2.78	58.17	3	Vertical	86.2	2.31	-	33.80	5.60	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 77
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	56.70	68.20	-11.50	49.68	3	Horizontal	15.8	1.78	-	33.81	5.35	32.14
PK	5.4564G	65.82	74.00	-8.18	58.49	3	Horizontal	15.8	1.78	-	34.00	5.46	32.13
AV	5.4596G	49.97	54.00	-4.03	42.64	3	Horizontal	15.8	1.78	-	34.00	5.46	32.13
PK	5.4644G	67.96	68.20	-0.24	60.63	3	Horizontal	15.8	1.78	-	34.00	5.46	32.13
PK	5.5876G	109.56	Inf	-Inf	102.19	3	Horizontal	15.8	1.78	-	33.92	5.59	32.14
AV	5.586G	96.87	Inf	-Inf	89.49	3	Horizontal	15.8	1.78	-	33.93	5.59	32.14
PK	5.778G	66.13	68.20	-2.07	58.88	3	Horizontal	15.8	1.78	-	33.80	5.60	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 77
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14156G	51.74	74.00	-22.26	38.50	3	Vertical	337	1.44	-	38.74	7.76	33.26
AV	11.14102G	37.51	54.00	-16.49	24.27	3	Vertical	337	1.44	-	38.74	7.76	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT X_4TX
Setting 77
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13886G	51.49	74.00	-22.51	38.25	3	Horizontal	55	1.88	-	38.74	7.76	33.26
AV	11.14258G	37.53	54.00	-16.47	24.29	3	Horizontal	55	1.88	-	38.74	7.76	33.26




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	PK	5.632G	67.87	68.20	-0.33	3	Vertical	113	1.80	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.547G	63.90	68.20	-4.30	56.48	3	Vertical	241	1.81	-	34.00	5.55	32.13	
PK	5.742G	126.92	Inf	-Inf	119.64	3	Vertical	241	1.81	-	33.82	5.60	32.14	
AV	5.74G	113.57	Inf	-Inf	106.29	3	Vertical	241	1.81	-	33.82	5.60	32.14	
PK	5.936G	61.46	68.20	-6.74	53.71	3	Vertical	241	1.81	-	34.17	5.74	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.541G	60.10	68.20	-8.10	52.69	3	Horizontal	24	1.45	-	34.00	5.54	32.13	
PK	5.742G	120.23	Inf	-Inf	112.95	3	Horizontal	24	1.45	-	33.82	5.60	32.14	
AV	5.742G	106.77	Inf	-Inf	99.49	3	Horizontal	24	1.45	-	33.82	5.60	32.14	
PK	5.956G	58.05	68.20	-10.15	50.25	3	Horizontal	24	1.45	-	34.20	5.76	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4888G	51.99	74.00	-22.01	38.33	3	Vertical	147	1.02	-	38.98	7.90	33.22
AV	11.48304G	38.38	54.00	-15.62	24.74	3	Vertical	147	1.02	-	38.97	7.89	33.22
PK	17.24196G	58.59	68.20	-9.61	39.02	3	Vertical	240	2.91	-	42.21	10.62	33.26

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49666G	51.74	74.00	-22.26	38.07	3	Horizontal	196	2.59	-	38.99	7.90	33.22
AV	11.48124G	38.31	54.00	-15.69	24.68	3	Horizontal	196	2.59	-	38.96	7.89	33.22
PK	17.24016G	58.55	68.20	-9.65	39.00	3	Horizontal	329	2.67	-	42.20	10.62	33.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	62.36	68.20	-5.84	54.99	3	Vertical	256	1.80	-	33.93	5.58	32.14	
PK	5.78G	125.50	Inf	-Inf	118.25	3	Vertical	256	1.80	-	33.80	5.60	32.15	
AV	5.781G	112.81	Inf	-Inf	105.56	3	Vertical	256	1.80	-	33.80	5.60	32.15	
PK	5.983G	60.89	68.20	-7.31	53.07	3	Vertical	256	1.80	-	34.20	5.78	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	59.48	68.20	-8.72	52.21	3	Horizontal	22	1.41	-	33.81	5.60	32.14	
PK	5.781G	119.23	Inf	-Inf	111.98	3	Horizontal	22	1.41	-	33.80	5.60	32.15	
AV	5.782G	106.25	Inf	-Inf	99.00	3	Horizontal	22	1.41	-	33.80	5.60	32.15	
PK	5.97G	58.33	68.20	-9.87	50.52	3	Horizontal	22	1.41	-	34.20	5.77	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57426G	51.74	74.00	-22.26	37.83	3	Vertical	217	2.24	-	39.22	7.93	33.24
AV	11.5694G	38.67	54.00	-15.33	24.77	3	Vertical	217	2.24	-	39.21	7.93	33.24
PK	17.34174G	59.76	68.20	-8.44	39.49	3	Vertical	39	1.76	-	42.75	10.67	33.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5676G	52.89	74.00	-21.11	39.00	3	Horizontal	57	2.67	-	39.20	7.93	33.24
AV	11.57546G	38.58	54.00	-15.42	24.66	3	Horizontal	57	2.67	-	39.23	7.93	33.24
PK	17.3406G	60.23	68.20	-7.97	39.97	3	Horizontal	219	2.59	-	42.74	10.67	33.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.618G	63.90	68.20	-4.30	56.58	3	Vertical	243	1.76	-	33.86	5.60	32.14	
PK	5.822G	125.60	Inf	-Inf	118.33	3	Vertical	243	1.76	-	33.80	5.62	32.15	
AV	5.818G	112.58	Inf	-Inf	105.31	3	Vertical	243	1.76	-	33.80	5.62	32.15	
PK	5.931G	62.76	68.20	-5.44	55.03	3	Vertical	243	1.76	-	34.16	5.73	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.621G	58.74	68.20	-9.46	51.42	3	Horizontal	315	1.78	-	33.86	5.60	32.14	
PK	5.828G	119.23	Inf	-Inf	111.95	3	Horizontal	315	1.78	-	33.80	5.63	32.15	
AV	5.83G	106.86	Inf	-Inf	99.58	3	Horizontal	315	1.78	-	33.80	5.63	32.15	
PK	6.024G	58.57	68.20	-9.63	50.68	3	Horizontal	315	1.78	-	34.25	5.80	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64502G	52.53	74.00	-21.47	38.44	3	Vertical	106	1.98	-	39.39	7.96	33.26
AV	11.65882G	38.95	54.00	-15.05	24.83	3	Vertical	106	1.98	-	39.42	7.96	33.26
PK	17.46366G	60.46	68.20	-7.74	39.13	3	Vertical	94	1.61	-	43.61	10.73	33.01

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65198G	52.31	74.00	-21.69	38.21	3	Horizontal	281	2.58	-	39.40	7.96	33.26	
AV	11.6452G	38.88	54.00	-15.12	24.79	3	Horizontal	281	2.58	-	39.39	7.96	33.26	
PK	17.46348G	60.21	68.20	-7.99	38.88	3	Horizontal	192	2.57	-	43.61	10.73	33.01	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	65.78	68.20	-2.42	58.51	3	Vertical	250	1.80	-	33.81	5.60	32.14	
PK	5.74G	122.66	Inf	-Inf	115.38	3	Vertical	250	1.80	-	33.82	5.60	32.14	
AV	5.739G	110.21	Inf	-Inf	102.93	3	Vertical	250	1.80	-	33.82	5.60	32.14	
PK	5.941G	60.86	68.20	-7.34	53.10	3	Vertical	250	1.80	-	34.18	5.74	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	61.24	68.20	-6.96	53.98	3	Horizontal	24	1.45	-	33.80	5.60	32.14	
PK	5.745G	116.80	Inf	-Inf	109.53	3	Horizontal	24	1.45	-	33.81	5.60	32.14	
AV	5.741G	104.59	Inf	-Inf	97.31	3	Horizontal	24	1.45	-	33.82	5.60	32.14	
PK	5.946G	58.15	68.20	-10.05	50.37	3	Horizontal	24	1.45	-	34.19	5.75	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50856G	51.95	74.00	-22.05	38.24	3	Vertical	64	1.98	-	39.03	7.90	33.22	
AV	11.52482G	38.33	54.00	-15.67	24.58	3	Vertical	64	1.98	-	39.07	7.91	33.23	
PK	17.27574G	59.48	68.20	-8.72	39.69	3	Vertical	286	1.42	-	42.38	10.64	33.23	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52272G	51.89	74.00	-22.11	38.14	3	Horizontal	291	2.78	-	39.07	7.91	33.23
AV	11.50226G	38.28	54.00	-15.72	24.59	3	Horizontal	291	2.78	-	39.01	7.90	33.22
PK	17.27694G	58.95	68.20	-9.25	39.15	3	Horizontal	90	2.23	-	42.38	10.64	33.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	65.66	68.20	-2.54	58.39	3	Vertical	241	1.47	-	33.81	5.60	32.14	
PK	5.813G	122.08	Inf	-Inf	114.82	3	Vertical	241	1.47	-	33.80	5.61	32.15	
AV	5.813G	109.71	Inf	-Inf	102.45	3	Vertical	241	1.47	-	33.80	5.61	32.15	
PK	5.927G	67.84	68.20	-0.36	60.12	3	Vertical	241	1.47	-	34.15	5.73	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.627G	59.76	68.20	-8.44	52.45	3	Horizontal	330	2.39	-	33.85	5.60	32.14	
PK	5.792G	114.16	Inf	-Inf	106.91	3	Horizontal	330	2.39	-	33.80	5.60	32.15	
AV	5.79G	101.74	Inf	-Inf	94.49	3	Horizontal	330	2.39	-	33.80	5.60	32.15	
PK	5.928G	59.55	68.20	-8.65	51.82	3	Horizontal	330	2.39	-	34.16	5.73	32.16	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60218G	52.14	74.00	-21.86	38.15	3	Vertical	144	1.29	-	39.30	7.94	33.25
AV	11.59558G	38.75	54.00	-15.25	24.76	3	Vertical	144	1.29	-	39.29	7.94	33.24
PK	17.37636G	60.10	68.20	-8.10	39.56	3	Vertical	149	2.65	-	42.96	10.69	33.11

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58172G	52.06	74.00	-21.94	38.12	3	Horizontal	325	2.64	-	39.25	7.93	33.24	
AV	11.5912G	38.88	54.00	-15.12	24.91	3	Horizontal	325	2.64	-	39.27	7.94	33.24	
PK	17.3925G	59.64	68.20	-8.56	38.97	3	Horizontal	324	2.09	-	43.06	10.70	33.09	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Y_4TX
Setting 96
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	67.87	68.20	-0.33	60.57	3	Vertical	113	1.80	-	33.84	5.60	32.14	
PK	5.797G	116.59	Inf	-Inf	109.34	3	Vertical	113	1.80	-	33.80	5.60	32.15	
AV	5.784G	103.81	Inf	-Inf	96.56	3	Vertical	113	1.80	-	33.80	5.60	32.15	
PK	5.933G	67.37	68.20	-0.83	59.63	3	Vertical	113	1.80	-	34.17	5.73	32.16	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.64G	60.38	68.20	-7.82	53.10	3	Horizontal	323	2.73	-	33.82	5.60	32.14	
PK	5.75G	112.80	Inf	-Inf	105.54	3	Horizontal	323	2.73	-	33.80	5.60	32.14	
AV	5.751G	97.47	Inf	-Inf	90.22	3	Horizontal	323	2.73	-	33.80	5.60	32.15	
PK	5.945G	58.93	68.20	-9.27	51.15	3	Horizontal	323	2.73	-	34.19	5.75	32.16	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55264G	51.93	74.00	-22.07	38.08	3	Vertical	244	2.19	-	39.16	7.92	33.23
AV	11.54604G	38.52	54.00	-15.48	24.69	3	Vertical	244	2.19	-	39.14	7.92	33.23
PK	17.32554G	59.70	68.20	-8.50	39.56	3	Vertical	16	2.82	-	42.65	10.66	33.17

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 96
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54028G	52.04	74.00	-21.96	38.23	3	Horizontal	282	2.88	-	39.12	7.92	33.23
AV	11.54898G	38.46	54.00	-15.54	24.62	3	Horizontal	282	2.88	-	39.15	7.92	33.23
PK	17.32344G	59.64	68.20	-8.56	39.51	3	Horizontal	18	2.34	-	42.64	10.66	33.17




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height	Comments
									(°)	(m)	
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.895G	107.12	110.20	-3.08	3	Horizontal	360	2.72	-

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	60.80	68.20	-7.40	53.53	3	Vertical	306	1.96	-	33.81	5.60	32.14	
PK	5.842G	121.38	Inf	-Inf	114.09	3	Vertical	306	1.96	-	33.80	5.64	32.15	
AV	5.842G	111.91	Inf	-Inf	104.62	3	Vertical	306	1.96	-	33.80	5.64	32.15	
PK	5.957G	59.22	88.20	-28.98	51.42	3	Vertical	306	1.96	-	34.20	5.76	32.16	

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	59.43	68.20	-8.77	52.17	3	Horizontal	5	2.76	-	33.80	5.60	32.14	
PK	5.85G	123.25	Inf	-Inf	115.95	3	Horizontal	5	2.76	-	33.80	5.65	32.15	
AV	5.851G	114.11	Inf	-Inf	106.80	3	Horizontal	5	2.76	-	33.81	5.65	32.15	
PK	5.997G	58.74	88.20	-29.46	50.90	3	Horizontal	5	2.76	-	34.20	5.80	32.16	

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68952G	53.25	74.00	-20.75	39.06	3	Vertical	71	1.28	-	39.48	7.98	33.27
AV	11.68588G	39.70	54.00	-14.30	25.53	3	Vertical	71	1.28	-	39.47	7.97	33.27

802.11a_Nss1,(6Mbps)_4TX

5845MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69176G	52.77	74.00	-21.23	38.58	3	Horizontal	108	1.53	-	39.48	7.98	33.27
AV	11.69102G	39.57	54.00	-14.43	25.38	3	Horizontal	108	1.53	-	39.48	7.98	33.27

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.14	68.20	-9.06	51.88	3	Vertical	306	1.83	-	33.80	5.60	32.14
PK	5.862G	120.99	Inf	-Inf	113.61	3	Vertical	306	1.83	-	33.87	5.66	32.15
AV	5.868G	111.78	Inf	-Inf	104.35	3	Vertical	306	1.83	-	33.91	5.67	32.15
PK	5.922G	62.30	90.40	-28.10	54.60	3	Vertical	306	1.83	-	34.14	5.72	32.16

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	59.73	68.20	-8.47	52.46	3	Horizontal	9	1.49	-	33.81	5.60	32.14
PK	5.871G	123.11	Inf	-Inf	115.66	3	Horizontal	9	1.49	-	33.93	5.67	32.15
AV	5.872G	113.30	Inf	-Inf	105.85	3	Horizontal	9	1.49	-	33.93	5.67	32.15
PK	5.93G	64.31	88.20	-23.89	56.58	3	Horizontal	9	1.49	-	34.16	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72812G	53.30	74.00	-20.70	39.09	3	Vertical	3	1.49	-	39.50	7.99	33.28
AV	11.72776G	39.62	54.00	-14.38	25.41	3	Vertical	3	1.49	-	39.50	7.99	33.28

802.11a_Nss1,(6Mbps)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.728G	53.24	74.00	-20.76	39.03	3	Horizontal	137	1.10	-	39.50	7.99	33.28
AV	11.7274G	39.62	54.00	-14.38	25.41	3	Horizontal	137	1.10	-	39.50	7.99	33.28

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	58.75	68.20	-9.45	51.49	3	Vertical	306	1.80	-	33.80	5.60	32.14	
PK	5.887G	121.65	Inf	-Inf	114.09	3	Vertical	306	1.80	-	34.02	5.69	32.15	
AV	5.888G	111.48	Inf	-Inf	103.91	3	Vertical	306	1.80	-	34.03	5.69	32.15	
PK	5.895G	104.54	110.20	-5.66	96.92	3	Vertical	306	1.80	-	34.07	5.70	32.15	

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.42	68.20	-9.78	51.13	3	Horizontal	360	2.72	-	33.83	5.60	32.14
PK	5.889G	123.50	Inf	-Inf	115.93	3	Horizontal	360	2.72	-	34.03	5.69	32.15
AV	5.889G	113.85	Inf	-Inf	106.28	3	Horizontal	360	2.72	-	34.03	5.69	32.15
PK	5.895G	107.12	110.20	-3.08	99.50	3	Horizontal	360	2.72	-	34.07	5.70	32.15

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7657G	52.77	74.00	-21.23	38.55	3	Vertical	240	2.06	-	39.50	8.01	33.29
AV	11.76616G	39.62	54.00	-14.38	25.40	3	Vertical	240	2.06	-	39.50	8.01	33.29

802.11a_Nss1,(6Mbps)_4TX

5885MHz_TnomVnom



EUT_X_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.76572G	52.95	74.00	-21.05	38.73	3	Horizontal	128	2.90	-	39.50	8.01	33.29	
AV	11.77168G	39.50	54.00	-14.50	25.28	3	Horizontal	128	2.90	-	39.50	8.01	33.29	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.5486G	68.10	68.20	-0.10	3	Vertical	38	2.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	59.06	68.20	-9.14	51.77	3	Vertical	111	2.87	-	33.83	5.60	32.14	
PK	5.854G	122.52	Inf	-Inf	115.20	3	Vertical	111	2.87	-	33.82	5.65	32.15	
AV	5.851G	111.64	Inf	-Inf	104.33	3	Vertical	111	2.87	-	33.81	5.65	32.15	
PK	5.93G	59.05	88.20	-29.15	51.32	3	Vertical	111	2.87	-	34.16	5.73	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	60.62	68.20	-7.58	53.35	3	Horizontal	4	2.75	-	33.81	5.60	32.14	
PK	5.848G	127.52	Inf	-Inf	120.22	3	Horizontal	4	2.75	-	33.80	5.65	32.15	
AV	5.848G	115.31	Inf	-Inf	108.01	3	Horizontal	4	2.75	-	33.80	5.65	32.15	
PK	5.943G	59.64	88.20	-28.56	51.87	3	Horizontal	4	2.75	-	34.19	5.74	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.69326G	53.54	74.00	-20.46	39.34	3	Vertical	297	1.74	-	39.49	7.98	33.27	
AV	11.68622G	39.56	54.00	-14.44	25.39	3	Vertical	297	1.74	-	39.47	7.97	33.27	
PK	17.53736G	61.97	88.20	-26.23	39.96	3	Vertical	188	2.04	-	44.27	10.77	33.03	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69398G	52.89	74.00	-21.11	38.69	3	Horizontal	2	1.08	-	39.49	7.98	33.27
AV	11.68936G	39.74	54.00	-14.26	25.55	3	Horizontal	2	1.08	-	39.48	7.98	33.27
PK	17.53274G	61.28	88.20	-26.92	39.30	3	Horizontal	168	2.86	-	44.23	10.77	33.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.619G	58.86	68.20	-9.34	51.54	3	Vertical	306	1.66	-	33.86	5.60	32.14	
PK	5.866G	124.11	Inf	-Inf	116.69	3	Vertical	306	1.66	-	33.90	5.67	32.15	
AV	5.866G	111.92	Inf	-Inf	104.50	3	Vertical	306	1.66	-	33.90	5.67	32.15	
PK	5.913G	73.01	97.00	-23.99	65.32	3	Vertical	306	1.66	-	34.13	5.71	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	58.46	68.20	-9.74	51.19	3	Horizontal	360	2.75	-	33.81	5.60	32.14	
PK	5.859G	125.97	Inf	-Inf	118.61	3	Horizontal	360	2.75	-	33.85	5.66	32.15	
AV	5.86G	114.66	Inf	-Inf	107.29	3	Horizontal	360	2.75	-	33.86	5.66	32.15	
PK	5.927G	61.96	88.20	-26.24	54.24	3	Horizontal	360	2.75	-	34.15	5.73	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73016G	52.81	74.00	-21.19	38.60	3	Vertical	345	2.41	-	39.50	7.99	33.28
AV	11.72854G	39.53	54.00	-14.47	25.32	3	Vertical	345	2.41	-	39.50	7.99	33.28
PK	17.5988G	62.18	88.20	-26.02	39.62	3	Vertical	266	2.14	-	44.89	10.80	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.73102G	52.94	74.00	-21.06	38.73	3	Horizontal	48	1.69	-	39.50	7.99	33.28	
AV	11.7261G	39.50	54.00	-14.50	25.29	3	Horizontal	48	1.69	-	39.50	7.99	33.28	
PK	17.59934G	62.46	88.20	-25.74	39.90	3	Horizontal	249	2.91	-	44.89	10.80	33.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.651G	58.53	68.94	-10.41	51.27	3	Vertical	43	1.62	-	33.80	5.60	32.14	
PK	5.877G	117.49	Inf	-Inf	110.00	3	Vertical	43	1.62	-	33.96	5.68	32.15	
AV	5.879G	105.82	Inf	-Inf	98.32	3	Vertical	43	1.62	-	33.97	5.68	32.15	
PK	5.895G	104.40	110.20	-5.80	96.78	3	Vertical	43	1.62	-	34.07	5.70	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	57.48	68.20	-10.72	50.19	3	Horizontal	341	1.55	-	33.83	5.60	32.14	
PK	5.879G	119.39	Inf	-Inf	111.89	3	Horizontal	341	1.55	-	33.97	5.68	32.15	
AV	5.877G	107.85	Inf	-Inf	100.36	3	Horizontal	341	1.55	-	33.96	5.68	32.15	
PK	5.895G	109.71	110.20	-0.49	102.09	3	Horizontal	341	1.55	-	34.07	5.70	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76744G	51.63	74.00	-22.37	37.41	3	Vertical	73	1.97	-	39.50	8.01	33.29
AV	11.76774G	38.22	54.00	-15.78	24.00	3	Vertical	73	1.97	-	39.50	8.01	33.29
PK	17.65526G	61.17	88.20	-27.03	38.22	3	Vertical	300	2.97	-	45.34	10.83	33.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.76916G	51.74	74.00	-22.26	37.52	3	Horizontal	247	2.46	-	39.50	8.01	33.29	
AV	11.76696G	38.69	54.00	-15.31	24.47	3	Horizontal	247	2.46	-	39.50	8.01	33.29	
PK	17.65888G	61.88	88.20	-26.32	38.91	3	Horizontal	353	2.89	-	45.37	10.83	33.23	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.628G	60.22	68.20	-7.98	52.92	3	Vertical	307	1.80	-	33.84	5.60	32.14	
PK	5.821G	118.65	Inf	-Inf	111.38	3	Vertical	307	1.80	-	33.80	5.62	32.15	
AV	5.817G	106.65	Inf	-Inf	99.38	3	Vertical	307	1.80	-	33.80	5.62	32.15	
PK	5.926G	68.19	88.20	-20.01	60.47	3	Vertical	307	1.80	-	34.15	5.73	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	61.86	68.20	-6.34	54.60	3	Horizontal	360	2.77	-	33.80	5.60	32.14	
PK	5.851G	123.93	Inf	-Inf	116.62	3	Horizontal	360	2.77	-	33.81	5.65	32.15	
AV	5.849G	112.29	Inf	-Inf	104.99	3	Horizontal	360	2.77	-	33.80	5.65	32.15	
PK	5.92G	74.29	91.87	-17.58	66.59	3	Horizontal	360	2.77	-	34.14	5.72	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67002G	52.78	74.00	-21.22	38.63	3	Vertical	108	2.09	-	39.44	7.97	33.26
AV	11.66874G	38.97	54.00	-15.03	24.82	3	Vertical	108	2.09	-	39.44	7.97	33.26
PK	17.50776G	61.84	88.20	-26.36	40.09	3	Vertical	76	2.24	-	43.98	10.75	32.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66916G	52.80	74.00	-21.20	38.65	3	Horizontal	343	2.85	-	39.44	7.97	33.26
AV	11.67308G	38.99	54.00	-15.01	24.84	3	Horizontal	343	2.85	-	39.45	7.97	33.27
PK	17.50494G	62.51	88.20	-25.69	40.79	3	Horizontal	323	2.34	-	43.95	10.75	32.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT_X_4TX
Setting 105
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	58.24	68.20	-9.96	50.96	3	Vertical	304	1.90	-	33.82	5.60	32.14	
PK	5.888G	118.24	Inf	-Inf	110.67	3	Vertical	304	1.90	-	34.03	5.69	32.15	
AV	5.864G	106.61	Inf	-Inf	99.22	3	Vertical	304	1.90	-	33.88	5.66	32.15	
PK	5.923G	89.02	89.67	-0.65	81.31	3	Vertical	304	1.90	-	34.15	5.72	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom




EUT_X_4TX
Setting 105
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	59.37	68.20	-8.83	52.09	3	Horizontal	9	1.80	-	33.82	5.60	32.14	
PK	5.885G	120.15	Inf	-Inf	112.61	3	Horizontal	9	1.80	-	34.01	5.68	32.15	
AV	5.872G	106.96	Inf	-Inf	99.51	3	Horizontal	9	1.80	-	33.93	5.67	32.15	
PK	5.923G	87.50	89.67	-2.17	79.79	3	Horizontal	9	1.80	-	34.15	5.72	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TnomVnom



EUT_X_4TX
Setting 105
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74524G	53.11	74.00	-20.89	38.89	3	Vertical	223	2.01	-	39.50	8.00	33.28
AV	11.7467G	39.11	54.00	-14.89	24.89	3	Vertical	223	2.01	-	39.50	8.00	33.28
PK	17.62752G	62.36	88.20	-25.84	39.61	3	Vertical	320	1.10	-	45.12	10.81	33.18