


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

22/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.39	4.39	-1.42	-1.33	-1.57	-1.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

22/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.13	4.13	-1.90	-1.42	-1.76	-1.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

22/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.90	3.90	-2.15	-1.81	-2.23	-1.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.16	4.16	-1.71	-1.51	-1.86	-1.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.10	2.10	-4.02	-3.79	-3.58	-4.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.86	7.86	1.90	2.28	1.68	2.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

27/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	-1.27	-0.73	-1.17	-1.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

27/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.49	4.49	-1.26	-1.45	-1.51	-1.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5570MHz

23/09/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.76	1.76	-4.33	-3.83	-4.32	-4.06



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	16.34
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	13.32
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	10.25
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	3.41
5.25-5.35GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	10.31
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	7.32
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.43
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	3.40
5.47-5.725GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	10.23
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	7.52
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.34
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	1.72
5.725-5.85GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	14.73
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	11.62
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	9.04

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.38	10.66	10.70	10.26	10.03	16.34	17.00
5200MHz	Pass	3.38	10.25	10.31	9.88	9.87	16.00	17.00
5240MHz	Pass	3.38	10.34	10.30	10.10	9.93	16.13	17.00
5260MHz	Pass	2.90	4.33	4.59	4.34	4.05	10.31	11.00
5300MHz	Pass	2.90	4.22	4.53	4.32	4.10	10.25	11.00
5320MHz	Pass	2.90	4.32	4.61	4.16	4.05	10.26	11.00
5500MHz	Pass	3.53	4.12	4.61	4.05	4.28	10.21	11.00
5580MHz	Pass	3.53	4.16	4.52	4.19	4.13	10.21	11.00
5700MHz	Pass	3.53	4.03	4.50	3.95	4.13	10.12	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.53	4.04	4.59	4.07	4.23	10.23	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.14	2.56	2.89	2.57	2.48	8.58	30.00
5745MHz	Pass	4.14	8.77	8.80	8.61	9.02	14.73	30.00
5785MHz	Pass	4.14	8.50	8.77	8.48	8.56	14.50	30.00
5825MHz	Pass	4.14	8.84	8.35	8.27	8.56	14.46	30.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.38	7.75	7.40	7.45	7.00	13.32	17.00
5230MHz	Pass	3.38	7.27	7.36	7.14	6.93	13.13	17.00
5270MHz	Pass	2.90	1.41	1.64	1.33	1.14	7.32	11.00
5310MHz	Pass	2.90	1.25	1.46	1.01	1.04	7.16	11.00
5510MHz	Pass	3.53	1.24	1.80	1.10	1.45	7.30	11.00
5550MHz	Pass	3.53	1.11	1.70	1.17	1.55	7.35	11.00
5670MHz	Pass	3.53	1.39	1.49	1.21	1.45	7.34	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	3.53	1.33	1.86	1.35	1.63	7.52	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.14	-0.37	-0.30	-0.40	-0.20	5.68	30.00
5755MHz	Pass	4.14	5.59	5.92	5.49	5.65	11.59	30.00
5795MHz	Pass	4.14	5.59	6.05	5.41	5.67	11.62	30.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.38	4.75	4.34	4.49	3.78	10.25	17.00
5290MHz	Pass	2.90	-1.44	-1.19	-1.51	-1.64	4.43	11.00
5530MHz	Pass	3.53	-1.66	-1.18	-1.73	-1.52	4.34	11.00
5610MHz	Pass	3.53	-1.54	-1.48	-1.84	-1.46	4.34	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	3.53	-1.74	-1.32	-1.67	-1.54	4.31	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.14	-3.74	-3.57	-3.38	-3.67	2.36	30.00
5775MHz	Pass	4.14	3.18	3.38	2.94	3.11	9.04	30.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.38	-2.44	-2.09	-2.56	-2.85	3.41	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	2.90	-2.33	-2.61	-2.69	-2.65	3.40	11.00
5570MHz	Pass	3.53	-4.22	-3.91	-4.53	-4.15	1.72	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5180MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.34	16.34	10.66	10.70	10.26	10.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5200MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.00	16.00	10.25	10.31	9.88	9.87

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5240MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.13	16.13	10.34	10.30	10.10	9.93

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5260MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.31	10.31	4.33	4.59	4.34	4.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5300MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	4.22	4.53	4.32	4.10

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5320MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.26	10.26	4.32	4.61	4.16	4.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5500MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.21	10.21	4.12	4.61	4.05	4.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5580MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.21	10.21	4.16	4.52	4.19	4.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5700MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.12	10.12	4.03	4.50	3.95	4.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.23	10.23	4.04	4.59	4.07	4.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.58	8.58	2.56	2.89	2.57	2.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5745MHz

23/09/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.73	14.73	8.77	8.80	8.61	9.02

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5785MHz

23/09/2022

CF
5.785GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.50	14.50	8.50	8.77	8.48	8.56

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5825MHz

23/09/2022

CF
5.825GHz


Span
30MHz


RBW
500kHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.46	14.46	8.84	8.35	8.27	8.56

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5190MHz

29/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.32	13.32	7.75	7.40	7.45	7.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5230MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.13	13.13	7.27	7.36	7.14	6.93

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5270MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.32	7.32	1.41	1.64	1.33	1.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5310MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.16	7.16	1.25	1.46	1.01	1.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5510MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.30	7.30	1.24	1.80	1.10	1.45

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5550MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.35	7.35	1.11	1.70	1.17	1.55

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5670MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.34	7.34	1.39	1.49	1.21	1.45

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.52	7.52	1.33	1.86	1.35	1.63

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.68	5.68	-0.37	-0.30	-0.40	-0.20

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5755MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.59	11.59	5.59	5.92	5.49	5.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5795MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.62	11.62	5.59	6.05	5.41	5.67

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5210MHz

29/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	4.75	4.34	4.49	3.78

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5290MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.43	4.43	-1.44	-1.19	-1.51	-1.64

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5530MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.34	4.34	-1.66	-1.18	-1.73	-1.52

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5610MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.34	4.34	-1.54	-1.48	-1.84	-1.46

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.31	4.31	-1.74	-1.32	-1.67	-1.54

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.36	2.36	-3.74	-3.57	-3.38	-3.67

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5775MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.04	9.04	3.18	3.38	2.94	3.11

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.41	3.41	-2.44	-2.09	-2.56	-2.85

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.40	3.40	-2.33	-2.61	-2.69	-2.65

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5570MHz

23/09/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.72	1.72	-4.22	-3.91	-4.53	-4.15



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	30M	35.74	40.00	-4.26	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30M	35.74	40.00	-4.26	-7.12	3	Vertical	184	1.00	"Worst"	42.86	23.99	0.44	31.55
QP	38.73M	35.12	40.00	-4.88	-11.84	3	Vertical	281	1.00	"	46.96	19.35	0.54	31.73
PK	50.37M	33.79	40.00	-6.21	-17.27	3	Vertical	360	1.25	-	51.06	13.92	0.67	31.86
PK	99.84M	37.40	43.50	-6.10	-14.32	3	Vertical	150	1.00	-	51.72	16.56	1.09	31.97
PK	104.69M	34.97	43.50	-8.53	-13.59	3	Vertical	281	1.00	-	48.56	17.25	1.13	31.97
PK	396.66M	36.89	46.00	-9.11	-8.07	3	Vertical	6	1.25	-	44.96	21.40	2.69	32.16

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	32.01	40.00	-7.99	-7.12	3	Horizontal	192	3.00	-	39.13	23.99	0.44	31.55
PK	388.9M	35.64	46.00	-10.36	-8.38	3	Horizontal	302	1.00	-	44.02	21.13	2.65	32.16
PK	397.63M	39.84	46.00	-6.16	-8.03	3	Horizontal	311	1.00	"Worst"	47.87	21.44	2.69	32.16
PK	409.27M	37.89	46.00	-8.11	-7.51	3	Horizontal	145	1.00	-	45.40	21.95	2.72	32.18
PK	541.19M	33.84	46.00	-12.16	-5.20	3	Horizontal	0	2.00	-	39.04	24.05	3.13	32.38
PK	549.92M	35.55	46.00	-10.45	-4.73	3	Horizontal	5	1.50	-	40.28	24.48	3.17	32.38




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.356G	53.93	54.00	-0.07	3	Vertical	202	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	66.04	74.00	-7.96	61.05	3	Vertical	12	1.49	-	31.91	5.54	32.46
AV	5.15G	53.89	54.00	-0.11	48.90	3	Vertical	12	1.49	-	31.90	5.55	32.46
PK	5.174G	127.38	Inf	-Inf	122.42	3	Vertical	12	1.49	-	31.85	5.57	32.46
AV	5.174G	116.91	Inf	-Inf	111.95	3	Vertical	12	1.49	-	31.85	5.57	32.46

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.428G	56.04	68.20	-12.16	42.00	3	Vertical	12	1.81	-	40.13	8.56	34.65
PK	15.54548G	60.15	74.00	-13.85	46.31	3	Vertical	354	1.80	-	38.43	10.23	34.82
AV	15.53004G	47.15	54.00	-6.85	33.22	3	Vertical	354	1.80	-	38.52	10.23	34.82

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3614G	55.67	68.20	-12.53	41.80	3	Horizontal	107	2.45	-	39.95	8.52	34.60
PK	15.53784G	60.93	74.00	-13.07	47.05	3	Horizontal	359	3.00	-	38.47	10.23	34.82
AV	15.53152G	46.97	54.00	-7.03	33.05	3	Horizontal	359	3.00	-	38.51	10.23	34.82

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.88	74.00	-4.12	64.89	3	Vertical	140	1.80	-	31.90	5.55	32.46
AV	5.15G	53.83	54.00	-0.17	48.84	3	Vertical	140	1.80	-	31.90	5.55	32.46
PK	5.1924G	126.61	Inf	-Inf	121.66	3	Vertical	140	1.80	-	31.82	5.59	32.46
AV	5.1924G	116.93	Inf	-Inf	111.98	3	Vertical	140	1.80	-	31.82	5.59	32.46

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59856G	59.18	74.00	-14.82	45.64	3	Vertical	232	1.92	-	38.11	10.24	34.81
AV	15.5956G	46.35	54.00	-7.65	32.79	3	Vertical	232	1.92	-	38.13	10.24	34.81

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60416G	59.21	74.00	-14.79	45.69	3	Horizontal	169	1.89	-	38.09	10.24	34.81
AV	15.59562G	46.32	54.00	-7.68	32.76	3	Horizontal	169	1.89	-	38.13	10.24	34.81

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	63.81	74.00	-10.19	58.82	3	Vertical	249	1.75	-	31.91	5.54	32.46
AV	5.1488G	50.70	54.00	-3.30	45.71	3	Vertical	249	1.75	-	31.90	5.55	32.46
PK	5.2388G	128.19	Inf	-Inf	123.40	3	Vertical	249	1.75	-	31.64	5.62	32.47
AV	5.2388G	118.00	Inf	-Inf	113.21	3	Vertical	249	1.75	-	31.64	5.62	32.47
PK	5.366G	62.82	74.00	-11.18	58.26	3	Vertical	249	1.75	-	31.36	5.68	32.48
AV	5.3522G	50.01	54.00	-3.99	45.50	3	Vertical	249	1.75	-	31.31	5.68	32.48

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4839G	56.53	68.20	-11.67	42.45	3	Vertical	123	2.02	-	40.18	8.59	34.69
PK	15.7202G	58.11	74.00	-15.89	44.76	3	Vertical	322	2.84	-	37.90	10.26	34.81
AV	15.72006G	45.14	54.00	-8.86	31.79	3	Vertical	322	2.84	-	37.90	10.26	34.81

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4754G	56.14	68.20	-12.06	42.05	3	Horizontal	31	1.99	-	40.18	8.59	34.68
PK	15.72476G	57.91	74.00	-16.09	44.56	3	Horizontal	48	1.45	-	37.90	10.26	34.81
AV	15.718G	45.21	54.00	-8.79	31.86	3	Horizontal	48	1.45	-	37.90	10.26	34.81

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	64.22	74.00	-9.78	59.23	3	Vertical	297	1.80	-	31.91	5.54	32.46
AV	5.15G	50.80	54.00	-3.20	45.81	3	Vertical	297	1.80	-	31.90	5.55	32.46
PK	5.26G	128.31	Inf	-Inf	123.59	3	Vertical	297	1.80	-	31.56	5.63	32.47
AV	5.2594G	117.59	Inf	-Inf	112.87	3	Vertical	297	1.80	-	31.56	5.63	32.47
PK	5.3596G	63.18	74.00	-10.82	58.64	3	Vertical	297	1.80	-	31.34	5.68	32.48
AV	5.3608G	50.33	54.00	-3.67	45.79	3	Vertical	297	1.80	-	31.34	5.68	32.48

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53218G	56.75	68.20	-11.45	42.66	3	Vertical	251	1.35	-	40.17	8.62	34.70
PK	15.78054G	58.66	74.00	-15.34	45.29	3	Vertical	244	1.80	-	37.90	10.27	34.80
AV	15.77094G	44.88	54.00	-9.12	31.51	3	Vertical	244	1.80	-	37.90	10.27	34.80

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52546G	56.15	68.20	-12.05	42.06	3	Horizontal	177	2.37	-	40.17	8.62	34.70
PK	15.76704G	58.33	74.00	-15.67	44.96	3	Horizontal	70	1.80	-	37.90	10.27	34.80
AV	15.7713G	44.79	54.00	-9.21	31.42	3	Horizontal	70	1.80	-	37.90	10.27	34.80

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	127.94	Inf	-Inf	123.35	3	Vertical	202	1.80	-	31.42	5.65	32.48
AV	5.2964G	116.81	Inf	-Inf	112.23	3	Vertical	202	1.80	-	31.41	5.65	32.48
PK	5.3544G	73.53	74.00	-0.47	69.01	3	Vertical	202	1.80	-	31.32	5.68	32.48
AV	5.356G	53.93	54.00	-0.07	49.41	3	Vertical	202	1.80	-	31.32	5.68	32.48

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90424G	57.97	74.00	-16.03	44.78	3	Vertical	319	2.44	-	37.70	10.29	34.80
AV	15.90486G	44.93	54.00	-9.07	31.74	3	Vertical	319	2.44	-	37.70	10.29	34.80

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90334G	58.43	74.00	-15.57	45.24	3	Horizontal	253	2.60	-	37.70	10.29	34.80
AV	15.90494G	45.00	54.00	-9.00	31.81	3	Horizontal	253	2.60	-	37.70	10.29	34.80

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3162G	124.39	Inf	-Inf	119.84	3	Vertical	203	1.79	-	31.37	5.66	32.48
AV	5.3158G	114.79	Inf	-Inf	110.24	3	Vertical	203	1.79	-	31.37	5.66	32.48
PK	5.3556G	67.59	74.00	-6.41	63.07	3	Vertical	203	1.79	-	31.32	5.68	32.48
AV	5.3546G	53.83	54.00	-0.17	49.31	3	Vertical	203	1.79	-	31.32	5.68	32.48

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9556G	60.56	74.00	-13.44	47.42	3	Vertical	288	1.43	-	37.64	10.29	34.79
AV	15.95884G	46.14	54.00	-7.86	33.00	3	Vertical	288	1.43	-	37.64	10.29	34.79

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.958G	59.27	74.00	-14.73	46.13	3	Horizontal	211	1.62	-	37.64	10.29	34.79
AV	15.96074G	46.13	54.00	-7.87	32.99	3	Horizontal	211	1.62	-	37.64	10.29	34.79

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	68.66	74.00	-5.34	63.66	3	Vertical	15	2.42	-	31.74	5.76	32.50
PK	5.4602G	68.11	68.20	-0.09	63.11	3	Vertical	15	2.42	-	31.74	5.76	32.50
AV	5.4598G	53.10	54.00	-0.90	48.10	3	Vertical	15	2.42	-	31.74	5.76	32.50
PK	5.5012G	124.16	Inf	-Inf	118.96	3	Vertical	15	2.42	-	31.90	5.80	32.50
AV	5.5008G	114.33	Inf	-Inf	109.13	3	Vertical	15	2.42	-	31.90	5.80	32.50

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99736G	57.36	74.00	-16.64	42.51	3	Vertical	266	1.01	-	40.60	8.90	34.65
AV	10.99906G	43.79	54.00	-10.21	28.94	3	Vertical	266	1.01	-	40.60	8.90	34.65

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99738G	57.04	74.00	-16.96	42.19	3	Horizontal	245	1.29	-	40.60	8.90	34.65
AV	11.00006G	43.75	54.00	-10.25	28.90	3	Horizontal	245	1.29	-	40.60	8.90	34.65

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	62.51	74.00	-11.49	57.61	3	Vertical	52	1.80	-	31.65	5.74	32.49
PK	5.464G	63.07	68.20	-5.13	58.05	3	Vertical	52	1.80	-	31.76	5.76	32.50
AV	5.4592G	50.48	54.00	-3.52	45.48	3	Vertical	52	1.80	-	31.74	5.76	32.50
PK	5.5864G	128.25	Inf	-Inf	122.93	3	Vertical	52	1.80	-	31.90	5.89	32.47
AV	5.5856G	117.20	Inf	-Inf	111.88	3	Vertical	52	1.80	-	31.90	5.89	32.47
PK	5.744G	64.95	68.20	-3.25	59.29	3	Vertical	52	1.80	-	32.18	5.90	32.42

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15934G	61.87	74.00	-12.13	47.49	3	Vertical	39	2.19	-	40.02	9.00	34.64
AV	11.15892G	48.74	54.00	-5.26	34.36	3	Vertical	39	2.19	-	40.02	9.00	34.64
PK	16.74008G	61.58	68.20	-6.62	45.61	3	Vertical	247	2.43	-	40.32	10.49	34.84

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15658G	58.34	74.00	-15.66	43.96	3	Horizontal	232	2.11	-	40.03	8.99	34.64
AV	11.15898G	45.63	54.00	-8.37	31.25	3	Horizontal	232	2.11	-	40.02	9.00	34.64
PK	16.73916G	61.61	68.20	-6.59	45.66	3	Horizontal	254	2.94	-	40.31	10.48	34.84

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	117.84	Inf	-Inf	112.35	3	Vertical	50	1.80	-	32.02	5.90	32.43
AV	5.7064G	107.96	Inf	-Inf	102.46	3	Vertical	50	1.80	-	32.03	5.90	32.43
PK	5.7256G	67.98	68.20	-0.22	62.41	3	Vertical	50	1.80	-	32.10	5.90	32.43

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39714G	57.17	74.00	-16.83	42.57	3	Vertical	330	1.68	-	40.09	9.14	34.63
AV	11.39942G	43.66	54.00	-10.34	29.05	3	Vertical	330	1.68	-	40.10	9.14	34.63

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 65
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40296G	56.62	74.00	-17.38	42.01	3	Horizontal	328	2.87	-	40.10	9.14	34.63
AV	11.3988G	43.77	54.00	-10.23	29.16	3	Horizontal	328	2.87	-	40.10	9.14	34.63

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	127.05	Inf	-Inf	121.47	3	Vertical	50	1.80	-	32.11	5.90	32.43
AV	5.7264G	117.39	Inf	-Inf	111.81	3	Vertical	50	1.80	-	32.11	5.90	32.43
PK	5.8728G	62.01	68.20	-6.19	55.98	3	Vertical	0	1.80	-	32.44	5.97	32.38

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44126G	59.73	74.00	-14.27	45.10	3	Vertical	150	2.05	-	40.10	9.16	34.63
AV	11.44018G	47.02	54.00	-6.98	32.39	3	Vertical	150	2.05	-	40.10	9.16	34.63
PK	17.16244G	62.97	68.20	-5.23	46.16	3	Vertical	224	2.04	-	41.15	10.59	34.93

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43772G	57.64	74.00	-16.36	43.01	3	Horizontal	119	2.90	-	40.10	9.16	34.63
AV	11.4412G	44.84	54.00	-9.16	30.21	3	Horizontal	119	2.90	-	40.10	9.16	34.63
PK	17.15932G	63.24	68.20	-4.96	46.44	3	Horizontal	81	2.13	-	41.14	10.59	34.93

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.543G	63.20	68.20	-5.00	57.95	3	Vertical	47	1.80	-	31.90	5.84	32.49
PK	5.75G	128.71	Inf	-Inf	123.03	3	Vertical	47	1.80	-	32.20	5.90	32.42
AV	5.751G	117.97	Inf	-Inf	112.29	3	Vertical	47	1.80	-	32.20	5.90	32.42
PK	5.953G	62.11	68.20	-6.09	55.83	3	Vertical	47	1.80	-	32.59	6.05	32.36

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48994G	61.16	74.00	-12.84	46.50	3	Vertical	149	2.04	-	40.10	9.19	34.63
AV	11.48892G	48.29	54.00	-5.71	33.63	3	Vertical	149	2.04	-	40.10	9.19	34.63
PK	17.23048G	63.82	68.20	-4.38	46.87	3	Vertical	168	1.45	-	41.36	10.61	35.02

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49012G	61.34	74.00	-12.66	46.68	3	Horizontal	255	2.80	-	40.10	9.19	34.63
AV	11.48928G	48.50	54.00	-5.50	33.84	3	Horizontal	255	2.80	-	40.10	9.19	34.63
PK	17.23648G	63.60	68.20	-4.60	46.65	3	Horizontal	124	2.10	-	41.37	10.61	35.03

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	63.73	68.20	-4.47	58.41	3	Vertical	47	1.80	-	31.90	5.89	32.47
PK	5.791G	129.05	Inf	-Inf	123.28	3	Vertical	47	1.80	-	32.28	5.90	32.41
AV	5.791G	118.36	Inf	-Inf	112.59	3	Vertical	47	1.80	-	32.28	5.90	32.41
PK	5.989G	62.35	68.20	-5.85	56.08	3	Vertical	47	1.80	-	32.52	6.09	32.34

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5703G	61.25	74.00	-12.75	46.69	3	Vertical	354	1.80	-	39.96	9.24	34.64
AV	11.56814G	48.42	54.00	-5.58	33.86	3	Vertical	354	1.80	-	39.96	9.24	34.64
PK	17.35232G	65.13	68.20	-3.07	47.64	3	Vertical	113	2.37	-	42.02	10.64	35.17

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56286G	60.40	74.00	-13.60	45.83	3	Horizontal	139	2.22	-	39.97	9.24	34.64
AV	11.56496G	47.45	54.00	-6.55	32.88	3	Horizontal	139	2.22	-	39.97	9.24	34.64
PK	17.3518G	63.85	68.20	-4.35	46.36	3	Horizontal	22	1.30	-	42.02	10.64	35.17

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	62.81	68.20	-5.39	57.52	3	Vertical	46	1.80	-	31.85	5.90	32.46
PK	5.83G	128.92	Inf	-Inf	123.08	3	Vertical	46	1.80	-	32.30	5.93	32.39
AV	5.83G	117.75	Inf	-Inf	111.91	3	Vertical	46	1.80	-	32.30	5.93	32.39
PK	5.932G	64.39	68.20	-3.81	58.12	3	Vertical	46	1.80	-	32.60	6.03	32.36

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64742G	59.44	74.00	-14.56	45.17	3	Vertical	355	1.80	-	39.62	9.29	34.64
AV	11.64856G	46.86	54.00	-7.14	32.60	3	Vertical	355	1.80	-	39.61	9.29	34.64
PK	17.47722G	65.49	68.20	-2.71	46.88	3	Vertical	9	3.00	-	43.27	10.67	35.33

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT_Z_4TX
Setting 108
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64456G	60.05	74.00	-13.95	45.77	3	Horizontal	140	2.22	-	39.63	9.29	34.64
AV	11.64508G	47.03	54.00	-6.97	32.75	3	Horizontal	140	2.22	-	39.63	9.29	34.64
PK	17.4741G	65.37	68.20	-2.83	46.79	3	Horizontal	40	1.80	-	43.24	10.67	35.33




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Vertical	74	2.67	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.89	74.00	-4.11	64.90	3	Vertical	268	1.80	-	31.90	5.55	32.46
AV	5.1496G	53.82	54.00	-0.18	48.83	3	Vertical	268	1.80	-	31.90	5.55	32.46
PK	5.1876G	126.45	Inf	-Inf	121.50	3	Vertical	268	1.80	-	31.82	5.59	32.46
AV	5.188G	113.81	Inf	-Inf	108.86	3	Vertical	268	1.80	-	31.82	5.59	32.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5369G	59.12	74.00	-14.88	45.23	3	Vertical	360	2.55	-	38.48	10.23	34.82
AV	15.541G	46.51	54.00	-7.49	32.65	3	Vertical	360	2.55	-	38.45	10.23	34.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53826G	59.28	74.00	-14.72	45.40	3	Horizontal	219	2.25	-	38.47	10.23	34.82
AV	15.5422G	46.31	54.00	-7.69	32.45	3	Horizontal	219	2.25	-	38.45	10.23	34.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	70.64	74.00	-3.36	65.65	3	Vertical	279	1.80	-	31.90	5.55	32.46
AV	5.1492G	53.87	54.00	-0.13	48.88	3	Vertical	279	1.80	-	31.90	5.55	32.46
PK	5.2052G	127.58	Inf	-Inf	122.66	3	Vertical	279	1.80	-	31.78	5.60	32.46
AV	5.2072G	115.56	Inf	-Inf	110.65	3	Vertical	279	1.80	-	31.77	5.60	32.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60218G	58.96	74.00	-15.04	45.43	3	Vertical	191	1.79	-	38.10	10.24	34.81
AV	15.59552G	46.13	54.00	-7.87	32.57	3	Vertical	191	1.79	-	38.13	10.24	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59776G	59.40	74.00	-14.60	45.86	3	Horizontal	213	2.61	-	38.11	10.24	34.81
AV	15.59526G	46.10	54.00	-7.90	32.54	3	Horizontal	213	2.61	-	38.13	10.24	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 118
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	69.88	74.00	-4.12	64.89	3	Vertical	270	1.67	-	31.90	5.55	32.46
AV	5.1482G	53.76	54.00	-0.24	48.77	3	Vertical	270	1.67	-	31.90	5.55	32.46
PK	5.2376G	127.81	Inf	-Inf	123.01	3	Vertical	270	1.67	-	31.65	5.62	32.47
AV	5.2346G	117.84	Inf	-Inf	113.03	3	Vertical	270	1.67	-	31.66	5.62	32.47
PK	5.3558G	66.57	74.00	-7.43	62.05	3	Vertical	270	1.67	-	31.32	5.68	32.48
AV	5.35G	50.47	54.00	-3.53	45.98	3	Vertical	270	1.67	-	31.30	5.67	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 118
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72208G	58.48	74.00	-15.52	45.13	3	Vertical	20	1.43	-	37.90	10.26	34.81
AV	15.72024G	45.30	54.00	-8.70	31.95	3	Vertical	20	1.43	-	37.90	10.26	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 118
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72296G	58.03	74.00	-15.97	44.68	3	Horizontal	309	1.02	-	37.90	10.26	34.81
AV	15.71534G	45.31	54.00	-8.69	31.96	3	Horizontal	309	1.02	-	37.90	10.26	34.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	69.42	74.00	-4.58	64.42	3	Vertical	274	1.80	-	31.91	5.55	32.46
AV	5.15G	52.40	54.00	-1.60	47.41	3	Vertical	274	1.80	-	31.90	5.55	32.46
PK	5.2582G	127.75	Inf	-Inf	123.02	3	Vertical	274	1.80	-	31.57	5.63	32.47
AV	5.2546G	118.02	Inf	-Inf	113.28	3	Vertical	274	1.80	-	31.58	5.63	32.47
PK	5.35G	67.80	74.00	-6.20	63.30	3	Vertical	274	1.80	-	31.30	5.68	32.48
AV	5.35G	52.55	54.00	-1.45	48.05	3	Vertical	274	1.80	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7773G	57.97	74.00	-16.03	44.60	3	Vertical	73	1.35	-	37.90	10.27	34.80
AV	15.77914G	44.73	54.00	-9.27	31.36	3	Vertical	73	1.35	-	37.90	10.27	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78236G	57.65	74.00	-16.35	44.28	3	Horizontal	339	1.07	-	37.90	10.27	34.80
AV	15.78444G	44.79	54.00	-9.21	31.42	3	Horizontal	339	1.07	-	37.90	10.27	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	127.03	Inf	-Inf	122.45	3	Vertical	74	2.67	-	31.41	5.65	32.48
AV	5.291G	114.55	Inf	-Inf	109.93	3	Vertical	74	2.67	-	31.44	5.65	32.47
PK	5.35G	70.42	74.00	-3.58	65.92	3	Vertical	74	2.67	-	31.30	5.68	32.48
AV	5.35G	53.98	54.00	-0.02	49.48	3	Vertical	74	2.67	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89832G	57.47	74.00	-16.53	44.29	3	Vertical	119	2.75	-	37.70	10.28	34.80
AV	15.90252G	44.74	54.00	-9.26	31.55	3	Vertical	119	2.75	-	37.70	10.29	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89726G	57.59	74.00	-16.41	44.40	3	Horizontal	113	2.73	-	37.71	10.28	34.80
AV	15.89754G	44.63	54.00	-9.37	31.45	3	Horizontal	113	2.73	-	37.70	10.28	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3242G	123.14	Inf	-Inf	118.61	3	Vertical	263.5	1.80	-	31.35	5.66	32.48
AV	5.3236G	111.33	Inf	-Inf	106.80	3	Vertical	263.5	1.80	-	31.35	5.66	32.48
PK	5.35G	66.91	74.00	-7.09	62.42	3	Vertical	263.5	1.80	-	31.30	5.67	32.48
AV	5.35G	53.80	54.00	-0.20	49.31	3	Vertical	263.5	1.80	-	31.30	5.67	32.48
PK	5.47G	59.58	68.20	-8.62	54.53	3	Vertical	263.5	1.80	-	31.78	5.77	32.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95994G	58.76	74.00	-15.24	45.62	3	Vertical	157	1.31	-	37.64	10.29	34.79
AV	15.95646G	45.38	54.00	-8.62	32.24	3	Vertical	157	1.31	-	37.64	10.29	34.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95726G	58.14	74.00	-15.86	45.00	3	Horizontal	256	2.99	-	37.64	10.29	34.79
AV	15.96038G	45.31	54.00	-8.69	32.17	3	Horizontal	256	2.99	-	37.64	10.29	34.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	65.46	74.00	-8.54	60.46	3	Vertical	74.6	2.64	-	31.73	5.76	32.49
AV	5.4586G	52.54	54.00	-1.46	47.55	3	Vertical	74.6	2.64	-	31.73	5.76	32.50
PK	5.4646G	68.13	68.20	-0.07	63.11	3	Vertical	74.6	2.64	-	31.76	5.76	32.50
PK	5.506G	125.20	Inf	-Inf	119.99	3	Vertical	74.6	2.64	-	31.90	5.81	32.50
AV	5.5066G	113.04	Inf	-Inf	107.83	3	Vertical	74.6	2.64	-	31.90	5.81	32.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99534G	56.74	74.00	-17.26	41.89	3	Vertical	359	2.76	-	40.60	8.90	34.65
AV	10.99638G	43.69	54.00	-10.31	28.84	3	Vertical	359	2.76	-	40.60	8.90	34.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0038G	57.95	74.00	-16.05	43.12	3	Horizontal	201	1.06	-	40.58	8.90	34.65
AV	10.99594G	43.61	54.00	-10.39	28.76	3	Horizontal	201	1.06	-	40.60	8.90	34.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 120
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.33	74.00	-9.67	59.33	3	Vertical	284	2.38	-	31.73	5.76	32.49
PK	5.4688G	64.12	68.20	-4.08	59.07	3	Vertical	284	2.38	-	31.78	5.77	32.50
PK	5.5776G	128.35	Inf	-Inf	123.05	3	Vertical	284	2.38	-	31.90	5.88	32.48
AV	5.5784G	118.44	Inf	-Inf	113.13	3	Vertical	284	2.38	-	31.90	5.88	32.47
PK	5.7736G	64.94	68.20	-3.26	59.20	3	Vertical	284	2.38	-	32.25	5.90	32.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 120
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16004G	56.83	74.00	-17.17	42.45	3	Vertical	177	2.85	-	40.02	9.00	34.64
AV	11.15542G	43.64	54.00	-10.36	29.26	3	Vertical	177	2.85	-	40.03	8.99	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 120
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16022G	57.95	74.00	-16.05	43.57	3	Horizontal	346	2.71	-	40.02	9.00	34.64
AV	11.16202G	43.76	54.00	-10.24	29.39	3	Horizontal	346	2.71	-	40.01	9.00	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6946G	121.54	Inf	-Inf	116.10	3	Vertical	81	2.27	-	31.98	5.90	32.44
AV	5.6958G	109.37	Inf	-Inf	103.93	3	Vertical	81	2.27	-	31.98	5.90	32.44
PK	5.727G	67.98	68.20	-0.22	62.40	3	Vertical	81	2.27	-	32.11	5.90	32.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40274G	57.27	74.00	-16.73	42.66	3	Vertical	272	2.44	-	40.10	9.14	34.63
AV	11.39834G	43.68	54.00	-10.32	29.07	3	Vertical	272	2.44	-	40.10	9.14	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT_Z_4TX
Setting 72
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40466G	57.42	74.00	-16.58	42.81	3	Horizontal	158	2.37	-	40.10	9.14	34.63
AV	11.40334G	43.86	54.00	-10.14	29.25	3	Horizontal	158	2.37	-	40.10	9.14	34.63


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 115
 06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	58.32	74.00	-15.68	53.35	3	Vertical	93	2.11	-	31.71	5.75	32.49
AV	5.4452G	46.75	54.00	-7.25	41.81	3	Vertical	93	2.11	-	31.68	5.75	32.49
PK	5.47G	58.74	68.20	-9.46	53.69	3	Vertical	93	2.11	-	31.78	5.77	32.50
PK	5.7224G	128.51	Inf	-Inf	122.95	3	Vertical	93	2.11	-	32.09	5.90	32.43
AV	5.7284G	118.21	Inf	-Inf	112.63	3	Vertical	93	2.11	-	32.11	5.90	32.43
PK	5.8544G	65.35	68.20	-2.85	59.46	3	Vertical	93	2.11	-	32.33	5.95	32.39


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 115
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44348G	56.88	74.00	-17.12	42.24	3	Vertical	166	1.86	-	40.10	9.17	34.63
AV	11.4403G	43.80	54.00	-10.20	29.17	3	Vertical	166	1.86	-	40.10	9.16	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 115
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43554G	57.44	74.00	-16.56	42.81	3	Horizontal	92	1.40	-	40.10	9.16	34.63
AV	11.43818G	43.80	54.00	-10.20	29.17	3	Horizontal	92	1.40	-	40.10	9.16	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 114
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	70.38	70.42	-0.04	65.12	3	Vertical	92	2.24	-	31.81	5.90	32.45
PK	5.753G	128.73	Inf	-Inf	123.04	3	Vertical	92	2.24	-	32.21	5.90	32.42
AV	5.75G	118.82	Inf	-Inf	113.14	3	Vertical	92	2.24	-	32.20	5.90	32.42
PK	5.95G	60.96	68.20	-7.24	54.67	3	Vertical	92	2.24	-	32.60	6.05	32.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 114
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4898G	56.86	74.00	-17.14	42.20	3	Vertical	220	1.48	-	40.10	9.19	34.63
AV	11.486G	43.36	54.00	-10.64	28.70	3	Vertical	220	1.48	-	40.10	9.19	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 114
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49492G	56.58	74.00	-17.42	41.91	3	Horizontal	0	1.05	-	40.10	9.20	34.63
AV	11.48708G	43.40	54.00	-10.60	28.74	3	Horizontal	0	1.05	-	40.10	9.19	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	66.90	68.20	-1.30	61.64	3	Vertical	88	2.20	-	31.81	5.90	32.45
PK	5.78G	128.84	Inf	-Inf	123.09	3	Vertical	88	2.20	-	32.26	5.90	32.41
AV	5.779G	119.54	Inf	-Inf	113.79	3	Vertical	88	2.20	-	32.26	5.90	32.41
PK	5.944G	67.98	68.20	-0.22	61.70	3	Vertical	88	2.20	-	32.60	6.04	32.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57474G	56.27	74.00	-17.73	41.72	3	Vertical	116	1.08	-	39.95	9.24	34.64
AV	11.56952G	43.34	54.00	-10.66	28.78	3	Vertical	116	1.08	-	39.96	9.24	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56756G	57.13	74.00	-16.87	42.57	3	Horizontal	147	2.27	-	39.96	9.24	34.64
AV	11.57452G	43.33	54.00	-10.67	28.78	3	Horizontal	147	2.27	-	39.95	9.24	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 112
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	61.57	68.20	-6.63	56.29	3	Vertical	46.3	1.80	-	31.84	5.90	32.46
PK	5.831G	127.35	Inf	-Inf	121.51	3	Vertical	46.3	1.80	-	32.30	5.93	32.39
AV	5.834G	116.47	Inf	-Inf	110.63	3	Vertical	46.3	1.80	-	32.30	5.93	32.39
PK	5.926G	65.80	68.20	-2.40	59.53	3	Vertical	46.3	1.80	-	32.60	6.03	32.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 112
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64816G	56.61	74.00	-17.39	42.35	3	Vertical	172	3.00	-	39.61	9.29	34.64
AV	11.64768G	43.10	54.00	-10.90	28.84	3	Vertical	172	3.00	-	39.61	9.29	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 112
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64918G	56.88	74.00	-17.12	42.63	3	Horizontal	244	1.64	-	39.60	9.29	34.64
AV	11.64512G	43.10	54.00	-10.90	28.82	3	Horizontal	244	1.64	-	39.63	9.29	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 89
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.39	74.00	-6.61	62.40	3	Vertical	61.2	3.00	-	31.90	5.55	32.46
AV	5.1484G	53.87	54.00	-0.13	48.88	3	Vertical	61.2	3.00	-	31.90	5.55	32.46
PK	5.1952G	121.61	Inf	-Inf	116.66	3	Vertical	61.2	3.00	-	31.81	5.60	32.46
AV	5.1944G	108.39	Inf	-Inf	103.45	3	Vertical	61.2	3.00	-	31.81	5.59	32.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 89
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3748G	54.26	68.20	-13.94	40.35	3	Vertical	253	2.49	-	40.00	8.52	34.61
PK	15.56464G	59.49	74.00	-14.51	45.77	3	Vertical	54	2.16	-	38.31	10.23	34.82
AV	15.57024G	46.21	54.00	-7.79	32.51	3	Vertical	54	2.16	-	38.28	10.24	34.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 89
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3754G	55.46	68.20	-12.74	41.54	3	Horizontal	187	2.06	-	40.00	8.53	34.61
PK	15.57392G	59.49	74.00	-14.51	45.81	3	Horizontal	89	2.66	-	38.26	10.24	34.82
AV	15.56092G	46.15	54.00	-7.85	32.41	3	Horizontal	89	2.66	-	38.33	10.23	34.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	73.03	74.00	-0.97	68.03	3	Vertical	271	1.80	-	31.91	5.55	32.46
AV	5.15G	53.94	54.00	-0.06	48.95	3	Vertical	271	1.80	-	31.90	5.55	32.46
PK	5.2366G	122.74	Inf	-Inf	117.94	3	Vertical	271	1.80	-	31.65	5.62	32.47
AV	5.239G	110.20	Inf	-Inf	105.41	3	Vertical	271	1.80	-	31.64	5.62	32.47
PK	5.356G	61.95	74.00	-12.05	57.43	3	Vertical	271	1.80	-	31.32	5.68	32.48
AV	5.3512G	49.10	54.00	-4.90	44.60	3	Vertical	271	1.80	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69112G	58.59	74.00	-15.41	45.23	3	Vertical	335	1.66	-	37.92	10.25	34.81
AV	15.6921G	44.96	54.00	-9.04	31.60	3	Vertical	335	1.66	-	37.92	10.25	34.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6896G	58.28	74.00	-15.72	44.92	3	Horizontal	344	2.18	-	37.92	10.25	34.81
AV	15.6868G	44.99	54.00	-9.01	31.62	3	Horizontal	344	2.18	-	37.93	10.25	34.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	63.14	74.00	-10.86	58.14	3	Vertical	234	3.00	-	31.91	5.55	32.46
AV	5.15G	50.62	54.00	-3.38	45.63	3	Vertical	234	3.00	-	31.90	5.55	32.46
PK	5.285G	123.94	Inf	-Inf	119.31	3	Vertical	234	3.00	-	31.46	5.64	32.47
AV	5.2832G	111.55	Inf	-Inf	106.91	3	Vertical	234	3.00	-	31.47	5.64	32.47
PK	5.35G	71.24	74.00	-2.76	66.74	3	Vertical	234	3.00	-	31.30	5.68	32.48
AV	5.35G	53.84	54.00	-0.16	49.34	3	Vertical	234	3.00	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81318G	57.49	74.00	-16.51	44.15	3	Vertical	19	2.91	-	37.87	10.27	34.80
AV	15.80674G	44.24	54.00	-9.76	30.88	3	Vertical	19	2.91	-	37.89	10.27	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80928G	58.07	74.00	-15.93	44.72	3	Horizontal	329	2.40	-	37.88	10.27	34.80
AV	15.80648G	44.06	54.00	-9.94	30.70	3	Horizontal	329	2.40	-	37.89	10.27	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	121.96	Inf	-Inf	117.42	3	Vertical	262.2	2.65	-	31.36	5.66	32.48
AV	5.3216G	108.97	Inf	-Inf	104.43	3	Vertical	262.2	2.65	-	31.36	5.66	32.48
PK	5.3588G	68.32	74.00	-5.68	63.78	3	Vertical	262.2	2.65	-	31.34	5.68	32.48
AV	5.3512G	53.76	54.00	-0.24	49.26	3	Vertical	262.2	2.65	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92848G	58.25	74.00	-15.75	45.08	3	Vertical	169	1.43	-	37.67	10.29	34.79
AV	15.93396G	44.84	54.00	-9.16	31.67	3	Vertical	169	1.43	-	37.67	10.29	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92912G	58.20	74.00	-15.80	45.03	3	Horizontal	353	1.62	-	37.67	10.29	34.79
AV	15.93484G	44.88	54.00	-9.12	31.71	3	Horizontal	353	1.62	-	37.67	10.29	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 82
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	63.72	74.00	-10.28	58.78	3	Vertical	334	3.00	-	31.68	5.75	32.49
PK	5.466G	68.15	68.20	-0.05	63.12	3	Vertical	334	3.00	-	31.76	5.77	32.50
AV	5.4592G	50.06	54.00	-3.94	45.06	3	Vertical	334	3.00	-	31.74	5.76	32.50
PK	5.4952G	119.38	Inf	-Inf	114.20	3	Vertical	334	3.00	-	31.88	5.80	32.50
AV	5.4924G	104.97	Inf	-Inf	99.81	3	Vertical	334	3.00	-	31.87	5.79	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 82
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01724G	57.27	74.00	-16.73	42.48	3	Vertical	157	2.79	-	40.53	8.91	34.65
AV	11.01504G	43.28	54.00	-10.72	28.48	3	Vertical	157	2.79	-	40.54	8.91	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 82
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02248G	56.69	74.00	-17.31	41.92	3	Horizontal	288	2.67	-	40.51	8.91	34.65
AV	11.02006G	43.41	54.00	-10.59	28.63	3	Horizontal	288	2.67	-	40.52	8.91	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.14	74.00	-7.86	61.14	3	Vertical	225	3.00	-	31.74	5.76	32.50
AV	5.446G	50.75	54.00	-3.25	45.81	3	Vertical	225	3.00	-	31.68	5.75	32.49
PK	5.47G	68.06	68.20	-0.14	63.01	3	Vertical	225	3.00	-	31.78	5.77	32.50
PK	5.5316G	121.57	Inf	-Inf	116.33	3	Vertical	225	3.00	-	31.90	5.83	32.49
AV	5.5316G	108.13	Inf	-Inf	102.89	3	Vertical	225	3.00	-	31.90	5.83	32.49
PK	5.7268G	61.49	68.20	-6.71	55.91	3	Vertical	225	3.00	-	32.11	5.90	32.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10362G	56.84	74.00	-17.16	42.34	3	Vertical	121	1.35	-	40.19	8.96	34.65
AV	11.09598G	43.26	54.00	-10.74	28.73	3	Vertical	121	1.35	-	40.22	8.96	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09646G	57.02	74.00	-16.98	42.50	3	Horizontal	174	2.86	-	40.21	8.96	34.65
AV	11.0955G	43.39	54.00	-10.61	28.86	3	Horizontal	174	2.86	-	40.22	8.96	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 75
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.688G	119.64	Inf	-Inf	114.23	3	Vertical	81	2.27	-	31.95	5.90	32.44
AV	5.688G	106.45	Inf	-Inf	101.04	3	Vertical	81	2.27	-	31.95	5.90	32.44
PK	5.7252G	67.96	68.20	-0.24	62.39	3	Vertical	81	2.27	-	32.10	5.90	32.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 75
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3377G	57.34	74.00	-16.66	42.90	3	Vertical	107	2.02	-	39.98	9.10	34.64
AV	11.33832G	43.09	54.00	-10.91	28.65	3	Vertical	107	2.02	-	39.98	9.10	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 75
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34256G	56.99	74.00	-17.01	42.53	3	Horizontal	310	1.75	-	39.99	9.11	34.64
AV	11.33534G	43.10	54.00	-10.90	28.67	3	Horizontal	310	1.75	-	39.97	9.10	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
Setting 97
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	124.81	Inf	-Inf	119.36	3	Vertical	78	2.12	-	31.99	5.90	32.44
AV	5.6932G	112.85	Inf	-Inf	107.42	3	Vertical	78	2.12	-	31.97	5.90	32.44
PK	5.8508G	67.96	68.20	-0.24	62.10	3	Vertical	78	2.12	-	32.30	5.95	32.39


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 97
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41772G	56.96	74.00	-17.04	42.34	3	Vertical	175	2.44	-	40.10	9.15	34.63
AV	11.4157G	43.34	54.00	-10.66	28.72	3	Vertical	175	2.44	-	40.10	9.15	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 97
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42042G	57.02	74.00	-16.98	42.40	3	Horizontal	80	2.65	-	40.10	9.15	34.63
AV	11.4158G	43.32	54.00	-10.68	28.70	3	Horizontal	80	2.65	-	40.10	9.15	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	68.06	68.20	-0.14	62.80	3	Vertical	90	2.26	-	31.81	5.90	32.45
PK	5.757G	127.73	Inf	-Inf	122.04	3	Vertical	90	2.26	-	32.21	5.90	32.42
AV	5.758G	114.22	Inf	-Inf	108.52	3	Vertical	90	2.26	-	32.22	5.90	32.42
PK	5.934G	62.82	68.20	-5.38	56.55	3	Vertical	90	2.26	-	32.60	6.03	32.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Z_4TX
Setting 103
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50802G	56.37	74.00	-17.63	41.72	3	Vertical	41	2.03	-	40.08	9.20	34.63
AV	11.50638G	42.85	54.00	-11.15	28.19	3	Vertical	41	2.03	-	40.09	9.20	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50504G	56.58	74.00	-17.42	41.92	3	Horizontal	76	1.31	-	40.09	9.20	34.63
AV	11.5054G	42.98	54.00	-11.02	28.32	3	Horizontal	76	1.31	-	40.09	9.20	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 104
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	64.37	68.20	-3.83	59.06	3	Vertical	309.6	1.80	-	31.88	5.90	32.47
PK	5.807G	126.60	Inf	-Inf	120.79	3	Vertical	309.6	1.80	-	32.30	5.91	32.40
AV	5.805G	113.25	Inf	-Inf	107.44	3	Vertical	309.6	1.80	-	32.30	5.91	32.40
PK	5.927G	67.97	68.20	-0.23	61.70	3	Vertical	309.6	1.80	-	32.60	6.03	32.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 104
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58978G	56.50	74.00	-17.50	41.97	3	Vertical	85	1.02	-	39.92	9.25	34.64
AV	11.59356G	42.90	54.00	-11.10	28.37	3	Vertical	85	1.02	-	39.91	9.26	34.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 104
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59294G	56.80	74.00	-17.20	42.27	3	Horizontal	227	2.63	-	39.91	9.26	34.64
AV	11.59492G	42.98	54.00	-11.02	28.45	3	Horizontal	227	2.63	-	39.91	9.26	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 83
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.54	74.00	-8.46	60.54	3	Vertical	285.7	1.80	-	31.91	5.55	32.46
AV	5.15G	53.93	54.00	-0.07	48.94	3	Vertical	285.7	1.80	-	31.90	5.55	32.46
PK	5.241G	116.35	Inf	-Inf	111.56	3	Vertical	285.7	1.80	-	31.64	5.62	32.47
AV	5.241G	103.91	Inf	-Inf	99.12	3	Vertical	285.7	1.80	-	31.64	5.62	32.47
PK	5.39G	60.67	74.00	-13.33	56.00	3	Vertical	285.7	1.80	-	31.46	5.70	32.49
AV	5.351G	48.05	54.00	-5.95	43.55	3	Vertical	285.7	1.80	-	31.30	5.68	32.48

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 83
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42244G	55.59	68.20	-12.61	41.57	3	Vertical	344	2.94	-	40.12	8.55	34.65
PK	15.63392G	58.56	74.00	-15.44	45.09	3	Vertical	100	2.48	-	38.03	10.25	34.81
AV	15.62592G	45.47	54.00	-8.53	31.99	3	Vertical	100	2.48	-	38.05	10.24	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 83
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4188G	55.11	68.20	-13.09	41.08	3	Horizontal	45	2.00	-	40.12	8.55	34.64
PK	15.63964G	58.74	74.00	-15.26	45.28	3	Horizontal	157	2.06	-	38.02	10.25	34.81
AV	15.62608G	45.55	54.00	-8.45	32.07	3	Horizontal	157	2.06	-	38.05	10.24	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.32	74.00	-8.68	60.33	3	Vertical	296.7	1.80	-	31.90	5.55	32.46
AV	5.1492G	51.54	54.00	-2.46	46.55	3	Vertical	296.7	1.80	-	31.90	5.55	32.46
PK	5.258G	120.51	Inf	-Inf	115.78	3	Vertical	296.7	1.80	-	31.57	5.63	32.47
AV	5.2756G	106.18	Inf	-Inf	101.51	3	Vertical	296.7	1.80	-	31.50	5.64	32.47
PK	5.3684G	69.38	74.00	-4.62	64.81	3	Vertical	296.7	1.80	-	31.37	5.68	32.48
AV	5.3564G	53.16	54.00	-0.84	48.63	3	Vertical	296.7	1.80	-	31.33	5.68	32.48
PK	5.4748G	62.13	68.20	-6.07	57.06	3	Vertical	296.7	1.80	-	31.80	5.77	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87006G	57.62	74.00	-16.38	44.38	3	Vertical	297	1.76	-	37.76	10.28	34.80
AV	15.87322G	44.02	54.00	-9.98	30.79	3	Vertical	297	1.76	-	37.75	10.28	34.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.873G	57.48	74.00	-16.52	44.25	3	Horizontal	183	1.40	-	37.75	10.28	34.80
AV	15.86948G	43.95	54.00	-10.05	30.71	3	Horizontal	183	1.40	-	37.76	10.28	34.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	60.50	68.20	-7.70	55.97	3	Vertical	78.7	2.46	-	31.34	5.67	32.48
PK	5.4548G	70.73	74.00	-3.27	65.75	3	Vertical	78.7	2.46	-	31.72	5.75	32.49
AV	5.442G	53.04	54.00	-0.96	48.12	3	Vertical	78.7	2.46	-	31.67	5.74	32.49
PK	5.4668G	67.09	68.20	-1.11	62.05	3	Vertical	78.7	2.46	-	31.77	5.77	32.50
PK	5.5556G	118.36	Inf	-Inf	113.08	3	Vertical	78.7	2.46	-	31.90	5.86	32.48
AV	5.5572G	104.57	Inf	-Inf	99.29	3	Vertical	78.7	2.46	-	31.90	5.86	32.48
PK	5.7276G	61.75	68.20	-6.45	56.17	3	Vertical	78.7	2.46	-	32.11	5.90	32.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06092G	56.89	74.00	-17.11	42.24	3	Vertical	156	1.93	-	40.36	8.94	34.65
AV	11.0622G	43.29	54.00	-10.71	28.65	3	Vertical	156	1.93	-	40.35	8.94	34.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06046G	57.07	74.00	-16.93	42.42	3	Horizontal	153	2.72	-	40.36	8.94	34.65
AV	11.06194G	43.39	54.00	-10.61	28.75	3	Horizontal	153	2.72	-	40.35	8.94	34.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 82
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	65.49	74.00	-8.51	60.51	3	Vertical	266.5	2.45	-	31.72	5.75	32.49
AV	5.4588G	49.46	54.00	-4.54	44.46	3	Vertical	266.5	2.45	-	31.74	5.76	32.50
PK	5.4692G	64.53	68.20	-3.67	59.48	3	Vertical	266.5	2.45	-	31.78	5.77	32.50
PK	5.6252G	119.11	Inf	-Inf	113.82	3	Vertical	266.5	2.45	-	31.85	5.90	32.46
AV	5.6244G	105.47	Inf	-Inf	100.18	3	Vertical	266.5	2.45	-	31.85	5.90	32.46
PK	5.7276G	68.13	68.20	-0.07	62.55	3	Vertical	266.5	2.45	-	32.11	5.90	32.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 82
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21548G	56.70	74.00	-17.30	42.41	3	Vertical	330	1.27	-	39.90	9.03	34.64
AV	11.21628G	43.06	54.00	-10.94	28.77	3	Vertical	330	1.27	-	39.90	9.03	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 82
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22404G	57.10	74.00	-16.90	42.81	3	Horizontal	98	1.90	-	39.90	9.03	34.64
AV	11.21876G	43.19	54.00	-10.81	28.90	3	Horizontal	98	1.90	-	39.90	9.03	34.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 90
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	120.17	Inf	-Inf	114.73	3	Vertical	76.6	1.80	-	31.98	5.90	32.44
AV	5.6932G	106.70	Inf	-Inf	101.27	3	Vertical	76.6	1.80	-	31.97	5.90	32.44
PK	5.8524G	65.36	68.20	-2.84	59.49	3	Vertical	76.6	1.80	-	32.31	5.95	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
Setting 90
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38256G	57.98	74.00	-16.02	43.41	3	Vertical	86	2.38	-	40.07	9.13	34.63
AV	11.37912G	43.17	54.00	-10.83	28.61	3	Vertical	86	2.38	-	40.06	9.13	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 90
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38334G	56.69	74.00	-17.31	42.12	3	Horizontal	7	1.16	-	40.07	9.13	34.63
AV	11.3787G	43.19	54.00	-10.81	28.63	3	Horizontal	7	1.16	-	40.06	9.13	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Z_4TX
Setting 92
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.99	68.20	-0.21	62.74	3	Vertical	309.6	1.80	-	31.80	5.90	32.45
PK	5.805G	121.55	Inf	-Inf	115.74	3	Vertical	309.6	1.80	-	32.30	5.91	32.40
AV	5.807G	108.74	Inf	-Inf	102.93	3	Vertical	309.6	1.80	-	32.30	5.91	32.40
PK	5.925G	64.00	68.20	-4.20	57.73	3	Vertical	309.6	1.80	-	32.60	6.03	32.36

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55394G	56.98	74.00	-17.02	42.40	3	Vertical	312	1.87	-	39.99	9.23	34.64
AV	11.54734G	42.98	54.00	-11.02	28.37	3	Vertical	312	1.87	-	40.01	9.23	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54802G	56.30	74.00	-17.70	41.70	3	Horizontal	232	1.29	-	40.00	9.23	34.63
AV	11.5478G	43.02	54.00	-10.98	28.42	3	Horizontal	232	1.29	-	40.00	9.23	34.63

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 79
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	69.86	74.00	-4.14	64.83	3	Vertical	73.1	1.88	-	31.96	5.52	32.45
AV	5.1476G	53.77	54.00	-0.23	48.78	3	Vertical	73.1	1.88	-	31.90	5.55	32.46
PK	5.1844G	113.14	Inf	-Inf	108.19	3	Vertical	73.1	1.88	-	31.83	5.58	32.46
AV	5.2228G	100.31	Inf	-Inf	95.46	3	Vertical	73.1	1.88	-	31.71	5.61	32.47
PK	5.4036G	70.07	74.00	-3.93	65.35	3	Vertical	73.1	1.88	-	31.51	5.70	32.49
AV	5.4196G	50.72	54.00	-3.28	45.91	3	Vertical	73.1	1.88	-	31.58	5.72	32.49
PK	5.4756G	65.63	68.20	-2.57	60.55	3	Vertical	73.1	1.88	-	31.80	5.78	32.50

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 79
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49604G	57.21	68.20	-10.99	43.11	3	Vertical	36	1.65	-	40.20	8.60	34.70
PK	15.75096G	59.32	74.00	-14.68	45.96	3	Vertical	59	2.01	-	37.90	10.26	34.80
AV	15.75294G	45.62	54.00	-8.38	32.26	3	Vertical	59	2.01	-	37.90	10.26	34.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 79
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50194G	57.23	68.20	-10.97	43.13	3	Horizontal	228	2.03	-	40.20	8.60	34.70
PK	15.7494G	58.33	74.00	-15.67	44.98	3	Horizontal	154	1.82	-	37.90	10.26	34.81
AV	15.75268G	46.34	54.00	-7.66	32.98	3	Horizontal	154	1.82	-	37.90	10.26	34.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 69
06-E-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	60.34	68.20	-7.86	55.83	3	Vertical	79	2.47	-	31.32	5.67	32.48
PK	5.4148G	72.73	74.00	-1.27	67.95	3	Vertical	79	2.47	-	31.56	5.71	32.49
PK	5.4676G	65.60	68.20	-2.60	60.56	3	Vertical	79	2.47	-	31.77	5.77	32.50
AV	5.442G	52.17	54.00	-1.83	47.25	3	Vertical	79	2.47	-	31.67	5.74	32.49
PK	5.506G	115.73	Inf	-Inf	110.52	3	Vertical	79	2.47	-	31.90	5.81	32.50
AV	5.5556G	99.24	Inf	-Inf	93.96	3	Vertical	79	2.47	-	31.90	5.86	32.48
PK	5.7492G	67.37	68.20	-0.83	61.69	3	Vertical	79	2.47	-	32.20	5.90	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 69
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14256G	57.62	74.00	-16.38	43.20	3	Vertical	208	1.94	-	40.07	8.99	34.64
AV	11.13642G	43.40	54.00	-10.60	28.97	3	Vertical	208	1.94	-	40.09	8.98	34.64

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 69
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13702G	57.72	74.00	-16.28	43.29	3	Horizontal	209	1.08	-	40.09	8.98	34.64
AV	11.14264G	43.41	54.00	-10.59	28.99	3	Horizontal	209	1.08	-	40.07	8.99	34.64




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	AV	5.459G	53.96	54.00	-0.04	3	Vertical	243	2.79	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.10	74.00	-7.90	61.11	3	Vertical	265	1.78	-	31.90	5.55	32.46
AV	5.149G	53.77	54.00	-0.23	48.78	3	Vertical	265	1.78	-	31.90	5.55	32.46
PK	5.1882G	125.66	Inf	-Inf	120.71	3	Vertical	265	1.78	-	31.82	5.59	32.46
AV	5.1762G	112.34	Inf	-Inf	107.37	3	Vertical	265	1.78	-	31.85	5.58	32.46

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5416G	59.55	74.00	-14.45	45.69	3	Vertical	72	1.67	-	38.45	10.23	34.82
AV	15.5408G	45.85	54.00	-8.15	31.98	3	Vertical	72	1.67	-	38.46	10.23	34.82

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5407G	59.52	74.00	-14.48	45.65	3	Horizontal	200	1.29	-	38.46	10.23	34.82
AV	15.54364G	45.86	54.00	-8.14	32.01	3	Horizontal	200	1.29	-	38.44	10.23	34.82

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	70.62	74.00	-3.38	65.62	3	Vertical	274	1.80	-	31.91	5.55	32.46
AV	5.15G	53.76	54.00	-0.24	48.77	3	Vertical	274	1.80	-	31.90	5.55	32.46
PK	5.2072G	125.66	Inf	-Inf	120.75	3	Vertical	274	1.80	-	31.77	5.60	32.46
AV	5.2068G	113.27	Inf	-Inf	108.36	3	Vertical	274	1.80	-	31.77	5.60	32.46

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60482G	59.06	74.00	-14.94	45.54	3	Vertical	223	2.50	-	38.09	10.24	34.81
AV	15.60264G	45.64	54.00	-8.36	32.12	3	Vertical	223	2.50	-	38.09	10.24	34.81

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59894G	59.45	74.00	-14.55	45.91	3	Horizontal	189	2.83	-	38.11	10.24	34.81
AV	15.5964G	45.64	54.00	-8.36	32.09	3	Horizontal	189	2.83	-	38.12	10.24	34.81

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 118
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.69	74.00	-5.31	63.70	3	Vertical	285	2.38	-	31.90	5.55	32.46
AV	5.15G	53.77	54.00	-0.23	48.78	3	Vertical	285	2.38	-	31.90	5.55	32.46
PK	5.2334G	127.78	Inf	-Inf	122.96	3	Vertical	285	2.38	-	31.67	5.62	32.47
AV	5.2382G	116.08	Inf	-Inf	111.28	3	Vertical	285	2.38	-	31.65	5.62	32.47
PK	5.351G	64.93	74.00	-9.07	60.43	3	Vertical	285	2.38	-	31.30	5.68	32.48
AV	5.3504G	50.76	54.00	-3.24	46.26	3	Vertical	285	2.38	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 118
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72092G	59.03	74.00	-14.97	45.68	3	Vertical	180	1.42	-	37.90	10.26	34.81
AV	15.71666G	44.89	54.00	-9.11	31.54	3	Vertical	180	1.42	-	37.90	10.26	34.81

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 118
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71932G	59.20	74.00	-14.80	45.85	3	Horizontal	79	1.24	-	37.90	10.26	34.81
AV	15.7153G	44.94	54.00	-9.06	31.59	3	Horizontal	79	1.24	-	37.90	10.26	34.81

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.42	74.00	-4.58	64.43	3	Vertical	296	1.80	-	31.90	5.55	32.46
AV	5.15G	52.33	54.00	-1.67	47.34	3	Vertical	296	1.80	-	31.90	5.55	32.46
PK	5.2588G	127.79	Inf	-Inf	123.07	3	Vertical	296	1.80	-	31.56	5.63	32.47
AV	5.254G	115.83	Inf	-Inf	111.09	3	Vertical	296	1.80	-	31.58	5.63	32.47
PK	5.3536G	70.96	74.00	-3.04	66.45	3	Vertical	296	1.80	-	31.31	5.68	32.48
AV	5.3512G	53.91	54.00	-0.09	49.41	3	Vertical	296	1.80	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Z_4TX
Setting 119
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77912G	58.18	74.00	-15.82	44.81	3	Vertical	231	1.05	-	37.90	10.27	34.80
AV	15.78446G	44.51	54.00	-9.49	31.14	3	Vertical	231	1.05	-	37.90	10.27	34.80

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Z_4TX
Setting 119
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7803G	57.79	74.00	-16.21	44.42	3	Horizontal	134	1.71	-	37.90	10.27	34.80
AV	15.77604G	44.43	54.00	-9.57	31.06	3	Horizontal	134	1.71	-	37.90	10.27	34.80

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	126.88	Inf	-Inf	122.29	3	Vertical	194	2.95	-	31.42	5.65	32.48
AV	5.2936G	113.03	Inf	-Inf	108.43	3	Vertical	194	2.95	-	31.43	5.65	32.48
PK	5.3512G	70.27	74.00	-3.73	65.77	3	Vertical	194	2.95	-	31.30	5.68	32.48
AV	5.3504G	53.78	54.00	-0.22	49.28	3	Vertical	194	2.95	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9004G	57.68	74.00	-16.32	44.49	3	Vertical	33	3.00	-	37.70	10.29	34.80
AV	15.90276G	44.10	54.00	-9.90	30.91	3	Vertical	33	3.00	-	37.70	10.29	34.80

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8971G	57.49	74.00	-16.51	44.30	3	Horizontal	99	1.84	-	37.71	10.28	34.80
AV	15.90122G	44.20	54.00	-9.80	31.01	3	Horizontal	99	1.84	-	37.70	10.29	34.80

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	123.62	Inf	-Inf	119.07	3	Vertical	203	1.80	-	31.37	5.66	32.48
AV	5.3282G	108.62	Inf	-Inf	104.10	3	Vertical	203	1.80	-	31.34	5.66	32.48
PK	5.3546G	72.49	74.00	-1.51	67.97	3	Vertical	203	1.80	-	31.32	5.68	32.48
AV	5.3512G	52.88	54.00	-1.12	48.38	3	Vertical	203	1.80	-	31.30	5.68	32.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95628G	58.31	74.00	-15.69	45.17	3	Vertical	94	1.65	-	37.64	10.29	34.79
AV	15.96034G	44.81	54.00	-9.19	31.67	3	Vertical	94	1.65	-	37.64	10.29	34.79

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95668G	57.99	74.00	-16.01	44.85	3	Horizontal	129	2.60	-	37.64	10.29	34.79
AV	15.96238G	44.79	54.00	-9.21	31.65	3	Horizontal	129	2.60	-	37.64	10.29	34.79

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	65.33	74.00	-8.67	60.33	3	Vertical	288	3.00	-	31.74	5.76	32.50
AV	5.46G	52.66	54.00	-1.34	47.66	3	Vertical	288	3.00	-	31.74	5.76	32.50
PK	5.469G	67.92	68.20	-0.28	62.87	3	Vertical	288	3.00	-	31.78	5.77	32.50
PK	5.5016G	125.24	Inf	-Inf	120.04	3	Vertical	288	3.00	-	31.90	5.80	32.50
AV	5.5048G	112.30	Inf	-Inf	107.10	3	Vertical	288	3.00	-	31.90	5.80	32.50

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00462G	56.91	74.00	-17.09	42.08	3	Vertical	245	1.34	-	40.58	8.90	34.65
AV	10.99864G	42.98	54.00	-11.02	28.13	3	Vertical	245	1.34	-	40.60	8.90	34.65

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99666G	56.51	74.00	-17.49	41.66	3	Horizontal	144	1.36	-	40.60	8.90	34.65
AV	10.99592G	43.03	54.00	-10.97	28.18	3	Horizontal	144	1.36	-	40.60	8.90	34.65

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 120
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.35	74.00	-8.65	60.35	3	Vertical	283	2.47	-	31.73	5.76	32.49
AV	5.46G	51.37	54.00	-2.63	46.37	3	Vertical	283	2.47	-	31.74	5.76	32.50
PK	5.47G	65.74	68.20	-2.46	60.69	3	Vertical	283	2.47	-	31.78	5.77	32.50
PK	5.5764G	128.55	Inf	-Inf	123.25	3	Vertical	283	2.47	-	31.90	5.88	32.48
AV	5.5788G	116.70	Inf	-Inf	111.39	3	Vertical	283	2.47	-	31.90	5.88	32.47
PK	5.7252G	64.29	68.20	-3.91	58.72	3	Vertical	283	2.47	-	32.10	5.90	32.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 120
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.157G	56.72	74.00	-17.28	42.34	3	Vertical	233	2.92	-	40.03	8.99	34.64
AV	11.16286G	42.88	54.00	-11.12	28.51	3	Vertical	233	2.92	-	40.01	9.00	34.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 120
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16138G	56.48	74.00	-17.52	42.10	3	Horizontal	129	2.45	-	40.02	9.00	34.64
AV	11.16274G	42.85	54.00	-11.15	28.48	3	Horizontal	129	2.45	-	40.01	9.00	34.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6928G	119.41	Inf	-Inf	113.98	3	Vertical	279	2.30	-	31.97	5.90	32.44
AV	5.693G	107.30	Inf	-Inf	101.87	3	Vertical	279	2.30	-	31.97	5.90	32.44
PK	5.7264G	68.03	68.20	-0.17	62.45	3	Vertical	279	2.30	-	32.11	5.90	32.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39946G	57.05	74.00	-16.95	42.44	3	Vertical	210	1.80	-	40.10	9.14	34.63
AV	11.39636G	42.84	54.00	-11.16	28.24	3	Vertical	210	1.80	-	40.09	9.14	34.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39756G	56.41	74.00	-17.59	41.80	3	Horizontal	127	2.79	-	40.10	9.14	34.63
AV	11.4029G	42.96	54.00	-11.04	28.35	3	Horizontal	127	2.79	-	40.10	9.14	34.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
Setting 115
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	128.30	Inf	-Inf	122.77	3	Vertical	24	2.96	-	32.06	5.90	32.43
AV	5.7112G	116.05	Inf	-Inf	110.54	3	Vertical	24	2.96	-	32.04	5.90	32.43
PK	5.8504G	65.60	68.20	-2.60	59.74	3	Vertical	24	2.96	-	32.30	5.95	32.39


802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_4TX
 Setting 115
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44104G	56.98	74.00	-17.02	42.35	3	Vertical	228	1.00	-	40.10	9.16	34.63
AV	11.43554G	42.84	54.00	-11.16	28.21	3	Vertical	228	1.00	-	40.10	9.16	34.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 115
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.435G	56.06	74.00	-17.94	41.43	3	Horizontal	275	1.88	-	40.10	9.16	34.63
AV	11.4357G	42.89	54.00	-11.11	28.26	3	Horizontal	275	1.88	-	40.10	9.16	34.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 114
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.06	68.20	-4.14	58.81	3	Vertical	50	1.80	-	31.80	5.90	32.45
PK	5.752G	128.68	Inf	-Inf	123.00	3	Vertical	50	1.80	-	32.20	5.90	32.42
AV	5.749G	115.54	Inf	-Inf	109.86	3	Vertical	50	1.80	-	32.20	5.90	32.42
PK	5.941G	61.98	68.20	-6.22	55.70	3	Vertical	50	1.80	-	32.60	6.04	32.36

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 114
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48904G	56.50	74.00	-17.50	41.84	3	Vertical	21	1.29	-	40.10	9.19	34.63
AV	11.49432G	42.61	54.00	-11.39	27.94	3	Vertical	21	1.29	-	40.10	9.20	34.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 114
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49426G	56.49	74.00	-17.51	41.82	3	Horizontal	85	2.91	-	40.10	9.20	34.63
AV	11.4944G	42.70	54.00	-11.30	28.03	3	Horizontal	85	2.91	-	40.10	9.20	34.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.27	68.20	-1.93	61.01	3	Vertical	333	1.80	-	31.81	5.90	32.45
PK	5.78G	129.02	Inf	-Inf	123.27	3	Vertical	333	1.80	-	32.26	5.90	32.41
AV	5.779G	116.45	Inf	-Inf	110.70	3	Vertical	333	1.80	-	32.26	5.90	32.41
PK	5.924G	67.29	68.94	-1.65	61.03	3	Vertical	333	1.80	-	32.60	6.02	32.36

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57064G	56.05	74.00	-17.95	41.49	3	Vertical	129	1.80	-	39.96	9.24	34.64
AV	11.57314G	42.36	54.00	-11.64	27.81	3	Vertical	129	1.80	-	39.95	9.24	34.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 119
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57372G	56.30	74.00	-17.70	41.75	3	Horizontal	174	1.36	-	39.95	9.24	34.64
AV	11.56994G	42.48	54.00	-11.52	27.92	3	Horizontal	174	1.36	-	39.96	9.24	34.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 112
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	62.97	68.20	-5.23	57.67	3	Vertical	336	1.80	-	31.86	5.90	32.46
PK	5.816G	128.78	Inf	-Inf	122.96	3	Vertical	336	1.80	-	32.30	5.92	32.40
AV	5.816G	116.46	Inf	-Inf	110.64	3	Vertical	336	1.80	-	32.30	5.92	32.40
PK	5.927G	65.21	68.20	-2.99	58.94	3	Vertical	336	1.80	-	32.60	6.03	32.36

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 112
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65424G	56.70	74.00	-17.30	42.49	3	Vertical	314	2.26	-	39.57	9.29	34.65
AV	11.64536G	42.11	54.00	-11.89	27.83	3	Vertical	314	2.26	-	39.63	9.29	34.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 112
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64786G	55.47	74.00	-18.53	41.21	3	Horizontal	292	1.57	-	39.61	9.29	34.64
AV	11.6484G	42.09	54.00	-11.91	27.83	3	Horizontal	292	1.57	-	39.61	9.29	34.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	67.61	74.00	-6.39	62.60	3	Vertical	359.6	3.00	-	31.93	5.54	32.46
AV	5.1476G	53.73	54.00	-0.27	48.74	3	Vertical	359.6	3.00	-	31.90	5.55	32.46
PK	5.198G	120.29	Inf	-Inf	115.35	3	Vertical	359.6	3.00	-	31.80	5.60	32.46
AV	5.1868G	107.57	Inf	-Inf	102.61	3	Vertical	359.6	3.00	-	31.83	5.59	32.46

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38272G	54.59	68.20	-13.61	40.65	3	Vertical	230	2.57	-	40.03	8.53	34.62
PK	15.57536G	59.67	74.00	-14.33	46.00	3	Vertical	271	2.54	-	38.25	10.24	34.82
AV	15.56384G	46.10	54.00	-7.90	32.37	3	Vertical	271	2.54	-	38.32	10.23	34.82

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37056G	54.53	68.20	-13.67	40.64	3	Horizontal	153	2.53	-	39.98	8.52	34.61
PK	15.56632G	59.59	74.00	-14.41	45.88	3	Horizontal	57	1.84	-	38.30	10.23	34.82
AV	15.56104G	46.12	54.00	-7.88	32.38	3	Horizontal	57	1.84	-	38.33	10.23	34.82

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.97	74.00	-4.03	64.98	3	Vertical	195	1.80	-	31.90	5.55	32.46
AV	5.15G	53.79	54.00	-0.21	48.80	3	Vertical	195	1.80	-	31.90	5.55	32.46
PK	5.224G	122.82	Inf	-Inf	117.98	3	Vertical	195	1.80	-	31.70	5.61	32.47
AV	5.233G	106.22	Inf	-Inf	101.40	3	Vertical	195	1.80	-	31.67	5.62	32.47
PK	5.3548G	62.54	74.00	-11.46	58.02	3	Vertical	195	1.80	-	31.32	5.68	32.48
AV	5.35G	49.43	54.00	-4.57	44.94	3	Vertical	195	1.80	-	31.30	5.67	32.48

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69046G	58.23	74.00	-15.77	44.87	3	Vertical	4	1.73	-	37.92	10.25	34.81
AV	15.686G	45.02	54.00	-8.98	31.65	3	Vertical	4	1.73	-	37.93	10.25	34.81

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68624G	58.16	74.00	-15.84	44.79	3	Horizontal	103	2.11	-	37.93	10.25	34.81
AV	15.68706G	45.04	54.00	-8.96	31.67	3	Horizontal	103	2.11	-	37.93	10.25	34.81

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	65.65	74.00	-8.35	60.65	3	Vertical	297	1.80	-	31.91	5.55	32.46
AV	5.15G	50.78	54.00	-3.22	45.79	3	Vertical	297	1.80	-	31.90	5.55	32.46
PK	5.2592G	122.41	Inf	-Inf	117.69	3	Vertical	297	1.80	-	31.56	5.63	32.47
AV	5.2562G	108.38	Inf	-Inf	103.64	3	Vertical	297	1.80	-	31.58	5.63	32.47
PK	5.3504G	71.45	74.00	-2.55	66.95	3	Vertical	297	1.80	-	31.30	5.68	32.48
AV	5.351G	53.76	54.00	-0.24	49.26	3	Vertical	297	1.80	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81422G	57.68	74.00	-16.32	44.34	3	Vertical	328	1.62	-	37.87	10.27	34.80
AV	15.8075G	44.17	54.00	-9.83	30.82	3	Vertical	328	1.62	-	37.88	10.27	34.80

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81008G	57.90	74.00	-16.10	44.55	3	Horizontal	62	2.55	-	37.88	10.27	34.80
AV	15.81134G	44.27	54.00	-9.73	30.92	3	Horizontal	62	2.55	-	37.88	10.27	34.80

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	119.97	Inf	-Inf	115.42	3	Vertical	104	1.66	-	31.37	5.66	32.48
AV	5.324G	106.95	Inf	-Inf	102.42	3	Vertical	104	1.66	-	31.35	5.66	32.48
PK	5.3536G	66.15	74.00	-7.85	61.64	3	Vertical	104	1.66	-	31.31	5.68	32.48
AV	5.35G	52.93	54.00	-1.07	48.43	3	Vertical	104	1.66	-	31.30	5.68	32.48

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92648G	58.71	74.00	-15.29	45.54	3	Vertical	61	2.88	-	37.67	10.29	34.79
AV	15.92876G	44.72	54.00	-9.28	31.55	3	Vertical	61	2.88	-	37.67	10.29	34.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93368G	58.13	74.00	-15.87	44.96	3	Horizontal	333	1.83	-	37.67	10.29	34.79
AV	15.93452G	44.80	54.00	-9.20	31.63	3	Horizontal	333	1.83	-	37.67	10.29	34.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	68.06	74.00	-5.94	63.09	3	Vertical	315	2.47	-	31.71	5.75	32.49
AV	5.46G	52.31	54.00	-1.69	47.31	3	Vertical	315	2.47	-	31.74	5.76	32.50
PK	5.4696G	67.96	68.20	-0.24	62.91	3	Vertical	315	2.47	-	31.78	5.77	32.50
PK	5.5036G	121.73	Inf	-Inf	116.53	3	Vertical	315	2.47	-	31.90	5.80	32.50
AV	5.4968G	107.08	Inf	-Inf	101.89	3	Vertical	315	2.47	-	31.89	5.80	32.50

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0213G	56.87	74.00	-17.13	42.10	3	Vertical	325	1.96	-	40.51	8.91	34.65
AV	11.0153G	43.02	54.00	-10.98	28.22	3	Vertical	325	1.96	-	40.54	8.91	34.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0243G	57.60	74.00	-16.40	42.84	3	Horizontal	202	2.10	-	40.50	8.91	34.65
AV	11.01692G	43.00	54.00	-11.00	28.21	3	Horizontal	202	2.10	-	40.53	8.91	34.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.92	74.00	-8.08	60.92	3	Vertical	123.3	2.77	-	31.73	5.76	32.49
AV	5.4588G	50.94	54.00	-3.06	45.94	3	Vertical	123.3	2.77	-	31.74	5.76	32.50
PK	5.4668G	68.09	68.20	-0.11	63.05	3	Vertical	123.3	2.77	-	31.77	5.77	32.50
PK	5.5404G	121.89	Inf	-Inf	116.64	3	Vertical	123.3	2.77	-	31.90	5.84	32.49
AV	5.5364G	107.77	Inf	-Inf	102.52	3	Vertical	123.3	2.77	-	31.90	5.84	32.49
PK	5.7364G	61.16	68.20	-7.04	55.53	3	Vertical	123.3	2.77	-	32.15	5.90	32.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09684G	57.22	74.00	-16.78	42.70	3	Vertical	244	2.33	-	40.21	8.96	34.65
AV	11.101G	42.86	54.00	-11.14	28.35	3	Vertical	244	2.33	-	40.20	8.96	34.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09822G	56.62	74.00	-17.38	42.10	3	Horizontal	114	2.45	-	40.21	8.96	34.65
AV	11.09538G	42.96	54.00	-11.04	28.43	3	Horizontal	114	2.45	-	40.22	8.96	34.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 76
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6516G	117.93	Inf	-Inf	112.67	3	Vertical	56.7	1.80	-	31.81	5.90	32.45
AV	5.6528G	104.21	Inf	-Inf	98.95	3	Vertical	56.7	1.80	-	31.81	5.90	32.45
PK	5.7256G	68.08	68.20	-0.12	62.51	3	Vertical	56.7	1.80	-	32.10	5.90	32.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 76
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34146G	55.98	74.00	-18.02	41.54	3	Vertical	350	1.03	-	39.98	9.10	34.64
AV	11.33512G	42.54	54.00	-11.46	28.11	3	Vertical	350	1.03	-	39.97	9.10	34.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 76
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33872G	56.07	74.00	-17.93	41.63	3	Horizontal	221	2.70	-	39.98	9.10	34.64
AV	11.34328G	42.48	54.00	-11.52	28.02	3	Horizontal	221	2.70	-	39.99	9.11	34.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
Setting 109
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	123.95	Inf	-Inf	118.51	3	Vertical	21.1	2.94	-	31.98	5.90	32.44
AV	5.7132G	111.32	Inf	-Inf	105.80	3	Vertical	21.1	2.94	-	32.05	5.90	32.43
PK	5.8588G	68.05	68.20	-0.15	62.13	3	Vertical	21.1	2.94	-	32.35	5.96	32.39


802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 109
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4156G	56.40	74.00	-17.60	41.78	3	Vertical	52	2.96	-	40.10	9.15	34.63
AV	11.42176G	42.72	54.00	-11.28	28.10	3	Vertical	52	2.96	-	40.10	9.15	34.63

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 109
 06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42444G	56.94	74.00	-17.06	42.32	3	Horizontal	0	1.55	-	40.10	9.15	34.63
AV	11.41574G	42.78	54.00	-11.22	28.16	3	Horizontal	0	1.55	-	40.10	9.15	34.63

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.02	68.20	-0.18	62.77	3	Vertical	24.9	2.05	-	31.80	5.90	32.45
PK	5.766G	124.25	Inf	-Inf	118.53	3	Vertical	24.9	2.05	-	32.23	5.90	32.41
AV	5.767G	112.69	Inf	-Inf	106.97	3	Vertical	24.9	2.05	-	32.23	5.90	32.41
PK	5.931G	63.37	68.20	-4.83	57.10	3	Vertical	24.9	2.05	-	32.60	6.03	32.36

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT Z_4TX
Setting 105
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51206G	55.66	74.00	-18.34	41.00	3	Vertical	323	2.84	-	40.08	9.21	34.63
AV	11.50508G	42.35	54.00	-11.65	27.69	3	Vertical	323	2.84	-	40.09	9.20	34.63

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5087G	56.07	74.00	-17.93	41.41	3	Horizontal	222	2.51	-	40.08	9.21	34.63
AV	11.5052G	42.41	54.00	-11.59	27.75	3	Horizontal	222	2.51	-	40.09	9.20	34.63

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-E-K-5 -10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.84	68.20	-2.36	60.59	3	Vertical	310.3	1.80	-	31.80	5.90	32.45
PK	5.78G	125.21	Inf	-Inf	119.46	3	Vertical	310.3	1.80	-	32.26	5.90	32.41
AV	5.805G	110.67	Inf	-Inf	104.86	3	Vertical	310.3	1.80	-	32.30	5.91	32.40
PK	5.937G	67.27	68.20	-0.93	60.99	3	Vertical	310.3	1.80	-	32.60	6.04	32.36

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58924G	56.26	74.00	-17.74	41.73	3	Vertical	96	2.86	-	39.92	9.25	34.64
AV	11.5924G	42.51	54.00	-11.49	27.97	3	Vertical	96	2.86	-	39.92	9.26	34.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-E-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59206G	56.56	74.00	-17.44	42.02	3	Horizontal	172	2.52	-	39.92	9.26	34.64
AV	11.59466G	42.41	54.00	-11.59	27.88	3	Horizontal	172	2.52	-	39.91	9.26	34.64

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	69.92	74.00	-4.08	64.93	3	Vertical	173.4	1.80	-	31.91	5.54	32.46
AV	5.15G	53.85	54.00	-0.15	48.86	3	Vertical	173.4	1.80	-	31.90	5.55	32.46
PK	5.198G	114.93	Inf	-Inf	109.99	3	Vertical	173.4	1.80	-	31.80	5.60	32.46
AV	5.198G	103.12	Inf	-Inf	98.18	3	Vertical	173.4	1.80	-	31.80	5.60	32.46
PK	5.377G	61.94	74.00	-12.06	57.33	3	Vertical	173.4	1.80	-	31.41	5.69	32.49
AV	5.357G	48.90	54.00	-5.10	44.37	3	Vertical	173.4	1.80	-	31.33	5.68	32.48

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4172G	55.02	68.20	-13.18	40.99	3	Vertical	221	2.25	-	40.12	8.55	34.64
PK	15.6286G	59.69	74.00	-14.31	46.22	3	Vertical	225	2.80	-	38.04	10.24	34.81
AV	15.62032G	45.47	54.00	-8.53	31.98	3	Vertical	225	2.80	-	38.06	10.24	34.81

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42736G	55.67	68.20	-12.53	41.63	3	Horizontal	285	1.06	-	40.13	8.56	34.65
PK	15.63136G	59.05	74.00	-14.95	45.58	3	Horizontal	281	2.80	-	38.04	10.24	34.81
AV	15.63284G	45.47	54.00	-8.53	32.01	3	Horizontal	281	2.80	-	38.03	10.24	34.81

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.78	74.00	-11.22	57.79	3	Vertical	195.2	1.66	-	31.90	5.55	32.46
AV	5.148G	50.16	54.00	-3.84	45.17	3	Vertical	195.2	1.66	-	31.90	5.55	32.46
PK	5.281G	117.02	Inf	-Inf	112.37	3	Vertical	195.2	1.66	-	31.48	5.64	32.47
AV	5.287G	104.21	Inf	-Inf	99.59	3	Vertical	195.2	1.66	-	31.45	5.64	32.47
PK	5.36G	64.95	74.00	-9.05	60.41	3	Vertical	195.2	1.66	-	31.34	5.68	32.48
AV	5.35G	53.76	54.00	-0.24	49.26	3	Vertical	195.2	1.66	-	31.30	5.68	32.48
PK	5.473G	61.73	68.20	-6.47	56.67	3	Vertical	195.2	1.66	-	31.79	5.77	32.50

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5831G	56.82	68.20	-11.38	42.74	3	Vertical	177	1.63	-	40.12	8.65	34.69

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5774G	56.02	68.20	-12.18	41.94	3	Horizontal	330	1.33	-	40.12	8.65	34.69

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	61.23	68.20	-6.97	56.73	3	Vertical	243	2.79	-	31.31	5.67	32.48
PK	5.455G	70.31	74.00	-3.69	65.33	3	Vertical	243	2.79	-	31.72	5.75	32.49
AV	5.459G	53.96	54.00	-0.04	48.96	3	Vertical	243	2.79	-	31.74	5.76	32.50
PK	5.467G	66.35	68.20	-1.85	61.31	3	Vertical	243	2.79	-	31.77	5.77	32.50
PK	5.515G	115.84	Inf	-Inf	110.62	3	Vertical	243	2.79	-	31.90	5.82	32.50
AV	5.512G	103.38	Inf	-Inf	98.17	3	Vertical	243	2.79	-	31.90	5.81	32.50
PK	5.734G	61.00	68.20	-7.20	55.39	3	Vertical	243	2.79	-	32.14	5.90	32.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05524G	57.09	74.00	-16.91	42.43	3	Vertical	299	1.53	-	40.38	8.93	34.65
AV	11.0564G	43.10	54.00	-10.90	28.45	3	Vertical	299	1.53	-	40.37	8.93	34.65

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05524G	56.88	74.00	-17.12	42.22	3	Horizontal	278	1.88	-	40.38	8.93	34.65
AV	11.05936G	43.15	54.00	-10.85	28.50	3	Horizontal	278	1.88	-	40.36	8.94	34.65

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	62.59	74.00	-11.41	57.62	3	Vertical	292.2	1.80	-	31.71	5.75	32.49
PK	5.467G	67.95	68.20	-0.25	62.91	3	Vertical	292.2	1.80	-	31.77	5.77	32.50
AV	5.46G	49.82	54.00	-4.18	44.82	3	Vertical	292.2	1.80	-	31.74	5.76	32.50
PK	5.602G	115.91	Inf	-Inf	110.58	3	Vertical	292.2	1.80	-	31.90	5.90	32.47
AV	5.622G	103.38	Inf	-Inf	98.08	3	Vertical	292.2	1.80	-	31.86	5.90	32.46
PK	5.728G	67.04	68.20	-1.16	61.46	3	Vertical	292.2	1.80	-	32.11	5.90	32.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22336G	57.31	74.00	-16.69	43.02	3	Vertical	356	2.55	-	39.90	9.03	34.64
AV	11.2242G	43.02	54.00	-10.98	28.73	3	Vertical	356	2.55	-	39.90	9.03	34.64

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21846G	56.78	74.00	-17.22	42.49	3	Horizontal	122	1.01	-	39.90	9.03	34.64
AV	11.21836G	43.00	54.00	-11.00	28.71	3	Horizontal	122	1.01	-	39.90	9.03	34.64

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
Setting 93
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	60.61	74.00	-13.39	55.64	3	Vertical	48.4	1.80	-	31.71	5.75	32.49
PK	5.464G	61.53	68.20	-6.67	56.51	3	Vertical	48.4	1.80	-	31.76	5.76	32.50
AV	5.46G	48.72	54.00	-5.28	43.72	3	Vertical	48.4	1.80	-	31.74	5.76	32.50
PK	5.712G	118.83	Inf	-Inf	113.31	3	Vertical	48.4	1.80	-	32.05	5.90	32.43
AV	5.708G	106.64	Inf	-Inf	101.14	3	Vertical	48.4	1.80	-	32.03	5.90	32.43
PK	5.855G	68.12	68.20	-0.08	62.22	3	Vertical	48.4	1.80	-	32.33	5.96	32.39

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 93
 06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38386G	57.18	74.00	-16.82	42.61	3	Vertical	238	2.73	-	40.07	9.13	34.63
AV	11.37958G	43.26	54.00	-10.74	28.70	3	Vertical	238	2.73	-	40.06	9.13	34.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 93
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38352G	57.64	74.00	-16.36	43.07	3	Horizontal	172	2.05	-	40.07	9.13	34.63
AV	11.3767G	43.28	54.00	-10.72	28.73	3	Horizontal	172	2.05	-	40.05	9.13	34.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	68.06	68.20	-0.14	62.79	3	Vertical	52	1.80	-	31.82	5.90	32.45
PK	5.779G	117.39	Inf	-Inf	111.64	3	Vertical	52	1.80	-	32.26	5.90	32.41
AV	5.78G	105.59	Inf	-Inf	99.84	3	Vertical	52	1.80	-	32.26	5.90	32.41
PK	5.928G	63.15	68.20	-5.05	56.88	3	Vertical	52	1.80	-	32.60	6.03	32.36

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54602G	57.33	74.00	-16.67	42.72	3	Vertical	204	1.66	-	40.01	9.23	34.63
AV	11.5495G	42.94	54.00	-11.06	28.34	3	Vertical	204	1.66	-	40.00	9.23	34.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5486G	56.74	74.00	-17.26	42.14	3	Horizontal	207	1.83	-	40.00	9.23	34.63
AV	11.55294G	43.02	54.00	-10.98	28.44	3	Horizontal	207	1.83	-	39.99	9.23	34.64

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1012G	72.04	74.00	-1.96	66.99	3	Vertical	34	1.80	-	32.00	5.50	32.45
PK	5.1716G	110.85	Inf	-Inf	105.88	3	Vertical	34	1.80	-	31.86	5.57	32.46
AV	5.1492G	49.14	54.00	-4.86	44.15	3	Vertical	34	1.80	-	31.90	5.55	32.46
PK	5.3732G	70.01	74.00	-3.99	65.41	3	Vertical	34	1.80	-	31.39	5.69	32.48
AV	5.3124G	95.49	Inf	-Inf	90.93	3	Vertical	34	1.80	-	31.38	5.66	32.48
AV	5.402G	48.05	54.00	-5.95	43.33	3	Vertical	34	1.80	-	31.51	5.70	32.49
PK	5.466G	68.03	68.20	-0.17	63.00	3	Vertical	34	1.80	-	31.76	5.77	32.50

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50022G	55.78	68.20	-12.42	41.68	3	Vertical	32	2.58	-	40.20	8.60	34.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 72
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.49748G	55.92	68.20	-12.28	41.82	3	Horizontal	122	1.93	-	40.20	8.60	34.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 69
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2756G	61.51	68.20	-6.69	56.84	3	Vertical	244.2	2.86	-	31.50	5.64	32.47
PK	5.4532G	73.80	74.00	-0.20	68.83	3	Vertical	244.2	2.86	-	31.71	5.75	32.49
AV	5.4404G	50.96	54.00	-3.04	46.05	3	Vertical	244.2	2.86	-	31.66	5.74	32.49
PK	5.4644G	63.20	68.20	-5.00	58.18	3	Vertical	244.2	2.86	-	31.76	5.76	32.50
PK	5.5044G	108.75	Inf	-Inf	103.55	3	Vertical	244.2	2.86	-	31.90	5.80	32.50
AV	5.538G	96.41	Inf	-Inf	91.16	3	Vertical	244.2	2.86	-	31.90	5.84	32.49
PK	5.7268G	65.55	68.20	-2.65	59.97	3	Vertical	244.2	2.86	-	32.11	5.90	32.43

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 69
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13632G	57.03	74.00	-16.97	42.60	3	Vertical	269	1.53	-	40.09	8.98	34.64
AV	11.14302G	43.42	54.00	-10.58	29.00	3	Vertical	269	1.53	-	40.07	8.99	34.64

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 69
06-E-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13984G	56.88	74.00	-17.12	42.46	3	Horizontal	238	2.32	-	40.08	8.98	34.64
AV	11.14488G	43.41	54.00	-10.59	28.99	3	Horizontal	238	2.32	-	40.07	8.99	34.64



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.40008G	35.91	54.00	-18.09	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.39987G	42.22	74.00	-31.78	-4.63	3	Vertical	353	1.95	-	46.85	27.40	4.40	36.43
AV	2.39981G	35.42	54.00	-18.58	-4.63	3	Vertical	353	1.95	"Worst"	40.05	27.40	4.40	36.43

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.39986G	42.65	74.00	-31.35	-4.63	3	Horizontal	320	1.87	-	47.28	27.40	4.40	36.43
AV	2.40008G	35.91	54.00	-18.09	-4.63	3	Horizontal	320	1.87	"Worst"	40.54	27.40	4.40	36.43