


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TX




EUT Y_3TX
Setting 49
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.82	74.00	-10.18	56.07	3	Vertical	282	2.72	-	31.82	7.46	31.53
AV	5.46G	48.66	54.00	-5.34	40.91	3	Vertical	282	2.72	-	31.82	7.46	31.53
PK	5.4696G	64.03	68.20	-4.17	56.28	3	Vertical	282	2.72	-	31.84	7.44	31.53
PK	5.5712G	122.57	Inf	-Inf	115.02	3	Vertical	282	2.72	-	31.86	7.25	31.56
AV	5.5716G	111.25	Inf	-Inf	103.70	3	Vertical	282	2.72	-	31.86	7.25	31.56
PK	5.7288G	62.88	68.20	-5.32	55.10	3	Vertical	282	2.72	-	32.07	7.29	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TX




EUT_Y_3TX
Setting 49
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	62.83	74.00	-11.17	55.06	3	Horizontal	75	1.80	-	31.81	7.48	31.52
PK	5.4648G	64.79	68.20	-3.41	57.04	3	Horizontal	75	1.80	-	31.83	7.45	31.53
AV	5.46G	48.09	54.00	-5.91	40.34	3	Horizontal	75	1.80	-	31.82	7.46	31.53
PK	5.5784G	123.75	Inf	-Inf	116.24	3	Horizontal	75	1.80	-	31.84	7.23	31.56
AV	5.5788G	111.29	Inf	-Inf	103.78	3	Horizontal	75	1.80	-	31.84	7.23	31.56
PK	5.7252G	61.14	68.20	-7.06	53.38	3	Horizontal	75	1.80	-	32.05	7.29	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TX




EUT_Y_3TX
Setting 49
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15424G	62.52	74.00	-11.48	55.53	3	Vertical	22.5	1.80	-	39.89	10.26	43.16
AV	11.15487G	48.74	54.00	-5.26	41.75	3	Vertical	22.5	1.80	-	39.89	10.26	43.16
PK	16.74603G	61.67	68.20	-6.53	50.81	3	Vertical	357	2.81	-	40.18	12.52	41.84

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5580MHz_TX




EUT_Y_3TX
Setting 49
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16135G	56.74	74.00	-17.26	49.75	3	Horizontal	236	1.80	-	39.88	10.27	43.16
AV	11.16795G	42.52	54.00	-11.48	35.56	3	Horizontal	236	1.80	-	39.86	10.27	43.17
PK	16.73325G	59.94	68.20	-8.26	49.16	3	Horizontal	26	1.80	-	40.10	12.51	41.83

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TX




EUT Y_3TX
Setting 36
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6973G	119.16	Inf	-Inf	111.57	3	Vertical	289	1.73	-	31.89	7.27	31.57
AV	5.6994G	105.71	Inf	-Inf	98.11	3	Vertical	289	1.73	-	31.90	7.27	31.57
PK	5.7252G	66.42	68.20	-1.78	58.66	3	Vertical	289	1.73	-	32.05	7.29	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TX




EUT Y_3TX
Setting 36
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6919G	118.93	Inf	-Inf	111.37	3	Horizontal	50	2.40	-	31.87	7.26	31.57
AV	5.6912G	106.27	Inf	-Inf	98.72	3	Horizontal	50	2.40	-	31.86	7.26	31.57
PK	5.7256G	66.53	68.20	-1.67	58.77	3	Horizontal	50	2.40	-	32.05	7.29	31.58

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TX




EUT Y_3TX
Setting 36
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40062G	55.66	74.00	-18.34	48.59	3	Vertical	165	1.40	-	40.00	10.33	43.26
AV	11.39879G	41.74	54.00	-12.26	34.67	3	Vertical	165	1.40	-	40.00	10.33	43.26

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5700MHz_TX




EUT Y_3TX
Setting 36
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40254G	56.19	74.00	-17.81	49.12	3	Horizontal	220	1.03	-	40.00	10.33	43.26
AV	11.39688G	41.80	54.00	-12.20	34.74	3	Horizontal	220	1.03	-	39.99	10.33	43.26

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 51
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	124.71	Inf	-Inf	116.94	3	Vertical	289	1.80	-	32.06	7.29	31.58
AV	5.7216G	113.21	Inf	-Inf	105.47	3	Vertical	289	1.80	-	32.03	7.29	31.58
PK	5.856G	64.48	68.20	-3.72	56.39	3	Vertical	289	1.80	-	32.32	7.36	31.59

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 51
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	126.43	Inf	-Inf	118.66	3	Horizontal	49	1.80	-	32.06	7.29	31.58
AV	5.7284G	114.06	Inf	-Inf	106.28	3	Horizontal	49	1.80	-	32.07	7.29	31.58
PK	5.8532G	66.91	68.20	-1.29	58.83	3	Horizontal	49	1.80	-	32.31	7.36	31.59

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 51
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43754G	60.93	74.00	-13.07	53.87	3	Vertical	4	1.80	-	40.00	10.34	43.28
AV	11.4268G	47.29	54.00	-6.71	40.23	3	Vertical	4	1.80	-	40.00	10.33	43.27
PK	17.15331G	63.29	68.20	-4.91	52.33	3	Vertical	6	2.78	-	40.32	12.69	42.05

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 51
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44036G	57.08	74.00	-16.92	50.02	3	Horizontal	286	1.80	-	40.00	10.34	43.28
AV	11.44012G	43.67	54.00	-10.33	36.61	3	Horizontal	286	1.80	-	40.00	10.34	43.28
PK	17.17227G	61.36	68.20	-6.84	50.28	3	Horizontal	328	1.80	-	40.43	12.70	42.05

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TX




EUT_Y_3TX
Setting 49
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.656G	69.81	72.64	-2.83	62.43	3	Vertical	291	1.80	-	31.72	7.23	31.57
PK	5.744G	123.85	Inf	-Inf	115.96	3	Vertical	291	1.80	-	32.16	7.31	31.58
AV	5.7445G	111.30	Inf	-Inf	103.40	3	Vertical	291	1.80	-	32.17	7.31	31.58
PK	5.9545G	60.99	68.20	-7.21	52.61	3	Vertical	291	1.80	-	32.59	7.39	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TX




EUT_Y_3TX
Setting 49
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.48	68.20	-1.72	59.12	3	Horizontal	50	2.48	-	31.70	7.23	31.57
PK	5.7365G	122.38	Inf	-Inf	114.54	3	Horizontal	50	2.48	-	32.12	7.30	31.58
AV	5.744G	110.28	Inf	-Inf	102.39	3	Horizontal	50	2.48	-	32.16	7.31	31.58
PK	5.988G	60.88	68.20	-7.32	52.57	3	Horizontal	50	2.48	-	32.52	7.40	31.61

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TX




EUT_Y_3TX
Setting 49
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4939G	58.69	74.00	-15.31	51.55	3	Vertical	37	1.88	-	40.09	10.35	43.30
AV	11.48934G	45.15	54.00	-8.85	38.02	3	Vertical	37	1.88	-	40.08	10.35	43.30
PK	17.22387G	57.48	68.20	-10.72	46.25	3	Vertical	2	1.74	-	40.55	12.72	42.04

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5745MHz_TX




EUT Y_3TX
 Setting 49
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49057G	57.04	74.00	-16.96	49.91	3	Horizontal	80	1.80	-	40.08	10.35	43.30
AV	11.48442G	43.06	54.00	-10.94	35.93	3	Horizontal	80	1.80	-	40.07	10.35	43.29
PK	17.22192G	59.57	68.20	-8.63	48.33	3	Horizontal	325	2.40	-	40.56	12.72	42.04

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TX




EUT Y_3TX
 Setting 55
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	64.03	68.20	-4.17	56.67	3	Vertical	289	1.80	-	31.71	7.22	31.57
PK	5.782G	125.00	Inf	-Inf	116.98	3	Vertical	289	1.80	-	32.26	7.34	31.58
AV	5.7835G	112.16	Inf	-Inf	104.13	3	Vertical	289	1.80	-	32.27	7.34	31.58
PK	5.9325G	61.80	68.20	-6.40	53.46	3	Vertical	289	1.80	-	32.56	7.38	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TX




EUT Y_3TX
 Setting 55
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6385G	63.27	68.20	-4.93	55.90	3	Horizontal	59	1.75	-	31.72	7.22	31.57
PK	5.786G	125.46	Inf	-Inf	117.43	3	Horizontal	59	1.75	-	32.27	7.34	31.58
AV	5.784G	113.30	Inf	-Inf	105.27	3	Horizontal	59	1.75	-	32.27	7.34	31.58
PK	5.926G	63.62	68.20	-4.58	55.29	3	Horizontal	59	1.75	-	32.55	7.38	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TX




EUT Y_3TX
Setting 55
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56109G	58.79	74.00	-15.21	51.68	3	Vertical	37	1.80	-	40.03	10.37	43.29
AV	11.56901G	44.21	54.00	-9.79	37.14	3	Vertical	37	1.80	-	39.99	10.37	43.29
PK	17.35002G	61.12	68.20	-7.08	49.06	3	Vertical	174	1.79	-	41.30	12.77	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5785MHz_TX




EUT Y_3TX
Setting 55
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55893G	56.98	74.00	-17.02	49.85	3	Horizontal	55	1.80	-	40.05	10.37	43.29
AV	11.56472G	43.95	54.00	-10.05	36.86	3	Horizontal	55	1.80	-	40.01	10.37	43.29
PK	17.3451G	61.67	68.20	-6.53	49.66	3	Horizontal	328	1.80	-	41.25	12.77	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TX




EUT_Y_3TX
Setting 49
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5785G	59.78	68.20	-8.42	52.27	3	Vertical	286	1.76	-	31.84	7.23	31.56
PK	5.8285G	122.99	Inf	-Inf	114.92	3	Vertical	286	1.76	-	32.30	7.36	31.59
AV	5.826G	111.60	Inf	-Inf	103.53	3	Vertical	286	1.76	-	32.30	7.36	31.59
PK	5.932G	62.32	68.20	-5.88	53.98	3	Vertical	286	1.76	-	32.56	7.38	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TX




EUT Y_3TX
Setting 49
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6165G	59.82	68.20	-8.38	52.41	3	Horizontal	74	1.80	-	31.77	7.20	31.56
PK	5.821G	122.00	Inf	-Inf	113.93	3	Horizontal	74	1.80	-	32.30	7.36	31.59
AV	5.8195G	110.40	Inf	-Inf	102.34	3	Horizontal	74	1.80	-	32.30	7.35	31.59
PK	5.925G	62.37	68.20	-5.83	54.04	3	Horizontal	74	1.80	-	32.55	7.38	31.60

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TX




EUT_Y_3TX
Setting 49
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65362G	54.57	74.00	-19.43	48.07	3	Vertical	233	1.01	-	39.39	10.39	43.28
AV	11.64575G	41.34	54.00	-12.66	34.80	3	Vertical	233	1.01	-	39.43	10.39	43.28

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_3TX

5825MHz_TX




EUT Y_3TX
Setting 49
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65481G	55.36	74.00	-18.64	48.87	3	Horizontal	288	2.64	-	39.38	10.39	43.28
AV	11.64503G	41.33	54.00	-12.67	34.78	3	Horizontal	288	2.64	-	39.44	10.39	43.28

5.15-5.25GHz 802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT Y_3TX
Setting 34
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	65.02	74.00	-8.98	57.18	3	Vertical	62	1.80	-	32.10	7.10	31.36
AV	5.15G	51.72	54.00	-2.28	43.87	3	Vertical	62	1.80	-	32.10	7.11	31.36
PK	5.1824G	114.75	Inf	-Inf	107.05	3	Vertical	62	1.80	-	31.91	7.17	31.38
AV	5.172G	101.68	Inf	-Inf	93.93	3	Vertical	62	1.80	-	31.97	7.15	31.37

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT Y_3TX
 Setting 34
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	65.38	74.00	-8.62	57.54	3	Horizontal	50	1.70	-	32.10	7.10	31.36
AV	5.1496G	52.92	54.00	-1.08	45.08	3	Horizontal	50	1.70	-	32.10	7.10	31.36
PK	5.1916G	116.84	Inf	-Inf	109.19	3	Horizontal	50	1.70	-	31.85	7.18	31.38
AV	5.197G	104.70	Inf	-Inf	97.08	3	Horizontal	50	1.70	-	31.82	7.19	31.39

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT Y_3TX
Setting 34
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56801G	55.39	74.00	-18.61	47.16	3	Vertical	7	1.71	-	38.79	11.97	42.53
AV	15.57205G	42.36	54.00	-11.64	34.14	3	Vertical	7	1.71	-	38.77	11.98	42.53

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Y_3TX
Setting 34
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56648G	56.28	74.00	-17.72	48.04	3	Horizontal	169	1.35	-	38.80	11.97	42.53
AV	15.56818G	42.33	54.00	-11.67	34.10	3	Horizontal	169	1.35	-	38.79	11.97	42.53

5.15-5.25GHz 802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TX




EUT Y_3TX
Setting 39
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1439G	66.69	74.00	-7.31	58.86	3	Vertical	60	2.81	-	32.10	7.09	31.36
AV	5.1499G	51.45	54.00	-2.55	43.61	3	Vertical	60	2.81	-	32.10	7.10	31.36
PK	5.2387G	118.60	Inf	-Inf	111.09	3	Vertical	60	2.81	-	31.65	7.27	31.41
AV	5.2312G	105.91	Inf	-Inf	98.37	3	Vertical	60	2.81	-	31.68	7.26	31.40
PK	5.3515G	61.33	74.00	-12.67	53.81	3	Vertical	60	2.81	-	31.50	7.49	31.47
AV	5.35G	48.65	54.00	-5.35	41.13	3	Vertical	60	2.81	-	31.50	7.49	31.47

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TX




EUT_Y_3TX
Setting 39
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	68.47	74.00	-5.53	60.64	3	Horizontal	53	1.80	-	32.10	7.09	31.36
AV	5.1499G	52.03	54.00	-1.97	44.19	3	Horizontal	53	1.80	-	32.10	7.10	31.36
PK	5.2375G	119.79	Inf	-Inf	112.28	3	Horizontal	53	1.80	-	31.65	7.27	31.41
AV	5.2354G	107.05	Inf	-Inf	99.53	3	Horizontal	53	1.80	-	31.66	7.27	31.41
PK	5.3509G	62.68	74.00	-11.32	55.16	3	Horizontal	53	1.80	-	31.50	7.49	31.47
AV	5.35G	49.39	54.00	-4.61	41.87	3	Horizontal	53	1.80	-	31.50	7.49	31.47

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TX




EUT Y_3TX
Setting 39
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.68589G	55.52	74.00	-18.48	47.70	3	Vertical	53	2.60	-	38.17	12.04	42.39
AV	15.68993G	42.71	54.00	-11.29	34.88	3	Vertical	53	2.60	-	38.18	12.04	42.39

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5230MHz_TX




EUT Y_3TX
Setting 39
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68553G	56.11	74.00	-17.89	48.29	3	Horizontal	24	1.65	-	38.17	12.04	42.39
AV	15.69449G	42.74	54.00	-11.26	34.89	3	Horizontal	24	1.65	-	38.19	12.04	42.38

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT_Y_3TX
Setting 37
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	61.40	74.00	-12.60	53.56	3	Vertical	89	2.91	-	32.10	7.10	31.36
AV	5.15G	49.12	54.00	-4.88	41.27	3	Vertical	89	2.91	-	32.10	7.11	31.36
PK	5.2658G	120.31	Inf	-Inf	112.83	3	Vertical	89	2.91	-	31.57	7.33	31.42
AV	5.2667G	106.57	Inf	-Inf	99.09	3	Vertical	89	2.91	-	31.57	7.33	31.42
PK	5.363G	69.42	74.00	-4.58	61.86	3	Vertical	89	2.91	-	31.53	7.51	31.48
AV	5.35G	52.01	54.00	-1.99	44.49	3	Vertical	89	2.91	-	31.50	7.49	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT Y_3TX
Setting 37
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	64.43	74.00	-9.57	56.59	3	Horizontal	133	1.80	-	32.10	7.10	31.36
AV	5.15G	48.68	54.00	-5.32	40.83	3	Horizontal	133	1.80	-	32.10	7.11	31.36
PK	5.2553G	115.08	Inf	-Inf	107.60	3	Horizontal	133	1.80	-	31.59	7.31	31.42
AV	5.2565G	103.03	Inf	-Inf	95.55	3	Horizontal	133	1.80	-	31.59	7.31	31.42
PK	5.3507G	69.37	74.00	-4.63	61.85	3	Horizontal	133	1.80	-	31.50	7.49	31.47
AV	5.35G	52.30	54.00	-1.70	44.78	3	Horizontal	133	1.80	-	31.50	7.49	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT Y_3TX
Setting 37
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8134G	55.26	74.00	-18.74	47.15	3	Vertical	237	2.11	-	38.25	12.11	42.25
AV	15.81495G	42.68	54.00	-11.32	34.57	3	Vertical	237	2.11	-	38.24	12.11	42.24

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5270MHz_TX




EUT Y_3TX
Setting 37
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81338G	55.62	74.00	-18.38	47.51	3	Horizontal	260	1.65	-	38.25	12.11	42.25
AV	15.813G	42.51	54.00	-11.49	34.40	3	Horizontal	260	1.65	-	38.25	12.11	42.25

5.25-5.35GHz 802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT Y_3TX
 Setting 32
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	116.65	Inf	-Inf	109.17	3	Vertical	88	3.00	-	31.50	7.44	31.46
AV	5.3246G	103.47	Inf	-Inf	95.99	3	Vertical	88	3.00	-	31.50	7.44	31.46
PK	5.352G	65.90	74.00	-8.10	58.38	3	Vertical	88	3.00	-	31.50	7.49	31.47
AV	5.3502G	52.49	54.00	-1.51	44.97	3	Vertical	88	3.00	-	31.50	7.49	31.47

5.25-5.35GHz 802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT Y_3TX
Setting 32
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3168G	113.45	Inf	-Inf	105.98	3	Horizontal	316	1.75	-	31.50	7.42	31.45
AV	5.3144G	101.43	Inf	-Inf	93.96	3	Horizontal	316	1.75	-	31.50	7.42	31.45
PK	5.3506G	63.28	74.00	-10.72	55.76	3	Horizontal	316	1.75	-	31.50	7.49	31.47
AV	5.35G	51.02	54.00	-2.98	43.50	3	Horizontal	316	1.75	-	31.50	7.49	31.47

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT Y_3TX
Setting 32
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.93328G	55.87	74.00	-18.13	47.88	3	Vertical	232	1.69	-	37.93	12.17	42.11			
AV	15.92539G	42.52	54.00	-11.48	34.52	3	Vertical	232	1.69	-	37.95	12.17	42.12			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_3TX

5310MHz_TX




EUT Y_3TX
Setting 32
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92548G	55.61	74.00	-18.39	47.61	3	Horizontal	234	1.73	-	37.95	12.17	42.12
AV	15.9273G	42.67	54.00	-11.33	34.66	3	Horizontal	234	1.73	-	37.95	12.17	42.11

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT Y_3TX
Setting 32
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.96	74.00	-9.04	57.21	3	Vertical	279	1.79	-	31.82	7.46	31.53
AV	5.46G	50.45	54.00	-3.55	42.70	3	Vertical	279	1.79	-	31.82	7.46	31.53
PK	5.47G	66.35	68.20	-1.85	58.60	3	Vertical	279	1.79	-	31.84	7.44	31.53
PK	5.5148G	114.20	Inf	-Inf	106.49	3	Vertical	279	1.79	-	31.90	7.36	31.55
AV	5.512G	101.87	Inf	-Inf	94.16	3	Vertical	279	1.79	-	31.90	7.36	31.55

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT Y_3TX
Setting 32
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4146G	60.57	74.00	-13.43	52.86	3	Horizontal	317	1.79	-	31.66	7.55	31.50
AV	5.4302G	48.44	54.00	-5.56	40.71	3	Horizontal	317	1.79	-	31.72	7.52	31.51
PK	5.47G	61.50	68.20	-6.70	53.75	3	Horizontal	317	1.79	-	31.84	7.44	31.53
PK	5.5128G	113.18	Inf	-Inf	105.47	3	Horizontal	317	1.79	-	31.90	7.36	31.55
AV	5.5092G	100.71	Inf	-Inf	92.99	3	Horizontal	317	1.79	-	31.90	7.37	31.55

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT Y_3TX
Setting 32
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.019G	56.17	74.00	-17.83	48.63	3	Vertical	162	3.00	-	40.42	10.23	43.11
AV	11.01739G	42.78	54.00	-11.22	35.23	3	Vertical	162	3.00	-	40.43	10.23	43.11

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5510MHz_TX




EUT Y_3TX
Setting 32
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02156G	56.05	74.00	-17.95	48.52	3	Horizontal	104	1.36	-	40.41	10.23	43.11
AV	11.0206G	42.83	54.00	-11.17	35.29	3	Horizontal	104	1.36	-	40.42	10.23	43.11

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Y_3TX
Setting 39
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	64.08	74.00	-9.92	56.33	3	Vertical	290	1.80	-	31.82	7.46	31.53
AV	5.4594G	50.43	54.00	-3.57	42.68	3	Vertical	290	1.80	-	31.82	7.46	31.53
PK	5.4672G	67.12	68.20	-1.08	59.37	3	Vertical	290	1.80	-	31.83	7.45	31.53
PK	5.5548G	117.11	Inf	-Inf	109.50	3	Vertical	290	1.80	-	31.89	7.28	31.56
AV	5.5521G	105.13	Inf	-Inf	97.51	3	Vertical	290	1.80	-	31.90	7.28	31.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Y_3TX
Setting 39
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	64.41	74.00	-9.59	56.65	3	Horizontal	56	3.00	-	31.82	7.47	31.53
AV	5.46G	49.31	54.00	-4.69	41.56	3	Horizontal	56	3.00	-	31.82	7.46	31.53
PK	5.4687G	65.35	68.20	-2.85	57.59	3	Horizontal	56	3.00	-	31.84	7.45	31.53
PK	5.5476G	117.95	Inf	-Inf	110.32	3	Horizontal	56	3.00	-	31.90	7.29	31.56
AV	5.5464G	105.84	Inf	-Inf	98.21	3	Horizontal	56	3.00	-	31.90	7.29	31.56

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT_Y_3TX
Setting 39
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10158G	54.94	74.00	-19.06	47.74	3	Vertical	186	2.09	-	40.09	10.25	43.14
AV	11.09528G	41.91	54.00	-12.09	34.68	3	Vertical	186	2.09	-	40.12	10.25	43.14

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5550MHz_TX




EUT Y_3TX
Setting 39
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09638G	54.98	74.00	-19.02	47.76	3	Horizontal	177	2.19	-	40.11	10.25	43.14
AV	11.09525G	41.89	54.00	-12.11	34.66	3	Horizontal	177	2.19	-	40.12	10.25	43.14

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT Y_3TX
Setting 38
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6744G	116.76	Inf	-Inf	109.28	3	Vertical	276	1.80	-	31.80	7.25	31.57
AV	5.669G	104.10	Inf	-Inf	96.64	3	Vertical	276	1.80	-	31.78	7.25	31.57
PK	5.7312G	66.37	68.20	-1.83	58.57	3	Vertical	276	1.80	-	32.09	7.29	31.58

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT Y_3TX
Setting 38
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	116.78	Inf	-Inf	109.34	3	Horizontal	68	1.70	-	31.77	7.24	31.57
AV	5.6692G	103.39	Inf	-Inf	95.93	3	Horizontal	68	1.70	-	31.78	7.25	31.57
PK	5.7254G	66.83	68.20	-1.37	59.07	3	Horizontal	68	1.70	-	32.05	7.29	31.58

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT Y_3TX
Setting 38
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34184G	55.35	74.00	-18.65	48.40	3	Vertical	151	2.28	-	39.88	10.31	43.24
AV	11.33824G	41.91	54.00	-12.09	34.96	3	Vertical	151	2.28	-	39.88	10.31	43.24

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5670MHz_TX




EUT Y_3TX
Setting 38
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33994G	55.46	74.00	-18.54	48.51	3	Horizontal	158	1.18	-	39.88	10.31	43.24
AV	11.34099G	41.96	54.00	-12.04	35.01	3	Horizontal	158	1.18	-	39.88	10.31	43.24

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 44
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	119.66	Inf	-Inf	111.97	3	Vertical	275	1.80	-	31.99	7.28	31.58
AV	5.7116G	107.25	Inf	-Inf	99.58	3	Vertical	275	1.80	-	31.97	7.28	31.58
PK	5.9056G	61.85	68.20	-6.35	53.56	3	Vertical	275	1.80	-	32.51	7.38	31.60

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 44
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	120.33	Inf	-Inf	112.55	3	Horizontal	51	2.36	-	32.07	7.29	31.58
AV	5.7284G	107.60	Inf	-Inf	99.82	3	Horizontal	51	2.36	-	32.07	7.29	31.58
PK	5.8516G	67.01	68.20	-1.19	58.93	3	Horizontal	51	2.36	-	32.31	7.36	31.59

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 44
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41796G	56.49	74.00	-17.51	49.43	3	Vertical	6	2.26	-	40.00	10.33	43.27
AV	11.41331G	43.70	54.00	-10.30	36.64	3	Vertical	6	2.26	-	40.00	10.33	43.27
PK	17.13966G	59.67	68.20	-8.53	48.77	3	Vertical	5	2.96	-	40.28	12.68	42.06

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 44
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42255G	55.70	74.00	-18.30	48.64	3	Horizontal	130	1.80	-	40.00	10.33	43.27
AV	11.42033G	42.94	54.00	-11.06	35.88	3	Horizontal	130	1.80	-	40.00	10.33	43.27
PK	17.13069G	60.85	68.20	-7.35	49.97	3	Horizontal	306	2.72	-	40.26	12.68	42.06

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TX




EUT Y_3TX
 Setting 45
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.98	68.20	-2.22	58.62	3	Vertical	288	1.80	-	31.70	7.23	31.57
PK	5.7715G	119.84	Inf	-Inf	111.85	3	Vertical	288	1.80	-	32.24	7.33	31.58
AV	5.761G	107.80	Inf	-Inf	99.84	3	Vertical	288	1.80	-	32.22	7.32	31.58
PK	5.9465G	60.69	68.20	-7.51	52.31	3	Vertical	288	1.80	-	32.59	7.39	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TX




EUT_Y_3TX
Setting 45
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.51	68.20	-3.69	57.15	3	Horizontal	72	2.69	-	31.70	7.23	31.57
PK	5.749G	121.47	Inf	-Inf	113.55	3	Horizontal	72	2.69	-	32.19	7.31	31.58
AV	5.751G	108.70	Inf	-Inf	100.77	3	Horizontal	72	2.69	-	32.20	7.31	31.58
PK	5.9275G	60.51	68.20	-7.69	52.18	3	Horizontal	72	2.69	-	32.55	7.38	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TX




EUT Y_3TX
Setting 45
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49884G	56.23	74.00	-17.77	49.08	3	Vertical	0	1.80	-	40.10	10.35	43.30
AV	11.52089G	42.56	54.00	-11.44	35.40	3	Vertical	0	1.80	-	40.10	10.36	43.30
PK	17.27916G	58.40	68.20	-9.80	47.01	3	Vertical	337	2.93	-	40.67	12.74	42.02

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5755MHz_TX




EUT Y_3TX
Setting 45
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51615G	55.48	74.00	-18.52	48.32	3	Horizontal	61	1.80	-	40.10	10.36	43.30
AV	11.51624G	42.63	54.00	-11.37	35.47	3	Horizontal	61	1.80	-	40.10	10.36	43.30
PK	17.27628G	58.52	68.20	-9.68	47.14	3	Horizontal	33	2.85	-	40.66	12.74	42.02

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
Setting 44
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	62.23	68.20	-5.97	54.87	3	Vertical	288	1.64	-	31.71	7.22	31.57
PK	5.786G	119.14	Inf	-Inf	111.11	3	Vertical	288	1.64	-	32.27	7.34	31.58
AV	5.7965G	107.70	Inf	-Inf	99.65	3	Vertical	288	1.64	-	32.29	7.35	31.59
PK	5.9265G	63.42	68.20	-4.78	55.09	3	Vertical	288	1.64	-	32.55	7.38	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TX




EUT_Y_3TX
Setting 44
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6385G	60.84	68.20	-7.36	53.47	3	Horizontal	56	3.00	-	31.72	7.22	31.57
PK	5.789G	120.22	Inf	-Inf	112.18	3	Horizontal	56	3.00	-	32.28	7.34	31.58
AV	5.7895G	108.00	Inf	-Inf	99.96	3	Horizontal	56	3.00	-	32.28	7.34	31.58
PK	5.94G	66.34	68.20	-1.86	57.98	3	Horizontal	56	3.00	-	32.58	7.38	31.60

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
Setting 44
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59117G	55.86	74.00	-18.14	48.92	3	Vertical	55	1.59	-	39.85	10.38	43.29
AV	11.59291G	42.20	54.00	-11.80	35.27	3	Vertical	55	1.59	-	39.84	10.38	43.29

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
Setting 44
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58996G	55.65	74.00	-18.35	48.70	3	Horizontal	263	1.82	-	39.86	10.38	43.29
AV	11.5885G	42.10	54.00	-11.90	35.14	3	Horizontal	263	1.82	-	39.87	10.38	43.29

5.15-5.25GHz 802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
Setting 24
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.95	74.00	-10.05	56.10	3	Vertical	77	2.94	-	32.10	7.11	31.36
AV	5.15G	52.73	54.00	-1.27	44.88	3	Vertical	77	2.94	-	32.10	7.11	31.36
PK	5.2205G	107.13	Inf	-Inf	99.57	3	Vertical	77	2.94	-	31.72	7.24	31.40
AV	5.232G	95.45	Inf	-Inf	87.93	3	Vertical	77	2.94	-	31.67	7.26	31.41
PK	5.394G	59.75	74.00	-14.25	52.08	3	Vertical	77	2.94	-	31.59	7.57	31.49
AV	5.3905G	48.12	54.00	-5.88	40.47	3	Vertical	77	2.94	-	31.58	7.56	31.49

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
 Setting 24
 06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.043G	61.43	74.00	-12.57	53.87	3	Horizontal	60.1	1.80	-	31.96	6.90	31.30
AV	5.133G	50.06	54.00	-3.94	42.24	3	Horizontal	60.1	1.80	-	32.10	7.07	31.35
PK	5.214G	106.20	Inf	-Inf	98.63	3	Horizontal	60.1	1.80	-	31.74	7.23	31.40
AV	5.2155G	94.28	Inf	-Inf	86.71	3	Horizontal	60.1	1.80	-	31.74	7.23	31.40
PK	5.3685G	59.50	74.00	-14.50	51.92	3	Horizontal	60.1	1.80	-	31.54	7.52	31.48
AV	5.379G	48.12	54.00	-5.88	40.50	3	Horizontal	60.1	1.80	-	31.56	7.54	31.48

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
Setting 24
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62783G	54.61	74.00	-19.39	46.74	3	Vertical	178	2.21	-	38.32	12.01	42.46
AV	15.62516G	42.88	54.00	-11.12	34.98	3	Vertical	178	2.21	-	38.35	12.01	42.46

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
Setting 24
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62566G	55.21	74.00	-18.79	47.32	3	Horizontal	266	1.34	-	38.34	12.01	42.46
AV	15.62765G	42.96	54.00	-11.04	35.09	3	Horizontal	266	1.34	-	38.32	12.01	42.46

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT_Y_3TX
Setting 24
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.092G	60.28	74.00	-13.72	52.54	3	Vertical	282	2.46	-	32.08	6.99	31.33
AV	5.086G	48.55	54.00	-5.45	40.83	3	Vertical	282	2.46	-	32.07	6.98	31.33
PK	5.2725G	107.28	Inf	-Inf	99.81	3	Vertical	282	2.46	-	31.56	7.34	31.43
AV	5.2815G	96.21	Inf	-Inf	88.75	3	Vertical	282	2.46	-	31.54	7.35	31.43
PK	5.3515G	63.47	74.00	-10.53	55.95	3	Vertical	282	2.46	-	31.50	7.49	31.47
AV	5.3505G	52.62	54.00	-1.38	45.10	3	Vertical	282	2.46	-	31.50	7.49	31.47
PK	5.4645G	59.54	68.20	-8.66	51.79	3	Vertical	282	2.46	-	31.83	7.45	31.53

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT_Y_3TX
Setting 24
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.095G	60.03	74.00	-13.97	52.27	3	Horizontal	79.5	1.80	-	32.09	7.00	31.33
AV	5.1135G	48.46	54.00	-5.54	40.66	3	Horizontal	79.5	1.80	-	32.10	7.04	31.34
PK	5.2675G	105.28	Inf	-Inf	97.80	3	Horizontal	79.5	1.80	-	31.57	7.33	31.42
AV	5.273G	93.98	Inf	-Inf	86.52	3	Horizontal	79.5	1.80	-	31.55	7.34	31.43
PK	5.35G	62.16	74.00	-11.84	54.64	3	Horizontal	79.5	1.80	-	31.50	7.49	31.47
AV	5.3505G	52.43	54.00	-1.57	44.91	3	Horizontal	79.5	1.80	-	31.50	7.49	31.47
PK	5.474G	59.41	68.20	-8.79	51.66	3	Horizontal	79.5	1.80	-	31.85	7.44	31.54

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT Y_3TX
Setting 24
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86779G	55.95	74.00	-18.05	47.93	3	Vertical	294	1.38	-	38.06	12.14	42.18
AV	15.87013G	43.38	54.00	-10.62	35.36	3	Vertical	294	1.38	-	38.06	12.14	42.18

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_3TX

5290MHz_TX




EUT Y_3TX
Setting 24
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87449G	55.56	74.00	-18.44	47.55	3	Horizontal	132	2.02	-	38.05	12.14	42.18
AV	15.8682G	44.20	54.00	-9.80	36.18	3	Horizontal	132	2.02	-	38.06	12.14	42.18

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT Y_3TX
Setting 30
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3285G	59.69	68.20	-8.51	52.21	3	Vertical	283	2.51	-	31.50	7.44	31.46
PK	5.458G	64.10	74.00	-9.90	56.34	3	Vertical	283	2.51	-	31.82	7.47	31.53
AV	5.453G	52.26	54.00	-1.74	44.49	3	Vertical	283	2.51	-	31.81	7.48	31.52
PK	5.47G	65.33	68.20	-2.87	57.58	3	Vertical	283	2.51	-	31.84	7.44	31.53
PK	5.5335G	109.92	Inf	-Inf	102.25	3	Vertical	283	2.51	-	31.90	7.32	31.55
AV	5.5335G	98.06	Inf	-Inf	90.39	3	Vertical	283	2.51	-	31.90	7.32	31.55
PK	5.7255G	59.87	68.20	-8.33	52.11	3	Vertical	283	2.51	-	32.05	7.29	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Y_3TX
Setting 30
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3095G	59.26	68.20	-8.94	51.80	3	Horizontal	58	1.80	-	31.50	7.41	31.45
PK	5.4585G	62.65	74.00	-11.35	54.89	3	Horizontal	58	1.80	-	31.82	7.47	31.53
AV	5.4535G	51.70	54.00	-2.30	43.93	3	Horizontal	58	1.80	-	31.81	7.48	31.52
PK	5.4695G	64.77	68.20	-3.43	57.02	3	Horizontal	58	1.80	-	31.84	7.44	31.53
PK	5.5375G	108.75	Inf	-Inf	101.09	3	Horizontal	58	1.80	-	31.90	7.31	31.55
AV	5.5425G	96.71	Inf	-Inf	89.07	3	Horizontal	58	1.80	-	31.90	7.30	31.56
PK	5.7735G	59.95	68.20	-8.25	51.95	3	Horizontal	58	1.80	-	32.25	7.33	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT Y_3TX
Setting 30
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06426G	56.82	74.00	-17.18	49.47	3	Vertical	263	1.52	-	40.24	10.24	43.13
AV	11.05995G	43.48	54.00	-10.52	36.10	3	Vertical	263	1.52	-	40.26	10.24	43.12

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Y_3TX
Setting 30
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06462G	56.06	74.00	-17.94	48.71	3	Horizontal	244	2.06	-	40.24	10.24	43.13
AV	11.06225G	43.35	54.00	-10.65	35.98	3	Horizontal	244	2.06	-	40.25	10.24	43.12

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Y_3TX
Setting 36
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.435G	60.52	74.00	-13.48	52.78	3	Vertical	278	2.66	-	31.74	7.51	31.51
PK	5.463G	60.85	68.20	-7.35	53.09	3	Vertical	278	2.66	-	31.83	7.46	31.53
AV	5.452G	49.18	54.00	-4.82	41.42	3	Vertical	278	2.66	-	31.80	7.48	31.52
PK	5.6125G	112.50	Inf	-Inf	105.09	3	Vertical	278	2.66	-	31.77	7.20	31.56
AV	5.614G	100.89	Inf	-Inf	93.48	3	Vertical	278	2.66	-	31.77	7.20	31.56
PK	5.7295G	65.14	68.20	-3.06	57.35	3	Vertical	278	2.66	-	32.08	7.29	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT Y_3TX
Setting 36
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.41	74.00	-12.59	53.66	3	Horizontal	72.6	1.80	-	31.82	7.46	31.53
AV	5.45G	49.79	54.00	-4.21	42.03	3	Horizontal	72.6	1.80	-	31.80	7.48	31.52
PK	5.47G	60.45	68.20	-7.75	52.70	3	Horizontal	72.6	1.80	-	31.84	7.44	31.53
PK	5.63G	112.68	Inf	-Inf	105.30	3	Horizontal	72.6	1.80	-	31.74	7.21	31.57
AV	5.63G	100.63	Inf	-Inf	93.25	3	Horizontal	72.6	1.80	-	31.74	7.21	31.57
PK	5.725G	65.26	68.20	-2.94	57.50	3	Horizontal	72.6	1.80	-	32.05	7.29	31.58

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Y_3TX
Setting 36
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22394G	55.11	74.00	-18.89	48.22	3	Vertical	293	2.19	-	39.80	10.28	43.19
AV	11.21998G	41.88	54.00	-12.12	34.99	3	Vertical	293	2.19	-	39.80	10.28	43.19

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Y_3TX
Setting 36
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21851G	54.41	74.00	-19.59	47.52	3	Horizontal	97	2.94	-	39.80	10.28	43.19
AV	11.21645G	41.72	54.00	-12.28	34.83	3	Horizontal	97	2.94	-	39.80	10.28	43.19

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 41
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	60.63	74.00	-13.37	52.87	3	Vertical	281	1.80	-	31.80	7.48	31.52
AV	5.4584G	49.11	54.00	-4.89	41.35	3	Vertical	281	1.80	-	31.82	7.47	31.53
PK	5.4692G	59.87	68.20	-8.33	52.11	3	Vertical	281	1.80	-	31.84	7.45	31.53
PK	5.6936G	115.87	Inf	-Inf	108.31	3	Vertical	281	1.80	-	31.87	7.26	31.57
AV	5.7146G	102.74	Inf	-Inf	95.05	3	Vertical	281	1.80	-	31.99	7.28	31.58
PK	5.852G	67.07	68.20	-1.13	58.99	3	Vertical	281	1.80	-	32.31	7.36	31.59

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 41
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4542G	61.84	74.00	-12.16	54.09	3	Horizontal	58	1.80	-	31.81	7.47	31.53
AV	5.46G	49.20	54.00	-4.80	41.45	3	Horizontal	58	1.80	-	31.82	7.46	31.53
PK	5.4686G	61.00	68.20	-7.20	53.24	3	Horizontal	58	1.80	-	31.84	7.45	31.53
PK	5.6864G	114.15	Inf	-Inf	106.61	3	Horizontal	58	1.80	-	31.85	7.26	31.57
AV	5.687G	102.49	Inf	-Inf	94.95	3	Horizontal	58	1.80	-	31.85	7.26	31.57
PK	5.852G	66.73	68.20	-1.47	58.65	3	Horizontal	58	1.80	-	32.31	7.36	31.59

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 41
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38274G	55.58	74.00	-18.42	48.54	3	Vertical	244	2.97	-	39.97	10.32	43.25
AV	11.37875G	43.12	54.00	-10.88	36.09	3	Vertical	244	2.97	-	39.96	10.32	43.25

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 41
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37776G	55.11	74.00	-18.89	48.08	3	Horizontal	74	2.94	-	39.96	10.32	43.25
AV	11.3783G	43.11	54.00	-10.89	36.08	3	Horizontal	74	2.94	-	39.96	10.32	43.25

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TX




EUT Y_3TX
Setting 38
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	66.16	68.20	-2.04	58.79	3	Vertical	291	1.80	-	31.71	7.23	31.57
PK	5.776G	115.91	Inf	-Inf	107.91	3	Vertical	291	1.80	-	32.25	7.33	31.58
AV	5.78G	102.94	Inf	-Inf	94.93	3	Vertical	291	1.80	-	32.26	7.33	31.58
PK	5.935G	64.23	68.20	-3.97	55.88	3	Vertical	291	1.80	-	32.57	7.38	31.60

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TX




EUT Y_3TX
 Setting 38
 06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.58	68.20	-1.62	59.22	3	Horizontal	45.8	1.80	-	31.70	7.23	31.57
PK	5.737G	111.85	Inf	-Inf	104.01	3	Horizontal	45.8	1.80	-	32.12	7.30	31.58
AV	5.738G	100.48	Inf	-Inf	92.63	3	Horizontal	45.8	1.80	-	32.13	7.30	31.58
PK	5.927G	64.60	68.20	-3.60	56.27	3	Horizontal	45.8	1.80	-	32.55	7.38	31.60

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TX




EUT Y_3TX
Setting 38
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54536G	56.02	74.00	-17.98	48.85	3	Vertical	359	1.31	-	40.10	10.36	43.29
AV	11.54782G	43.46	54.00	-10.54	36.29	3	Vertical	359	1.31	-	40.10	10.36	43.29

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_3TX

5775MHz_TX




EUT Y_3TX
Setting 38
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54739G	56.34	74.00	-17.66	49.17	3	Horizontal	229	1.05	-	40.10	10.36	43.29
AV	11.55287G	43.42	54.00	-10.58	36.26	3	Horizontal	229	1.05	-	40.08	10.37	43.29

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
 Setting 32
 06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	63.83	74.00	-10.17	56.02	3	Vertical	68	2.92	-	32.10	7.06	31.35
AV	5.13G	52.76	54.00	-1.24	44.94	3	Vertical	68	2.92	-	32.10	7.07	31.35
PK	5.2644G	108.27	Inf	-Inf	100.80	3	Vertical	68	2.92	-	31.57	7.32	31.42
AV	5.262G	95.69	Inf	-Inf	88.21	3	Vertical	68	2.92	-	31.58	7.32	31.42
PK	5.3852G	65.54	74.00	-8.46	57.91	3	Vertical	68	2.92	-	31.57	7.55	31.49
AV	5.3948G	52.71	54.00	-1.29	45.04	3	Vertical	68	2.92	-	31.59	7.57	31.49
PK	5.4652G	59.89	68.20	-8.31	52.14	3	Vertical	68	2.92	-	31.83	7.45	31.53

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_3TX
Setting 32
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	63.27	74.00	-10.73	55.47	3	Horizontal	313	1.80	-	32.10	7.04	31.34
AV	5.1292G	52.13	54.00	-1.87	44.31	3	Horizontal	313	1.80	-	32.10	7.07	31.35
PK	5.258G	105.27	Inf	-Inf	97.80	3	Horizontal	313	1.80	-	31.58	7.31	31.42
AV	5.2556G	93.36	Inf	-Inf	85.88	3	Horizontal	313	1.80	-	31.59	7.31	31.42
PK	5.3852G	67.03	74.00	-6.97	59.40	3	Horizontal	313	1.80	-	31.57	7.55	31.49
AV	5.3716G	52.30	54.00	-1.70	44.71	3	Horizontal	313	1.80	-	31.54	7.53	31.48
PK	5.462G	59.41	68.20	-8.79	51.66	3	Horizontal	313	1.80	-	31.82	7.46	31.53

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
Setting 32
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74748G	55.63	74.00	-18.37	47.59	3	Vertical	330	1.96	-	38.29	12.07	42.32
AV	15.75238G	43.32	54.00	-10.68	35.26	3	Vertical	330	1.96	-	38.30	12.08	42.32

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
 Setting 32
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7528G	55.97	74.00	-18.03	47.91	3	Horizontal	270	2.86	-	38.30	12.08	42.32
AV	15.75403G	43.37	54.00	-10.63	35.31	3	Horizontal	270	2.86	-	38.30	12.08	42.32

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TX




EUT_Y_3TX
Setting 33
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	60.07	68.20	-8.13	52.59	3	Vertical	280	1.80	-	31.50	7.43	31.45
PK	5.4516G	63.38	74.00	-10.62	55.62	3	Vertical	280	1.80	-	31.80	7.48	31.52
AV	5.4484G	52.24	54.00	-1.76	44.48	3	Vertical	280	1.80	-	31.79	7.49	31.52
PK	5.4644G	63.58	68.20	-4.62	55.83	3	Vertical	280	1.80	-	31.83	7.45	31.53
PK	5.5588G	106.57	Inf	-Inf	98.98	3	Vertical	280	1.80	-	31.88	7.27	31.56
AV	5.5636G	94.89	Inf	-Inf	87.32	3	Vertical	280	1.80	-	31.87	7.26	31.56
PK	5.7276G	64.69	68.20	-3.51	56.91	3	Vertical	280	1.80	-	32.07	7.29	31.58

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TX




EUT_Y_3TX
Setting 33
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.174G	59.84	68.20	-8.36	52.10	3	Horizontal	57	1.80	-	31.96	7.15	31.37
PK	5.4532G	65.57	74.00	-8.43	57.80	3	Horizontal	57	1.80	-	31.81	7.48	31.52
AV	5.4484G	52.17	54.00	-1.83	44.41	3	Horizontal	57	1.80	-	31.79	7.49	31.52
PK	5.4636G	65.42	68.20	-2.78	57.66	3	Horizontal	57	1.80	-	31.83	7.46	31.53
PK	5.5532G	107.29	Inf	-Inf	99.68	3	Horizontal	57	1.80	-	31.89	7.28	31.56
AV	5.5532G	93.90	Inf	-Inf	86.29	3	Horizontal	57	1.80	-	31.89	7.28	31.56
PK	5.7484G	63.35	68.20	-4.85	55.43	3	Horizontal	57	1.80	-	32.19	7.31	31.58

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TX




EUT Y_3TX
Setting 33
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14205G	55.00	74.00	-19.00	47.97	3	Vertical	359	1.60	-	39.93	10.26	43.16
AV	11.14006G	42.01	54.00	-11.99	34.97	3	Vertical	359	1.60	-	39.94	10.26	43.16

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_3TX

5570MHz_TX



EUT Y_3TX
Setting 33
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13702G	54.40	74.00	-19.60	47.34	3	Horizontal	296	2.24	-	39.95	10.26	43.15
AV	11.14365G	42.28	54.00	-11.72	35.25	3	Horizontal	296	2.24	-	39.93	10.26	43.16