


Summary


Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.98
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.94
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.95
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.80
6.425-6.525GHz	
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.93
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.93
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.96
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.99
6.525-6.875GHz	
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.96
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.96
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.97
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.95
6.875-7.125GHz	
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	4.99
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	4.99
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.99
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.93


Result


Mode	Result	EIRP PSD (dBm/RBW)	EIRP PSD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-		
6115MHz	Pass	4.98	5.00
6255MHz	Pass	4.90	5.00
6415MHz	Pass	4.98	5.00
6435MHz	Pass	4.81	5.00
6475MHz	Pass	4.93	5.00
6515MHz	Pass	4.92	5.00
6535MHz	Pass	4.94	5.00
6695MHz	Pass	4.92	5.00
6855MHz	Pass	4.96	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6895MHz	Pass	4.94	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.99	5.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-
6125MHz	Pass	4.79	5.00
6245MHz	Pass	4.92	5.00
6405MHz	Pass	4.94	5.00
6445MHz	Pass	4.84	5.00
6485MHz	Pass	4.91	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.93	5.00
6565MHz	Pass	4.93	5.00
6685MHz	Pass	4.86	5.00
6845MHz	Pass	4.96	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.93	5.00
6925MHz	Pass	4.88	5.00
7005MHz	Pass	4.99	5.00
7085MHz	Pass	4.86	5.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-
6145MHz	Pass	4.93	5.00
6225MHz	Pass	4.95	5.00
6385MHz	Pass	4.83	5.00
6465MHz	Pass	4.96	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.8	5.00
6625MHz	Pass	4.93	5.00
6705MHz	Pass	4.94	5.00
6785MHz	Pass	4.81	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.97	5.00
6945MHz	Pass	4.76	5.00
7025MHz	Pass	4.99	5.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-
6185MHz	Pass	4.76	5.00
6345MHz	Pass	4.8	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.99	5.00
6665MHz	Pass	4.71	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.95	5.00
6985MHz	Pass	4.93	5.00


The test result used radiated measurement.
































































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	QP	278.32M	41.84	46.00	-4.16	Vertical

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	52.31M	35.62	40.00	-4.38	-17.48	3	Vertical	358	1.50	"Worst"	53.10	13.25	1.05	31.78
PK	467.47M	41.13	46.00	-4.87	-5.95	3	Vertical	166	1.25	-	47.08	22.98	3.37	32.30
QP	487.84M	39.10	46.00	-6.90	-5.71	3	Vertical	151	1.00	-	44.81	23.16	3.45	32.32
QP	278.32M	41.84	46.00	-4.16	-10.86	3	Vertical	198	1.50	-	52.70	18.62	2.57	32.05
PK	503.36M	39.76	46.00	-6.24	-5.66	3	Vertical	249	1.00	-	45.42	23.17	3.51	32.34
QP	322.94M	40.50	46.00	-5.50	-9.80	3	Vertical	215	1.50	-	50.30	19.50	2.79	32.09

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	277.35M	41.61	46.00	-4.39	-10.89	3	Horizontal	119	1.00	"Worst"	52.50	18.60	2.56	32.05
QP	323.91M	39.53	46.00	-6.47	-9.77	3	Horizontal	357	1.25	-	49.30	19.52	2.80	32.09
PK	359.8M	40.25	46.00	-5.75	-8.54	3	Horizontal	171	1.00	-	48.79	20.65	2.94	32.13
PK	378.23M	37.50	46.00	-8.50	-8.32	3	Horizontal	232	1.00	-	45.82	20.83	3.01	32.16
PK	429.64M	37.65	46.00	-8.35	-6.56	3	Horizontal	128	2.00	-	44.21	22.46	3.22	32.24
PK	497.54M	38.13	46.00	-7.87	-5.66	3	Horizontal	276	2.00	-	43.79	23.18	3.49	32.33




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	7.2538G	50.04	54.00	-3.96	3	Vertical	4	1.69	-

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	58.90	88.20	-29.30	53.83	3	Vertical	81	1.80	-	32.05	5.37	32.35
RMS	5.7898G	44.88	68.20	-23.32	39.89	3	Vertical	81	1.80	-	32.00	5.29	32.30
PK	6.161G	111.81	Inf	-Inf	106.23	3	Vertical	81	1.80	-	32.58	5.50	32.50
RMS	6.1626G	95.81	Inf	-Inf	90.24	3	Vertical	81	1.80	-	32.57	5.50	32.50

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
 Setting 87
 06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8346G	57.38	88.20	-30.82	52.38	3	Horizontal	189	1.80	-	32.00	5.33	32.33
RMS	5.8538G	44.75	68.20	-23.45	39.73	3	Horizontal	189	1.80	-	32.01	5.35	32.34
PK	6.2026G	104.86	Inf	-Inf	99.36	3	Horizontal	189	1.80	-	32.52	5.50	32.52
RMS	6.1578G	90.28	Inf	-Inf	84.70	3	Horizontal	189	1.80	-	32.58	5.50	32.50

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37836G	54.74	74.00	-19.26	41.60	3	Vertical	299	1.90	-	38.52	8.71	34.09
AV	12.36964G	40.75	54.00	-13.25	27.61	3	Vertical	299	1.90	-	38.53	8.70	34.09

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3744G	54.83	74.00	-19.17	41.68	3	Horizontal	255	1.57	-	38.53	8.71	34.09
AV	12.37036G	40.76	54.00	-13.24	27.62	3	Horizontal	255	1.57	-	38.53	8.70	34.09

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 87
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55086G	55.91	83.54	-27.63	54.25	1	Vertical	58	1.57	-	37.78	13.93	50.05
AV	18.55358G	42.57	63.54	-20.97	40.91	1	Vertical	58	1.57	-	37.78	13.93	50.05

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 87
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55254G	56.37	83.54	-27.17	54.71	1	Horizontal	240	1.58	-	37.78	13.93	50.05
AV	18.5504G	42.58	63.54	-20.96	40.92	1	Horizontal	240	1.58	-	37.78	13.93	50.05

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 90
06-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7738G	58.78	88.20	-29.42	53.78	3	Vertical	81	1.80	-	32.00	5.29	32.29
RMS	5.8074G	46.60	68.20	-21.60	41.60	3	Vertical	81	1.80	-	32.00	5.31	32.31
PK	6.3618G	111.07	Inf	-Inf	104.89	3	Vertical	81	1.80	-	33.19	5.58	32.59
RMS	6.359G	96.67	Inf	-Inf	90.51	3	Vertical	81	1.80	-	33.17	5.58	32.59

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 90
06-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8158G	57.77	88.20	-30.43	52.77	3	Horizontal	184	1.72	-	32.00	5.32	32.32
RMS	5.8074G	45.92	68.20	-22.28	40.92	3	Horizontal	184	1.72	-	32.00	5.31	32.31
PK	6.3814G	106.59	Inf	-Inf	100.25	3	Horizontal	184	1.72	-	33.35	5.59	32.60
RMS	6.3674G	92.25	Inf	-Inf	86.02	3	Horizontal	184	1.72	-	33.24	5.58	32.59

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 90
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69128G	54.98	74.00	-19.02	41.36	3	Vertical	97	2.66	-	38.77	8.88	34.03
AV	12.6858G	41.07	54.00	-12.93	27.48	3	Vertical	97	2.66	-	38.74	8.88	34.03

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 90
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68862G	55.35	74.00	-18.65	41.75	3	Horizontal	49	1.26	-	38.75	8.88	34.03
AV	12.68584G	41.18	54.00	-12.82	27.59	3	Horizontal	49	1.26	-	38.74	8.88	34.03

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 90
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03908G	54.09	83.54	-29.45	51.80	1	Vertical	231	1.54	-	37.95	13.95	49.61
AV	19.03866G	40.57	63.54	-22.97	38.28	1	Vertical	231	1.54	-	37.95	13.95	49.61

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 90
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03148G	54.24	83.54	-29.30	51.94	1	Horizontal	182	1.50	-	37.96	13.95	49.61
AV	19.03854G	40.56	63.54	-22.98	38.27	1	Horizontal	182	1.50	-	37.95	13.95	49.61

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8778G	57.39	88.20	-30.81	52.31	3	Vertical	1	1.80	-	32.06	5.38	32.36
RMS	5.8078G	45.69	68.20	-22.51	40.69	3	Vertical	1	1.80	-	32.00	5.31	32.31
PK	6.5414G	110.23	Inf	-Inf	103.26	3	Vertical	1	1.80	-	34.07	5.60	32.70
RMS	6.5274G	96.03	Inf	-Inf	89.11	3	Vertical	1	1.80	-	34.01	5.60	32.69
PK	7.1994G	61.65	88.20	-26.55	52.86	3	Vertical	1	1.80	-	36.10	6.10	33.41
RMS	7.1938G	49.36	68.20	-18.84	40.60	3	Vertical	1	1.80	-	36.08	6.09	33.41

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 87
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	57.54	88.20	-30.66	52.43	3	Horizontal	199	1.99	-	32.09	5.39	32.37
RMS	5.8106G	45.14	68.20	-23.06	40.15	3	Horizontal	199	1.99	-	32.00	5.31	32.32
PK	6.5246G	105.59	Inf	-Inf	98.67	3	Horizontal	199	1.99	-	34.00	5.60	32.68
RMS	6.4826G	91.36	Inf	-Inf	84.60	3	Horizontal	199	1.99	-	33.80	5.60	32.64
PK	7.191G	61.87	88.20	-26.33	53.13	3	Horizontal	199	1.99	-	36.06	6.09	33.41
RMS	7.2022G	49.36	68.20	-18.84	40.56	3	Horizontal	199	1.99	-	36.11	6.10	33.41

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00948G	55.71	88.20	-32.49	41.54	3	Vertical	305	1.35	-	39.10	9.06	33.99
RMS	13.00736G	42.03	68.20	-26.17	27.87	3	Vertical	305	1.35	-	39.10	9.05	33.99

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01254G	56.08	88.20	-32.12	41.91	3	Horizontal	90	1.49	-	39.10	9.06	33.99
RMS	13.0076G	41.91	68.20	-26.29	27.75	3	Horizontal	90	1.49	-	39.10	9.05	33.99

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51838G	55.33	83.54	-28.21	53.16	1	Vertical	134	1.55	-	37.89	13.98	49.70
AV	19.51528G	41.46	63.54	-22.08	39.29	1	Vertical	134	1.55	-	37.89	13.98	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5126G	55.32	83.54	-28.22	53.15	1	Horizontal	299	1.52	-	37.89	13.98	49.70
AV	19.51634G	41.46	63.54	-22.08	39.29	1	Horizontal	299	1.52	-	37.89	13.98	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	110.15	Inf	-Inf	103.26	3	Vertical	359	1.80	-	34.10	5.69	32.90
RMS	6.691G	95.31	Inf	-Inf	88.42	3	Vertical	359	1.80	-	34.10	5.69	32.90
PK	7.163G	61.53	88.20	-26.67	52.91	3	Vertical	359	1.80	-	35.95	6.06	33.39
RMS	7.125G	49.20	68.20	-19.00	40.79	3	Vertical	359	1.80	-	35.75	6.03	33.37

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.607G	107.11	Inf	-Inf	100.10	3	Horizontal	198	1.78	-	34.19	5.61	32.79
RMS	6.639G	90.96	Inf	-Inf	84.03	3	Horizontal	198	1.78	-	34.12	5.64	32.83
PK	7.139G	60.94	88.20	-27.26	52.45	3	Horizontal	198	1.78	-	35.83	6.04	33.38
RMS	7.125G	48.93	68.20	-19.27	40.52	3	Horizontal	198	1.78	-	35.75	6.03	33.37

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32744G	56.50	74.00	-17.50	41.70	3	Vertical	243	2.69	-	39.49	9.23	33.92
AV	13.33142G	42.61	54.00	-11.39	27.78	3	Vertical	243	2.69	-	39.52	9.23	33.92

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33388G	56.70	74.00	-17.30	41.85	3	Horizontal	298	2.96	-	39.54	9.23	33.92
AV	13.33398G	42.65	54.00	-11.35	27.80	3	Horizontal	298	2.96	-	39.54	9.23	33.92

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99348G	56.07	83.54	-27.47	54.36	1	Vertical	58	1.58	-	37.41	14.00	49.70
AV	19.99136G	42.00	63.54	-21.54	40.29	1	Vertical	58	1.58	-	37.41	14.00	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 87
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99402G	56.01	83.54	-27.53	54.30	1	Horizontal	8	1.58	-	37.41	14.00	49.70
AV	19.99158G	42.07	63.54	-21.47	40.36	1	Horizontal	8	1.58	-	37.41	14.00	49.70

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 85
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8394G	110.42	Inf	-Inf	103.32	3	Vertical	2	1.68	-	34.38	5.82	33.10
RMS	6.8506G	95.58	Inf	-Inf	88.46	3	Vertical	2	1.68	-	34.40	5.83	33.11
PK	7.1258G	64.42	88.20	-23.78	56.01	3	Vertical	2	1.68	-	35.75	6.03	33.37
RMS	7.1258G	50.21	68.20	-17.99	41.80	3	Vertical	2	1.68	-	35.75	6.03	33.37

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 85
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	106.12	Inf	-Inf	99.02	3	Horizontal	20	2.06	-	34.38	5.82	33.10
RMS	6.8026G	91.12	Inf	-Inf	84.06	3	Horizontal	20	2.06	-	34.31	5.80	33.05
PK	7.1754G	63.27	88.20	-24.93	54.59	3	Horizontal	20	2.06	-	36.00	6.08	33.40
RMS	7.1258G	49.33	68.20	-18.87	40.92	3	Horizontal	20	2.06	-	35.75	6.03	33.37

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 85
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.650666G	58.36	88.20	-29.84	42.96	3	Vertical	350	2.64	-	39.95	9.41	33.96
RMS	13.648666G	44.70	68.20	-23.50	29.29	3	Vertical	350	2.64	-	39.95	9.41	33.95

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
Setting 85
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65098G	59.59	88.20	-28.61	44.19	3	Horizontal	42	2.53	-	39.95	9.41	33.96
RMS	13.64782G	44.72	68.20	-23.48	29.31	3	Horizontal	42	2.53	-	39.95	9.41	33.95

802.11ax HEW160_Nss4,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 85
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4749G	58.00	83.54	-25.54	55.84	1	Vertical	215	1.58	-	37.69	14.36	49.89
AV	20.47036G	43.87	63.54	-19.67	41.72	1	Vertical	215	1.58	-	37.69	14.35	49.89

802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 85
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47728G	57.93	83.54	-25.61	55.77	1	Horizontal	205	1.57	-	37.69	14.36	49.89
AV	20.47238G	43.88	63.54	-19.66	41.73	1	Horizontal	205	1.57	-	37.69	14.35	49.89

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 89
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	110.17	Inf	-Inf	102.50	3	Vertical	4	1.69	-	35.07	5.92	33.32
RMS	6.9626G	95.93	Inf	-Inf	88.38	3	Vertical	4	1.69	-	34.93	5.88	33.26
PK	7.1322G	83.15	88.20	-5.05	74.71	3	Vertical	4	1.69	-	35.79	6.03	33.38
RMS	7.1258G	60.67	68.20	-7.53	52.26	3	Vertical	4	1.69	-	35.75	6.03	33.37
PK	7.2538G	62.66	74.00	-11.34	53.69	3	Vertical	4	1.69	-	36.31	6.10	33.44
AV	7.2538G	50.04	54.00	-3.96	41.07	3	Vertical	4	1.69	-	36.31	6.10	33.44

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 89
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	106.75	Inf	-Inf	99.21	3	Horizontal	22	2.04	-	34.92	5.88	33.26
RMS	6.9626G	91.40	Inf	-Inf	83.85	3	Horizontal	22	2.04	-	34.93	5.88	33.26
PK	7.1434G	76.97	88.20	-11.23	68.45	3	Horizontal	22	2.04	-	35.86	6.04	33.38
RMS	7.1258G	56.36	68.20	-11.84	47.95	3	Horizontal	22	2.04	-	35.75	6.03	33.37
PK	7.3354G	62.88	74.00	-11.12	54.00	3	Horizontal	22	2.04	-	36.26	6.10	33.48
AV	7.3546G	49.61	54.00	-4.39	40.82	3	Horizontal	22	2.04	-	36.18	6.10	33.49

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 89
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97108G	59.46	88.20	-28.74	43.49	3	Vertical	140	1.78	-	40.51	9.58	34.12
RMS	13.9719G	45.41	68.20	-22.79	29.43	3	Vertical	140	1.78	-	40.52	9.58	34.12

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 89
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97068G	59.24	88.20	-28.96	43.27	3	Horizontal	231	1.42	-	40.51	9.58	34.12
RMS	13.9746G	45.53	68.20	-22.67	29.54	3	Horizontal	231	1.42	-	40.52	9.59	34.12

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 89
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9582G	55.84	83.54	-27.70	53.17	1	Vertical	323	1.50	-	37.67	14.72	49.72
AV	20.95034G	42.30	63.54	-21.24	39.63	1	Vertical	323	1.50	-	37.68	14.71	49.72

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 89
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95542G	56.59	83.54	-26.95	53.92	1	Horizontal	139	1.52	-	37.67	14.72	49.72
AV	20.95512G	42.29	63.54	-21.25	39.62	1	Horizontal	139	1.52	-	37.67	14.72	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2954G	49.48	54.00	-4.52	3	Horizontal	35	1.98	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	57.89	88.20	-30.31	52.71	3	Vertical	353	1.76	-	32.14	5.42	32.38
RMS	5.8642G	45.49	68.20	-22.71	40.45	3	Vertical	353	1.76	-	32.03	5.36	32.35
PK	6.109G	111.23	Inf	-Inf	105.77	3	Vertical	353	1.76	-	32.44	5.50	32.48
RMS	6.1222G	99.65	Inf	-Inf	94.14	3	Vertical	353	1.76	-	32.49	5.50	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8282G	61.44	88.20	-26.76	56.44	3	Horizontal	206	1.87	-	32.00	5.33	32.33
RMS	5.8558G	45.57	68.20	-22.63	40.54	3	Horizontal	206	1.87	-	32.01	5.36	32.34
PK	6.1174G	101.11	Inf	-Inf	95.62	3	Horizontal	206	1.87	-	32.47	5.50	32.48
RMS	6.1138G	89.58	Inf	-Inf	84.10	3	Horizontal	206	1.87	-	32.46	5.50	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23112G	54.67	74.00	-19.33	41.51	3	Vertical	216	2.62	-	38.67	8.63	34.14
AV	12.23112G	41.87	54.00	-12.13	28.71	3	Vertical	216	2.62	-	38.67	8.63	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2392G	55.16	74.00	-18.84	42.01	3	Horizontal	112	1.61	-	38.66	8.63	34.14
AV	12.23604G	41.76	54.00	-12.24	28.61	3	Horizontal	112	1.61	-	38.66	8.63	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34208G	57.78	83.54	-25.76	56.41	1	Vertical	340	1.65	-	37.61	13.92	50.16
AV	18.3396G	44.64	63.54	-18.90	43.27	1	Vertical	340	1.65	-	37.61	13.92	50.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34008G	57.66	83.54	-25.88	56.29	1	Horizontal	198	2.60	-	37.61	13.92	50.16
AV	18.34884G	44.57	63.54	-18.97	43.19	1	Horizontal	198	2.60	-	37.62	13.92	50.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8302G	56.57	88.20	-31.63	51.57	3	Vertical	355	1.76	-	32.00	5.33	32.33
RMS	5.8212G	49.20	68.20	-19.00	44.20	3	Vertical	355	1.76	-	32.00	5.32	32.32
PK	6.2604G	107.72	Inf	-Inf	101.93	3	Vertical	355	1.76	-	32.80	5.53	32.54
RMS	6.2586G	97.80	Inf	-Inf	92.01	3	Vertical	355	1.76	-	32.80	5.53	32.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8626G	56.77	88.20	-31.43	51.73	3	Horizontal	160.8	1.81	-	32.03	5.36	32.35
RMS	5.8464G	46.09	68.20	-22.11	41.08	3	Horizontal	160.8	1.81	-	32.00	5.35	32.34
PK	6.255G	99.21	Inf	-Inf	93.42	3	Horizontal	160.8	1.81	-	32.80	5.53	32.54
RMS	6.2586G	90.53	Inf	-Inf	84.74	3	Horizontal	160.8	1.81	-	32.80	5.53	32.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51836G	54.67	74.00	-19.33	41.69	3	Vertical	111	1.11	-	38.24	8.79	34.05
AV	12.51488G	41.90	54.00	-12.10	28.94	3	Vertical	111	1.11	-	38.23	8.78	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51928G	55.74	74.00	-18.26	42.76	3	Horizontal	304	1.43	-	38.24	8.79	34.05
AV	12.51928G	41.98	54.00	-12.02	29.00	3	Horizontal	304	1.43	-	38.24	8.79	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7644G	55.10	83.54	-28.44	53.28	1	Vertical	358	1.60	-	37.72	13.94	49.84
AV	18.76038G	41.74	63.54	-21.80	39.93	1	Vertical	358	1.60	-	37.71	13.94	49.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76038G	55.26	83.54	-28.28	53.45	1	Horizontal	200	2.15	-	37.71	13.94	49.84
AV	18.7662G	41.68	63.54	-21.86	39.85	1	Horizontal	200	2.15	-	37.72	13.94	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 34
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9014G	55.90	88.20	-32.30	50.77	3	Vertical	351	1.62	-	32.10	5.40	32.37
RMS	5.8462G	45.99	68.20	-22.21	40.98	3	Vertical	351	1.62	-	32.00	5.35	32.34
PK	6.4174G	110.29	Inf	-Inf	103.77	3	Vertical	351	1.62	-	33.53	5.60	32.61
RMS	6.4174G	97.99	Inf	-Inf	91.47	3	Vertical	351	1.62	-	33.53	5.60	32.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 34
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	56.52	88.20	-31.68	51.46	3	Horizontal	193	1.97	-	32.04	5.37	32.35
RMS	5.8414G	45.93	68.20	-22.27	40.92	3	Horizontal	193	1.97	-	32.00	5.34	32.33
PK	6.4174G	102.34	Inf	-Inf	95.82	3	Horizontal	193	1.97	-	33.53	5.60	32.61
RMS	6.4174G	93.59	Inf	-Inf	87.07	3	Horizontal	193	1.97	-	33.53	5.60	32.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 34
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82544G	55.40	88.20	-32.80	41.53	3	Vertical	101	2.05	-	38.93	8.95	34.01
RMS	12.82852G	42.57	68.20	-25.63	28.69	3	Vertical	101	2.05	-	38.93	8.96	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 34
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82996G	55.89	88.20	-32.31	42.01	3	Horizontal	298	1.32	-	38.93	8.96	34.01
RMS	12.82192G	42.52	68.20	-25.68	28.66	3	Horizontal	298	1.32	-	38.92	8.95	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 34
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25532G	54.37	83.54	-29.17	52.36	1	Vertical	124	1.96	-	37.70	13.96	49.65
AV	19.24776G	41.50	63.54	-22.04	39.49	1	Vertical	124	1.96	-	37.70	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 34
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23816G	54.39	83.54	-29.15	52.37	1	Horizontal	100	1.66	-	37.71	13.96	49.65
AV	19.23864G	41.55	63.54	-21.99	39.53	1	Horizontal	100	1.66	-	37.71	13.96	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	55.68	88.20	-32.52	50.52	3	Vertical	355	1.76	-	32.13	5.41	32.38
RMS	5.8614G	45.94	68.20	-22.26	40.91	3	Vertical	355	1.76	-	32.02	5.36	32.35
PK	6.4326G	104.84	Inf	-Inf	98.29	3	Vertical	355	1.76	-	33.57	5.60	32.62
RMS	6.4278G	95.54	Inf	-Inf	89.00	3	Vertical	355	1.76	-	33.56	5.60	32.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	63.39	88.20	-24.81	58.39	3	Horizontal	191	1.97	-	32.00	5.33	32.33
RMS	5.8662G	45.92	68.20	-22.28	40.87	3	Horizontal	191	1.97	-	32.03	5.37	32.35
PK	6.4446G	100.32	Inf	-Inf	93.76	3	Horizontal	191	1.97	-	33.59	5.60	32.63
RMS	6.4422G	91.13	Inf	-Inf	84.57	3	Horizontal	191	1.97	-	33.58	5.60	32.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86628G	55.90	88.20	-32.30	41.96	3	Vertical	156	1.63	-	38.97	8.98	34.01
RMS	12.87688G	42.58	68.20	-25.62	28.62	3	Vertical	156	1.63	-	38.98	8.98	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87896G	55.13	88.20	-33.07	41.17	3	Horizontal	164	1.87	-	38.98	8.98	34.00
RMS	12.87968G	42.80	68.20	-25.40	28.84	3	Horizontal	164	1.87	-	38.98	8.98	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30704G	54.61	83.54	-28.93	52.55	1	Vertical	64	1.65	-	37.75	13.97	49.66
AV	19.29924G	41.45	63.54	-22.09	39.41	1	Vertical	64	1.65	-	37.74	13.96	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 28
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3016G	54.78	83.54	-28.76	52.73	1	Horizontal	193	1.60	-	37.74	13.97	49.66
AV	19.29916G	41.39	63.54	-22.15	39.35	1	Horizontal	193	1.60	-	37.74	13.96	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 35
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9014G	56.11	88.20	-32.09	50.98	3	Vertical	3	1.61	-	32.10	5.40	32.37
RMS	5.9158G	45.80	68.20	-22.40	40.63	3	Vertical	3	1.61	-	32.13	5.42	32.38
PK	6.4798G	107.92	Inf	-Inf	101.18	3	Vertical	3	1.61	-	33.78	5.60	32.64
RMS	6.4798G	98.64	Inf	-Inf	91.90	3	Vertical	3	1.61	-	33.78	5.60	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 35
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	56.47	88.20	-31.73	51.36	3	Horizontal	196	2.01	-	32.08	5.39	32.36
RMS	5.8822G	45.85	68.20	-22.35	40.77	3	Horizontal	196	2.01	-	32.06	5.38	32.36
PK	6.475G	104.15	Inf	-Inf	97.44	3	Horizontal	196	2.01	-	33.75	5.60	32.64
RMS	6.4774G	93.88	Inf	-Inf	87.16	3	Horizontal	196	2.01	-	33.76	5.60	32.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95416G	56.09	88.20	-32.11	42.02	3	Vertical	264	1.04	-	39.05	9.02	34.00
RMS	12.954G	43.13	68.20	-25.07	29.06	3	Vertical	264	1.04	-	39.05	9.02	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94668G	56.01	88.20	-32.19	41.94	3	Horizontal	119	1.07	-	39.05	9.02	34.00
RMS	12.94924G	43.31	68.20	-24.89	29.24	3	Horizontal	119	1.07	-	39.05	9.02	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.431G	54.35	83.54	-29.19	52.23	1	Vertical	185	1.28	-	37.84	13.97	49.69
AV	19.43136G	41.33	63.54	-22.21	39.20	1	Vertical	185	1.28	-	37.85	13.97	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43436G	53.87	83.54	-29.67	51.74	1	Horizontal	167	1.94	-	37.85	13.97	49.69
AV	19.43452G	41.40	63.54	-22.14	39.27	1	Horizontal	167	1.94	-	37.85	13.97	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 35
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9102G	56.51	88.20	-31.69	51.36	3	Vertical	350	1.80	-	32.12	5.41	32.38
RMS	5.8598G	45.85	68.20	-22.35	40.82	3	Vertical	350	1.80	-	32.02	5.36	32.35
PK	6.5122G	108.13	Inf	-Inf	101.25	3	Vertical	350	1.80	-	33.95	5.60	32.67
RMS	6.5094G	99.14	Inf	-Inf	92.26	3	Vertical	350	1.80	-	33.94	5.60	32.66
PK	7.2038G	60.25	88.20	-27.95	51.44	3	Vertical	350	1.80	-	36.12	6.10	33.41
RMS	7.2122G	50.70	68.20	-17.50	41.87	3	Vertical	350	1.80	-	36.15	6.10	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 35
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	55.73	88.20	-32.47	50.67	3	Horizontal	200	1.90	-	32.04	5.37	32.35
RMS	5.871G	45.88	68.20	-22.32	40.82	3	Horizontal	200	1.90	-	32.04	5.37	32.35
PK	6.5234G	103.90	Inf	-Inf	96.99	3	Horizontal	200	1.90	-	33.99	5.60	32.68
RMS	6.5234G	94.10	Inf	-Inf	87.19	3	Horizontal	200	1.90	-	33.99	5.60	32.68
PK	7.131G	60.29	88.20	-27.91	51.85	3	Horizontal	200	1.90	-	35.79	6.03	33.38
RMS	7.2094G	50.61	68.20	-17.59	41.78	3	Horizontal	200	1.90	-	36.14	6.10	33.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0388G	56.11	88.20	-32.09	41.92	3	Vertical	191	1.60	-	39.10	9.07	33.98
RMS	13.0388G	43.34	68.20	-24.86	29.15	3	Vertical	191	1.60	-	39.10	9.07	33.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03284G	56.15	88.20	-32.05	41.96	3	Horizontal	51	1.80	-	39.10	9.07	33.98
RMS	13.03376G	43.12	68.20	-25.08	28.93	3	Horizontal	51	1.80	-	39.10	9.07	33.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54168G	55.34	83.54	-28.20	53.18	1	Vertical	175	1.84	-	37.88	13.98	49.70
AV	19.54176G	42.71	63.54	-20.83	40.55	1	Vertical	175	1.84	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 35
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55408G	55.59	83.54	-27.95	53.43	1	Horizontal	353	2.06	-	37.88	13.98	49.70
AV	19.55404G	42.65	63.54	-20.89	40.49	1	Horizontal	353	2.06	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_V_4TX
Setting 29
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	57.30	88.20	-30.90	52.14	3	Vertical	0	1.80	-	32.13	5.41	32.38
RMS	5.8602G	45.87	68.20	-22.33	40.84	3	Vertical	0	1.80	-	32.02	5.36	32.35
PK	6.5406G	106.64	Inf	-Inf	99.68	3	Vertical	0	1.80	-	34.06	5.60	32.70
RMS	6.5434G	98.07	Inf	-Inf	91.11	3	Vertical	0	1.80	-	34.07	5.60	32.71
PK	7.207G	60.27	88.20	-27.93	51.45	3	Vertical	0	1.80	-	36.13	6.10	33.41
RMS	7.2322G	50.66	68.20	-17.54	41.76	3	Vertical	0	1.80	-	36.23	6.10	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_V_4TX
Setting 29
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8434G	55.86	88.20	-32.34	50.86	3	Horizontal	197	1.96	-	32.00	5.34	32.34
RMS	5.8518G	45.94	68.20	-22.26	40.93	3	Horizontal	197	1.96	-	32.00	5.35	32.34
PK	6.5406G	102.30	Inf	-Inf	95.34	3	Horizontal	197	1.96	-	34.06	5.60	32.70
RMS	6.5406G	92.06	Inf	-Inf	85.10	3	Horizontal	197	1.96	-	34.06	5.60	32.70
PK	7.2098G	60.60	88.20	-27.60	51.77	3	Horizontal	197	1.96	-	36.14	6.10	33.41
RMS	7.2126G	50.74	68.20	-17.46	41.91	3	Horizontal	197	1.96	-	36.15	6.10	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07528G	56.62	88.20	-31.58	42.40	3	Vertical	103	1.18	-	39.10	9.09	33.97
RMS	13.0786G	43.18	68.20	-25.02	28.96	3	Vertical	103	1.18	-	39.10	9.09	33.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06812G	56.42	88.20	-31.78	42.21	3	Horizontal	131	2.20	-	39.10	9.09	33.98
RMS	13.07728G	43.09	68.20	-25.11	28.87	3	Horizontal	131	2.20	-	39.10	9.09	33.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60832G	56.50	83.54	-27.04	54.36	1	Vertical	208	1.50	-	37.86	13.98	49.70
AV	19.6012G	43.02	63.54	-20.52	40.88	1	Vertical	208	1.50	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 29
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60962G	55.81	83.54	-27.73	53.67	1	Horizontal	339	1.51	-	37.86	13.98	49.70
AV	19.60252G	43.02	63.54	-20.52	40.88	1	Horizontal	339	1.51	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 31
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	105.81	Inf	-Inf	98.93	3	Vertical	2	1.80	-	34.10	5.70	32.92
RMS	6.7038G	96.49	Inf	-Inf	89.62	3	Vertical	2	1.80	-	34.09	5.70	32.92
PK	7.1966G	61.50	88.20	-26.70	52.72	3	Vertical	2	1.80	-	36.09	6.10	33.41
RMS	7.2428G	50.70	68.20	-17.50	41.76	3	Vertical	2	1.80	-	36.27	6.10	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 31
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	100.25	Inf	-Inf	93.36	3	Horizontal	197	1.96	-	34.10	5.69	32.90
RMS	6.6884G	90.59	Inf	-Inf	83.70	3	Horizontal	197	1.96	-	34.10	5.69	32.90
PK	7.212G	61.50	88.20	-26.70	52.67	3	Horizontal	197	1.96	-	36.15	6.10	33.42
RMS	7.2362G	49.24	68.20	-18.96	40.33	3	Horizontal	197	1.96	-	36.24	6.10	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39508G	56.82	74.00	-17.18	41.48	3	Vertical	228	1.17	-	39.97	9.27	33.90
AV	13.39732G	44.06	54.00	-9.94	28.71	3	Vertical	228	1.17	-	39.98	9.27	33.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39016G	57.39	74.00	-16.61	42.10	3	Horizontal	333	1.40	-	39.93	9.26	33.90
AV	13.39024G	44.28	54.00	-9.72	28.99	3	Horizontal	333	1.40	-	39.93	9.26	33.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08238G	54.96	83.54	-28.58	53.16	1	Vertical	41	1.51	-	37.47	14.06	49.73
AV	20.08758G	42.36	63.54	-21.18	40.56	1	Vertical	41	1.51	-	37.47	14.07	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08224G	55.45	83.54	-28.09	53.65	1	Horizontal	325	1.53	-	37.47	14.06	49.73
AV	20.08956G	42.44	63.54	-21.10	40.64	1	Horizontal	325	1.53	-	37.47	14.07	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	107.55	Inf	-Inf	100.44	3	Vertical	0	1.88	-	34.40	5.82	33.11
RMS	6.8466G	96.71	Inf	-Inf	89.61	3	Vertical	0	1.88	-	34.39	5.82	33.11
PK	7.205G	60.36	88.20	-27.84	51.55	3	Vertical	0	1.88	-	36.12	6.10	33.41
RMS	7.198G	48.96	68.20	-19.24	40.18	3	Vertical	0	1.88	-	36.09	6.10	33.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_V_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	97.72	Inf	-Inf	90.57	3	Horizontal	0.1	2.01	-	34.45	5.83	33.13
RMS	6.8634G	88.58	Inf	-Inf	81.43	3	Horizontal	0.1	2.01	-	34.45	5.83	33.13
PK	7.1742G	60.95	88.20	-27.25	52.28	3	Horizontal	0.1	2.01	-	36.00	6.07	33.40
RMS	7.2022G	50.55	68.20	-17.65	41.75	3	Horizontal	0.1	2.01	-	36.11	6.10	33.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




24/09/2021

EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71076G	58.55	88.20	-29.65	43.17	3	Vertical	206	1.63	-	39.93	9.44	33.99
RMS	13.7188G	45.61	68.20	-22.59	30.19	3	Vertical	206	1.63	-	39.96	9.45	33.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70744G	58.55	88.20	-29.65	43.17	3	Horizontal	172	2.05	-	39.92	9.44	33.98
RMS	13.7004G	45.68	68.20	-22.52	30.32	3	Horizontal	172	2.05	-	39.90	9.44	33.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56614G	55.53	83.54	-28.01	53.20	1	Vertical	244	1.56	-	37.78	14.42	49.87
AV	20.56002G	42.49	63.54	-21.05	40.18	1	Vertical	244	1.56	-	37.77	14.42	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TnomVnom



EUT Y_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56878G	55.57	83.54	-27.97	53.23	1	Horizontal	168	1.52	-	37.78	14.43	49.87
AV	20.564G	42.46	63.54	-21.08	40.13	1	Horizontal	168	1.52	-	37.78	14.42	49.87


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 31
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8736G	108.31	Inf	-Inf	101.12	3	Vertical	360	2.00	-	34.49	5.84	33.14
RMS	6.8722G	98.09	Inf	-Inf	90.90	3	Vertical	360	2.00	-	34.49	5.84	33.14
PK	7.134G	60.82	88.20	-27.38	52.37	3	Vertical	360	2.00	-	35.80	6.03	33.38
RMS	7.218G	50.69	68.20	-17.51	41.84	3	Vertical	360	2.00	-	36.17	6.10	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 31
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8722G	100.02	Inf	-Inf	92.83	3	Horizontal	348	1.98	-	34.49	5.84	33.14
RMS	6.8722G	90.93	Inf	-Inf	83.74	3	Horizontal	348	1.98	-	34.49	5.84	33.14
PK	7.2222G	60.53	88.20	-27.67	51.66	3	Horizontal	348	1.98	-	36.19	6.10	33.42
RMS	7.2236G	50.66	68.20	-17.54	41.79	3	Horizontal	348	1.98	-	36.19	6.10	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 31
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74836G	58.77	88.20	-29.43	43.26	3	Vertical	281	1.46	-	40.05	9.46	34.00
RMS	13.75548G	46.05	68.20	-22.15	30.52	3	Vertical	281	1.46	-	40.07	9.47	34.01


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 31
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74092G	59.47	88.20	-28.73	43.99	3	Horizontal	271	2.01	-	40.02	9.46	34.00
RMS	13.75728G	46.15	68.20	-22.05	30.62	3	Horizontal	271	2.01	-	40.07	9.47	34.01


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 31
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62416G	55.85	83.54	-27.69	53.38	1	Vertical	66	1.54	-	37.85	14.47	49.85
AV	20.62594G	42.88	63.54	-20.66	40.41	1	Vertical	66	1.54	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 31
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6249G	56.49	83.54	-27.05	54.02	1	Horizontal	190	1.57	-	37.85	14.47	49.85
AV	20.6275G	42.84	63.54	-20.70	40.37	1	Horizontal	190	1.57	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	108.55	Inf	-Inf	101.26	3	Vertical	0	1.78	-	34.62	5.85	33.18
RMS	6.8936G	98.74	Inf	-Inf	91.49	3	Vertical	0	1.78	-	34.57	5.85	33.17
PK	7.1974G	61.19	88.20	-27.01	52.41	3	Vertical	0	1.78	-	36.09	6.10	33.41
RMS	7.2422G	50.89	68.20	-17.31	41.95	3	Vertical	0	1.78	-	36.27	6.10	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.902G	102.29	Inf	-Inf	95.01	3	Horizontal	22	2.02	-	34.61	5.85	33.18
RMS	6.888G	92.41	Inf	-Inf	85.18	3	Horizontal	22	2.02	-	34.55	5.84	33.16
PK	7.2408G	61.02	88.20	-27.18	52.09	3	Horizontal	22	2.02	-	36.26	6.10	33.43
RMS	7.2422G	50.86	68.20	-17.34	41.92	3	Horizontal	22	2.02	-	36.27	6.10	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7834G	58.75	88.20	-29.45	43.14	3	Vertical	155	2.01	-	40.15	9.48	34.02
RMS	13.788G	46.30	68.20	-21.90	30.68	3	Vertical	155	2.01	-	40.16	9.48	34.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79668G	58.65	88.20	-29.55	43.00	3	Horizontal	262	1.18	-	40.19	9.49	34.03
RMS	13.7954G	46.03	68.20	-22.17	30.38	3	Horizontal	262	1.18	-	40.19	9.49	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68016G	56.44	83.54	-27.10	53.84	1	Vertical	34	1.54	-	37.92	14.51	49.83
AV	20.68414G	43.30	63.54	-20.24	40.70	1	Vertical	34	1.54	-	37.92	14.51	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68444G	56.33	83.54	-27.21	53.73	1	Horizontal	216	1.55	-	37.92	14.51	49.83
AV	20.68122G	43.41	63.54	-20.13	40.81	1	Horizontal	216	1.55	-	37.92	14.51	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9982G	109.22	Inf	-Inf	101.63	3	Vertical	185	1.37	-	35.00	5.90	33.31
RMS	7.003G	99.42	Inf	-Inf	91.82	3	Vertical	185	1.37	-	35.01	5.90	33.31
PK	7.1646G	61.33	88.20	-26.87	52.70	3	Vertical	185	1.37	-	35.96	6.06	33.39
RMS	7.1926G	50.58	68.20	-17.62	41.83	3	Vertical	185	1.37	-	36.07	6.09	33.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9894G	101.27	Inf	-Inf	93.70	3	Horizontal	351	1.76	-	34.98	5.89	33.30
RMS	6.9886G	90.35	Inf	-Inf	82.77	3	Horizontal	351	1.76	-	34.98	5.89	33.29
PK	7.1438G	61.03	88.20	-27.17	52.51	3	Horizontal	351	1.76	-	35.86	6.04	33.38
RMS	7.1878G	50.54	68.20	-17.66	41.80	3	Horizontal	351	1.76	-	36.05	6.09	33.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99556G	59.75	88.20	-28.45	43.69	3	Vertical	79	2.98	-	40.59	9.60	34.13
RMS	13.99128G	46.72	68.20	-21.48	30.68	3	Vertical	79	2.98	-	40.57	9.60	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99452G	59.58	88.20	-28.62	43.53	3	Horizontal	95	1.04	-	40.58	9.60	34.13
RMS	13.99764G	46.83	68.20	-21.37	30.77	3	Horizontal	95	1.04	-	40.59	9.60	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98044G	54.35	83.54	-29.19	51.69	1	Vertical	133	1.52	-	37.63	14.74	49.71
AV	20.98244G	41.74	63.54	-21.80	39.08	1	Vertical	133	1.52	-	37.63	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98928G	54.72	83.54	-28.82	52.06	1	Horizontal	353	1.54	-	37.62	14.74	49.70
AV	20.9819G	41.71	63.54	-21.83	39.05	1	Horizontal	353	1.54	-	37.63	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0902G	109.09	Inf	-Inf	100.94	3	Vertical	343	1.43	-	35.52	5.99	33.36
RMS	7.0902G	98.86	Inf	-Inf	90.71	3	Vertical	343	1.43	-	35.52	5.99	33.36
PK	7.1574G	61.05	88.20	-27.15	52.45	3	Vertical	343	1.43	-	35.93	6.06	33.39
RMS	7.1256G	50.97	68.20	-17.23	42.56	3	Vertical	343	1.43	-	35.75	6.03	33.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0902G	105.99	Inf	-Inf	97.84	3	Horizontal	31	2.01	-	35.52	5.99	33.36
RMS	7.0884G	95.90	Inf	-Inf	87.75	3	Horizontal	31	2.01	-	35.51	5.99	33.35
PK	7.239G	61.94	88.20	-26.26	53.01	3	Horizontal	31	2.01	-	36.26	6.10	33.43
RMS	7.239G	50.78	68.20	-17.42	41.85	3	Horizontal	31	2.01	-	36.26	6.10	33.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19552G	60.17	88.20	-28.03	43.57	3	Vertical	79	1.47	-	40.99	9.70	34.09
RMS	14.18996G	47.74	68.20	-20.46	31.16	3	Vertical	79	1.47	-	40.98	9.69	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18904G	60.10	88.20	-28.10	43.52	3	Horizontal	87	2.51	-	40.98	9.69	34.09
RMS	14.18872G	47.45	68.20	-20.75	30.87	3	Horizontal	87	2.51	-	40.98	9.69	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2822G	53.89	83.54	-29.65	50.93	1	Vertical	313	1.57	-	37.64	14.96	49.64
AV	21.28236G	41.26	63.54	-22.28	38.30	1	Vertical	313	1.57	-	37.64	14.96	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 36
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28218G	55.17	83.54	-28.37	52.21	1	Horizontal	262	1.52	-	37.64	14.96	49.64
AV	21.28724G	41.34	63.54	-22.20	38.37	1	Horizontal	262	1.52	-	37.64	14.97	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.821G	56.98	88.20	-31.22	51.98	3	Vertical	262	1.80	-	32.00	5.32	32.32
RMS	5.7586G	50.38	68.20	-17.82	45.39	3	Vertical	262	1.80	-	32.00	5.28	32.29
PK	6.1282G	106.83	Inf	-Inf	101.31	3	Vertical	262	1.80	-	32.51	5.50	32.49
RMS	6.1234G	96.35	Inf	-Inf	90.84	3	Vertical	262	1.80	-	32.49	5.50	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	56.56	88.20	-31.64	51.54	3	Horizontal	359.2	1.87	-	32.01	5.35	32.34
RMS	5.7682G	46.04	68.20	-22.16	41.05	3	Horizontal	359.2	1.87	-	32.00	5.28	32.29
PK	6.1106G	96.79	Inf	-Inf	91.33	3	Horizontal	359.2	1.87	-	32.44	5.50	32.48
RMS	6.1122G	87.72	Inf	-Inf	82.25	3	Horizontal	359.2	1.87	-	32.45	5.50	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.246G	54.80	74.00	-19.20	41.65	3	Vertical	75	1.80	-	38.65	8.64	34.14
AV	12.24652G	41.78	54.00	-12.22	28.63	3	Vertical	75	1.80	-	38.65	8.64	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25396G	54.90	74.00	-19.10	41.74	3	Horizontal	302	2.33	-	38.65	8.64	34.13
AV	12.25308G	41.72	54.00	-12.28	28.56	3	Horizontal	302	2.33	-	38.65	8.64	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37684G	57.08	83.54	-26.46	55.66	1	Vertical	48	1.56	-	37.65	13.92	50.15
AV	18.37356G	43.63	63.54	-19.91	42.21	1	Vertical	48	1.56	-	37.65	13.92	50.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3739G	56.51	83.54	-27.03	55.09	1	Horizontal	333	1.56	-	37.65	13.92	50.15
AV	18.37196G	43.83	63.54	-19.71	42.41	1	Horizontal	333	1.56	-	37.65	13.92	50.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 55
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8562G	56.45	88.20	-31.75	51.42	3	Vertical	267	2.69	-	32.01	5.36	32.34
RMS	5.8738G	45.94	68.20	-22.26	40.87	3	Vertical	267	2.69	-	32.05	5.37	32.35
PK	6.2466G	111.83	Inf	-Inf	106.07	3	Vertical	267	2.69	-	32.78	5.52	32.54
RMS	6.237G	100.66	Inf	-Inf	94.95	3	Vertical	267	2.69	-	32.72	5.52	32.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 55
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	56.27	88.20	-31.93	51.16	3	Horizontal	210	1.80	-	32.08	5.39	32.36
RMS	5.869G	46.47	68.20	-21.73	41.41	3	Horizontal	210	1.80	-	32.04	5.37	32.35
PK	6.2546G	102.43	Inf	-Inf	96.64	3	Horizontal	210	1.80	-	32.80	5.53	32.54
RMS	6.2594G	91.92	Inf	-Inf	86.13	3	Horizontal	210	1.80	-	32.80	5.53	32.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 55
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49512G	55.07	74.00	-18.93	42.14	3	Vertical	248	1.83	-	38.21	8.77	34.05
AV	12.49568G	41.47	54.00	-12.53	28.54	3	Vertical	248	1.83	-	38.21	8.77	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 55
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48536G	55.27	74.00	-18.73	42.31	3	Horizontal	239	1.32	-	38.24	8.77	34.05
AV	12.4852G	41.53	54.00	-12.47	28.58	3	Horizontal	239	1.32	-	38.24	8.77	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 55
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73724G	54.97	83.54	-28.57	53.18	1	Vertical	14	1.57	-	37.71	13.94	49.86
AV	18.73682G	40.81	63.54	-22.73	39.02	1	Vertical	14	1.57	-	37.71	13.94	49.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 55
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73782G	54.16	83.54	-29.38	52.38	1	Horizontal	284	1.52	-	37.70	13.94	49.86
AV	18.73968G	40.84	63.54	-22.70	39.06	1	Horizontal	284	1.52	-	37.70	13.94	49.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	56.19	88.20	-32.01	51.13	3	Vertical	4	1.80	-	32.04	5.37	32.35
RMS	5.8386G	45.87	68.20	-22.33	40.86	3	Vertical	4	1.80	-	32.00	5.34	32.33
PK	6.4074G	108.40	Inf	-Inf	101.90	3	Vertical	4	1.80	-	33.51	5.60	32.61
RMS	6.4074G	99.41	Inf	-Inf	92.91	3	Vertical	4	1.80	-	33.51	5.60	32.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	55.78	88.20	-32.42	50.63	3	Horizontal	200	1.77	-	32.11	5.41	32.37
RMS	5.8818G	46.67	68.20	-21.53	41.59	3	Horizontal	200	1.77	-	32.06	5.38	32.36
PK	6.4218G	102.36	Inf	-Inf	95.84	3	Horizontal	200	1.77	-	33.54	5.60	32.62
RMS	6.4218G	92.83	Inf	-Inf	86.31	3	Horizontal	200	1.77	-	33.54	5.60	32.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8144G	55.84	88.20	-32.36	41.99	3	Vertical	163	2.37	-	38.91	8.95	34.01
RMS	12.81416G	42.10	68.20	-26.10	28.25	3	Vertical	163	2.37	-	38.91	8.95	34.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8148G	55.22	88.20	-32.98	41.37	3	Horizontal	179	1.35	-	38.91	8.95	34.01
RMS	12.81196G	42.16	68.20	-26.04	28.31	3	Horizontal	179	1.35	-	38.91	8.95	34.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21218G	54.08	83.54	-29.46	52.01	1	Vertical	58	1.54	-	37.75	13.96	49.64
AV	19.21856G	40.52	63.54	-23.02	38.46	1	Vertical	58	1.54	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21116G	54.02	83.54	-29.52	51.95	1	Horizontal	318	1.53	-	37.75	13.96	49.64
AV	19.2157G	40.50	63.54	-23.04	38.44	1	Horizontal	318	1.53	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8498G	56.34	88.20	-31.86	51.33	3	Vertical	5	1.80	-	32.00	5.35	32.34
RMS	5.8738G	45.88	68.20	-22.32	40.81	3	Vertical	5	1.80	-	32.05	5.37	32.35
PK	6.4522G	108.56	Inf	-Inf	101.98	3	Vertical	5	1.80	-	33.61	5.60	32.63
RMS	6.4594G	98.39	Inf	-Inf	91.76	3	Vertical	5	1.80	-	33.66	5.60	32.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	56.95	88.20	-31.25	51.80	3	Horizontal	194	2.09	-	32.12	5.41	32.38
RMS	5.8474G	45.93	68.20	-22.27	40.92	3	Horizontal	194	2.09	-	32.00	5.35	32.34
PK	6.4522G	103.07	Inf	-Inf	96.49	3	Horizontal	194	2.09	-	33.61	5.60	32.63
RMS	6.4474G	93.22	Inf	-Inf	86.66	3	Horizontal	194	2.09	-	33.59	5.60	32.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88452G	55.75	88.20	-32.45	41.78	3	Vertical	96	1.43	-	38.98	8.99	34.00
RMS	12.88592G	42.47	68.20	-25.73	28.49	3	Vertical	96	1.43	-	38.99	8.99	34.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89832G	55.94	88.20	-32.26	41.95	3	Horizontal	312	1.89	-	39.00	8.99	34.00
RMS	12.89444G	42.42	68.20	-25.78	28.44	3	Horizontal	312	1.89	-	38.99	8.99	34.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3327G	53.69	83.54	-29.85	51.62	1	Vertical	236	1.57	-	37.77	13.97	49.67
AV	19.33556G	40.90	63.54	-22.64	38.83	1	Vertical	236	1.57	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 47
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33102G	54.38	83.54	-29.16	52.32	1	Horizontal	243	1.51	-	37.76	13.97	49.67
AV	19.33092G	40.82	63.54	-22.72	38.76	1	Horizontal	243	1.51	-	37.76	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_V_4TX
Setting 46
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	56.45	88.20	-31.75	51.31	3	Vertical	3	1.76	-	32.11	5.40	32.37
RMS	5.8584G	45.85	68.20	-22.35	40.82	3	Vertical	3	1.76	-	32.02	5.36	32.35
PK	6.5032G	107.87	Inf	-Inf	101.01	3	Vertical	3	1.76	-	33.91	5.60	32.65
RMS	6.5006G	98.33	Inf	-Inf	91.48	3	Vertical	3	1.76	-	33.90	5.60	32.65
PK	7.1272G	60.19	88.20	-28.01	51.77	3	Vertical	3	1.76	-	35.76	6.03	33.37
RMS	7.1272G	49.88	68.20	-18.32	41.46	3	Vertical	3	1.76	-	35.76	6.03	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_V_4TX
Setting 46
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8662G	56.45	88.20	-31.75	51.40	3	Horizontal	194	2.00	-	32.03	5.37	32.35
RMS	5.8584G	45.85	68.20	-22.35	40.82	3	Horizontal	194	2.00	-	32.02	5.36	32.35
PK	6.472G	105.63	Inf	-Inf	98.94	3	Horizontal	194	2.00	-	33.73	5.60	32.64
RMS	6.4772G	95.31	Inf	-Inf	88.59	3	Horizontal	194	2.00	-	33.76	5.60	32.64
PK	7.135G	59.40	88.20	-28.80	50.94	3	Horizontal	194	2.00	-	35.81	6.03	33.38
RMS	7.1298G	49.90	68.20	-18.30	41.46	3	Horizontal	194	2.00	-	35.78	6.03	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 46
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9716G	56.28	88.20	-31.92	42.17	3	Vertical	116	2.94	-	39.07	9.03	33.99
RMS	12.97184G	42.71	68.20	-25.49	28.60	3	Vertical	116	2.94	-	39.07	9.03	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 46
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97472G	56.32	88.20	-31.88	42.20	3	Horizontal	50	1.85	-	39.07	9.04	33.99
RMS	12.97308G	42.84	68.20	-25.36	28.72	3	Horizontal	50	1.85	-	39.07	9.04	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 46
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45396G	55.41	83.54	-28.13	53.27	1	Vertical	247	1.52	-	37.86	13.97	49.69
AV	19.45868G	40.91	63.54	-22.63	38.76	1	Vertical	247	1.52	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT Y_4TX
Setting 46
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45216G	54.13	83.54	-29.41	51.99	1	Horizontal	213	1.50	-	37.86	13.97	49.69
AV	19.45632G	40.98	63.54	-22.56	38.83	1	Horizontal	213	1.50	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
 Setting 49
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8776G	55.96	88.20	-32.24	50.88	3	Vertical	4	1.80	-	32.06	5.38	32.36
RMS	5.8776G	45.76	68.20	-22.44	40.68	3	Vertical	4	1.80	-	32.06	5.38	32.36
PK	6.5068G	111.70	Inf	-Inf	104.83	3	Vertical	4	1.80	-	33.93	5.60	32.66
RMS	6.5094G	99.80	Inf	-Inf	92.92	3	Vertical	4	1.80	-	33.94	5.60	32.66
PK	7.1516G	59.84	88.20	-28.36	51.27	3	Vertical	4	1.80	-	35.91	6.05	33.39
RMS	7.175G	50.24	68.20	-17.96	41.57	3	Vertical	4	1.80	-	36.00	6.07	33.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_4TX
Setting 49
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	56.05	88.20	-32.15	50.87	3	Horizontal	195	1.96	-	32.14	5.42	32.38
RMS	5.8776G	44.14	68.20	-24.06	39.06	3	Horizontal	195	1.96	-	32.06	5.38	32.36
PK	6.5406G	104.74	Inf	-Inf	97.78	3	Horizontal	195	1.96	-	34.06	5.60	32.70
RMS	6.5406G	93.68	Inf	-Inf	86.72	3	Horizontal	195	1.96	-	34.06	5.60	32.70
PK	7.1334G	60.01	88.20	-28.19	51.56	3	Horizontal	195	1.96	-	35.80	6.03	33.38
RMS	7.1724G	48.45	68.20	-19.75	39.79	3	Horizontal	195	1.96	-	35.99	6.07	33.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




24/09/2021

EUT Y_4TX
 Setting 49
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04876G	55.99	88.20	-32.21	41.79	3	Vertical	244	2.84	-	39.10	9.08	33.98
RMS	13.04844G	42.84	68.20	-25.36	28.64	3	Vertical	244	2.84	-	39.10	9.08	33.98


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 49
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0432G	55.93	88.20	-32.27	41.74	3	Horizontal	246	1.69	-	39.10	9.07	33.98
RMS	13.04684G	42.88	68.20	-25.32	28.68	3	Horizontal	246	1.69	-	39.10	9.08	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 49
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57634G	55.68	83.54	-27.86	53.53	1	Vertical	107	1.52	-	37.87	13.98	49.70
AV	19.57342G	42.28	63.54	-21.26	40.13	1	Vertical	107	1.52	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 49
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57418G	55.69	83.54	-27.85	53.54	1	Horizontal	332	1.55	-	37.87	13.98	49.70
AV	19.57282G	42.15	63.54	-21.39	40.00	1	Horizontal	332	1.55	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT V_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	56.20	88.20	-32.00	51.02	3	Vertical	5	1.80	-	32.14	5.42	32.38
RMS	5.9202G	45.77	68.20	-22.43	40.59	3	Vertical	5	1.80	-	32.14	5.42	32.38
PK	6.5494G	108.57	Inf	-Inf	101.59	3	Vertical	5	1.80	-	34.10	5.60	32.72
RMS	6.552G	98.92	Inf	-Inf	91.94	3	Vertical	5	1.80	-	34.10	5.60	32.72
PK	7.137G	60.56	88.20	-27.64	52.08	3	Vertical	5	1.80	-	35.82	6.04	33.38
RMS	7.2098G	50.69	68.20	-17.51	41.86	3	Vertical	5	1.80	-	36.14	6.10	33.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	55.01	88.20	-33.19	49.82	3	Horizontal	199	1.72	-	32.15	5.42	32.38
RMS	5.915G	44.01	68.20	-24.19	38.84	3	Horizontal	199	1.72	-	32.13	5.42	32.38
PK	6.552G	102.36	Inf	-Inf	95.38	3	Horizontal	199	1.72	-	34.10	5.60	32.72
RMS	6.552G	91.63	Inf	-Inf	84.65	3	Horizontal	199	1.72	-	34.10	5.60	32.72
PK	7.1396G	60.63	88.20	-27.57	52.13	3	Horizontal	199	1.72	-	35.84	6.04	33.38
RMS	7.215G	48.74	68.20	-19.46	39.90	3	Horizontal	199	1.72	-	36.16	6.10	33.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13452G	56.32	88.20	-31.88	42.03	3	Vertical	154	2.73	-	39.13	9.12	33.96
RMS	13.13472G	42.98	68.20	-25.22	28.69	3	Vertical	154	2.73	-	39.13	9.12	33.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13844G	56.75	88.20	-31.45	42.44	3	Horizontal	358	1.87	-	39.14	9.13	33.96
RMS	13.13828G	43.05	68.20	-25.15	28.74	3	Horizontal	358	1.87	-	39.14	9.13	33.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69416G	55.30	83.54	-28.24	53.20	1	Vertical	110	1.57	-	37.82	13.98	49.70
AV	19.69138G	41.52	63.54	-22.02	39.42	1	Vertical	110	1.57	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6946G	55.65	83.54	-27.89	53.55	1	Horizontal	101	1.55	-	37.82	13.98	49.70
AV	19.69152G	41.45	63.54	-22.09	39.35	1	Horizontal	101	1.55	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.674G	108.37	Inf	-Inf	101.48	3	Vertical	264	1.80	-	34.10	5.67	32.88
RMS	6.6784G	98.64	Inf	-Inf	91.75	3	Vertical	264	1.80	-	34.10	5.68	32.89
PK	7.1976G	61.22	88.20	-26.98	52.44	3	Vertical	264	1.80	-	36.09	6.10	33.41
RMS	7.2284G	50.72	68.20	-17.48	41.83	3	Vertical	264	1.80	-	36.21	6.10	33.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6718G	103.07	Inf	-Inf	96.18	3	Horizontal	202.4	2.00	-	34.10	5.67	32.88
RMS	6.6696G	93.38	Inf	-Inf	86.48	3	Horizontal	202.4	2.00	-	34.10	5.67	32.87
PK	7.2042G	61.24	88.20	-26.96	52.43	3	Horizontal	202.4	2.00	-	36.12	6.10	33.41
RMS	7.2328G	50.75	68.20	-17.45	41.85	3	Horizontal	202.4	2.00	-	36.23	6.10	33.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36596G	57.13	74.00	-16.87	42.03	3	Vertical	110	1.87	-	39.76	9.25	33.91
AV	13.36612G	43.59	54.00	-10.41	28.49	3	Vertical	110	1.87	-	39.76	9.25	33.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37564G	57.19	74.00	-16.81	42.01	3	Horizontal	304	2.78	-	39.83	9.26	33.91
AV	13.37556G	43.52	54.00	-10.48	28.34	3	Horizontal	304	2.78	-	39.83	9.26	33.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05642G	55.06	83.54	-28.48	53.29	1	Vertical	135	1.55	-	37.45	14.04	49.72
AV	20.0515G	41.41	63.54	-22.13	39.65	1	Vertical	135	1.55	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0518G	56.07	83.54	-27.47	54.31	1	Horizontal	40	1.56	-	37.44	14.04	49.72
AV	20.0511G	41.46	63.54	-22.08	39.70	1	Horizontal	40	1.56	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8618G	108.43	Inf	-Inf	101.28	3	Vertical	360	1.80	-	34.45	5.83	33.13
RMS	6.859G	96.15	Inf	-Inf	89.00	3	Vertical	360	1.80	-	34.44	5.83	33.12
PK	7.1866G	61.48	88.20	-26.72	52.74	3	Vertical	360	1.80	-	36.05	6.09	33.40
RMS	7.1866G	48.64	68.20	-19.56	39.90	3	Vertical	360	1.80	-	36.05	6.09	33.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_V_4TX
Setting 49
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8366G	99.22	Inf	-Inf	92.12	3	Horizontal	0.8	1.95	-	34.37	5.82	33.09
RMS	6.838G	89.80	Inf	-Inf	82.70	3	Horizontal	0.8	1.95	-	34.38	5.82	33.10
PK	7.1278G	60.73	88.20	-27.47	52.30	3	Horizontal	0.8	1.95	-	35.77	6.03	33.37
RMS	7.1894G	50.41	68.20	-17.79	41.66	3	Horizontal	0.8	1.95	-	36.06	6.09	33.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69G	58.85	88.20	-29.35	43.49	3	Vertical	342	2.67	-	39.91	9.43	33.98
RMS	13.68376G	45.22	68.20	-22.98	29.84	3	Vertical	342	2.67	-	39.92	9.43	33.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69068G	58.55	88.20	-29.65	43.19	3	Horizontal	27	1.29	-	39.91	9.43	33.98
RMS	13.69144G	45.17	68.20	-23.03	29.81	3	Horizontal	27	1.29	-	39.91	9.43	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 49
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.539G	55.48	83.54	-28.06	53.21	1	Vertical	350	1.57	-	37.75	14.40	49.88
AV	20.53182G	41.85	63.54	-21.69	39.60	1	Vertical	350	1.57	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT Y_4TX
Setting 49
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53378G	55.36	83.54	-28.18	53.11	1	Horizontal	73	1.54	-	37.74	14.40	49.89
AV	20.5305G	41.87	63.54	-21.67	39.62	1	Horizontal	73	1.54	-	37.74	14.40	49.89


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 51
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8948G	110.45	Inf	-Inf	103.19	3	Vertical	360	1.80	-	34.58	5.85	33.17
RMS	6.892G	99.50	Inf	-Inf	92.25	3	Vertical	360	1.80	-	34.57	5.85	33.17
PK	7.179G	60.56	88.20	-27.64	51.86	3	Vertical	360	1.80	-	36.02	6.08	33.40
RMS	7.2308G	50.61	68.20	-17.59	41.72	3	Vertical	360	1.80	-	36.22	6.10	33.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 51
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8724G	105.94	Inf	-Inf	98.75	3	Horizontal	21	2.04	-	34.49	5.84	33.14
RMS	6.9032G	93.41	Inf	-Inf	86.12	3	Horizontal	21	2.04	-	34.62	5.85	33.18
PK	7.221G	61.26	88.20	-26.94	52.40	3	Horizontal	21	2.04	-	36.18	6.10	33.42
RMS	7.2084G	50.58	68.20	-17.62	41.76	3	Horizontal	21	2.04	-	36.13	6.10	33.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 51
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77324G	60.23	88.20	-27.97	44.65	3	Vertical	153	1.11	-	40.12	9.48	34.02
RMS	13.77312G	46.14	68.20	-22.06	30.56	3	Vertical	153	1.11	-	40.12	9.48	34.02


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 51
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76592G	60.80	88.20	-27.40	45.24	3	Horizontal	68	2.90	-	40.10	9.47	34.01
RMS	13.76608G	46.20	68.20	-22.00	30.64	3	Horizontal	68	2.90	-	40.10	9.47	34.01


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 51
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65046G	56.01	83.54	-27.53	53.48	1	Vertical	158	1.50	-	37.88	14.49	49.84
AV	20.65382G	42.31	63.54	-21.23	39.78	1	Vertical	158	1.50	-	37.88	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 51
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65472G	56.25	83.54	-27.29	53.71	1	Horizontal	61	1.52	-	37.89	14.49	49.84
AV	20.65842G	42.25	63.54	-21.29	39.71	1	Horizontal	61	1.52	-	37.89	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 51
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	110.90	Inf	-Inf	103.46	3	Vertical	1	1.80	-	34.79	5.87	33.22
RMS	6.943G	99.45	Inf	-Inf	91.95	3	Vertical	1	1.80	-	34.86	5.87	33.23
PK	7.1902G	61.17	88.20	-27.03	52.43	3	Vertical	1	1.80	-	36.06	6.09	33.41
RMS	7.2118G	50.61	68.20	-17.59	41.78	3	Vertical	1	1.80	-	36.15	6.10	33.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 51
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9298G	100.92	Inf	-Inf	93.50	3	Horizontal	0.1	2.03	-	34.78	5.86	33.22
RMS	6.9298G	89.73	Inf	-Inf	82.31	3	Horizontal	0.1	2.03	-	34.78	5.86	33.22
PK	7.225G	61.10	88.20	-27.10	52.22	3	Horizontal	0.1	2.03	-	36.20	6.10	33.42
RMS	7.2142G	50.58	68.20	-17.62	41.74	3	Horizontal	0.1	2.03	-	36.16	6.10	33.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 51
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84352G	59.24	88.20	-28.96	43.54	3	Vertical	304	1.17	-	40.24	9.51	34.05
RMS	13.8416G	46.02	68.20	-22.18	30.32	3	Vertical	304	1.17	-	40.24	9.51	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 51
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8482G	59.19	88.20	-29.01	43.47	3	Horizontal	66	1.81	-	40.25	9.52	34.05
RMS	13.84188G	45.97	68.20	-22.23	30.27	3	Horizontal	66	1.81	-	40.24	9.51	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 51
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.778G	55.97	83.54	-27.57	53.22	1	Vertical	57	1.55	-	37.96	14.58	49.79
AV	20.77764G	41.99	63.54	-21.55	39.24	1	Vertical	57	1.55	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 51
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7727G	55.17	83.54	-28.37	52.42	1	Horizontal	288	1.54	-	37.96	14.58	49.79
AV	20.77522G	41.98	63.54	-21.56	39.23	1	Horizontal	288	1.54	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0146G	109.92	Inf	-Inf	102.27	3	Vertical	88	1.73	-	35.06	5.91	33.32
RMS	6.9874G	99.56	Inf	-Inf	91.99	3	Vertical	88	1.73	-	34.97	5.89	33.29
PK	7.1386G	61.11	88.20	-27.09	52.62	3	Vertical	88	1.73	-	35.83	6.04	33.38
RMS	7.2018G	50.55	68.20	-17.65	41.75	3	Vertical	88	1.73	-	36.11	6.10	33.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0162G	102.39	Inf	-Inf	94.73	3	Horizontal	33.2	1.80	-	35.06	5.92	33.32
RMS	7.009G	92.83	Inf	-Inf	85.19	3	Horizontal	33.2	1.80	-	35.04	5.91	33.31
PK	7.1466G	61.25	88.20	-26.95	52.70	3	Horizontal	33.2	1.80	-	35.88	6.05	33.38
RMS	7.1994G	50.53	68.20	-17.67	41.74	3	Horizontal	33.2	1.80	-	36.10	6.10	33.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00072G	60.65	88.20	-27.55	44.58	3	Vertical	113	2.60	-	40.60	9.60	34.13
RMS	14.00248G	46.94	68.20	-21.26	30.87	3	Vertical	113	2.60	-	40.60	9.60	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01916G	60.05	88.20	-28.15	43.93	3	Horizontal	189	1.50	-	40.64	9.61	34.13
RMS	14.01968G	46.80	68.20	-21.40	30.68	3	Horizontal	189	1.50	-	40.64	9.61	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01378G	53.90	83.54	-29.64	51.24	1	Vertical	103	1.50	-	37.60	14.76	49.70
AV	21.01634G	40.06	63.54	-23.48	37.40	1	Vertical	103	1.50	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01728G	54.65	83.54	-28.89	51.99	1	Horizontal	267	1.56	-	37.60	14.76	49.70
AV	21.01118G	40.02	63.54	-23.52	37.36	1	Horizontal	267	1.56	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.081G	111.50	Inf	-Inf	103.42	3	Vertical	336	1.60	-	35.45	5.98	33.35
RMS	7.0794G	98.15	Inf	-Inf	90.08	3	Vertical	336	1.60	-	35.44	5.98	33.35
PK	7.127G	71.46	88.20	-16.74	63.04	3	Vertical	336	1.60	-	35.76	6.03	33.37
RMS	7.125G	57.56	68.20	-10.64	49.15	3	Vertical	336	1.60	-	35.75	6.03	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0674G	106.30	Inf	-Inf	98.33	3	Horizontal	347	1.88	-	35.34	5.97	33.34
RMS	7.0678G	97.00	Inf	-Inf	89.03	3	Horizontal	347	1.88	-	35.34	5.97	33.34
PK	7.1266G	65.95	88.20	-22.25	57.53	3	Horizontal	347	1.88	-	35.76	6.03	33.37
RMS	7.125G	54.60	68.20	-13.60	46.19	3	Horizontal	347	1.88	-	35.75	6.03	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17032G	61.82	88.20	-26.38	45.28	3	Vertical	154	1.20	-	40.94	9.69	34.09
RMS	14.17128G	47.39	68.20	-20.81	30.85	3	Vertical	154	1.20	-	40.94	9.69	34.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17452G	60.78	88.20	-27.42	44.23	3	Horizontal	145	2.39	-	40.95	9.69	34.09
RMS	14.17436G	47.37	68.20	-20.83	30.82	3	Horizontal	145	2.39	-	40.95	9.69	34.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25452G	54.45	83.54	-29.09	51.55	1	Vertical	292	1.57	-	37.61	14.94	49.65
AV	21.2569G	40.25	63.54	-23.29	37.35	1	Vertical	292	1.57	-	37.61	14.94	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25654G	53.81	83.54	-29.73	50.91	1	Horizontal	31	1.52	-	37.61	14.94	49.65
AV	21.25424G	40.42	63.54	-23.12	37.52	1	Horizontal	31	1.52	-	37.61	14.94	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	56.63	88.20	-31.57	51.55	3	Vertical	352	1.93	-	32.06	5.38	32.36
RMS	5.8582G	46.21	68.20	-21.99	41.17	3	Vertical	352	1.93	-	32.02	5.36	32.34
PK	6.1138G	111.75	Inf	-Inf	106.27	3	Vertical	352	1.93	-	32.46	5.50	32.48
RMS	6.1126G	98.31	Inf	-Inf	92.84	3	Vertical	352	1.93	-	32.45	5.50	32.48

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	56.69	88.20	-31.51	51.50	3	Horizontal	207.1	1.79	-	32.15	5.42	32.38
RMS	5.8558G	46.24	68.20	-21.96	41.21	3	Horizontal	207.1	1.79	-	32.01	5.36	32.34
PK	6.1222G	105.78	Inf	-Inf	100.27	3	Horizontal	207.1	1.79	-	32.49	5.50	32.48
RMS	6.1474G	89.10	Inf	-Inf	83.50	3	Horizontal	207.1	1.79	-	32.59	5.50	32.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2915G	55.37	74.00	-18.63	42.22	3	Vertical	359	1.80	-	38.61	8.66	34.12
AV	12.2917G	41.94	54.00	-12.06	28.79	3	Vertical	359	1.80	-	38.61	8.66	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.30514G	55.80	74.00	-18.20	42.66	3	Horizontal	76	1.69	-	38.59	8.67	34.12
AV	12.30254G	41.82	54.00	-12.18	28.67	3	Horizontal	76	1.69	-	38.60	8.67	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43434G	56.33	83.54	-27.21	54.82	1	Vertical	96	1.51	-	37.72	13.92	50.13
AV	18.43526G	42.98	63.54	-20.56	41.47	1	Vertical	96	1.51	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.438G	56.36	83.54	-27.18	54.83	1	Horizontal	42	1.51	-	37.73	13.92	50.12
AV	18.43174G	42.93	63.54	-20.61	41.42	1	Horizontal	42	1.51	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	56.06	88.20	-32.14	50.92	3	Vertical	357.5	1.80	-	32.11	5.40	32.37
RMS	5.7786G	46.37	68.20	-21.83	41.38	3	Vertical	357.5	1.80	-	32.00	5.29	32.30
PK	6.1962G	108.01	Inf	-Inf	102.52	3	Vertical	357.5	1.80	-	32.51	5.50	32.52
RMS	6.2142G	96.90	Inf	-Inf	91.32	3	Vertical	357.5	1.80	-	32.59	5.51	32.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7948G	57.61	88.20	-30.59	52.62	3	Horizontal	302.5	2.08	-	32.00	5.30	32.31
RMS	5.784G	44.44	68.20	-23.76	39.45	3	Horizontal	302.5	2.08	-	32.00	5.29	32.30
PK	6.2448G	100.61	Inf	-Inf	94.86	3	Horizontal	302.5	2.08	-	32.77	5.52	32.54
RMS	6.2502G	88.13	Inf	-Inf	82.34	3	Horizontal	302.5	2.08	-	32.80	5.53	32.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45366G	55.67	74.00	-18.33	42.65	3	Vertical	145	1.84	-	38.34	8.75	34.07
AV	12.4584G	41.88	54.00	-12.12	28.87	3	Vertical	145	1.84	-	38.32	8.75	34.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44352G	55.62	74.00	-18.38	42.58	3	Horizontal	312	1.85	-	38.37	8.74	34.07
AV	12.45156G	41.87	54.00	-12.13	28.84	3	Horizontal	312	1.85	-	38.35	8.75	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67856G	55.04	83.54	-28.50	53.30	1	Vertical	68	1.53	-	37.73	13.93	49.92
AV	18.67234G	41.34	63.54	-22.20	39.61	1	Vertical	68	1.53	-	37.73	13.93	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67048G	55.44	83.54	-28.10	53.71	1	Horizontal	100	1.58	-	37.73	13.93	49.93
AV	18.67156G	41.31	63.54	-22.23	39.58	1	Horizontal	100	1.58	-	37.73	13.93	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	57.21	88.20	-30.99	52.02	3	Vertical	4	1.80	-	32.15	5.42	32.38
RMS	5.7558G	44.37	68.20	-23.83	39.37	3	Vertical	4	1.80	-	32.00	5.28	32.28
PK	6.3694G	108.86	Inf	-Inf	102.61	3	Vertical	4	1.80	-	33.26	5.58	32.59
RMS	6.372G	97.56	Inf	-Inf	91.28	3	Vertical	4	1.80	-	33.28	5.59	32.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	56.74	88.20	-31.46	51.63	3	Horizontal	194	2.01	-	32.08	5.39	32.36
RMS	5.7532G	44.47	68.20	-23.73	39.47	3	Horizontal	194	2.01	-	32.00	5.28	32.28
PK	6.359G	102.98	Inf	-Inf	96.82	3	Horizontal	194	2.01	-	33.17	5.58	32.59
RMS	6.3954G	90.80	Inf	-Inf	84.34	3	Horizontal	194	2.01	-	33.46	5.60	32.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76544G	57.11	88.20	-31.09	43.34	3	Vertical	155	1.24	-	38.87	8.92	34.02
RMS	12.7642G	42.13	68.20	-26.07	28.37	3	Vertical	155	1.24	-	38.86	8.92	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7638G	55.64	88.20	-32.56	41.88	3	Horizontal	40	2.70	-	38.86	8.92	34.02
RMS	12.76512G	42.15	68.20	-26.05	28.38	3	Horizontal	40	2.70	-	38.87	8.92	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1556G	54.31	83.54	-29.23	52.17	1	Vertical	11	1.51	-	37.81	13.96	49.63
AV	19.15198G	39.98	63.54	-23.56	37.83	1	Vertical	11	1.51	-	37.82	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15946G	53.31	83.54	-30.23	51.17	1	Horizontal	350	1.57	-	37.81	13.96	49.63
AV	19.1528G	40.04	63.54	-23.50	37.89	1	Horizontal	350	1.57	-	37.82	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	56.15	88.20	-32.05	51.06	3	Vertical	0	1.80	-	32.07	5.38	32.36
RMS	5.8436G	47.00	68.20	-21.20	42.00	3	Vertical	0	1.80	-	32.00	5.34	32.34
PK	6.4598G	107.44	Inf	-Inf	100.81	3	Vertical	0	1.80	-	33.66	5.60	32.63
RMS	6.5014G	97.63	Inf	-Inf	90.77	3	Vertical	0	1.80	-	33.91	5.60	32.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.828G	55.96	88.20	-32.24	50.96	3	Horizontal	202	1.83	-	32.00	5.33	32.33
RMS	5.8644G	46.27	68.20	-21.93	41.23	3	Horizontal	202	1.83	-	32.03	5.36	32.35
PK	6.4312G	104.72	Inf	-Inf	98.18	3	Horizontal	202	1.83	-	33.56	5.60	32.62
RMS	6.4754G	93.31	Inf	-Inf	86.60	3	Horizontal	202	1.83	-	33.75	5.60	32.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93736G	56.38	88.20	-31.82	42.32	3	Vertical	260	1.44	-	39.04	9.02	34.00
RMS	12.93548G	42.84	68.20	-25.36	28.79	3	Vertical	260	1.44	-	39.04	9.01	34.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9354G	56.27	88.20	-31.93	42.22	3	Horizontal	163	1.07	-	39.04	9.01	34.00
RMS	12.938G	42.72	68.20	-25.48	28.66	3	Horizontal	163	1.07	-	39.04	9.02	34.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39528G	55.10	83.54	-28.44	52.99	1	Vertical	97	1.53	-	37.82	13.97	49.68
AV	19.39466G	40.33	63.54	-23.21	38.22	1	Vertical	97	1.53	-	37.82	13.97	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3951G	53.95	83.54	-29.59	51.84	1	Horizontal	347	1.57	-	37.82	13.97	49.68
AV	19.39246G	40.40	63.54	-23.14	38.30	1	Horizontal	347	1.57	-	37.81	13.97	49.68


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_4TX
 Setting 60
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	56.40	88.20	-31.80	51.35	3	Vertical	0	1.80	-	32.03	5.37	32.35
RMS	5.859G	51.09	68.20	-17.11	46.06	3	Vertical	0	1.80	-	32.02	5.36	32.35
PK	6.5506G	109.14	Inf	-Inf	102.16	3	Vertical	0	1.80	-	34.10	5.60	32.72
RMS	6.5114G	99.07	Inf	-Inf	92.19	3	Vertical	0	1.80	-	33.95	5.60	32.67
PK	7.217G	62.71	88.20	-25.49	53.86	3	Vertical	0	1.80	-	36.17	6.10	33.42
RMS	7.2338G	51.10	68.20	-17.10	42.19	3	Vertical	0	1.80	-	36.24	6.10	33.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
 Setting 60
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	56.50	88.20	-31.70	51.33	3	Horizontal	201	1.78	-	32.13	5.42	32.38
RMS	5.8758G	44.98	68.20	-23.22	39.91	3	Horizontal	201	1.78	-	32.05	5.38	32.36
PK	6.5366G	103.83	Inf	-Inf	96.88	3	Horizontal	201	1.78	-	34.05	5.60	32.70
RMS	6.531G	91.65	Inf	-Inf	84.72	3	Horizontal	201	1.78	-	34.02	5.60	32.69
PK	7.1862G	61.40	88.20	-26.80	52.67	3	Horizontal	201	1.78	-	36.04	6.09	33.40
RMS	7.2366G	49.06	68.20	-19.14	40.14	3	Horizontal	201	1.78	-	36.25	6.10	33.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09592G	57.09	88.20	-31.11	42.86	3	Vertical	360	1.70	-	39.10	9.10	33.97
RMS	13.09584G	43.26	68.20	-24.94	29.03	3	Vertical	360	1.70	-	39.10	9.10	33.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 60
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09656G	56.51	88.20	-31.69	42.28	3	Horizontal	43	2.43	-	39.10	9.10	33.97
RMS	13.09672G	43.14	68.20	-25.06	28.91	3	Horizontal	43	2.43	-	39.10	9.10	33.97


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 60
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63684G	55.82	83.54	-27.72	53.69	1	Vertical	14	1.54	-	37.85	13.98	49.70
AV	19.63586G	42.03	63.54	-21.51	39.90	1	Vertical	14	1.54	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 60
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63258G	55.49	83.54	-28.05	53.36	1	Horizontal	95	1.53	-	37.85	13.98	49.70
AV	19.6307G	42.01	63.54	-21.53	39.88	1	Horizontal	95	1.53	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6442G	108.81	Inf	-Inf	101.90	3	Vertical	334.1	1.25	-	34.11	5.64	32.84
RMS	6.6394G	98.51	Inf	-Inf	91.58	3	Vertical	334.1	1.25	-	34.12	5.64	32.83
PK	7.2202G	61.08	88.20	-27.12	52.22	3	Vertical	334.1	1.25	-	36.18	6.10	33.42
RMS	7.2226G	51.36	68.20	-16.84	42.49	3	Vertical	334.1	1.25	-	36.19	6.10	33.42

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6058G	100.24	Inf	-Inf	93.23	3	Horizontal	200	2.03	-	34.19	5.61	32.79
RMS	6.6082G	92.05	Inf	-Inf	85.05	3	Horizontal	200	2.03	-	34.18	5.61	32.79
PK	7.213G	61.71	88.20	-26.49	52.88	3	Horizontal	200	2.03	-	36.15	6.10	33.42
RMS	7.2178G	51.16	68.20	-17.04	42.31	3	Horizontal	200	2.03	-	36.17	6.10	33.42

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2524G	56.50	74.00	-17.50	41.99	3	Vertical	66	2.97	-	39.25	9.19	33.93
AV	13.2566G	43.05	54.00	-10.95	28.53	3	Vertical	66	2.97	-	39.26	9.19	33.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25824G	56.87	74.00	-17.13	42.35	3	Horizontal	353	1.55	-	39.26	9.19	33.93
AV	13.25808G	43.21	54.00	-10.79	28.69	3	Horizontal	353	1.55	-	39.26	9.19	33.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8737G	54.89	83.54	-28.65	53.00	1	Vertical	14	1.52	-	37.60	13.99	49.70
AV	19.87694G	41.58	63.54	-21.96	39.69	1	Vertical	14	1.52	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87326G	54.77	83.54	-28.77	52.88	1	Horizontal	163	1.58	-	37.60	13.99	49.70
AV	19.87432G	41.48	63.54	-22.06	39.59	1	Horizontal	163	1.58	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	108.07	Inf	-Inf	101.22	3	Vertical	273	1.78	-	34.07	5.72	32.94
RMS	6.717G	97.99	Inf	-Inf	91.14	3	Vertical	273	1.78	-	34.07	5.72	32.94
PK	7.189G	60.46	88.20	-27.74	51.71	3	Vertical	273	1.78	-	36.06	6.09	33.40
RMS	7.201G	50.88	68.20	-17.32	42.09	3	Vertical	273	1.78	-	36.10	6.10	33.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.679G	102.52	Inf	-Inf	95.63	3	Horizontal	204	1.71	-	34.10	5.68	32.89
RMS	6.681G	93.39	Inf	-Inf	86.50	3	Horizontal	204	1.71	-	34.10	5.68	32.89
PK	7.133G	60.30	88.20	-27.90	51.85	3	Horizontal	204	1.71	-	35.80	6.03	33.38
RMS	7.199G	50.80	68.20	-17.40	42.01	3	Horizontal	204	1.71	-	36.10	6.10	33.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40968G	57.57	88.20	-30.63	42.20	3	Vertical	211	1.51	-	39.99	9.28	33.90
RMS	13.40948G	43.81	68.20	-24.39	28.44	3	Vertical	211	1.51	-	39.99	9.28	33.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4038G	57.24	88.20	-30.96	41.87	3	Horizontal	271	2.72	-	40.00	9.27	33.90
RMS	13.40664G	43.90	68.20	-24.30	28.54	3	Horizontal	271	2.72	-	39.99	9.27	33.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11032G	56.29	83.54	-27.25	54.46	1	Vertical	179	1.57	-	37.49	14.08	49.74
AV	20.11128G	42.22	63.54	-21.32	40.39	1	Vertical	179	1.57	-	37.49	14.08	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11932G	56.23	83.54	-27.31	54.39	1	Horizontal	156	1.50	-	37.50	14.09	49.75
AV	20.11626G	42.31	63.54	-21.23	40.48	1	Horizontal	156	1.50	-	37.49	14.09	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8138G	108.22	Inf	-Inf	101.14	3	Vertical	91	1.42	-	34.33	5.81	33.06
RMS	6.8138G	96.38	Inf	-Inf	89.30	3	Vertical	91	1.42	-	34.33	5.81	33.06
PK	7.1834G	60.61	88.20	-27.59	51.90	3	Vertical	91	1.42	-	36.03	6.08	33.40
RMS	7.1754G	48.87	68.20	-19.33	40.19	3	Vertical	91	1.42	-	36.00	6.08	33.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7466G	102.37	Inf	-Inf	95.59	3	Horizontal	352	2.00	-	34.01	5.75	32.98
RMS	6.7962G	90.61	Inf	-Inf	83.57	3	Horizontal	352	2.00	-	34.28	5.80	33.04
PK	7.1786G	60.82	88.20	-27.38	52.13	3	Horizontal	352	2.00	-	36.01	6.08	33.40
RMS	7.1834G	48.88	68.20	-19.32	40.17	3	Horizontal	352	2.00	-	36.03	6.08	33.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56304G	57.53	88.20	-30.67	42.12	3	Vertical	235	2.60	-	39.96	9.36	33.91
RMS	13.56084G	44.28	68.20	-23.92	28.87	3	Vertical	235	2.60	-	39.96	9.36	33.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56012G	57.35	88.20	-30.85	41.94	3	Horizontal	59	1.95	-	39.96	9.36	33.91
RMS	13.56036G	44.29	68.20	-23.91	28.88	3	Horizontal	59	1.95	-	39.96	9.36	33.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3511G	57.43	83.54	-26.11	55.37	1	Vertical	320	1.55	-	37.64	14.26	49.84
AV	20.3503G	43.78	63.54	-19.76	41.72	1	Vertical	320	1.55	-	37.64	14.26	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3556G	57.60	83.54	-25.94	55.53	1	Horizontal	319	1.57	-	37.64	14.27	49.84
AV	20.35726G	43.88	63.54	-19.66	41.81	1	Horizontal	319	1.57	-	37.64	14.27	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 60
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8342G	111.86	Inf	-Inf	104.76	3	Vertical	2	1.80	-	34.37	5.82	33.09
RMS	6.8594G	97.34	Inf	-Inf	90.19	3	Vertical	2	1.80	-	34.44	5.83	33.12
PK	7.1954G	61.48	88.20	-26.72	52.71	3	Vertical	2	1.80	-	36.08	6.10	33.41
RMS	7.208G	49.05	68.20	-19.15	40.23	3	Vertical	2	1.80	-	36.13	6.10	33.41


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 60
 06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8566G	104.65	Inf	-Inf	97.51	3	Horizontal	208	1.44	-	34.43	5.83	33.12
RMS	6.8566G	91.86	Inf	-Inf	84.72	3	Horizontal	208	1.44	-	34.43	5.83	33.12
PK	7.2024G	61.91	88.20	-26.29	53.11	3	Horizontal	208	1.44	-	36.11	6.10	33.41
RMS	7.2094G	49.04	68.20	-19.16	40.21	3	Horizontal	208	1.44	-	36.14	6.10	33.41


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 60
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73404G	58.52	88.20	-29.68	43.07	3	Vertical	333	2.54	-	40.00	9.45	34.00
RMS	13.73964G	45.42	68.20	-22.78	29.94	3	Vertical	333	2.54	-	40.02	9.46	34.00


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 60
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73416G	58.55	88.20	-29.65	43.10	3	Horizontal	82	1.96	-	40.00	9.45	34.00
RMS	13.73488G	45.45	68.20	-22.75	30.00	3	Horizontal	82	1.96	-	40.00	9.45	34.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 60
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59566G	55.67	83.54	-27.87	53.27	1	Vertical	75	1.55	-	37.81	14.45	49.86
AV	20.59906G	41.63	63.54	-21.91	39.22	1	Vertical	75	1.55	-	37.82	14.45	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 60
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59774G	54.89	83.54	-28.65	52.48	1	Horizontal	188	1.54	-	37.82	14.45	49.86
AV	20.59674G	41.61	63.54	-21.93	39.20	1	Horizontal	188	1.54	-	37.82	14.45	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9498G	111.41	Inf	-Inf	103.88	3	Vertical	3	1.98	-	34.90	5.87	33.24
RMS	6.9486G	97.98	Inf	-Inf	90.46	3	Vertical	3	1.98	-	34.89	5.87	33.24
PK	7.1862G	62.46	88.20	-25.74	53.73	3	Vertical	3	1.98	-	36.04	6.09	33.40
RMS	7.2426G	49.06	68.20	-19.14	40.12	3	Vertical	3	1.98	-	36.27	6.10	33.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9114G	103.13	Inf	-Inf	95.79	3	Horizontal	32	1.82	-	34.67	5.86	33.19
RMS	6.957G	91.09	Inf	-Inf	83.55	3	Horizontal	32	1.82	-	34.91	5.88	33.25
PK	7.2234G	61.26	88.20	-26.94	52.39	3	Horizontal	32	1.82	-	36.19	6.10	33.42
RMS	7.2366G	49.13	68.20	-19.07	40.21	3	Horizontal	32	1.82	-	36.25	6.10	33.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89876G	59.26	88.20	-28.94	43.50	3	Vertical	8	1.58	-	40.30	9.54	34.08
RMS	13.89416G	45.66	68.20	-22.54	29.91	3	Vertical	8	1.58	-	40.29	9.54	34.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8894G	59.69	88.20	-28.51	43.93	3	Horizontal	202	2.85	-	40.29	9.54	34.07
RMS	13.89312G	45.55	68.20	-22.65	29.80	3	Horizontal	202	2.85	-	40.29	9.54	34.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83216G	55.93	83.54	-27.61	53.21	1	Vertical	62	1.52	-	37.87	14.62	49.77
AV	20.8373G	42.31	63.54	-21.23	39.59	1	Vertical	62	1.52	-	37.86	14.63	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8335G	55.99	83.54	-27.55	53.26	1	Horizontal	93	1.55	-	37.87	14.63	49.77
AV	20.83432G	42.28	63.54	-21.26	39.55	1	Horizontal	93	1.55	-	37.87	14.63	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	109.38	Inf	-Inf	101.80	3	Vertical	345	1.50	-	34.98	5.90	33.30
RMS	7.0386G	97.58	Inf	-Inf	89.82	3	Vertical	345	1.50	-	35.15	5.94	33.33
PK	7.125G	67.47	88.20	-20.73	59.06	3	Vertical	345	1.50	-	35.75	6.03	33.37
RMS	7.125G	52.53	68.20	-15.67	44.12	3	Vertical	345	1.50	-	35.75	6.03	33.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9978G	105.65	Inf	-Inf	98.06	3	Horizontal	38	1.93	-	35.00	5.90	33.31
RMS	6.997G	90.30	Inf	-Inf	82.72	3	Horizontal	38	1.93	-	34.99	5.90	33.31
PK	7.1914G	62.15	88.20	-26.05	53.40	3	Horizontal	38	1.93	-	36.07	6.09	33.41
RMS	7.125G	49.97	68.20	-18.23	41.56	3	Horizontal	38	1.93	-	35.75	6.03	33.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05056G	60.42	88.20	-27.78	44.21	3	Vertical	145	1.76	-	40.70	9.63	34.12
RMS	14.05096G	46.75	68.20	-21.45	30.54	3	Vertical	145	1.76	-	40.70	9.63	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0562G	60.39	88.20	-27.81	44.17	3	Horizontal	161	2.20	-	40.71	9.63	34.12
RMS	14.05764G	46.74	68.20	-21.46	30.51	3	Horizontal	161	2.20	-	40.72	9.63	34.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07144G	53.00	83.54	-30.54	50.29	1	Vertical	83	1.51	-	37.60	14.80	49.69
AV	21.07144G	39.81	63.54	-23.73	37.10	1	Vertical	83	1.51	-	37.60	14.80	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07166G	53.37	83.54	-30.17	50.66	1	Horizontal	182	1.55	-	37.60	14.80	49.69
AV	21.07378G	39.84	63.54	-23.70	37.12	1	Horizontal	182	1.55	-	37.60	14.81	49.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.793G	57.09	88.20	-31.11	52.10	3	Vertical	102	1.33	-	32.00	5.30	32.31
RMS	5.801G	48.13	68.20	-20.07	43.14	3	Vertical	102	1.33	-	32.00	5.30	32.31
PK	6.2042G	108.96	Inf	-Inf	103.45	3	Vertical	102	1.33	-	32.53	5.50	32.52
RMS	6.2042G	96.73	Inf	-Inf	91.22	3	Vertical	102	1.33	-	32.53	5.50	32.52

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	57.94	88.20	-30.26	52.88	3	Horizontal	166	1.79	-	32.04	5.37	32.35
RMS	5.7962G	46.55	68.20	-21.65	41.56	3	Horizontal	166	1.79	-	32.00	5.30	32.31
PK	6.1114G	103.53	Inf	-Inf	98.06	3	Horizontal	166	1.79	-	32.45	5.50	32.48
RMS	6.153G	90.13	Inf	-Inf	84.54	3	Horizontal	166	1.79	-	32.59	5.50	32.50

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom



EUT Y_4TX
Setting 72
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36754G	55.00	74.00	-19.00	41.87	3	Vertical	120	1.80	-	38.53	8.70	34.10
AV	12.36784G	41.63	54.00	-12.37	28.49	3	Vertical	120	1.80	-	38.53	8.70	34.09