


802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37284G	55.20	74.00	-18.80	42.05	3	Horizontal	200	2.36	-	38.53	8.71	34.09
AV	12.37036G	41.53	54.00	-12.47	28.39	3	Horizontal	200	2.36	-	38.53	8.70	34.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55416G	56.40	83.54	-27.14	54.74	1	Vertical	44	1.55	-	37.78	13.93	50.05
AV	18.5514G	42.56	63.54	-20.98	40.90	1	Vertical	44	1.55	-	37.78	13.93	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55506G	56.41	83.54	-27.13	54.74	1	Horizontal	134	1.52	-	37.78	13.93	50.04
AV	18.55034G	42.56	63.54	-20.98	40.90	1	Horizontal	134	1.52	-	37.78	13.93	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 69
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8494G	57.44	88.20	-30.76	52.43	3	Vertical	91	1.80	-	32.00	5.35	32.34
RMS	5.8074G	46.15	68.20	-22.05	41.15	3	Vertical	91	1.80	-	32.00	5.31	32.31
PK	6.2694G	111.64	Inf	-Inf	105.86	3	Vertical	91	1.80	-	32.80	5.53	32.55
RMS	6.2694G	95.68	Inf	-Inf	89.90	3	Vertical	91	1.80	-	32.80	5.53	32.55

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 69
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	56.73	88.20	-31.47	51.55	3	Horizontal	208	1.80	-	32.14	5.42	32.38
RMS	5.8018G	48.23	68.20	-19.97	43.24	3	Horizontal	208	1.80	-	32.00	5.30	32.31
PK	6.3646G	105.21	Inf	-Inf	99.00	3	Horizontal	208	1.80	-	33.22	5.58	32.59
RMS	6.3282G	92.24	Inf	-Inf	86.28	3	Horizontal	208	1.80	-	32.97	5.56	32.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 69
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68408G	55.56	74.00	-18.44	41.97	3	Vertical	294	2.92	-	38.74	8.88	34.03
AV	12.68208G	41.79	54.00	-12.21	28.21	3	Vertical	294	2.92	-	38.73	8.88	34.03

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 69
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69544G	55.55	74.00	-18.45	41.92	3	Horizontal	200	1.12	-	38.78	8.88	34.03
AV	12.69084G	41.87	54.00	-12.13	28.26	3	Horizontal	200	1.12	-	38.76	8.88	34.03

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.039G	53.66	83.54	-29.88	51.37	1	Vertical	330	1.52	-	37.95	13.95	49.61
AV	19.03402G	40.60	63.54	-22.94	38.30	1	Vertical	330	1.52	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03616G	54.68	83.54	-28.86	52.38	1	Horizontal	6	1.54	-	37.96	13.95	49.61
AV	19.03472G	40.60	63.54	-22.94	38.30	1	Horizontal	6	1.54	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 69
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8806G	57.00	88.20	-31.20	51.92	3	Vertical	354	1.69	-	32.06	5.38	32.36
RMS	5.8442G	44.38	68.20	-23.82	39.38	3	Vertical	354	1.69	-	32.00	5.34	32.34
PK	6.435G	112.58	Inf	-Inf	106.03	3	Vertical	354	1.69	-	33.57	5.60	32.62
RMS	6.5386G	98.80	Inf	-Inf	91.85	3	Vertical	354	1.69	-	34.05	5.60	32.70
PK	7.1826G	61.22	88.20	-26.98	52.51	3	Vertical	354	1.69	-	36.03	6.08	33.40
RMS	7.1994G	49.06	68.20	-19.14	40.27	3	Vertical	354	1.69	-	36.10	6.10	33.41

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_4TX
Setting 69
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	56.40	88.20	-31.80	51.40	3	Horizontal	199	2.22	-	32.00	5.34	32.34
RMS	5.8106G	45.61	68.20	-22.59	40.62	3	Horizontal	199	2.22	-	32.00	5.31	32.32
PK	6.4462G	103.45	Inf	-Inf	96.89	3	Horizontal	199	2.22	-	33.59	5.60	32.63
RMS	6.4686G	91.87	Inf	-Inf	85.20	3	Horizontal	199	2.22	-	33.71	5.60	32.64
PK	7.177G	60.83	88.20	-27.37	52.14	3	Horizontal	199	2.22	-	36.01	6.08	33.40
RMS	7.1994G	49.02	68.20	-19.18	40.23	3	Horizontal	199	2.22	-	36.10	6.10	33.41

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 69
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01168G	56.11	88.20	-32.09	41.94	3	Vertical	317	2.66	-	39.10	9.06	33.99
RMS	13.0128G	42.65	68.20	-25.55	28.48	3	Vertical	317	2.66	-	39.10	9.06	33.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 69
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0132G	56.37	88.20	-31.83	42.20	3	Horizontal	8	1.52	-	39.10	9.06	33.99
RMS	13.01596G	42.74	68.20	-25.46	28.57	3	Horizontal	8	1.52	-	39.10	9.06	33.99


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 69
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5183G	55.50	83.54	-28.04	53.33	1	Vertical	270	1.58	-	37.89	13.98	49.70
AV	19.51764G	41.37	63.54	-22.17	39.20	1	Vertical	270	1.58	-	37.89	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 69
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51402G	54.79	83.54	-28.75	52.62	1	Horizontal	98	1.55	-	37.89	13.98	49.70
AV	19.51668G	41.36	63.54	-22.18	39.19	1	Horizontal	98	1.55	-	37.89	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 67
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.601G	109.71	Inf	-Inf	102.69	3	Vertical	6	1.80	-	34.20	5.60	32.78
RMS	6.601G	97.05	Inf	-Inf	90.03	3	Vertical	6	1.80	-	34.20	5.60	32.78
PK	7.153G	60.67	88.20	-27.53	52.10	3	Vertical	6	1.80	-	35.91	6.05	33.39
RMS	7.125G	48.61	68.20	-19.59	40.20	3	Vertical	6	1.80	-	35.75	6.03	33.37

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 67
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.591G	106.23	Inf	-Inf	99.22	3	Horizontal	198	1.67	-	34.18	5.60	32.77
RMS	6.607G	90.37	Inf	-Inf	83.36	3	Horizontal	198	1.67	-	34.19	5.61	32.79
PK	7.131G	60.98	88.20	-27.22	52.54	3	Horizontal	198	1.67	-	35.79	6.03	33.38
RMS	7.161G	48.56	68.20	-19.64	39.95	3	Horizontal	198	1.67	-	35.94	6.06	33.39

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 67
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33576G	57.04	74.00	-16.96	42.18	3	Vertical	275	1.94	-	39.55	9.23	33.92
AV	13.33456G	43.71	54.00	-10.29	28.86	3	Vertical	275	1.94	-	39.54	9.23	33.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 67
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3372G	56.44	74.00	-17.56	41.56	3	Horizontal	358	2.28	-	39.56	9.24	33.92
AV	13.33444G	43.31	54.00	-10.69	28.46	3	Horizontal	358	2.28	-	39.54	9.23	33.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 67
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99716G	54.80	83.54	-28.74	53.10	1	Vertical	303	1.51	-	37.40	14.00	49.70
AV	19.9961G	41.61	63.54	-21.93	39.90	1	Vertical	303	1.51	-	37.41	14.00	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 67
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99134G	55.08	83.54	-28.46	53.37	1	Horizontal	172	1.58	-	37.41	14.00	49.70
AV	19.9912G	41.67	63.54	-21.87	39.96	1	Horizontal	172	1.58	-	37.41	14.00	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Y_4TX
Setting 65
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.753G	109.74	Inf	-Inf	102.95	3	Vertical	5	1.48	-	34.02	5.75	32.98
RMS	6.8538G	96.54	Inf	-Inf	89.41	3	Vertical	5	1.48	-	34.42	5.83	33.12
PK	7.145G	62.23	88.20	-25.97	53.70	3	Vertical	5	1.48	-	35.87	6.04	33.38
RMS	7.209G	49.23	68.20	-18.97	40.40	3	Vertical	5	1.48	-	36.14	6.10	33.41


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 65
 06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8538G	103.50	Inf	-Inf	96.37	3	Horizontal	356	1.92	-	34.42	5.83	33.12
RMS	6.8538G	90.79	Inf	-Inf	83.66	3	Horizontal	356	1.92	-	34.42	5.83	33.12
PK	7.1994G	61.48	88.20	-26.72	52.69	3	Horizontal	356	1.92	-	36.10	6.10	33.41
RMS	7.2106G	49.14	68.20	-19.06	40.32	3	Horizontal	356	1.92	-	36.14	6.10	33.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 65
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64564G	59.22	88.20	-28.98	43.81	3	Vertical	305	1.39	-	39.95	9.41	33.95
RMS	13.64812G	45.32	68.20	-22.88	29.91	3	Vertical	305	1.39	-	39.95	9.41	33.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 65
 06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65128G	58.67	88.20	-29.53	43.27	3	Horizontal	24	2.61	-	39.95	9.41	33.96
RMS	13.65196G	45.28	68.20	-22.92	29.88	3	Horizontal	24	2.61	-	39.95	9.41	33.96


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 65
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47596G	56.58	83.54	-26.96	54.42	1	Vertical	262	1.58	-	37.69	14.36	49.89
AV	20.47004G	43.24	63.54	-20.30	41.09	1	Vertical	262	1.58	-	37.69	14.35	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 65
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47168G	57.19	83.54	-26.35	55.04	1	Horizontal	75	1.57	-	37.69	14.35	49.89
AV	20.47002G	43.17	63.54	-20.37	41.02	1	Horizontal	75	1.57	-	37.69	14.35	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 73
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	114.59	Inf	-Inf	107.25	3	Vertical	2	1.80	-	34.68	5.86	33.20
RMS	6.9418G	97.24	Inf	-Inf	89.75	3	Vertical	2	1.80	-	34.85	5.87	33.23
PK	7.1386G	68.79	88.20	-19.41	60.30	3	Vertical	2	1.80	-	35.83	6.04	33.38
RMS	7.1258G	49.49	68.20	-18.71	41.08	3	Vertical	2	1.80	-	35.75	6.03	33.37
PK	7.2778G	62.30	74.00	-11.70	53.29	3	Vertical	2	1.80	-	36.36	6.10	33.45
AV	7.3066G	49.41	54.00	-4.59	40.40	3	Vertical	2	1.80	-	36.37	6.10	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 73
06-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	107.08	Inf	-Inf	99.71	3	Horizontal	35	1.98	-	34.71	5.86	33.20
RMS	7.0058G	92.10	Inf	-Inf	84.48	3	Horizontal	35	1.98	-	35.02	5.91	33.31
PK	7.1306G	69.91	88.20	-18.29	61.48	3	Horizontal	35	1.98	-	35.78	6.03	33.38
RMS	7.2458G	49.27	68.20	-18.93	40.32	3	Horizontal	35	1.98	-	36.28	6.10	33.43
PK	7.3594G	61.78	74.00	-12.22	53.01	3	Horizontal	35	1.98	-	36.16	6.10	33.49
AV	7.2954G	49.48	54.00	-4.52	40.45	3	Horizontal	35	1.98	-	36.39	6.10	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 73
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98344G	59.95	88.20	-28.25	43.93	3	Vertical	263	1.80	-	40.55	9.59	34.12
RMS	13.98504G	46.48	68.20	-21.72	30.45	3	Vertical	263	1.80	-	40.56	9.59	34.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




24/09/2021

EUT Y_4TX
Setting 73
06-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98032G	60.18	88.20	-28.02	44.17	3	Horizontal	179	2.50	-	40.54	9.59	34.12
RMS	13.9868G	46.41	68.20	-21.79	30.38	3	Horizontal	179	2.50	-	40.56	9.59	34.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95708G	54.52	83.54	-29.02	51.85	1	Vertical	51	1.53	-	37.67	14.72	49.72
AV	20.95222G	41.42	63.54	-22.12	38.75	1	Vertical	51	1.53	-	37.68	14.71	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95694G	54.28	83.54	-29.26	51.61	1	Horizontal	122	1.56	-	37.67	14.72	49.72
AV	20.95486G	41.47	63.54	-22.07	38.80	1	Horizontal	122	1.56	-	37.67	14.72	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	Pass	RMS	7.2938G	49.98	54.00	-4.02	3	Vertical	0	1.80	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	56.89	88.20	-31.31	51.76	3	Vertical	269	2.49	-	32.10	5.40	32.37
RMS	5.8714G	46.23	68.20	-21.97	41.17	3	Vertical	269	2.49	-	32.04	5.37	32.35
PK	6.1174G	108.84	Inf	-Inf	103.35	3	Vertical	269	2.49	-	32.47	5.50	32.48
RMS	6.1186G	98.09	Inf	-Inf	92.60	3	Vertical	269	2.49	-	32.47	5.50	32.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	56.76	88.20	-31.44	51.69	3	Horizontal	206	1.80	-	32.05	5.38	32.36
RMS	5.869G	46.14	68.20	-22.06	41.08	3	Horizontal	206	1.80	-	32.04	5.37	32.35
PK	6.109G	101.53	Inf	-Inf	96.07	3	Horizontal	206	1.80	-	32.44	5.50	32.48
RMS	6.1066G	91.77	Inf	-Inf	86.32	3	Horizontal	206	1.80	-	32.43	5.50	32.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2334G	54.97	74.00	-19.03	41.81	3	Vertical	253	2.95	-	38.67	8.63	34.14
AV	12.22666G	41.85	54.00	-12.15	28.70	3	Vertical	253	2.95	-	38.67	8.62	34.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2263G	55.56	74.00	-18.44	42.41	3	Horizontal	299	2.58	-	38.67	8.62	34.14
AV	12.22784G	41.75	54.00	-12.25	28.59	3	Horizontal	299	2.58	-	38.67	8.63	34.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3455G	57.01	83.54	-26.53	55.64	1	Vertical	154	1.54	-	37.61	13.92	50.16
AV	18.3418G	43.97	63.54	-19.57	42.60	1	Vertical	154	1.54	-	37.61	13.92	50.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34758G	57.56	83.54	-25.98	56.18	1	Horizontal	15	1.58	-	37.62	13.92	50.16
AV	18.34206G	43.85	63.54	-19.69	42.48	1	Horizontal	15	1.58	-	37.61	13.92	50.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.814G	56.82	88.20	-31.38	51.83	3	Vertical	266	1.16	-	32.00	5.31	32.32
RMS	5.8698G	46.11	68.20	-22.09	41.05	3	Vertical	266	1.16	-	32.04	5.37	32.35
PK	6.2532G	107.29	Inf	-Inf	101.50	3	Vertical	266	1.16	-	32.80	5.53	32.54
RMS	6.2478G	97.02	Inf	-Inf	91.25	3	Vertical	266	1.16	-	32.79	5.52	32.54

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8338G	56.68	88.20	-31.52	51.68	3	Horizontal	181	1.64	-	32.00	5.33	32.33
RMS	5.8104G	46.06	68.20	-22.14	41.07	3	Horizontal	181	1.64	-	32.00	5.31	32.32
PK	6.2622G	100.61	Inf	-Inf	94.83	3	Horizontal	181	1.64	-	32.80	5.53	32.55
RMS	6.2604G	92.07	Inf	-Inf	86.28	3	Horizontal	181	1.64	-	32.80	5.53	32.54

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50698G	54.65	74.00	-19.35	41.71	3	Vertical	203	1.36	-	38.21	8.78	34.05
AV	12.51022G	41.06	54.00	-12.94	28.11	3	Vertical	203	1.36	-	38.22	8.78	34.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50742G	54.44	74.00	-19.56	41.50	3	Horizontal	218	1.31	-	38.21	8.78	34.05
AV	12.5056G	40.94	54.00	-13.06	28.00	3	Horizontal	218	1.31	-	38.21	8.78	34.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7626G	54.64	83.54	-28.90	52.82	1	Vertical	66	1.53	-	37.72	13.94	49.84
AV	18.76366G	40.87	63.54	-22.67	39.05	1	Vertical	66	1.53	-	37.72	13.94	49.84

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76232G	54.66	83.54	-28.88	52.85	1	Horizontal	122	1.50	-	37.71	13.94	49.84
AV	18.76722G	40.82	63.54	-22.72	38.99	1	Horizontal	122	1.50	-	37.72	13.94	49.83

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.839G	56.27	88.20	-31.93	51.26	3	Vertical	7	1.73	-	32.00	5.34	32.33
RMS	5.8438G	46.17	68.20	-22.03	41.17	3	Vertical	7	1.73	-	32.00	5.34	32.34
PK	6.4198G	108.32	Inf	-Inf	101.79	3	Vertical	7	1.73	-	33.54	5.60	32.61
RMS	6.4102G	98.25	Inf	-Inf	91.74	3	Vertical	7	1.73	-	33.52	5.60	32.61

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8246G	56.57	88.20	-31.63	51.57	3	Horizontal	17	2.13	-	32.00	5.32	32.32
RMS	5.8678G	46.10	68.20	-22.10	41.04	3	Horizontal	17	2.13	-	32.04	5.37	32.35
PK	6.4126G	101.43	Inf	-Inf	94.91	3	Horizontal	17	2.13	-	33.53	5.60	32.61
RMS	6.4102G	90.27	Inf	-Inf	83.76	3	Horizontal	17	2.13	-	33.52	5.60	32.61

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82506G	55.27	88.20	-32.93	41.40	3	Vertical	42	1.23	-	38.93	8.95	34.01
RMS	12.82616G	41.93	68.20	-26.27	28.06	3	Vertical	42	1.23	-	38.93	8.95	34.01

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.831G	55.55	88.20	-32.65	41.67	3	Horizontal	90	2.03	-	38.93	8.96	34.01
RMS	12.82664G	41.97	68.20	-26.23	28.10	3	Horizontal	90	2.03	-	38.93	8.95	34.01

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24916G	54.06	83.54	-29.48	52.05	1	Vertical	335	1.51	-	37.70	13.96	49.65
AV	19.24742G	40.84	63.54	-22.70	38.83	1	Vertical	335	1.51	-	37.70	13.96	49.65

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24558G	54.29	83.54	-29.25	52.27	1	Horizontal	255	1.52	-	37.71	13.96	49.65
AV	19.24516G	40.86	63.54	-22.68	38.84	1	Horizontal	255	1.52	-	37.71	13.96	49.65

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	55.67	88.20	-32.53	50.52	3	Vertical	355	1.80	-	32.11	5.41	32.37
RMS	5.9214G	45.98	68.20	-22.22	40.80	3	Vertical	355	1.80	-	32.14	5.42	32.38
PK	6.435G	105.64	Inf	-Inf	99.09	3	Vertical	355	1.80	-	33.57	5.60	32.62
RMS	6.4326G	96.16	Inf	-Inf	89.61	3	Vertical	355	1.80	-	33.57	5.60	32.62

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	55.94	88.20	-32.26	50.82	3	Horizontal	201	2.00	-	32.09	5.40	32.37
RMS	5.8614G	45.95	68.20	-22.25	40.92	3	Horizontal	201	2.00	-	32.02	5.36	32.35
PK	6.4422G	102.16	Inf	-Inf	95.60	3	Horizontal	201	2.00	-	33.58	5.60	32.62
RMS	6.4398G	92.97	Inf	-Inf	86.41	3	Horizontal	201	2.00	-	33.58	5.60	32.62

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87258G	55.70	88.20	-32.50	41.76	3	Vertical	47	1.13	-	38.97	8.98	34.01
RMS	12.8667G	42.03	68.20	-26.17	28.09	3	Vertical	47	1.13	-	38.97	8.98	34.01

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87464G	55.40	88.20	-32.80	41.46	3	Horizontal	253	1.91	-	38.97	8.98	34.01
RMS	12.87412G	42.04	68.20	-26.16	28.10	3	Horizontal	253	1.91	-	38.97	8.98	34.01

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30552G	54.81	83.54	-28.73	52.76	1	Vertical	24	1.54	-	37.74	13.97	49.66
AV	19.30328G	40.78	63.54	-22.76	38.73	1	Vertical	24	1.54	-	37.74	13.97	49.66

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30466G	53.99	83.54	-29.55	51.94	1	Horizontal	180	1.57	-	37.74	13.97	49.66
AV	19.30834G	40.87	63.54	-22.67	38.81	1	Horizontal	180	1.57	-	37.75	13.97	49.66

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8562G	55.59	88.20	-32.61	50.56	3	Vertical	358	1.80	-	32.01	5.36	32.34
RMS	5.838G	45.97	68.20	-22.23	40.96	3	Vertical	358	1.80	-	32.00	5.34	32.33
PK	6.4776G	104.96	Inf	-Inf	98.23	3	Vertical	358	1.80	-	33.77	5.60	32.64
RMS	6.4776G	96.06	Inf	-Inf	89.33	3	Vertical	358	1.80	-	33.77	5.60	32.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.864G	55.64	88.20	-32.56	50.60	3	Horizontal	199	2.04	-	32.03	5.36	32.35
RMS	5.8484G	45.95	68.20	-22.25	40.94	3	Horizontal	199	2.04	-	32.00	5.35	32.34
PK	6.4672G	100.62	Inf	-Inf	93.96	3	Horizontal	199	2.04	-	33.70	5.60	32.64
RMS	6.4698G	91.75	Inf	-Inf	85.07	3	Horizontal	199	2.04	-	33.72	5.60	32.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95064G	56.43	88.20	-31.77	42.36	3	Vertical	165	2.46	-	39.05	9.02	34.00
RMS	12.94788G	42.49	68.20	-25.71	28.42	3	Vertical	165	2.46	-	39.05	9.02	34.00

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94702G	56.52	88.20	-31.68	42.45	3	Horizontal	340	2.92	-	39.05	9.02	34.00
RMS	12.94614G	42.51	68.20	-25.69	28.44	3	Horizontal	340	2.92	-	39.05	9.02	34.00

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4233G	54.14	83.54	-29.40	52.01	1	Vertical	320	1.55	-	37.84	13.97	49.68
AV	19.42732G	40.68	63.54	-22.86	38.56	1	Vertical	320	1.55	-	37.84	13.97	49.69

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4248G	53.91	83.54	-29.63	51.78	1	Horizontal	135	1.51	-	37.84	13.97	49.68
AV	19.42424G	40.56	63.54	-22.98	38.43	1	Horizontal	135	1.51	-	37.84	13.97	49.68

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	57.35	88.20	-30.85	52.24	3	Vertical	9	1.80	-	32.08	5.39	32.36
RMS	5.8702G	46.12	68.20	-22.08	41.06	3	Vertical	9	1.80	-	32.04	5.37	32.35
PK	6.5202G	107.60	Inf	-Inf	100.70	3	Vertical	9	1.80	-	33.98	5.60	32.68
RMS	6.5176G	98.01	Inf	-Inf	91.11	3	Vertical	9	1.80	-	33.97	5.60	32.67
PK	7.1572G	60.77	88.20	-27.43	52.17	3	Vertical	9	1.80	-	35.93	6.06	33.39
RMS	7.165G	50.47	68.20	-17.73	41.83	3	Vertical	9	1.80	-	35.96	6.07	33.39

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TnomVnom




EUT_V_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	55.79	88.20	-32.41	50.75	3	Horizontal	202	2.05	-	32.03	5.36	32.35
RMS	5.8702G	46.13	68.20	-22.07	41.07	3	Horizontal	202	2.05	-	32.04	5.37	32.35
PK	6.5124G	101.97	Inf	-Inf	95.09	3	Horizontal	202	2.05	-	33.95	5.60	32.67
RMS	6.5176G	93.10	Inf	-Inf	86.20	3	Horizontal	202	2.05	-	33.97	5.60	32.67
PK	7.139G	59.69	88.20	-28.51	51.20	3	Horizontal	202	2.05	-	35.83	6.04	33.38
RMS	7.165G	50.39	68.20	-17.81	41.75	3	Horizontal	202	2.05	-	35.96	6.07	33.39

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03014G	56.66	88.20	-31.54	42.47	3	Vertical	104	2.07	-	39.10	9.07	33.98
RMS	13.03386G	42.66	68.20	-25.54	28.47	3	Vertical	104	2.07	-	39.10	9.07	33.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03126G	56.71	88.20	-31.49	42.52	3	Horizontal	64	1.40	-	39.10	9.07	33.98
RMS	13.0344G	42.65	68.20	-25.55	28.46	3	Horizontal	64	1.40	-	39.10	9.07	33.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54602G	55.59	83.54	-27.95	53.43	1	Vertical	300	1.52	-	37.88	13.98	49.70
AV	19.543G	42.00	63.54	-21.54	39.84	1	Vertical	300	1.52	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54336G	55.39	83.54	-28.15	53.23	1	Horizontal	189	1.56	-	37.88	13.98	49.70
AV	19.5461G	42.02	63.54	-21.52	39.86	1	Horizontal	189	1.56	-	37.88	13.98	49.70

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	56.14	88.20	-32.06	51.03	3	Vertical	357	1.76	-	32.09	5.39	32.37
RMS	5.8714G	46.11	68.20	-22.09	41.05	3	Vertical	357	1.76	-	32.04	5.37	32.35
PK	6.535G	107.53	Inf	-Inf	100.59	3	Vertical	357	1.76	-	34.04	5.60	32.70
RMS	6.5378G	98.50	Inf	-Inf	91.55	3	Vertical	357	1.76	-	34.05	5.60	32.70
PK	7.2098G	60.94	88.20	-27.26	52.11	3	Vertical	357	1.76	-	36.14	6.10	33.41
RMS	7.2238G	50.95	68.20	-17.25	42.07	3	Vertical	357	1.76	-	36.20	6.10	33.42

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TnomVnom




EUT_V_4TX
Setting 43
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.849G	56.61	88.20	-31.59	51.60	3	Horizontal	198	1.97	-	32.00	5.35	32.34
RMS	5.863G	46.10	68.20	-22.10	41.06	3	Horizontal	198	1.97	-	32.03	5.36	32.35
PK	6.5406G	101.14	Inf	-Inf	94.18	3	Horizontal	198	1.97	-	34.06	5.60	32.70
RMS	6.5406G	92.88	Inf	-Inf	85.92	3	Horizontal	198	1.97	-	34.06	5.60	32.70
PK	7.1258G	61.25	88.20	-26.95	52.84	3	Horizontal	198	1.97	-	35.75	6.03	33.37
RMS	7.235G	50.89	68.20	-17.31	41.98	3	Horizontal	198	1.97	-	36.24	6.10	33.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07282G	57.04	88.20	-31.16	42.82	3	Vertical	113	1.65	-	39.10	9.09	33.97
RMS	13.07288G	42.82	68.20	-25.38	28.60	3	Vertical	113	1.65	-	39.10	9.09	33.97

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07376G	56.23	88.20	-31.97	42.01	3	Horizontal	257	1.66	-	39.10	9.09	33.97
RMS	13.06956G	42.73	68.20	-25.47	28.51	3	Horizontal	257	1.66	-	39.10	9.09	33.97

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6097G	55.83	83.54	-27.71	53.69	1	Vertical	325	1.56	-	37.86	13.98	49.70
AV	19.60002G	41.96	63.54	-21.58	39.82	1	Vertical	325	1.56	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60572G	56.42	83.54	-27.12	54.28	1	Horizontal	18	1.58	-	37.86	13.98	49.70
AV	19.60036G	41.92	63.54	-21.62	39.78	1	Horizontal	18	1.58	-	37.86	13.98	49.70

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	106.24	Inf	-Inf	99.35	3	Vertical	270	1.63	-	34.10	5.70	32.91
RMS	6.6928G	96.96	Inf	-Inf	90.07	3	Vertical	270	1.63	-	34.10	5.69	32.90
PK	7.1416G	60.64	88.20	-27.56	52.13	3	Vertical	270	1.63	-	35.85	6.04	33.38
RMS	7.2296G	50.87	68.20	-17.33	41.97	3	Vertical	270	1.63	-	36.22	6.10	33.42

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	101.73	Inf	-Inf	94.85	3	Horizontal	201	1.75	-	34.10	5.70	32.92
RMS	6.6972G	92.82	Inf	-Inf	85.93	3	Horizontal	201	1.75	-	34.10	5.70	32.91
PK	7.1482G	61.03	88.20	-27.17	52.47	3	Horizontal	201	1.75	-	35.89	6.05	33.38
RMS	7.2318G	50.91	68.20	-17.29	42.01	3	Horizontal	201	1.75	-	36.23	6.10	33.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39226G	57.48	74.00	-16.52	42.16	3	Vertical	339	2.55	-	39.95	9.27	33.90
AV	13.395G	43.39	54.00	-10.61	28.06	3	Vertical	339	2.55	-	39.96	9.27	33.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39008G	57.23	74.00	-16.77	41.94	3	Horizontal	217	2.90	-	39.93	9.26	33.90
AV	13.38508G	43.41	54.00	-10.59	28.16	3	Horizontal	217	2.90	-	39.90	9.26	33.91

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0844G	55.24	83.54	-28.30	53.44	1	Vertical	52	1.50	-	37.47	14.06	49.73
AV	20.08112G	41.50	63.54	-22.04	39.71	1	Vertical	52	1.50	-	37.46	14.06	49.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08218G	54.84	83.54	-28.70	53.04	1	Horizontal	322	1.58	-	37.47	14.06	49.73
AV	20.08176G	41.60	63.54	-21.94	39.80	1	Horizontal	322	1.58	-	37.47	14.06	49.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	106.61	Inf	-Inf	99.50	3	Vertical	0	1.85	-	34.40	5.82	33.11
RMS	6.862G	97.22	Inf	-Inf	90.07	3	Vertical	0	1.85	-	34.45	5.83	33.13
PK	7.1882G	60.75	88.20	-27.45	52.01	3	Vertical	0	1.85	-	36.05	6.09	33.40
RMS	7.205G	50.75	68.20	-17.45	41.94	3	Vertical	0	1.85	-	36.12	6.10	33.41

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	103.64	Inf	-Inf	96.49	3	Horizontal	22	2.04	-	34.44	5.83	33.12
RMS	6.8606G	93.42	Inf	-Inf	86.28	3	Horizontal	22	2.04	-	34.44	5.83	33.13
PK	7.1742G	60.58	88.20	-27.62	51.91	3	Horizontal	22	2.04	-	36.00	6.07	33.40
RMS	7.205G	50.64	68.20	-17.56	41.83	3	Horizontal	22	2.04	-	36.12	6.10	33.41

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71334G	59.24	88.20	-28.96	43.85	3	Vertical	13	1.19	-	39.94	9.44	33.99
RMS	13.71364G	45.08	68.20	-23.12	29.69	3	Vertical	13	1.19	-	39.94	9.44	33.99

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70838G	58.80	88.20	-29.40	43.41	3	Horizontal	294	2.44	-	39.93	9.44	33.98
RMS	13.70604G	45.06	68.20	-23.14	29.68	3	Horizontal	294	2.44	-	39.92	9.44	33.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56488G	55.07	83.54	-28.47	52.74	1	Vertical	231	1.58	-	37.78	14.42	49.87
AV	20.56286G	41.57	63.54	-21.97	39.24	1	Vertical	231	1.58	-	37.78	14.42	49.87

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


6855MHz_TnomVnom



EUT Y_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56412G	55.52	83.54	-28.02	53.19	1	Horizontal	170	1.52	-	37.78	14.42	49.87
AV	20.56146G	41.54	63.54	-22.00	39.23	1	Horizontal	170	1.52	-	37.77	14.42	49.88


802.11ax HEW20-BF_Nss2,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 39
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	107.73	Inf	-Inf	100.56	3	Vertical	5	1.80	-	34.48	5.83	33.14
RMS	6.8722G	98.26	Inf	-Inf	91.07	3	Vertical	5	1.80	-	34.49	5.84	33.14
PK	7.1466G	61.11	88.20	-27.09	52.56	3	Vertical	5	1.80	-	35.88	6.05	33.38
RMS	7.2236G	50.78	68.20	-17.42	41.91	3	Vertical	5	1.80	-	36.19	6.10	33.42

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 39
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8708G	102.42	Inf	-Inf	95.24	3	Horizontal	21	2.09	-	34.48	5.84	33.14
RMS	6.8722G	90.24	Inf	-Inf	83.05	3	Horizontal	21	2.09	-	34.49	5.84	33.14
PK	7.2222G	61.15	88.20	-27.05	52.28	3	Horizontal	21	2.09	-	36.19	6.10	33.42
RMS	7.225G	50.78	68.20	-17.42	41.90	3	Horizontal	21	2.09	-	36.20	6.10	33.42

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75096G	59.20	88.20	-29.00	43.70	3	Vertical	265	1.18	-	40.05	9.46	34.01
RMS	13.74802G	45.54	68.20	-22.66	30.04	3	Vertical	265	1.18	-	40.04	9.46	34.00

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75236G	59.22	88.20	-28.98	43.71	3	Horizontal	298	1.98	-	40.06	9.46	34.01
RMS	13.74976G	45.53	68.20	-22.67	30.02	3	Horizontal	298	1.98	-	40.05	9.46	34.00


802.11ax HEW20-BF_Nss2,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 39
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62594G	55.45	83.54	-28.09	52.98	1	Vertical	301	1.57	-	37.85	14.47	49.85
AV	20.6256G	42.04	63.54	-21.50	39.57	1	Vertical	301	1.57	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 39
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62368G	55.68	83.54	-27.86	53.21	1	Horizontal	136	1.56	-	37.85	14.47	49.85
AV	20.62914G	42.08	63.54	-21.46	39.61	1	Horizontal	136	1.56	-	37.85	14.47	49.85

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8894G	108.26	Inf	-Inf	101.02	3	Vertical	90	1.41	-	34.56	5.84	33.16
RMS	6.888G	98.37	Inf	-Inf	91.14	3	Vertical	90	1.41	-	34.55	5.84	33.16
PK	7.1834G	61.42	88.20	-26.78	52.71	3	Vertical	90	1.41	-	36.03	6.08	33.40
RMS	7.245G	50.90	68.20	-17.30	41.95	3	Vertical	90	1.41	-	36.28	6.10	33.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8908G	102.44	Inf	-Inf	95.20	3	Horizontal	21	2.09	-	34.56	5.85	33.17
RMS	6.8922G	90.81	Inf	-Inf	83.56	3	Horizontal	21	2.09	-	34.57	5.85	33.17
PK	7.2254G	61.36	88.20	-26.84	52.48	3	Horizontal	21	2.09	-	36.20	6.10	33.42
RMS	7.2408G	50.91	68.20	-17.29	41.98	3	Horizontal	21	2.09	-	36.26	6.10	33.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78628G	58.99	88.20	-29.21	43.37	3	Vertical	32	2.72	-	40.16	9.48	34.02
RMS	13.79094G	45.54	68.20	-22.66	29.91	3	Vertical	32	2.72	-	40.17	9.49	34.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79396G	59.20	88.20	-29.00	43.56	3	Horizontal	124	1.86	-	40.18	9.49	34.03
RMS	13.79126G	45.51	68.20	-22.69	29.88	3	Horizontal	124	1.86	-	40.17	9.49	34.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6886G	55.85	83.54	-27.69	53.24	1	Vertical	242	1.51	-	37.92	14.52	49.83
AV	20.6886G	42.68	63.54	-20.86	40.05	1	Vertical	242	1.51	-	37.93	14.52	49.82

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68228G	56.40	83.54	-27.14	53.80	1	Horizontal	76	1.53	-	37.92	14.51	49.83
AV	20.68094G	42.66	63.54	-20.88	40.06	1	Horizontal	76	1.53	-	37.92	14.51	49.83

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	106.21	Inf	-Inf	98.64	3	Vertical	92	1.07	-	34.97	5.89	33.29
RMS	6.987G	96.29	Inf	-Inf	88.72	3	Vertical	92	1.07	-	34.97	5.89	33.29
PK	7.1782G	61.33	88.20	-26.87	52.64	3	Vertical	92	1.07	-	36.01	6.08	33.40
RMS	7.187G	50.63	68.20	-17.57	41.89	3	Vertical	92	1.07	-	36.05	6.09	33.40

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9918G	103.84	Inf	-Inf	96.26	3	Horizontal	24	2.02	-	34.98	5.90	33.30
RMS	6.9934G	93.05	Inf	-Inf	85.46	3	Horizontal	24	2.02	-	34.99	5.90	33.30
PK	7.1422G	61.75	88.20	-26.45	53.24	3	Horizontal	24	2.02	-	35.85	6.04	33.38
RMS	7.187G	50.58	68.20	-17.62	41.84	3	Horizontal	24	2.02	-	36.05	6.09	33.40

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98694G	59.46	88.20	-28.74	43.43	3	Vertical	207	2.55	-	40.56	9.59	34.12
RMS	13.99234G	46.09	68.20	-22.11	30.04	3	Vertical	207	2.55	-	40.58	9.60	34.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99088G	59.73	88.20	-28.47	43.70	3	Horizontal	348	1.16	-	40.57	9.59	34.13
RMS	13.99488G	46.07	68.20	-22.13	30.02	3	Horizontal	348	1.16	-	40.58	9.60	34.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98438G	55.13	83.54	-28.41	52.48	1	Vertical	25	1.55	-	37.62	14.74	49.71
AV	20.98442G	41.09	63.54	-22.45	38.44	1	Vertical	25	1.55	-	37.62	14.74	49.71

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98444G	54.45	83.54	-29.09	51.80	1	Horizontal	143	1.51	-	37.62	14.74	49.71
AV	20.98182G	41.10	63.54	-22.44	38.44	1	Horizontal	143	1.51	-	37.63	14.74	49.71

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.098G	107.90	Inf	-Inf	99.68	3	Vertical	277	1.75	-	35.58	6.00	33.36
RMS	7.0968G	97.95	Inf	-Inf	89.74	3	Vertical	277	1.75	-	35.57	6.00	33.36
PK	7.221G	61.38	88.20	-26.82	52.52	3	Vertical	277	1.75	-	36.18	6.10	33.42
RMS	7.2372G	50.86	68.20	-17.34	41.94	3	Vertical	277	1.75	-	36.25	6.10	33.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0926G	103.43	Inf	-Inf	95.26	3	Horizontal	27	1.82	-	35.54	5.99	33.36
RMS	7.0926G	92.41	Inf	-Inf	84.24	3	Horizontal	27	1.82	-	35.54	5.99	33.36
PK	7.236G	61.70	88.20	-26.50	52.79	3	Horizontal	27	1.82	-	36.24	6.10	33.43
RMS	7.2438G	50.87	68.20	-17.33	41.92	3	Horizontal	27	1.82	-	36.28	6.10	33.43

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1893G	60.37	88.20	-27.83	43.79	3	Vertical	131	2.64	-	40.98	9.69	34.09
RMS	14.18944G	46.80	68.20	-21.40	30.22	3	Vertical	131	2.64	-	40.98	9.69	34.09

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19096G	60.59	88.20	-27.61	44.00	3	Horizontal	230	1.66	-	40.98	9.70	34.09
RMS	14.1913G	46.74	68.20	-21.46	30.15	3	Horizontal	230	1.66	-	40.98	9.70	34.09

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28692G	54.52	83.54	-29.02	51.55	1	Vertical	121	1.56	-	37.64	14.97	49.64
AV	21.28222G	41.01	63.54	-22.53	38.05	1	Vertical	121	1.56	-	37.64	14.96	49.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 45
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28428G	53.99	83.54	-29.55	51.03	1	Horizontal	346	1.56	-	37.64	14.96	49.64
AV	21.28202G	40.97	63.54	-22.57	38.01	1	Horizontal	346	1.56	-	37.64	14.96	49.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.711G	56.67	88.20	-31.53	51.83	3	Vertical	357	1.80	-	31.84	5.26	32.26
RMS	5.767G	46.07	68.20	-22.13	41.08	3	Vertical	357	1.80	-	32.00	5.28	32.29
PK	6.113G	107.22	Inf	-Inf	101.75	3	Vertical	357	1.80	-	32.45	5.50	32.48
RMS	6.115G	96.55	Inf	-Inf	91.07	3	Vertical	357	1.80	-	32.46	5.50	32.48

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.779G	56.99	88.20	-31.21	52.00	3	Horizontal	195	1.80	-	32.00	5.29	32.30
RMS	5.745G	46.04	68.20	-22.16	41.07	3	Horizontal	195	1.80	-	31.98	5.27	32.28
PK	6.121G	100.91	Inf	-Inf	95.41	3	Horizontal	195	1.80	-	32.48	5.50	32.48
RMS	6.133G	89.58	Inf	-Inf	84.04	3	Horizontal	195	1.80	-	32.53	5.50	32.49

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24604G	54.87	74.00	-19.13	41.72	3	Vertical	36	1.49	-	38.65	8.64	34.14
AV	12.24916G	41.34	54.00	-12.66	28.19	3	Vertical	36	1.49	-	38.65	8.64	34.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24816G	54.88	74.00	-19.12	41.73	3	Horizontal	60	1.92	-	38.65	8.64	34.14
AV	12.25448G	41.36	54.00	-12.64	28.20	3	Horizontal	60	1.92	-	38.65	8.64	34.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 46
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37584G	56.80	83.54	-26.74	55.38	1	Vertical	205	1.50	-	37.65	13.92	50.15
AV	18.37144G	43.15	63.54	-20.39	41.73	1	Vertical	205	1.50	-	37.65	13.92	50.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 46
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37062G	56.62	83.54	-26.92	55.21	1	Horizontal	114	1.55	-	37.64	13.92	50.15
AV	18.37988G	43.24	63.54	-20.30	41.81	1	Horizontal	114	1.55	-	37.66	13.92	50.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.753G	56.64	88.20	-31.56	51.64	3	Vertical	268	1.12	-	32.00	5.28	32.28
RMS	5.769G	46.11	68.20	-22.09	41.12	3	Vertical	268	1.12	-	32.00	5.28	32.29
PK	6.241G	109.72	Inf	-Inf	103.99	3	Vertical	268	1.12	-	32.75	5.52	32.54
RMS	6.239G	99.48	Inf	-Inf	93.77	3	Vertical	268	1.12	-	32.73	5.52	32.54

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.833G	57.67	88.20	-30.53	52.67	3	Horizontal	181	1.72	-	32.00	5.33	32.33
RMS	5.759G	46.10	68.20	-22.10	41.11	3	Horizontal	181	1.72	-	32.00	5.28	32.29
PK	6.263G	104.29	Inf	-Inf	98.51	3	Horizontal	181	1.72	-	32.80	5.53	32.55
RMS	6.259G	93.83	Inf	-Inf	88.04	3	Horizontal	181	1.72	-	32.80	5.53	32.54

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48918G	56.08	74.00	-17.92	43.13	3	Vertical	211	1.73	-	38.23	8.77	34.05
AV	12.48594G	41.40	54.00	-12.60	28.44	3	Vertical	211	1.73	-	38.24	8.77	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48708G	55.09	74.00	-18.91	42.13	3	Horizontal	120	2.97	-	38.24	8.77	34.05
AV	12.49268G	41.33	54.00	-12.67	28.39	3	Horizontal	120	2.97	-	38.22	8.77	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73856G	54.32	83.54	-29.22	52.54	1	Vertical	282	1.55	-	37.70	13.94	49.86
AV	18.73692G	40.85	63.54	-22.69	39.06	1	Vertical	282	1.55	-	37.71	13.94	49.86

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73666G	54.52	83.54	-29.02	52.73	1	Horizontal	59	1.55	-	37.71	13.94	49.86
AV	18.7316G	40.84	63.54	-22.70	39.06	1	Horizontal	59	1.55	-	37.71	13.94	49.87

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 63
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.768G	57.08	88.20	-31.12	52.09	3	Vertical	271	1.23	-	32.00	5.28	32.29
RMS	5.7758G	46.13	68.20	-22.07	41.14	3	Vertical	271	1.23	-	32.00	5.29	32.30
PK	6.3998G	113.21	Inf	-Inf	106.72	3	Vertical	271	1.23	-	33.50	5.60	32.61
RMS	6.4024G	98.29	Inf	-Inf	91.80	3	Vertical	271	1.23	-	33.50	5.60	32.61

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 63
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7602G	56.74	88.20	-31.46	51.75	3	Horizontal	198	2.09	-	32.00	5.28	32.29
RMS	5.768G	44.83	68.20	-23.37	39.84	3	Horizontal	198	2.09	-	32.00	5.28	32.29
PK	6.3972G	104.74	Inf	-Inf	98.26	3	Horizontal	198	2.09	-	33.48	5.60	32.60
RMS	6.3868G	94.80	Inf	-Inf	88.42	3	Horizontal	198	2.09	-	33.39	5.59	32.60

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 63
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8057G	55.70	88.20	-32.50	41.86	3	Vertical	338	2.90	-	38.91	8.94	34.01
RMS	12.81206G	42.06	68.20	-26.14	28.21	3	Vertical	338	2.90	-	38.91	8.95	34.01

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 63
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8085G	55.70	88.20	-32.50	41.86	3	Horizontal	186	2.13	-	38.91	8.94	34.01
RMS	12.80972G	42.05	68.20	-26.15	28.20	3	Horizontal	186	2.13	-	38.91	8.95	34.01

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 63
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21798G	53.93	83.54	-29.61	51.87	1	Vertical	118	1.55	-	37.74	13.96	49.64
AV	19.2106G	40.51	63.54	-23.03	38.44	1	Vertical	118	1.55	-	37.75	13.96	49.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 63
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21662G	53.96	83.54	-29.58	51.90	1	Horizontal	338	1.55	-	37.74	13.96	49.64
AV	19.21326G	40.56	63.54	-22.98	38.50	1	Horizontal	338	1.55	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9068G	56.76	88.20	-31.44	51.61	3	Vertical	356	1.34	-	32.11	5.41	32.37
RMS	5.7976G	45.88	68.20	-22.32	40.89	3	Vertical	356	1.34	-	32.00	5.30	32.31
PK	6.4502G	108.16	Inf	-Inf	101.59	3	Vertical	356	1.34	-	33.60	5.60	32.63
RMS	6.4346G	98.62	Inf	-Inf	92.07	3	Vertical	356	1.34	-	33.57	5.60	32.62

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	57.63	88.20	-30.57	52.44	3	Horizontal	206	1.80	-	32.15	5.42	32.38
RMS	5.8314G	45.84	68.20	-22.36	40.84	3	Horizontal	206	1.80	-	32.00	5.33	32.33
PK	6.4632G	104.49	Inf	-Inf	97.84	3	Horizontal	206	1.80	-	33.68	5.60	32.63
RMS	6.4398G	94.39	Inf	-Inf	87.83	3	Horizontal	206	1.80	-	33.58	5.60	32.62

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89192G	55.17	88.20	-33.03	41.19	3	Vertical	309	1.85	-	38.99	8.99	34.00
RMS	12.89174G	41.62	68.20	-26.58	27.64	3	Vertical	309	1.85	-	38.99	8.99	34.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89132G	55.90	88.20	-32.30	41.92	3	Horizontal	248	2.91	-	38.99	8.99	34.00
RMS	12.89418G	41.69	68.20	-26.51	27.71	3	Horizontal	248	2.91	-	38.99	8.99	34.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33946G	54.14	83.54	-29.40	52.07	1	Vertical	24	1.54	-	37.77	13.97	49.67
AV	19.33546G	40.80	63.54	-22.74	38.73	1	Vertical	24	1.54	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33452G	53.96	83.54	-29.58	51.89	1	Horizontal	270	1.53	-	37.77	13.97	49.67
AV	19.33328G	40.84	63.54	-22.70	38.77	1	Horizontal	270	1.53	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TnomVnom




EUT_V_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7878G	56.90	88.20	-31.30	51.91	3	Vertical	8	1.80	-	32.00	5.29	32.30
RMS	5.7934G	45.90	68.20	-22.30	40.91	3	Vertical	8	1.80	-	32.00	5.30	32.31
PK	6.4906G	107.61	Inf	-Inf	100.82	3	Vertical	8	1.80	-	33.84	5.60	32.65
RMS	6.4794G	97.32	Inf	-Inf	90.58	3	Vertical	8	1.80	-	33.78	5.60	32.64
PK	7.171G	60.37	88.20	-27.83	51.72	3	Vertical	8	1.80	-	35.98	6.07	33.40
RMS	7.185G	50.28	68.20	-17.92	41.56	3	Vertical	8	1.80	-	36.04	6.08	33.40

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TnomVnom




EUT_V_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	56.59	88.20	-31.61	51.59	3	Horizontal	197	1.96	-	32.00	5.33	32.33
RMS	5.7906G	45.85	68.20	-22.35	40.85	3	Horizontal	197	1.96	-	32.00	5.30	32.30
PK	6.471G	105.67	Inf	-Inf	98.98	3	Horizontal	197	1.96	-	33.73	5.60	32.64
RMS	6.471G	91.37	Inf	-Inf	84.68	3	Horizontal	197	1.96	-	33.73	5.60	32.64
PK	7.1458G	59.86	88.20	-28.34	51.32	3	Horizontal	197	1.96	-	35.87	6.05	33.38
RMS	7.1822G	50.29	68.20	-17.91	41.58	3	Horizontal	197	1.96	-	36.03	6.08	33.40

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97112G	55.43	88.20	-32.77	41.32	3	Vertical	239	1.53	-	39.07	9.03	33.99
RMS	12.96812G	42.16	68.20	-26.04	28.05	3	Vertical	239	1.53	-	39.07	9.03	33.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96596G	55.71	88.20	-32.49	41.60	3	Horizontal	144	1.56	-	39.07	9.03	33.99
RMS	12.9675G	42.08	68.20	-26.12	27.97	3	Horizontal	144	1.56	-	39.07	9.03	33.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45152G	54.71	83.54	-28.83	52.57	1	Vertical	114	1.55	-	37.86	13.97	49.69
AV	19.45672G	41.02	63.54	-22.52	38.87	1	Vertical	114	1.55	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6485MHz_TnomVnom



EUT Y_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4544G	54.84	83.54	-28.70	52.70	1	Horizontal	6	1.51	-	37.86	13.97	49.69
AV	19.45388G	40.97	63.54	-22.57	38.83	1	Horizontal	6	1.51	-	37.86	13.97	49.69


802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 60
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8418G	56.28	88.20	-31.92	51.28	3	Vertical	357	1.38	-	32.00	5.34	32.34
RMS	5.8782G	45.78	68.20	-22.42	40.70	3	Vertical	357	1.38	-	32.06	5.38	32.36
PK	6.5334G	107.64	Inf	-Inf	100.70	3	Vertical	357	1.38	-	34.03	5.60	32.69
RMS	6.5194G	98.12	Inf	-Inf	91.22	3	Vertical	357	1.38	-	33.98	5.60	32.68
PK	7.2054G	61.36	88.20	-26.84	52.55	3	Vertical	357	1.38	-	36.12	6.10	33.41
RMS	7.225G	50.51	68.20	-17.69	41.63	3	Vertical	357	1.38	-	36.20	6.10	33.42


802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_4TX
 Setting 60
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8418G	56.33	88.20	-31.87	51.33	3	Horizontal	208.6	1.82	-	32.00	5.34	32.34
RMS	5.8334G	44.56	68.20	-23.64	39.56	3	Horizontal	208.6	1.82	-	32.00	5.33	32.33
PK	6.5278G	104.79	Inf	-Inf	97.87	3	Horizontal	208.6	1.82	-	34.01	5.60	32.69
RMS	6.5194G	95.47	Inf	-Inf	88.57	3	Horizontal	208.6	1.82	-	33.98	5.60	32.68
PK	7.1718G	60.97	88.20	-27.23	52.31	3	Horizontal	208.6	1.82	-	35.99	6.07	33.40
RMS	7.2026G	49.18	68.20	-19.02	40.38	3	Horizontal	208.6	1.82	-	36.11	6.10	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 60
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04934G	55.78	88.20	-32.42	41.58	3	Vertical	276	2.64	-	39.10	9.08	33.98
RMS	13.0499G	42.58	68.20	-25.62	28.38	3	Vertical	276	2.64	-	39.10	9.08	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04872G	56.14	88.20	-32.06	41.94	3	Horizontal	217	1.70	-	39.10	9.08	33.98
RMS	13.04692G	42.56	68.20	-25.64	28.36	3	Horizontal	217	1.70	-	39.10	9.08	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 60
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57326G	55.97	83.54	-27.57	53.82	1	Vertical	107	1.54	-	37.87	13.98	49.70
AV	19.57794G	42.29	63.54	-21.25	40.14	1	Vertical	107	1.54	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57728G	56.27	83.54	-27.27	54.12	1	Horizontal	16	1.57	-	37.87	13.98	49.70
AV	19.57602G	42.17	63.54	-21.37	40.02	1	Horizontal	16	1.57	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	54.89	88.20	-33.31	49.72	3	Vertical	11	1.80	-	32.13	5.42	32.38
RMS	5.925G	45.67	68.20	-22.53	40.48	3	Vertical	11	1.80	-	32.15	5.42	32.38
PK	6.5572G	111.87	Inf	-Inf	104.89	3	Vertical	11	1.80	-	34.11	5.60	32.73
RMS	6.5598G	97.36	Inf	-Inf	90.37	3	Vertical	11	1.80	-	34.12	5.60	32.73
PK	7.2072G	60.58	88.20	-27.62	51.76	3	Vertical	11	1.80	-	36.13	6.10	33.41
RMS	7.2124G	50.40	68.20	-17.80	41.57	3	Vertical	11	1.80	-	36.15	6.10	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT V_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	56.17	88.20	-32.03	51.00	3	Horizontal	202	2.02	-	32.13	5.42	32.38
RMS	5.915G	44.43	68.20	-23.77	39.26	3	Horizontal	202	2.02	-	32.13	5.42	32.38
PK	6.567G	104.20	Inf	-Inf	97.20	3	Horizontal	202	2.02	-	34.14	5.60	32.74
RMS	6.5598G	96.54	Inf	-Inf	89.55	3	Horizontal	202	2.02	-	34.12	5.60	32.73
PK	7.1578G	60.68	88.20	-27.52	52.08	3	Horizontal	202	2.02	-	35.93	6.06	33.39
RMS	7.215G	49.13	68.20	-19.07	40.29	3	Horizontal	202	2.02	-	36.16	6.10	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13032G	57.05	88.20	-31.15	42.76	3	Vertical	94	2.54	-	39.13	9.12	33.96
RMS	13.13432G	42.92	68.20	-25.28	28.63	3	Vertical	94	2.54	-	39.13	9.12	33.96

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13196G	56.48	88.20	-31.72	42.19	3	Horizontal	44	1.62	-	39.13	9.12	33.96
RMS	13.13494G	42.79	68.20	-25.41	28.50	3	Horizontal	44	1.62	-	39.13	9.12	33.96

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69718G	55.96	83.54	-27.58	53.86	1	Vertical	78	1.53	-	37.82	13.98	49.70
AV	19.69408G	41.47	63.54	-22.07	39.37	1	Vertical	78	1.53	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6934G	54.74	83.54	-28.80	52.64	1	Horizontal	30	1.53	-	37.82	13.98	49.70
AV	19.6942G	41.51	63.54	-22.03	39.41	1	Horizontal	30	1.53	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6938G	108.07	Inf	-Inf	101.19	3	Vertical	269	1.70	-	34.10	5.69	32.91
RMS	6.6806G	98.17	Inf	-Inf	91.28	3	Vertical	269	1.70	-	34.10	5.68	32.89
PK	7.2108G	60.37	88.20	-27.83	51.55	3	Vertical	269	1.70	-	36.14	6.10	33.42
RMS	7.2262G	50.35	68.20	-17.85	41.47	3	Vertical	269	1.70	-	36.20	6.10	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6806G	105.02	Inf	-Inf	98.13	3	Horizontal	206	1.72	-	34.10	5.68	32.89
RMS	6.6696G	93.42	Inf	-Inf	86.52	3	Horizontal	206	1.72	-	34.10	5.67	32.87
PK	7.213G	61.20	88.20	-27.00	52.37	3	Horizontal	206	1.72	-	36.15	6.10	33.42
RMS	7.224G	50.39	68.20	-17.81	41.51	3	Horizontal	206	1.72	-	36.20	6.10	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37226G	57.47	74.00	-16.53	42.32	3	Vertical	49	2.50	-	39.81	9.25	33.91
AV	13.365G	43.22	54.00	-10.78	28.12	3	Vertical	49	2.50	-	39.76	9.25	33.91

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37408G	56.76	74.00	-17.24	41.59	3	Horizontal	98	1.68	-	39.82	9.26	33.91
AV	13.37234G	43.19	54.00	-10.81	28.04	3	Horizontal	98	1.68	-	39.81	9.25	33.91

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05588G	56.08	83.54	-27.46	54.32	1	Vertical	83	1.57	-	37.44	14.04	49.72
AV	20.05088G	41.53	63.54	-22.01	39.77	1	Vertical	83	1.57	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0504G	55.58	83.54	-27.96	53.82	1	Horizontal	37	1.50	-	37.44	14.04	49.72
AV	20.056G	41.58	63.54	-21.96	39.82	1	Horizontal	37	1.50	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	107.56	Inf	-Inf	100.42	3	Vertical	0	2.05	-	34.43	5.83	33.12
RMS	6.8594G	96.43	Inf	-Inf	89.28	3	Vertical	0	2.05	-	34.44	5.83	33.12
PK	7.1282G	60.87	88.20	-27.33	52.44	3	Vertical	0	2.05	-	35.77	6.03	33.37
RMS	7.2418G	50.37	68.20	-17.83	41.43	3	Vertical	0	2.05	-	36.27	6.10	33.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8274G	102.96	Inf	-Inf	95.88	3	Horizontal	21	2.07	-	34.35	5.81	33.08
RMS	6.8594G	92.64	Inf	-Inf	85.49	3	Horizontal	21	2.07	-	34.44	5.83	33.12
PK	7.2434G	60.97	88.20	-27.23	52.03	3	Horizontal	21	2.07	-	36.27	6.10	33.43
RMS	7.2418G	50.29	68.20	-17.91	41.35	3	Horizontal	21	2.07	-	36.27	6.10	33.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6943G	58.90	88.20	-29.30	43.54	3	Vertical	118	1.95	-	39.91	9.43	33.98
RMS	13.69444G	44.95	68.20	-23.25	29.59	3	Vertical	118	1.95	-	39.91	9.43	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68774G	59.76	88.20	-28.44	44.39	3	Horizontal	330	1.24	-	39.91	9.43	33.97
RMS	13.6922G	44.98	68.20	-23.22	29.62	3	Horizontal	330	1.24	-	39.91	9.43	33.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53446G	55.36	83.54	-28.18	53.11	1	Vertical	52	1.54	-	37.74	14.40	49.89
AV	20.53432G	42.05	63.54	-21.49	39.80	1	Vertical	52	1.54	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6845MHz_TnomVnom



EUT Y_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53928G	55.54	83.54	-28.00	53.27	1	Horizontal	186	1.53	-	37.75	14.40	49.88
AV	20.53416G	42.10	63.54	-21.44	39.85	1	Horizontal	186	1.53	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 58
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9018G	109.35	Inf	-Inf	102.07	3	Vertical	3	1.80	-	34.61	5.85	33.18
RMS	6.8724G	99.04	Inf	-Inf	91.85	3	Vertical	3	1.80	-	34.49	5.84	33.14
PK	7.1944G	60.42	88.20	-27.78	51.66	3	Vertical	3	1.80	-	36.08	6.09	33.41
RMS	7.2336G	50.28	68.20	-17.92	41.38	3	Vertical	3	1.80	-	36.23	6.10	33.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	103.15	Inf	-Inf	95.95	3	Horizontal	23	2.32	-	34.50	5.84	33.14
RMS	6.8696G	90.49	Inf	-Inf	83.32	3	Horizontal	23	2.32	-	34.48	5.83	33.14
PK	7.1608G	60.79	88.20	-27.41	52.18	3	Horizontal	23	2.32	-	35.94	6.06	33.39
RMS	7.2322G	50.24	68.20	-17.96	41.34	3	Horizontal	23	2.32	-	36.23	6.10	33.43

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 58
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77266G	59.05	88.20	-29.15	43.48	3	Vertical	154	2.08	-	40.12	9.47	34.02
RMS	13.7684G	45.49	68.20	-22.71	29.92	3	Vertical	154	2.08	-	40.11	9.47	34.01

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77224G	58.84	88.20	-29.36	43.27	3	Horizontal	344	2.83	-	40.12	9.47	34.02
RMS	13.77012G	45.43	68.20	-22.77	29.87	3	Horizontal	344	2.83	-	40.11	9.47	34.02


802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 58
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65242G	55.95	83.54	-27.59	53.42	1	Vertical	151	1.55	-	37.88	14.49	49.84
AV	20.6591G	42.48	63.54	-21.06	39.94	1	Vertical	151	1.55	-	37.89	14.49	49.84

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 58
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65188G	55.99	83.54	-27.55	53.46	1	Horizontal	41	1.50	-	37.88	14.49	49.84
AV	20.65608G	42.50	63.54	-21.04	39.96	1	Horizontal	41	1.50	-	37.89	14.49	49.84

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	108.57	Inf	-Inf	101.13	3	Vertical	2	1.79	-	34.79	5.87	33.22
RMS	6.913G	97.18	Inf	-Inf	89.84	3	Vertical	2	1.79	-	34.68	5.86	33.20
PK	7.1698G	60.51	88.20	-27.69	51.85	3	Vertical	2	1.79	-	35.98	6.07	33.39
RMS	7.2238G	48.85	68.20	-19.35	39.97	3	Vertical	2	1.79	-	36.20	6.10	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	101.58	Inf	-Inf	94.19	3	Horizontal	22	2.20	-	34.74	5.86	33.21
RMS	6.9118G	91.16	Inf	-Inf	83.82	3	Horizontal	22	2.20	-	34.67	5.86	33.19
PK	7.2238G	60.54	88.20	-27.66	51.66	3	Horizontal	22	2.20	-	36.20	6.10	33.42
RMS	7.219G	50.17	68.20	-18.03	41.31	3	Horizontal	22	2.20	-	36.18	6.10	33.42

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84986G	59.05	88.20	-29.15	43.33	3	Vertical	213	2.92	-	40.25	9.52	34.05
RMS	13.84678G	45.36	68.20	-22.84	29.64	3	Vertical	213	2.92	-	40.25	9.52	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8503G	58.73	88.20	-29.47	43.02	3	Horizontal	254	1.07	-	40.25	9.52	34.06
RMS	13.85142G	45.39	68.20	-22.81	29.68	3	Horizontal	254	1.07	-	40.25	9.52	34.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77266G	56.24	83.54	-27.30	53.49	1	Vertical	113	1.54	-	37.96	14.58	49.79
AV	20.7774G	42.27	63.54	-21.27	39.52	1	Vertical	113	1.54	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7726G	56.90	83.54	-26.64	54.15	1	Horizontal	34	1.58	-	37.96	14.58	49.79
AV	20.77786G	42.35	63.54	-21.19	39.60	1	Horizontal	34	1.58	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	112.58	Inf	-Inf	105.01	3	Vertical	89	1.39	-	34.97	5.89	33.29
RMS	7.0202G	98.27	Inf	-Inf	90.59	3	Vertical	89	1.39	-	35.08	5.92	33.32
PK	7.1754G	60.46	88.20	-27.74	51.78	3	Vertical	89	1.39	-	36.00	6.08	33.40
RMS	7.2002G	50.20	68.20	-18.00	41.41	3	Vertical	89	1.39	-	36.10	6.10	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	106.47	Inf	-Inf	98.88	3	Horizontal	22	2.19	-	34.99	5.90	33.30
RMS	7.0002G	92.92	Inf	-Inf	85.33	3	Horizontal	22	2.19	-	35.00	5.90	33.31
PK	7.2034G	60.92	88.20	-27.28	52.12	3	Horizontal	22	2.19	-	36.11	6.10	33.41
RMS	7.2042G	50.11	68.20	-18.09	41.30	3	Horizontal	22	2.19	-	36.12	6.10	33.41

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00884G	60.03	88.20	-28.17	43.94	3	Vertical	349	2.63	-	40.62	9.60	34.13
RMS	14.01196G	45.99	68.20	-22.21	29.89	3	Vertical	349	2.63	-	40.62	9.61	34.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




25/09/2021

EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00672G	60.07	88.20	-28.13	43.99	3	Horizontal	37	1.87	-	40.61	9.60	34.13
RMS	14.0057G	45.93	68.20	-22.27	29.85	3	Horizontal	37	1.87	-	40.61	9.60	34.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01384G	53.77	83.54	-29.77	51.11	1	Vertical	298	1.55	-	37.60	14.76	49.70
AV	21.0186G	40.35	63.54	-23.19	37.69	1	Vertical	298	1.55	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01642G	53.43	83.54	-30.11	50.77	1	Horizontal	226	1.53	-	37.60	14.76	49.70
AV	21.01136G	40.31	63.54	-23.23	37.65	1	Horizontal	226	1.53	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0798G	109.53	Inf	-Inf	101.46	3	Vertical	166.8	1.80	-	35.44	5.98	33.35
RMS	7.0878G	97.02	Inf	-Inf	88.88	3	Vertical	166.8	1.80	-	35.50	5.99	33.35
PK	7.1254G	70.35	88.20	-17.85	61.94	3	Vertical	166.8	1.80	-	35.75	6.03	33.37
RMS	7.125G	59.38	68.20	-8.82	50.97	3	Vertical	166.8	1.80	-	35.75	6.03	33.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0742G	104.30	Inf	-Inf	96.29	3	Horizontal	24	2.10	-	35.39	5.97	33.35
RMS	7.0698G	90.89	Inf	-Inf	82.90	3	Horizontal	24	2.10	-	35.36	5.97	33.34
PK	7.1254G	65.11	88.20	-23.09	56.70	3	Horizontal	24	2.10	-	35.75	6.03	33.37
RMS	7.125G	53.40	68.20	-14.80	44.99	3	Horizontal	24	2.10	-	35.75	6.03	33.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17026G	60.23	88.20	-27.97	43.69	3	Vertical	345	2.28	-	40.94	9.69	34.09
RMS	14.17022G	46.68	68.20	-21.52	30.14	3	Vertical	345	2.28	-	40.94	9.69	34.09

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17172G	60.50	88.20	-27.70	43.96	3	Horizontal	52	1.98	-	40.94	9.69	34.09
RMS	14.17046G	46.64	68.20	-21.56	30.10	3	Horizontal	52	1.98	-	40.94	9.69	34.09

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25954G	54.11	83.54	-29.43	51.21	1	Vertical	308	1.54	-	37.61	14.94	49.65
AV	21.25914G	40.59	63.54	-22.95	37.69	1	Vertical	308	1.54	-	37.61	14.94	49.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2571G	54.16	83.54	-29.38	51.26	1	Horizontal	97	1.58	-	37.61	14.94	49.65
AV	21.25688G	40.56	63.54	-22.98	37.66	1	Horizontal	97	1.58	-	37.61	14.94	49.65

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7814G	56.89	88.20	-31.31	51.90	3	Vertical	272	2.60	-	32.00	5.29	32.30
RMS	5.7544G	45.86	68.20	-22.34	40.86	3	Vertical	272	2.60	-	32.00	5.28	32.28
PK	6.118G	109.54	Inf	-Inf	104.05	3	Vertical	272	2.60	-	32.47	5.50	32.48
RMS	6.1198G	98.34	Inf	-Inf	92.84	3	Vertical	272	2.60	-	32.48	5.50	32.48

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7832G	56.43	88.20	-31.77	51.44	3	Horizontal	207.3	1.80	-	32.00	5.29	32.30
RMS	5.7562G	45.92	68.20	-22.28	40.92	3	Horizontal	207.3	1.80	-	32.00	5.28	32.28
PK	6.1216G	108.72	Inf	-Inf	103.21	3	Horizontal	207.3	1.80	-	32.49	5.50	32.48
RMS	6.1324G	91.48	Inf	-Inf	85.94	3	Horizontal	207.3	1.80	-	32.53	5.50	32.49

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28624G	54.99	74.00	-19.01	41.84	3	Vertical	113	2.85	-	38.61	8.66	34.12
AV	12.28672G	41.36	54.00	-12.64	28.21	3	Vertical	113	2.85	-	38.61	8.66	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2949G	55.04	74.00	-18.96	41.89	3	Horizontal	118	2.17	-	38.61	8.66	34.12
AV	12.28698G	41.38	54.00	-12.62	28.23	3	Horizontal	118	2.17	-	38.61	8.66	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4377G	56.59	83.54	-26.95	55.06	1	Vertical	258	1.57	-	37.73	13.92	50.12
AV	18.43316G	43.06	63.54	-20.48	41.55	1	Vertical	258	1.57	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43964G	56.45	83.54	-27.09	54.92	1	Horizontal	102	1.51	-	37.73	13.92	50.12
AV	18.43514G	43.03	63.54	-20.51	41.52	1	Horizontal	102	1.51	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7804G	55.83	88.20	-32.37	50.84	3	Vertical	96	1.80	-	32.00	5.29	32.30
RMS	5.7786G	45.89	68.20	-22.31	40.90	3	Vertical	96	1.80	-	32.00	5.29	32.30
PK	6.1872G	114.61	Inf	-Inf	109.09	3	Vertical	96	1.80	-	32.53	5.50	32.51
RMS	6.1998G	95.68	Inf	-Inf	90.20	3	Vertical	96	1.80	-	32.50	5.50	32.52

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.802G	56.83	88.20	-31.37	51.84	3	Horizontal	184.8	1.76	-	32.00	5.30	32.31
RMS	5.7786G	45.83	68.20	-22.37	40.84	3	Horizontal	184.8	1.76	-	32.00	5.29	32.30
PK	6.1998G	105.18	Inf	-Inf	99.70	3	Horizontal	184.8	1.76	-	32.50	5.50	32.52
RMS	6.2124G	90.85	Inf	-Inf	85.29	3	Horizontal	184.8	1.76	-	32.57	5.51	32.52

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44562G	54.94	74.00	-19.06	41.90	3	Vertical	262	2.79	-	38.36	8.75	34.07
AV	12.45414G	41.26	54.00	-12.74	28.24	3	Vertical	262	2.79	-	38.34	8.75	34.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45388G	54.54	74.00	-19.46	41.52	3	Horizontal	109	2.25	-	38.34	8.75	34.07
AV	12.45416G	41.16	54.00	-12.84	28.14	3	Horizontal	109	2.25	-	38.34	8.75	34.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67674G	55.48	83.54	-28.06	53.74	1	Vertical	39	1.56	-	37.73	13.93	49.92
AV	18.67302G	41.51	63.54	-22.03	39.78	1	Vertical	39	1.56	-	37.73	13.93	49.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67624G	56.44	83.54	-27.10	54.70	1	Horizontal	103	1.53	-	37.73	13.93	49.92
AV	18.6714G	41.59	63.54	-21.95	39.86	1	Horizontal	103	1.53	-	37.73	13.93	49.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8082G	56.43	88.20	-31.77	51.43	3	Vertical	82	1.80	-	32.00	5.31	32.31
RMS	5.7746G	45.90	68.20	-22.30	40.90	3	Vertical	82	1.80	-	32.00	5.29	32.29
PK	6.3626G	111.34	Inf	-Inf	105.15	3	Vertical	82	1.80	-	33.20	5.58	32.59
RMS	6.3542G	95.12	Inf	-Inf	89.00	3	Vertical	82	1.80	-	33.13	5.58	32.59

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT V_4TX
Setting 72
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7522G	56.76	88.20	-31.44	51.76	3	Horizontal	198	2.04	-	32.00	5.28	32.28
RMS	5.7662G	45.94	68.20	-22.26	40.95	3	Horizontal	198	2.04	-	32.00	5.28	32.29
PK	6.3514G	108.97	Inf	-Inf	102.86	3	Horizontal	198	2.04	-	33.11	5.58	32.58
RMS	6.3514G	90.22	Inf	-Inf	84.11	3	Horizontal	198	2.04	-	33.11	5.58	32.58

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7687G	55.71	88.20	-32.49	41.94	3	Vertical	81	2.35	-	38.87	8.92	34.02
RMS	12.7719G	41.70	68.20	-26.50	27.93	3	Vertical	81	2.35	-	38.87	8.92	34.02

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7698G	55.68	88.20	-32.52	41.91	3	Horizontal	357	2.69	-	38.87	8.92	34.02
RMS	12.77454G	41.69	68.20	-26.51	27.91	3	Horizontal	357	2.69	-	38.87	8.93	34.02

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1554G	54.32	83.54	-29.22	52.18	1	Vertical	42	1.51	-	37.81	13.96	49.63
AV	19.1575G	40.36	63.54	-23.18	38.22	1	Vertical	42	1.51	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15592G	53.85	83.54	-29.69	51.71	1	Horizontal	64	1.51	-	37.81	13.96	49.63
AV	19.1568G	40.54	63.54	-23.00	38.40	1	Horizontal	64	1.51	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT_V_4TX
Setting 74
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.793G	55.82	88.20	-32.38	50.83	3	Vertical	357	2.00	-	32.00	5.30	32.31
RMS	5.7762G	45.90	68.20	-22.30	40.91	3	Vertical	357	2.00	-	32.00	5.29	32.30
PK	6.4342G	114.88	Inf	-Inf	108.33	3	Vertical	357	2.00	-	33.57	5.60	32.62
RMS	6.4426G	93.89	Inf	-Inf	87.32	3	Vertical	357	2.00	-	33.59	5.60	32.62
PK	7.1454G	61.19	88.20	-27.01	52.65	3	Vertical	357	2.00	-	35.87	6.05	33.38
RMS	7.1594G	49.81	68.20	-18.39	41.20	3	Vertical	357	2.00	-	35.94	6.06	33.39

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT_V_4TX
Setting 74
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8154G	56.16	88.20	-32.04	51.16	3	Horizontal	198	2.12	-	32.00	5.32	32.32
RMS	5.7734G	45.93	68.20	-22.27	40.93	3	Horizontal	198	2.12	-	32.00	5.29	32.29
PK	6.451G	103.43	Inf	-Inf	96.85	3	Horizontal	198	2.12	-	33.61	5.60	32.63
RMS	6.4482G	91.26	Inf	-Inf	84.69	3	Horizontal	198	2.12	-	33.60	5.60	32.63
PK	7.1286G	59.89	88.20	-28.31	51.46	3	Horizontal	198	2.12	-	35.77	6.03	33.37
RMS	7.165G	49.86	68.20	-18.34	41.22	3	Horizontal	198	2.12	-	35.96	6.07	33.39

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92776G	55.83	88.20	-32.37	41.79	3	Vertical	248	1.15	-	39.03	9.01	34.00
RMS	12.92842G	41.86	68.20	-26.34	27.82	3	Vertical	248	1.15	-	39.03	9.01	34.00

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9259G	55.13	88.20	-33.07	41.09	3	Horizontal	76	1.44	-	39.03	9.01	34.00
RMS	12.92896G	41.87	68.20	-26.33	27.83	3	Horizontal	76	1.44	-	39.03	9.01	34.00

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39078G	54.45	83.54	-29.09	52.35	1	Vertical	217	1.55	-	37.81	13.97	49.68
AV	19.3924G	41.10	63.54	-22.44	39.00	1	Vertical	217	1.55	-	37.81	13.97	49.68

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6465MHz_TnomVnom



EUT Y_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39086G	54.66	83.54	-28.88	52.56	1	Horizontal	353	1.56	-	37.81	13.97	49.68
AV	19.39966G	41.00	63.54	-22.54	38.89	1	Horizontal	353	1.56	-	37.82	13.97	49.68

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
 Setting 71
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	56.03	88.20	-32.17	50.92	3	Vertical	2	1.80	-	32.09	5.39	32.37
RMS	5.8674G	45.73	68.20	-22.47	40.68	3	Vertical	2	1.80	-	32.03	5.37	32.35
PK	6.5618G	108.11	Inf	-Inf	101.12	3	Vertical	2	1.80	-	34.12	5.60	32.73
RMS	6.5198G	95.49	Inf	-Inf	88.59	3	Vertical	2	1.80	-	33.98	5.60	32.68
PK	7.2142G	61.11	88.20	-27.09	52.27	3	Vertical	2	1.80	-	36.16	6.10	33.42
RMS	7.2394G	50.56	68.20	-17.64	41.63	3	Vertical	2	1.80	-	36.26	6.10	33.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 71
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	56.02	88.20	-32.18	50.96	3	Horizontal	197	1.80	-	32.04	5.37	32.35
RMS	5.8534G	45.71	68.20	-22.49	40.69	3	Horizontal	197	1.80	-	32.01	5.35	32.34
PK	6.517G	102.12	Inf	-Inf	95.22	3	Horizontal	197	1.80	-	33.97	5.60	32.67
RMS	6.5198G	89.47	Inf	-Inf	82.57	3	Horizontal	197	1.80	-	33.98	5.60	32.68
PK	7.2366G	61.27	88.20	-26.93	52.35	3	Horizontal	197	1.80	-	36.25	6.10	33.43
RMS	7.2366G	50.51	68.20	-17.69	41.59	3	Horizontal	197	1.80	-	36.25	6.10	33.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08678G	56.43	88.20	-31.77	42.20	3	Vertical	90	1.79	-	39.10	9.10	33.97
RMS	13.09246G	42.65	68.20	-25.55	28.42	3	Vertical	90	1.79	-	39.10	9.10	33.97

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0855G	56.19	88.20	-32.01	41.96	3	Horizontal	119	1.31	-	39.10	9.10	33.97
RMS	13.0893G	42.77	68.20	-25.43	28.54	3	Horizontal	119	1.31	-	39.10	9.10	33.97

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63152G	55.94	83.54	-27.60	53.81	1	Vertical	199	1.57	-	37.85	13.98	49.70
AV	19.63378G	42.43	63.54	-21.11	40.30	1	Vertical	199	1.57	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 71
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63208G	55.97	83.54	-27.57	53.84	1	Horizontal	348	1.50	-	37.85	13.98	49.70
AV	19.63394G	42.40	63.54	-21.14	40.27	1	Horizontal	348	1.50	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.613G	109.79	Inf	-Inf	102.81	3	Vertical	6	1.79	-	34.17	5.61	32.80
RMS	6.5986G	97.11	Inf	-Inf	90.09	3	Vertical	6	1.79	-	34.20	5.60	32.78
PK	7.2106G	60.88	88.20	-27.32	52.06	3	Vertical	6	1.79	-	36.14	6.10	33.42
RMS	7.2178G	50.51	68.20	-17.69	41.66	3	Vertical	6	1.79	-	36.17	6.10	33.42

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5938G	104.54	Inf	-Inf	97.52	3	Horizontal	211	1.80	-	34.19	5.60	32.77
RMS	6.601G	91.10	Inf	-Inf	84.08	3	Horizontal	211	1.80	-	34.20	5.60	32.78
PK	7.1914G	60.75	88.20	-27.45	52.00	3	Horizontal	211	1.80	-	36.07	6.09	33.41
RMS	7.2226G	50.51	68.20	-17.69	41.64	3	Horizontal	211	1.80	-	36.19	6.10	33.42

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25024G	56.77	74.00	-17.23	42.26	3	Vertical	185	2.00	-	39.25	9.19	33.93
AV	13.25288G	42.78	54.00	-11.22	28.27	3	Vertical	185	2.00	-	39.25	9.19	33.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2523G	56.59	74.00	-17.41	42.08	3	Horizontal	263	1.64	-	39.25	9.19	33.93
AV	13.2582G	42.86	54.00	-11.14	28.34	3	Horizontal	263	1.64	-	39.26	9.19	33.93

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8744G	55.57	83.54	-27.97	53.68	1	Vertical	107	1.50	-	37.60	13.99	49.70
AV	19.87466G	42.09	63.54	-21.45	40.20	1	Vertical	107	1.50	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87046G	55.52	83.54	-28.02	53.62	1	Horizontal	38	1.54	-	37.61	13.99	49.70
AV	19.87712G	42.13	63.54	-21.41	40.24	1	Horizontal	38	1.54	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	111.73	Inf	-Inf	104.84	3	Vertical	93	1.80	-	34.10	5.68	32.89
RMS	6.681G	95.97	Inf	-Inf	89.08	3	Vertical	93	1.80	-	34.10	5.68	32.89
PK	7.147G	61.42	88.20	-26.78	52.87	3	Vertical	93	1.80	-	35.88	6.05	33.38
RMS	7.199G	50.48	68.20	-17.72	41.69	3	Vertical	93	1.80	-	36.10	6.10	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.671G	108.19	Inf	-Inf	101.30	3	Horizontal	204	1.80	-	34.10	5.67	32.88
RMS	6.681G	93.89	Inf	-Inf	87.00	3	Horizontal	204	1.80	-	34.10	5.68	32.89
PK	7.181G	60.39	88.20	-27.81	51.69	3	Horizontal	204	1.80	-	36.02	6.08	33.40
RMS	7.205G	50.51	68.20	-17.69	41.70	3	Horizontal	204	1.80	-	36.12	6.10	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41334G	57.64	88.20	-30.56	42.27	3	Vertical	162	2.38	-	39.99	9.28	33.90
RMS	13.40768G	43.41	68.20	-24.79	28.05	3	Vertical	162	2.38	-	39.99	9.27	33.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40544G	56.71	88.20	-31.49	41.35	3	Horizontal	102	1.82	-	39.99	9.27	33.90
RMS	13.40946G	43.50	68.20	-24.70	28.13	3	Horizontal	102	1.82	-	39.99	9.28	33.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11258G	56.13	83.54	-27.41	54.31	1	Vertical	296	1.51	-	37.49	14.08	49.75
AV	20.11918G	42.27	63.54	-21.27	40.43	1	Vertical	296	1.51	-	37.50	14.09	49.75

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11012G	55.70	83.54	-27.84	53.87	1	Horizontal	313	1.50	-	37.49	14.08	49.74
AV	20.1177G	42.31	63.54	-21.23	40.48	1	Horizontal	313	1.50	-	37.49	14.09	49.75

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.776G	108.67	Inf	-Inf	101.74	3	Vertical	0	1.80	-	34.16	5.78	33.01
RMS	6.7526G	94.74	Inf	-Inf	87.95	3	Vertical	0	1.80	-	34.02	5.75	32.98
PK	7.2062G	60.68	88.20	-27.52	51.87	3	Vertical	0	1.80	-	36.12	6.10	33.41
RMS	7.2296G	50.60	68.20	-17.60	41.70	3	Vertical	0	1.80	-	36.22	6.10	33.42

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8138G	104.21	Inf	-Inf	97.13	3	Horizontal	28	1.80	-	34.33	5.81	33.06
RMS	6.8192G	89.57	Inf	-Inf	82.49	3	Horizontal	28	1.80	-	34.34	5.81	33.07
PK	7.199G	60.91	88.20	-27.29	52.12	3	Horizontal	28	1.80	-	36.10	6.10	33.41
RMS	7.235G	50.57	68.20	-17.63	41.66	3	Horizontal	28	1.80	-	36.24	6.10	33.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57026G	57.43	88.20	-30.77	42.02	3	Vertical	233	1.90	-	39.97	9.36	33.92
RMS	13.5668G	43.86	68.20	-24.34	28.44	3	Vertical	233	1.90	-	39.97	9.36	33.91

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57294G	57.97	88.20	-30.23	42.55	3	Horizontal	108	2.86	-	39.97	9.37	33.92
RMS	13.57198G	43.75	68.20	-24.45	28.34	3	Horizontal	108	2.86	-	39.97	9.36	33.92

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35926G	58.58	83.54	-24.96	56.51	1	Vertical	194	1.51	-	37.64	14.27	49.84
AV	20.3536G	44.21	63.54	-19.33	42.14	1	Vertical	194	1.51	-	37.64	14.27	49.84

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6785MHz_TnomVnom



EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35378G	57.93	83.54	-25.61	55.86	1	Horizontal	66	1.50	-	37.64	14.27	49.84
AV	20.35134G	44.16	63.54	-19.38	42.10	1	Horizontal	66	1.50	-	37.64	14.26	49.84


802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 70
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8342G	114.26	Inf	-Inf	107.16	3	Vertical	0	1.80	-	34.37	5.82	33.09
RMS	6.8342G	96.39	Inf	-Inf	89.29	3	Vertical	0	1.80	-	34.37	5.82	33.09
PK	7.1926G	61.57	88.20	-26.63	52.82	3	Vertical	0	1.80	-	36.07	6.09	33.41
RMS	7.2038G	50.54	68.20	-17.66	41.73	3	Vertical	0	1.80	-	36.12	6.10	33.41

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 70
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9014G	102.15	Inf	-Inf	94.87	3	Horizontal	22	1.80	-	34.61	5.85	33.18
RMS	6.8314G	90.23	Inf	-Inf	83.14	3	Horizontal	22	1.80	-	34.36	5.82	33.09
PK	7.1674G	60.88	88.20	-27.32	52.23	3	Horizontal	22	1.80	-	35.97	6.07	33.39
RMS	7.2122G	50.55	68.20	-17.65	41.72	3	Horizontal	22	1.80	-	36.15	6.10	33.42

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73288G	58.99	88.20	-29.21	43.54	3	Vertical	212	1.37	-	40.00	9.45	34.00
RMS	13.73338G	45.27	68.20	-22.93	29.82	3	Vertical	212	1.37	-	40.00	9.45	34.00


802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 70
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7338G	59.69	88.20	-28.51	44.24	3	Horizontal	34	1.73	-	40.00	9.45	34.00
RMS	13.73262G	45.26	68.20	-22.94	29.81	3	Horizontal	34	1.73	-	40.00	9.45	34.00

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 70
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59082G	55.70	83.54	-27.84	53.31	1	Vertical	110	1.56	-	37.81	14.44	49.86
AV	20.59118G	41.74	63.54	-21.80	39.35	1	Vertical	110	1.56	-	37.81	14.44	49.86

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 70
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59216G	55.22	83.54	-28.32	52.83	1	Horizontal	69	1.50	-	37.81	14.44	49.86
AV	20.59688G	41.82	63.54	-21.72	39.41	1	Horizontal	69	1.50	-	37.82	14.45	49.86

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9078G	112.80	Inf	-Inf	105.49	3	Vertical	185.5	1.74	-	34.65	5.85	33.19
RMS	6.957G	95.42	Inf	-Inf	87.88	3	Vertical	185.5	1.74	-	34.91	5.88	33.25
PK	7.2114G	61.65	88.20	-26.55	52.82	3	Vertical	185.5	1.74	-	36.15	6.10	33.42
RMS	7.2294G	50.55	68.20	-17.65	41.65	3	Vertical	185.5	1.74	-	36.22	6.10	33.42

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9138G	108.30	Inf	-Inf	100.96	3	Horizontal	18	1.92	-	34.68	5.86	33.20
RMS	6.9138G	89.49	Inf	-Inf	82.15	3	Horizontal	18	1.92	-	34.68	5.86	33.20
PK	7.2318G	61.94	88.20	-26.26	53.04	3	Horizontal	18	1.92	-	36.23	6.10	33.43
RMS	7.2426G	50.51	68.20	-17.69	41.57	3	Horizontal	18	1.92	-	36.27	6.10	33.43

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8881G	59.28	88.20	-28.92	43.52	3	Vertical	218	1.28	-	40.29	9.54	34.07
RMS	13.88868G	45.56	68.20	-22.64	29.80	3	Vertical	218	1.28	-	40.29	9.54	34.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8865G	59.24	88.20	-28.96	43.48	3	Horizontal	281	2.28	-	40.29	9.54	34.07
RMS	13.89398G	45.48	68.20	-22.72	29.73	3	Horizontal	281	2.28	-	40.29	9.54	34.08

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83652G	56.03	83.54	-27.51	53.31	1	Vertical	326	1.55	-	37.86	14.63	49.77
AV	20.8303G	42.46	63.54	-21.08	39.74	1	Vertical	326	1.55	-	37.87	14.62	49.77

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8342G	55.70	83.54	-27.84	52.97	1	Horizontal	23	1.52	-	37.87	14.63	49.77
AV	20.8348G	42.37	63.54	-21.17	39.65	1	Horizontal	23	1.52	-	37.86	14.63	49.77

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	112.18	Inf	-Inf	104.61	3	Vertical	90	1.80	-	34.97	5.89	33.29
RMS	6.9874G	96.86	Inf	-Inf	89.29	3	Vertical	90	1.80	-	34.97	5.89	33.29
PK	7.1258G	64.61	88.20	-23.59	56.20	3	Vertical	90	1.80	-	35.75	6.03	33.37
RMS	7.125G	52.72	68.20	-15.48	44.31	3	Vertical	90	1.80	-	35.75	6.03	33.37

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	110.20	Inf	-Inf	102.62	3	Horizontal	24	2.01	-	34.98	5.90	33.30
RMS	6.993G	91.19	Inf	-Inf	83.60	3	Horizontal	24	2.01	-	34.99	5.90	33.30
PK	7.125G	61.40	88.20	-26.80	52.99	3	Horizontal	24	2.01	-	35.75	6.03	33.37
RMS	7.125G	50.83	68.20	-17.37	42.42	3	Horizontal	24	2.01	-	35.75	6.03	33.37

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04666G	59.47	88.20	-28.73	43.28	3	Vertical	189	1.31	-	40.69	9.62	34.12
RMS	14.05428G	46.31	68.20	-21.89	30.09	3	Vertical	189	1.31	-	40.71	9.63	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05184G	59.90	88.20	-28.30	43.69	3	Horizontal	91	1.12	-	40.70	9.63	34.12
RMS	14.05142G	46.27	68.20	-21.93	30.06	3	Horizontal	91	1.12	-	40.70	9.63	34.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0777G	53.85	83.54	-29.69	51.12	1	Vertical	114	1.52	-	37.60	14.81	49.68
AV	21.07132G	40.15	63.54	-23.39	37.44	1	Vertical	114	1.52	-	37.60	14.80	49.69

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07646G	53.31	83.54	-30.23	50.58	1	Horizontal	204	1.53	-	37.60	14.81	49.68
AV	21.07396G	40.08	63.54	-23.46	37.36	1	Horizontal	204	1.53	-	37.60	14.81	49.69

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 81
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.815G	59.03	88.20	-29.17	54.04	3	Vertical	267	1.77	-	32.00	5.31	32.32
RMS	5.809G	47.72	68.20	-20.48	42.73	3	Vertical	267	1.77	-	32.00	5.31	32.32
PK	6.121G	114.26	Inf	-Inf	108.76	3	Vertical	267	1.77	-	32.48	5.50	32.48
RMS	6.119G	99.63	Inf	-Inf	94.13	3	Vertical	267	1.77	-	32.48	5.50	32.48

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 81
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.717G	58.71	88.20	-29.49	53.84	3	Horizontal	197	2.10	-	31.87	5.26	32.26
RMS	5.801G	47.66	68.20	-20.54	42.67	3	Horizontal	197	2.10	-	32.00	5.30	32.31
PK	6.121G	107.60	Inf	-Inf	102.10	3	Horizontal	197	2.10	-	32.48	5.50	32.48
RMS	6.121G	92.81	Inf	-Inf	87.31	3	Horizontal	197	2.10	-	32.48	5.50	32.48

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 81
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36582G	54.48	74.00	-19.52	41.35	3	Vertical	0	2.01	-	38.53	8.70	34.10
AV	12.36524G	41.11	54.00	-12.89	27.98	3	Vertical	0	2.01	-	38.53	8.70	34.10

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 81
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36784G	54.27	74.00	-19.73	41.13	3	Horizontal	235	2.44	-	38.53	8.70	34.09
AV	12.36812G	41.06	54.00	-12.94	27.92	3	Horizontal	235	2.44	-	38.53	8.70	34.09

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 81
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55062G	56.34	83.54	-27.20	54.68	1	Vertical	289	1.58	-	37.78	13.93	50.05
AV	18.55116G	42.36	63.54	-21.18	40.70	1	Vertical	289	1.58	-	37.78	13.93	50.05

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 81
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5572G	55.87	83.54	-27.67	54.20	1	Horizontal	112	1.57	-	37.78	13.93	50.04
AV	18.55G	42.39	63.54	-21.15	40.73	1	Horizontal	112	1.57	-	37.78	13.93	50.05

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT_V_4TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8874G	58.41	88.20	-29.79	53.31	3	Vertical	262	1.80	-	32.07	5.39	32.36
RMS	5.7994G	47.64	68.20	-20.56	42.65	3	Vertical	262	1.80	-	32.00	5.30	32.31
PK	6.2746G	111.92	Inf	-Inf	106.13	3	Vertical	262	1.80	-	32.80	5.54	32.55
RMS	6.2768G	98.62	Inf	-Inf	92.83	3	Vertical	262	1.80	-	32.80	5.54	32.55

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT_V_4TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	58.98	88.20	-29.22	53.81	3	Horizontal	201	1.80	-	32.13	5.42	32.38
RMS	5.817G	49.15	68.20	-19.05	44.15	3	Horizontal	201	1.80	-	32.00	5.32	32.32
PK	6.2834G	105.14	Inf	-Inf	99.35	3	Horizontal	201	1.80	-	32.80	5.54	32.55
RMS	6.4044G	93.32	Inf	-Inf	86.82	3	Horizontal	201	1.80	-	33.51	5.60	32.61

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6903G	55.56	74.00	-18.44	41.95	3	Vertical	49	2.79	-	38.76	8.88	34.03
AV	12.68656G	41.58	54.00	-12.42	27.98	3	Vertical	49	2.79	-	38.75	8.88	34.03

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69384G	55.10	74.00	-18.90	41.47	3	Horizontal	249	2.16	-	38.78	8.88	34.03
AV	12.69134G	41.55	54.00	-12.45	27.93	3	Horizontal	249	2.16	-	38.77	8.88	34.03

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03126G	54.55	83.54	-28.99	52.25	1	Vertical	60	1.57	-	37.96	13.95	49.61
AV	19.03566G	40.46	63.54	-23.08	38.16	1	Vertical	60	1.57	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03078G	54.20	83.54	-29.34	51.90	1	Horizontal	353	1.54	-	37.96	13.95	49.61
AV	19.03098G	40.53	63.54	-23.01	38.23	1	Horizontal	353	1.54	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	58.60	88.20	-29.60	53.51	3	Vertical	269	2.70	-	32.07	5.38	32.36
RMS	5.8106G	47.52	68.20	-20.68	42.53	3	Vertical	269	2.70	-	32.00	5.31	32.32
PK	6.5078G	108.42	Inf	-Inf	101.55	3	Vertical	269	2.70	-	33.93	5.60	32.66
RMS	6.4378G	97.62	Inf	-Inf	91.06	3	Vertical	269	2.70	-	33.58	5.60	32.62
PK	7.135G	61.18	88.20	-27.02	52.72	3	Vertical	269	2.70	-	35.81	6.03	33.38
RMS	7.205G	50.47	68.20	-17.73	41.66	3	Vertical	269	2.70	-	36.12	6.10	33.41

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.819G	58.87	88.20	-29.33	53.87	3	Horizontal	205.1	2.22	-	32.00	5.32	32.32
RMS	5.8078G	47.53	68.20	-20.67	42.53	3	Horizontal	205.1	2.22	-	32.00	5.31	32.31
PK	6.4322G	108.01	Inf	-Inf	101.47	3	Horizontal	205.1	2.22	-	33.56	5.60	32.62
RMS	6.4742G	91.64	Inf	-Inf	84.93	3	Horizontal	205.1	2.22	-	33.75	5.60	32.64
PK	7.1742G	61.58	88.20	-26.62	52.91	3	Horizontal	205.1	2.22	-	36.00	6.07	33.40
RMS	7.1686G	50.58	68.20	-17.62	41.93	3	Horizontal	205.1	2.22	-	35.97	6.07	33.39

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 80
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01084G	56.21	88.20	-31.99	42.04	3	Vertical	353	1.69	-	39.10	9.06	33.99
RMS	13.00798G	42.44	68.20	-25.76	28.28	3	Vertical	353	1.69	-	39.10	9.05	33.99

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 80
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00632G	56.26	88.20	-31.94	42.10	3	Horizontal	330	2.27	-	39.10	9.05	33.99
RMS	13.0104G	42.37	68.20	-25.83	28.20	3	Horizontal	330	2.27	-	39.10	9.06	33.99


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 80
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51688G	55.14	83.54	-28.40	52.97	1	Vertical	321	1.57	-	37.89	13.98	49.70
AV	19.51968G	41.47	63.54	-22.07	39.30	1	Vertical	321	1.57	-	37.89	13.98	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 80
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51808G	55.19	83.54	-28.35	53.02	1	Horizontal	203	1.51	-	37.89	13.98	49.70
AV	19.5166G	41.47	63.54	-22.07	39.30	1	Horizontal	203	1.51	-	37.89	13.98	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	107.57	Inf	-Inf	100.71	3	Vertical	261	1.80	-	34.08	5.71	32.93
RMS	6.7266G	95.80	Inf	-Inf	88.97	3	Vertical	261	1.80	-	34.05	5.73	32.95
PK	7.1798G	62.04	88.20	-26.16	53.34	3	Vertical	261	1.80	-	36.02	6.08	33.40
RMS	7.1974G	50.49	68.20	-17.71	41.71	3	Vertical	261	1.80	-	36.09	6.10	33.41

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 79
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.599G	107.64	Inf	-Inf	100.62	3	Horizontal	19	2.20	-	34.20	5.60	32.78
RMS	6.6012G	91.37	Inf	-Inf	84.35	3	Horizontal	19	2.20	-	34.20	5.60	32.78
PK	7.204G	61.05	88.20	-27.15	52.24	3	Horizontal	19	2.20	-	36.12	6.10	33.41
RMS	7.215G	50.45	68.20	-17.75	41.61	3	Horizontal	19	2.20	-	36.16	6.10	33.42

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 79
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33274G	56.89	74.00	-17.11	42.05	3	Vertical	274	1.67	-	39.53	9.23	33.92
AV	13.32824G	43.04	54.00	-10.96	28.23	3	Vertical	274	1.67	-	39.50	9.23	33.92

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 79
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33236G	57.49	74.00	-16.51	42.65	3	Horizontal	6	1.76	-	39.53	9.23	33.92
AV	13.33226G	43.10	54.00	-10.90	28.26	3	Horizontal	6	1.76	-	39.53	9.23	33.92

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 79
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99362G	56.72	83.54	-26.82	55.01	1	Vertical	292	1.53	-	37.41	14.00	49.70
AV	19.99602G	41.96	63.54	-21.58	40.25	1	Vertical	292	1.53	-	37.41	14.00	49.70

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


6665MHz_TnomVnom



EUT Y_4TX
Setting 79
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99686G	55.75	83.54	-27.79	54.04	1	Horizontal	133	1.50	-	37.41	14.00	49.70
AV	19.99912G	41.98	63.54	-21.56	40.28	1	Horizontal	133	1.50	-	37.40	14.00	49.70


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 77
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8394G	106.89	Inf	-Inf	99.79	3	Vertical	86	1.53	-	34.38	5.82	33.10
RMS	6.8394G	95.52	Inf	-Inf	88.42	3	Vertical	86	1.53	-	34.38	5.82	33.10
PK	7.1674G	61.26	88.20	-26.94	52.61	3	Vertical	86	1.53	-	35.97	6.07	33.39
RMS	7.1626G	50.75	68.20	-17.45	42.13	3	Vertical	86	1.53	-	35.95	6.06	33.39


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_V_4TX
 Setting 77
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7514G	110.91	Inf	-Inf	104.13	3	Horizontal	21	1.97	-	34.01	5.75	32.98
RMS	6.7514G	90.95	Inf	-Inf	84.17	3	Horizontal	21	1.97	-	34.01	5.75	32.98
PK	7.201G	61.25	88.20	-26.95	52.46	3	Horizontal	21	1.97	-	36.10	6.10	33.41
RMS	7.2234G	50.61	68.20	-17.59	41.74	3	Horizontal	21	1.97	-	36.19	6.10	33.42

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




25/09/2021

EUT Y_4TX
 Setting 77
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64618G	59.04	88.20	-29.16	43.63	3	Vertical	203	2.96	-	39.95	9.41	33.95
RMS	13.65348G	45.18	68.20	-23.02	29.78	3	Vertical	203	2.96	-	39.95	9.41	33.96


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 77
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64814G	59.37	88.20	-28.83	43.96	3	Horizontal	199	1.12	-	39.95	9.41	33.95
RMS	13.6462G	45.06	68.20	-23.14	29.65	3	Horizontal	199	1.12	-	39.95	9.41	33.95


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 77
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4721G	57.02	83.54	-26.52	54.87	1	Vertical	97	1.53	-	37.69	14.35	49.89
AV	20.47258G	43.90	63.54	-19.64	41.75	1	Vertical	97	1.53	-	37.69	14.35	49.89

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 77
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47384G	57.16	83.54	-26.38	55.00	1	Horizontal	88	1.54	-	37.69	14.36	49.89
AV	20.4703G	43.78	63.54	-19.76	41.63	1	Horizontal	88	1.54	-	37.69	14.35	49.89

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	114.92	Inf	-Inf	107.58	3	Vertical	0	1.80	-	34.68	5.86	33.20
RMS	6.9226G	96.87	Inf	-Inf	89.48	3	Vertical	0	1.80	-	34.74	5.86	33.21
PK	7.137G	79.75	88.20	-8.45	71.27	3	Vertical	0	1.80	-	35.82	6.04	33.38
RMS	7.1258G	52.33	68.20	-15.87	43.92	3	Vertical	0	1.80	-	35.75	6.03	33.37
PK	7.2794G	61.19	74.00	-12.81	52.18	3	Vertical	0	1.80	-	36.36	6.10	33.45
RMS	7.2938G	49.98	54.00	-4.02	40.95	3	Vertical	0	1.80	-	36.39	6.10	33.46

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT_V_4TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	109.47	Inf	-Inf	102.13	3	Horizontal	24	2.02	-	34.68	5.86	33.20
RMS	6.9658G	91.92	Inf	-Inf	84.37	3	Horizontal	24	2.02	-	34.93	5.88	33.26
PK	7.1402G	70.69	88.20	-17.51	62.19	3	Horizontal	24	2.02	-	35.84	6.04	33.38
RMS	7.1418G	50.65	68.20	-17.55	42.14	3	Horizontal	24	2.02	-	35.85	6.04	33.38
PK	7.2762G	61.59	74.00	-12.41	52.59	3	Horizontal	24	2.02	-	36.35	6.10	33.45
RMS	7.2922G	49.93	54.00	-4.07	40.91	3	Horizontal	24	2.02	-	36.38	6.10	33.46

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97262G	60.03	88.20	-28.17	44.05	3	Vertical	53	2.63	-	40.52	9.58	34.12
RMS	13.97456G	45.70	68.20	-22.50	29.71	3	Vertical	53	2.63	-	40.52	9.59	34.12

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96938G	59.68	88.20	-28.52	43.70	3	Horizontal	171	2.35	-	40.51	9.58	34.11
RMS	13.9725G	45.82	68.20	-22.38	29.84	3	Horizontal	171	2.35	-	40.52	9.58	34.12

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95336G	56.53	83.54	-27.01	53.86	1	Vertical	146	1.53	-	37.67	14.72	49.72
AV	20.95482G	42.69	63.54	-20.85	40.02	1	Vertical	146	1.53	-	37.67	14.72	49.72

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9541G	56.39	83.54	-27.15	53.72	1	Horizontal	30	1.52	-	37.67	14.72	49.72
AV	20.95824G	42.62	63.54	-20.92	39.95	1	Horizontal	30	1.52	-	37.67	14.72	49.72

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6185MHz_TnomVnom

05/10/2021

CF Freq
6.185GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21137G	0.95	6.549G	-45.23	-39.05	-6.18	1
6.16262G	0.69	6.5418G	-45.21	-39.28	-5.93	2
6.16022G	0.67	6.5202G	-43.86	-39.33	-4.53	3
6.15623G	1.03	6.5274G	-45.30	-38.97	-6.33	4

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6345MHz_TnomVnom

05/10/2021

CF Freq
6.345GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	2.06	6.4802G	-26.01	-19.80	-6.21	1
6.32262G	1.43	6.7042G	-45.04	-38.57	-6.47	2
6.37137G	1.64	6.741G	-45.86	-38.33	-7.53	3
6.37137G	1.46	6.701G	-45.05	-38.39	-6.66	4

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

05/10/2021

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47863G	1.14	6.8586G	-45.08	-38.86	-6.22	1
6.48262G	0.56	6.833G	-44.32	-39.44	-4.88	2
6.47623G	1.13	6.869G	-44.96	-38.87	-6.09	3
6.52898G	1.05	6.7186G	-37.61	-34.18	-3.43	4

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6665MHz_TnomVnom

05/10/2021

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68898G	1.24	6.2698G	-45.85	-38.76	-7.09	1
6.69137G	1.31	6.3018G	-45.09	-38.69	-6.40	2
6.63863G	0.94	6.2946G	-44.50	-38.95	-5.55	3
6.64022G	0.97	6.993G	-45.34	-39.03	-6.31	4

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6825MHz_TnomVnom

05/10/2021

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85057G	0.29	7.0402G	-39.15	-34.37	-4.78	1
6.80262G	0.09	7.0402G	-38.12	-35.14	-2.98	2
6.85137G	0.19	6.4962G	-44.29	-39.81	-4.48	3
6.80262G	0.66	7.0402G	-38.96	-34.80	-4.16	4

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6825MHz Straddle 6.875-7.125GHz_TnomVnom

05/10/2021

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84898G	0.60	6.5714G	-44.64	-39.40	-5.24	1
6.85377G	0.19	6.4962G	-45.49	-39.81	-5.68	2
6.84978G	0.07	6.4602G	-43.92	-39.93	-3.99	3
6.79943G	0.71	6.5402G	-44.61	-39.29	-5.32	4

802.11ax HEW160_Nss4,(MCS0)_4TX

MASK

6985MHz_TnomVnom

05/10/2021

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96262G	0.59	6.621G	-45.59	-39.41	-6.18	1
6.95623G	1.01	6.6178G	-45.47	-38.99	-6.48	2
7.01137G	0.87	6.6178G	-44.28	-39.13	-5.15	3
6.96022G	0.82	6.657G	-44.55	-39.18	-5.37	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6115MHz_TnomVnom

06/10/2021

CF Freq
6.115GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1161G	-3.24	6.1506G	-48.16	-43.24	-4.92	1
6.116G	-3.46	6.1638G	-48.29	-43.46	-4.83	2
6.1177G	-3.89	6.1479G	-48.20	-43.89	-4.31	3
6.1164G	-3.39	6.1623G	-48.44	-43.39	-5.05	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6255MHz_TnomVnom

06/10/2021

CF Freq
6.255GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2571G	-3.51	6.216G	-48.15	-43.51	-4.64	1
6.2559G	-3.33	6.2174G	-48.18	-43.33	-4.85	2
6.2537G	-4.13	6.2194G	-48.24	-44.13	-4.11	3
6.2562G	-3.72	6.22G	-48.25	-43.72	-4.53	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

06/10/2021

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4163G	-3.96	6.456G	-47.88	-43.96	-3.92	1
6.4133G	-3.74	6.4498G	-47.82	-43.74	-4.08	2
6.4127G	-4.27	6.455G	-48.05	-44.27	-3.78	3
6.4163G	-4.13	6.453G	-47.94	-44.13	-3.81	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

06/10/2021

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4364G	-5.84	6.3968G	-48.18	-45.84	-2.34	1
6.4331G	-6.16	6.4806G	-48.22	-46.16	-2.06	2
6.4326G	-5.95	6.476G	-48.39	-45.95	-2.44	3
6.4363G	-5.91	6.4807G	-48.35	-45.91	-2.44	4