


802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99646G	57.81	74.00	-16.19	42.64	3	Vertical	80	1.83	-	40.20	9.20	34.23
AV	11.00074G	43.76	54.00	-10.24	28.59	3	Vertical	80	1.83	-	40.20	9.20	34.23

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00322G	57.60	74.00	-16.40	42.44	3	Horizontal	5	2.78	-	40.19	9.20	34.23
AV	11.0031G	43.75	54.00	-10.25	28.59	3	Horizontal	5	2.78	-	40.19	9.20	34.23

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.50	68.20	-8.70	54.66	3	Vertical	211	1.93	-	31.10	5.80	32.06
PK	5.386G	62.72	74.00	-11.28	57.68	3	Vertical	211	1.93	-	31.32	5.80	32.08
AV	5.385G	50.97	54.00	-3.03	45.94	3	Vertical	211	1.93	-	31.31	5.80	32.08
PK	5.462G	60.66	68.20	-7.54	55.41	3	Vertical	211	1.93	-	31.50	5.86	32.11
PK	5.584G	124.97	Inf	-Inf	119.60	3	Vertical	211	1.93	-	31.57	5.98	32.18
AV	5.585G	114.89	Inf	-Inf	109.51	3	Vertical	211	1.93	-	31.57	5.99	32.18
PK	5.785G	61.59	68.20	-6.61	55.89	3	Vertical	211	1.93	-	32.00	6.00	32.30

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15772G	56.95	74.00	-17.05	42.24	3	Vertical	120	1.15	-	39.68	9.29	34.26
AV	11.1559G	43.30	54.00	-10.70	28.57	3	Vertical	120	1.15	-	39.69	9.29	34.25

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16262G	57.66	74.00	-16.34	42.95	3	Horizontal	21	2.45	-	39.67	9.30	34.26
AV	11.15672G	43.33	54.00	-10.67	28.61	3	Horizontal	21	2.45	-	39.69	9.29	34.26

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	119.13	Inf	-Inf	113.59	3	Vertical	56	1.80	-	31.79	6.00	32.25
AV	5.6968G	109.55	Inf	-Inf	104.01	3	Vertical	56	1.80	-	31.79	6.00	32.25
PK	5.7348G	68.00	68.20	-0.20	62.33	3	Vertical	56	1.80	-	31.94	6.00	32.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3951G	57.64	74.00	-16.36	42.70	3	Vertical	25	1.97	-	39.79	9.44	34.29
AV	11.39652G	43.18	54.00	-10.82	28.24	3	Vertical	25	1.97	-	39.79	9.44	34.29

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 80
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39758G	57.48	74.00	-16.52	42.53	3	Horizontal	342	2.24	-	39.80	9.44	34.29
AV	11.4023G	43.16	54.00	-10.84	28.21	3	Horizontal	342	2.24	-	39.80	9.44	34.29

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	124.85	Inf	-Inf	119.25	3	Vertical	57	1.80	-	31.86	6.00	32.26
AV	5.7168G	114.44	Inf	-Inf	108.83	3	Vertical	57	1.80	-	31.87	6.00	32.26
PK	5.85G	60.16	68.20	-8.04	54.47	3	Vertical	57	1.80	-	32.00	6.03	32.34

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44168G	56.74	74.00	-17.26	41.85	3	Vertical	314	1.94	-	39.72	9.47	34.30
AV	11.44458G	42.82	54.00	-11.18	27.94	3	Vertical	314	1.94	-	39.71	9.47	34.30

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44172G	56.52	74.00	-17.48	41.63	3	Horizontal	4	2.36	-	39.72	9.47	34.30
AV	11.43716G	42.76	54.00	-11.24	27.87	3	Horizontal	4	2.36	-	39.73	9.46	34.30

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	63.17	68.20	-5.03	57.88	3	Vertical	211.6	1.80	-	31.50	5.95	32.16
PK	5.749G	125.72	Inf	-Inf	120.00	3	Vertical	211.6	1.80	-	32.00	6.00	32.28
AV	5.75G	115.96	Inf	-Inf	110.24	3	Vertical	211.6	1.80	-	32.00	6.00	32.28
PK	5.95G	58.82	68.20	-9.38	52.95	3	Vertical	211.6	1.80	-	32.20	6.07	32.40

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49226G	56.47	74.00	-17.53	41.66	3	Vertical	205	3.00	-	39.62	9.50	34.31
AV	11.48548G	43.73	54.00	-10.27	28.92	3	Vertical	205	3.00	-	39.63	9.49	34.31

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48812G	57.98	74.00	-16.02	43.18	3	Horizontal	199	2.70	-	39.62	9.49	34.31
AV	11.485G	43.73	54.00	-10.27	28.92	3	Horizontal	199	2.70	-	39.63	9.49	34.31

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	62.03	68.20	-6.17	56.62	3	Vertical	58	1.78	-	31.60	6.00	32.19
PK	5.781G	125.40	Inf	-Inf	119.70	3	Vertical	58	1.78	-	32.00	6.00	32.30
AV	5.781G	116.22	Inf	-Inf	110.52	3	Vertical	58	1.78	-	32.00	6.00	32.30
PK	5.925G	58.10	68.20	-10.10	52.27	3	Vertical	58	1.78	-	32.15	6.06	32.38

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56878G	57.13	74.00	-16.87	42.36	3	Vertical	258	2.28	-	39.53	9.54	34.30
AV	11.5654G	43.85	54.00	-10.15	29.08	3	Vertical	258	2.28	-	39.53	9.54	34.30

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57234G	57.05	74.00	-16.95	42.28	3	Horizontal	291	1.04	-	39.53	9.54	34.30
AV	11.56558G	43.66	54.00	-10.34	28.89	3	Horizontal	291	1.04	-	39.53	9.54	34.30

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	62.17	68.20	-6.03	56.77	3	Vertical	59	1.80	-	31.60	6.00	32.20
PK	5.821G	125.79	Inf	-Inf	120.10	3	Vertical	59	1.80	-	32.00	6.01	32.32
AV	5.82G	115.73	Inf	-Inf	110.04	3	Vertical	59	1.80	-	32.00	6.01	32.32
PK	5.927G	58.22	68.20	-9.98	52.40	3	Vertical	59	1.80	-	32.15	6.06	32.39

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64962G	57.10	74.00	-16.90	42.44	3	Vertical	220	2.04	-	39.35	9.59	34.28
AV	11.64802G	43.79	54.00	-10.21	29.12	3	Vertical	220	2.04	-	39.36	9.59	34.28

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64938G	56.98	74.00	-17.02	42.32	3	Horizontal	123	1.09	-	39.35	9.59	34.28
AV	11.65478G	43.80	54.00	-10.20	29.15	3	Horizontal	123	1.09	-	39.34	9.59	34.28




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.358G	53.98	54.00	-0.02	3	Vertical	274.4	1.77	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.71	74.00	-7.29	61.24	3	Vertical	111	1.80	-	31.70	5.75	31.98
AV	5.15G	53.90	54.00	-0.10	48.43	3	Vertical	111	1.80	-	31.70	5.75	31.98
PK	5.1796G	126.01	Inf	-Inf	120.70	3	Vertical	111	1.80	-	31.52	5.78	31.99
AV	5.1812G	113.90	Inf	-Inf	108.60	3	Vertical	111	1.80	-	31.51	5.78	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53904G	60.80	74.00	-13.20	44.24	3	Vertical	276	2.74	-	38.50	12.30	34.24
AV	15.54052G	47.44	54.00	-6.56	30.88	3	Vertical	276	2.74	-	38.50	12.30	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53846G	60.71	74.00	-13.29	44.14	3	Horizontal	189	1.33	-	38.51	12.30	34.24
AV	15.5401G	47.33	54.00	-6.67	30.77	3	Horizontal	189	1.33	-	38.50	12.30	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 101
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	71.77	74.00	-2.23	66.29	3	Vertical	344.4	1.90	-	31.71	5.75	31.98
AV	5.15G	53.56	54.00	-0.44	48.09	3	Vertical	344.4	1.90	-	31.70	5.75	31.98
PK	5.2084G	126.82	Inf	-Inf	121.67	3	Vertical	344.4	1.90	-	31.35	5.80	32.00
AV	5.2084G	115.36	Inf	-Inf	110.21	3	Vertical	344.4	1.90	-	31.35	5.80	32.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 101
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60426G	60.72	74.00	-13.28	44.46	3	Vertical	188	2.81	-	38.18	12.34	34.26
AV	15.60356G	47.20	54.00	-6.80	30.93	3	Vertical	188	2.81	-	38.19	12.34	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 101
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60212G	60.28	74.00	-13.72	44.01	3	Horizontal	226	1.02	-	38.19	12.34	34.26
AV	15.60084G	47.25	54.00	-6.75	30.97	3	Horizontal	226	1.02	-	38.20	12.34	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	64.39	74.00	-9.61	58.88	3	Vertical	6	1.80	-	31.74	5.74	31.97
AV	5.1446G	50.69	54.00	-3.31	45.19	3	Vertical	6	1.80	-	31.73	5.74	31.97
PK	5.2442G	127.17	Inf	-Inf	122.26	3	Vertical	6	1.80	-	31.13	5.80	32.02
AV	5.2454G	115.24	Inf	-Inf	110.33	3	Vertical	6	1.80	-	31.13	5.80	32.02
PK	5.3714G	63.39	74.00	-10.61	58.43	3	Vertical	6	1.80	-	31.23	5.80	32.07
AV	5.3678G	49.87	54.00	-4.13	44.93	3	Vertical	6	1.80	-	31.21	5.80	32.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47428G	56.51	68.20	-11.69	42.18	3	Vertical	314	1.20	-	39.57	8.88	34.12
PK	15.72588G	60.32	74.00	-13.68	44.41	3	Vertical	256	1.23	-	37.80	12.42	34.31
AV	15.72872G	46.74	54.00	-7.26	30.83	3	Vertical	256	1.23	-	37.80	12.42	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47372G	56.49	68.20	-11.71	42.16	3	Horizontal	241	1.80	-	39.57	8.88	34.12
PK	15.71644G	60.65	74.00	-13.35	44.74	3	Horizontal	235	1.28	-	37.80	12.42	34.31
AV	15.72312G	46.84	54.00	-7.16	30.93	3	Horizontal	235	1.28	-	37.80	12.42	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	62.10	74.00	-11.90	56.60	3	Vertical	107.8	1.82	-	31.73	5.74	31.97
AV	5.1466G	49.62	54.00	-4.38	44.12	3	Vertical	107.8	1.82	-	31.72	5.75	31.97
PK	5.2678G	127.03	Inf	-Inf	122.16	3	Vertical	107.8	1.82	-	31.10	5.80	32.03
AV	5.2684G	116.25	Inf	-Inf	111.38	3	Vertical	107.8	1.82	-	31.10	5.80	32.03
PK	5.3536G	66.76	74.00	-7.24	61.91	3	Vertical	107.8	1.82	-	31.12	5.80	32.07
AV	5.35G	50.71	54.00	-3.29	45.87	3	Vertical	107.8	1.82	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51656G	57.00	68.20	-11.20	42.61	3	Vertical	57	1.80	-	39.62	8.91	34.14
PK	15.78768G	60.89	74.00	-13.11	44.97	3	Vertical	324	2.32	-	37.80	12.46	34.34
AV	15.772G	46.45	54.00	-7.55	30.53	3	Vertical	324	2.32	-	37.80	12.45	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51072G	56.46	68.20	-11.74	42.08	3	Horizontal	297	1.86	-	39.61	8.91	34.14
PK	15.78608G	60.81	74.00	-13.19	44.88	3	Horizontal	292	1.89	-	37.80	12.46	34.33
AV	15.77036G	46.47	54.00	-7.53	30.55	3	Horizontal	292	1.89	-	37.80	12.45	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3054G	126.56	Inf	-Inf	121.70	3	Vertical	296	1.97	-	31.10	5.80	32.04
AV	5.3066G	115.14	Inf	-Inf	110.28	3	Vertical	296	1.97	-	31.10	5.80	32.04
PK	5.35G	69.31	74.00	-4.69	64.47	3	Vertical	296	1.97	-	31.10	5.80	32.06
AV	5.35G	52.98	54.00	-1.02	48.14	3	Vertical	296	1.97	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8957G	59.46	74.00	-14.54	43.70	3	Vertical	238	1.54	-	37.61	12.53	34.38
AV	15.9042G	45.92	54.00	-8.08	30.17	3	Vertical	238	1.54	-	37.59	12.54	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89724G	59.23	74.00	-14.77	43.47	3	Horizontal	270	3.00	-	37.61	12.53	34.38
AV	15.90026G	45.86	54.00	-8.14	30.10	3	Horizontal	270	3.00	-	37.60	12.54	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	123.40	Inf	-Inf	118.55	3	Vertical	232.9	1.80	-	31.10	5.80	32.05
AV	5.318G	110.97	Inf	-Inf	106.12	3	Vertical	232.9	1.80	-	31.10	5.80	32.05
PK	5.3604G	66.11	74.00	-7.89	61.22	3	Vertical	232.9	1.80	-	31.16	5.80	32.07
AV	5.3512G	53.53	54.00	-0.47	48.68	3	Vertical	232.9	1.80	-	31.11	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95838G	59.02	74.00	-14.98	43.37	3	Vertical	305	1.39	-	37.48	12.57	34.40
AV	15.96418G	45.60	54.00	-8.40	29.96	3	Vertical	305	1.39	-	37.47	12.58	34.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96244G	58.80	74.00	-15.20	43.14	3	Horizontal	23	2.73	-	37.48	12.58	34.40
AV	15.95944G	45.65	54.00	-8.35	30.00	3	Horizontal	23	2.73	-	37.48	12.57	34.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	65.93	74.00	-8.07	60.78	3	Vertical	30	1.80	-	31.50	5.76	32.11
AV	5.4586G	53.82	54.00	-0.18	48.67	3	Vertical	30	1.80	-	31.50	5.76	32.11
PK	5.47G	67.79	68.20	-0.41	62.64	3	Vertical	30	1.80	-	31.50	5.77	32.12
PK	5.5048G	126.61	Inf	-Inf	121.44	3	Vertical	30	1.80	-	31.50	5.80	32.13
AV	5.5012G	113.55	Inf	-Inf	108.38	3	Vertical	30	1.80	-	31.50	5.80	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00394G	56.77	74.00	-17.23	42.23	3	Vertical	104	1.41	-	40.18	8.59	34.23
AV	11.00332G	43.36	54.00	-10.64	28.81	3	Vertical	104	1.41	-	40.19	8.59	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99838G	57.78	74.00	-16.22	43.22	3	Horizontal	268	1.71	-	40.20	8.59	34.23
AV	10.99566G	43.49	54.00	-10.51	28.93	3	Horizontal	268	1.71	-	40.20	8.59	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3888G	63.52	74.00	-10.48	58.58	3	Vertical	24	1.79	-	31.33	5.69	32.08
AV	5.3872G	50.82	54.00	-3.18	45.89	3	Vertical	24	1.79	-	31.32	5.69	32.08
PK	5.4616G	61.73	68.20	-6.47	56.58	3	Vertical	24	1.79	-	31.50	5.76	32.11
PK	5.5728G	126.15	Inf	-Inf	120.91	3	Vertical	24	1.79	-	31.55	5.86	32.17
AV	5.5712G	114.21	Inf	-Inf	108.98	3	Vertical	24	1.79	-	31.54	5.86	32.17
PK	5.7456G	62.00	68.20	-6.20	56.41	3	Vertical	24	1.79	-	31.98	5.89	32.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16244G	56.93	74.00	-17.07	42.83	3	Vertical	204	1.80	-	39.68	8.68	34.26
AV	11.16032G	42.95	54.00	-11.05	28.85	3	Vertical	204	1.80	-	39.68	8.68	34.26
PK	16.73148G	60.36	68.20	-7.84	44.49	3	Vertical	255	1.81	-	40.09	10.27	34.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.152G	57.37	74.00	-16.63	43.24	3	Horizontal	81	1.23	-	39.70	8.68	34.25
AV	11.152G	42.96	54.00	-11.04	28.83	3	Horizontal	81	1.23	-	39.70	8.68	34.25
PK	16.74452G	60.69	68.20	-7.51	44.74	3	Horizontal	245	1.87	-	40.17	10.27	34.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 70
06-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	119.49	Inf	-Inf	114.08	3	Vertical	187	2.06	-	31.77	5.89	32.25
AV	5.6914G	106.76	Inf	-Inf	101.34	3	Vertical	187	2.06	-	31.77	5.89	32.24
PK	5.7302G	67.94	68.20	-0.26	62.40	3	Vertical	187	2.06	-	31.92	5.89	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 70
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3987G	56.63	74.00	-17.37	42.30	3	Vertical	121	1.94	-	39.80	8.82	34.29
AV	11.3998G	42.81	54.00	-11.19	28.48	3	Vertical	121	1.94	-	39.80	8.82	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 70
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3961G	56.45	74.00	-17.55	42.13	3	Horizontal	323	2.64	-	39.79	8.82	34.29
AV	11.39752G	42.75	54.00	-11.25	28.42	3	Horizontal	323	2.64	-	39.80	8.82	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	127.04	Inf	-Inf	121.57	3	Vertical	194	1.94	-	31.84	5.89	32.26
AV	5.7112G	115.92	Inf	-Inf	110.45	3	Vertical	194	1.94	-	31.84	5.89	32.26
PK	5.9112G	60.34	68.20	-7.86	54.59	3	Vertical	194	1.94	-	32.12	6.01	32.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43848G	56.32	74.00	-17.68	42.06	3	Vertical	50	2.62	-	39.72	8.84	34.30
AV	11.44388G	42.76	54.00	-11.24	28.51	3	Vertical	50	2.62	-	39.71	8.84	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43984G	56.65	74.00	-17.35	42.39	3	Horizontal	49	1.77	-	39.72	8.84	34.30
AV	11.43964G	42.79	54.00	-11.21	28.53	3	Horizontal	49	1.77	-	39.72	8.84	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	64.19	68.20	-4.01	58.80	3	Vertical	28	1.75	-	31.60	6.00	32.21
PK	5.738G	126.85	Inf	-Inf	121.17	3	Vertical	28	1.75	-	31.95	6.00	32.27
AV	5.737G	115.51	Inf	-Inf	109.83	3	Vertical	28	1.75	-	31.95	6.00	32.27
PK	5.954G	61.01	68.20	-7.19	55.13	3	Vertical	28	1.75	-	32.20	6.08	32.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4851G	56.42	74.00	-17.58	41.61	3	Vertical	110	2.66	-	39.63	9.49	34.31
AV	11.489G	43.26	54.00	-10.74	28.46	3	Vertical	110	2.66	-	39.62	9.49	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48958G	56.96	74.00	-17.04	42.16	3	Horizontal	196	2.87	-	39.62	9.49	34.31
AV	11.48954G	43.25	54.00	-10.75	28.45	3	Horizontal	196	2.87	-	39.62	9.49	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	62.89	68.20	-5.31	57.50	3	Vertical	26	1.74	-	31.58	5.99	32.18
PK	5.784G	126.19	Inf	-Inf	120.49	3	Vertical	26	1.74	-	32.00	6.00	32.30
AV	5.78G	114.44	Inf	-Inf	108.74	3	Vertical	26	1.74	-	32.00	6.00	32.30
PK	5.928G	60.36	68.20	-7.84	54.53	3	Vertical	26	1.74	-	32.16	6.06	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5739G	56.94	74.00	-17.06	42.17	3	Vertical	29	2.77	-	39.53	9.54	34.30
AV	11.5676G	43.31	54.00	-10.69	28.54	3	Vertical	29	2.77	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56758G	56.90	74.00	-17.10	42.13	3	Horizontal	254	1.98	-	39.53	9.54	34.30
AV	11.5747G	43.33	54.00	-10.67	28.56	3	Horizontal	254	1.98	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	62.94	68.20	-5.26	57.54	3	Vertical	26	1.74	-	31.60	6.00	32.20
PK	5.819G	125.53	Inf	-Inf	119.84	3	Vertical	26	1.74	-	32.00	6.01	32.32
AV	5.826G	114.44	Inf	-Inf	108.76	3	Vertical	26	1.74	-	32.00	6.01	32.33
PK	5.922G	66.84	70.42	-3.58	61.02	3	Vertical	26	1.74	-	32.14	6.06	32.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65584G	56.39	74.00	-17.61	41.75	3	Vertical	357	1.70	-	39.33	9.59	34.28
AV	11.65304G	43.28	54.00	-10.72	28.63	3	Vertical	357	1.70	-	39.34	9.59	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65888G	56.39	74.00	-17.61	41.75	3	Horizontal	86	1.37	-	39.32	9.60	34.28
AV	11.64888G	43.30	54.00	-10.70	28.64	3	Horizontal	86	1.37	-	39.35	9.59	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Z_4TX
Setting 92
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	68.84	74.00	-5.16	63.34	3	Vertical	334.3	1.80	-	31.72	5.75	31.97
AV	5.1486G	53.73	54.00	-0.27	48.25	3	Vertical	334.3	1.80	-	31.71	5.75	31.98
PK	5.1966G	121.90	Inf	-Inf	116.68	3	Vertical	334.3	1.80	-	31.42	5.80	32.00
AV	5.1966G	108.71	Inf	-Inf	103.49	3	Vertical	334.3	1.80	-	31.42	5.80	32.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57112G	60.40	74.00	-13.60	43.99	3	Vertical	139	1.28	-	38.34	12.32	34.25
AV	15.56646G	46.94	54.00	-7.06	30.50	3	Vertical	139	1.28	-	38.37	12.32	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56922G	60.50	74.00	-13.50	44.08	3	Horizontal	182	1.13	-	38.35	12.32	34.25
AV	15.56576G	46.84	54.00	-7.16	30.40	3	Horizontal	182	1.13	-	38.37	12.32	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	72.99	74.00	-1.01	67.49	3	Vertical	66	1.79	-	31.73	5.74	31.97
AV	5.1466G	53.84	54.00	-0.16	48.34	3	Vertical	66	1.79	-	31.72	5.75	31.97
PK	5.2126G	122.21	Inf	-Inf	117.09	3	Vertical	66	1.79	-	31.32	5.80	32.00
AV	5.2126G	111.32	Inf	-Inf	106.20	3	Vertical	66	1.79	-	31.32	5.80	32.00
PK	5.3626G	63.14	74.00	-10.86	58.23	3	Vertical	66	1.79	-	31.18	5.80	32.07
AV	5.3746G	50.30	54.00	-3.70	45.32	3	Vertical	66	1.79	-	31.25	5.80	32.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68568G	59.36	74.00	-14.64	43.39	3	Vertical	165	2.72	-	37.86	12.40	34.29
AV	15.68548G	45.97	54.00	-8.03	30.00	3	Vertical	165	2.72	-	37.86	12.40	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69368G	59.93	74.00	-14.07	44.00	3	Horizontal	245	1.27	-	37.83	12.40	34.30
AV	15.68516G	45.91	54.00	-8.09	29.94	3	Horizontal	245	1.27	-	37.86	12.40	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.129G	62.01	74.00	-11.99	56.42	3	Vertical	229.7	1.80	-	31.83	5.73	31.97
AV	5.1476G	49.52	54.00	-4.48	44.03	3	Vertical	229.7	1.80	-	31.71	5.75	31.97
PK	5.2844G	121.86	Inf	-Inf	117.00	3	Vertical	229.7	1.80	-	31.10	5.80	32.04
AV	5.2808G	108.87	Inf	-Inf	104.00	3	Vertical	229.7	1.80	-	31.10	5.80	32.03
PK	5.3522G	71.90	74.00	-2.10	67.05	3	Vertical	229.7	1.80	-	31.11	5.80	32.06
AV	5.35G	53.40	54.00	-0.60	48.56	3	Vertical	229.7	1.80	-	31.10	5.80	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80646G	59.72	74.00	-14.28	43.80	3	Vertical	138	1.87	-	37.79	12.47	34.34
AV	15.8099G	45.46	54.00	-8.54	29.54	3	Vertical	138	1.87	-	37.78	12.48	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 91
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81486G	59.84	74.00	-14.16	43.94	3	Horizontal	314	2.71	-	37.77	12.48	34.35
AV	15.8102G	45.42	54.00	-8.58	29.50	3	Horizontal	314	2.71	-	37.78	12.48	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2962G	121.32	Inf	-Inf	116.46	3	Vertical	229.7	1.80	-	31.10	5.80	32.04
AV	5.3274G	108.97	Inf	-Inf	104.12	3	Vertical	229.7	1.80	-	31.10	5.80	32.05
PK	5.3688G	68.88	74.00	-5.12	63.94	3	Vertical	229.7	1.80	-	31.21	5.80	32.07
AV	5.35G	53.67	54.00	-0.33	48.83	3	Vertical	229.7	1.80	-	31.10	5.80	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9314G	58.40	74.00	-15.60	42.69	3	Vertical	244	1.29	-	37.54	12.56	34.39
AV	15.92908G	44.96	54.00	-9.04	29.26	3	Vertical	244	1.29	-	37.54	12.55	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93104G	58.10	74.00	-15.90	42.39	3	Horizontal	279	2.85	-	37.54	12.56	34.39
AV	15.92922G	44.93	54.00	-9.07	29.23	3	Horizontal	279	2.85	-	37.54	12.55	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	68.35	74.00	-5.65	63.20	3	Vertical	336	1.80	-	31.50	5.76	32.11
AV	5.4596G	51.80	54.00	-2.20	46.65	3	Vertical	336	1.80	-	31.50	5.76	32.11
PK	5.466G	67.48	68.20	-0.72	62.34	3	Vertical	336	1.80	-	31.50	5.76	32.12
PK	5.4972G	120.41	Inf	-Inf	115.25	3	Vertical	336	1.80	-	31.50	5.79	32.13
AV	5.4956G	107.37	Inf	-Inf	102.21	3	Vertical	336	1.80	-	31.50	5.79	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0155G	56.52	74.00	-17.48	42.01	3	Vertical	267	2.08	-	40.14	8.60	34.23
AV	11.0239G	42.72	54.00	-11.28	28.25	3	Vertical	267	2.08	-	40.10	8.60	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02352G	56.64	74.00	-17.36	42.16	3	Horizontal	36	2.23	-	40.11	8.60	34.23
AV	11.01586G	42.79	54.00	-11.21	28.28	3	Horizontal	36	2.23	-	40.14	8.60	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.92	74.00	-8.08	60.77	3	Vertical	331.1	1.80	-	31.50	5.76	32.11
AV	5.4596G	50.10	54.00	-3.90	44.95	3	Vertical	331.1	1.80	-	31.50	5.76	32.11
PK	5.4692G	65.44	68.20	-2.76	60.29	3	Vertical	331.1	1.80	-	31.50	5.77	32.12
PK	5.5492G	121.54	Inf	-Inf	116.36	3	Vertical	331.1	1.80	-	31.50	5.84	32.16
AV	5.5476G	108.17	Inf	-Inf	102.99	3	Vertical	331.1	1.80	-	31.50	5.84	32.16
PK	5.7348G	61.66	68.20	-6.54	56.10	3	Vertical	331.1	1.80	-	31.94	5.89	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09706G	56.07	74.00	-17.93	41.86	3	Vertical	117	1.39	-	39.81	8.65	34.25
AV	11.09666G	42.31	54.00	-11.69	28.10	3	Vertical	117	1.39	-	39.81	8.65	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09502G	56.31	74.00	-17.69	42.10	3	Horizontal	121	1.12	-	39.82	8.64	34.25
AV	11.09834G	42.32	54.00	-11.68	28.11	3	Horizontal	121	1.12	-	39.81	8.65	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.14	74.00	-14.86	53.99	3	Vertical	329.5	1.80	-	31.50	5.76	32.11
AV	5.457G	47.55	54.00	-6.45	42.41	3	Vertical	329.5	1.80	-	31.50	5.75	32.11
PK	5.466G	59.39	68.20	-8.81	54.25	3	Vertical	329.5	1.80	-	31.50	5.76	32.12
PK	5.683G	117.84	Inf	-Inf	112.46	3	Vertical	329.5	1.80	-	31.73	5.89	32.24
AV	5.682G	106.73	Inf	-Inf	101.35	3	Vertical	329.5	1.80	-	31.73	5.89	32.24
PK	5.726G	67.48	68.20	-0.72	61.96	3	Vertical	329.5	1.80	-	31.90	5.89	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33732G	55.64	74.00	-18.36	41.47	3	Vertical	235	1.99	-	39.67	8.78	34.28
AV	11.33626G	42.53	54.00	-11.47	28.36	3	Vertical	235	1.99	-	39.67	8.78	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34152G	56.02	74.00	-17.98	41.84	3	Horizontal	45	2.42	-	39.68	8.78	34.28
AV	11.33716G	42.37	54.00	-11.63	28.20	3	Horizontal	45	2.42	-	39.67	8.78	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6996G	123.58	Inf	-Inf	118.14	3	Vertical	83	1.80	-	31.80	5.89	32.25
AV	5.698G	111.16	Inf	-Inf	105.73	3	Vertical	83	1.80	-	31.79	5.89	32.25
PK	5.8556G	63.25	68.20	-4.95	57.63	3	Vertical	83	1.80	-	32.01	5.95	32.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4184G	56.03	74.00	-17.97	41.74	3	Vertical	72	2.16	-	39.76	8.83	34.30
AV	11.41574G	42.53	54.00	-11.47	28.23	3	Vertical	72	2.16	-	39.77	8.83	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42118G	56.80	74.00	-17.20	42.51	3	Horizontal	320	1.78	-	39.76	8.83	34.30
AV	11.41592G	42.34	54.00	-11.66	28.04	3	Horizontal	320	1.78	-	39.77	8.83	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	66.55	68.20	-1.65	61.16	3	Vertical	26	1.95	-	31.60	6.00	32.21
PK	5.748G	123.48	Inf	-Inf	117.77	3	Vertical	26	1.95	-	31.99	6.00	32.28
AV	5.749G	112.94	Inf	-Inf	107.22	3	Vertical	26	1.95	-	32.00	6.00	32.28
PK	5.938G	60.26	68.20	-7.94	54.40	3	Vertical	26	1.95	-	32.18	6.07	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50554G	56.72	74.00	-17.28	41.94	3	Vertical	251	2.37	-	39.59	9.50	34.31
AV	11.50676G	42.92	54.00	-11.08	28.14	3	Vertical	251	2.37	-	39.59	9.50	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50522G	56.71	74.00	-17.29	41.93	3	Horizontal	135	1.18	-	39.59	9.50	34.31
AV	11.51102G	42.95	54.00	-11.05	28.16	3	Horizontal	135	1.18	-	39.59	9.51	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 107
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	66.81	68.20	-1.39	61.43	3	Vertical	26	1.80	-	31.60	6.00	32.22
PK	5.806G	122.29	Inf	-Inf	116.60	3	Vertical	26	1.80	-	32.00	6.00	32.31
AV	5.788G	112.75	Inf	-Inf	107.05	3	Vertical	26	1.80	-	32.00	6.00	32.30
PK	5.925G	64.88	68.20	-3.32	59.05	3	Vertical	26	1.80	-	32.15	6.06	32.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 107
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59228G	56.35	74.00	-17.65	41.57	3	Vertical	121	2.06	-	39.51	9.56	34.29
AV	11.59062G	42.63	54.00	-11.37	27.86	3	Vertical	121	2.06	-	39.51	9.55	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Z_4TX
Setting 107
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58508G	56.35	74.00	-17.65	41.58	3	Horizontal	23	2.81	-	39.51	9.55	34.29
AV	11.59252G	42.71	54.00	-11.29	27.93	3	Horizontal	23	2.81	-	39.51	9.56	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	70.89	74.00	-3.11	65.27	3	Vertical	264	1.79	-	31.86	5.72	31.96
AV	5.148G	53.94	54.00	-0.06	48.46	3	Vertical	264	1.79	-	31.71	5.75	31.98
PK	5.22G	119.40	Inf	-Inf	114.33	3	Vertical	264	1.79	-	31.28	5.80	32.01
AV	5.219G	107.47	Inf	-Inf	102.39	3	Vertical	264	1.79	-	31.29	5.80	32.01
PK	5.412G	63.40	74.00	-10.60	58.26	3	Vertical	264	1.79	-	31.42	5.81	32.09
AV	5.356G	50.95	54.00	-3.05	46.08	3	Vertical	264	1.79	-	31.14	5.80	32.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62578G	60.04	74.00	-13.96	43.85	3	Vertical	120	3.00	-	38.10	12.36	34.27
AV	15.62854G	46.64	54.00	-7.36	30.46	3	Vertical	120	3.00	-	38.09	12.36	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62954G	60.35	74.00	-13.65	44.18	3	Horizontal	55	1.52	-	38.08	12.36	34.27
AV	15.62574G	46.61	54.00	-7.39	30.42	3	Horizontal	55	1.52	-	38.10	12.36	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	61.09	74.00	-12.91	55.44	3	Vertical	274.4	1.77	-	31.89	5.72	31.96
AV	5.14G	48.26	54.00	-5.74	42.73	3	Vertical	274.4	1.77	-	31.76	5.74	31.97
PK	5.266G	118.61	Inf	-Inf	113.74	3	Vertical	274.4	1.77	-	31.10	5.80	32.03
PK	5.378G	69.43	74.00	-4.57	64.44	3	Vertical	274.4	1.77	-	31.27	5.80	32.08
AV	5.324G	104.96	Inf	-Inf	100.11	3	Vertical	274.4	1.77	-	31.10	5.80	32.05
AV	5.358G	53.98	54.00	-0.02	49.10	3	Vertical	274.4	1.77	-	31.15	5.80	32.07
PK	5.467G	59.96	68.20	-8.24	54.71	3	Vertical	274.4	1.77	-	31.50	5.87	32.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86994G	58.64	74.00	-15.36	42.83	3	Vertical	52	2.97	-	37.66	12.52	34.37
AV	15.86588G	45.12	54.00	-8.88	29.31	3	Vertical	52	2.97	-	37.67	12.51	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86958G	58.91	74.00	-15.09	43.10	3	Horizontal	160	1.62	-	37.66	12.52	34.37
AV	15.86634G	45.13	54.00	-8.87	29.32	3	Horizontal	160	1.62	-	37.67	12.51	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	59.90	68.20	-8.30	55.20	3	Vertical	334.6	1.80	-	31.10	5.66	32.06
PK	5.46G	67.04	74.00	-6.96	61.89	3	Vertical	334.6	1.80	-	31.50	5.76	32.11
AV	5.46G	53.92	54.00	-0.08	48.77	3	Vertical	334.6	1.80	-	31.50	5.76	32.11
PK	5.463G	65.63	68.20	-2.57	60.48	3	Vertical	334.6	1.80	-	31.50	5.76	32.11
PK	5.508G	116.85	Inf	-Inf	111.68	3	Vertical	334.6	1.80	-	31.50	5.80	32.13
AV	5.507G	106.02	Inf	-Inf	100.85	3	Vertical	334.6	1.80	-	31.50	5.80	32.13
PK	5.765G	60.44	68.20	-7.76	54.84	3	Vertical	334.6	1.80	-	32.00	5.89	32.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05788G	56.83	74.00	-17.17	42.48	3	Vertical	76	2.39	-	39.97	8.62	34.24
AV	11.05502G	42.53	54.00	-11.47	28.17	3	Vertical	76	2.39	-	39.98	8.62	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05798G	56.23	74.00	-17.77	41.88	3	Horizontal	301	2.53	-	39.97	8.62	34.24
AV	11.05534G	42.49	54.00	-11.51	28.13	3	Horizontal	301	2.53	-	39.98	8.62	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	66.23	74.00	-7.77	61.08	3	Vertical	338.8	1.80	-	31.50	5.76	32.11
AV	5.459G	49.90	54.00	-4.10	44.75	3	Vertical	338.8	1.80	-	31.50	5.76	32.11
PK	5.468G	64.03	68.20	-4.17	58.89	3	Vertical	338.8	1.80	-	31.50	5.76	32.12
PK	5.586G	114.26	Inf	-Inf	108.99	3	Vertical	338.8	1.80	-	31.57	5.88	32.18
AV	5.575G	105.95	Inf	-Inf	100.71	3	Vertical	338.8	1.80	-	31.55	5.87	32.18
PK	5.725G	67.75	68.20	-0.45	62.23	3	Vertical	338.8	1.80	-	31.90	5.89	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21788G	55.53	74.00	-18.47	41.48	3	Vertical	165	2.30	-	39.60	8.71	34.26
AV	11.21952G	41.87	54.00	-12.13	27.82	3	Vertical	165	2.30	-	39.60	8.72	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21728G	56.42	74.00	-17.58	42.37	3	Horizontal	201	2.75	-	39.60	8.71	34.26
AV	11.21672G	41.85	54.00	-12.15	27.80	3	Horizontal	201	2.75	-	39.60	8.71	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 87
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.33	74.00	-8.67	60.18	3	Vertical	338.8	1.80	-	31.50	5.76	32.11
AV	5.446G	52.02	54.00	-1.98	46.90	3	Vertical	338.8	1.80	-	31.49	5.74	32.11
PK	5.469G	67.55	68.20	-0.65	62.40	3	Vertical	338.8	1.80	-	31.50	5.77	32.12
PK	5.594G	113.78	Inf	-Inf	108.50	3	Vertical	338.8	1.80	-	31.59	5.88	32.19
AV	5.594G	102.94	Inf	-Inf	97.66	3	Vertical	338.8	1.80	-	31.59	5.88	32.19
PK	5.853G	59.39	68.20	-8.81	53.77	3	Vertical	338.8	1.80	-	32.01	5.95	32.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 87
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3817G	55.83	74.00	-18.17	41.55	3	Vertical	326	2.36	-	39.76	8.81	34.29
AV	11.38334G	42.44	54.00	-11.56	28.15	3	Vertical	326	2.36	-	39.77	8.81	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 87
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37778G	56.25	74.00	-17.75	41.97	3	Horizontal	145	2.95	-	39.76	8.81	34.29
AV	11.37966G	42.58	54.00	-11.42	28.30	3	Horizontal	145	2.95	-	39.76	8.81	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.61	68.20	-0.59	62.23	3	Vertical	224	1.80	-	31.60	6.00	32.22
PK	5.738G	120.24	Inf	-Inf	114.56	3	Vertical	224	1.80	-	31.95	6.00	32.27
AV	5.753G	106.10	Inf	-Inf	100.38	3	Vertical	224	1.80	-	32.00	6.00	32.28
PK	5.926G	63.32	68.20	-4.88	57.50	3	Vertical	224	1.80	-	32.15	6.06	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55G	56.20	74.00	-17.80	41.42	3	Vertical	150	1.51	-	39.55	9.53	34.30
AV	11.54894G	42.77	54.00	-11.23	27.99	3	Vertical	150	1.51	-	39.55	9.53	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55398G	56.65	74.00	-17.35	41.87	3	Horizontal	188	2.24	-	39.55	9.53	34.30
AV	11.54502G	42.78	54.00	-11.22	28.00	3	Horizontal	188	2.24	-	39.55	9.53	34.30

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 80
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	73.66	74.00	-0.34	68.15	3	Vertical	44	2.00	-	31.74	5.74	31.97
AV	5.1476G	52.37	54.00	-1.63	46.88	3	Vertical	44	2.00	-	31.71	5.75	31.97
PK	5.1716G	113.99	Inf	-Inf	108.64	3	Vertical	44	2.00	-	31.57	5.77	31.99
AV	5.2532G	99.89	Inf	-Inf	95.01	3	Vertical	44	2.00	-	31.10	5.80	32.02
PK	5.3716G	71.77	74.00	-2.23	66.81	3	Vertical	44	2.00	-	31.23	5.80	32.07
AV	5.3956G	52.36	54.00	-1.64	47.27	3	Vertical	44	2.00	-	31.37	5.80	32.08
PK	5.4612G	62.38	68.20	-5.82	57.13	3	Vertical	44	2.00	-	31.50	5.86	32.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 80
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74864G	59.64	74.00	-14.36	43.72	3	Vertical	323	2.48	-	37.80	12.44	34.32
AV	15.7452G	45.88	54.00	-8.12	29.97	3	Vertical	323	2.48	-	37.80	12.43	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 80
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75112G	59.16	74.00	-14.84	43.24	3	Horizontal	196	1.02	-	37.80	12.44	34.32
AV	15.74536G	45.86	54.00	-8.14	29.95	3	Horizontal	196	1.02	-	37.80	12.43	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 74
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	61.12	68.20	-7.08	56.28	3	Vertical	47	1.80	-	31.10	5.80	32.06
PK	5.4436G	67.59	74.00	-6.41	62.37	3	Vertical	47	1.80	-	31.49	5.84	32.11
AV	5.4292G	53.94	54.00	-0.06	48.75	3	Vertical	47	1.80	-	31.46	5.83	32.10
PK	5.4628G	68.14	68.20	-0.06	62.89	3	Vertical	47	1.80	-	31.50	5.86	32.11
PK	5.6004G	111.29	Inf	-Inf	105.88	3	Vertical	47	1.80	-	31.60	6.00	32.19
AV	5.5972G	98.88	Inf	-Inf	93.48	3	Vertical	47	1.80	-	31.59	6.00	32.19
PK	5.7748G	67.83	68.20	-0.37	62.12	3	Vertical	47	1.80	-	32.00	6.00	32.29

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 74
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14118G	56.52	74.00	-17.48	41.77	3	Vertical	53	2.39	-	39.72	9.28	34.25
AV	11.1426G	42.83	54.00	-11.17	28.08	3	Vertical	53	2.39	-	39.71	9.29	34.25

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 74
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14056G	56.40	74.00	-17.60	41.65	3	Horizontal	48	2.91	-	39.72	9.28	34.25
AV	11.13628G	42.90	54.00	-11.10	28.14	3	Horizontal	48	2.91	-	39.73	9.28	34.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	PK	5.4668G	68.19	68.20	-0.01	3	Vertical	29	1.80	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	65.96	74.00	-8.04	60.42	3	Vertical	13	1.80	-	31.77	5.74	31.97
AV	5.148G	53.91	54.00	-0.09	48.43	3	Vertical	13	1.80	-	31.71	5.75	31.98
PK	5.1776G	123.09	Inf	-Inf	117.77	3	Vertical	13	1.80	-	31.53	5.78	31.99
AV	5.1764G	111.35	Inf	-Inf	106.02	3	Vertical	13	1.80	-	31.54	5.78	31.99

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.544G	61.13	74.00	-12.87	44.59	3	Vertical	8	1.99	-	38.48	12.30	34.24
AV	15.54026G	47.51	54.00	-6.49	30.95	3	Vertical	8	1.99	-	38.50	12.30	34.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 98
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54266G	61.06	74.00	-12.94	44.51	3	Horizontal	60	2.32	-	38.49	12.30	34.24
AV	15.5376G	47.46	54.00	-6.54	30.89	3	Horizontal	60	2.32	-	38.51	12.30	34.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.38	74.00	-4.62	63.88	3	Vertical	333	1.80	-	31.72	5.75	31.97
AV	5.1492G	53.53	54.00	-0.47	48.06	3	Vertical	333	1.80	-	31.70	5.75	31.98
PK	5.1956G	124.14	Inf	-Inf	118.91	3	Vertical	333	1.80	-	31.43	5.80	32.00
AV	5.1964G	111.33	Inf	-Inf	106.11	3	Vertical	333	1.80	-	31.42	5.80	32.00

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59502G	60.57	74.00	-13.43	44.27	3	Vertical	336	1.60	-	38.22	12.34	34.26
AV	15.59854G	47.46	54.00	-6.54	31.17	3	Vertical	336	1.60	-	38.21	12.34	34.26

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 100
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5988G	61.47	74.00	-12.53	45.18	3	Horizontal	357	2.56	-	38.21	12.34	34.26
AV	15.6G	47.39	54.00	-6.61	31.11	3	Horizontal	357	2.56	-	38.20	12.34	34.26

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	61.85	74.00	-12.15	56.32	3	Vertical	69.8	1.80	-	31.76	5.74	31.97
AV	5.1476G	49.84	54.00	-4.16	44.35	3	Vertical	69.8	1.80	-	31.71	5.75	31.97
PK	5.2472G	124.69	Inf	-Inf	119.79	3	Vertical	69.8	1.80	-	31.12	5.80	32.02
AV	5.2472G	112.20	Inf	-Inf	107.30	3	Vertical	69.8	1.80	-	31.12	5.80	32.02
PK	5.3624G	62.81	74.00	-11.19	57.91	3	Vertical	69.8	1.80	-	31.17	5.80	32.07
AV	5.378G	49.58	54.00	-4.42	44.59	3	Vertical	69.8	1.80	-	31.27	5.80	32.08

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4803G	57.56	68.20	-10.64	43.22	3	Vertical	275	2.86	-	39.58	8.89	34.13
PK	15.7246G	60.10	74.00	-13.90	44.19	3	Vertical	69	1.22	-	37.80	12.42	34.31
AV	15.72142G	46.67	54.00	-7.33	30.76	3	Vertical	69	1.22	-	37.80	12.42	34.31

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48208G	56.81	68.20	-11.39	42.47	3	Horizontal	177	1.81	-	39.58	8.89	34.13
PK	15.72374G	60.44	74.00	-13.56	44.53	3	Horizontal	70	1.53	-	37.80	12.42	34.31
AV	15.71562G	46.74	54.00	-7.26	30.83	3	Horizontal	70	1.53	-	37.80	12.42	34.31

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	62.90	74.00	-11.10	57.34	3	Vertical	232.5	1.80	-	31.80	5.73	31.97
AV	5.15G	49.16	54.00	-4.84	43.69	3	Vertical	232.5	1.80	-	31.70	5.75	31.98
PK	5.2648G	125.73	Inf	-Inf	120.86	3	Vertical	232.5	1.80	-	31.10	5.80	32.03
AV	5.2588G	113.46	Inf	-Inf	108.58	3	Vertical	232.5	1.80	-	31.10	5.80	32.02
PK	5.3704G	62.88	74.00	-11.12	57.93	3	Vertical	232.5	1.80	-	31.22	5.80	32.07
AV	5.3662G	50.01	54.00	-3.99	45.08	3	Vertical	232.5	1.80	-	31.20	5.80	32.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50866G	56.99	68.20	-11.21	42.61	3	Vertical	18	1.97	-	39.61	8.91	34.14
PK	15.77592G	59.87	74.00	-14.13	43.95	3	Vertical	166	1.13	-	37.80	12.45	34.33
AV	15.7734G	46.70	54.00	-7.30	30.78	3	Vertical	166	1.13	-	37.80	12.45	34.33

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51136G	56.48	68.20	-11.72	42.10	3	Horizontal	324	2.43	-	39.61	8.91	34.14
PK	15.78496G	59.99	74.00	-14.01	44.06	3	Horizontal	209	2.78	-	37.80	12.46	34.33
AV	15.77068G	46.64	54.00	-7.36	30.72	3	Horizontal	209	2.78	-	37.80	12.45	34.33

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	123.33	Inf	-Inf	118.64	3	Vertical	26.3	1.80	-	31.10	5.63	32.04
AV	5.3068G	110.77	Inf	-Inf	106.08	3	Vertical	26.3	1.80	-	31.10	5.63	32.04
PK	5.3516G	70.83	74.00	-3.17	66.11	3	Vertical	26.3	1.80	-	31.11	5.67	32.06
AV	5.3512G	53.77	54.00	-0.23	49.05	3	Vertical	26.3	1.80	-	31.11	5.67	32.06

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89984G	57.52	74.00	-16.48	44.26	3	Vertical	322	1.87	-	37.60	10.04	34.38
AV	15.89806G	43.57	54.00	-10.43	30.31	3	Vertical	322	1.87	-	37.60	10.04	34.38

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 102
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90366G	56.70	74.00	-17.30	43.45	3	Horizontal	97	1.72	-	37.59	10.04	34.38
AV	15.89704G	43.61	54.00	-10.39	30.34	3	Horizontal	97	1.72	-	37.61	10.04	34.38

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 96
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	121.19	Inf	-Inf	116.49	3	Vertical	7.9	2.11	-	31.10	5.65	32.05
AV	5.3274G	108.38	Inf	-Inf	103.68	3	Vertical	7.9	2.11	-	31.10	5.65	32.05
PK	5.355G	71.37	74.00	-2.63	66.64	3	Vertical	7.9	2.11	-	31.13	5.67	32.07
AV	5.351G	53.34	54.00	-0.66	48.62	3	Vertical	7.9	2.11	-	31.11	5.67	32.06

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9595G	56.87	74.00	-17.13	43.74	3	Vertical	152	2.12	-	37.48	10.05	34.40
AV	15.9602G	43.25	54.00	-10.75	30.12	3	Vertical	152	2.12	-	37.48	10.05	34.40

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9556G	56.80	74.00	-17.20	43.66	3	Horizontal	306	1.16	-	37.49	10.05	34.40
AV	15.96008G	43.23	54.00	-10.77	30.10	3	Horizontal	306	1.16	-	37.48	10.05	34.40

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 101
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.91	74.00	-9.09	59.66	3	Vertical	333.4	1.80	-	31.50	5.86	32.11
AV	5.46G	53.52	54.00	-0.48	48.27	3	Vertical	333.4	1.80	-	31.50	5.86	32.11
PK	5.462G	66.73	68.20	-1.47	61.48	3	Vertical	333.4	1.80	-	31.50	5.86	32.11
PK	5.5036G	121.17	Inf	-Inf	115.90	3	Vertical	333.4	1.80	-	31.50	5.90	32.13
AV	5.504G	110.07	Inf	-Inf	104.80	3	Vertical	333.4	1.80	-	31.50	5.90	32.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 101
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9996G	57.57	74.00	-16.43	42.40	3	Vertical	222	1.42	-	40.20	9.20	34.23
AV	11.00364G	44.01	54.00	-9.99	28.85	3	Vertical	222	1.42	-	40.19	9.20	34.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 101
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0001G	57.97	74.00	-16.03	42.80	3	Horizontal	25	1.55	-	40.20	9.20	34.23
AV	11.0031G	44.02	54.00	-9.98	28.86	3	Horizontal	25	1.55	-	40.19	9.20	34.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3808G	61.67	74.00	-12.33	56.67	3	Vertical	332.6	1.80	-	31.28	5.80	32.08
AV	5.3888G	49.99	54.00	-4.01	44.94	3	Vertical	332.6	1.80	-	31.33	5.80	32.08
PK	5.4688G	60.71	68.20	-7.49	55.46	3	Vertical	332.6	1.80	-	31.50	5.87	32.12
PK	5.5856G	122.11	Inf	-Inf	116.73	3	Vertical	332.6	1.80	-	31.57	5.99	32.18
AV	5.588G	111.34	Inf	-Inf	105.95	3	Vertical	332.6	1.80	-	31.58	5.99	32.18
PK	5.7352G	61.54	68.20	-6.66	55.87	3	Vertical	332.6	1.80	-	31.94	6.00	32.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16028G	57.27	74.00	-16.73	42.55	3	Vertical	125	1.08	-	39.68	9.30	34.26
AV	11.1604G	43.93	54.00	-10.07	29.21	3	Vertical	125	1.08	-	39.68	9.30	34.26
PK	16.74008G	64.30	68.20	-3.90	45.20	3	Vertical	181	1.80	-	40.14	13.45	34.49

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15748G	56.79	74.00	-17.21	42.07	3	Horizontal	285	2.90	-	39.69	9.29	34.26
AV	11.15888G	43.46	54.00	-10.54	28.74	3	Horizontal	285	2.90	-	39.68	9.30	34.26
PK	16.7408G	63.29	68.20	-4.91	44.19	3	Horizontal	142	1.55	-	40.14	13.45	34.49

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 75
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	116.81	Inf	-Inf	111.26	3	Vertical	334	1.80	-	31.80	6.00	32.25
AV	5.6988G	105.12	Inf	-Inf	99.57	3	Vertical	334	1.80	-	31.80	6.00	32.25
PK	5.7252G	66.38	68.20	-1.82	60.75	3	Vertical	334	1.80	-	31.90	6.00	32.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 75
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40244G	56.80	74.00	-17.20	41.85	3	Vertical	201	1.91	-	39.80	9.44	34.29
AV	11.40452G	43.43	54.00	-10.57	28.49	3	Vertical	201	1.91	-	39.79	9.44	34.29

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


5700MHz_TnomVnom



EUT_Z_4TX
Setting 75
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3966G	57.75	74.00	-16.25	42.81	3	Horizontal	60	1.54	-	39.79	9.44	34.29
AV	11.40252G	43.47	54.00	-10.53	28.53	3	Horizontal	60	1.54	-	39.79	9.44	34.29

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 108
 06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	121.52	Inf	-Inf	115.88	3	Vertical	190.2	1.80	-	31.91	6.00	32.27
AV	5.7272G	110.95	Inf	-Inf	105.31	3	Vertical	190.2	1.80	-	31.91	6.00	32.27
PK	5.8528G	60.11	68.20	-8.09	54.41	3	Vertical	190.2	1.80	-	32.01	6.03	32.34

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43956G	57.06	74.00	-16.94	42.18	3	Vertical	155	1.30	-	39.72	9.46	34.30
AV	11.44178G	43.39	54.00	-10.61	28.50	3	Vertical	155	1.30	-	39.72	9.47	34.30

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 108
 06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44364G	56.99	74.00	-17.01	42.11	3	Horizontal	46	1.28	-	39.71	9.47	34.30
AV	11.44264G	43.43	54.00	-10.57	28.55	3	Horizontal	46	1.28	-	39.71	9.47	34.30

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	62.59	68.20	-5.61	57.32	3	Vertical	327.9	1.80	-	31.60	5.89	32.22
PK	5.743G	123.52	Inf	-Inf	117.94	3	Vertical	327.9	1.80	-	31.97	5.89	32.28
AV	5.738G	111.95	Inf	-Inf	106.38	3	Vertical	327.9	1.80	-	31.95	5.89	32.27
PK	5.945G	58.12	68.20	-10.08	52.28	3	Vertical	327.9	1.80	-	32.19	6.05	32.40

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49126G	56.88	74.00	-17.12	42.08	3	Vertical	360	2.34	-	39.62	9.49	34.31
AV	11.4858G	43.92	54.00	-10.08	29.11	3	Vertical	360	2.34	-	39.63	9.49	34.31

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48536G	57.51	74.00	-16.49	42.70	3	Horizontal	7	2.65	-	39.63	9.49	34.31
AV	11.48668G	43.79	54.00	-10.21	28.98	3	Horizontal	7	2.65	-	39.63	9.49	34.31

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	63.07	68.20	-5.13	57.81	3	Vertical	325.7	1.80	-	31.57	5.87	32.18
PK	5.782G	123.32	Inf	-Inf	117.73	3	Vertical	325.7	1.80	-	32.00	5.89	32.30
AV	5.781G	112.41	Inf	-Inf	106.82	3	Vertical	325.7	1.80	-	32.00	5.89	32.30
PK	5.939G	58.45	68.20	-9.75	52.62	3	Vertical	325.7	1.80	-	32.18	6.04	32.39

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57092G	56.89	74.00	-17.11	42.12	3	Vertical	36	2.51	-	39.53	9.54	34.30
AV	11.57322G	43.74	54.00	-10.26	28.97	3	Vertical	36	2.51	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56626G	56.75	74.00	-17.25	41.98	3	Horizontal	107	2.08	-	39.53	9.54	34.30
AV	11.57304G	43.78	54.00	-10.22	29.01	3	Horizontal	107	2.08	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	63.07	68.20	-5.13	57.78	3	Vertical	323	1.80	-	31.60	5.89	32.20
PK	5.821G	123.35	Inf	-Inf	117.76	3	Vertical	323	1.80	-	32.00	5.91	32.32
AV	5.821G	111.78	Inf	-Inf	106.19	3	Vertical	323	1.80	-	32.00	5.91	32.32
PK	5.923G	62.75	69.68	-6.93	56.95	3	Vertical	323	1.80	-	32.15	6.03	32.38

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65164G	56.66	74.00	-17.34	42.00	3	Vertical	266	1.17	-	39.35	9.59	34.28
AV	11.6549G	43.40	54.00	-10.60	28.75	3	Vertical	266	1.17	-	39.34	9.59	34.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64952G	56.86	74.00	-17.14	42.20	3	Horizontal	303	1.33	-	39.35	9.59	34.28
AV	11.65394G	43.32	54.00	-10.68	28.67	3	Horizontal	303	1.33	-	39.34	9.59	34.28

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	70.04	74.00	-3.96	64.76	3	Vertical	327.3	1.80	-	31.72	5.53	31.97
AV	5.1488G	53.71	54.00	-0.29	48.45	3	Vertical	327.3	1.80	-	31.71	5.53	31.98
PK	5.1956G	118.93	Inf	-Inf	113.94	3	Vertical	327.3	1.80	-	31.43	5.56	32.00
AV	5.1964G	105.16	Inf	-Inf	100.18	3	Vertical	327.3	1.80	-	31.42	5.56	32.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56596G	58.46	74.00	-15.54	44.36	3	Vertical	253	2.35	-	38.37	9.98	34.25
AV	15.56956G	44.91	54.00	-9.09	30.83	3	Vertical	253	2.35	-	38.35	9.98	34.25

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 94
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57456G	58.23	74.00	-15.77	44.17	3	Horizontal	260	1.95	-	38.33	9.98	34.25
AV	15.57304G	44.93	54.00	-9.07	30.87	3	Horizontal	260	1.95	-	38.33	9.98	34.25

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	70.83	74.00	-3.17	65.52	3	Vertical	109.3	1.80	-	31.76	5.52	31.97
AV	5.15G	53.89	54.00	-0.11	48.64	3	Vertical	109.3	1.80	-	31.70	5.53	31.98
PK	5.2324G	119.60	Inf	-Inf	114.82	3	Vertical	109.3	1.80	-	31.21	5.58	32.01
AV	5.2324G	106.39	Inf	-Inf	101.61	3	Vertical	109.3	1.80	-	31.21	5.58	32.01
PK	5.3782G	63.35	74.00	-10.65	58.48	3	Vertical	109.3	1.80	-	31.27	5.68	32.08
AV	5.3506G	51.01	54.00	-2.99	46.30	3	Vertical	109.3	1.80	-	31.10	5.67	32.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6907G	56.68	74.00	-17.32	43.14	3	Vertical	128	1.63	-	37.84	10.00	34.30
AV	15.68532G	43.73	54.00	-10.27	30.16	3	Vertical	128	1.63	-	37.86	10.00	34.29

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69336G	57.30	74.00	-16.70	43.77	3	Horizontal	131	1.16	-	37.83	10.00	34.30
AV	15.68508G	43.76	54.00	-10.24	30.19	3	Horizontal	131	1.16	-	37.86	10.00	34.29

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.20	74.00	-11.80	56.92	3	Vertical	249.6	1.80	-	31.72	5.53	31.97
AV	5.147G	49.93	54.00	-4.07	44.65	3	Vertical	249.6	1.80	-	31.72	5.53	31.97
PK	5.2844G	118.67	Inf	-Inf	113.99	3	Vertical	249.6	1.80	-	31.10	5.62	32.04
AV	5.2778G	105.95	Inf	-Inf	101.27	3	Vertical	249.6	1.80	-	31.10	5.61	32.03
PK	5.35G	72.00	74.00	-2.00	67.29	3	Vertical	249.6	1.80	-	31.10	5.67	32.06
AV	5.35G	53.83	54.00	-0.17	49.12	3	Vertical	249.6	1.80	-	31.10	5.67	32.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8104G	57.30	74.00	-16.70	43.84	3	Vertical	272	1.33	-	37.78	10.02	34.34
AV	15.80754G	43.28	54.00	-10.72	29.82	3	Vertical	272	1.33	-	37.78	10.02	34.34

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81188G	56.84	74.00	-17.16	43.38	3	Horizontal	33	2.23	-	37.78	10.02	34.34
AV	15.81178G	43.32	54.00	-10.68	29.86	3	Horizontal	33	2.23	-	37.78	10.02	34.34

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	116.35	Inf	-Inf	111.66	3	Vertical	122	1.80	-	31.10	5.64	32.05
AV	5.3032G	103.17	Inf	-Inf	98.48	3	Vertical	122	1.80	-	31.10	5.63	32.04
PK	5.358G	68.61	74.00	-5.39	63.86	3	Vertical	122	1.80	-	31.15	5.67	32.07
AV	5.35G	53.87	54.00	-0.13	49.16	3	Vertical	122	1.80	-	31.10	5.67	32.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93252G	56.52	74.00	-17.48	43.33	3	Vertical	258	1.69	-	37.53	10.05	34.39
AV	15.92564G	42.59	54.00	-11.41	29.38	3	Vertical	258	1.69	-	37.55	10.05	34.39

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 90
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92744G	56.64	74.00	-17.36	43.43	3	Horizontal	62	2.50	-	37.55	10.05	34.39
AV	15.92906G	42.64	54.00	-11.36	29.44	3	Horizontal	62	2.50	-	37.54	10.05	34.39

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 84
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.36	74.00	-8.64	60.11	3	Vertical	29	1.80	-	31.50	5.86	32.11
AV	5.4566G	51.06	54.00	-2.94	45.81	3	Vertical	29	1.80	-	31.50	5.86	32.11
PK	5.4668G	68.19	68.20	-0.01	62.94	3	Vertical	29	1.80	-	31.50	5.87	32.12
PK	5.4962G	115.54	Inf	-Inf	110.27	3	Vertical	29	1.80	-	31.50	5.90	32.13
AV	5.4998G	103.50	Inf	-Inf	98.23	3	Vertical	29	1.80	-	31.50	5.90	32.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 84
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02334G	56.83	74.00	-17.17	41.74	3	Vertical	360	2.40	-	40.11	9.21	34.23
AV	11.01604G	43.79	54.00	-10.21	28.67	3	Vertical	360	2.40	-	40.14	9.21	34.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 84
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02308G	57.06	74.00	-16.94	41.97	3	Horizontal	174	1.46	-	40.11	9.21	34.23
AV	11.01688G	43.88	54.00	-10.12	28.77	3	Horizontal	174	1.46	-	40.13	9.21	34.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.81	74.00	-12.19	56.56	3	Vertical	29.2	1.76	-	31.50	5.86	32.11
AV	5.4594G	50.49	54.00	-3.51	45.24	3	Vertical	29.2	1.76	-	31.50	5.86	32.11
PK	5.4678G	65.38	68.20	-2.82	60.13	3	Vertical	29.2	1.76	-	31.50	5.87	32.12
PK	5.5386G	118.00	Inf	-Inf	112.71	3	Vertical	29.2	1.76	-	31.50	5.94	32.15
AV	5.5524G	105.40	Inf	-Inf	100.11	3	Vertical	29.2	1.76	-	31.50	5.95	32.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10142G	57.09	74.00	-16.91	42.28	3	Vertical	152	1.29	-	39.80	9.26	34.25
AV	11.09924G	42.73	54.00	-11.27	27.92	3	Vertical	152	1.29	-	39.80	9.26	34.25

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 92
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.097G	56.51	74.00	-17.49	41.69	3	Horizontal	21	2.92	-	39.81	9.26	34.25
AV	11.097G	42.82	54.00	-11.18	28.00	3	Horizontal	21	2.92	-	39.81	9.26	34.25

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 78
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6598G	114.83	Inf	-Inf	109.42	3	Vertical	187	1.80	-	31.64	6.00	32.23
AV	5.652G	101.85	Inf	-Inf	96.46	3	Vertical	187	1.80	-	31.61	6.00	32.22
PK	5.7294G	67.96	68.20	-0.24	62.31	3	Vertical	187	1.80	-	31.92	6.00	32.27

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 78
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33896G	56.84	74.00	-17.16	42.04	3	Vertical	91	1.29	-	39.68	9.40	34.28
AV	11.33986G	43.19	54.00	-10.81	28.39	3	Vertical	91	1.29	-	39.68	9.40	34.28

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 78
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33732G	57.14	74.00	-16.86	42.35	3	Horizontal	226	1.23	-	39.67	9.40	34.28
AV	11.3422G	43.18	54.00	-10.82	28.37	3	Horizontal	226	1.23	-	39.68	9.41	34.28

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	121.88	Inf	-Inf	116.35	3	Vertical	334	1.80	-	31.78	6.00	32.25
AV	5.6956G	111.99	Inf	-Inf	106.46	3	Vertical	334	1.80	-	31.78	6.00	32.25
PK	5.854G	64.40	68.20	-3.80	58.70	3	Vertical	334	1.80	-	32.01	6.03	32.34

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42158G	56.99	74.00	-17.01	42.08	3	Vertical	120	1.79	-	39.76	9.45	34.30
AV	11.42086G	43.11	54.00	-10.89	28.20	3	Vertical	120	1.79	-	39.76	9.45	34.30

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42148G	56.73	74.00	-17.27	41.82	3	Horizontal	110	1.67	-	39.76	9.45	34.30
AV	11.41868G	43.17	54.00	-10.83	28.26	3	Horizontal	110	1.67	-	39.76	9.45	34.30

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.71	68.20	-3.49	59.44	3	Vertical	329	1.87	-	31.60	5.89	32.22
PK	5.752G	121.00	Inf	-Inf	115.39	3	Vertical	329	1.87	-	32.00	5.89	32.28
AV	5.744G	108.19	Inf	-Inf	102.60	3	Vertical	329	1.87	-	31.98	5.89	32.28
PK	5.929G	58.58	68.20	-9.62	52.78	3	Vertical	329	1.87	-	32.16	6.03	32.39

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51354G	57.14	74.00	-16.86	42.35	3	Vertical	220	2.98	-	39.59	9.51	34.31
AV	11.51188G	42.96	54.00	-11.04	28.17	3	Vertical	220	2.98	-	39.59	9.51	34.31

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5051G	56.67	74.00	-17.33	41.89	3	Horizontal	352	1.74	-	39.59	9.50	34.31
AV	11.51002G	43.03	54.00	-10.97	28.24	3	Horizontal	352	1.74	-	39.59	9.51	34.31

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	63.14	68.20	-5.06	57.86	3	Vertical	201	1.80	-	31.60	5.89	32.21
PK	5.802G	118.42	Inf	-Inf	112.84	3	Vertical	201	1.80	-	32.00	5.89	32.31
AV	5.788G	111.39	Inf	-Inf	105.80	3	Vertical	201	1.80	-	32.00	5.89	32.30
PK	5.929G	63.78	68.20	-4.42	57.98	3	Vertical	201	1.80	-	32.16	6.03	32.39

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5871G	55.90	74.00	-18.10	41.13	3	Vertical	135	1.82	-	39.51	9.55	34.29
AV	11.59244G	43.10	54.00	-10.90	28.32	3	Vertical	135	1.82	-	39.51	9.56	34.29

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5916G	56.22	74.00	-17.78	41.45	3	Horizontal	39	1.08	-	39.51	9.55	34.29
AV	11.58982G	43.13	54.00	-10.87	28.36	3	Horizontal	39	1.08	-	39.51	9.55	34.29

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	69.55	74.00	-4.45	64.23	3	Vertical	359.3	1.80	-	31.77	5.52	31.97
AV	5.148G	53.73	54.00	-0.27	48.47	3	Vertical	359.3	1.80	-	31.71	5.53	31.98
PK	5.183G	113.05	Inf	-Inf	107.99	3	Vertical	359.3	1.80	-	31.50	5.55	31.99
AV	5.208G	101.25	Inf	-Inf	96.33	3	Vertical	359.3	1.80	-	31.35	5.57	32.00
PK	5.388G	62.29	74.00	-11.71	57.35	3	Vertical	359.3	1.80	-	31.33	5.69	32.08
AV	5.389G	50.40	54.00	-3.60	45.46	3	Vertical	359.3	1.80	-	31.33	5.69	32.08

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63314G	59.90	74.00	-14.10	43.74	3	Vertical	207	1.33	-	38.07	12.36	34.27
AV	15.62616G	46.66	54.00	-7.34	30.47	3	Vertical	207	1.33	-	38.10	12.36	34.27

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 95
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63136G	60.01	74.00	-13.99	43.85	3	Horizontal	172	2.42	-	38.07	12.36	34.27
AV	15.63366G	46.56	54.00	-7.44	30.40	3	Horizontal	172	2.42	-	38.07	12.36	34.27

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	60.60	74.00	-13.40	55.04	3	Vertical	28	1.80	-	31.79	5.74	31.97
AV	5.142G	47.86	54.00	-6.14	42.34	3	Vertical	28	1.80	-	31.75	5.74	31.97
PK	5.263G	115.77	Inf	-Inf	110.90	3	Vertical	28	1.80	-	31.10	5.80	32.03
AV	5.295G	101.38	Inf	-Inf	96.52	3	Vertical	28	1.80	-	31.10	5.80	32.04
PK	5.363G	69.17	74.00	-4.83	64.26	3	Vertical	28	1.80	-	31.18	5.80	32.07
AV	5.377G	53.51	54.00	-0.49	48.53	3	Vertical	28	1.80	-	31.26	5.80	32.08
PK	5.464G	60.90	68.20	-7.30	55.65	3	Vertical	28	1.80	-	31.50	5.86	32.11

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87384G	58.48	74.00	-15.52	42.68	3	Vertical	337	1.82	-	37.65	12.52	34.37
AV	15.86828G	45.06	54.00	-8.94	29.26	3	Vertical	337	1.82	-	37.66	12.51	34.37

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 85
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87136G	58.71	74.00	-15.29	42.90	3	Horizontal	125	1.77	-	37.66	12.52	34.37
AV	15.865G	45.27	54.00	-8.73	29.46	3	Horizontal	125	1.77	-	37.67	12.51	34.37

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 87
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	58.33	68.20	-9.87	53.49	3	Vertical	264	1.65	-	31.10	5.80	32.06
PK	5.4428G	66.96	74.00	-7.04	61.73	3	Vertical	264	1.65	-	31.49	5.84	32.10
PK	5.4636G	67.95	68.20	-0.25	62.70	3	Vertical	264	1.65	-	31.50	5.86	32.11
AV	5.4596G	53.61	54.00	-0.39	48.36	3	Vertical	264	1.65	-	31.50	5.86	32.11
AV	5.494G	107.89	Inf	-Inf	102.63	3	Vertical	264	1.65	-	31.50	5.89	32.13
PK	5.5524G	112.79	Inf	-Inf	107.50	3	Vertical	264	1.65	-	31.50	5.95	32.16
PK	5.7268G	59.25	68.20	-8.95	53.61	3	Vertical	264	1.65	-	31.91	6.00	32.27

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 87
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06408G	57.08	74.00	-16.92	42.14	3	Vertical	212	1.45	-	39.94	9.24	34.24
AV	11.0586G	43.63	54.00	-10.37	28.66	3	Vertical	212	1.45	-	39.97	9.24	34.24

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 87
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05734G	56.69	74.00	-17.31	41.73	3	Horizontal	292	2.51	-	39.97	9.23	34.24
AV	11.06088G	43.59	54.00	-10.41	28.63	3	Horizontal	292	2.51	-	39.96	9.24	34.24

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.09	74.00	-8.91	59.84	3	Vertical	29.4	1.80	-	31.50	5.86	32.11
AV	5.454G	50.09	54.00	-3.91	44.85	3	Vertical	29.4	1.80	-	31.50	5.85	32.11
PK	5.4612G	66.31	68.20	-1.89	61.06	3	Vertical	29.4	1.80	-	31.50	5.86	32.11
PK	5.5836G	112.84	Inf	-Inf	107.47	3	Vertical	29.4	1.80	-	31.57	5.98	32.18
AV	5.578G	106.13	Inf	-Inf	100.77	3	Vertical	29.4	1.80	-	31.56	5.98	32.18
PK	5.734G	67.29	68.20	-0.91	61.62	3	Vertical	29.4	1.80	-	31.94	6.00	32.27

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22378G	55.99	74.00	-18.01	41.33	3	Vertical	157	1.12	-	39.60	9.33	34.27
AV	11.21522G	42.55	54.00	-11.45	27.88	3	Vertical	157	1.12	-	39.60	9.33	34.26

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 86
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22032G	56.07	74.00	-17.93	41.41	3	Horizontal	202	2.30	-	39.60	9.33	34.27
AV	11.21864G	42.50	54.00	-11.50	27.83	3	Horizontal	202	2.30	-	39.60	9.33	34.26

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 96
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	115.17	Inf	-Inf	109.62	3	Vertical	336	1.71	-	31.80	6.00	32.25
AV	5.6812G	104.27	Inf	-Inf	98.79	3	Vertical	336	1.71	-	31.72	6.00	32.24
PK	5.8508G	65.89	68.20	-2.31	60.20	3	Vertical	336	1.71	-	32.00	6.03	32.34

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 96
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38288G	56.74	74.00	-17.26	41.83	3	Vertical	340	1.89	-	39.77	9.43	34.29
AV	11.37944G	43.24	54.00	-10.76	28.34	3	Vertical	340	1.89	-	39.76	9.43	34.29

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 96
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3754G	56.90	74.00	-17.10	42.01	3	Horizontal	3	1.65	-	39.75	9.43	34.29
AV	11.38112G	43.15	54.00	-10.85	28.25	3	Horizontal	3	1.65	-	39.76	9.43	34.29

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT Z_4TX
Setting 97
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	68.09	68.20	-0.11	62.70	3	Vertical	99	1.80	-	31.60	6.00	32.21
PK	5.75G	118.44	Inf	-Inf	112.72	3	Vertical	99	1.80	-	32.00	6.00	32.28
AV	5.738G	107.93	Inf	-Inf	102.25	3	Vertical	99	1.80	-	31.95	6.00	32.27
PK	5.933G	62.63	68.20	-5.57	56.78	3	Vertical	99	1.80	-	32.17	6.07	32.39

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54766G	56.15	74.00	-17.85	41.37	3	Vertical	151	1.67	-	39.55	9.53	34.30
AV	11.5492G	42.83	54.00	-11.17	28.05	3	Vertical	151	1.67	-	39.55	9.53	34.30

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 97
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54522G	56.40	74.00	-17.60	41.62	3	Horizontal	226	1.70	-	39.55	9.53	34.30
AV	11.54686G	42.78	54.00	-11.22	28.00	3	Horizontal	226	1.70	-	39.55	9.53	34.30

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 79
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	69.88	74.00	-4.12	64.34	3	Vertical	157.9	1.80	-	31.77	5.74	31.97
AV	5.1396G	53.52	54.00	-0.48	47.99	3	Vertical	157.9	1.80	-	31.76	5.74	31.97
PK	5.2804G	108.77	Inf	-Inf	103.90	3	Vertical	157.9	1.80	-	31.10	5.80	32.03
AV	5.2724G	96.81	Inf	-Inf	91.94	3	Vertical	157.9	1.80	-	31.10	5.80	32.03
PK	5.3796G	67.50	74.00	-6.50	62.50	3	Vertical	157.9	1.80	-	31.28	5.80	32.08
AV	5.3748G	53.51	54.00	-0.49	48.53	3	Vertical	157.9	1.80	-	31.25	5.80	32.07
PK	5.5412G	61.07	68.20	-7.13	55.78	3	Vertical	157.9	1.80	-	31.50	5.94	32.15

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 79
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74738G	58.85	74.00	-15.15	42.93	3	Vertical	359	2.01	-	37.80	12.44	34.32
AV	15.752G	46.01	54.00	-7.99	30.09	3	Vertical	359	2.01	-	37.80	12.44	34.32

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_4TX
Setting 79
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75214G	59.30	74.00	-14.70	43.38	3	Horizontal	35	2.15	-	37.80	12.44	34.32
AV	15.74916G	45.97	54.00	-8.03	30.05	3	Horizontal	35	2.15	-	37.80	12.44	34.32

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 74
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.38	68.20	-8.82	54.54	3	Vertical	339	1.80	-	31.10	5.80	32.06
PK	5.458G	70.15	74.00	-3.85	64.90	3	Vertical	339	1.80	-	31.50	5.86	32.11
AV	5.458G	51.62	54.00	-2.38	46.37	3	Vertical	339	1.80	-	31.50	5.86	32.11
PK	5.4644G	67.86	68.20	-0.34	62.61	3	Vertical	339	1.80	-	31.50	5.86	32.11
PK	5.506G	110.43	Inf	-Inf	105.15	3	Vertical	339	1.80	-	31.50	5.91	32.13
AV	5.4948G	100.49	Inf	-Inf	95.23	3	Vertical	339	1.80	-	31.50	5.89	32.13
PK	5.7252G	61.86	68.20	-6.34	56.23	3	Vertical	339	1.80	-	31.90	6.00	32.27

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 74
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14124G	56.57	74.00	-17.43	41.82	3	Vertical	82	1.45	-	39.72	9.28	34.25
AV	11.13904G	42.91	54.00	-11.09	28.16	3	Vertical	82	1.45	-	39.72	9.28	34.25

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 74
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13942G	56.08	74.00	-17.92	41.33	3	Horizontal	336	2.44	-	39.72	9.28	34.25
AV	11.13818G	42.86	54.00	-11.14	28.11	3	Horizontal	336	2.44	-	39.72	9.28	34.25