


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04852G	54.93	88.20	-33.27	48.99	3	Vertical	274	1.78	-	39.10	9.43	42.59
RMS	13.04528G	41.14	68.20	-27.06	35.20	3	Vertical	274	1.78	-	39.10	9.43	42.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04682G	54.89	88.20	-33.31	48.95	3	Horizontal	339	1.98	-	39.10	9.43	42.59
RMS	13.0475G	41.05	68.20	-27.15	35.11	3	Horizontal	339	1.98	-	39.10	9.43	42.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5796G	46.58	83.54	-36.96	43.08	1	Vertical	101	1.58	-	37.87	15.33	49.70
AV	19.575G	33.44	63.54	-30.10	29.94	1	Vertical	101	1.58	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5796G	46.39	83.54	-37.15	42.89	1	Horizontal	265	1.57	-	37.87	15.33	49.70
AV	19.57444G	33.26	63.54	-30.28	29.76	1	Horizontal	265	1.57	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 61
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	53.23	88.20	-34.97	57.70	3	Vertical	261.1	1.80	-	32.15	6.03	42.65
RMS	5.925G	42.93	68.20	-25.27	47.40	3	Vertical	261.1	1.80	-	32.15	6.03	42.65
PK	6.5702G	109.38	Inf	-Inf	111.13	3	Vertical	261.1	1.80	-	34.14	6.38	42.27
RMS	6.5702G	99.73	Inf	-Inf	101.48	3	Vertical	261.1	1.80	-	34.14	6.38	42.27
PK	7.2072G	58.04	88.20	-30.16	57.34	3	Vertical	261.1	1.80	-	36.13	6.62	42.05
RMS	7.215G	47.87	68.20	-20.33	47.14	3	Vertical	261.1	1.80	-	36.16	6.62	42.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13262G	55.26	88.20	-32.94	49.25	3	Vertical	126	2.59	-	39.13	9.45	42.57
RMS	13.13024G	41.41	68.20	-26.79	35.40	3	Vertical	126	2.59	-	39.13	9.45	42.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13278G	55.10	88.20	-33.10	49.09	3	Horizontal	128	2.96	-	39.13	9.45	42.57
RMS	13.12702G	41.33	68.20	-26.87	35.32	3	Horizontal	128	2.96	-	39.13	9.45	42.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69066G	47.12	83.54	-36.42	43.62	1	Vertical	187	1.56	-	37.82	15.38	49.70
AV	19.69G	33.51	63.54	-30.03	30.01	1	Vertical	187	1.56	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69642G	46.74	83.54	-36.80	43.24	1	Horizontal	279	1.51	-	37.82	15.38	49.70
AV	19.69526G	33.60	63.54	-29.94	30.10	1	Horizontal	279	1.51	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 60
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6894G	112.09	Inf	-Inf	113.80	3	Vertical	286	1.79	-	34.10	6.42	42.23
RMS	6.6872G	100.93	Inf	-Inf	102.64	3	Vertical	286	1.79	-	34.10	6.42	42.23
PK	7.2064G	58.53	88.20	-29.67	57.83	3	Vertical	286	1.79	-	36.13	6.62	42.05
RMS	7.2328G	47.92	68.20	-20.28	47.09	3	Vertical	286	1.79	-	36.23	6.64	42.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37004G	55.33	74.00	-18.67	48.52	3	Vertical	76	1.54	-	39.79	9.52	42.50
AV	13.37088G	41.86	54.00	-12.14	35.04	3	Vertical	76	1.54	-	39.80	9.52	42.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37286G	55.88	74.00	-18.12	49.05	3	Horizontal	265	2.63	-	39.81	9.52	42.50
AV	13.36636G	41.80	54.00	-12.20	35.02	3	Horizontal	265	2.63	-	39.76	9.52	42.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05472G	46.13	83.54	-37.41	42.89	1	Vertical	169	1.58	-	37.44	15.52	49.72
AV	20.05318G	32.50	63.54	-31.04	29.26	1	Vertical	169	1.58	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05392G	45.76	83.54	-37.78	42.52	1	Horizontal	265	1.53	-	37.44	15.52	49.72
AV	20.0548G	32.55	63.54	-30.99	29.31	1	Horizontal	265	1.53	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	111.24	Inf	-Inf	112.52	3	Vertical	303	1.80	-	34.40	6.49	42.17
RMS	6.8498G	101.71	Inf	-Inf	102.99	3	Vertical	303	1.80	-	34.40	6.49	42.17
PK	7.173G	58.48	88.20	-29.72	57.95	3	Vertical	303	1.80	-	35.99	6.60	42.06
RMS	7.245G	47.94	68.20	-20.26	47.05	3	Vertical	303	1.80	-	36.28	6.65	42.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69464G	56.36	88.20	-31.84	49.28	3	Vertical	220	2.15	-	39.91	9.60	42.43
RMS	13.68764G	42.37	68.20	-25.83	35.29	3	Vertical	220	2.15	-	39.91	9.60	42.43

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68654G	56.17	88.20	-32.03	49.09	3	Horizontal	127	1.69	-	39.91	9.60	42.43
RMS	13.68656G	42.22	68.20	-25.98	35.14	3	Horizontal	127	1.69	-	39.91	9.60	42.43

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53624G	46.32	83.54	-37.22	42.73	1	Vertical	160	1.53	-	37.74	15.74	49.89
AV	20.53812G	32.91	63.54	-30.63	29.30	1	Vertical	160	1.53	-	37.75	15.74	49.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53624G	46.03	83.54	-37.51	42.44	1	Horizontal	270	1.53	-	37.74	15.74	49.89
AV	20.53072G	32.84	63.54	-30.70	29.25	1	Horizontal	270	1.53	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8724G	110.79	Inf	-Inf	111.95	3	Vertical	285.1	1.80	-	34.49	6.51	42.16
RMS	6.871G	100.19	Inf	-Inf	101.36	3	Vertical	285.1	1.80	-	34.48	6.51	42.16
PK	7.2224G	58.30	88.20	-29.90	57.53	3	Vertical	285.1	1.80	-	36.19	6.63	42.05
RMS	7.228G	47.79	68.20	-20.41	47.00	3	Vertical	285.1	1.80	-	36.21	6.63	42.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76538G	56.17	88.20	-32.03	48.86	3	Vertical	294	1.83	-	40.10	9.62	42.41
RMS	13.76742G	42.60	68.20	-25.60	35.29	3	Vertical	294	1.83	-	40.10	9.62	42.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76678G	56.30	88.20	-31.90	48.99	3	Horizontal	257	2.93	-	40.10	9.62	42.41
RMS	13.77052G	42.65	68.20	-25.55	35.33	3	Horizontal	257	2.93	-	40.11	9.62	42.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65606G	47.01	83.54	-36.53	43.16	1	Vertical	326	1.51	-	37.89	15.80	49.84
AV	20.65472G	33.25	63.54	-30.29	29.41	1	Vertical	326	1.51	-	37.89	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65998G	47.29	83.54	-36.25	43.44	1	Horizontal	173	1.51	-	37.89	15.80	49.84
AV	20.65968G	33.28	63.54	-30.26	29.43	1	Horizontal	173	1.51	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9142G	110.87	Inf	-Inf	111.79	3	Vertical	286	1.79	-	34.69	6.53	42.14
RMS	6.9106G	99.47	Inf	-Inf	100.42	3	Vertical	286	1.79	-	34.66	6.53	42.14
PK	7.2142G	58.96	88.20	-29.24	58.23	3	Vertical	286	1.79	-	36.16	6.62	42.05
RMS	7.219G	47.74	68.20	-20.46	46.98	3	Vertical	286	1.79	-	36.18	6.63	42.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84862G	56.75	88.20	-31.45	49.25	3	Vertical	342	2.63	-	40.25	9.64	42.39
RMS	13.84538G	42.40	68.20	-25.80	34.90	3	Vertical	342	2.63	-	40.25	9.64	42.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84712G	56.70	88.20	-31.50	49.20	3	Horizontal	124	1.10	-	40.25	9.64	42.39
RMS	13.85216G	42.53	68.20	-25.67	35.03	3	Horizontal	124	1.10	-	40.25	9.64	42.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7745G	46.97	83.54	-36.57	42.95	1	Vertical	203	1.51	-	37.96	15.85	49.79
AV	20.77468G	33.62	63.54	-29.92	29.60	1	Vertical	203	1.51	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.777G	46.69	83.54	-36.85	42.67	1	Horizontal	354	1.56	-	37.96	15.85	49.79
AV	20.77164G	33.59	63.54	-29.95	29.56	1	Horizontal	354	1.56	-	37.97	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	110.19	Inf	-Inf	110.73	3	Vertical	231.4	1.80	-	35.00	6.57	42.11
RMS	7.009G	96.28	Inf	-Inf	96.78	3	Vertical	231.4	1.80	-	35.04	6.57	42.11
PK	7.1466G	58.84	88.20	-29.36	58.43	3	Vertical	231.4	1.80	-	35.88	6.60	42.07
RMS	7.2018G	45.60	68.20	-22.60	44.93	3	Vertical	231.4	1.80	-	36.11	6.61	42.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.009G	56.09	88.20	-32.11	48.15	3	Vertical	322	1.90	-	40.62	9.68	42.36
RMS	14.00932G	42.69	68.20	-25.51	34.75	3	Vertical	322	1.90	-	40.62	9.68	42.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00622G	56.36	88.20	-31.84	48.43	3	Horizontal	49	2.35	-	40.61	9.68	42.36
RMS	14.01258G	42.69	68.20	-25.51	34.74	3	Horizontal	49	2.35	-	40.63	9.68	42.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01024G	46.57	83.54	-36.97	42.72	1	Vertical	230	1.55	-	37.60	15.95	49.70
AV	21.01474G	33.36	63.54	-30.18	29.50	1	Vertical	230	1.55	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01512G	47.33	83.54	-36.21	43.47	1	Horizontal	166	1.51	-	37.60	15.96	49.70
AV	21.01708G	33.34	63.54	-30.20	29.48	1	Horizontal	166	1.51	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0706G	111.91	Inf	-Inf	112.06	3	Vertical	279.1	1.80	-	35.36	6.58	42.09
RMS	7.071G	98.93	Inf	-Inf	99.07	3	Vertical	279.1	1.80	-	35.37	6.58	42.09
PK	7.1266G	64.64	88.20	-23.56	64.35	3	Vertical	279.1	1.80	-	35.76	6.60	42.07
RMS	7.1254G	48.10	68.20	-20.10	47.82	3	Vertical	279.1	1.80	-	35.75	6.60	42.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17236G	57.32	88.20	-30.88	48.98	3	Vertical	282	2.91	-	40.94	9.71	42.31
RMS	14.17324G	43.97	68.20	-24.23	35.62	3	Vertical	282	2.91	-	40.95	9.71	42.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1697G	57.39	88.20	-30.81	49.05	3	Horizontal	237	2.44	-	40.94	9.71	42.31
RMS	14.17272G	43.78	68.20	-24.42	35.43	3	Horizontal	237	2.44	-	40.95	9.71	42.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25502G	47.04	83.54	-36.50	43.02	1	Vertical	53	1.52	-	37.61	16.06	49.65
AV	21.25046G	33.58	63.54	-29.96	29.57	1	Vertical	53	1.52	-	37.60	16.06	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 62
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25168G	47.07	83.54	-36.47	43.06	1	Horizontal	15	1.54	-	37.60	16.06	49.65
AV	21.2587G	33.54	63.54	-30.00	29.51	1	Horizontal	15	1.54	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8666G	54.32	88.20	-33.88	59.01	3	Vertical	311	1.27	-	32.03	5.96	42.68
RMS	5.8858G	41.70	68.20	-26.50	46.32	3	Vertical	311	1.27	-	32.07	5.98	42.67
PK	6.1306G	110.28	Inf	-Inf	114.15	3	Vertical	311	1.27	-	32.52	6.13	42.52
RMS	6.1306G	99.31	Inf	-Inf	103.18	3	Vertical	311	1.27	-	32.52	6.13	42.52

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29266G	53.43	74.00	-20.57	48.29	3	Vertical	106	2.59	-	38.61	9.24	42.71
AV	12.29106G	40.06	54.00	-13.94	34.92	3	Vertical	106	2.59	-	38.61	9.24	42.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29466G	53.55	74.00	-20.45	48.41	3	Horizontal	270	1.64	-	38.61	9.24	42.71
AV	12.28662G	40.07	54.00	-13.93	34.94	3	Horizontal	270	1.64	-	38.61	9.23	42.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43986G	45.88	83.54	-37.66	43.39	1	Vertical	128	1.57	-	37.73	14.88	50.12
AV	18.43742G	33.05	63.54	-30.49	30.59	1	Vertical	128	1.57	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43064G	46.16	83.54	-37.38	43.70	1	Horizontal	143	1.54	-	37.72	14.87	50.13
AV	18.43808G	33.14	63.54	-30.40	30.65	1	Horizontal	143	1.54	-	37.73	14.88	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7402G	53.54	88.20	-34.66	58.45	3	Vertical	255	1.70	-	31.96	5.89	42.76
RMS	5.865G	43.13	68.20	-25.07	47.82	3	Vertical	255	1.70	-	32.03	5.96	42.68
PK	6.2346G	110.76	Inf	-Inf	114.33	3	Vertical	255	1.70	-	32.71	6.18	42.46
RMS	6.237G	101.15	Inf	-Inf	104.71	3	Vertical	255	1.70	-	32.72	6.18	42.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4489G	53.09	74.00	-20.91	48.15	3	Vertical	337	2.97	-	38.35	9.28	42.69
AV	12.45058G	40.14	54.00	-13.86	35.20	3	Vertical	337	2.97	-	38.35	9.28	42.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45406G	53.45	74.00	-20.55	48.52	3	Horizontal	226	1.02	-	38.34	9.28	42.69
AV	12.4451G	40.34	54.00	-13.66	35.39	3	Horizontal	226	1.02	-	38.36	9.28	42.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67634G	46.14	83.54	-37.40	43.36	1	Vertical	132	1.50	-	37.73	14.97	49.92
AV	18.67648G	33.52	63.54	-30.02	30.74	1	Vertical	132	1.50	-	37.73	14.97	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67526G	46.46	83.54	-37.08	43.68	1	Horizontal	252	1.56	-	37.73	14.97	49.92
AV	18.67534G	33.43	63.54	-30.11	30.65	1	Horizontal	252	1.56	-	37.73	14.97	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 75
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8402G	53.23	88.20	-34.97	58.00	3	Vertical	264	1.80	-	32.00	5.93	42.70
RMS	5.7898G	41.24	68.20	-26.96	46.08	3	Vertical	264	1.80	-	32.00	5.89	42.73
PK	6.3754G	110.71	Inf	-Inf	113.46	3	Vertical	264	1.80	-	33.30	6.32	42.37
RMS	6.3706G	98.94	Inf	-Inf	101.74	3	Vertical	264	1.80	-	33.26	6.32	42.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76606G	53.57	88.20	-34.63	47.98	3	Vertical	44	2.64	-	38.87	9.36	42.64
RMS	12.76924G	40.07	68.20	-28.13	34.48	3	Vertical	44	2.64	-	38.87	9.36	42.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77004G	54.27	88.20	-33.93	48.68	3	Horizontal	30	2.94	-	38.87	9.36	42.64
RMS	12.76518G	40.13	68.20	-28.07	34.54	3	Horizontal	30	2.94	-	38.87	9.36	42.64

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15298G	46.48	83.54	-37.06	43.13	1	Vertical	259	1.56	-	37.82	15.16	49.63
AV	19.15838G	33.29	63.54	-30.25	29.95	1	Vertical	259	1.56	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15472G	46.21	83.54	-37.33	42.87	1	Horizontal	22	1.51	-	37.81	15.16	49.63
AV	19.15696G	33.26	63.54	-30.28	29.92	1	Horizontal	22	1.51	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	53.91	88.20	-34.29	58.58	3	Vertical	46	2.29	-	32.04	5.97	42.68
RMS	5.8674G	43.01	68.20	-25.19	47.70	3	Vertical	46	2.29	-	32.03	5.96	42.68
PK	6.4722G	111.92	Inf	-Inf	114.15	3	Vertical	46	2.29	-	33.73	6.36	42.32
RMS	6.4698G	100.37	Inf	-Inf	102.61	3	Vertical	46	2.29	-	33.72	6.36	42.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93346G	53.86	88.20	-34.34	48.04	3	Vertical	280	1.11	-	39.03	9.40	42.61
RMS	12.93188G	40.69	68.20	-27.51	34.87	3	Vertical	280	1.11	-	39.03	9.40	42.61

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93098G	54.39	88.20	-33.81	48.57	3	Horizontal	200	1.08	-	39.03	9.40	42.61
RMS	12.93456G	40.80	68.20	-27.40	34.98	3	Horizontal	200	1.08	-	39.03	9.40	42.61

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39376G	46.04	83.54	-37.50	42.64	1	Vertical	284	1.54	-	37.82	15.26	49.68
AV	19.39358G	32.99	63.54	-30.55	29.60	1	Vertical	284	1.54	-	37.81	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39624G	46.88	83.54	-36.66	43.48	1	Horizontal	92	1.50	-	37.82	15.26	49.68
AV	19.39262G	32.85	63.54	-30.69	29.46	1	Horizontal	92	1.50	-	37.81	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 74
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9132G	53.09	88.20	-35.11	57.60	3	Vertical	304	1.80	-	32.13	6.01	42.65
RMS	5.9132G	41.12	68.20	-27.08	45.63	3	Vertical	304	1.80	-	32.13	6.01	42.65
PK	6.5528G	110.18	Inf	-Inf	111.98	3	Vertical	304	1.80	-	34.11	6.37	42.28
RMS	6.5554G	99.03	Inf	-Inf	100.83	3	Vertical	304	1.80	-	34.11	6.37	42.28
PK	7.1768G	57.58	88.20	-30.62	57.02	3	Vertical	304	1.80	-	36.01	6.61	42.06
RMS	7.1924G	45.76	68.20	-22.44	45.14	3	Vertical	304	1.80	-	36.07	6.61	42.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




23/04/2022

EUT_Z_2TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09438G	54.81	88.20	-33.39	48.85	3	Vertical	47	2.28	-	39.10	9.44	42.58
RMS	13.09002G	41.17	68.20	-27.03	35.21	3	Vertical	47	2.28	-	39.10	9.44	42.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




23/04/2022

EUT_Z_2TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09346G	55.17	88.20	-33.03	49.21	3	Horizontal	310	2.29	-	39.10	9.44	42.58
RMS	13.0898G	41.23	68.20	-26.97	35.27	3	Horizontal	310	2.29	-	39.10	9.44	42.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63844G	47.17	83.54	-36.37	43.67	1	Vertical	92	1.52	-	37.84	15.36	49.70
AV	19.63802G	33.69	63.54	-29.85	30.19	1	Vertical	92	1.52	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63484G	47.51	83.54	-36.03	44.01	1	Horizontal	55	1.57	-	37.85	15.35	49.70
AV	19.63746G	33.65	63.54	-29.89	30.15	1	Horizontal	55	1.57	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Z_2TX
Setting 72
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	110.60	Inf	-Inf	112.31	3	Vertical	265	1.73	-	34.15	6.39	42.25
RMS	6.6346G	100.38	Inf	-Inf	102.10	3	Vertical	265	1.73	-	34.13	6.40	42.25
PK	7.213G	58.14	88.20	-30.06	57.42	3	Vertical	265	1.73	-	36.15	6.62	42.05
RMS	7.2202G	47.78	68.20	-20.42	47.02	3	Vertical	265	1.73	-	36.18	6.63	42.05

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25318G	55.19	74.00	-18.81	48.98	3	Vertical	47	1.82	-	39.25	9.49	42.53
AV	13.2524G	41.89	54.00	-12.11	35.68	3	Vertical	47	1.82	-	39.25	9.49	42.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25058G	55.18	74.00	-18.82	48.97	3	Horizontal	219	2.83	-	39.25	9.49	42.53
AV	13.25198G	41.81	54.00	-12.19	35.60	3	Horizontal	219	2.83	-	39.25	9.49	42.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87886G	46.57	83.54	-36.97	43.23	1	Vertical	79	1.54	-	37.59	15.45	49.70
AV	19.87586G	33.74	63.54	-29.80	30.39	1	Vertical	79	1.54	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87314G	47.12	83.54	-36.42	43.77	1	Horizontal	285	1.52	-	37.60	15.45	49.70
AV	19.87418G	33.71	63.54	-29.83	30.36	1	Horizontal	285	1.52	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	111.03	Inf	-Inf	112.72	3	Vertical	250	1.80	-	34.10	6.43	42.22
RMS	6.699G	99.20	Inf	-Inf	100.90	3	Vertical	250	1.80	-	34.10	6.42	42.22
PK	7.125G	58.02	88.20	-30.18	57.75	3	Vertical	250	1.80	-	35.75	6.60	42.08
RMS	7.203G	45.86	68.20	-22.34	45.19	3	Vertical	250	1.80	-	36.11	6.61	42.05

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41016G	55.89	88.20	-32.31	48.86	3	Vertical	12	2.82	-	39.99	9.53	42.49
RMS	13.41002G	41.95	68.20	-26.25	34.92	3	Vertical	12	2.82	-	39.99	9.53	42.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41376G	55.39	88.20	-32.81	48.36	3	Horizontal	25	1.27	-	39.99	9.53	42.49
RMS	13.40762G	41.92	68.20	-26.28	34.89	3	Horizontal	25	1.27	-	39.99	9.53	42.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11998G	47.18	83.54	-36.36	43.88	1	Vertical	171	1.53	-	37.50	15.55	49.75
AV	20.1145G	33.51	63.54	-30.03	30.22	1	Vertical	171	1.53	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11266G	46.65	83.54	-36.89	43.36	1	Horizontal	248	1.50	-	37.49	15.55	49.75
AV	20.11588G	33.52	63.54	-30.02	30.23	1	Horizontal	248	1.50	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.821G	110.36	Inf	-Inf	111.72	3	Vertical	281	2.63	-	34.34	6.48	42.18
RMS	6.8228G	100.46	Inf	-Inf	101.81	3	Vertical	281	2.63	-	34.35	6.48	42.18
PK	7.19G	59.14	88.20	-29.06	58.53	3	Vertical	281	2.63	-	36.06	6.61	42.06
RMS	7.235G	48.06	68.20	-20.14	47.22	3	Vertical	281	2.63	-	36.24	6.64	42.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5679G	55.92	88.20	-32.28	48.84	3	Vertical	0	2.51	-	39.97	9.57	42.46
RMS	13.56592G	41.96	68.20	-26.24	34.88	3	Vertical	0	2.51	-	39.97	9.57	42.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56628G	56.24	88.20	-31.96	49.16	3	Horizontal	227	2.68	-	39.97	9.57	42.46
RMS	13.56596G	41.98	68.20	-26.22	34.90	3	Horizontal	227	2.68	-	39.97	9.57	42.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35864G	48.13	83.54	-35.41	44.67	1	Vertical	65	1.53	-	37.64	15.66	49.84
AV	20.35886G	34.34	63.54	-29.20	30.88	1	Vertical	65	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35128G	48.30	83.54	-35.24	44.84	1	Horizontal	57	1.57	-	37.64	15.66	49.84
AV	20.35602G	34.34	63.54	-29.20	30.88	1	Horizontal	57	1.57	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8804G	111.58	Inf	-Inf	112.71	3	Vertical	300	1.80	-	34.52	6.51	42.16
RMS	6.8524G	100.15	Inf	-Inf	101.41	3	Vertical	300	1.80	-	34.41	6.50	42.17
PK	7.2024G	58.38	88.20	-29.82	57.71	3	Vertical	300	1.80	-	36.11	6.61	42.05
RMS	7.215G	45.85	68.20	-22.35	45.12	3	Vertical	300	1.80	-	36.16	6.62	42.05

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73192G	55.75	88.20	-32.45	48.56	3	Vertical	228	1.56	-	40.00	9.61	42.42
RMS	13.73104G	42.46	68.20	-25.74	35.28	3	Vertical	228	1.56	-	39.99	9.61	42.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7338G	56.21	88.20	-31.99	49.02	3	Horizontal	148	1.13	-	40.00	9.61	42.42
RMS	13.73064G	42.44	68.20	-25.76	35.26	3	Horizontal	148	1.13	-	39.99	9.61	42.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59876G	46.74	83.54	-36.80	43.01	1	Vertical	317	1.52	-	37.82	15.77	49.86
AV	20.59596G	32.94	63.54	-30.60	29.21	1	Vertical	317	1.52	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59558G	46.44	83.54	-37.10	42.72	1	Horizontal	341	1.51	-	37.81	15.77	49.86
AV	20.59122G	32.93	63.54	-30.61	29.21	1	Horizontal	341	1.51	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.958G	112.60	Inf	-Inf	113.26	3	Vertical	23	1.62	-	34.92	6.55	42.13
RMS	6.956G	101.86	Inf	-Inf	102.53	3	Vertical	23	1.62	-	34.91	6.55	42.13
PK	7.191G	59.29	88.20	-28.91	58.68	3	Vertical	23	1.62	-	36.06	6.61	42.06
RMS	7.125G	48.03	68.20	-20.17	47.76	3	Vertical	23	1.62	-	35.75	6.60	42.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.888G	56.15	88.20	-32.05	48.59	3	Vertical	343	1.04	-	40.29	9.65	42.38
RMS	13.88512G	42.12	68.20	-26.08	34.57	3	Vertical	343	1.04	-	40.29	9.65	42.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89482G	55.44	88.20	-32.76	47.88	3	Horizontal	190	1.10	-	40.29	9.65	42.38
RMS	13.89372G	42.17	68.20	-26.03	34.61	3	Horizontal	190	1.10	-	40.29	9.65	42.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83908G	47.06	83.54	-36.48	43.08	1	Vertical	179	1.57	-	37.86	15.88	49.76
AV	20.83948G	33.93	63.54	-29.61	29.95	1	Vertical	179	1.57	-	37.86	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83872G	47.91	83.54	-35.63	43.93	1	Horizontal	323	1.50	-	37.86	15.88	49.76
AV	20.8352G	33.90	63.54	-29.64	29.93	1	Horizontal	323	1.50	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 71
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0354G	111.43	Inf	-Inf	111.81	3	Vertical	285	1.80	-	35.14	6.58	42.10
RMS	7.0186G	98.02	Inf	-Inf	98.48	3	Vertical	285	1.80	-	35.07	6.57	42.10
PK	7.1314G	62.01	88.20	-26.19	61.69	3	Vertical	285	1.80	-	35.79	6.60	42.07
RMS	7.129G	47.82	68.20	-20.38	47.52	3	Vertical	285	1.80	-	35.77	6.60	42.07

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04638G	56.67	88.20	-31.53	48.64	3	Vertical	277	2.15	-	40.69	9.69	42.35
RMS	14.0485G	43.16	68.20	-25.04	35.12	3	Vertical	277	2.15	-	40.70	9.69	42.35

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05156G	56.83	88.20	-31.37	48.78	3	Horizontal	65	2.06	-	40.70	9.69	42.34
RMS	14.04958G	43.18	68.20	-25.02	35.14	3	Horizontal	65	2.06	-	40.70	9.69	42.35

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.073G	46.62	83.54	-36.92	42.73	1	Vertical	96	1.53	-	37.60	15.98	49.69
AV	21.07262G	33.11	63.54	-30.43	29.22	1	Vertical	96	1.53	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07764G	46.37	83.54	-37.17	42.47	1	Horizontal	88	1.52	-	37.60	15.98	49.68
AV	21.07048G	33.19	63.54	-30.35	29.30	1	Horizontal	88	1.52	-	37.60	15.98	49.69

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	54.25	88.20	-33.95	58.87	3	Vertical	262.6	1.80	-	32.07	5.98	42.67
RMS	5.797G	44.01	68.20	-24.19	48.85	3	Vertical	262.6	1.80	-	32.00	5.89	42.73
PK	6.151G	107.67	Inf	-Inf	111.45	3	Vertical	262.6	1.80	-	32.60	6.13	42.51
RMS	6.161G	97.56	Inf	-Inf	101.35	3	Vertical	262.6	1.80	-	32.58	6.13	42.50

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37496G	53.48	74.00	-20.52	48.39	3	Vertical	193	1.87	-	38.53	9.26	42.70
AV	12.3736G	39.32	54.00	-14.68	34.23	3	Vertical	193	1.87	-	38.53	9.26	42.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37012G	54.35	74.00	-19.65	49.26	3	Horizontal	59	1.67	-	38.53	9.26	42.70
AV	12.37352G	39.30	54.00	-14.70	34.21	3	Horizontal	59	1.67	-	38.53	9.26	42.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55076G	45.89	83.54	-37.65	43.24	1	Vertical	82	1.50	-	37.78	14.92	50.05
AV	18.55G	32.36	63.54	-31.18	29.71	1	Vertical	82	1.50	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55144G	46.00	83.54	-37.54	43.35	1	Horizontal	253	1.56	-	37.78	14.92	50.05
AV	18.55G	32.33	63.54	-31.21	29.68	1	Horizontal	253	1.56	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.841G	54.41	88.20	-33.79	59.17	3	Vertical	280.3	1.80	-	32.00	5.94	42.70
RMS	5.8026G	44.33	68.20	-23.87	49.16	3	Vertical	280.3	1.80	-	32.00	5.89	42.72
PK	6.3834G	107.72	Inf	-Inf	110.39	3	Vertical	280.3	1.80	-	33.37	6.33	42.37
RMS	6.3138G	97.15	Inf	-Inf	100.42	3	Vertical	280.3	1.80	-	32.88	6.26	42.41

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68714G	53.46	74.00	-20.54	48.02	3	Vertical	324	2.31	-	38.75	9.34	42.65
AV	12.687G	39.59	54.00	-14.41	34.15	3	Vertical	324	2.31	-	38.75	9.34	42.65

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68528G	53.49	74.00	-20.51	48.06	3	Horizontal	358	2.78	-	38.74	9.34	42.65
AV	12.6853G	39.60	54.00	-14.40	34.17	3	Horizontal	358	2.78	-	38.74	9.34	42.65

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03516G	46.41	83.54	-37.13	42.95	1	Vertical	2	1.51	-	37.96	15.11	49.61
AV	19.03884G	32.93	63.54	-30.61	29.47	1	Vertical	2	1.51	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TnomVnom



EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03566G	46.51	83.54	-37.03	43.05	1	Horizontal	127	1.56	-	37.96	15.11	49.61
AV	19.03886G	32.98	63.54	-30.56	29.52	1	Horizontal	127	1.56	-	37.95	15.12	49.61


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_2TX
 Setting 78
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	53.60	88.20	-34.60	58.07	3	Vertical	267.9	1.80	-	32.15	6.03	42.65
RMS	5.868G	43.63	68.20	-24.57	48.31	3	Vertical	267.9	1.80	-	32.04	5.96	42.68
PK	6.4322G	109.32	Inf	-Inf	111.75	3	Vertical	267.9	1.80	-	33.56	6.35	42.34
RMS	6.4452G	98.28	Inf	-Inf	100.66	3	Vertical	267.9	1.80	-	33.59	6.36	42.33
PK	7.129G	57.94	88.20	-30.26	57.64	3	Vertical	267.9	1.80	-	35.77	6.60	42.07
RMS	7.129G	47.74	68.20	-20.46	47.44	3	Vertical	267.9	1.80	-	35.77	6.60	42.07

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
 Setting 78
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0086G	54.98	88.20	-33.22	49.06	3	Vertical	263	2.35	-	39.10	9.42	42.60
RMS	13.0055G	40.37	68.20	-27.83	34.45	3	Vertical	263	2.35	-	39.10	9.42	42.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0107G	54.62	88.20	-33.58	48.70	3	Horizontal	323	1.28	-	39.10	9.42	42.60
RMS	13.00614G	40.37	68.20	-27.83	34.45	3	Horizontal	323	1.28	-	39.10	9.42	42.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51908G	46.36	83.54	-37.18	42.86	1	Vertical	239	1.57	-	37.89	15.31	49.70
AV	19.51924G	32.62	63.54	-30.92	29.12	1	Vertical	239	1.57	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51478G	47.34	83.54	-36.20	43.84	1	Horizontal	206	1.58	-	37.89	15.31	49.70
AV	19.5165G	32.59	63.54	-30.95	29.09	1	Horizontal	206	1.58	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	108.91	Inf	-Inf	110.62	3	Vertical	288.2	1.80	-	34.10	6.42	42.23
RMS	6.687G	98.15	Inf	-Inf	99.86	3	Vertical	288.2	1.80	-	34.10	6.42	42.23
PK	7.1424G	58.55	88.20	-29.65	58.17	3	Vertical	288.2	1.80	-	35.85	6.60	42.07
RMS	7.215G	48.18	68.20	-20.02	47.45	3	Vertical	288.2	1.80	-	36.16	6.62	42.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3287G	55.40	74.00	-18.60	48.90	3	Vertical	310	2.93	-	39.50	9.51	42.51
AV	13.33488G	41.32	54.00	-12.68	34.78	3	Vertical	310	2.93	-	39.54	9.51	42.51

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33274G	54.77	74.00	-19.23	48.24	3	Horizontal	106	1.18	-	39.53	9.51	42.51
AV	13.33416G	41.29	54.00	-12.71	34.75	3	Horizontal	106	1.18	-	39.54	9.51	42.51

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99292G	46.12	83.54	-37.42	42.91	1	Vertical	250	1.58	-	37.41	15.50	49.70
AV	19.9923G	32.42	63.54	-31.12	29.21	1	Vertical	250	1.58	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99502G	46.17	83.54	-37.37	42.96	1	Horizontal	261	1.54	-	37.41	15.50	49.70
AV	19.99978G	32.39	63.54	-31.15	29.19	1	Horizontal	261	1.54	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8586G	104.13	Inf	-Inf	105.36	3	Vertical	360	1.80	-	34.43	6.50	42.16
RMS	6.8586G	91.82	Inf	-Inf	93.05	3	Vertical	360	1.80	-	34.43	6.50	42.16
PK	7.1258G	60.59	88.20	-27.61	60.31	3	Vertical	360	1.80	-	35.75	6.60	42.07
RMS	7.1258G	48.66	68.20	-19.54	48.38	3	Vertical	360	1.80	-	35.75	6.60	42.07

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




23/04/2022

EUT_Z_2TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6549G	56.45	88.20	-31.75	49.35	3	Vertical	297	1.46	-	39.95	9.59	42.44
RMS	13.64702G	41.92	68.20	-26.28	34.82	3	Vertical	297	1.46	-	39.95	9.59	42.44

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




23/04/2022

EUT_Z_2TX
 Setting 78
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64748G	56.01	88.20	-32.19	48.91	3	Horizontal	227	2.03	-	39.95	9.59	42.44
RMS	13.64768G	41.88	68.20	-26.32	34.78	3	Horizontal	227	2.03	-	39.95	9.59	42.44

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47224G	46.81	83.54	-36.73	43.30	1	Vertical	159	1.57	-	37.69	15.71	49.89
AV	20.47354G	33.27	63.54	-30.27	29.76	1	Vertical	159	1.57	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4787G	46.96	83.54	-36.58	43.44	1	Horizontal	297	1.51	-	37.69	15.72	49.89
AV	20.47118G	33.28	63.54	-30.26	29.77	1	Horizontal	297	1.51	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.927G	110.03	Inf	-Inf	110.88	3	Vertical	285	1.65	-	34.76	6.53	42.14
RMS	6.927G	99.85	Inf	-Inf	100.70	3	Vertical	285	1.65	-	34.76	6.53	42.14
PK	7.141G	75.99	88.20	-12.21	75.61	3	Vertical	285	1.65	-	35.85	6.60	42.07
RMS	7.126G	61.34	68.20	-6.86	61.05	3	Vertical	285	1.65	-	35.76	6.60	42.07

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9718G	56.62	88.20	-31.58	48.80	3	Vertical	145	2.10	-	40.52	9.67	42.37
RMS	13.96598G	41.83	68.20	-26.37	34.03	3	Vertical	145	2.10	-	40.50	9.67	42.37

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96918G	56.53	88.20	-31.67	48.72	3	Horizontal	310	1.48	-	40.51	9.67	42.37
RMS	13.96618G	41.83	68.20	-26.37	34.03	3	Horizontal	310	1.48	-	40.50	9.67	42.37

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9519G	47.42	83.54	-36.12	43.53	1	Vertical	21	1.53	-	37.68	15.93	49.72
AV	20.95076G	33.18	63.54	-30.36	29.29	1	Vertical	21	1.53	-	37.68	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 82
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95326G	47.12	83.54	-36.42	43.24	1	Horizontal	162	1.56	-	37.67	15.93	49.72
AV	20.9507G	33.19	63.54	-30.35	29.30	1	Horizontal	162	1.56	-	37.68	15.93	49.72

802.11ax HEW160_Nss2,(MCS0)_2TX
6185MHz_TnomVnom

MASK


01/04/2022



802.11ax HEW160_Nss2,(MCS0)_2TX
6345MHz_TnomVnom

MASK

01/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

01/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TnomVnom

01/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

01/04/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6985MHz_TnomVnom

01/04/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6115MHz_TnomVnom

13/04/2022

CF Freq
6.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1181G	-2.58	6.153G	-57.33	-42.58	-14.75	1
6.1174G	-2.75	6.1531G	-57.52	-42.75	-14.77	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6255MHz_TnomVnom

13/04/2022

CF Freq
6.255GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2563G	-3.80	6.296G	-58.38	-43.80	-14.58	1
6.2558G	-4.21	6.2961G	-58.85	-44.21	-14.64	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

13/04/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4164G	-4.46	6.4593G	-58.74	-44.46	-14.28	1
6.4136G	-4.87	6.4593G	-59.01	-44.87	-14.14	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

13/04/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44119G	-3.46	6.4797G	-58.46	-43.46	-15.00	1
6.44039G	-4.09	6.4798G	-58.63	-44.09	-14.54	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

13/04/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4763G	-3.30	6.5205G	-58.37	-43.30	-15.07	1
6.4775G	-3.74	6.5205G	-58.56	-43.74	-14.82	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

13/04/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5161G	-3.89	6.4685G	-59.04	-43.89	-15.15	1
6.518G	-4.29	6.4684G	-59.05	-44.29	-14.76	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

13/04/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5363G	-4.16	6.502G	-59.29	-44.16	-15.13	1
6.5385G	-4.67	6.5G	-59.81	-44.67	-15.14	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

13/04/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6975G	-4.12	6.7277G	-58.97	-44.12	-14.85	1
6.6963G	-4.43	6.7301G	-58.98	-44.43	-14.55	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

13/04/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

13/04/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

13/04/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0938G	-2.71	7.0643G	-56.57	-41.11	-15.46	1
7.091G	-3.44	7.0643G	-57.33	-41.32	-16.01	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6125MHz_TnomVnom

13/04/2022

CF Freq
6.125GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13G	-1.01	6.1862G	-54.22	-41.01	-13.21	1
6.1294G	-1.26	6.1874G	-54.61	-41.26	-13.35	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6245MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

13/04/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

13/04/2022

CF Freq
7.005GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01G	-1.85	6.9436G	-54.09	-41.85	-12.24	1
7.0098G	-2.37	6.9438G	-54.69	-42.37	-12.32	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

13/04/2022

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07741G	-1.26	7.0234G	-53.88	-41.26	-12.62	1
7.0802G	-1.53	7.0248G	-54.19	-41.53	-12.66	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

13/04/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

13/04/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

13/04/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01461G	1.24	6.9022G	-48.59	-38.76	-9.83	1
7.01301G	1.29	6.9022G	-48.55	-38.56	-9.99	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

01/04/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24414G	3.59	6.4314G	-39.75	-36.38	-3.37	1
6.16262G	3.16	6.4314G	-41.94	-36.81	-5.13	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

01/04/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	2.24	6.589G	-43.36	-37.43	-5.93	1
6.32102G	1.92	6.5898G	-44.93	-37.82	-7.11	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

01/04/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53057G	2.11	6.7506G	-44.58	-37.64	-6.94	1
6.53217G	1.87	6.7498G	-45.19	-37.87	-7.32	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

01/04/2022

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64102G	2.06	6.4186G	-43.51	-37.86	-5.65	1
6.68978G	2.15	6.4194G	-44.34	-37.60	-6.74	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

01/04/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79623G	1.45	6.5794G	-44.55	-38.40	-6.15	1
6.76346G	1.95	6.5794G	-44.61	-37.90	-6.71	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

01/04/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96182G	2.79	6.7386G	-41.68	-37.18	-4.50	1
6.96102G	2.73	6.7402G	-42.21	-37.22	-4.99	2



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.001	Stop Transmission	9	90	90	Pass
						-63.001	Stop & with Beacon	-			
						-82.001	Start Transmission	-			
6	101	20	6455	Center	6455	-72.001	Stop Transmission	9	90	90	Pass
						-73.001	Stop & with Beacon	-			
						-82.001	Start Transmission	-			
7	149	20	6695	Center	6695	-71.001	Stop Transmission	9	90	90	Pass
						-72.001	Stop & with Beacon	-			
						-82.001	Start Transmission	-			
8	213	20	7015	Center	7015	-62.001	Stop Transmission	9	90	90	Pass
						-63.001	Stop & with Beacon	-			
						-82.001	Start Transmission	-			

Note :

1. EUT antenna gain = Band6 = 2.291 / Band7 = 2.291 / Band8 = 2.291 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6185	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	6260	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
6	111	160	6505	Low edge	6430	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6505	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	6580	-70.00	Stop Transmission	10	100	90	PASS
						-71.00	Stop & with Beacon				
						-82.00	Start Transmission				
7	143	160	6665	Low edge	6590	-70.00	Stop Transmission	9	90	90	PASS
						-71.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6665	-64.00	Stop Transmission	10	100	90	PASS
						-65.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	6740	-66.00	Stop Transmission	9	90	90	PASS
						-67.00	Stop & with Beacon				
						-82.00	Start Transmission				
8	207	160	6985	Low edge	6910	-68.00	Stop Transmission	10	100	90	PASS
						-69.00	Stop & with Beacon				
						-82.00	Start Transmission				
				Center	6985	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon				
						-82.00	Start Transmission				
				High edge	7060	-64.00	Stop Transmission	9	90	90	PASS
						-65.00	Stop & with Beacon				
						-82.00	Start Transmission				


Note :

1. EUT antenna gain = Band6 = 2.291 / Band7 = 2.291 / Band8 = 2.291 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date 1.JUN.2022 22:33:45



Frequency (MHz): 6455 MHz







Date 1.JUN.2022 22:56:19

























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.94994G	46.24	54.00	-7.76	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.12035G	53.59	74.00	-20.41	-10.48	3	Vertical	217	2.12	-	64.07	24.17	2.28	36.93
AV	1.12133G	41.08	54.00	-12.92	-10.47	3	Vertical	217	2.12	-	51.55	24.18	2.28	36.93
PK	1.95254G	58.57	74.00	-15.43	-4.06	3	Vertical	139	1.96	-	62.63	27.65	3.05	34.76
AV	1.94994G	46.24	54.00	-7.76	-4.11	3	Vertical	139	1.96	"Worst"	50.35	27.60	3.05	34.76

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.12035G	46.37	74.00	-27.63	-10.48	3	Horizontal	329	1.66	-	56.85	24.17	2.28	36.93
AV	1.12133G	37.25	54.00	-16.75	-10.47	3	Horizontal	329	1.66	-	47.72	24.18	2.28	36.93
PK	1.95254G	55.09	74.00	-18.91	-4.06	3	Horizontal	52	1.34	-	59.15	27.65	3.05	34.76
AV	1.94994G	42.71	54.00	-11.29	-4.11	3	Horizontal	52	1.34	"Worst"	46.82	27.60	3.05	34.76