




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.466G	53.98	54.00	-0.02	7.86	3	Vertical	355	1.89	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.149995G	49.44	54.00	-4.56	7.43	3	Vertical	171	2.51
AV	5.2594G	114.83	Inf	-Inf	7.60	3	Vertical	171	2.51
AV	5.3668G	51.76	54.00	-2.24	7.75	3	Vertical	171	2.51
PK	5.149995G	62.10	74.00	-11.90	7.43	3	Vertical	171	2.51
PK	5.2594G	125.16	Inf	-Inf	7.60	3	Vertical	171	2.51
PK	5.3656G	63.12	74.00	-10.88	7.75	3	Vertical	171	2.51

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

17/01/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Black line)


20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.765G	44.11	54.00	-9.89	17.91	3	Vertical	0	1.50
PK	15.78306G	57.42	74.00	-16.58	17.86	3	Vertical	0	1.50

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX

17/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.765G	41.09	54.00	-12.91	14.98	3	Horizontal	164	1.50
PK	15.77454G	54.91	74.00	-19.09	14.97	3	Horizontal	164	1.50

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

17/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3008G	114.76	Inf	-Inf	7.66	3	Vertical	39	2.03
AV	5.350005G	52.01	54.00	-1.99	7.73	3	Vertical	39	2.03
PK	5.3008G	124.70	Inf	-Inf	7.66	3	Vertical	39	2.03
PK	5.350005G	66.74	74.00	-7.26	7.73	3	Vertical	39	2.03

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

17/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 96
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.600011G	41.06	54.00	-12.94	12.75	3	Vertical	84	2.96
AV	15.8871G	43.99	54.00	-10.01	14.85	3	Vertical	196	1.50
PK	10.612G	54.64	74.00	-19.36	12.76	3	Vertical	84	2.96
PK	15.88968G	57.37	74.00	-16.63	14.85	3	Vertical	196	1.50

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX

17/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 96
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.6144G	39.36	54.00	-14.64	12.77	3	Horizontal	343	1.13
AV	15.88584G	44.54	54.00	-9.46	14.85	3	Horizontal	347	2.73
PK	10.59928G	53.64	68.20	-14.56	12.75	3	Horizontal	343	1.13
PK	15.89436G	58.52	74.00	-15.48	14.84	3	Horizontal	347	2.73

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

03/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 90
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3208G	111.59	Inf	-Inf	7.69	3	Vertical	315	1.93
AV	5.3524G	53.14	54.00	-0.86	7.73	3	Vertical	315	1.93
PK	5.3212G	122.32	Inf	-Inf	7.69	3	Vertical	315	1.93
PK	5.3532G	73.60	74.00	-0.40	7.73	3	Vertical	315	1.93

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

17/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 90
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.63862G	39.92	54.00	-14.08	12.80	3	Vertical	63	2.95
AV	15.945G	44.58	54.00	-9.42	17.34	3	Vertical	57	1.50
PK	10.63676G	53.30	74.00	-20.70	12.79	3	Vertical	63	2.95
PK	15.95796G	58.29	74.00	-15.71	17.29	3	Vertical	57	1.50

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX

17/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 90
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.62506G	38.95	54.00	-15.05	12.78	3	Horizontal	1	1.50
AV	15.945G	44.02	54.00	-9.98	14.79	3	Horizontal	232	1.50
PK	10.64714G	52.62	74.00	-21.38	12.81	3	Horizontal	1	1.50
PK	15.9621G	58.30	74.00	-15.70	14.77	3	Horizontal	232	1.50

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

17/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 86
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4572G	52.52	54.00	-1.48	7.85	3	Vertical	355	1.89
AV	5.466G	53.98	54.00	-0.02	7.86	3	Vertical	355	1.89
AV	5.5032G	114.56	Inf	-Inf	7.90	3	Vertical	355	1.89
PK	5.4556G	65.02	74.00	-8.98	7.85	3	Vertical	355	1.89
PK	5.4664G	72.76	74.00	-1.24	7.86	3	Vertical	355	1.89
PK	5.5028G	125.28	Inf	-Inf	7.90	3	Vertical	355	1.89

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00292G	44.48	54.00	-9.52	18.07	3	Vertical	311	2.02
PK	11.0007G	58.64	74.00	-15.36	18.07	3	Vertical	311	2.02

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX

03/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 96
06-L-3
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00286G	39.64	54.00	-14.36	13.23	3	Horizontal	205	2.28
PK	11.00118G	54.34	74.00	-19.66	13.23	3	Horizontal	205	2.28

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4696G	50.89	54.00	-3.11	7.87	3	Vertical	33	1.84
AV	5.5794G	116.60	Inf	-Inf	7.99	3	Vertical	33	1.84
AV	5.7264G	49.27	54.00	-4.73	8.26	3	Vertical	33	1.84
PK	5.4408G	62.43	74.00	-11.57	7.84	3	Vertical	33	1.84
PK	5.5788G	126.26	Inf	-Inf	7.99	3	Vertical	33	1.84
PK	5.7288G	61.76	74.00	-12.24	8.26	3	Vertical	33	1.84




802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

05/01/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15502G	40.09	54.00	-13.91	13.26	3	Vertical	138	2.25
PK	11.1575G	54.06	74.00	-19.94	13.26	3	Vertical	138	2.25

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1611G	39.93	54.00	-14.07	13.26	3	Horizontal	332	1.50
PK	11.16034G	53.78	74.00	-20.22	13.26	3	Horizontal	332	1.50

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.7036G	112.08	Inf	-Inf	8.21	3	Vertical	18	1.78
AV	5.7268G	53.87	54.00	-0.13	8.26	3	Vertical	18	1.78
PK	5.7036G	123.16	Inf	-Inf	8.21	3	Vertical	18	1.78
PK	5.7284G	73.58	74.00	-0.42	8.26	3	Vertical	18	1.78

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.39932G	41.37	54.00	-12.63	13.30	3	Vertical	124	1.97
PK	11.40324G	55.07	74.00	-18.93	13.30	3	Vertical	124	1.97

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4005G	40.86	54.00	-13.14	13.30	3	Horizontal	282	2.87
PK	11.3994G	55.51	74.00	-18.49	13.30	3	Horizontal	282	2.87

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
EUT_Z_4_TX_Dipole
Setting 96
02-N-2-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	51.02	54.00	-2.98	11.20	3	Vertical	289	2.74
AV	5.468G	50.71	54.00	-3.29	11.06	3	Vertical	289	2.74
AV	5.7176G	117.45	Inf	-Inf	10.62	3	Vertical	289	2.74
PK	5.4536G	63.16	74.00	-10.84	11.10	3	Vertical	289	2.74
PK	5.4608G	63.54	74.00	-10.46	11.08	3	Vertical	289	2.74
PK	5.7188G	126.83	Inf	-Inf	10.63	3	Vertical	289	2.74
PK	5.8628G	63.16	68.20	-5.04	10.91	3	Vertical	289	2.74

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43916G	42.14	54.00	-11.86	15.37	3	Vertical	46	1.43
PK	11.43904G	55.59	74.00	-18.41	15.37	3	Vertical	46	1.43

802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43844G	44.03	54.00	-9.97	15.37	3	Horizontal	182	2.21
PK	11.43958G	57.45	74.00	-16.55	15.37	3	Horizontal	182	2.21

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1478G	50.22	54.00	-3.78	7.43	3	Vertical	343	1.99
AV	5.2606G	113.30	Inf	-Inf	7.60	3	Vertical	343	1.99
AV	5.3638G	52.07	54.00	-1.93	7.75	3	Vertical	343	1.99
PK	5.1256G	61.89	74.00	-12.11	7.39	3	Vertical	343	1.99
PK	5.2558G	124.02	Inf	-Inf	7.59	3	Vertical	343	1.99
PK	5.3614G	63.83	74.00	-10.17	7.74	3	Vertical	343	1.99

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 96
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.79422G	42.44	54.00	-11.56	14.95	3	Vertical	343	2.11
PK	15.79056G	56.62	74.00	-17.38	14.95	3	Vertical	343	2.11

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 96
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.76608G	43.09	54.00	-10.91	14.98	3	Horizontal	2	1.50
PK	15.77472G	56.32	74.00	-17.68	14.97	3	Horizontal	2	1.50

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX

03/01/2018



Legend for the spectrum plot:

- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Pink line with a peak icon
- AV: Green line with a peak icon


20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2992G	113.08	Inf	-Inf	7.65	3	Vertical	19	2.03
AV	5.350005G	52.25	54.00	-1.75	7.73	3	Vertical	19	2.03
PK	5.2992G	124.51	Inf	-Inf	7.65	3	Vertical	19	2.03
PK	5.3532G	71.24	74.00	-2.76	7.73	3	Vertical	19	2.03

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 96
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.59916G	40.07	Inf	-Inf	12.75	3	Vertical	78	2.97
AV	15.88962G	43.19	54.00	-10.81	14.85	3	Vertical	89	1.50
PK	10.59886G	52.64	68.20	-15.56	12.75	3	Vertical	78	2.97
PK	15.88914G	57.45	74.00	-16.55	14.85	3	Vertical	89	1.50

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX

10/01/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Black line)


20180110
 EUT_Z_4_TX_Dipole
 Setting 96
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61104G	39.30	54.00	-14.70	12.76	3	Horizontal	122	1.45
AV	15.89496G	41.75	54.00	-12.25	14.84	3	Horizontal	90	1.50
PK	10.61158G	53.71	74.00	-20.29	12.76	3	Horizontal	122	1.45
PK	15.912G	55.36	74.00	-18.64	14.82	3	Horizontal	90	1.50

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX

17/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 86
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3196G	108.26	Inf	-Inf	7.68	3	Vertical	170	2.75
AV	5.350005G	52.65	54.00	-1.35	7.73	3	Vertical	170	2.75
PK	5.319G	119.72	Inf	-Inf	7.68	3	Vertical	170	2.75
PK	5.350005G	73.17	74.00	-0.83	7.73	3	Vertical	170	2.75

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 86
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.63952G	39.18	54.00	-14.82	12.80	3	Vertical	124	2.83
AV	15.945G	42.93	54.00	-11.07	14.79	3	Vertical	2	1.50
PK	10.6535G	52.68	74.00	-21.32	12.81	3	Vertical	124	2.83
PK	15.94692G	57.10	74.00	-16.90	14.79	3	Vertical	2	1.50

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 86
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.62542G	38.08	54.00	-15.92	12.78	3	Horizontal	276	1.16
AV	15.94548G	41.87	54.00	-12.13	14.79	3	Horizontal	137	1.50
PK	10.63346G	51.53	74.00	-22.47	12.79	3	Horizontal	276	1.16
PK	15.957G	55.89	74.00	-18.11	14.78	3	Horizontal	137	1.50

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 86
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	51.65	54.00	-2.35	7.86	3	Vertical	42	2.05
AV	5.467G	53.82	54.00	-0.18	7.86	3	Vertical	42	2.05
AV	5.4988G	111.89	Inf	-Inf	7.89	3	Vertical	42	2.05
PK	5.4574G	68.85	74.00	-5.15	7.85	3	Vertical	42	2.05
PK	5.4664G	72.98	74.00	-1.02	7.86	3	Vertical	42	2.05
PK	5.494G	121.83	Inf	-Inf	7.89	3	Vertical	42	2.05

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 86
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.9965G	40.78	54.00	-13.22	13.23	3	Vertical	232	2.20
PK	10.99662G	55.39	74.00	-18.61	13.23	3	Vertical	232	2.20

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX

05/01/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


20180105
 EUT_Z_4_TX_Dipole
 Setting 86
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.99696G	39.85	54.00	-14.15	13.23	3	Horizontal	3	1.39
PK	10.99674G	54.01	74.00	-19.99	13.23	3	Horizontal	3	1.39

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4672G	51.07	54.00	-2.93	7.86	3	Vertical	33	2.21
AV	5.5758G	114.88	Inf	-Inf	7.98	3	Vertical	33	2.21
AV	5.7252G	48.61	54.00	-5.39	8.25	3	Vertical	33	2.21
PK	5.4666G	63.00	74.00	-11.00	7.86	3	Vertical	33	2.21
PK	5.5788G	125.22	Inf	-Inf	7.99	3	Vertical	33	2.21
PK	5.7288G	61.34	74.00	-12.66	8.26	3	Vertical	33	2.21

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15926G	40.45	54.00	-13.55	13.26	3	Vertical	156	2.79
PK	11.16028G	54.20	74.00	-19.80	13.26	3	Vertical	156	2.79

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1603G	39.88	54.00	-14.12	13.26	3	Horizontal	335	1.50
PK	11.16292G	53.84	74.00	-20.16	13.26	3	Horizontal	335	1.50

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.696G	110.02	Inf	-Inf	8.20	3	Vertical	158	1.79
AV	5.726G	52.72	54.00	-1.28	8.26	3	Vertical	158	1.79
PK	5.7004G	120.20	Inf	-Inf	8.21	3	Vertical	158	1.79
PK	5.73G	73.57	74.00	-0.43	8.26	3	Vertical	158	1.79

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.39928G	41.43	54.00	-12.57	13.30	3	Vertical	256	2.11
PK	11.40394G	54.77	74.00	-19.23	13.30	3	Vertical	256	2.11

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.39852G	40.91	54.00	-13.09	13.30	3	Horizontal	157	2.59
PK	11.4037G	55.22	74.00	-18.78	13.30	3	Horizontal	157	2.59

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

06/03/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	50.49	54.00	-3.51	11.20	3	Vertical	228	2.37
AV	5.4656G	49.63	54.00	-4.37	11.06	3	Vertical	228	2.37
AV	5.7176G	115.46	Inf	-Inf	10.62	3	Vertical	228	2.37
PK	5.4224G	63.22	74.00	-10.78	11.19	3	Vertical	228	2.37
PK	5.4632G	62.26	74.00	-11.74	11.07	3	Vertical	228	2.37
PK	5.7176G	125.82	Inf	-Inf	10.62	3	Vertical	228	2.37
PK	5.8892G	63.14	68.20	-5.06	10.98	3	Vertical	228	2.37

802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018



Legend:


- Lim.PK 
- PK 
- Lim.AV 
- AV 

20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43742G	41.39	54.00	-13.61	15.37	3	Vertical	221	1.22
PK	11.43364G	55.61	74.00	-19.39	15.36	3	Vertical	221	1.22

802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4385G	40.82	54.00	-13.18	15.37	3	Horizontal	311	1.69
PK	11.43718G	54.99	74.00	-19.01	15.37	3	Horizontal	311	1.69

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX

17/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 93
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2652G	110.36	Inf	-Inf	7.60	3	Vertical	345	1.98
AV	5.350005G	53.92	54.00	-0.08	7.73	3	Vertical	345	1.98
PK	5.2656G	121.93	Inf	-Inf	7.61	3	Vertical	345	1.98
PK	5.3512G	70.07	74.00	-3.93	7.73	3	Vertical	345	1.98

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 93
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9426G	44.23	54.00	-9.77	17.34	3	Vertical	0	1.19
PK	15.93588G	57.79	74.00	-16.21	17.37	3	Vertical	0	1.19

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 93
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.94272G	41.62	54.00	-12.38	14.79	3	Horizontal	47	1.50
PK	15.94374G	55.20	74.00	-18.80	14.79	3	Horizontal	47	1.50

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.314G	104.74	Inf	-Inf	7.68	3	Vertical	14	2.00
AV	5.3516G	53.04	54.00	-0.96	7.73	3	Vertical	14	2.00
PK	5.3048G	116.33	Inf	-Inf	7.66	3	Vertical	14	2.00
PK	5.350005G	71.81	74.00	-2.19	7.73	3	Vertical	14	2.00

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 80
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61298G	43.71	54.00	-10.29	17.29	3	Vertical	24	1.50
AV	15.945G	44.26	54.00	-9.74	17.34	3	Vertical	74	1.50
PK	10.6134G	57.46	74.00	-16.54	17.29	3	Vertical	24	1.50
PK	15.93516G	57.84	74.00	-16.16	17.37	3	Vertical	74	1.50

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61304G	39.24	54.00	-14.76	12.77	3	Horizontal	295	2.87
AV	15.945G	42.96	54.00	-11.04	14.79	3	Horizontal	140	2.98
PK	10.6107G	52.85	74.00	-21.15	12.76	3	Horizontal	295	2.87
PK	15.92892G	56.58	74.00	-17.42	14.81	3	Horizontal	140	2.98

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.458G	53.26	54.00	-0.74	7.86	3	Vertical	42	2.05
AV	5.4696G	53.90	54.00	-0.10	7.87	3	Vertical	42	2.05
AV	5.5136G	107.54	Inf	-Inf	7.91	3	Vertical	42	2.05
PK	5.4576G	69.95	74.00	-4.05	7.85	3	Vertical	42	2.05
PK	5.4696G	73.70	74.00	-0.30	7.87	3	Vertical	42	2.05
PK	5.5088G	118.54	Inf	-Inf	7.91	3	Vertical	42	2.05

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0183G	40.09	54.00	-13.91	13.23	3	Vertical	233	2.11
PK	11.01966G	54.02	74.00	-19.98	13.23	3	Vertical	233	2.11

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.01918G	39.79	54.00	-14.21	13.23	3	Horizontal	250	2.20
PK	11.01814G	53.26	74.00	-20.74	13.23	3	Horizontal	250	2.20

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 94
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4592G	51.98	54.00	-2.02	7.86	3	Vertical	35	2.11
AV	5.4696G	53.12	54.00	-0.88	7.87	3	Vertical	35	2.11
AV	5.5452G	111.08	Inf	-Inf	7.95	3	Vertical	35	2.11
PK	5.46G	66.48	74.00	-7.52	7.86	3	Vertical	35	2.11
PK	5.4696G	69.17	74.00	-4.83	7.87	3	Vertical	35	2.11
PK	5.5448G	121.90	Inf	-Inf	7.95	3	Vertical	35	2.11

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 94
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0953G	40.00	54.00	-14.00	13.25	3	Vertical	20	1.61
PK	11.09688G	54.12	74.00	-19.88	13.25	3	Vertical	20	1.61

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 94
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0976G	40.17	54.00	-13.83	13.25	3	Horizontal	166	2.29
PK	11.10104G	54.07	74.00	-19.93	13.25	3	Horizontal	166	2.29

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 83
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6568G	106.99	Inf	-Inf	8.12	3	Vertical	56	2.29
AV	5.7268G	53.35	54.00	-0.65	8.26	3	Vertical	56	2.29
PK	5.6568G	117.64	Inf	-Inf	8.12	3	Vertical	56	2.29
PK	5.7268G	72.11	74.00	-1.89	8.26	3	Vertical	56	2.29

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX

17/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 83
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.34428G	40.39	54.00	-13.61	13.29	3	Vertical	148	2.12
PK	11.34332G	54.18	74.00	-19.82	13.29	3	Vertical	148	2.12

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX

17/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 83
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.33586G	40.34	54.00	-13.66	13.29	3	Horizontal	24	2.40
PK	11.34158G	53.91	74.00	-20.09	13.29	3	Horizontal	24	2.40

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
EUT_Z_4_TX_Dipole
Setting 96
02-N-2-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4232G	48.30	54.00	-5.70	7.82	3	Vertical	111	2.66
AV	5.4688G	47.92	54.00	-6.08	7.87	3	Vertical	111	2.66
AV	5.704G	109.85	Inf	-Inf	8.21	3	Vertical	111	2.66
PK	5.4172G	60.68	74.00	-13.32	7.82	3	Vertical	111	2.66
PK	5.4676G	60.34	74.00	-13.66	7.86	3	Vertical	111	2.66
PK	5.6944G	119.70	Inf	-Inf	8.19	3	Vertical	111	2.66
PK	5.8564G	62.32	68.20	-5.88	8.48	3	Vertical	111	2.66

802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

05/03/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.40842G	42.12	54.00	-11.88	13.30	3	Vertical	149	2.12
PK	11.40536G	55.06	74.00	-18.94	13.30	3	Vertical	149	2.12



802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

05/03/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.42708G	42.21	54.00	-11.79	13.31	3	Horizontal	21	1.70
PK	11.42324G	55.60	74.00	-18.40	13.31	3	Horizontal	21	1.70

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.149995G	51.00	54.00	-3.00	7.43	3	Vertical	18	1.98
AV	5.2844G	102.93	Inf	-Inf	7.63	3	Vertical	18	1.98
AV	5.3516G	53.65	54.00	-0.35	7.73	3	Vertical	18	1.98
PK	5.1476G	63.69	74.00	-10.31	7.43	3	Vertical	18	1.98
PK	5.2844G	115.24	Inf	-Inf	7.63	3	Vertical	18	1.98
PK	5.354G	73.80	74.00	-0.20	7.73	3	Vertical	18	1.98

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 80
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.86922G	42.58	54.00	-11.42	14.87	3	Vertical	12	2.30
PK	15.88482G	56.38	74.00	-17.62	14.85	3	Vertical	12	2.30

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8844G	42.50	54.00	-11.50	14.85	3	Horizontal	346	1.10
PK	15.8604G	56.15	74.00	-17.85	14.88	3	Horizontal	346	1.10

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4684G	53.90	54.00	-0.10	7.86	3	Vertical	41	1.95
AV	5.5236G	102.74	Inf	-Inf	7.92	3	Vertical	41	1.95
AV	5.7252G	47.76	54.00	-6.24	8.25	3	Vertical	41	1.95
PK	5.4644G	71.76	74.00	-2.24	7.86	3	Vertical	41	1.95
PK	5.5196G	114.26	Inf	-Inf	7.92	3	Vertical	41	1.95
PK	5.7284G	60.74	74.00	-13.26	8.26	3	Vertical	41	1.95
PK	5.3444G	60.58	68.20	-7.62	7.72	3	Vertical	41	1.95

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX

05/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0626G	44.65	54.00	-9.35	18.06	3	Vertical	176	2.13
PK	11.05756G	58.59	74.00	-15.41	18.06	3	Vertical	176	2.13





802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX

05/01/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0628G	39.80	54.00	-14.20	13.24	3	Horizontal	296	2.18
PK	11.05968G	53.85	74.00	-20.15	13.24	3	Horizontal	296	2.18

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX

03/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 84
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4572G	51.35	54.00	-2.65	7.85	3	Vertical	311	1.94
AV	5.5996G	105.64	Inf	-Inf	8.01	3	Vertical	311	1.94
AV	5.7252G	54.26	Inf	-Inf	8.25	3	Vertical	311	1.94
PK	5.4572G	64.27	74.00	-9.73	7.85	3	Vertical	311	1.94
PK	5.4628G	64.51	68.20	-3.69	7.86	3	Vertical	311	1.94
PK	5.6052G	116.55	Inf	-Inf	8.02	3	Vertical	311	1.94
PK	5.73G	68.04	68.20	-0.16	8.26	3	Vertical	311	1.94

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX

05/01/2018




20180105
EUT_Z_4_TX_Dipole
Setting 84
06-L-3
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.22408G	44.68	54.00	-9.32	18.04	3	Vertical	80	2.01
PK	11.223G	58.77	74.00	-15.23	18.04	3	Vertical	80	2.01

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX

05/01/2018




20180105
EUT_Z_4_TX_Dipole
Setting 84
06-L-3
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.22414G	39.91	54.00	-14.09	13.27	3	Horizontal	331	1.11
PK	11.21914G	54.63	74.00	-19.37	13.27	3	Horizontal	331	1.11
PK	11.22286G	53.84	74.00	-20.16	13.27	3	Horizontal	51	2.46

802.11ac VHT80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 93
 06-L-3-10
 FSP(100304)




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4584G	50.15	54.00	-3.85	7.86	3	Vertical	302	1.87
AV	5.696G	107.84	Inf	-Inf	8.20	3	Vertical	302	1.87
PK	5.456G	62.73	74.00	-11.27	7.85	3	Vertical	302	1.87
PK	5.4692G	62.78	68.20	-5.42	7.87	3	Vertical	302	1.87
PK	5.6756G	116.93	Inf	-Inf	8.16	3	Vertical	302	1.87
PK	5.8676G	67.68	68.20	-0.52	8.49	3	Vertical	302	1.87

802.11ac VHT80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

05/03/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180103
 EUT_Z_4_TX_Dipole
 Setting 93
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.38216G	46.85	54.00	-7.15	18.02	3	Vertical	145	1.64
PK	11.36878G	59.97	74.00	-14.03	18.03	3	Vertical	145	1.64



802.11ac VHT80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

05/03/2018



Legend:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)

20180103
 EUT_Z_4_TX_Dipole
 Setting 93
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3875G	42.14	54.00	-11.86	13.30	3	Horizontal	143	1.03
PK	11.37004G	55.65	74.00	-18.35	13.30	3	Horizontal	143	1.03

802.11ac VHT160_Nss1,(MCS0)_4TX
5250MHz Straddle 5.25-5.35GHz_TX

03/01/2018



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


20171218
 EUT_Z_4_TX_Dipole
 Setting 64
 06-L-3-10
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.13G	53.86	54.00	-0.14	7.40	3	Vertical	310	2.72
AV	5.2596G	101.78	Inf	-Inf	7.60	3	Vertical	310	2.72
AV	5.354G	53.19	54.00	-0.81	7.73	3	Vertical	310	2.72
PK	5.1204G	65.71	74.00	-8.29	7.38	3	Vertical	310	2.72
PK	5.2692G	111.31	Inf	-Inf	7.61	3	Vertical	310	2.72
PK	5.354G	68.65	74.00	-5.35	7.73	3	Vertical	310	2.72



802.11ac VHT160_Nss1,(MCS0)_4TX
5250MHz Straddle 5.25-5.35GHz_TX

10/01/2018



10/01/2018


- Lim.PK
- PK
- Lim.AV
- AV

20180110
 EUT_Z_4_TX_Dipole
 Setting 64
 04-C-4
 FSP(100142)




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.73518G	43.71	54.00	-10.29	15.01	3	Vertical	72	1.49
PK	15.74328G	57.08	74.00	-16.92	15.00	3	Vertical	72	1.49

802.11ac VHT160_Nss1,(MCS0)_4TX
5250MHz Straddle 5.25-5.35GHz_TX

10/01/2018



10/01/2018

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180110
 EUT_Z_4_TX_Dipole
 Setting 64
 04-C-4
 FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)				
AV	15.7356G	43.63	54.00	-10.37	15.01	3	Horizontal	105	1.50				
PK	15.75048G	56.77	74.00	-17.23	15.00	3	Horizontal	105	1.50				

802.11ac VHT160_Nss1,(MCS0)_4TX

5570MHz_TX

17/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 66
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.458G	53.44	54.00	-0.56	7.86	3	Vertical	33	2.07
AV	5.4628G	53.37	54.00	-0.63	7.86	3	Vertical	33	2.07
AV	5.5748G	101.45	Inf	-Inf	7.98	3	Vertical	33	2.07
AV	5.7324G	51.75	54.00	-2.25	8.27	3	Vertical	33	2.07
PK	5.4468G	66.46	74.00	-7.54	7.84	3	Vertical	33	2.07
PK	5.4676G	68.60	74.00	-5.40	7.86	3	Vertical	33	2.07
PK	5.5604G	111.52	Inf	-Inf	7.96	3	Vertical	33	2.07
PK	5.726G	64.22	74.00	-9.78	8.26	3	Vertical	33	2.07

802.11ac VHT160_Nss1,(MCS0)_4TX

5570MHz_TX

05/03/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)


20180110
 EUT_Z_4_TX_Dipole
 Setting 66
 04-C-4
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
PK	16.71978G	57.15	68.20	-11.05	16.52	3	Vertical	41	1.50

802.11ac VHT160_Nss1,(MCS0)_4TX

5570MHz_TX

05/03/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)


20180110
 EUT_Z_4_TX_Dipole
 Setting 66
 04-C-4
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
PK	16.69536G	57.11	68.20	-11.09	16.45	3	Horizontal	288	1.50




HE20_Nss1,(MCS0)_4TX

5260MHz_TX

03/01/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20171218
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.146G	50.94	54.00	-3.06	7.42	3	Vertical	18	1.99
AV	5.2594G	114.65	Inf	-Inf	7.60	3	Vertical	18	1.99
AV	5.3668G	51.52	54.00	-2.48	7.75	3	Vertical	18	1.99
PK	5.1466G	63.42	74.00	-10.58	7.42	3	Vertical	18	1.99
PK	5.269G	126.55	Inf	-Inf	7.61	3	Vertical	18	1.99
PK	5.4046G	63.38	74.00	-10.62	7.80	3	Vertical	18	1.99

HE20_Nss1,(MCS0)_4TX

5260MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 96
04-C-4
FSP(100142)





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.76854G	42.00	54.00	-12.00	14.98	3	Vertical	15	2.59
PK	15.76944G	55.53	74.00	-18.47	14.98	3	Vertical	15	2.59

HE20_Nss1,(MCS0)_4TX

5260MHz_TX

10/01/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180110
 EUT_Z_4_TX_Dipole
 Setting 96
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.76626G	42.60	54.00	-11.40	14.98	3	Horizontal	181	1.50
PK	15.79422G	56.31	74.00	-17.69	14.95	3	Horizontal	181	1.50

HE20_Nss1,(MCS0)_4TX

5300MHz_TX

03/01/2018




20171218
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3056G	112.55	Inf	-Inf	7.66	3	Vertical	104	2.02
AV	5.3512G	52.32	54.00	-1.68	7.73	3	Vertical	104	2.02
PK	5.3008G	125.14	Inf	-Inf	7.66	3	Vertical	104	2.02
PK	5.352G	70.49	74.00	-3.51	7.73	3	Vertical	104	2.02

HE20_Nss1,(MCS0)_4TX

5300MHz_TX

05/03/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 96
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61112G	39.89	54.00	-14.11	12.76	3	Vertical	81	2.96
AV	15.91488G	41.83	54.00	-12.17	14.82	3	Vertical	177	1.50
PK	10.61118G	53.26	74.00	-20.74	12.76	3	Vertical	81	2.96
PK	15.9027G	55.03	74.00	-18.97	14.83	3	Vertical	177	1.50

HE20_Nss1,(MCS0)_4TX

5300MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 96
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61272G	39.22	54.00	-14.78	12.77	3	Horizontal	274	1.50
AV	15.89214G	42.64	54.00	-11.36	14.85	3	Horizontal	33	2.21
PK	10.61206G	52.56	74.00	-21.44	12.76	3	Horizontal	274	1.50
PK	15.89862G	55.88	74.00	-18.12	14.84	3	Horizontal	33	2.21

HE20_Nss1,(MCS0)_4TX

5320MHz_TX

03/01/2018




20171218
 EUT_Z_4_TX_Dipole
 Setting 86
 06-L-3-10
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3244G	109.21	Inf	-Inf	7.69	3	Vertical	170	2.79
AV	5.350005G	53.48	54.00	-0.52	7.73	3	Vertical	170	2.79
PK	5.3242G	122.90	Inf	-Inf	7.69	3	Vertical	170	2.79
PK	5.3522G	72.77	74.00	-1.23	7.73	3	Vertical	170	2.79

HE20_Nss1,(MCS0)_4TX

5320MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 86
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.64162G	39.36	54.00	-14.64	12.80	3	Vertical	248	2.96
AV	15.945G	43.13	54.00	-10.87	14.79	3	Vertical	360	2.44
PK	10.64252G	52.79	74.00	-21.21	12.80	3	Vertical	248	2.96
PK	15.96126G	56.78	74.00	-17.22	14.77	3	Vertical	360	2.44

HE20_Nss1,(MCS0)_4TX

5320MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 86
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.64336G	38.10	54.00	-15.90	12.80	3	Horizontal	40	2.92
AV	15.94506G	41.89	54.00	-12.11	14.79	3	Horizontal	217	1.50
PK	10.65164G	51.31	74.00	-22.69	12.81	3	Horizontal	40	2.92
PK	15.96612G	55.31	74.00	-18.69	14.77	3	Horizontal	217	1.50

HE20_Nss1,(MCS0)_4TX

5500MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 81
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4592G	51.66	54.00	-2.34	7.86	3	Vertical	16	1.89
AV	5.4664G	53.16	54.00	-0.84	7.86	3	Vertical	16	1.89
AV	5.4988G	111.21	Inf	-Inf	7.89	3	Vertical	16	1.89
PK	5.4596G	67.58	74.00	-6.42	7.86	3	Vertical	16	1.89
PK	5.4668G	71.47	74.00	-2.53	7.86	3	Vertical	16	1.89
PK	5.4992G	123.72	Inf	-Inf	7.89	3	Vertical	16	1.89

HE20_Nss1,(MCS0)_4TX

5500MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 81
 06-L-3
 FSP(100304)
 rtax880 r220 #9



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.9967G	39.81	54.00	-14.19	13.23	3	Vertical	308	2.45
PK	10.99854G	54.09	74.00	-19.91	13.23	3	Vertical	308	2.45

HE20_Nss1,(MCS0)_4TX

5500MHz_TX

05/01/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180105
 EUT_Z_4_TX_Dipole
 Setting 81
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00494G	39.83	54.00	-14.17	13.23	3	Horizontal	111	1.01
PK	11.0018G	54.02	74.00	-19.98	13.23	3	Horizontal	111	1.01

HE20_Nss1,(MCS0)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4528G	49.29	54.00	-4.71	7.85	3	Vertical	35	2.56
AV	5.4666G	50.48	54.00	-3.52	7.86	3	Vertical	35	2.56
AV	5.5746G	114.31	Inf	-Inf	7.98	3	Vertical	35	2.56
AV	5.7294G	48.16	54.00	-5.84	8.26	3	Vertical	35	2.56
PK	5.4366G	62.50	74.00	-11.50	7.83	3	Vertical	35	2.56
PK	5.4624G	62.56	74.00	-11.44	7.86	3	Vertical	35	2.56
PK	5.5842G	125.73	Inf	-Inf	7.99	3	Vertical	35	2.56
PK	5.7252G	60.27	74.00	-13.73	8.25	3	Vertical	35	2.56

HE20_Nss1,(MCS0)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15704G	39.98	54.00	-14.02	13.26	3	Vertical	254	2.07
PK	11.15764G	53.76	74.00	-20.24	13.26	3	Vertical	254	2.07

HE20_Nss1,(MCS0)_4TX

5580MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1586G	39.87	54.00	-14.13	13.26	3	Horizontal	329	1.42
PK	11.16952G	54.35	74.00	-19.65	13.26	3	Horizontal	329	1.42

HE20_Nss1,(MCS0)_4TX

5700MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.7008G	110.32	Inf	-Inf	8.21	3	Vertical	54	2.19
AV	5.7252G	53.58	54.00	-0.42	8.25	3	Vertical	54	2.19
PK	5.7008G	123.32	Inf	-Inf	8.21	3	Vertical	54	2.19
PK	5.7252G	73.10	74.00	-0.90	8.25	3	Vertical	54	2.19

HE20_Nss1,(MCS0)_4TX

5700MHz_TX

16/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16444G	44.67	54.00	-9.33	18.05	3	Vertical	310	2.02
PK	11.15232G	58.95	74.00	-15.05	18.05	3	Vertical	310	2.02

HE20_Nss1,(MCS0)_4TX

5700MHz_TX

16/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1624G	44.68	54.00	-9.32	18.05	3	Horizontal	182	1.92
PK	11.15612G	59.41	74.00	-14.59	18.05	3	Horizontal	182	1.92

HE20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

06/03/2018




20180213
EUT_Z_4_TX_Dipole
Setting 96
02-N-2-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	47.30	54.00	-6.70	7.82	3	Vertical	215	2.54
AV	5.4692G	46.51	54.00	-7.49	7.87	3	Vertical	215	2.54
AV	5.7128G	112.95	Inf	-Inf	8.23	3	Vertical	215	2.54
PK	5.4344G	59.50	74.00	-14.50	7.83	3	Vertical	215	2.54
PK	5.460005G	58.92	74.00	-15.08	7.86	3	Vertical	215	2.54
PK	5.7128G	124.86	Inf	-Inf	8.23	3	Vertical	215	2.54
PK	5.8532G	60.34	68.20	-7.86	8.47	3	Vertical	215	2.54

HE20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018



Legend for the spectrum plot:

- Lim.PK: Red dashed line with a red zigzag icon
- PK: Blue solid line with a blue zigzag icon
- Lim.AV: Pink dashed line with a pink zigzag icon
- AV: Black solid line with a black zigzag icon


20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4412G	40.60	54.00	-13.40	15.37	3	Vertical	237	2.64
PK	11.43328G	55.34	74.00	-18.66	15.36	3	Vertical	237	2.64

HE20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43862G	40.83	54.00	-13.17	15.37	3	Horizontal	267	2.99
PK	11.43856G	55.24	74.00	-18.76	15.37	3	Horizontal	267	2.99

HE40_Nss1,(MCS0)_4TX

5270MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 92
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2692G	109.78	Inf	-Inf	7.61	3	Vertical	351	1.95
AV	5.350005G	53.41	54.00	-0.59	7.73	3	Vertical	351	1.95
PK	5.2692G	123.24	Inf	-Inf	7.61	3	Vertical	351	1.95
PK	5.350005G	69.96	74.00	-4.04	7.73	3	Vertical	351	1.95

HE40_Nss1,(MCS0)_4TX

5270MHz_TX

10/01/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Black line)


20180110
 EUT_Z_4_TX_Dipole
 Setting 92
 04-C-4
 FSP(100142)



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.80904G	42.15	54.00	-11.85	14.93	3	Vertical	343	1.50
PK	15.80304G	55.84	74.00	-18.16	14.94	3	Vertical	343	1.50

HE40_Nss1,(MCS0)_4TX

5270MHz_TX

10/01/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180110
 EUT_Z_4_TX_Dipole
 Setting 92
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8064G	42.01	54.00	-11.99	14.94	3	Horizontal	141	1.80
PK	15.79956G	55.77	74.00	-18.23	14.94	3	Horizontal	141	1.80

HE40_Nss1,(MCS0)_4TX

5310MHz_TX

03/01/2018




20180103
EUT_Z_4_TX_Dipole
Setting 80
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3088G	106.70	Inf	-Inf	7.67	3	Vertical	18	1.95
AV	5.350005G	53.85	54.00	-0.15	7.73	3	Vertical	18	1.95
PK	5.3044G	119.66	Inf	-Inf	7.66	3	Vertical	18	1.95
PK	5.350005G	73.63	74.00	-0.37	7.73	3	Vertical	18	1.95

HE40_Nss1,(MCS0)_4TX

5310MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 80
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61052G	39.00	54.00	-15.00	12.76	3	Vertical	65	1.91
AV	15.9429G	42.04	54.00	-11.96	14.79	3	Vertical	0	1.91
PK	10.60836G	52.21	74.00	-21.79	12.76	3	Vertical	65	1.91
PK	15.91566G	55.64	74.00	-18.36	14.82	3	Vertical	0	1.91

HE40_Nss1,(MCS0)_4TX

5310MHz_TX

10/01/2018




20180110
 EUT_Z_4_TX_Dipole
 Setting 80
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.61064G	39.41	54.00	-14.59	12.76	3	Horizontal	56	1.50
AV	15.94278G	43.24	54.00	-10.76	14.79	3	Horizontal	25	1.50
PK	10.61214G	53.16	74.00	-20.84	12.76	3	Horizontal	56	1.50
PK	15.91764G	56.71	74.00	-17.29	14.82	3	Horizontal	25	1.50

HE40_Nss1,(MCS0)_4TX

5510MHz_TX

05/01/2018



20180105
 EUT_Z_4_TX_Dipole
 Setting 77
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4568G	51.81	54.00	-2.19	7.85	3	Vertical	41	1.87
AV	5.4664G	53.30	54.00	-0.70	7.86	3	Vertical	41	1.87
AV	5.5252G	106.34	Inf	-Inf	7.92	3	Vertical	41	1.87
PK	5.4568G	66.99	74.00	-7.01	7.85	3	Vertical	41	1.87
PK	5.4668G	71.85	74.00	-2.15	7.86	3	Vertical	41	1.87
PK	5.5136G	118.97	Inf	-Inf	7.91	3	Vertical	41	1.87



HE40_Nss1,(MCS0)_4TX

5510MHz_TX

05/03/2018




20180305
 EUT_Z_4 TX_Dipole
 Setting 77
 01-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0083G	41.14	54.00	-12.86	13.28	3	Vertical	240	2.07
PK	11.0281G	55.06	74.00	-18.94	13.28	3	Vertical	240	2.07

HE40_Nss1,(MCS0)_4TX

5510MHz_TX

05/03/2018




20180305
 EUT_Z_4 TX_Dipole
 Setting 77
 01-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00722G	41.08	54.00	-12.92	13.28	3	Horizontal	108	2.22
PK	11.01082G	54.97	74.00	-19.03	13.28	3	Horizontal	108	2.22

HE40_Nss1,(MCS0)_4TX

5550MHz_TX

05/01/2018




20180105
 EUT_Z_4_TX_Dipole
 Setting 92
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.458G	51.78	54.00	-2.22	7.86	3	Vertical	35	2.55
AV	5.4696G	52.78	54.00	-1.22	7.87	3	Vertical	35	2.55
AV	5.5448G	110.49	Inf	-Inf	7.95	3	Vertical	35	2.55
PK	5.4556G	66.48	74.00	-7.52	7.85	3	Vertical	35	2.55
PK	5.466G	67.92	74.00	-6.08	7.86	3	Vertical	35	2.55
PK	5.5668G	124.40	Inf	-Inf	7.97	3	Vertical	35	2.55

HE40_Nss1,(MCS0)_4TX

5550MHz_TX

05/03/2018




20180305
 EUT_Z_4 TX_Dipole
 Setting 92
 01-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.08506G	41.51	54.00	-12.49	13.29	3	Vertical	106	1.50
PK	11.10672G	54.90	74.00	-19.10	13.29	3	Vertical	106	1.50

HE40_Nss1,(MCS0)_4TX

5550MHz_TX

05/03/2018




20180305
 EUT_Z_4 TX_Dipole
 Setting 92
 01-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.10018G	41.39	54.00	-12.61	13.29	3	Horizontal	37	1.02
PK	11.10912G	54.58	74.00	-19.42	13.29	3	Horizontal	37	1.02

HE40_Nss1,(MCS0)_4TX

5670MHz_TX

05/01/2018



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)

20180105
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3-10
 FSP(100304)
 rtax880 r220 #9


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6656G	108.26	Inf	-Inf	8.14	3	Vertical	57	2.12
AV	5.7288G	53.71	54.00	-0.29	8.26	3	Vertical	57	2.12
PK	5.6708G	120.44	Inf	-Inf	8.15	3	Vertical	57	2.12
PK	5.7252G	69.79	74.00	-4.21	8.25	3	Vertical	57	2.12



HE40_Nss1,(MCS0)_4TX

5670MHz_TX

05/03/2018




20180305
 EUT_Z_4 TX_Dipole
 Setting 82
 01-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.33634G	42.21	54.00	-11.79	13.29	3	Vertical	359	1.50
PK	11.34918G	55.32	74.00	-18.68	13.29	3	Vertical	359	1.50

HE40_Nss1,(MCS0)_4TX

5670MHz_TX

05/03/2018




20180305
 EUT_Z_4 TX_Dipole
 Setting 82
 01-L-3
 FSP(100304)
 rtax880 r220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.33412G	42.34	54.00	-11.66	13.29	3	Horizontal	66	2.22
PK	11.33808G	55.57	74.00	-18.43	13.29	3	Horizontal	66	2.22

HE40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4532G	47.13	54.00	-6.87	7.85	3	Vertical	317	1.50
AV	5.4688G	47.21	54.00	-6.79	7.87	3	Vertical	317	1.50
AV	5.7052G	106.42	Inf	-Inf	8.22	3	Vertical	317	1.50
PK	5.4496G	60.80	74.00	-13.20	7.85	3	Vertical	317	1.50
PK	5.4676G	60.42	74.00	-13.58	7.86	3	Vertical	317	1.50
PK	5.7148G	121.34	Inf	-Inf	8.23	3	Vertical	317	1.50
PK	5.854G	61.25	68.20	-6.95	8.47	3	Vertical	317	1.50

HE40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

05/03/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.41172G	41.43	54.00	-12.57	13.30	3	Vertical	93	1.17
PK	11.41166G	56.40	74.00	-17.60	13.30	3	Vertical	93	1.17

HE40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

05/03/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.40632G	41.28	54.00	-12.72	13.30	3	Horizontal	332	1.03
PK	11.41532G	55.30	74.00	-18.70	13.30	3	Horizontal	332	1.03

HE80_Nss1,(MCS0)_4TX

5290MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1476G	50.33	54.00	-3.67	7.43	3	Vertical	164	2.30
AV	5.2884G	102.67	Inf	-Inf	7.64	3	Vertical	164	2.30
AV	5.350005G	52.93	54.00	-1.07	7.73	3	Vertical	164	2.30
PK	5.149995G	62.87	74.00	-11.13	7.43	3	Vertical	164	2.30
PK	5.2884G	116.30	Inf	-Inf	7.64	3	Vertical	164	2.30
PK	5.3516G	72.07	74.00	-1.93	7.73	3	Vertical	164	2.30

HE80_Nss1,(MCS0)_4TX

5290MHz_TX

10/01/2018




20180110
EUT_Z_4_TX_Dipole
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.87186G	41.98	54.00	-12.02	14.87	3	Vertical	349	1.50
PK	15.86448G	56.24	74.00	-17.76	14.88	3	Vertical	349	1.50

HE80_Nss1,(MCS0)_4TX

5290MHz_TX

10/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.88458G	42.98	54.00	-11.02	14.85	3	Horizontal	143	2.10
PK	15.85716G	56.57	74.00	-17.43	14.88	3	Horizontal	143	2.10

HE80_Nss1,(MCS0)_4TX

5530MHz_TX

03/01/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100304)





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.454G	52.54	54.00	-1.46	7.85	3	Vertical	35	2.59
AV	5.4668G	52.73	54.00	-1.27	7.86	3	Vertical	35	2.59
AV	5.5468G	103.05	Inf	-Inf	7.95	3	Vertical	35	2.59
AV	5.7276G	47.12	54.00	-6.88	8.26	3	Vertical	35	2.59
PK	5.459995G	67.67	74.00	-6.33	7.86	3	Vertical	35	2.59
PK	5.4668G	70.94	74.00	-3.06	7.86	3	Vertical	35	2.59
PK	5.542G	115.69	Inf	-Inf	7.94	3	Vertical	35	2.59
PK	5.7252G	59.40	74.00	-14.60	8.25	3	Vertical	35	2.59

HE80_Nss1,(MCS0)_4TX

5530MHz_TX

05/03/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 

20180103
 EUT_Z_4 TX_Dipole
 Setting 76
 01-L-3
 FSP(100304)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.04602G	40.43	54.00	-13.57	13.28	3	Vertical	262	1.14
PK	11.04806G	54.60	74.00	-19.40	13.28	3	Vertical	262	1.14



HE80_Nss1,(MCS0)_4TX

5530MHz_TX

05/03/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 01-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.04584G	40.43	54.00	-13.57	13.28	3	Horizontal	227	1.89
PK	11.07464G	54.87	74.00	-19.13	13.29	3	Horizontal	227	1.89

HE80_Nss1,(MCS0)_4TX

5610MHz_TX

03/01/2018



20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100304)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4692G	52.40	54.00	-1.60	7.87	3	Vertical	313	1.90
AV	5.578G	104.85	Inf	-Inf	7.98	3	Vertical	313	1.90
AV	5.7284G	53.44	54.00	-0.56	8.26	3	Vertical	313	1.90
PK	5.460005G	64.69	74.00	-9.31	7.86	3	Vertical	313	1.90
PK	5.578G	117.74	Inf	-Inf	7.98	3	Vertical	313	1.90
PK	5.7284G	68.96	74.00	-5.04	8.26	3	Vertical	313	1.90



HE80_Nss1,(MCS0)_4TX

5610MHz_TX

05/03/2018



20180103
 EUT_Z_4 TX_Dipole
 Setting 76
 01-L-3
 FSP(100304)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.20962G	40.79	54.00	-13.21	13.30	3	Vertical	252	1.93
PK	11.20584G	55.24	74.00	-18.76	13.30	3	Vertical	252	1.93



HE80_Nss1,(MCS0)_4TX

5610MHz_TX

05/03/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 76
 01-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.20746G	40.78	54.00	-13.22	13.30	3	Horizontal	141	1.93
PK	11.21346G	55.04	74.00	-18.96	13.30	3	Horizontal	141	1.93

HE80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

06/03/2018




20180103
 EUT_Z_4_TX_Dipole
 Setting 90
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4644G	49.55	54.00	-4.45	7.86	3	Vertical	302	1.89
AV	5.6804G	106.83	Inf	-Inf	8.17	3	Vertical	302	1.89
PK	5.4692G	62.29	74.00	-11.71	7.87	3	Vertical	302	1.89
PK	5.6864G	119.22	Inf	-Inf	8.18	3	Vertical	302	1.89
PK	5.8532G	67.29	68.20	-0.91	8.47	3	Vertical	302	1.89

HE80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

05/03/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink dashed line)
- AV (Green line)


20180103
 EUT_Z_4_TX_Dipole
 Setting 90
 06-L-3
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.38942G	46.05	54.00	-7.95	18.02	3	Vertical	290	1.65
PK	11.39146G	60.08	74.00	-13.92	18.02	3	Vertical	290	1.65

HE80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

05/03/2018




20180103
EUT_Z_4_TX_Dipole
Setting 90
06-L-3
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.38672G	41.32	54.00	-12.68	13.30	3	Horizontal	153	1.57
PK	11.377G	55.60	74.00	-18.40	13.30	3	Horizontal	153	1.57

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 96
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.149G	50.91	54.00	-3.09	9.90	3	Vertical	316	1.69
AV	5.2654G	116.50	Inf	-Inf	10.43	3	Vertical	316	1.69
AV	5.3764G	52.45	54.00	-1.55	11.11	3	Vertical	316	1.69
PK	5.1472G	63.28	74.00	-10.72	9.89	3	Vertical	316	1.69
PK	5.2636G	126.73	Inf	-Inf	10.41	3	Vertical	316	1.69
PK	5.3734G	63.01	74.00	-10.99	11.10	3	Vertical	316	1.69

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 96
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77G	45.03	54.00	-8.97	15.38	3	Vertical	102	1.50
PK	15.78348G	58.12	74.00	-15.88	15.33	3	Vertical	102	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 96
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77G	45.26	54.00	-8.74	15.38	3	Horizontal	293	1.50
PK	15.77556G	58.86	74.00	-15.14	15.36	3	Horizontal	293	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 91
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3012G	115.95	Inf	-Inf	10.65	3	Vertical	20	2.83
AV	5.3536G	53.95	54.00	-0.05	10.97	3	Vertical	20	2.83
PK	5.3G	126.11	Inf	-Inf	10.64	3	Vertical	20	2.83
PK	5.3536G	67.46	74.00	-6.54	10.97	3	Vertical	20	2.83

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 91
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.90056G	43.14	54.00	-10.86	14.93	3	Vertical	280	1.50
PK	15.90756G	56.43	74.00	-17.57	14.91	3	Vertical	280	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 91
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9024G	43.35	54.00	-10.65	14.92	3	Horizontal	323	1.50
PK	15.89684G	56.75	74.00	-17.25	14.94	3	Horizontal	323	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 80
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3152G	111.28	Inf	-Inf	10.73	3	Vertical	309	1.89
AV	5.3502G	53.40	54.00	-0.60	10.95	3	Vertical	309	1.89
PK	5.3144G	120.86	Inf	-Inf	10.73	3	Vertical	309	1.89
PK	5.350005G	70.85	74.00	-3.15	10.95	3	Vertical	309	1.89

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 80
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95844G	42.55	54.00	-11.45	14.73	3	Vertical	357	1.50
PK	15.96092G	56.02	74.00	-17.98	14.72	3	Vertical	357	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 80
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95852G	42.90	54.00	-11.10	14.73	3	Horizontal	358	1.50
PK	15.95532G	56.75	74.00	-17.25	14.74	3	Horizontal	358	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 86
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.45G	52.48	54.00	-1.52	7.85	3	Vertical	293	1.49
AV	5.4696G	53.92	54.00	-0.08	7.87	3	Vertical	293	1.49
AV	5.5072G	113.37	Inf	-Inf	7.90	3	Vertical	293	1.49
PK	5.4596G	65.72	74.00	-8.28	7.86	3	Vertical	293	1.49
PK	5.464G	70.94	74.00	-3.06	7.86	3	Vertical	293	1.49
PK	5.506G	122.97	Inf	-Inf	7.90	3	Vertical	293	1.49




802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

26/02/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180226
 EUT_Z_4_TX_Dipole
 Setting 86
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.99334G	41.22	54.00	-12.78	14.77	3	Vertical	338	2.12
PK	10.99334G	50.76	74.00	-23.24	14.77	3	Vertical	338	2.12

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 86
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
PK	11.015G	51.61	74.00	-22.39	14.79	3	Horizontal	70	2.17
AV	11.015G	39.89	54.00	-14.11	14.79	3	Horizontal	70	2.17

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4584G	52.00	54.00	-2.00	7.86	3	Vertical	208	2.53
AV	5.4688G	52.94	54.00	-1.06	7.87	3	Vertical	208	2.53
AV	5.5768G	115.03	Inf	-Inf	7.98	3	Vertical	208	2.53
AV	5.7544G	51.97	54.00	-2.03	8.31	3	Vertical	208	2.53
PK	5.4584G	63.10	74.00	-10.90	7.86	3	Vertical	208	2.53
PK	5.4688G	63.54	74.00	-10.46	7.87	3	Vertical	208	2.53
PK	5.5808G	123.71	Inf	-Inf	7.99	3	Vertical	208	2.53
PK	5.7592G	64.10	74.00	-9.90	8.32	3	Vertical	208	2.53

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16066G	41.32	54.00	-12.68	14.99	3	Vertical	124	2.22
PK	11.16168G	54.55	74.00	-19.45	14.99	3	Vertical	124	2.22

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16282G	40.21	54.00	-13.79	14.99	3	Horizontal	243	1.50
PK	11.16942G	53.76	74.00	-20.24	15.00	3	Horizontal	243	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 75
 06-L-3-13
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.696G	109.43	Inf	-Inf	8.20	3	Vertical	257	2.37
AV	5.7252G	53.52	54.00	-0.48	8.25	3	Vertical	257	2.37
PK	5.7032G	121.40	Inf	-Inf	8.21	3	Vertical	257	2.37
PK	5.726G	73.80	74.00	-0.20	8.26	3	Vertical	257	2.37

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 75
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4012G	40.53	54.00	-13.47	15.32	3	Vertical	261	1.50
PK	11.40564G	55.02	74.00	-18.98	15.33	3	Vertical	261	1.50

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 75
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3985G	40.37	54.00	-13.63	15.32	3	Horizontal	199	1.38
PK	11.39556G	54.51	74.00	-19.49	15.31	3	Horizontal	199	1.38

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
EUT_Z_4_TX_Dipole
Setting 96
02-N-2-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	47.22	54.00	-6.78	7.82	3	Vertical	132	1.37
AV	5.4656G	46.60	54.00	-7.40	7.86	3	Vertical	132	1.37
AV	5.7116G	110.12	Inf	-Inf	8.23	3	Vertical	132	1.37
PK	5.4488G	59.64	74.00	-14.36	7.85	3	Vertical	132	1.37
PK	5.4632G	59.52	74.00	-14.48	7.86	3	Vertical	132	1.37
PK	5.714G	123.82	Inf	-Inf	8.23	3	Vertical	132	1.37
PK	5.9024G	59.95	68.20	-8.25	8.54	3	Vertical	132	1.37

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.44G	44.37	54.00	-9.63	18.02	3	Vertical	265	2.02
PK	11.44G	59.08	74.00	-14.92	18.02	3	Vertical	265	2.02

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4385G	38.98	54.00	-15.02	15.37	3	Horizontal	131	1.47
PK	11.4397G	53.37	74.00	-20.63	15.37	3	Horizontal	131	1.47

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

30/01/2018



- Lim.PK
- PK
- Lim.AV
- AV


20180130
 EUT_Z_4_TX_Dipole
 Setting 90
 02-R-5-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2632G	112.70	Inf	-Inf	10.41	3	Vertical	23	1.87
AV	5.350005G	53.59	54.00	-0.41	10.95	3	Vertical	23	1.87
PK	5.2628G	120.83	Inf	-Inf	10.41	3	Vertical	23	1.87
PK	5.3668G	67.61	74.00	-6.39	11.05	3	Vertical	23	1.87

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 90
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.80096G	43.61	54.00	-10.39	15.27	3	Vertical	289	1.50
PK	15.80068G	57.10	74.00	-16.90	15.27	3	Vertical	289	1.50

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 90
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.80064G	43.77	54.00	-10.23	15.27	3	Horizontal	73	1.50
PK	15.8054G	57.05	74.00	-16.95	15.26	3	Horizontal	73	1.50

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

30/01/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


20180130
EUT_Z_4_TX_Dipole
Setting 76
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3036G	109.03	Inf	-Inf	10.66	3	Vertical	209	1.27
AV	5.354G	53.96	54.00	-0.04	10.97	3	Vertical	209	1.27
PK	5.3052G	117.71	Inf	-Inf	10.67	3	Vertical	209	1.27
PK	5.3504G	71.98	74.00	-2.02	10.95	3	Vertical	209	1.27

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 76
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.92464G	42.78	54.00	-11.22	14.85	3	Vertical	337	1.50
PK	15.92708G	56.37	74.00	-17.63	14.84	3	Vertical	337	1.50

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

23/02/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Black line)


20180223
 EUT_Z_4_TX_Dipole
 Setting 76
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.92504G	42.78	54.00	-11.22	14.85	3	Horizontal	262	1.63
PK	15.925G	56.21	74.00	-17.79	14.85	3	Horizontal	262	1.63

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4576G	52.98	54.00	-1.02	7.85	3	Vertical	332	2.86
AV	5.4696G	53.78	54.00	-0.22	7.87	3	Vertical	332	2.86
AV	5.518G	108.99	Inf	-Inf	7.92	3	Vertical	332	2.86
PK	5.454G	70.80	74.00	-3.20	7.85	3	Vertical	332	2.86
PK	5.4688G	72.91	74.00	-1.09	7.87	3	Vertical	332	2.86
PK	5.5188G	120.10	Inf	-Inf	7.92	3	Vertical	332	2.86

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 76
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00512G	39.93	54.00	-14.07	14.78	3	Vertical	141	2.19
PK	11.00776G	53.73	74.00	-20.27	14.78	3	Vertical	141	2.19

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 76
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00716G	39.59	54.00	-14.41	14.78	3	Horizontal	9	1.22
PK	11.01388G	53.40	74.00	-20.60	14.79	3	Horizontal	9	1.22

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 91
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4388G	52.76	54.00	-1.24	7.84	3	Vertical	52	2.28
AV	5.4692G	53.31	54.00	-0.69	7.87	3	Vertical	52	2.28
AV	5.542G	111.93	Inf	-Inf	7.94	3	Vertical	52	2.28
AV	5.7292G	50.16	54.00	-3.84	8.26	3	Vertical	52	2.28
PK	5.4228G	64.67	74.00	-9.33	7.82	3	Vertical	52	2.28
PK	5.4692G	66.29	74.00	-7.71	7.87	3	Vertical	52	2.28
PK	5.5468G	122.90	Inf	-Inf	7.95	3	Vertical	52	2.28
PK	5.7404G	62.50	74.00	-11.50	8.28	3	Vertical	52	2.28

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1129G	40.03	54.00	-13.97	14.92	3	Vertical	22	1.55
PK	11.0877G	53.92	74.00	-20.08	14.89	3	Vertical	22	1.55

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.09106G	40.07	54.00	-13.93	14.89	3	Horizontal	133	2.01
PK	11.0907G	54.04	74.00	-19.96	14.89	3	Horizontal	133	2.01

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 75
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6768G	109.30	Inf	-Inf	8.16	3	Vertical	89	1.94
AV	5.7288G	53.73	54.00	-0.27	8.26	3	Vertical	89	1.94
PK	5.6652G	120.39	Inf	-Inf	8.14	3	Vertical	89	1.94
PK	5.7264G	71.25	74.00	-2.75	8.26	3	Vertical	89	1.94

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 75
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3538G	40.94	54.00	-13.06	15.25	3	Vertical	29	2.84
PK	11.3289G	55.69	74.00	-18.31	15.22	3	Vertical	29	2.84

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 75
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.35362G	40.98	54.00	-13.02	15.25	3	Horizontal	359	1.21
PK	11.3424G	55.17	74.00	-18.83	15.24	3	Horizontal	359	1.21

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT Z-4TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.44G	47.29	54.00	-6.71	7.84	3	Vertical	93	2.06
AV	5.4688G	47.31	54.00	-6.69	7.87	3	Vertical	93	2.06
AV	5.6992G	112.10	Inf	-Inf	8.20	3	Vertical	93	2.06
PK	5.4412G	59.84	74.00	-14.16	7.84	3	Vertical	93	2.06
PK	5.4652G	59.82	74.00	-14.18	7.86	3	Vertical	93	2.06
PK	5.7016G	122.18	Inf	-Inf	8.21	3	Vertical	93	2.06
PK	5.8516G	63.09	68.20	-5.11	8.47	3	Vertical	93	2.06

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.41646G	40.70	54.00	-13.30	15.34	3	Vertical	147	2.03
PK	11.40776G	55.54	74.00	-18.46	15.33	3	Vertical	147	2.03

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4317G	41.09	54.00	-12.91	15.36	3	Horizontal	350	1.50
PK	11.41388G	54.99	74.00	-19.01	15.34	3	Horizontal	350	1.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 78
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.124G	51.48	54.00	-2.52	9.84	3	Vertical	213	1.73
AV	5.276G	105.06	Inf	-Inf	10.49	3	Vertical	213	1.73
AV	5.352G	53.44	54.00	-0.56	10.96	3	Vertical	213	1.73
PK	5.145G	62.89	74.00	-11.11	9.89	3	Vertical	213	1.73
PK	5.279G	115.03	Inf	-Inf	10.51	3	Vertical	213	1.73
PK	5.357G	73.54	74.00	-0.46	10.99	3	Vertical	213	1.73

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 78
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.86008G	43.46	54.00	-10.54	15.07	3	Vertical	235	1.50
PK	15.87144G	57.35	74.00	-16.65	15.03	3	Vertical	235	1.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 78
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.86G	46.48	54.00	-7.52	18.14	3	Horizontal	188	1.51
PK	15.87976G	60.21	74.00	-13.79	18.11	3	Horizontal	188	1.51

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

26/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 71
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4588G	53.16	54.00	-0.84	7.86	3	Vertical	267	1.50
AV	5.4684G	53.97	54.00	-0.03	7.86	3	Vertical	267	1.50
AV	5.5396G	102.33	Inf	-Inf	7.94	3	Vertical	267	1.50
AV	5.726G	47.86	54.00	-6.14	8.26	3	Vertical	267	1.50
PK	5.4572G	68.56	74.00	-5.44	7.85	3	Vertical	267	1.50
PK	5.4676G	70.70	74.00	-3.30	7.86	3	Vertical	267	1.50
PK	5.5356G	113.13	Inf	-Inf	7.94	3	Vertical	267	1.50
PK	5.73G	60.59	74.00	-13.41	8.26	3	Vertical	267	1.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 71
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.06726G	39.55	54.00	-14.45	14.86	3	Vertical	353	1.50
PK	11.06198G	53.95	74.00	-20.05	14.85	3	Vertical	353	1.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 71
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.07458G	39.57	54.00	-14.43	14.87	3	Horizontal	139	1.50
PK	11.0558G	53.38	74.00	-20.62	14.85	3	Horizontal	139	1.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 78(升1OVER)
 06-L-3-10
 FSP(100304)





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	51.70	54.00	-2.30	7.86	3	Vertical	288	2.28
AV	5.4692G	52.68	54.00	-1.32	7.87	3	Vertical	288	2.28
AV	5.5996G	106.52	Inf	-Inf	8.01	3	Vertical	288	2.28
AV	5.726G	52.95	54.00	-1.05	8.26	3	Vertical	288	2.28
PK	5.4564G	64.76	74.00	-9.24	7.85	3	Vertical	288	2.28
PK	5.4668G	65.77	74.00	-8.23	7.86	3	Vertical	288	2.28
PK	5.586G	120.43	Inf	-Inf	7.99	3	Vertical	288	2.28
PK	5.7252G	67.84	74.00	-6.16	8.25	3	Vertical	288	2.28

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

27/02/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180227
 EUT_Z_4_TX_Dipole
 Setting 78
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.23368G	40.54	54.00	-13.46	15.09	3	Vertical	343	2.43
PK	11.2344G	54.92	74.00	-19.08	15.09	3	Vertical	343	2.43

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 78
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.23206G	40.54	54.00	-13.46	15.09	3	Horizontal	304	1.53
PK	11.22774G	55.21	74.00	-18.79	15.08	3	Horizontal	304	1.53

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 85
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4596G	49.85	54.00	-4.15	11.08	3	Vertical	277	2.50
AV	5.468G	50.15	54.00	-3.85	11.06	3	Vertical	277	2.50
AV	5.678G	107.66	Inf	-Inf	10.58	3	Vertical	277	2.50
PK	5.3912G	62.49	74.00	-11.51	11.21	3	Vertical	277	2.50
PK	5.4644G	62.66	74.00	-11.34	11.07	3	Vertical	277	2.50
PK	5.6804G	118.40	Inf	-Inf	10.58	3	Vertical	277	2.50
PK	5.8508G	67.68	68.20	-0.52	10.88	3	Vertical	277	2.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 85
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.37976G	40.64	54.00	-13.36	15.29	3	Vertical	30	1.50
PK	11.37142G	54.74	74.00	-19.26	15.28	3	Vertical	30	1.50

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 85
 02-N-2
 FSU





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.36962G	40.56	54.00	-13.44	15.28	3	Horizontal	350	1.18
PK	11.38924G	54.73	74.00	-19.27	15.30	3	Horizontal	350	1.18

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

09/02/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180209
 EUT_Z_4_TX_Dipole
 Setting 70
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1348G	53.37	54.00	-0.63	7.41	3	Vertical	252	1.68
AV	5.2724G	100.28	Inf	-Inf	7.61	3	Vertical	252	1.68
AV	5.3924G	51.95	54.00	-2.05	7.79	3	Vertical	252	1.68
PK	5.149995G	68.38	74.00	-5.62	7.43	3	Vertical	252	1.68
PK	5.282G	110.86	Inf	-Inf	7.63	3	Vertical	252	1.68
PK	5.350005G	71.64	74.00	-2.36	7.73	3	Vertical	252	1.68

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.74964G	43.07	54.00	-10.93	18.33	3	Vertical	290	2.03
PK	15.73938G	56.62	74.00	-17.38	18.35	3	Vertical	290	2.03

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.75678G	42.96	54.00	-11.04	18.32	3	Horizontal	102	1.89
PK	15.74358G	56.25	74.00	-17.75	18.34	3	Horizontal	102	1.89

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 70
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4532G	53.28	54.00	-0.72	7.85	3	Vertical	292	1.29
AV	5.4692G	53.84	54.00	-0.16	7.87	3	Vertical	292	1.29
AV	5.5396G	100.80	Inf	-Inf	7.94	3	Vertical	292	1.29
AV	5.73G	51.14	54.00	-2.86	8.26	3	Vertical	292	1.29
PK	5.4484G	68.02	74.00	-5.98	7.85	3	Vertical	292	1.29
PK	5.4628G	70.01	74.00	-3.99	7.86	3	Vertical	292	1.29
PK	5.538G	111.60	Inf	-Inf	7.94	3	Vertical	292	1.29
PK	5.7268G	65.02	74.00	-8.98	8.26	3	Vertical	292	1.29

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15092G	39.32	54.00	-14.68	14.98	3	Vertical	260	1.89
PK	11.12608G	53.36	74.00	-20.64	14.94	3	Vertical	260	1.89

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 70
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15326G	39.31	54.00	-14.69	14.98	3	Horizontal	114	1.08
PK	11.1352G	53.69	74.00	-20.31	14.96	3	Horizontal	114	1.08

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-13
 FSP
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1488G	52.17	54.00	-1.83	7.43	3	Vertical	61	2.66
AV	5.2648G	115.92	Inf	-Inf	7.60	3	Vertical	61	2.66
AV	5.3752G	52.50	54.00	-1.50	7.76	3	Vertical	61	2.66
PK	5.1472G	64.15	74.00	-9.85	7.43	3	Vertical	61	2.66
PK	5.2616G	125.65	Inf	-Inf	7.60	3	Vertical	61	2.66
PK	5.3688G	64.25	74.00	-9.75	7.75	3	Vertical	61	2.66

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 96
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77888G	45.38	54.00	-8.62	15.35	3	Vertical	281	1.50
PK	15.77524G	59.21	74.00	-14.79	15.36	3	Vertical	281	1.50

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX

23/02/2018



Legend:

- Lim.PK (Red line with peaks)
- PK (Blue line with peak)
- Lim.AV (Pink dashed line)
- AV (Black line with peak)


20180223
 EUT_Z_4_TX_Dipole
 Setting 96
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77016G	44.86	54.00	-9.14	15.38	3	Horizontal	312	1.59
PK	15.78876G	58.55	74.00	-15.45	15.31	3	Horizontal	312	1.59

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 90
 06-L-3-13
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.298G	113.51	Inf	-Inf	7.65	3	Vertical	251	2.56
AV	5.3508G	53.79	54.00	-0.21	7.73	3	Vertical	251	2.56
PK	5.3016G	123.41	Inf	-Inf	7.66	3	Vertical	251	2.56
PK	5.36G	65.72	74.00	-8.28	7.74	3	Vertical	251	2.56

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 90
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.89208G	43.61	54.00	-10.39	14.96	3	Vertical	56	1.76
PK	15.89404G	56.93	74.00	-17.07	14.95	3	Vertical	56	1.76

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 90
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8972G	43.56	54.00	-10.44	14.94	3	Horizontal	189	1.49
PK	15.90464G	57.20	74.00	-16.80	14.92	3	Horizontal	189	1.49

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 84
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3176G	110.57	Inf	-Inf	7.68	3	Vertical	49	2.00
AV	5.3502G	53.84	54.00	-0.16	7.73	3	Vertical	49	2.00
PK	5.315G	121.84	Inf	-Inf	7.68	3	Vertical	49	2.00
PK	5.354G	69.06	74.00	-4.94	7.73	3	Vertical	49	2.00

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 84
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95008G	42.71	54.00	-11.29	14.76	3	Vertical	360	1.50
PK	15.95236G	56.08	74.00	-17.92	14.75	3	Vertical	360	1.50

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 84
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9546G	42.72	54.00	-11.28	14.74	3	Horizontal	342	1.50
PK	15.95168G	56.04	74.00	-17.96	14.75	3	Horizontal	342	1.50

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 84
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4408G	51.55	54.00	-2.45	7.84	3	Vertical	129	1.40
AV	5.4692G	53.35	54.00	-0.65	7.87	3	Vertical	129	1.40
AV	5.4976G	109.84	Inf	-Inf	7.89	3	Vertical	129	1.40
PK	5.4356G	64.14	74.00	-9.86	7.83	3	Vertical	129	1.40
PK	5.4696G	70.59	74.00	-3.41	7.87	3	Vertical	129	1.40
PK	5.5028G	120.98	Inf	-Inf	7.90	3	Vertical	129	1.40

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 84
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.99538G	40.33	54.00	-13.67	14.77	3	Vertical	329	1.50
PK	11.01026G	53.59	74.00	-20.41	14.78	3	Vertical	329	1.50

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 84
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.99466G	40.42	54.00	-13.58	14.77	3	Horizontal	138	1.33
PK	11.00054G	53.90	74.00	-20.10	14.77	3	Horizontal	138	1.33

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	50.58	54.00	-3.42	7.86	3	Vertical	245	1.50
AV	5.4632G	51.19	54.00	-2.81	7.86	3	Vertical	245	1.50
AV	5.5776G	113.72	Inf	-Inf	7.98	3	Vertical	245	1.50
AV	5.736G	49.58	54.00	-4.42	8.28	3	Vertical	245	1.50
PK	5.4568G	62.74	74.00	-11.26	7.85	3	Vertical	245	1.50
PK	5.464G	62.63	74.00	-11.37	7.86	3	Vertical	245	1.50
PK	5.5776G	123.69	Inf	-Inf	7.98	3	Vertical	245	1.50
PK	5.7352G	61.35	74.00	-12.65	8.27	3	Vertical	245	1.50

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1594G	40.75	54.00	-13.25	14.99	3	Vertical	163	2.27
PK	11.16582G	54.08	74.00	-19.92	15.00	3	Vertical	163	2.27

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1552G	40.43	54.00	-13.57	14.98	3	Horizontal	107	1.38
PK	11.15376G	53.46	74.00	-20.54	14.98	3	Horizontal	107	1.38

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 81
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6934G	109.61	Inf	-Inf	8.19	3	Vertical	254	1.38
AV	5.7252G	53.18	54.00	-0.82	8.25	3	Vertical	254	1.38
PK	5.6962G	119.71	Inf	-Inf	8.20	3	Vertical	254	1.38
PK	5.7252G	73.82	74.00	-0.18	8.25	3	Vertical	254	1.38

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 81
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.40834G	41.26	54.00	-12.74	15.33	3	Vertical	25	2.43
PK	11.40714G	54.47	74.00	-19.53	15.33	3	Vertical	25	2.43

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 81
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.38716G	41.04	54.00	-12.96	15.30	3	Horizontal	169	2.99
PK	11.3919G	54.94	74.00	-19.06	15.31	3	Horizontal	169	2.99

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	47.98	54.00	-6.02	7.82	3	Vertical	282	2.68
AV	5.4644G	47.47	54.00	-6.53	7.86	3	Vertical	282	2.68
AV	5.726G	113.98	Inf	-Inf	8.26	3	Vertical	282	2.68
PK	5.4284G	60.06	74.00	-13.94	7.83	3	Vertical	282	2.68
PK	5.462G	59.59	74.00	-14.41	7.86	3	Vertical	282	2.68
PK	5.726G	122.89	Inf	-Inf	8.26	3	Vertical	282	2.68
PK	5.8844G	61.20	68.20	-7.00	8.51	3	Vertical	282	2.68

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.44318G	42.40	54.00	-11.60	15.38	3	Vertical	287	1.86
PK	11.44168G	55.64	74.00	-18.36	15.38	3	Vertical	287	1.86

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43868G	41.42	54.00	-12.58	15.37	3	Horizontal	41	1.34
PK	11.42902G	55.08	74.00	-18.92	15.36	3	Horizontal	41	1.34

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 90
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2736G	110.34	Inf	-Inf	7.62	3	Vertical	124	1.90
AV	5.3504G	53.85	54.00	-0.15	7.73	3	Vertical	124	1.90
PK	5.2656G	120.49	Inf	-Inf	7.61	3	Vertical	124	1.90
PK	5.356G	71.77	74.00	-2.23	7.74	3	Vertical	124	1.90

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 90
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.80812G	43.42	54.00	-10.58	15.25	3	Vertical	160	1.50
PK	15.81148G	56.65	74.00	-17.35	15.24	3	Vertical	160	1.50

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 90
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.8G	43.39	54.00	-10.61	15.28	3	Horizontal	247	1.50
PK	15.80848G	57.50	74.00	-16.50	15.25	3	Horizontal	247	1.50

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 79
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.146G	47.54	54.00	-6.46	7.42	3	Vertical	39	2.92
AV	5.302G	104.58	Inf	-Inf	7.66	3	Vertical	39	2.92
AV	5.3548G	53.62	54.00	-0.38	7.73	3	Vertical	39	2.92
PK	5.1468G	60.37	74.00	-13.63	7.42	3	Vertical	39	2.92
PK	5.2964G	116.21	Inf	-Inf	7.65	3	Vertical	39	2.92
PK	5.3524G	70.17	74.00	-3.83	7.73	3	Vertical	39	2.92

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 79
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.92424G	42.85	54.00	-11.15	14.85	3	Vertical	254	1.50
PK	15.92984G	56.95	74.00	-17.05	14.83	3	Vertical	254	1.50

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 79
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.92164G	42.69	54.00	-11.31	14.86	3	Horizontal	302	1.51
PK	15.93788G	56.34	74.00	-17.66	14.80	3	Horizontal	302	1.51

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 73
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	50.79	54.00	-3.21	7.86	3	Vertical	156	1.44
AV	5.4692G	53.47	54.00	-0.53	7.87	3	Vertical	156	1.44
AV	5.5132G	105.65	Inf	-Inf	7.91	3	Vertical	156	1.44
PK	5.4564G	67.56	74.00	-6.44	7.85	3	Vertical	156	1.44
PK	5.4664G	72.54	74.00	-1.46	7.86	3	Vertical	156	1.44
PK	5.496G	117.29	Inf	-Inf	7.89	3	Vertical	156	1.44

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 73
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00788G	39.61	54.00	-14.39	14.78	3	Vertical	3	2.68
PK	11.01166G	53.48	74.00	-20.52	14.79	3	Vertical	3	2.68

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 73
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0083G	39.53	54.00	-14.47	14.78	3	Horizontal	262	1.50
PK	11.02312G	53.66	74.00	-20.34	14.80	3	Horizontal	262	1.50

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 91
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	52.44	54.00	-1.56	7.86	3	Vertical	0	1.81
AV	5.4696G	53.72	54.00	-0.28	7.87	3	Vertical	0	1.81
AV	5.5536G	111.24	Inf	-Inf	7.96	3	Vertical	0	1.81
PK	5.4528G	65.54	74.00	-8.46	7.85	3	Vertical	0	1.81
PK	5.4696G	67.33	74.00	-6.67	7.87	3	Vertical	0	1.81
PK	5.5554G	122.00	Inf	-Inf	7.96	3	Vertical	0	1.81

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.08674G	39.89	54.00	-14.11	14.89	3	Vertical	185	2.15
PK	11.08716G	54.49	74.00	-19.51	14.89	3	Vertical	185	2.15

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0904G	39.87	54.00	-14.13	14.89	3	Horizontal	240	1.07
PK	11.09982G	53.91	74.00	-20.09	14.91	3	Horizontal	240	1.07

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 83
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.678G	106.88	Inf	-Inf	8.16	3	Vertical	253	1.47
AV	5.7252G	53.91	54.00	-0.09	8.25	3	Vertical	253	1.47
PK	5.6772G	117.42	Inf	-Inf	8.16	3	Vertical	253	1.47
PK	5.726G	73.16	74.00	-0.84	8.26	3	Vertical	253	1.47

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 83
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.35452G	40.61	54.00	-13.39	15.26	3	Vertical	359	2.91
PK	11.35128G	54.35	74.00	-19.65	15.25	3	Vertical	359	2.91

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 83
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.35362G	40.46	54.00	-13.54	15.25	3	Horizontal	85	2.62
PK	11.34492G	54.63	74.00	-19.37	15.24	3	Horizontal	85	2.62

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4412G	47.19	54.00	-6.81	7.84	3	Vertical	270	2.57
AV	5.4676G	47.24	54.00	-6.76	7.86	3	Vertical	270	2.57
AV	5.7184G	110.39	Inf	-Inf	8.24	3	Vertical	270	2.57
PK	5.4304G	60.08	74.00	-13.92	7.83	3	Vertical	270	2.57
PK	5.4688G	60.21	74.00	-13.79	7.87	3	Vertical	270	2.57
PK	5.716G	120.86	Inf	-Inf	8.24	3	Vertical	270	2.57
PK	5.8528G	64.44	68.20	-3.76	8.47	3	Vertical	270	2.57

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43152G	40.94	54.00	-13.06	15.36	3	Vertical	179	2.11
PK	11.41706G	54.77	74.00	-19.23	15.34	3	Vertical	179	2.11

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.41754G	41.21	54.00	-12.79	15.34	3	Horizontal	106	2.86
PK	11.41988G	55.49	74.00	-18.51	15.35	3	Horizontal	106	2.86

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1444G	50.19	54.00	-3.81	7.42	3	Vertical	175	1.50
AV	5.2596G	102.20	Inf	-Inf	7.60	3	Vertical	175	1.50
AV	5.3508G	53.82	54.00	-0.18	7.73	3	Vertical	175	1.50
PK	5.1484G	62.46	74.00	-11.54	7.43	3	Vertical	175	1.50
PK	5.2588G	114.83	Inf	-Inf	7.60	3	Vertical	175	1.50
PK	5.3692G	70.95	74.00	-3.05	7.76	3	Vertical	175	1.50

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 82
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.86908G	42.30	54.00	-11.70	15.04	3	Vertical	72	1.51
PK	15.86428G	56.15	74.00	-17.85	15.05	3	Vertical	72	1.51

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 82
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.86008G	42.25	54.00	-11.75	15.07	3	Horizontal	143	1.47
PK	15.86108G	56.42	74.00	-17.58	15.07	3	Horizontal	143	1.47

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 74
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	52.33	54.00	-1.67	7.86	3	Vertical	154	1.53
AV	5.4684G	53.18	54.00	-0.82	7.86	3	Vertical	154	1.53
AV	5.542G	102.85	Inf	-Inf	7.94	3	Vertical	154	1.53
AV	5.7252G	48.27	54.00	-5.73	8.25	3	Vertical	154	1.53
PK	5.346G	61.10	68.20	-7.10	7.72	3	Vertical	154	1.53
PK	5.4332G	66.23	74.00	-7.77	7.83	3	Vertical	154	1.53
PK	5.4636G	68.14	74.00	-5.86	7.86	3	Vertical	154	1.53
PK	5.542G	103.16	Inf	-Inf	7.94	3	Vertical	154	1.53
PK	5.542G	114.68	Inf	-Inf	7.94	3	Vertical	154	1.53
PK	5.7284G	60.51	74.00	-13.49	8.26	3	Vertical	154	1.53

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 74
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.06912G	39.56	54.00	-14.44	14.86	3	Vertical	178	1.50
PK	11.05466G	53.30	74.00	-20.70	14.84	3	Vertical	178	1.50

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 74
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0705G	39.59	54.00	-14.41	14.87	3	Horizontal	248	1.50
PK	11.06828G	53.73	74.00	-20.27	14.86	3	Horizontal	248	1.50

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX

06/03/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	52.32	54.00	-1.68	7.86	3	Vertical	290	2.42
AV	5.4684G	53.47	54.00	-0.53	7.86	3	Vertical	290	2.42
AV	5.6068G	105.75	Inf	-Inf	8.02	3	Vertical	290	2.42
AV	5.7252G	53.76	54.00	-0.24	8.25	3	Vertical	290	2.42
PK	5.4516G	65.25	74.00	-8.75	7.85	3	Vertical	290	2.42
PK	5.4612G	66.31	74.00	-7.69	7.86	3	Vertical	290	2.42
PK	5.6012G	116.72	Inf	-Inf	8.01	3	Vertical	290	2.42
PK	5.7252G	67.74	74.00	-6.26	8.25	3	Vertical	290	2.42

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 82
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.23128G	40.05	54.00	-13.95	15.09	3	Vertical	118	1.50
PK	11.23482G	54.76	74.00	-19.24	15.09	3	Vertical	118	1.50

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 82
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.23062G	39.97	54.00	-14.03	15.09	3	Horizontal	226	1.69
PK	11.2143G	54.06	74.00	-19.94	15.06	3	Horizontal	226	1.69

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
EUT_Z_4_TX_Dipole
Setting 96
02-N-2-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4548G	48.14	54.00	-5.86	7.85	3	Vertical	314	1.50
AV	5.678G	106.57	Inf	-Inf	8.16	3	Vertical	314	1.50
PK	5.4572G	62.78	74.00	-11.22	7.85	3	Vertical	314	1.50
PK	5.468G	60.78	68.20	-7.42	7.86	3	Vertical	314	1.50
PK	5.6816G	116.68	Inf	-Inf	8.17	3	Vertical	314	1.50
PK	5.8604G	66.26	68.20	-1.94	8.48	3	Vertical	314	1.50

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.37952G	41.11	54.00	-12.89	15.29	3	Vertical	245	2.98
PK	11.37538G	54.48	74.00	-19.52	15.28	3	Vertical	245	2.98

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.37424G	41.13	54.00	-12.87	15.28	3	Horizontal	152	2.53
PK	11.38792G	54.37	74.00	-19.63	15.30	3	Horizontal	152	2.53

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 70
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1076G	52.53	54.00	-1.47	7.36	3	Vertical	177	2.78
AV	5.2772G	100.25	Inf	-Inf	7.62	3	Vertical	177	2.78
AV	5.3876G	51.85	54.00	-2.15	7.78	3	Vertical	177	2.78
PK	5.1476G	73.90	74.00	-0.10	7.43	3	Vertical	177	2.78
PK	5.2772G	111.40	Inf	-Inf	7.62	3	Vertical	177	2.78
PK	5.3764G	73.71	74.00	-0.29	7.77	3	Vertical	177	2.78

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 70
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.74592G	44.15	54.00	-9.85	18.33	3	Vertical	275	2.43
PK	15.75306G	56.91	74.00	-17.09	18.32	3	Vertical	275	2.43

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.74316G	43.77	54.00	-10.23	18.34	3	Horizontal	350	1.28
PK	15.74784G	57.22	74.00	-16.78	18.33	3	Horizontal	350	1.28

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 70
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.458G	53.22	54.00	-0.78	7.86	3	Vertical	204	1.50
AV	5.4612G	53.17	54.00	-0.83	7.86	3	Vertical	204	1.50
AV	5.5428G	100.61	Inf	-Inf	7.94	3	Vertical	204	1.50
AV	5.7316G	51.83	54.00	-2.17	8.27	3	Vertical	204	1.50
PK	5.459995G	71.93	74.00	-2.07	7.86	3	Vertical	204	1.50
PK	5.466G	73.92	74.00	-0.08	7.86	3	Vertical	204	1.50
PK	5.5428G	110.89	Inf	-Inf	7.94	3	Vertical	204	1.50
PK	5.7668G	69.14	74.00	-4.86	8.34	3	Vertical	204	1.50

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15104G	40.92	54.00	-13.08	14.98	3	Vertical	160	2.03
PK	11.15014G	53.34	74.00	-20.66	14.98	3	Vertical	160	2.03

802.11ac VHT160-BF_Nss2,(MCS0)_4TX

5570MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 70
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15026G	40.43	54.00	-13.57	14.98	3	Horizontal	100	1.00
PK	11.1451G	53.05	74.00	-20.95	14.97	3	Horizontal	100	1.00

HE20,BF_Nss1,(MCS0)_4TX

5260MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 96
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1484G	50.93	54.00	-3.07	9.90	3	Vertical	300	2.04
AV	5.269G	116.78	Inf	-Inf	10.45	3	Vertical	300	2.04
AV	5.3614G	53.81	54.00	-0.19	11.02	3	Vertical	300	2.04
PK	5.143G	62.54	74.00	-11.46	9.88	3	Vertical	300	2.04
PK	5.2672G	128.36	Inf	-Inf	10.44	3	Vertical	300	2.04
PK	5.3656G	64.95	74.00	-9.05	11.05	3	Vertical	300	2.04

HE20,BF_Nss1,(MCS0)_4TX

5260MHz_TX

23/02/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Black line)


20180223
 EUT_Z_4_TX_Dipole
 Setting 96
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77032G	43.73	54.00	-10.27	15.38	3	Vertical	59	1.03
PK	15.78056G	57.61	74.00	-16.39	15.34	3	Vertical	59	1.03

HE20,BF_Nss1,(MCS0)_4TX

5260MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 96
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77084G	43.85	54.00	-10.15	15.38	3	Horizontal	358	2.23
PK	15.77616G	57.43	74.00	-16.57	15.36	3	Horizontal	358	2.23

HE20,BF_Nss1,(MCS0)_4TX

5300MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 86
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2988G	112.18	Inf	-Inf	10.63	3	Vertical	17	2.70
AV	5.356G	53.61	54.00	-0.39	10.99	3	Vertical	17	2.70
PK	5.2944G	124.16	Inf	-Inf	10.61	3	Vertical	17	2.70
PK	5.350005G	70.62	74.00	-3.38	10.95	3	Vertical	17	2.70

HE20,BF_Nss1,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 86
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.89756G	43.61	54.00	-10.39	14.94	3	Vertical	61	1.50
PK	15.90284G	56.97	74.00	-17.03	14.92	3	Vertical	61	1.50

HE20,BF_Nss1,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 86
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.89708G	43.01	54.00	-10.99	14.94	3	Horizontal	219	1.55
PK	15.90608G	56.86	74.00	-17.14	14.91	3	Horizontal	219	1.55

HE20,BF_Nss1,(MCS0)_4TX

5320MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 82
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3136G	112.52	Inf	-Inf	10.72	3	Vertical	-1	2.62
AV	5.3508G	53.71	54.00	-0.29	10.95	3	Vertical	-1	2.62
PK	5.3136G	125.01	Inf	-Inf	10.72	3	Vertical	-1	2.62
PK	5.3508G	71.25	74.00	-2.75	10.95	3	Vertical	-1	2.62

HE20,BF_Nss1,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 82
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95228G	43.38	54.00	-10.62	14.75	3	Vertical	311	1.50
PK	15.9574G	57.13	74.00	-16.87	14.73	3	Vertical	311	1.50

HE20,BF_Nss1,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 82
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.9506G	42.38	54.00	-11.62	14.76	3	Horizontal	331	1.50
PK	15.95876G	56.00	74.00	-18.00	14.73	3	Horizontal	331	1.50

HE20,BF_Nss1,(MCS0)_4TX

5500MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 82
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4512G	52.80	54.00	-1.20	7.85	3	Vertical	261	1.41
AV	5.4692G	53.97	54.00	-0.03	7.87	3	Vertical	261	1.41
AV	5.492G	110.74	Inf	-Inf	7.89	3	Vertical	261	1.41
PK	5.46G	65.51	74.00	-8.49	7.86	3	Vertical	261	1.41
PK	5.4688G	72.71	74.00	-1.29	7.87	3	Vertical	261	1.41
PK	5.4932G	123.06	Inf	-Inf	7.89	3	Vertical	261	1.41

HE20,BF_Nss1,(MCS0)_4TX

5500MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 82
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.99964G	41.68	54.00	-12.32	14.77	3	Vertical	225	2.18
PK	10.9952G	55.14	74.00	-18.86	14.77	3	Vertical	225	2.18

HE20,BF_Nss1,(MCS0)_4TX

5500MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 82
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00684G	40.10	54.00	-13.90	14.78	3	Horizontal	291	1.50
PK	10.9913G	53.54	74.00	-20.46	14.77	3	Horizontal	291	1.50

HE20,BF_Nss1,(MCS0)_4TX

5580MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 96
06-L-3-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4584G	52.11	54.00	-1.89	7.86	3	Vertical	287	2.29
AV	5.5792G	116.35	Inf	-Inf	7.99	3	Vertical	287	2.29
PK	5.4592G	64.75	74.00	-9.25	7.86	3	Vertical	287	2.29
PK	5.464G	65.35	68.20	-2.85	7.86	3	Vertical	287	2.29
PK	5.5816G	127.66	Inf	-Inf	7.99	3	Vertical	287	2.29
PK	5.7408G	64.14	68.20	-4.06	8.28	3	Vertical	287	2.29

HE20,BF_Nss1,(MCS0)_4TX

5580MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16108G	40.25	54.00	-13.75	14.99	3	Vertical	33	1.50
PK	11.16582G	53.73	74.00	-20.27	15.00	3	Vertical	33	1.50

HE20,BF_Nss1,(MCS0)_4TX

5580MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15544G	40.19	54.00	-13.81	14.98	3	Horizontal	94	1.50
PK	11.16732G	53.72	74.00	-20.28	15.00	3	Horizontal	94	1.50

HE20,BF_Nss1,(MCS0)_4TX

5700MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 70
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6984G	109.16	Inf	-Inf	8.20	3	Vertical	258	2.42
AV	5.7252G	52.26	54.00	-1.74	8.25	3	Vertical	258	2.42
PK	5.6932G	122.45	Inf	-Inf	8.19	3	Vertical	258	2.42
PK	5.7252G	73.07	74.00	-0.93	8.25	3	Vertical	258	2.42

HE20,BF_Nss1,(MCS0)_4TX

5700MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1621G	40.14	54.00	-13.86	14.99	3	Vertical	334	1.54
PK	11.16252G	53.46	74.00	-20.54	14.99	3	Vertical	334	1.54

HE20,BF_Nss1,(MCS0)_4TX

5700MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 70
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16024G	40.12	54.00	-13.88	14.99	3	Horizontal	36	1.50
PK	11.14536G	53.68	74.00	-20.32	14.97	3	Horizontal	36	1.50

HE20,BF_Nss1,(MCS0)_4TX 5720MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
EUT_Z_4_TX_Dipole
Setting 96
02-N-2-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	47.58	54.00	-6.42	7.82	3	Vertical	136	2.32
AV	5.7152G	113.85	Inf	-Inf	8.23	3	Vertical	136	2.32
PK	5.4464G	60.16	74.00	-13.84	7.84	3	Vertical	136	2.32
PK	5.462G	57.92	68.20	-10.28	7.86	3	Vertical	136	2.32
PK	5.7152G	124.90	Inf	-Inf	8.23	3	Vertical	136	2.32
PK	5.888G	61.42	68.20	-6.78	8.52	3	Vertical	136	2.32

HE20,BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43988G	41.96	54.00	-12.04	15.37	3	Vertical	196	1.49
PK	11.4433G	54.90	74.00	-19.10	15.38	3	Vertical	196	1.49

HE20,BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.44018G	41.33	54.00	-12.67	15.37	3	Horizontal	162	2.07
PK	11.43784G	54.69	74.00	-19.31	15.37	3	Horizontal	162	2.07

HE40,BF_Nss1,(MCS0)_4TX

5270MHz_TX

30/01/2018




20180130
 EUT_Z_4_TX_Dipole
 Setting 84
 02-R-5-10
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2608G	113.28	Inf	-Inf	10.40	3	Vertical	54	2.80
AV	5.3628G	53.88	54.00	-0.12	11.03	3	Vertical	54	2.80
PK	5.2596G	125.35	Inf	-Inf	10.39	3	Vertical	54	2.80
PK	5.350005G	68.99	74.00	-5.01	10.95	3	Vertical	54	2.80

HE40,BF_Nss1,(MCS0)_4TX

5270MHz_TX

26/02/2018




20180226
EUT_Z_4TX_Dipole
Setting 84
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.80328G	44.23	54.00	-9.77	18.24	3	Vertical	190	1.50
PK	15.7992G	57.89	74.00	-16.11	18.25	3	Vertical	190	1.50

HE40,BF_Nss1,(MCS0)_4TX

5270MHz_TX

26/02/2018




20180226
 EUT_Z_4TX_Dipole
 Setting 84
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.80214G	43.87	54.00	-10.13	18.24	3	Horizontal	274	1.50
PK	15.80496G	57.45	74.00	-16.55	18.24	3	Horizontal	274	1.50

HE40,BF_Nss1,(MCS0)_4TX

5310MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 76
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2924G	109.44	Inf	-Inf	10.59	3	Vertical	32	2.54
AV	5.3508G	53.51	54.00	-0.49	10.95	3	Vertical	32	2.54
PK	5.296G	120.85	Inf	-Inf	10.62	3	Vertical	32	2.54
PK	5.350005G	72.84	74.00	-1.16	10.95	3	Vertical	32	2.54

HE40,BF_Nss1,(MCS0)_4TX

5310MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 76
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.63248G	39.86	54.00	-14.14	14.74	3	Vertical	1	1.50
PK	10.63248G	50.54	74.00	-23.46	14.74	3	Vertical	1	1.50

HE40,BF_Nss1,(MCS0)_4TX

5310MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 76
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.62654G	40.25	54.00	-13.75	14.74	3	Horizontal	225	1.38
PK	10.61796G	53.51	74.00	-20.49	14.74	3	Horizontal	225	1.38

HE40,BF_Nss1,(MCS0)_4TX

5510MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 71 (升1OVER)
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4596G	50.88	54.00	-3.12	7.86	3	Vertical	260	1.50
AV	5.4696G	52.80	54.00	-1.20	7.87	3	Vertical	260	1.50
AV	5.4992G	105.46	Inf	-Inf	7.89	3	Vertical	260	1.50
PK	5.4544G	66.98	74.00	-7.02	7.85	3	Vertical	260	1.50
PK	5.4692G	71.66	74.00	-2.34	7.87	3	Vertical	260	1.50
PK	5.5148G	117.39	Inf	-Inf	7.91	3	Vertical	260	1.50

HE40,BF_Nss1,(MCS0)_4TX

5510MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 71
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.01196G	39.78	54.00	-14.22	14.79	3	Vertical	232	1.42
PK	11.03332G	53.22	74.00	-20.78	14.82	3	Vertical	232	1.42

HE40,BF_Nss1,(MCS0)_4TX

5510MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 71
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.02468G	39.84	54.00	-14.16	14.80	3	Horizontal	181	1.50
PK	11.02648G	53.92	74.00	-20.08	14.81	3	Horizontal	181	1.50

HE40,BF_Nss1,(MCS0)_4TX

5550MHz_TX

09/02/2018




20180208
 EUT_Z_4_TX_Dipole
 Setting 91
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.434G	53.12	54.00	-0.88	7.83	3	Vertical	265	1.35
AV	5.4692G	51.93	54.00	-2.07	7.87	3	Vertical	265	1.35
AV	5.5436G	109.19	Inf	-Inf	7.95	3	Vertical	265	1.35
AV	5.7268G	49.42	54.00	-4.58	8.26	3	Vertical	265	1.35
PK	5.4572G	68.35	74.00	-5.65	7.85	3	Vertical	265	1.35
PK	5.4644G	67.25	74.00	-6.75	7.86	3	Vertical	265	1.35
PK	5.5548G	121.82	Inf	-Inf	7.96	3	Vertical	265	1.35
PK	5.7396G	60.94	74.00	-13.06	8.28	3	Vertical	265	1.35

HE40,BF_Nss1,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.10516G	40.32	54.00	-13.68	14.91	3	Vertical	152	2.20
PK	11.10228G	53.73	74.00	-20.27	14.91	3	Vertical	152	2.20

HE40,BF_Nss1,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.09214G	40.31	54.00	-13.69	14.90	3	Horizontal	33	2.23
PK	11.09778G	53.59	74.00	-20.41	14.90	3	Horizontal	33	2.23

HE40,BF_Nss1,(MCS0)_4TX

5670MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 75
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6622G	108.95	Inf	-Inf	8.13	3	Vertical	254	2.50
AV	5.7252G	53.26	54.00	-0.74	8.25	3	Vertical	254	2.50
PK	5.6748G	121.93	Inf	-Inf	8.16	3	Vertical	254	2.50
PK	5.7252G	71.11	74.00	-2.89	8.25	3	Vertical	254	2.50

HE40,BF_Nss1,(MCS0)_4TX

5670MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 75
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.35236G	39.03	54.00	-14.97	13.29	3	Vertical	151	1.89
PK	11.35008G	52.42	74.00	-21.58	13.29	3	Vertical	151	1.89

HE40,BF_Nss1,(MCS0)_4TX

5670MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 75
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.35476G	39.00	54.00	-15.00	13.29	3	Horizontal	295	2.18
PK	11.33676G	52.78	74.00	-21.22	13.29	3	Horizontal	295	2.18

HE40,BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.452G	47.78	54.00	-6.22	7.85	3	Vertical	254	1.40
AV	5.464G	47.57	54.00	-6.43	7.86	3	Vertical	254	1.40
AV	5.7052G	110.70	Inf	-Inf	8.22	3	Vertical	254	1.40
PK	5.4484G	60.76	74.00	-13.24	7.85	3	Vertical	254	1.40
PK	5.464G	59.39	74.00	-14.61	7.86	3	Vertical	254	1.40
PK	5.7028G	123.23	Inf	-Inf	8.21	3	Vertical	254	1.40
PK	5.8828G	60.77	68.20	-7.43	8.51	3	Vertical	254	1.40

HE40,BF_Nss1,(MCS0)_4TX 5710MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.42102G	41.11	54.00	-12.89	15.35	3	Vertical	266	2.13
PK	11.4263G	55.11	74.00	-18.89	15.35	3	Vertical	266	2.13

HE40,BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43062G	41.08	54.00	-12.92	15.36	3	Horizontal	35	1.23
PK	11.42012G	55.13	74.00	-18.87	15.35	3	Horizontal	35	1.23

HE80,BF_Nss1,(MCS0)_4TX

5290MHz_TX

30/01/2018




20180130
EUT_Z_4_TX_Dipole
Setting 76
02-R-5-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.124G	51.41	54.00	-2.59	9.84	3	Vertical	171	1.53
AV	5.281G	104.37	Inf	-Inf	10.52	3	Vertical	171	1.53
AV	5.350005G	53.89	54.00	-0.11	10.95	3	Vertical	171	1.53
PK	5.124G	62.53	74.00	-11.47	9.84	3	Vertical	171	1.53
PK	5.284G	116.47	Inf	-Inf	10.54	3	Vertical	171	1.53
PK	5.354G	73.11	74.00	-0.89	10.97	3	Vertical	171	1.53

HE80,BF_Nss1,(MCS0)_4TX

5290MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 76
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.855G	43.05	54.00	-10.95	18.15	3	Vertical	113	2.69
PK	15.855G	53.18	74.00	-20.82	18.15	3	Vertical	113	2.69

HE80,BF_Nss1,(MCS0)_4TX

5290MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 76
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.855G	43.13	54.00	-10.87	18.15	3	Horizontal	221	1.50
PK	15.855G	52.01	74.00	-21.99	18.15	3	Horizontal	221	1.50

HE80,BF_Nss1,(MCS0)_4TX

5530MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 74
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	51.65	54.00	-2.35	7.86	3	Vertical	234	1.07
AV	5.4684G	52.55	54.00	-1.45	7.86	3	Vertical	234	1.07
AV	5.5476G	103.50	Inf	-Inf	7.95	3	Vertical	234	1.07
AV	5.7252G	48.19	54.00	-5.81	8.25	3	Vertical	234	1.07
PK	5.459995G	68.29	74.00	-5.71	7.86	3	Vertical	234	1.07
PK	5.4684G	68.66	74.00	-5.34	7.86	3	Vertical	234	1.07
PK	5.5484G	116.04	Inf	-Inf	7.95	3	Vertical	234	1.07
PK	5.73G	60.62	74.00	-13.38	8.26	3	Vertical	234	1.07

HE80,BF_Nss1,(MCS0)_4TX

5530MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 74
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.06228G	39.34	54.00	-14.66	14.86	3	Vertical	154	1.97
PK	11.0627G	53.62	74.00	-20.38	14.86	3	Vertical	154	1.97

HE80,BF_Nss1,(MCS0)_4TX

5530MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 74
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.05886G	39.28	54.00	-14.72	14.85	3	Horizontal	50	2.18
PK	11.04926G	53.97	74.00	-20.03	14.84	3	Horizontal	50	2.18

HE80,BF_Nss1,(MCS0)_4TX

5610MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 82
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.434G	53.30	54.00	-0.70	7.83	3	Vertical	105	1.54
AV	5.4692G	53.52	54.00	-0.48	7.87	3	Vertical	105	1.54
AV	5.5988G	105.59	Inf	-Inf	8.01	3	Vertical	105	1.54
AV	5.726G	53.20	54.00	-0.80	8.26	3	Vertical	105	1.54
PK	5.4572G	65.96	74.00	-8.04	7.85	3	Vertical	105	1.54
PK	5.4692G	67.18	74.00	-6.82	7.87	3	Vertical	105	1.54
PK	5.5988G	118.88	Inf	-Inf	8.01	3	Vertical	105	1.54
PK	5.7348G	67.48	74.00	-6.52	8.27	3	Vertical	105	1.54

HE80,BF_Nss1,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 82
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.2269G	39.54	54.00	-14.46	15.08	3	Vertical	240	1.37
PK	11.20938G	53.36	74.00	-20.64	15.06	3	Vertical	240	1.37

HE80,BF_Nss1,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 82
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.23494G	39.49	54.00	-14.51	15.09	3	Horizontal	280	1.09
PK	11.22822G	53.33	74.00	-20.67	15.08	3	Horizontal	280	1.09

HE80,BF_Nss1,(MCS0)_4TX 5690MHz Straddle 5.47-5.725GHz_TX

22/02/2018




EUT_Z_4_TX_Dipole
Setting 91
06-L-3-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6692G	109.20	Inf	-Inf	8.14	3	Vertical	256	1.45
PK	5.6676G	121.80	Inf	-Inf	8.14	3	Vertical	256	1.45
PK	5.8556G	67.79	68.20	-0.41	8.48	3	Vertical	256	1.45

HE80,BF_Nss1,(MCS0)_4TX 5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 91
02-N-2
FSU





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.37316G	40.33	54.00	-13.67	15.28	3	Vertical	45	1.68
PK	11.36728G	54.47	74.00	-19.53	15.27	3	Vertical	45	1.68

HE80,BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018



Legend:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180227
 EUT_Z_4_TX_Dipole
 Setting 91
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.37634G	40.28	54.00	-13.72	15.29	3	Horizontal	252	1.61
PK	11.38696G	54.32	74.00	-19.68	15.30	3	Horizontal	252	1.61

HE20,BF_Nss2,(MCS0)_4TX

5260MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-13
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1488G	51.12	54.00	-2.88	7.43	3	Vertical	61	2.45
AV	5.256G	114.55	Inf	-Inf	7.59	3	Vertical	61	2.45
AV	5.3632G	52.23	54.00	-1.77	7.75	3	Vertical	61	2.45
PK	5.0784G	63.35	74.00	-10.65	7.32	3	Vertical	61	2.45
PK	5.2544G	126.86	Inf	-Inf	7.59	3	Vertical	61	2.45
PK	5.3632G	64.58	74.00	-9.42	7.75	3	Vertical	61	2.45

HE20,BF_Nss2,(MCS0)_4TX

5260MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 96
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77044G	43.92	54.00	-10.08	15.38	3	Vertical	0	2.23
PK	15.77256G	57.19	74.00	-16.81	15.37	3	Vertical	0	2.23

HE20,BF_Nss2,(MCS0)_4TX

5260MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 96
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.77016G	44.23	54.00	-9.77	15.38	3	Horizontal	267	1.40
PK	15.78372G	57.87	74.00	-16.13	15.33	3	Horizontal	267	1.40

HE20,BF_Nss2,(MCS0)_4TX

5300MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 89
 06-L-3-13
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2912G	111.26	Inf	-Inf	7.64	3	Vertical	93	2.44
AV	5.3504G	53.83	54.00	-0.17	7.73	3	Vertical	93	2.44
PK	5.2976G	122.55	Inf	-Inf	7.65	3	Vertical	93	2.44
PK	5.3504G	66.27	74.00	-7.73	7.73	3	Vertical	93	2.44

HE20,BF_Nss2,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
EUT_Z_4_TX_Dipole
Setting 89
03-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.90192G	43.07	54.00	-10.93	14.83	3	Vertical	75	1.59
PK	15.90204G	56.94	74.00	-17.06	14.83	3	Vertical	75	1.59

HE20,BF_Nss2,(MCS0)_4TX

5300MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 89
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.90852G	43.04	54.00	-10.96	14.83	3	Horizontal	250	1.63
PK	15.90244G	57.15	74.00	-16.85	14.83	3	Horizontal	250	1.63

HE20,BF_Nss2,(MCS0)_4TX

5320MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 81
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.3272G	108.10	Inf	-Inf	7.69	3	Vertical	0	2.45
AV	5.351G	53.75	54.00	-0.25	7.73	3	Vertical	0	2.45
PK	5.3222G	122.18	Inf	-Inf	7.69	3	Vertical	0	2.45
PK	5.3504G	70.53	74.00	-3.47	7.73	3	Vertical	0	2.45

HE20,BF_Nss2,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 81
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95276G	42.30	54.00	-11.70	14.75	3	Vertical	360	1.50
PK	15.95212G	55.53	74.00	-18.47	14.75	3	Vertical	360	1.50

HE20,BF_Nss2,(MCS0)_4TX

5320MHz_TX

23/02/2018




20180223
 EUT_Z_4_TX_Dipole
 Setting 81
 03-R-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.95012G	42.24	54.00	-11.76	14.76	3	Horizontal	258	1.50
PK	15.9606G	55.95	74.00	-18.05	14.72	3	Horizontal	258	1.50

HE20,BF_Nss2,(MCS0)_4TX

5500MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 79
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4496G	50.82	54.00	-3.18	7.85	3	Vertical	154	1.45
AV	5.4692G	53.73	54.00	-0.27	7.87	3	Vertical	154	1.45
AV	5.5088G	108.86	Inf	-Inf	7.91	3	Vertical	154	1.45
PK	5.458G	65.54	74.00	-8.46	7.86	3	Vertical	154	1.45
PK	5.4696G	71.01	74.00	-2.99	7.87	3	Vertical	154	1.45
PK	5.5064G	121.82	Inf	-Inf	7.90	3	Vertical	154	1.45

HE20,BF_Nss2,(MCS0)_4TX

5500MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 79
 02-N-2
 FSU





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00246G	40.81	54.00	-13.19	14.77	3	Vertical	35	2.22
PK	11.00636G	54.23	74.00	-19.77	14.78	3	Vertical	35	2.22

HE20,BF_Nss2,(MCS0)_4TX

5500MHz_TX

27/02/2018



- Lim.PK 
- PK 
- Lim.AV 
- AV 


20180227
 EUT_Z_4_TX_Dipole
 Setting 79
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.00708G	40.06	54.00	-13.94	14.78	3	Horizontal	171	1.50
PK	10.99592G	53.36	74.00	-20.64	14.77	3	Horizontal	171	1.50

HE20,BF_Nss2,(MCS0)_4TX

5580MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4592G	51.14	54.00	-2.86	7.86	3	Vertical	239	2.60
AV	5.4696G	51.95	54.00	-2.05	7.87	3	Vertical	239	2.60
AV	5.5768G	114.35	Inf	-Inf	7.98	3	Vertical	239	2.60
AV	5.7336G	50.41	54.00	-3.59	8.27	3	Vertical	239	2.60
PK	5.4584G	62.86	74.00	-11.14	7.86	3	Vertical	239	2.60
PK	5.4656G	63.37	74.00	-10.63	7.86	3	Vertical	239	2.60
PK	5.5784G	127.60	Inf	-Inf	7.99	3	Vertical	239	2.60
PK	5.7496G	62.60	74.00	-11.40	8.30	3	Vertical	239	2.60

HE20,BF_Nss2,(MCS0)_4TX

5580MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16144G	40.23	54.00	-13.77	14.99	3	Vertical	210	2.37
PK	11.14848G	53.64	74.00	-20.36	14.97	3	Vertical	210	2.37

HE20,BF_Nss2,(MCS0)_4TX

5580MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.16366G	40.12	54.00	-13.88	14.99	3	Horizontal	315	1.85
PK	11.15172G	53.88	74.00	-20.12	14.98	3	Horizontal	315	1.85

HE20,BF_Nss2,(MCS0)_4TX

5700MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 80
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6936G	108.59	Inf	-Inf	8.19	3	Vertical	248	1.48
AV	5.7252G	53.70	54.00	-0.30	8.25	3	Vertical	248	1.48
PK	5.6924G	120.96	Inf	-Inf	8.19	3	Vertical	248	1.48
PK	5.7262G	71.66	74.00	-2.34	8.26	3	Vertical	248	1.48

HE20,BF_Nss2,(MCS0)_4TX

5700MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 80
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.15946G	40.15	54.00	-13.85	14.99	3	Vertical	139	1.16
PK	11.15994G	53.70	74.00	-20.30	14.99	3	Vertical	139	1.16

HE20,BF_Nss2,(MCS0)_4TX

5700MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 80
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.1603G	40.17	54.00	-13.83	14.99	3	Horizontal	234	1.50
PK	11.1615G	54.03	74.00	-19.97	14.99	3	Horizontal	234	1.50

HE20,BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

13/02/2018




20180213
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4212G	48.27	54.00	-5.73	7.82	3	Vertical	258	2.62
AV	5.7248G	110.59	Inf	-Inf	8.25	3	Vertical	258	2.62
PK	5.4548G	61.51	74.00	-12.49	7.85	3	Vertical	258	2.62
PK	5.4656G	59.42	68.20	-8.78	7.86	3	Vertical	258	2.62
PK	5.714G	122.79	Inf	-Inf	8.23	3	Vertical	258	2.62
PK	5.8868G	60.95	68.20	-7.25	8.52	3	Vertical	258	2.62

HE20,BF_Nss2,(MCS0)_4TX 5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 96
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.44144G	41.89	54.00	-12.11	15.37	3	Vertical	198	1.50
PK	11.45224G	55.24	74.00	-18.76	15.39	3	Vertical	198	1.50

HE20,BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 96
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.43988G	41.14	54.00	-12.86	15.37	3	Horizontal	105	2.32
PK	11.44492G	54.71	74.00	-19.29	15.38	3	Horizontal	105	2.32

HE40,BF_Nss2,(MCS0)_4TX

5270MHz_TX

31/01/2018



20180131
 EUT_Z_4_TX_Dipole
 Setting 90
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2788G	109.42	Inf	-Inf	7.62	3	Vertical	107	2.93
AV	5.350005G	53.30	54.00	-0.70	7.73	3	Vertical	107	2.93
PK	5.282G	122.06	Inf	-Inf	7.63	3	Vertical	107	2.93
PK	5.3508G	66.52	74.00	-7.48	7.73	3	Vertical	107	2.93



HE40,BF_Nss2,(MCS0)_4TX

5270MHz_TX

26/02/2018




20180226
 EUT_Z_4TX_Dipole
 Setting 90
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.795G	43.75	54.00	-10.25	18.25	3	Vertical	244	1.00
PK	15.81348G	57.10	74.00	-16.90	18.22	3	Vertical	244	1.00

HE40,BF_Nss2,(MCS0)_4TX

5270MHz_TX

26/02/2018




20180226
EUT_Z_4TX_Dipole
Setting 90
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.79734G	43.79	54.00	-10.21	18.25	3	Horizontal	48	1.50
PK	15.80226G	57.03	74.00	-16.97	18.24	3	Horizontal	48	1.50

HE40,BF_Nss2,(MCS0)_4TX

5310MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 78
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.2932G	102.18	Inf	-Inf	7.65	3	Vertical	339	1.50
AV	5.350005G	53.49	54.00	-0.51	7.73	3	Vertical	339	1.50
PK	5.3024G	114.00	Inf	-Inf	7.66	3	Vertical	339	1.50
PK	5.3512G	70.73	74.00	-3.27	7.73	3	Vertical	339	1.50

HE40,BF_Nss2,(MCS0)_4TX

5310MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 76
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.63104G	40.13	54.00	-13.87	14.74	3	Vertical	274	1.50
PK	10.61574G	53.54	74.00	-20.46	14.74	3	Vertical	274	1.50

HE40,BF_Nss2,(MCS0)_4TX

5310MHz_TX

26/02/2018




20180226
EUT_Z_4_TX_Dipole
Setting 76
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	10.63068G	39.99	54.00	-14.01	14.74	3	Horizontal	317	2.88
PK	10.62072G	53.53	74.00	-20.47	14.74	3	Horizontal	317	2.88

HE40,BF_Nss2,(MCS0)_4TX

5510MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 73
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.46G	51.40	54.00	-2.60	7.86	3	Vertical	55	1.05
AV	5.4692G	53.95	54.00	-0.05	7.87	3	Vertical	55	1.05
AV	5.5192G	104.74	Inf	-Inf	7.92	3	Vertical	55	1.05
PK	5.46G	67.28	74.00	-6.72	7.86	3	Vertical	55	1.05
PK	5.4692G	72.88	74.00	-1.12	7.87	3	Vertical	55	1.05
PK	5.5056G	117.35	Inf	-Inf	7.90	3	Vertical	55	1.05

HE40,BF_Nss2,(MCS0)_4TX

5510MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 73
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.01352G	39.84	54.00	-14.16	14.79	3	Vertical	14	2.20
PK	11.01124G	53.24	74.00	-20.76	14.79	3	Vertical	14	2.20

HE40,BF_Nss2,(MCS0)_4TX

5510MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 73
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.01346G	39.83	54.00	-14.17	14.79	3	Horizontal	58	2.43
PK	11.01472G	53.50	74.00	-20.50	14.79	3	Horizontal	58	2.43

HE40,BF_Nss2,(MCS0)_4TX

5550MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 90
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4342G	53.74	54.00	-0.26	7.83	3	Vertical	160	1.50
AV	5.4696G	53.74	54.00	-0.26	7.87	3	Vertical	160	1.50
AV	5.5368G	111.65	Inf	-Inf	7.94	3	Vertical	160	1.50
PK	5.4546G	65.35	74.00	-8.65	7.85	3	Vertical	160	1.50
PK	5.4684G	67.06	74.00	-6.94	7.86	3	Vertical	160	1.50
PK	5.5452G	123.26	Inf	-Inf	7.95	3	Vertical	160	1.50

HE40,BF_Nss2,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 90
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.0934G	40.52	54.00	-13.48	14.90	3	Vertical	29	2.00
PK	11.10864G	53.46	74.00	-20.54	14.92	3	Vertical	29	2.00

HE40,BF_Nss2,(MCS0)_4TX

5550MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 90
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.09376G	40.28	54.00	-13.72	14.90	3	Horizontal	314	2.29
PK	11.09598G	53.97	74.00	-20.03	14.90	3	Horizontal	314	2.29

HE40,BF_Nss2,(MCS0)_4TX

5670MHz_TX

09/02/2018




20180209
EUT_Z_4_TX_Dipole
Setting 79
06-L-3-10
FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6548G	110.76	Inf	-Inf	8.12	3	Vertical	213	2.59
AV	5.726G	53.95	54.00	-0.05	8.26	3	Vertical	213	2.59
PK	5.6656G	118.59	Inf	-Inf	8.14	3	Vertical	213	2.59
PK	5.7256G	69.63	74.00	-4.37	8.25	3	Vertical	213	2.59

HE40,BF_Nss2,(MCS0)_4TX

5670MHz_TX

27/02/2018




20180227
EUT_Z_4_TX_Dipole
Setting 79
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3547G	39.03	54.00	-14.97	13.29	3	Vertical	23	2.16
PK	11.32764G	52.58	74.00	-21.42	13.29	3	Vertical	23	2.16

HE40,BF_Nss2,(MCS0)_4TX

5670MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 79
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.33112G	38.92	54.00	-15.08	13.29	3	Horizontal	328	1.75
PK	11.33004G	53.07	74.00	-20.93	13.29	3	Horizontal	328	1.75

HE40,BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

22/02/2018




EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.7164G	111.85	Inf	-Inf	8.24	3	Vertical	70	2.29
AV	5.854G	51.80	Inf	-Inf	8.47	3	Vertical	70	2.29
PK	5.7188G	123.68	Inf	-Inf	8.24	3	Vertical	70	2.29
PK	5.8524G	65.17	68.20	-3.03	8.47	3	Vertical	70	2.29

HE40,BF_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX

22/02/2018




EUT_Z_4_TX_Dipole
 Setting 96
 06-L-3-10
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.4174G	41.82	54.00	-12.18	13.31	3	Vertical	278	1.90
PK	11.42394G	54.93	74.00	-19.07	13.31	3	Vertical	278	1.90

HE40,BF_Nss2,(MCS0)_4TX 5710MHz Straddle 5.47-5.725GHz_TX

22/02/2018



Legend:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)


EUT Z_4_TX_Dipole
Setting 96
06-L-3-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.41998G	41.93	54.00	-12.07	13.31	3	Horizontal	263	1.89
PK	11.41968G	55.46	74.00	-18.54	13.31	3	Horizontal	263	1.89

HE80,BF_Nss2,(MCS0)_4TX

5290MHz_TX

31/01/2018




20180131
 EUT_Z_4_TX_Dipole
 Setting 76
 06-L-3-10
 FSP(100080)
 RT-AX88U R220 #9

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.1244G	50.43	54.00	-3.57	7.39	3	Vertical	122	1.50
AV	5.2772G	103.19	Inf	-Inf	7.62	3	Vertical	122	1.50
AV	5.350005G	53.33	54.00	-0.67	7.73	3	Vertical	122	1.50
PK	5.1332G	61.09	74.00	-12.91	7.40	3	Vertical	122	1.50
PK	5.2596G	114.41	Inf	-Inf	7.60	3	Vertical	122	1.50
PK	5.3532G	71.70	74.00	-2.30	7.73	3	Vertical	122	1.50

HE80,BF_Nss2,(MCS0)_4TX

5290MHz_TX

26/02/2018



20180226
 EUT_Z_4_TX_Dipole
 Setting 76
 02-N-2
 FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.855G	42.75	54.00	-11.25	18.15	3	Vertical	165	2.53
PK	15.855G	51.42	74.00	-22.58	18.15	3	Vertical	165	2.53



HE80,BF_Nss2,(MCS0)_4TX

5290MHz_TX

26/02/2018




20180226
 EUT_Z_4_TX_Dipole
 Setting 76
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	15.855G	43.87	54.00	-10.13	18.15	3	Horizontal	333	1.49
PK	15.855G	52.25	74.00	-21.75	18.15	3	Horizontal	333	1.49

HE80,BF_Nss2,(MCS0)_4TX

5530MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 73
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.4588G	52.71	54.00	-1.29	7.86	3	Vertical	205	1.45
AV	5.4692G	53.45	54.00	-0.55	7.87	3	Vertical	205	1.45
AV	5.5452G	102.71	Inf	-Inf	7.95	3	Vertical	205	1.45
AV	5.7284G	48.33	54.00	-5.67	8.26	3	Vertical	205	1.45
PK	5.459995G	68.39	74.00	-5.61	7.86	3	Vertical	205	1.45
PK	5.466G	69.18	74.00	-4.82	7.86	3	Vertical	205	1.45
PK	5.55G	114.06	Inf	-Inf	7.95	3	Vertical	205	1.45
PK	5.7268G	60.72	74.00	-13.28	8.26	3	Vertical	205	1.45

HE80,BF_Nss2,(MCS0)_4TX

5530MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 73
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.06042G	39.79	54.00	-14.21	14.85	3	Vertical	14	1.10
PK	11.05568G	52.91	74.00	-21.09	14.85	3	Vertical	14	1.10

HE80,BF_Nss2,(MCS0)_4TX

5530MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 73
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.06906G	39.83	54.00	-14.17	14.86	3	Horizontal	59	1.20
PK	11.05724G	53.31	74.00	-20.69	14.85	3	Horizontal	59	1.20

HE80,BF_Nss2,(MCS0)_4TX

5610MHz_TX

09/02/2018




20180209
 EUT_Z_4_TX_Dipole
 Setting 84
 06-L-3-10
 FSP(100304)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.459995G	53.00	54.00	-1.00	7.86	3	Vertical	245	1.32
AV	5.594G	104.92	Inf	-Inf	8.00	3	Vertical	245	1.32
PK	5.458G	65.39	74.00	-8.61	7.86	3	Vertical	245	1.32
PK	5.462G	66.49	68.20	-1.71	7.86	3	Vertical	245	1.32
PK	5.6132G	117.46	Inf	-Inf	8.04	3	Vertical	245	1.32
PK	5.7268G	67.93	68.20	-0.27	8.26	3	Vertical	245	1.32

HE80,BF_Nss2,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 84
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.23218G	41.56	54.00	-12.44	15.09	3	Vertical	207	1.18
PK	11.22714G	53.11	74.00	-20.89	15.08	3	Vertical	207	1.18

HE80,BF_Nss2,(MCS0)_4TX

5610MHz_TX

27/02/2018




20180227
 EUT_Z_4_TX_Dipole
 Setting 84
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.22708G	40.34	54.00	-13.66	15.08	3	Horizontal	245	1.93
PK	11.23278G	53.60	74.00	-20.40	15.09	3	Horizontal	245	1.93

HE80,BF_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018




EUT_Z_4_TX_Dipole
 Setting 93
 06-L-3-10
 FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	5.6772G	107.38	Inf	-Inf	8.16	3	Vertical	255	1.37
PK	5.686G	120.12	Inf	-Inf	8.18	3	Vertical	255	1.37
PK	5.8548G	67.72	68.20	-0.48	8.47	3	Vertical	255	1.37

HE80,BF_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018



Legend:


- Lim.PK 
- PK 
- Lim.AV 
- AV 

20180227
 EUT_Z_4_TX_Dipole
 Setting 93
 02-N-2
 FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.3875G	41.18	54.00	-12.82	15.30	3	Vertical	285	1.01
PK	11.38804G	54.72	74.00	-19.28	15.30	3	Vertical	285	1.01

HE80,BF_Nss2,(MCS0)_4TX 5690MHz Straddle 5.47-5.725GHz_TX

27/02/2018



20180227
EUT_Z_4_TX_Dipole
Setting 93
02-N-2
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
AV	11.37646G	40.99	54.00	-13.01	15.29	3	Horizontal	8	1.77
PK	11.3812G	54.11	74.00	-19.89	15.29	3	Horizontal	8	1.77



Mode: 20 MHz / Port 2

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9566	5299.9563	5299.9561	5299.9557
110.00	5299.9565	5299.9563	5299.9553	5299.9552
93.50	5299.9559	5299.9556	5299.9546	5299.9537
Max. Deviation (MHz)	0.0441	0.0444	0.0454	0.0463
Max. Deviation (ppm)	8.32	8.38	8.57	8.74
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9536	5299.9535	5299.9528	5299.9523
10	5299.9548	5299.9540	5299.9536	5299.9530
20	5299.9565	5299.9556	5299.9549	5299.9541
30	5299.9616	5299.9606	5299.9605	5299.9596
40	5299.9627	5299.9622	5299.9616	5299.9607
Max. Deviation (MHz)	0.0464	0.0465	0.0472	0.0477
Max. Deviation (ppm)	8.75	8.77	8.91	9.00
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9573	5579.9572	5579.9570	5579.9564
110.00	5579.9565	5579.9563	5579.9556	5579.9548
93.50	5579.9556	5579.9553	5579.9550	5579.9549
Max. Deviation (MHz)	0.0444	0.0447	0.0450	0.0452
Max. Deviation (ppm)	7.96	8.01	8.06	8.10
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9536	5579.9529	5579.9520	5579.9513
10	5579.9550	5579.9544	5579.9536	5579.9526
20	5579.9565	5579.9563	5579.9559	5579.9550
30	5579.9616	5579.9609	5579.9602	5579.9596
40	5579.9630	5579.9624	5579.9618	5579.9608
Max. Deviation (MHz)	0.0464	0.0471	0.0480	0.0487
Max. Deviation (ppm)	8.32	8.44	8.60	8.73
Result	Pass			



Mode: 40 MHz / Port 2

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9574	5309.9572	5309.9563	5309.9560
110.00	5309.9565	5309.9564	5309.9557	5309.9554
93.50	5309.9561	5309.9554	5309.9550	5309.9549
Max. Deviation (MHz)	0.0439	0.0446	0.0450	0.0451
Max. Deviation (ppm)	8.27	8.40	8.47	8.49
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9533	5309.9523	5309.9518	5309.9510
10	5309.9546	5309.9536	5309.9528	5309.9523
20	5309.9565	5309.9557	5309.9554	5309.9552
30	5309.9616	5309.9614	5309.9612	5309.9609
40	5309.9634	5309.9627	5309.9626	5309.9622
Max. Deviation (MHz)	0.0467	0.0477	0.0482	0.0490
Max. Deviation (ppm)	8.79	8.98	9.08	9.23
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9567	5549.9566	5549.9561	5549.9556
110.00	5549.9565	5549.9557	5549.9547	5549.9546
93.50	5549.9562	5549.9553	5549.9544	5549.9542
Max. Deviation (MHz)	0.0438	0.0447	0.0456	0.0458
Max. Deviation (ppm)	7.89	8.05	8.22	8.25
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9549	5549.9542	5549.9540	5549.9535
10	5549.9558	5549.9549	5549.9548	5549.9542
20	5549.9565	5549.9557	5549.9551	5549.9547
30	5549.9616	5549.9611	5549.9604	5549.9596
40	5549.9630	5549.9622	5549.9613	5549.9603
Max. Deviation (MHz)	0.0451	0.0458	0.0460	0.0465
Max. Deviation (ppm)	8.13	8.25	8.29	8.38
Result	Pass			



Mode: 80 MHz / Port 2

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9566	5289.9562	5289.9560	5289.9554
110.00	5289.9565	5289.9563	5289.9559	5289.9549
93.50	5289.9560	5289.9556	5289.9548	5289.9538
Max. Deviation (MHz)	0.0440	0.0444	0.0452	0.0462
Max. Deviation (ppm)	8.32	8.39	8.54	8.73
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9534	5289.9528	5289.9523	5289.9520
10	5289.9552	5289.9544	5289.9537	5289.9530
20	5289.9565	5289.9563	5289.9562	5289.9553
30	5289.9616	5289.9608	5289.9600	5289.9596
40	5289.9622	5289.9621	5289.9613	5289.9612
Max. Deviation (MHz)	0.0466	0.0472	0.0477	0.0480
Max. Deviation (ppm)	8.81	8.92	9.02	9.07
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9568	5529.9567	5529.9563	5529.9560
110.00	5529.9565	5529.9558	5529.9556	5529.9548
93.50	5529.9562	5529.9553	5529.9543	5529.9537
Max. Deviation (MHz)	0.0438	0.0447	0.0457	0.0463
Max. Deviation (ppm)	7.92	8.08	8.26	8.37
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9560	5529.9555	5529.9550	5529.9540
10	5529.9561	5529.9560	5529.9551	5529.9543
20	5529.9565	5529.9556	5529.9548	5529.9547
30	5529.9616	5529.9614	5529.9604	5529.9602
40	5529.9633	5529.9629	5529.9626	5529.9616
Max. Deviation (MHz)	0.0440	0.0445	0.0452	0.0460
Max. Deviation (ppm)	7.96	8.05	8.17	8.32
Result	Pass			