


802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5825MHz

21/05/2020

CF  
5.825GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.20	13.20	7.50	7.06	7.46	7.28


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5190MHz

21/05/2020

CF  
5.19GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.53	9.53	3.51	3.66	3.68	3.57


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5230MHz

21/05/2020

CF  
5.23GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.03	12.03	5.85	6.25	6.29	6.06


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5270MHz

21/05/2020

CF 5.27GHz  
 Span 60MHz  
 RBW 1MHz  
 VBW 3MHz  
 Sweep Time 20ms  
 Detector Type RMS



Sum  
 Port 1  
 Port 2  
 Port 3  
 Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.90	5.90	-0.09	-0.11	0.00	0.10


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5310MHz

21/05/2020

CF 5.31GHz  
 Span 60MHz  
 RBW 1MHz  
 VBW 3MHz  
 Sweep Time 20ms  
 Detector Type RMS



Sum  
 Port 1  
 Port 2  
 Port 3  
 Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.78	5.78	-0.10	-0.04	-0.19	-0.06


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5510MHz

21/05/2020




CF 5.51GHz  
 Span 60MHz  
 RBW 1MHz  
 VBW 3MHz  
 Sweep Time 20ms  
 Detector Type RMS









Sum  
 Port 1  
 Port 2  
 Port 3  
 Port 4




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.92	5.92	-0.24	-0.02	0.10	0.17












802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5775MHz

21/05/2020

CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.80	6.80	0.89	0.91	1.05	0.73


802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

21/05/2020

CF  
5.17GHz  
Span  
320MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.35	1.35	-4.77	-4.75	-4.36	-4.42


802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

PSD

5250MHz Straddle 5.25-5.35GHz


21/05/2020

CF  
5.33GHz  
Span  
320MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.56	1.56	-4.52	-4.42	-4.34	-4.23





# RSE below 1GHz Result

Appendix E.1

RSE below 1GHz Result																																																																																																			
Operating Mode	2	Polarization	Vertical																																																																																																
Operating Function	CTX - SKU 2 (2.4GHz) + adapter 5																																																																																																		
<p>The plot shows the RSE level in dBuV/m on the y-axis (0 to 100) against frequency in MHz on the x-axis (30 to 1000). A red line represents the FCC CLASS-B limit, which is 40 dBuV/m from 30 MHz to 100 MHz, then steps up to 45 dBuV/m from 100 MHz to 1000 MHz. A blue line represents the measured emission level, which stays below the limit. A 5dB margin is indicated between the limit and the measured level.</p>																																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>34.74</td> <td>40.00</td> <td>-5.26</td> <td>40.50</td> <td>0.69</td> <td>25.11</td> <td>31.56</td> <td>103</td> <td>112 QP</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>35.82</td> <td>35.53</td> <td>40.00</td> <td>-4.47</td> <td>44.00</td> <td>0.77</td> <td>22.25</td> <td>31.49</td> <td>103</td> <td>130 QP</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>39.70</td> <td>34.28</td> <td>40.00</td> <td>-5.72</td> <td>45.00</td> <td>0.83</td> <td>19.96</td> <td>31.51</td> <td>104</td> <td>105 QP</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>48.43</td> <td>35.77</td> <td>40.00</td> <td>-4.23</td> <td>51.09</td> <td>0.92</td> <td>15.46</td> <td>31.70</td> <td>150</td> <td>22 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>66.86</td> <td>34.89</td> <td>40.00</td> <td>-5.11</td> <td>53.15</td> <td>1.01</td> <td>12.60</td> <td>31.87</td> <td>150</td> <td>332 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>79.47</td> <td>34.29</td> <td>40.00</td> <td>-5.71</td> <td>51.74</td> <td>1.15</td> <td>13.26</td> <td>31.86</td> <td>150</td> <td>306 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	30.97	34.74	40.00	-5.26	40.50	0.69	25.11	31.56	103	112 QP	VERTICAL	2	35.82	35.53	40.00	-4.47	44.00	0.77	22.25	31.49	103	130 QP	VERTICAL	3	39.70	34.28	40.00	-5.72	45.00	0.83	19.96	31.51	104	105 QP	VERTICAL	4	48.43	35.77	40.00	-4.23	51.09	0.92	15.46	31.70	150	22 Peak	VERTICAL	5	66.86	34.89	40.00	-5.11	53.15	1.01	12.60	31.87	150	332 Peak	VERTICAL	6	79.47	34.29	40.00	-5.71	51.74	1.15	13.26	31.86	150	306 Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																									
1	30.97	34.74	40.00	-5.26	40.50	0.69	25.11	31.56	103	112 QP	VERTICAL																																																																																								
2	35.82	35.53	40.00	-4.47	44.00	0.77	22.25	31.49	103	130 QP	VERTICAL																																																																																								
3	39.70	34.28	40.00	-5.72	45.00	0.83	19.96	31.51	104	105 QP	VERTICAL																																																																																								
4	48.43	35.77	40.00	-4.23	51.09	0.92	15.46	31.70	150	22 Peak	VERTICAL																																																																																								
5	66.86	34.89	40.00	-5.11	53.15	1.01	12.60	31.87	150	332 Peak	VERTICAL																																																																																								
6	79.47	34.29	40.00	-5.71	51.74	1.15	13.26	31.86	150	306 Peak	VERTICAL																																																																																								
<p>Note 1: "&gt;20dB" means emission levels that exceed the level of 20 dB below the applicable limit.            Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																			



# RSE below 1GHz Result

RSE below 1GHz Result																																																																																																			
Operating Mode	2	Polarization	Horizontal																																																																																																
Operating Function	CTX - SKU 2 (2.4GHz) + adapter 5																																																																																																		
<p>The graph displays the RSE below 1GHz result. The y-axis represents Level (dBuV/m) from 0 to 100, and the x-axis represents Frequency (MHz) from 30 to 1000. A red line indicates the FCC CLASS-B limit, which is 46 dBuV/m. A blue line shows the measured emission levels, which are consistently below the limit. A 5dB margin is indicated between the limit and the measured levels. Six peaks are identified and numbered 1 through 6.</p>																																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>68.80</td> <td>32.29</td> <td>40.00</td> <td>-7.71</td> <td>50.55</td> <td>1.02</td> <td>12.60</td> <td>31.88</td> <td>300</td> <td>313</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>102.75</td> <td>36.56</td> <td>43.50</td> <td>-6.94</td> <td>49.79</td> <td>1.32</td> <td>17.41</td> <td>31.96</td> <td>200</td> <td>12</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>167.74</td> <td>35.77</td> <td>43.50</td> <td>-7.73</td> <td>49.90</td> <td>1.65</td> <td>16.11</td> <td>31.89</td> <td>200</td> <td>359</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>222.06</td> <td>36.11</td> <td>46.00</td> <td>-9.89</td> <td>49.66</td> <td>1.87</td> <td>16.56</td> <td>31.98</td> <td>300</td> <td>137</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5</td> <td>499.48</td> <td>38.12</td> <td>46.00</td> <td>-7.88</td> <td>43.87</td> <td>2.93</td> <td>23.80</td> <td>32.48</td> <td>200</td> <td>220</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>6</td> <td>893.30</td> <td>40.28</td> <td>46.00</td> <td>-5.72</td> <td>40.99</td> <td>4.05</td> <td>27.65</td> <td>32.41</td> <td>300</td> <td>285</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	68.80	32.29	40.00	-7.71	50.55	1.02	12.60	31.88	300	313	Peak HORIZONTAL	2	102.75	36.56	43.50	-6.94	49.79	1.32	17.41	31.96	200	12	Peak HORIZONTAL	3	167.74	35.77	43.50	-7.73	49.90	1.65	16.11	31.89	200	359	Peak HORIZONTAL	4	222.06	36.11	46.00	-9.89	49.66	1.87	16.56	31.98	300	137	Peak HORIZONTAL	5	499.48	38.12	46.00	-7.88	43.87	2.93	23.80	32.48	200	220	Peak HORIZONTAL	6	893.30	40.28	46.00	-5.72	40.99	4.05	27.65	32.41	300	285	Peak HORIZONTAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																									
1	68.80	32.29	40.00	-7.71	50.55	1.02	12.60	31.88	300	313	Peak HORIZONTAL																																																																																								
2	102.75	36.56	43.50	-6.94	49.79	1.32	17.41	31.96	200	12	Peak HORIZONTAL																																																																																								
3	167.74	35.77	43.50	-7.73	49.90	1.65	16.11	31.89	200	359	Peak HORIZONTAL																																																																																								
4	222.06	36.11	46.00	-9.89	49.66	1.87	16.56	31.98	300	137	Peak HORIZONTAL																																																																																								
5	499.48	38.12	46.00	-7.88	43.87	2.93	23.80	32.48	200	220	Peak HORIZONTAL																																																																																								
6	893.30	40.28	46.00	-5.72	40.99	4.05	27.65	32.41	300	285	Peak HORIZONTAL																																																																																								
<p>Note 1: "&gt;20dB" means emission levels that exceed the level of 20 dB below the applicable limit.            Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																			






<SKU 1, Non-beamforming function: 5GHz Band 3>  
For 2T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7264G	68.18	68.20	-0.02	7.82	3	Vertical	157	2.14	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5500MHz\_TX




EUT\_Z\_2TX  
Setting 82  
06-K-3-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4572G	63.37	74.00	-10.63	7.50	3	Vertical	157	2.12	-
AV	5.4568G	49.65	54.00	-4.35	7.50	3	Vertical	157	2.12	-
PK	5.4668G	67.65	68.20	-0.55	7.52	3	Vertical	157	2.12	-
PK	5.4968G	118.43	Inf	-Inf	7.59	3	Vertical	157	2.12	-
AV	5.502G	107.60	Inf	-Inf	7.60	3	Vertical	157	2.12	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5500MHz\_TX




EUT Z\_2TX  
Setting 82  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.99022G	58.37	74.00	-15.63	17.04	3	Vertical	71	1.50	-
AV	10.9997G	44.92	54.00	-9.08	17.05	3	Vertical	71	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5500MHz\_TX




EUT Z\_2TX  
Setting 82  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.99238G	58.50	74.00	-15.50	17.04	3	Horizontal	333	1.50	-
AV	10.99556G	44.93	54.00	-9.07	17.05	3	Horizontal	333	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5580MHz\_TX




EUT\_Z\_2TX  
Setting 116  
06-C-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4336G	63.84	74.00	-10.16	7.45	3	Vertical	153	2.12	-
AV	5.444G	50.17	54.00	-3.83	7.48	3	Vertical	153	2.12	-
PK	5.4616G	63.41	68.20	-4.79	7.51	3	Vertical	153	2.12	-
PK	5.5872G	125.81	Inf	-Inf	7.56	3	Vertical	153	2.12	-
AV	5.5816G	114.17	Inf	-Inf	7.56	3	Vertical	153	2.12	-
PK	5.7504G	63.21	68.20	-4.99	7.86	3	Vertical	153	2.12	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5580MHz\_TX




EUT Z\_2TX  
Setting 116  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1477G	59.22	74.00	-14.78	16.92	3	Vertical	12	2.27	-
AV	11.15712G	44.89	54.00	-9.11	16.91	3	Vertical	12	2.27	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5580MHz\_TX




EUT Z\_2TX  
Setting 116  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15448G	58.61	74.00	-15.39	16.92	3	Horizontal	255	1.64	-
AV	11.14842G	44.88	54.00	-9.12	16.92	3	Horizontal	255	1.64	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5700MHz\_TX



EUT\_Z\_2TX  
Setting 80  
06-C-4-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6972G	116.75	Inf	-Inf	7.75	3	Vertical	157	2.14	-
AV	5.6976G	106.28	Inf	-Inf	7.76	3	Vertical	157	2.14	-
PK	5.7264G	68.18	68.20	-0.02	7.82	3	Vertical	157	2.14	-



### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5700MHz\_TX




EUT Z\_2TX  
 Setting 80  
 06-K-3  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38866G	58.45	74.00	-15.55	16.70	3	Vertical	290	1.01	-
AV	11.39988G	44.80	54.00	-9.20	16.69	3	Vertical	290	1.01	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5700MHz\_TX




EUT Z\_2TX  
Setting 80  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39478G	58.22	74.00	-15.78	16.71	3	Horizontal	321	2.86	-
AV	11.3886G	44.32	54.00	-9.68	16.70	3	Horizontal	321	2.86	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 116  
06-C-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7176G	125.04	Inf	-Inf	7.80	3	Vertical	156	2.02	-
AV	5.7224G	113.12	Inf	-Inf	7.80	3	Vertical	156	2.02	-
PK	5.852G	63.37	68.20	-4.83	8.06	3	Vertical	156	2.02	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
 Setting 116  
 06-K-3  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42908G	57.75	74.00	-16.25	16.67	3	Vertical	257	1.50	-
AV	11.43052G	44.06	54.00	-9.94	16.68	3	Vertical	257	1.50	-

### 802.11a\_Nss1,(6Mbps)\_2TX

22/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_2TX  
Setting 116  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43238G	57.64	74.00	-16.36	16.66	3	Horizontal	18	2.08	-
AV	11.43172G	44.07	54.00	-9.93	16.67	3	Horizontal	18	2.08	-




For 2T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.4668G	68.17	68.20	-0.03	7.52	3	Vertical	332	2.99	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

17/07/2019

5500MHz\_TX




EUT\_Z\_2TX  
Setting 84  
06-K-3-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4552G	62.94	74.00	-11.06	7.49	3	Vertical	155	2.21	-
AV	5.4584G	50.14	54.00	-3.86	7.51	3	Vertical	155	2.21	-
PK	5.4672G	67.21	68.20	-0.99	7.52	3	Vertical	155	2.21	-
PK	5.4948G	118.87	Inf	-Inf	7.59	3	Vertical	155	2.21	-
AV	5.5064G	107.45	Inf	-Inf	7.60	3	Vertical	155	2.21	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5500MHz\_TX



EUT Z\_2TX  
Setting 84  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00212G	54.34	74.00	-19.66	12.74	3	Vertical	76	1.75	-
AV	11.00168G	40.14	54.00	-13.86	12.74	3	Vertical	76	1.75	-



802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5500MHz\_TX




EUT Z\_2TX  
Setting 84  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0062G	54.28	74.00	-19.72	12.74	3	Horizontal	275	2.19	-
AV	10.99636G	40.17	54.00	-13.83	12.74	3	Horizontal	275	2.19	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

17/07/2019

5580MHz\_TX




EUT Z\_2TX  
Setting 116  
06-C-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4592G	63.12	74.00	-10.88	7.51	3	Vertical	153	2.15	-
AV	5.4504G	50.10	54.00	-3.90	7.48	3	Vertical	153	2.15	-
PK	5.4672G	63.08	68.20	-5.12	7.52	3	Vertical	153	2.15	-
PK	5.5744G	126.12	Inf	-Inf	7.57	3	Vertical	153	2.15	-
AV	5.5776G	111.90	Inf	-Inf	7.56	3	Vertical	153	2.15	-
PK	5.7512G	62.61	68.20	-5.59	7.86	3	Vertical	153	2.15	-

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

### 5580MHz\_TX




EUT Z\_2TX  
Setting 116  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1578G	54.09	74.00	-19.91	12.82	3	Vertical	142	1.25	-
AV	11.15996G	40.29	54.00	-13.71	12.82	3	Vertical	142	1.25	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5580MHz\_TX




EUT Z\_2TX  
Setting 116  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.15092G	54.11	74.00	-19.89	12.83	3	Horizontal	250	1.10	-
AV	11.15372G	39.81	54.00	-14.19	12.83	3	Horizontal	250	1.10	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

12/07/2019

5700MHz\_TX




EUT Z\_2TX  
 Setting 76  
 06-K-3-10  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7032G	115.83	Inf	-Inf	7.77	3	Vertical	156	1.99	-
AV	5.702G	104.74	Inf	-Inf	7.76	3	Vertical	156	1.99	-
PK	5.7264G	67.40	68.20	-0.80	7.82	3	Vertical	156	1.99	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5700MHz\_TX




EUT Z\_2TX  
Setting 76  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.39936G	54.53	74.00	-19.47	12.96	3	Vertical	236	1.78	-
AV	11.39892G	39.96	54.00	-14.04	12.96	3	Vertical	236	1.78	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5700MHz\_TX




EUT\_Z\_2TX  
Setting 76  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4024G	53.66	74.00	-20.34	12.96	3	Horizontal	108	2.44	-
AV	11.39736G	39.95	54.00	-14.05	12.96	3	Horizontal	108	2.44	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

17/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_2TX  
Setting 116  
06-C-4-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7176G	124.55	Inf	-Inf	7.80	3	Vertical	152	2.14	-
AV	5.7168G	111.17	Inf	-Inf	7.79	3	Vertical	152	2.14	-
PK	5.8528G	62.74	68.20	-5.46	8.06	3	Vertical	152	2.14	-



802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
 Setting 116  
 06-S-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44976G	53.59	74.00	-20.41	12.98	3	Vertical	4	1.05	-
AV	11.44952G	39.88	54.00	-14.12	12.98	3	Vertical	4	1.05	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

24/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
Setting 116  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4414G	53.93	74.00	-20.07	12.98	3	Horizontal	91	1.03	-
AV	11.44688G	39.95	54.00	-14.05	12.98	3	Horizontal	91	1.03	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

12/07/2019

5510MHz\_TX




EUT\_Z\_2TX  
Setting 78  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	64.64	74.00	-9.36	7.49	3	Vertical	332	2.99	-
AV	5.4584G	51.34	54.00	-2.66	7.51	3	Vertical	332	2.99	-
PK	5.4668G	68.17	68.20	-0.03	7.52	3	Vertical	332	2.99	-
PK	5.5156G	115.37	Inf	-Inf	7.58	3	Vertical	332	2.99	-
AV	5.5164G	102.32	Inf	-Inf	7.58	3	Vertical	332	2.99	-

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

### 5510MHz\_TX




EUT Z\_2TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01772G	54.76	74.00	-19.24	12.75	3	Vertical	136	1.78	-
AV	11.01588G	40.15	54.00	-13.85	12.75	3	Vertical	136	1.78	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5510MHz\_TX




EUT Z\_2TX  
Setting 78  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.01204G	54.13	74.00	-19.87	12.75	3	Horizontal	205	2.38	-
AV	11.01028G	40.11	54.00	-13.89	12.75	3	Horizontal	205	2.38	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

12/07/2019

5550MHz\_TX




EUT\_Z\_2TX  
Setting 95  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4558G	67.84	74.00	-6.16	7.49	3	Vertical	153	2.08	-
AV	5.4594G	51.52	54.00	-2.48	7.51	3	Vertical	153	2.08	-
PK	5.469G	67.99	68.20	-0.21	7.54	3	Vertical	153	2.08	-
PK	5.5542G	119.99	Inf	-Inf	7.58	3	Vertical	153	2.08	-
AV	5.556G	106.93	Inf	-Inf	7.57	3	Vertical	153	2.08	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5550MHz\_TX




EUT\_Z\_2TX  
Setting 95  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.09024G	53.86	74.00	-20.14	12.79	3	Vertical	5	2.31	-
AV	11.10652G	39.91	54.00	-14.09	12.79	3	Vertical	5	2.31	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5550MHz\_TX



EUT Z\_2TX  
 Setting 95  
 06-S-5  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.10452G	54.08	74.00	-19.92	12.79	3	Horizontal	268	2.02	-
AV	11.09928G	39.88	54.00	-14.12	12.79	3	Horizontal	268	2.02	-



802.11ax HEW40\_Nss2,(MCS0)\_2TX

12/07/2019

5670MHz\_TX




EUT Z\_2TX  
Setting 85  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.6634G	115.90	Inf	-Inf	7.68	3	Vertical	335	2.97	-
AV	5.6778G	102.88	Inf	-Inf	7.72	3	Vertical	335	2.97	-
PK	5.7282G	67.99	68.20	-0.21	7.83	3	Vertical	335	2.97	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5670MHz\_TX




EUT Z\_2TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34212G	58.74	74.00	-15.26	17.04	3	Vertical	190	1.50	-
AV	11.34528G	44.03	54.00	-9.97	17.04	3	Vertical	190	1.50	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5670MHz\_TX




EUT Z\_2TX  
Setting 85  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.34184G	57.81	74.00	-16.19	17.04	3	Horizontal	183	1.58	-
AV	11.34524G	44.09	54.00	-9.91	17.04	3	Horizontal	183	1.58	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

12/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
Setting 108  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7172G	121.43	Inf	-Inf	7.79	3	Vertical	157	2.06	-
AV	5.7132G	108.02	Inf	-Inf	7.79	3	Vertical	157	2.06	-
PK	5.85G	64.46	68.20	-3.74	8.06	3	Vertical	157	2.06	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.42408G	53.48	74.00	-20.52	12.97	3	Vertical	283	2.12	-
AV	11.4122G	39.87	54.00	-14.13	12.96	3	Vertical	283	2.12	-

802.11ax HEW40\_Nss2,(MCS0)\_2TX

24/07/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
Setting 108  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4136G	54.76	74.00	-19.24	12.96	3	Horizontal	66	1.18	-
AV	11.41436G	39.81	54.00	-14.19	12.96	3	Horizontal	66	1.18	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

12/07/2019

5530MHz\_TX




EUT Z\_2TX  
Setting 83  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.338G	60.55	68.20	-7.65	7.17	3	Vertical	339	1.13	-
PK	5.4556G	68.39	74.00	-5.61	7.49	3	Vertical	339	1.13	-
AV	5.4596G	51.69	54.00	-2.31	7.51	3	Vertical	339	1.13	-
PK	5.4604G	67.93	68.20	-0.27	7.51	3	Vertical	339	1.13	-
PK	5.522G	112.60	Inf	-Inf	7.59	3	Vertical	339	1.13	-
AV	5.5396G	98.83	Inf	-Inf	7.58	3	Vertical	339	1.13	-
PK	5.7292G	60.22	68.20	-7.98	7.83	3	Vertical	339	1.13	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

24/07/2019

5530MHz\_TX



EUT\_Z\_2TX  
Setting 83  
06-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.05624G	54.25	74.00	-19.75	12.77	3	Vertical	331	1.45	-
AV	11.05856G	39.87	54.00	-14.13	12.77	3	Vertical	331	1.45	-



802.11ax HEW80\_Nss2,(MCS0)\_2TX

24/07/2019

5530MHz\_TX




EUT\_Z\_2TX  
Setting 83  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.0576G	53.95	74.00	-20.05	12.77	3	Horizontal	238	1.65	-
AV	11.05112G	39.86	54.00	-14.14	12.77	3	Horizontal	238	1.65	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

12/07/2019

5610MHz\_TX




EUT\_Z\_2TX  
Setting 90  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.448G	63.89	74.00	-10.11	7.49	3	Vertical	336	2.93	-
AV	5.46G	50.94	54.00	-3.06	7.51	3	Vertical	336	2.93	-
PK	5.469G	66.23	68.20	-1.97	7.54	3	Vertical	336	2.93	-
PK	5.6G	116.00	Inf	-Inf	7.55	3	Vertical	336	2.93	-
AV	5.603G	101.77	Inf	-Inf	7.56	3	Vertical	336	2.93	-
PK	5.728G	67.97	68.20	-0.23	7.83	3	Vertical	336	2.93	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

24/07/2019

5610MHz\_TX




EUT\_Z\_2TX  
Setting 90  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.22012G	53.53	74.00	-20.47	12.85	3	Vertical	175	1.89	-
AV	11.215G	39.93	54.00	-14.07	12.86	3	Vertical	175	1.89	-

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

24/07/2019

### 5610MHz\_TX




EUT\_Z\_2TX  
Setting 90  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.21432G	53.81	74.00	-20.19	12.86	3	Horizontal	181	2.06	-
AV	11.21056G	39.88	54.00	-14.12	12.86	3	Horizontal	181	2.06	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

12/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
Setting 98  
06-S-5-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.46G	62.20	74.00	-11.80	7.51	3	Vertical	333	2.99	-
AV	5.459G	49.52	54.00	-4.48	7.51	3	Vertical	333	2.99	-
PK	5.4699G	62.28	68.20	-5.92	7.54	3	Vertical	333	2.99	-
PK	5.68G	115.99	Inf	-Inf	7.72	3	Vertical	333	2.99	-
AV	5.68G	102.40	Inf	-Inf	7.72	3	Vertical	333	2.99	-
PK	5.851G	67.96	68.20	-0.24	8.06	3	Vertical	333	2.99	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

24/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 98  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.38616G	54.02	74.00	-19.98	12.95	3	Vertical	107	1.99	-
AV	11.38472G	39.95	54.00	-14.05	12.95	3	Vertical	107	1.99	-

802.11ax HEW80\_Nss2,(MCS0)\_2TX

24/07/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 98  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.37636G	54.03	74.00	-19.97	12.94	3	Horizontal	99	1.07	-
AV	11.38504G	39.91	54.00	-14.09	12.95	3	Horizontal	99	1.07	-

802.11ax HEW160\_Nss2,(MCS0)\_2TX

12/07/2019

5570MHz\_TX



EUT\_Z\_2TX  
Setting 77  
06-S-5-10  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.3252G	63.50	68.20	-4.70	7.15	3	Vertical	331	2.93	-
PK	5.4516G	66.98	74.00	-7.02	7.48	3	Vertical	331	2.93	-
AV	5.4532G	53.78	54.00	-0.22	7.49	3	Vertical	331	2.93	-
PK	5.4628G	67.56	68.20	-0.64	7.52	3	Vertical	331	2.93	-
PK	5.5748G	108.40	Inf	-Inf	7.57	3	Vertical	331	2.93	-
AV	5.5892G	96.47	Inf	-Inf	7.55	3	Vertical	331	2.93	-
PK	5.7268G	63.84	68.20	-4.36	7.82	3	Vertical	331	2.93	-



802.11ax HEW160\_Nss2,(MCS0)\_2TX

24/07/2019

5570MHz\_TX




EUT Z\_2TX  
Setting 77  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.14792G	58.15	74.00	-15.85	17.27	3	Vertical	142	2.40	-
AV	11.14892G	45.79	54.00	-8.21	17.27	3	Vertical	142	2.40	-

802.11ax HEW160\_Nss2,(MCS0)\_2TX

24/07/2019

5570MHz\_TX



EUT Z\_2TX  
Setting 77  
06-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1378G	58.32	74.00	-15.68	17.29	3	Horizontal	45	1.52	-
AV	11.13928G	45.55	54.00	-8.45	17.29	3	Horizontal	45	1.52	-




For 4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7252G	68.02	68.20	-0.18	7.82	3	Vertical	340	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 78  
06-K-3-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.456G	64.01	74.00	-9.99	7.49	3	Vertical	17	2.05	-
AV	5.456G	50.60	54.00	-3.40	7.49	3	Vertical	17	2.05	-
PK	5.4664G	67.93	68.20	-0.27	7.52	3	Vertical	17	2.05	-
PK	5.4952G	121.94	Inf	-Inf	7.59	3	Vertical	17	2.05	-
AV	5.4952G	111.92	Inf	-Inf	7.59	3	Vertical	17	2.05	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 78  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.9901G	58.87	74.00	-15.13	17.03	3	Vertical	272	1.50	-
AV	10.99328G	45.01	54.00	-8.99	17.04	3	Vertical	272	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 78  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.00438G	58.66	74.00	-15.34	17.05	3	Horizontal	263	2.88	-
AV	10.99286G	44.88	54.00	-9.12	17.04	3	Horizontal	263	2.88	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 100  
06-K-3-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.4384G	65.21	74.00	-8.79	7.46	3	Vertical	341	2.05	-
AV	5.4448G	52.27	54.00	-1.73	7.48	3	Vertical	341	2.05	-
PK	5.4672G	65.47	68.20	-2.73	7.52	3	Vertical	341	2.05	-
PK	5.5816G	126.33	Inf	-Inf	7.56	3	Vertical	341	2.05	-
AV	5.5816G	116.39	Inf	-Inf	7.56	3	Vertical	341	2.05	-
PK	5.74G	64.61	68.20	-3.59	7.84	3	Vertical	341	2.05	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5580MHz\_TX



EUT Z\_4TX  
Setting 100  
06-K-3  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.1696G	58.41	74.00	-15.59	16.89	3	Vertical	219	2.41	-
AV	11.1513G	44.58	54.00	-9.42	16.92	3	Vertical	219	2.41	-



### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 100  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.16876G	58.38	74.00	-15.62	16.89	3	Horizontal	27	1.50	-
AV	11.14524G	44.34	54.00	-9.66	16.92	3	Horizontal	27	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 79  
06-K-3-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7024G	119.31	Inf	-Inf	7.76	3	Vertical	340	1.50	-
AV	5.7028G	109.38	Inf	-Inf	7.77	3	Vertical	340	1.50	-
PK	5.7252G	68.02	68.20	-0.18	7.82	3	Vertical	340	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 79  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.40468G	58.79	74.00	-15.21	17.21	3	Vertical	24	1.50	-
AV	11.3883G	44.46	54.00	-9.54	17.22	3	Vertical	24	1.50	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 79  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4093G	57.60	74.00	-16.40	16.68	3	Horizontal	221	1.50	-
AV	11.385G	43.93	54.00	-10.07	16.71	3	Horizontal	221	1.50	-

802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 100  
06-K-3-13  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.7168G	124.15	Inf	-Inf	7.79	3	Vertical	339	2.98	-
AV	5.7168G	114.08	Inf	-Inf	7.79	3	Vertical	339	2.98	-
PK	5.8624G	65.66	68.20	-2.54	8.08	3	Vertical	339	2.98	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 100  
06-K-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.43722G	57.62	74.00	-16.38	16.66	3	Vertical	113	1.59	-
AV	11.43988G	43.74	54.00	-10.26	16.66	3	Vertical	113	1.59	-

### 802.11a\_Nss1,(6Mbps)\_4TX

23/07/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
 Setting 100  
 06-K-3  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.44978G	57.93	74.00	-16.07	16.65	3	Horizontal	263	1.09	-
AV	11.42776G	43.92	54.00	-10.08	16.67	3	Horizontal	263	1.09	-




**<SKU 1, Beamforming function: 5GHz Band 3>  
For 2T1S  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4672G	67.99	68.20	-0.21	3	Vertical	207	2.05	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5500MHz\_TX

19/05/2020




EUT\_Z\_2TX  
Setting 75  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.45	74.00	-10.55	57.73	3	Vertical	33	2.28	-	31.71	5.80	31.79
AV	5.4588G	50.35	54.00	-3.65	44.62	3	Vertical	33	2.28	-	31.72	5.80	31.79
PK	5.4688G	67.84	68.20	-0.36	62.09	3	Vertical	33	2.28	-	31.74	5.80	31.79
PK	5.5088G	123.57	Inf	-Inf	117.80	3	Vertical	33	2.28	-	31.78	5.80	31.81
AV	5.5084G	111.94	Inf	-Inf	106.17	3	Vertical	33	2.28	-	31.78	5.80	31.81

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 75  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0014G	56.44	74.00	-17.56	41.72	3	Vertical	313	2.29	-	40.40	7.95	33.63
AV	10.99854G	43.21	54.00	-10.79	28.49	3	Vertical	313	2.29	-	40.40	7.95	33.63

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 75  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00402G	57.51	74.00	-16.49	42.80	3	Horizontal	279	1.69	-	40.39	7.95	33.63
AV	11.00288G	43.28	54.00	-10.72	28.56	3	Horizontal	279	1.69	-	40.40	7.95	33.63

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5580MHz\_TX




EUT\_Z\_2TX  
Setting 116  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	67.91	74.00	-6.09	62.20	3	Vertical	32	2.33	-	31.70	5.80	31.79
AV	5.46G	52.82	54.00	-1.18	47.09	3	Vertical	32	2.33	-	31.72	5.80	31.79
PK	5.5776G	129.19	Inf	-Inf	123.59	3	Vertical	32	2.33	-	31.64	5.80	31.84
AV	5.5784G	119.72	Inf	-Inf	114.12	3	Vertical	32	2.33	-	31.64	5.80	31.84
PK	5.4688G	67.82	68.20	-0.38	62.07	3	Vertical	32	2.33	-	31.74	5.80	31.79

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5580MHz\_TX




EUT Z\_2TX  
Setting 116  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15756G	57.44	74.00	-16.56	42.95	3	Vertical	207	1.80	-	40.16	8.01	33.68
AV	11.1556G	43.94	54.00	-10.06	29.45	3	Vertical	207	1.80	-	40.17	8.00	33.68
PK	16.73846G	60.51	68.20	-7.69	45.34	3	Vertical	52	1.86	-	39.86	9.18	33.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5580MHz\_TX




EUT Z\_2TX  
Setting 116  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16352G	57.31	74.00	-16.69	42.83	3	Horizontal	340	1.00	-	40.15	8.01	33.68
AV	11.15986G	43.66	54.00	-10.34	29.17	3	Horizontal	340	1.00	-	40.16	8.01	33.68
PK	16.7382G	60.21	68.20	-7.99	45.04	3	Horizontal	40	1.80	-	39.86	9.18	33.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 69  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6914G	121.32	Inf	-Inf	115.64	3	Vertical	35	2.37	-	31.69	5.88	31.89
AV	5.691G	108.20	Inf	-Inf	102.52	3	Vertical	35	2.37	-	31.69	5.88	31.89
PK	5.7268G	66.64	68.20	-1.56	60.81	3	Vertical	35	2.37	-	31.81	5.92	31.90

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5700MHz\_TX



EUT\_Z\_2TX  
Setting 69  
03-E-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3859G	57.41	74.00	-16.59	43.24	3	Vertical	124	1.83	-	39.82	8.09	33.74
AV	11.4004G	43.96	54.00	-10.04	29.82	3	Vertical	124	1.83	-	39.80	8.09	33.75



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 69  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4007G	56.36	74.00	-17.64	42.22	3	Horizontal	291	2.35	-	39.80	8.09	33.75
AV	11.3896G	43.83	54.00	-10.17	29.66	3	Horizontal	291	2.35	-	39.82	8.09	33.74

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 117  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4414G	61.73	74.00	-12.27	56.03	3	Vertical	157	2.19	-	31.68	5.80	31.78
PK	5.46G	60.72	68.20	-7.48	54.99	3	Vertical	157	2.19	-	31.72	5.80	31.79
AV	5.4582G	48.93	54.00	-5.07	43.20	3	Vertical	157	2.19	-	31.72	5.80	31.79
PK	5.7116G	128.60	Inf	-Inf	122.85	3	Vertical	157	2.19	-	31.75	5.90	31.90
AV	5.7256G	115.58	Inf	-Inf	109.76	3	Vertical	157	2.19	-	31.80	5.92	31.90
PK	5.8684G	67.74	68.20	-0.46	61.43	3	Vertical	157	2.19	-	32.31	5.97	31.97

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 117  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43888G	56.31	74.00	-17.69	42.23	3	Vertical	51	1.77	-	39.74	8.10	33.76
AV	11.43594G	43.23	54.00	-10.77	29.14	3	Vertical	51	1.77	-	39.75	8.10	33.76

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 117  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43902G	56.93	74.00	-17.07	42.85	3	Horizontal	139	2.01	-	39.74	8.10	33.76
AV	11.4413G	43.51	54.00	-10.49	29.43	3	Horizontal	139	2.01	-	39.74	8.10	33.76

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5510MHz\_TX




EUT\_Z\_2TX  
Setting 74  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.30	74.00	-7.70	60.57	3	Vertical	207	2.05	-	31.72	5.80	31.79
AV	5.4592G	50.01	54.00	-3.99	44.28	3	Vertical	207	2.05	-	31.72	5.80	31.79
PK	5.4672G	67.99	68.20	-0.21	62.25	3	Vertical	207	2.05	-	31.73	5.80	31.79
PK	5.4916G	115.75	Inf	-Inf	109.98	3	Vertical	207	2.05	-	31.78	5.80	31.81
AV	5.5028G	106.31	Inf	-Inf	100.53	3	Vertical	207	2.05	-	31.79	5.80	31.81

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5510MHz\_TX




EUT\_Z\_2TX  
Setting 74  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02264G	55.63	74.00	-18.37	40.94	3	Vertical	39	2.90	-	40.37	7.96	33.64
AV	11.02326G	42.60	54.00	-11.40	27.91	3	Vertical	39	2.90	-	40.37	7.96	33.64

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5510MHz\_TX




EUT\_Z\_2TX  
Setting 74  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02322G	55.42	74.00	-18.58	40.73	3	Horizontal	54	2.10	-	40.37	7.96	33.64
AV	11.01922G	42.63	54.00	-11.37	27.94	3	Horizontal	54	2.10	-	40.37	7.96	33.64

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5550MHz\_TX



EUT\_Z\_2TX  
Setting 91  
03-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	66.95	74.00	-7.05	61.22	3	Vertical	145	2.11	-	31.72	5.80	31.79
AV	5.4564G	51.17	54.00	-2.83	45.45	3	Vertical	145	2.11	-	31.71	5.80	31.79
PK	5.4696G	67.86	68.20	-0.34	62.11	3	Vertical	145	2.11	-	31.74	5.80	31.79
PK	5.544G	123.58	Inf	-Inf	117.90	3	Vertical	145	2.11	-	31.71	5.80	31.83
AV	5.5446G	111.06	Inf	-Inf	105.38	3	Vertical	145	2.11	-	31.71	5.80	31.83



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5550MHz\_TX




EUT\_Z\_2TX  
Setting 91  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10268G	56.97	74.00	-17.03	42.39	3	Vertical	228	2.68	-	40.25	7.99	33.66
AV	11.09652G	42.90	54.00	-11.10	28.32	3	Vertical	228	2.68	-	40.26	7.98	33.66

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5550MHz\_TX




EUT\_Z\_2TX  
Setting 91  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10446G	55.76	74.00	-18.24	41.19	3	Horizontal	211	2.79	-	40.24	7.99	33.66
AV	11.10268G	42.98	54.00	-11.02	28.40	3	Horizontal	211	2.79	-	40.25	7.99	33.66

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5670MHz\_TX




EUT\_Z\_2TX  
Setting 82  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6644G	119.71	Inf	-Inf	114.07	3	Vertical	196	1.92	-	31.66	5.86	31.88
AV	5.664G	106.71	Inf	-Inf	101.07	3	Vertical	196	1.92	-	31.66	5.86	31.88
PK	5.7292G	67.77	68.20	-0.43	61.93	3	Vertical	196	1.92	-	31.82	5.92	31.90

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5670MHz\_TX




EUT\_Z\_2TX  
Setting 82  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33912G	55.50	74.00	-18.50	41.27	3	Vertical	276	2.26	-	39.89	8.07	33.73
AV	11.33788G	42.47	54.00	-11.53	28.24	3	Vertical	276	2.26	-	39.89	8.07	33.73

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5670MHz\_TX




EUT\_Z\_2TX  
Setting 82  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3385G	55.76	74.00	-18.24	41.53	3	Horizontal	69	2.92	-	39.89	8.07	33.73
AV	11.33694G	42.58	54.00	-11.42	28.35	3	Horizontal	69	2.92	-	39.89	8.07	33.73

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 106  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4062G	61.47	74.00	-12.53	55.82	3	Vertical	36	2.35	-	31.61	5.80	31.76
AV	5.4286G	49.43	54.00	-4.57	43.74	3	Vertical	36	2.35	-	31.66	5.80	31.77
PK	5.4678G	62.63	68.20	-5.57	56.88	3	Vertical	36	2.35	-	31.74	5.80	31.79
PK	5.7128G	123.94	Inf	-Inf	118.19	3	Vertical	36	2.35	-	31.75	5.90	31.90
AV	5.7142G	111.68	Inf	-Inf	105.91	3	Vertical	36	2.35	-	31.76	5.91	31.90
PK	5.8556G	67.73	68.20	-0.47	61.45	3	Vertical	36	2.35	-	32.27	5.97	31.96

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 106  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42022G	55.49	74.00	-18.51	41.37	3	Vertical	283	1.69	-	39.77	8.10	33.75
AV	11.41724G	42.57	54.00	-11.43	28.45	3	Vertical	283	1.69	-	39.77	8.10	33.75

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 106  
03-E-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4176G	55.66	74.00	-18.34	41.54	3	Horizontal	356	2.25	-	39.77	8.10	33.75
AV	11.4193G	42.70	54.00	-11.30	28.58	3	Horizontal	356	2.25	-	39.77	8.10	33.75



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5530MHz\_TX




EUT\_Z\_2TX  
Setting 76  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4322G	67.86	74.00	-6.14	62.18	3	Vertical	152	2.02	-	31.66	5.80	31.78
PK	5.4682G	67.82	68.20	-0.38	62.07	3	Vertical	152	2.02	-	31.74	5.80	31.79
AV	5.4598G	52.33	54.00	-1.67	46.60	3	Vertical	152	2.02	-	31.72	5.80	31.79
PK	5.5072G	116.77	Inf	-Inf	110.99	3	Vertical	152	2.02	-	31.79	5.80	31.81
AV	5.5186G	102.50	Inf	-Inf	96.76	3	Vertical	152	2.02	-	31.76	5.80	31.82

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5530MHz\_TX




EUT\_Z\_2TX  
Setting 76  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06308G	55.19	74.00	-18.81	40.56	3	Vertical	155	2.77	-	40.31	7.97	33.65
AV	11.06492G	42.15	54.00	-11.85	27.53	3	Vertical	155	2.77	-	40.30	7.97	33.65

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5530MHz\_TX




EUT Z\_2TX  
Setting 76  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0638G	55.05	74.00	-18.95	40.43	3	Horizontal	252	2.73	-	40.30	7.97	33.65
AV	11.06434G	42.23	54.00	-11.77	27.61	3	Horizontal	252	2.73	-	40.30	7.97	33.65

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5610MHz\_TX




EUT\_Z\_2TX  
Setting 86  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.71	74.00	-11.29	56.98	3	Vertical	337	2.81	-	31.72	5.80	31.79
AV	5.46G	50.03	54.00	-3.97	44.30	3	Vertical	337	2.81	-	31.72	5.80	31.79
PK	5.47G	64.50	68.20	-3.70	58.75	3	Vertical	337	2.81	-	31.74	5.80	31.79
PK	5.583G	119.22	Inf	-Inf	113.63	3	Vertical	337	2.81	-	31.63	5.80	31.84
AV	5.573G	104.40	Inf	-Inf	98.79	3	Vertical	337	2.81	-	31.65	5.80	31.84
PK	5.728G	67.78	68.20	-0.42	61.95	3	Vertical	337	2.81	-	31.81	5.92	31.90

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5610MHz\_TX




EUT Z\_2TX  
Setting 86  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21576G	55.57	74.00	-18.43	41.15	3	Vertical	167	2.72	-	40.08	8.03	33.69
AV	11.22206G	42.33	54.00	-11.67	27.92	3	Vertical	167	2.72	-	40.07	8.03	33.69

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5610MHz\_TX




EUT Z\_2TX  
Setting 86  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21942G	56.18	74.00	-17.82	41.77	3	Horizontal	123	1.61	-	40.07	8.03	33.69
AV	11.21952G	42.36	54.00	-11.64	27.95	3	Horizontal	123	1.61	-	40.07	8.03	33.69

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 95  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	61.09	74.00	-12.91	55.43	3	Vertical	157	1.99	-	31.63	5.80	31.77
PK	5.4608G	61.09	68.20	-7.11	55.36	3	Vertical	157	1.99	-	31.72	5.80	31.79
AV	5.456G	47.87	54.00	-6.13	42.15	3	Vertical	157	1.99	-	31.71	5.80	31.79
PK	5.6816G	117.84	Inf	-Inf	112.17	3	Vertical	157	1.99	-	31.68	5.87	31.88
AV	5.678G	104.89	Inf	-Inf	99.22	3	Vertical	157	1.99	-	31.68	5.87	31.88
PK	5.85G	67.86	68.20	-0.34	61.60	3	Vertical	157	1.99	-	32.25	5.97	31.96

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 95  
03-E-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37724G	55.50	74.00	-18.50	41.33	3	Vertical	210	2.75	-	39.83	8.08	33.74
AV	11.38028G	41.88	54.00	-12.12	27.71	3	Vertical	210	2.75	-	39.83	8.08	33.74



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 95  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37514G	54.84	74.00	-19.16	40.66	3	Horizontal	334	2.36	-	39.84	8.08	33.74
AV	11.38332G	41.93	54.00	-12.07	27.76	3	Horizontal	334	2.36	-	39.83	8.08	33.74

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5570MHz\_TX




EUT Z\_2TX  
Setting 70  
03-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	60.97	68.20	-7.23	55.73	3	Vertical	150	1.80	-	31.23	5.73	31.72
PK	5.4516G	66.63	74.00	-7.37	60.92	3	Vertical	150	1.80	-	31.70	5.80	31.79
PK	5.4612G	67.72	68.20	-0.48	61.99	3	Vertical	150	1.80	-	31.72	5.80	31.79
AV	5.4596G	52.05	54.00	-1.95	46.32	3	Vertical	150	1.80	-	31.72	5.80	31.79
PK	5.5012G	114.62	Inf	-Inf	108.83	3	Vertical	150	1.80	-	31.80	5.80	31.81
AV	5.578G	97.79	Inf	-Inf	92.19	3	Vertical	150	1.80	-	31.64	5.80	31.84
PK	5.7732G	62.43	68.20	-5.77	56.40	3	Vertical	150	1.80	-	31.99	5.97	31.93

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5570MHz\_TX




EUT\_Z\_2TX  
Setting 70  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13522G	56.10	74.00	-17.90	41.57	3	Vertical	130	1.19	-	40.20	8.00	33.67
AV	11.13814G	42.40	54.00	-11.60	27.88	3	Vertical	130	1.19	-	40.19	8.00	33.67

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

19/05/2020

5570MHz\_TX



EUT\_Z\_2TX  
Setting 70  
03-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13752G	55.69	74.00	-18.31	41.17	3	Horizontal	250	1.30	-	40.19	8.00	33.67
AV	11.13506G	42.35	54.00	-11.65	27.82	3	Horizontal	250	1.30	-	40.20	8.00	33.67




For 4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4684G	68.11	68.20	-0.09	3	Vertical	225	2.15	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 75  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	63.77	74.00	-10.23	57.33	3	Vertical	320	1.99	-	34.45	6.97	34.98
AV	5.4536G	50.90	54.00	-3.10	44.46	3	Vertical	320	1.99	-	34.45	6.97	34.98
PK	5.47G	67.52	68.20	-0.68	61.05	3	Vertical	320	1.99	-	34.47	6.99	34.99
PK	5.4916G	125.66	Inf	-Inf	119.17	3	Vertical	320	1.99	-	34.49	7.00	35.00
AV	5.492G	113.47	Inf	-Inf	106.99	3	Vertical	320	1.99	-	34.49	7.00	35.01

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 75  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99732G	54.38	74.00	-19.62	40.37	3	Vertical	110	1.20	-	38.50	10.10	34.59
AV	10.99814G	41.21	54.00	-12.79	27.20	3	Vertical	110	1.20	-	38.50	10.10	34.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5500MHz\_TX



EUT\_Z\_4TX  
Setting 75  
03-A-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00088G	54.38	74.00	-19.62	40.37	3	Horizontal	118	1.31	-	38.50	10.10	34.59
AV	11.00458G	41.21	54.00	-12.79	27.20	3	Horizontal	118	1.31	-	38.50	10.10	34.59



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 110  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.78	74.00	-8.22	59.33	3	Vertical	149	2.00	-	34.46	6.97	34.98
AV	5.444G	53.30	54.00	-0.70	46.87	3	Vertical	149	2.00	-	34.44	6.97	34.98
PK	5.4632G	65.40	68.20	-2.80	58.95	3	Vertical	149	2.00	-	34.46	6.98	34.99
PK	5.5784G	129.48	Inf	-Inf	123.03	3	Vertical	149	2.00	-	34.42	7.02	34.99
AV	5.5784G	121.05	Inf	-Inf	114.60	3	Vertical	149	2.00	-	34.42	7.02	34.99
PK	5.744G	64.11	68.20	-4.09	57.72	3	Vertical	149	2.00	-	34.30	7.03	34.94

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 110  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15634G	55.40	74.00	-18.60	41.29	3	Vertical	16	1.21	-	38.61	10.12	34.62
AV	11.1583G	42.63	54.00	-11.37	28.52	3	Vertical	16	1.21	-	38.61	10.12	34.62

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 110  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16316G	55.53	74.00	-18.47	41.42	3	Horizontal	164	2.19	-	38.61	10.12	34.62
AV	11.155G	42.69	54.00	-11.31	28.58	3	Horizontal	164	2.19	-	38.61	10.12	34.62

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 72  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	123.50	Inf	-Inf	117.11	3	Vertical	205	2.06	-	34.31	7.03	34.95
AV	5.692G	111.68	Inf	-Inf	105.29	3	Vertical	205	2.06	-	34.31	7.03	34.95
PK	5.7256G	67.86	68.20	-0.34	61.47	3	Vertical	205	2.06	-	34.30	7.03	34.94

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 72  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39818G	54.95	74.00	-19.05	40.68	3	Vertical	198	1.92	-	38.78	10.15	34.66
AV	11.4025G	42.09	54.00	-11.91	27.82	3	Vertical	198	1.92	-	38.78	10.15	34.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 72  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40216G	54.83	74.00	-19.17	40.56	3	Horizontal	102	1.53	-	38.78	10.15	34.66
AV	11.40498G	42.07	54.00	-11.93	27.80	3	Horizontal	102	1.53	-	38.78	10.15	34.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 118  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	129.28	Inf	-Inf	122.90	3	Vertical	316	2.05	-	34.30	7.03	34.95
AV	5.7184G	120.26	Inf	-Inf	113.88	3	Vertical	316	2.05	-	34.30	7.03	34.95
PK	5.8512G	67.90	68.20	-0.30	61.36	3	Vertical	316	2.05	-	34.40	7.05	34.91

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 118  
03-A-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4489G	55.57	74.00	-18.43	41.27	3	Vertical	344	2.62	-	38.81	10.16	34.67
AV	11.4407G	42.23	54.00	-11.77	27.93	3	Vertical	344	2.62	-	38.81	10.16	34.67
PK	17.1578G	66.49	68.20	-1.71	48.31	3	Vertical	3	1.80	-	40.70	12.06	34.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 118  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4334G	55.85	74.00	-18.15	41.56	3	Horizontal	285	1.80	-	38.80	10.16	34.67
AV	11.4259G	42.14	54.00	-11.86	27.85	3	Horizontal	285	1.80	-	38.80	10.16	34.67
PK	17.17G	67.07	68.20	-1.13	48.81	3	Horizontal	228	1.79	-	40.77	12.07	34.58

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5510MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	63.93	74.00	-10.07	57.47	3	Vertical	216	2.41	-	34.46	6.98	34.98
AV	5.4596G	51.30	54.00	-2.70	44.85	3	Vertical	216	2.41	-	34.46	6.98	34.99
PK	5.47G	68.00	68.20	-0.20	61.53	3	Vertical	216	2.41	-	34.47	6.99	34.99
PK	5.5028G	120.01	Inf	-Inf	113.51	3	Vertical	216	2.41	-	34.50	7.01	35.01
AV	5.5036G	107.62	Inf	-Inf	101.12	3	Vertical	216	2.41	-	34.50	7.01	35.01

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5510MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02008G	54.40	74.00	-19.60	40.38	3	Vertical	69	1.16	-	38.51	10.10	34.59
AV	11.02147G	41.43	54.00	-12.57	27.40	3	Vertical	69	1.16	-	38.52	10.10	34.59

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5510MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02205G	54.50	74.00	-19.50	40.47	3	Horizontal	108	1.58	-	38.52	10.10	34.59
AV	11.02111G	41.44	54.00	-12.56	27.42	3	Horizontal	108	1.58	-	38.51	10.10	34.59

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 88  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	64.19	74.00	-9.81	57.74	3	Vertical	225	2.15	-	34.46	6.98	34.99
AV	5.4556G	52.17	54.00	-1.83	45.72	3	Vertical	225	2.15	-	34.46	6.97	34.98
PK	5.4684G	68.11	68.20	-0.09	61.65	3	Vertical	225	2.15	-	34.47	6.98	34.99
PK	5.5444G	123.43	Inf	-Inf	116.96	3	Vertical	225	2.15	-	34.46	7.01	35.00
AV	5.5524G	111.40	Inf	-Inf	104.92	3	Vertical	225	2.15	-	34.45	7.02	34.99
PK	5.7284G	62.96	68.20	-5.24	56.57	3	Vertical	225	2.15	-	34.30	7.03	34.94

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 88  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09925G	55.38	74.00	-18.62	41.31	3	Vertical	106	1.81	-	38.57	10.11	34.61
AV	11.0982G	41.91	54.00	-12.09	27.84	3	Vertical	106	1.81	-	38.57	10.11	34.61

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 88  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09829G	54.89	74.00	-19.11	40.82	3	Horizontal	126	2.00	-	38.57	10.11	34.61
AV	11.09987G	41.87	54.00	-12.13	27.80	3	Horizontal	126	2.00	-	38.57	10.11	34.61

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5670MHz\_TX



EUT\_Z\_4TX  
Setting 78  
03-A-B-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6644G	122.55	Inf	-Inf	116.14	3	Vertical	212	2.21	-	34.34	7.03	34.96
AV	5.6652G	109.81	Inf	-Inf	103.41	3	Vertical	212	2.21	-	34.33	7.03	34.96
PK	5.7268G	68.08	68.20	-0.12	61.69	3	Vertical	212	2.21	-	34.30	7.03	34.94



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5670MHz\_TX




EUT\_Z\_4TX  
Setting 78  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33834G	54.74	74.00	-19.26	40.51	3	Vertical	325	1.71	-	38.74	10.14	34.65
AV	11.34122G	41.91	54.00	-12.09	27.68	3	Vertical	325	1.71	-	38.74	10.14	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5670MHz\_TX




EUT\_Z\_4TX  
Setting 78  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3411G	54.64	74.00	-19.36	40.41	3	Horizontal	273	1.66	-	38.74	10.14	34.65
AV	11.34053G	41.79	54.00	-12.21	27.56	3	Horizontal	273	1.66	-	38.74	10.14	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 104  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	128.17	Inf	-Inf	121.79	3	Vertical	216	2.70	-	34.30	7.03	34.95
AV	5.6932G	115.31	Inf	-Inf	108.92	3	Vertical	216	2.70	-	34.31	7.03	34.95
PK	5.8508G	67.41	68.20	-0.79	60.87	3	Vertical	216	2.70	-	34.40	7.05	34.91

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 104  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42151G	56.07	74.00	-17.93	41.79	3	Vertical	222	1.27	-	38.80	10.15	34.67
AV	11.41932G	42.71	54.00	-11.29	28.44	3	Vertical	222	1.27	-	38.79	10.15	34.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 104  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4189G	55.78	74.00	-18.22	41.51	3	Horizontal	181	2.88	-	38.79	10.15	34.67
AV	11.42231G	42.73	54.00	-11.27	28.45	3	Horizontal	181	2.88	-	38.80	10.15	34.67

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5530MHz\_TX




EUT Z\_4TX  
Setting 70  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	61.60	68.20	-6.60	55.28	3	Vertical	218	2.52	-	34.34	6.89	34.91
PK	5.4412G	66.45	74.00	-7.55	60.02	3	Vertical	218	2.52	-	34.44	6.96	34.97
PK	5.462G	67.53	68.20	-0.67	61.08	3	Vertical	218	2.52	-	34.46	6.98	34.99
AV	5.4564G	53.63	54.00	-0.37	47.17	3	Vertical	218	2.52	-	34.46	6.98	34.98
PK	5.4924G	118.14	Inf	-Inf	111.66	3	Vertical	218	2.52	-	34.49	7.00	35.01
AV	5.518G	104.25	Inf	-Inf	97.76	3	Vertical	218	2.52	-	34.48	7.01	35.00
PK	5.726G	61.02	68.20	-7.18	54.63	3	Vertical	218	2.52	-	34.30	7.03	34.94

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5530MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05979G	54.89	74.00	-19.11	40.84	3	Vertical	266	2.12	-	38.54	10.11	34.60
AV	11.05998G	41.04	54.00	-12.96	26.99	3	Vertical	266	2.12	-	38.54	10.11	34.60

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5530MHz\_TX



EUT\_Z\_4TX  
Setting 70  
03-A-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06079G	54.63	74.00	-19.37	40.58	3	Horizontal	336	1.02	-	38.54	10.11	34.60
AV	11.05991G	41.04	54.00	-12.96	26.99	3	Horizontal	336	1.02	-	38.54	10.11	34.60



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5610MHz\_TX




EUT Z\_4TX  
Setting 80  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.33	74.00	-9.67	57.88	3	Vertical	219	2.57	-	34.46	6.98	34.99
AV	5.456G	51.21	54.00	-2.79	44.76	3	Vertical	219	2.57	-	34.46	6.97	34.98
PK	5.47G	64.64	68.20	-3.56	58.17	3	Vertical	219	2.57	-	34.47	6.99	34.99
PK	5.573G	120.24	Inf	-Inf	113.78	3	Vertical	219	2.57	-	34.43	7.02	34.99
AV	5.596G	106.60	Inf	-Inf	100.16	3	Vertical	219	2.57	-	34.40	7.02	34.98
PK	5.726G	67.62	68.20	-0.58	61.23	3	Vertical	219	2.57	-	34.30	7.03	34.94

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5610MHz\_TX




EUT\_Z\_4TX  
Setting 80  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21936G	55.02	74.00	-18.98	40.87	3	Vertical	73	2.31	-	38.65	10.13	34.63
AV	11.22003G	41.29	54.00	-12.71	27.14	3	Vertical	73	2.31	-	38.65	10.13	34.63

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5610MHz\_TX




EUT\_Z\_4TX  
Setting 80  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2197G	55.09	74.00	-18.91	40.94	3	Horizontal	214	2.28	-	38.65	10.13	34.63
AV	11.21881G	41.20	54.00	-12.80	27.05	3	Horizontal	214	2.28	-	38.65	10.13	34.63

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 92  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.97	74.00	-11.03	56.52	3	Vertical	215	2.74	-	34.46	6.97	34.98
AV	5.457G	49.88	54.00	-4.12	43.42	3	Vertical	215	2.74	-	34.46	6.98	34.98
AV	5.46G	49.66	54.00	-4.34	43.21	3	Vertical	215	2.74	-	34.46	6.98	34.99
PK	5.466G	62.53	68.20	-5.67	56.07	3	Vertical	215	2.74	-	34.47	6.98	34.99
PK	5.679G	121.60	Inf	-Inf	115.21	3	Vertical	215	2.74	-	34.32	7.03	34.96
AV	5.692G	109.53	Inf	-Inf	103.14	3	Vertical	215	2.74	-	34.31	7.03	34.95
PK	5.857G	67.73	68.20	-0.47	61.18	3	Vertical	215	2.74	-	34.41	7.05	34.91

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 92  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38004G	55.22	74.00	-18.78	40.96	3	Vertical	325	1.01	-	38.77	10.15	34.66
AV	11.37891G	41.03	54.00	-12.97	26.77	3	Vertical	325	1.01	-	38.77	10.15	34.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 92  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37799G	55.01	74.00	-18.99	40.76	3	Horizontal	30	1.28	-	38.76	10.15	34.66
AV	11.38143G	41.20	54.00	-12.80	26.94	3	Horizontal	30	1.28	-	38.77	10.15	34.66

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5570MHz\_TX




EUT\_Z\_4TX  
Setting 64  
03-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	66.42	74.00	-7.58	59.98	3	Vertical	220	2.50	-	34.45	6.97	34.98
AV	5.4436G	53.24	54.00	-0.76	46.82	3	Vertical	220	2.50	-	34.44	6.96	34.98
PK	5.4628G	67.58	68.20	-0.62	61.13	3	Vertical	220	2.50	-	34.46	6.98	34.99
PK	5.4916G	113.85	Inf	-Inf	107.36	3	Vertical	220	2.50	-	34.49	7.00	35.00
AV	5.5652G	101.37	Inf	-Inf	94.91	3	Vertical	220	2.50	-	34.43	7.02	34.99
PK	5.73G	63.33	68.20	-4.87	56.94	3	Vertical	220	2.50	-	34.30	7.03	34.94

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5570MHz\_TX



EUT\_Z\_4TX  
Setting 64  
03-A-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13822G	54.96	74.00	-19.04	40.85	3	Vertical	230	2.72	-	38.60	10.12	34.61
AV	11.13797G	41.50	54.00	-12.50	27.39	3	Vertical	230	2.72	-	38.60	10.12	34.61



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

19/05/2020

5570MHz\_TX



EUT\_Z\_4TX  
Setting 64  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14094G	55.03	74.00	-18.97	40.93	3	Horizontal	310	2.84	-	38.60	10.12	34.62
AV	11.14009G	41.60	54.00	-12.40	27.50	3	Horizontal	310	2.84	-	38.60	10.12	34.62




For 4T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	Pass	PK	5.8604G	68.18	68.20	-0.02	3	Vertical	30	2.36	-

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX  
5500MHz\_TX

19/05/2020




EUT\_Z\_4TX  
Setting 77  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.98	74.00	-11.02	57.26	3	Vertical	150	2.03	-	31.71	5.80	31.79
AV	5.4588G	50.80	54.00	-3.20	45.07	3	Vertical	150	2.03	-	31.72	5.80	31.79
PK	5.4696G	68.17	68.20	-0.03	62.42	3	Vertical	150	2.03	-	31.74	5.80	31.79
PK	5.5048G	122.81	Inf	-Inf	117.03	3	Vertical	150	2.03	-	31.79	5.80	31.81
AV	5.5008G	110.49	Inf	-Inf	104.70	3	Vertical	150	2.03	-	31.80	5.80	31.81

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 77  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00276G	55.69	74.00	-18.31	40.97	3	Vertical	38	1.17	-	40.40	7.95	33.63
AV	10.99772G	43.21	54.00	-10.79	28.49	3	Vertical	38	1.17	-	40.40	7.95	33.63

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 77  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00262G	56.08	74.00	-17.92	41.36	3	Horizontal	43	2.75	-	40.40	7.95	33.63
AV	11.0001G	42.95	54.00	-11.05	28.23	3	Horizontal	43	2.75	-	40.40	7.95	33.63

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5580MHz\_TX




EUT Z\_4TX  
Setting 116  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	66.24	74.00	-7.76	60.52	3	Vertical	30	2.45	-	31.71	5.80	31.79
AV	5.456G	53.28	54.00	-0.72	47.56	3	Vertical	30	2.45	-	31.71	5.80	31.79
PK	5.4672G	68.10	68.20	-0.10	62.36	3	Vertical	30	2.45	-	31.73	5.80	31.79
PK	5.5752G	129.29	Inf	-Inf	123.68	3	Vertical	30	2.45	-	31.65	5.80	31.84
AV	5.5832G	118.99	Inf	-Inf	113.40	3	Vertical	30	2.45	-	31.63	5.80	31.84
PK	5.7432G	65.58	68.20	-2.62	59.68	3	Vertical	30	2.45	-	31.87	5.94	31.91

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 116  
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1593G	56.73	74.00	-17.27	42.24	3	Vertical	312	1.00	-	40.16	8.01	33.68
AV	11.1598G	44.55	54.00	-9.45	30.06	3	Vertical	312	1.00	-	40.16	8.01	33.68
PK	16.73628G	59.79	68.20	-8.41	44.62	3	Vertical	352	2.55	-	39.86	9.18	33.87

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5580MHz\_TX



EUT Z\_4TX  
Setting 116  
06-E-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16324G	56.32	74.00	-17.68	41.83	3	Horizontal	191	1.89	-	40.16	8.01	33.68
AV	11.15994G	43.48	54.00	-10.52	28.99	3	Horizontal	191	1.89	-	40.16	8.01	33.68
PK	16.73894G	60.02	68.20	-8.18	44.85	3	Horizontal	39	2.53	-	39.86	9.18	33.87



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 73  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	122.89	Inf	-Inf	117.18	3	Vertical	334	2.02	-	31.71	5.89	31.89
AV	5.7048G	109.79	Inf	-Inf	104.06	3	Vertical	334	2.02	-	31.72	5.90	31.89
PK	5.726G	67.98	68.20	-0.22	62.16	3	Vertical	334	2.02	-	31.80	5.92	31.90

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 73  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40226G	56.24	74.00	-17.76	42.10	3	Vertical	69	2.77	-	39.80	8.09	33.75
AV	11.4023G	42.63	54.00	-11.37	28.49	3	Vertical	69	2.77	-	39.80	8.09	33.75

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 73  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40028G	55.93	74.00	-18.07	41.79	3	Horizontal	179	1.57	-	39.80	8.09	33.75
AV	11.40476G	42.70	54.00	-11.30	28.57	3	Horizontal	179	1.57	-	39.79	8.09	33.75

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 112  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	129.25	Inf	-Inf	123.48	3	Vertical	27	2.28	-	31.76	5.91	31.90
AV	5.7176G	118.68	Inf	-Inf	112.90	3	Vertical	27	2.28	-	31.77	5.91	31.90
PK	5.8504G	68.17	68.20	-0.03	61.91	3	Vertical	27	2.28	-	32.25	5.97	31.96

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 112  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43984G	56.26	74.00	-17.74	42.18	3	Vertical	278	1.50	-	39.74	8.10	33.76
AV	11.4397G	42.76	54.00	-11.24	28.68	3	Vertical	278	1.50	-	39.74	8.10	33.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 112  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43722G	56.93	74.00	-17.07	42.85	3	Horizontal	357	2.96	-	39.74	8.10	33.76
AV	11.43984G	42.79	54.00	-11.21	28.71	3	Horizontal	357	2.96	-	39.74	8.10	33.76

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5510MHz\_TX




EUT Z\_4TX  
Setting 67  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	66.66	74.00	-7.34	60.93	3	Vertical	31	1.80	-	31.72	5.80	31.79
AV	5.459G	49.78	54.00	-4.22	44.05	3	Vertical	31	1.80	-	31.72	5.80	31.79
PK	5.4662G	67.96	68.20	-0.24	62.22	3	Vertical	31	1.80	-	31.73	5.80	31.79
PK	5.5184G	116.69	Inf	-Inf	110.95	3	Vertical	31	1.80	-	31.76	5.80	31.82
AV	5.5184G	103.15	Inf	-Inf	97.41	3	Vertical	31	1.80	-	31.76	5.80	31.82

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5510MHz\_TX



EUT\_Z\_4TX  
Setting 67  
06-E-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01777G	56.34	74.00	-17.66	41.65	3	Vertical	337	1.31	-	40.37	7.96	33.64
AV	11.02298G	42.86	54.00	-11.14	28.17	3	Vertical	337	1.31	-	40.37	7.96	33.64



802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5510MHz\_TX




EUT\_Z\_4TX  
Setting 67  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01686G	56.34	74.00	-17.66	41.64	3	Horizontal	50	2.50	-	40.37	7.96	33.63
AV	11.01616G	42.82	54.00	-11.18	28.11	3	Horizontal	50	2.50	-	40.38	7.96	33.63

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5550MHz\_TX




EUT Z\_4TX  
Setting 89  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	64.99	74.00	-9.01	59.28	3	Vertical	145	2.13	-	31.69	5.80	31.78
PK	5.47G	67.99	68.20	-0.21	62.24	3	Vertical	145	2.13	-	31.74	5.80	31.79
AV	5.4594G	51.21	54.00	-2.79	45.48	3	Vertical	145	2.13	-	31.72	5.80	31.79
PK	5.5584G	122.79	Inf	-Inf	117.14	3	Vertical	145	2.13	-	31.68	5.80	31.83
AV	5.562G	109.89	Inf	-Inf	104.24	3	Vertical	145	2.13	-	31.68	5.80	31.83

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 89  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09538G	56.39	74.00	-17.61	41.81	3	Vertical	66	1.25	-	40.26	7.98	33.66
AV	11.09552G	43.14	54.00	-10.86	28.56	3	Vertical	66	1.25	-	40.26	7.98	33.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5550MHz\_TX




EUT\_Z\_4TX  
Setting 89  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09586G	57.65	74.00	-16.35	43.07	3	Horizontal	200	1.07	-	40.26	7.98	33.66
AV	11.0999G	43.16	54.00	-10.84	28.59	3	Horizontal	200	1.07	-	40.25	7.98	33.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5670MHz\_TX




EUT\_Z\_4TX  
Setting 77  
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	118.43	Inf	-Inf	112.79	3	Vertical	207	1.89	-	31.66	5.85	31.87
AV	5.6556G	105.75	Inf	-Inf	100.11	3	Vertical	207	1.89	-	31.66	5.85	31.87
PK	5.7252G	68.17	68.20	-0.03	62.35	3	Vertical	207	1.89	-	31.80	5.92	31.90

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5670MHz\_TX




EUT\_Z\_4TX  
Setting 77  
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33842G	56.28	74.00	-17.72	42.05	3	Vertical	93	1.08	-	39.89	8.07	33.73
AV	11.33694G	42.83	54.00	-11.17	28.60	3	Vertical	93	1.08	-	39.89	8.07	33.73

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5670MHz\_TX




EUT\_Z\_4TX  
Setting 77  
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34066G	56.56	74.00	-17.44	42.33	3	Horizontal	152	2.44	-	39.89	8.07	33.73
AV	11.34238G	42.83	54.00	-11.17	28.60	3	Horizontal	152	2.44	-	39.89	8.07	33.73

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 101  
06-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3796G	63.11	74.00	-10.89	57.58	3	Vertical	30	2.01	-	31.50	5.78	31.75
PK	5.4692G	62.32	68.20	-5.88	56.57	3	Vertical	30	2.01	-	31.74	5.80	31.79
AV	5.458G	50.08	54.00	-3.92	44.35	3	Vertical	30	2.01	-	31.72	5.80	31.79
PK	5.7128G	125.74	Inf	-Inf	119.99	3	Vertical	30	2.01	-	31.75	5.90	31.90
AV	5.717G	113.70	Inf	-Inf	107.92	3	Vertical	30	2.01	-	31.77	5.91	31.90
PK	5.8528G	67.83	68.20	-0.37	61.56	3	Vertical	30	2.01	-	32.26	5.97	31.96



802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 101  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41556G	56.45	74.00	-17.55	42.32	3	Vertical	327	1.00	-	39.78	8.10	33.75
AV	11.41986G	44.53	54.00	-9.47	30.41	3	Vertical	327	1.00	-	39.77	8.10	33.75

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 101  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42262G	56.56	74.00	-17.44	42.44	3	Horizontal	236	1.86	-	39.77	8.10	33.75
AV	11.4189G	42.72	54.00	-11.28	28.60	3	Horizontal	236	1.86	-	39.77	8.10	33.75

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5530MHz\_TX




EUT\_Z\_4TX  
Setting 71  
06-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	60.72	68.20	-7.48	55.62	3	Vertical	161	2.26	-	31.12	5.69	31.71
PK	5.454G	65.36	74.00	-8.64	59.64	3	Vertical	161	2.26	-	31.71	5.80	31.79
AV	5.458G	52.06	54.00	-1.94	46.33	3	Vertical	161	2.26	-	31.72	5.80	31.79
PK	5.469G	67.81	68.20	-0.39	62.06	3	Vertical	161	2.26	-	31.74	5.80	31.79
PK	5.542G	114.96	Inf	-Inf	109.27	3	Vertical	161	2.26	-	31.72	5.80	31.83
AV	5.543G	102.67	Inf	-Inf	96.99	3	Vertical	161	2.26	-	31.71	5.80	31.83
PK	5.731G	60.76	68.20	-7.44	54.93	3	Vertical	161	2.26	-	31.82	5.92	31.91

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5530MHz\_TX




EUT\_Z\_4TX  
Setting 71  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05718G	56.52	74.00	-17.48	41.89	3	Vertical	32	1.43	-	40.31	7.97	33.65
AV	11.0624G	43.03	54.00	-10.97	28.40	3	Vertical	32	1.43	-	40.31	7.97	33.65

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5530MHz\_TX




EUT\_Z\_4TX  
Setting 71  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0583G	56.68	74.00	-17.32	42.05	3	Horizontal	351	2.93	-	40.31	7.97	33.65
AV	11.06476G	43.12	54.00	-10.88	28.50	3	Horizontal	351	2.93	-	40.30	7.97	33.65

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5610MHz\_TX




EUT Z\_4TX  
Setting 85  
06-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.50	74.00	-8.50	59.77	3	Vertical	153	2.27	-	31.72	5.80	31.79
AV	5.46G	52.34	54.00	-1.66	46.61	3	Vertical	153	2.27	-	31.72	5.80	31.79
PK	5.462G	65.91	68.20	-2.29	60.18	3	Vertical	153	2.27	-	31.72	5.80	31.79
PK	5.599G	118.23	Inf	-Inf	112.68	3	Vertical	153	2.27	-	31.60	5.80	31.85
AV	5.598G	106.35	Inf	-Inf	100.80	3	Vertical	153	2.27	-	31.60	5.80	31.85
PK	5.727G	68.11	68.20	-0.09	62.28	3	Vertical	153	2.27	-	31.81	5.92	31.90

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5610MHz\_TX




EUT\_Z\_4TX  
Setting 85  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21794G	56.38	74.00	-17.62	41.97	3	Vertical	321	2.21	-	40.07	8.03	33.69
AV	11.22108G	43.33	54.00	-10.67	28.92	3	Vertical	321	2.21	-	40.07	8.03	33.69

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5610MHz\_TX



EUT\_Z\_4TX  
Setting 85  
06-E-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22096G	56.51	74.00	-17.49	42.10	3	Horizontal	254	2.71	-	40.07	8.03	33.69
AV	11.21996G	43.16	54.00	-10.84	28.75	3	Horizontal	254	2.71	-	40.07	8.03	33.69



802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 91  
06-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.54	74.00	-11.46	56.81	3	Vertical	30	2.36	-	31.72	5.80	31.79
AV	5.4536G	49.93	54.00	-4.07	44.21	3	Vertical	30	2.36	-	31.71	5.80	31.79
PK	5.47G	62.57	68.20	-5.63	56.82	3	Vertical	30	2.36	-	31.74	5.80	31.79
PK	5.72G	120.00	Inf	-Inf	114.21	3	Vertical	30	2.36	-	31.78	5.91	31.90
AV	5.7176G	107.65	Inf	-Inf	101.87	3	Vertical	30	2.36	-	31.77	5.91	31.90
PK	5.8604G	68.18	68.20	-0.02	61.89	3	Vertical	30	2.36	-	32.28	5.97	31.96

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 91  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37554G	57.02	74.00	-16.98	42.84	3	Vertical	39	1.00	-	39.84	8.08	33.74
AV	11.3756G	43.03	54.00	-10.97	28.85	3	Vertical	39	1.00	-	39.84	8.08	33.74

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 91  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37572G	56.01	74.00	-17.99	41.83	3	Horizontal	52	2.85	-	39.84	8.08	33.74
AV	11.38052G	42.93	54.00	-11.07	28.76	3	Horizontal	52	2.85	-	39.83	8.08	33.74

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5570MHz\_TX




EUT Z\_4TX  
Setting 70  
06-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	60.97	68.20	-7.23	55.73	3	Vertical	154	2.22	-	31.23	5.73	31.72
PK	5.4532G	66.91	74.00	-7.09	61.19	3	Vertical	154	2.22	-	31.71	5.80	31.79
AV	5.458G	53.20	54.00	-0.80	47.47	3	Vertical	154	2.22	-	31.72	5.80	31.79
PK	5.4692G	67.72	68.20	-0.48	61.97	3	Vertical	154	2.22	-	31.74	5.80	31.79
PK	5.5924G	112.99	Inf	-Inf	107.42	3	Vertical	154	2.22	-	31.62	5.80	31.85
AV	5.554G	100.83	Inf	-Inf	95.17	3	Vertical	154	2.22	-	31.69	5.80	31.83
PK	5.7348G	64.07	68.20	-4.13	58.21	3	Vertical	154	2.22	-	31.84	5.93	31.91

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5570MHz\_TX




EUT\_Z\_4TX  
Setting 70  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1357G	57.35	74.00	-16.65	42.82	3	Vertical	117	1.30	-	40.20	8.00	33.67
AV	11.14G	43.61	54.00	-10.39	29.09	3	Vertical	117	1.30	-	40.19	8.00	33.67

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

19/05/2020

5570MHz\_TX



EUT\_Z\_4TX  
Setting 70  
06-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14104G	56.70	74.00	-17.30	42.18	3	Horizontal	247	1.85	-	40.19	8.00	33.67
AV	11.13712G	43.43	54.00	-10.57	28.91	3	Horizontal	247	1.85	-	40.19	8.00	33.67




<SKU 5, Non-beamforming function>  
For 2T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.99	54.00	-0.01	3	Vertical	135	1.98	-

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5180MHz\_TX



EUT\_Z\_2TX  
Setting 80  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	73.57	74.00	-0.43	64.53	3	Vertical	159	1.99	-	33.45	5.97	30.38
AV	5.149G	50.41	54.00	-3.59	41.37	3	Vertical	159	1.99	-	33.45	5.97	30.38
PK	5.1838G	117.68	Inf	-Inf	108.61	3	Vertical	159	1.99	-	33.48	5.99	30.40
AV	5.1786G	107.04	Inf	-Inf	97.96	3	Vertical	159	1.99	-	33.48	5.99	30.39



802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54436G	58.33	74.00	-15.67	42.34	3	Vertical	336	1.89	-	38.72	9.25	31.98
AV	15.5404G	43.12	54.00	-10.88	27.12	3	Vertical	336	1.89	-	38.73	9.25	31.98

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5180MHz\_TX




EUT Z\_2TX  
Setting 80  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54252G	55.41	74.00	-18.59	39.41	3	Horizontal	211	2.12	-	38.73	9.25	31.98
AV	15.53898G	40.96	54.00	-13.04	24.95	3	Horizontal	211	2.12	-	38.74	9.25	31.98

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5200MHz\_TX




EUT Z\_2TX  
Setting 101  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.45	74.00	-1.55	63.41	3	Vertical	135	1.98	-	33.45	5.97	30.38
AV	5.15G	53.99	54.00	-0.01	44.95	3	Vertical	135	1.98	-	33.45	5.97	30.38
PK	5.2064G	121.99	Inf	-Inf	112.88	3	Vertical	135	1.98	-	33.51	6.00	30.40
AV	5.2064G	111.50	Inf	-Inf	102.39	3	Vertical	135	1.98	-	33.51	6.00	30.40

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5200MHz\_TX




EUT\_Z\_2TX  
Setting 101  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59964G	60.54	74.00	-13.46	44.70	3	Vertical	334	1.80	-	38.56	9.27	31.99
AV	15.60018G	46.20	54.00	-7.80	30.36	3	Vertical	334	1.80	-	38.56	9.27	31.99

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5200MHz\_TX




EUT Z\_2TX  
Setting 101  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59022G	56.68	74.00	-17.32	40.82	3	Horizontal	210	1.97	-	38.59	9.26	31.99
AV	15.60048G	41.83	54.00	-12.17	25.99	3	Horizontal	210	1.97	-	38.56	9.27	31.99

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 120  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	66.41	74.00	-7.59	57.38	3	Vertical	138	2.18	-	33.44	5.97	30.38
AV	5.15G	51.24	54.00	-2.76	42.20	3	Vertical	138	2.18	-	33.45	5.97	30.38
PK	5.2418G	125.39	Inf	-Inf	116.21	3	Vertical	138	2.18	-	33.58	6.02	30.42
AV	5.237G	114.56	Inf	-Inf	105.38	3	Vertical	138	2.18	-	33.57	6.02	30.41
PK	5.3522G	64.10	74.00	-9.90	54.73	3	Vertical	138	2.18	-	33.75	6.08	30.46
AV	5.3852G	50.37	54.00	-3.63	40.96	3	Vertical	138	2.18	-	33.79	6.09	30.47

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5240MHz\_TX




EUT Z\_2TX  
Setting 120  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7215G	65.62	74.00	-8.38	50.12	3	Vertical	333	1.80	-	38.21	9.31	32.02
AV	15.7215G	51.76	54.00	-2.24	36.26	3	Vertical	333	1.80	-	38.21	9.31	32.02

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5240MHz\_TX



EUT Z\_2TX  
Setting 120  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71316G	59.17	74.00	-14.83	43.65	3	Horizontal	207	2.05	-	38.23	9.31	32.02
AV	15.7182G	45.11	54.00	-8.89	29.60	3	Horizontal	207	2.05	-	38.22	9.31	32.02



802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 117  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	64.79	74.00	-9.21	55.76	3	Vertical	137	1.93	-	33.44	5.97	30.38
AV	5.1484G	49.90	54.00	-4.10	40.86	3	Vertical	137	1.93	-	33.45	5.97	30.38
PK	5.2564G	125.49	Inf	-Inf	116.27	3	Vertical	137	1.93	-	33.61	6.03	30.42
AV	5.2564G	114.70	Inf	-Inf	105.48	3	Vertical	137	1.93	-	33.61	6.03	30.42
PK	5.3584G	64.37	74.00	-9.63	54.99	3	Vertical	137	1.93	-	33.76	6.08	30.46
AV	5.3644G	50.52	54.00	-3.48	41.14	3	Vertical	137	1.93	-	33.76	6.08	30.46

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5260MHz\_TX




EUT Z\_2TX  
Setting 117  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52054G	60.92	68.20	-7.28	45.05	3	Vertical	360	2.32	-	38.79	8.56	31.48
PK	15.78696G	67.78	74.00	-6.22	52.46	3	Vertical	344	2.95	-	38.02	9.33	32.03
AV	15.7821G	53.95	54.00	-0.05	38.62	3	Vertical	344	2.95	-	38.03	9.33	32.03

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5260MHz\_TX




EUT Z\_2TX  
Setting 117  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5098G	53.82	68.20	-14.38	37.95	3	Horizontal	198	2.62	-	38.79	8.56	31.48
PK	15.78096G	58.79	74.00	-15.21	43.45	3	Horizontal	208	2.76	-	38.04	9.33	32.03
AV	15.78054G	45.16	54.00	-8.84	29.82	3	Horizontal	208	2.76	-	38.04	9.33	32.03

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5300MHz\_TX




EUT Z\_2TX  
Setting 103  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	123.60	Inf	-Inf	114.29	3	Vertical	208	2.03	-	33.70	6.05	30.44
AV	5.2988G	112.50	Inf	-Inf	103.19	3	Vertical	208	2.03	-	33.70	6.05	30.44
PK	5.3548G	70.53	74.00	-3.47	61.16	3	Vertical	208	2.03	-	33.75	6.08	30.46
AV	5.35G	53.76	54.00	-0.24	44.39	3	Vertical	208	2.03	-	33.75	6.07	30.45

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5300MHz\_TX




EUT Z\_2TX  
Setting 103  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60066G	59.11	74.00	-14.89	43.26	3	Vertical	197	1.77	-	38.74	8.59	31.48
AV	10.6006G	43.62	54.00	-10.38	27.77	3	Vertical	197	1.77	-	38.74	8.59	31.48
PK	15.9015G	61.61	74.00	-12.39	46.61	3	Vertical	347	1.86	-	37.69	9.37	32.06
AV	15.90198G	46.75	54.00	-7.25	31.76	3	Vertical	347	1.86	-	37.68	9.37	32.06

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5300MHz\_TX




EUT Z\_2TX  
Setting 103  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61056G	54.61	74.00	-19.39	38.77	3	Horizontal	63	1.80	-	38.73	8.59	31.48
AV	10.6036G	40.38	54.00	-13.62	24.53	3	Horizontal	63	1.80	-	38.74	8.59	31.48
PK	15.90102G	57.13	74.00	-16.87	42.13	3	Horizontal	205	2.08	-	37.69	9.37	32.06
AV	15.90174G	42.89	54.00	-11.11	27.90	3	Horizontal	205	2.08	-	37.68	9.37	32.06

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 86  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	119.20	Inf	-Inf	109.87	3	Vertical	137	1.15	-	33.72	6.06	30.45
AV	5.3212G	108.60	Inf	-Inf	99.27	3	Vertical	137	1.15	-	33.72	6.06	30.45
PK	5.3516G	73.91	74.00	-0.09	64.54	3	Vertical	137	1.15	-	33.75	6.08	30.46
AV	5.3508G	53.64	54.00	-0.36	44.27	3	Vertical	137	1.15	-	33.75	6.08	30.46

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5320MHz\_TX



EUT\_Z\_2TX  
Setting 86  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63478G	56.20	74.00	-17.80	40.36	3	Vertical	31	2.78	-	38.72	8.60	31.48
AV	10.63994G	41.83	54.00	-12.17	25.99	3	Vertical	31	2.78	-	38.72	8.60	31.48
PK	15.96396G	58.25	74.00	-15.75	43.43	3	Vertical	10	3.00	-	37.50	9.39	32.07
AV	15.95916G	43.11	54.00	-10.89	28.27	3	Vertical	10	3.00	-	37.52	9.39	32.07



802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 86  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63418G	55.30	74.00	-18.70	39.46	3	Horizontal	218	1.77	-	38.72	8.60	31.48
AV	10.64408G	40.61	54.00	-13.39	24.77	3	Horizontal	218	1.77	-	38.71	8.60	31.47
PK	15.96516G	53.49	74.00	-20.51	38.67	3	Horizontal	24	2.40	-	37.50	9.39	32.07
AV	15.9669G	40.05	54.00	-13.95	25.23	3	Horizontal	24	2.40	-	37.50	9.39	32.07

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 70  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.57	74.00	-11.43	53.04	3	Vertical	330	2.96	-	33.86	6.16	30.49
AV	5.4588G	48.65	54.00	-5.35	39.12	3	Vertical	330	2.96	-	33.86	6.16	30.49
PK	5.4686G	67.85	68.20	-0.35	58.30	3	Vertical	330	2.96	-	33.87	6.18	30.50
PK	5.4934G	116.67	Inf	-Inf	107.09	3	Vertical	330	2.96	-	33.89	6.20	30.51
AV	5.4986G	106.12	Inf	-Inf	96.52	3	Vertical	330	2.96	-	33.90	6.21	30.51

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5500MHz\_TX




EUT Z\_2TX  
Setting 70  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98728G	54.21	74.00	-19.79	38.44	3	Vertical	40	2.10	-	38.51	8.71	31.45
AV	11.01434G	40.66	54.00	-13.34	24.89	3	Vertical	40	2.10	-	38.51	8.71	31.45

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 70  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00312G	54.27	74.00	-19.73	38.51	3	Horizontal	218	2.52	-	38.50	8.71	31.45
AV	11.015G	40.72	54.00	-13.28	24.95	3	Horizontal	218	2.52	-	38.51	8.71	31.45

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5580MHz\_TX




EUT\_Z\_2TX  
Setting 120  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3952G	62.82	74.00	-11.18	53.39	3	Vertical	198	2.07	-	33.80	6.10	30.47
PK	5.4648G	63.31	68.20	-4.89	53.78	3	Vertical	198	2.07	-	33.86	6.17	30.50
AV	5.46G	49.98	54.00	-4.02	40.44	3	Vertical	198	2.07	-	33.86	6.17	30.49
PK	5.5776G	127.36	Inf	-Inf	117.71	3	Vertical	198	2.07	-	33.90	6.28	30.53
AV	5.5776G	116.54	Inf	-Inf	106.89	3	Vertical	198	2.07	-	33.90	6.28	30.53
PK	5.7448G	64.87	68.20	-3.33	55.27	3	Vertical	198	2.07	-	33.80	6.37	30.57

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5580MHz\_TX




EUT Z\_2TX  
Setting 120  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16102G	65.61	74.00	-8.39	49.72	3	Vertical	338	2.17	-	38.63	8.76	31.50
AV	11.16054G	51.32	54.00	-2.68	35.43	3	Vertical	338	2.17	-	38.63	8.76	31.50
PK	16.74798G	64.86	68.20	-3.34	46.59	3	Vertical	346	2.62	-	40.24	9.86	31.83

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5580MHz\_TX




EUT Z\_2TX  
Setting 120  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15772G	57.64	74.00	-16.36	41.75	3	Horizontal	154	1.97	-	38.63	8.76	31.50
AV	11.15826G	43.25	54.00	-10.75	27.36	3	Horizontal	154	1.97	-	38.63	8.76	31.50
PK	16.75344G	57.40	68.20	-10.80	39.10	3	Horizontal	316	2.77	-	40.26	9.86	31.82

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5700MHz\_TX



EUT\_Z\_2TX  
Setting 72  
02-B-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	117.34	Inf	-Inf	107.74	3	Vertical	201	2.00	-	33.81	6.35	30.56
AV	5.6986G	106.86	Inf	-Inf	97.27	3	Vertical	201	2.00	-	33.80	6.35	30.56
PK	5.7288G	68.09	68.20	-0.11	58.50	3	Vertical	201	2.00	-	33.80	6.36	30.57



802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40726G	55.35	74.00	-18.65	39.27	3	Vertical	259	1.17	-	38.83	8.83	31.58
AV	11.39022G	41.21	54.00	-12.79	25.15	3	Vertical	259	1.17	-	38.81	8.82	31.57

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38988G	56.02	74.00	-17.98	39.94	3	Horizontal	314	2.38	-	38.82	8.83	31.57
AV	11.38908G	41.21	54.00	-12.79	25.15	3	Horizontal	314	2.38	-	38.81	8.82	31.57

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 120  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3952G	63.09	74.00	-10.91	53.66	3	Vertical	200	2.27	-	33.80	6.10	30.47
PK	5.46G	62.80	68.20	-5.40	53.26	3	Vertical	200	2.27	-	33.86	6.17	30.49
AV	5.433G	49.35	54.00	-4.65	39.86	3	Vertical	200	2.27	-	33.83	6.14	30.48
PK	5.7186G	127.58	Inf	-Inf	117.98	3	Vertical	200	2.27	-	33.80	6.36	30.56
AV	5.7186G	116.48	Inf	-Inf	106.88	3	Vertical	200	2.27	-	33.80	6.36	30.56
PK	5.8628G	64.44	68.20	-3.76	54.68	3	Vertical	200	2.27	-	33.99	6.37	30.60

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 120  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44132G	68.03	74.00	-5.97	51.93	3	Vertical	360	2.80	-	38.85	8.84	31.59
AV	11.44156G	53.65	54.00	-0.35	37.55	3	Vertical	360	2.80	-	38.85	8.84	31.59
PK	17.16396G	64.15	68.20	-4.05	43.74	3	Vertical	326	2.61	-	42.09	10.11	31.79

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_2TX  
Setting 120  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4388G	55.37	74.00	-18.63	39.27	3	Horizontal	313	2.14	-	38.85	8.84	31.59
AV	11.44294G	41.80	54.00	-12.20	25.70	3	Horizontal	313	2.14	-	38.85	8.84	31.59
PK	17.16204G	59.09	68.20	-9.11	38.69	3	Horizontal	1	1.23	-	42.08	10.11	31.79

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5745MHz\_TX




EUT\_Z\_2TX  
Setting 120  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	66.83	68.20	-1.37	57.19	3	Vertical	200	2.35	-	33.86	6.32	30.54
PK	5.739G	127.55	Inf	-Inf	117.95	3	Vertical	200	2.35	-	33.80	6.37	30.57
AV	5.744G	116.21	Inf	-Inf	106.61	3	Vertical	200	2.35	-	33.80	6.37	30.57
PK	5.967G	63.05	68.20	-5.15	53.18	3	Vertical	200	2.35	-	34.17	6.32	30.62

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5745MHz\_TX




EUT\_Z\_2TX  
Setting 120  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49126G	68.49	74.00	-5.51	52.35	3	Vertical	360	2.38	-	38.89	8.85	31.60
AV	11.49132G	53.68	54.00	-0.32	37.54	3	Vertical	360	2.38	-	38.89	8.85	31.60

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5745MHz\_TX



EUT\_Z\_2TX  
Setting 120  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4975G	57.56	74.00	-16.44	41.41	3	Horizontal	75	1.21	-	38.90	8.85	31.60
AV	11.4822G	41.36	54.00	-12.64	25.22	3	Horizontal	75	1.21	-	38.89	8.85	31.60



802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 100  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	62.69	68.20	-5.51	53.04	3	Vertical	146	1.00	-	33.88	6.31	30.54
PK	5.782G	122.58	Inf	-Inf	112.97	3	Vertical	146	1.00	-	33.80	6.39	30.58
AV	5.787G	112.09	Inf	-Inf	102.48	3	Vertical	146	1.00	-	33.80	6.39	30.58
PK	5.945G	62.18	68.20	-6.02	52.32	3	Vertical	146	1.00	-	34.15	6.33	30.62

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 100  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57012G	67.72	74.00	-6.28	51.51	3	Vertical	346	2.05	-	38.96	8.88	31.63
AV	11.56988G	53.82	54.00	-0.18	37.61	3	Vertical	346	2.05	-	38.96	8.88	31.63

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 100  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57702G	55.66	74.00	-18.34	39.45	3	Horizontal	15	2.75	-	38.96	8.88	31.63
AV	11.5727G	41.91	54.00	-12.09	25.70	3	Horizontal	15	2.75	-	38.96	8.88	31.63

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5825MHz\_TX




EUT\_Z\_2TX  
Setting 97  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	63.02	68.20	-5.18	53.38	3	Vertical	149	1.93	-	33.86	6.32	30.54
PK	5.823G	121.72	Inf	-Inf	112.05	3	Vertical	149	1.93	-	33.87	6.39	30.59
AV	5.828G	111.53	Inf	-Inf	101.85	3	Vertical	149	1.93	-	33.88	6.39	30.59
PK	5.929G	61.98	68.20	-6.22	52.13	3	Vertical	149	1.93	-	34.13	6.34	30.62

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5825MHz\_TX




EUT\_Z\_2TX  
Setting 97  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64742G	68.73	74.00	-5.27	52.46	3	Vertical	18	1.98	-	39.02	8.90	31.65
AV	11.65162G	53.90	54.00	-0.10	37.63	3	Vertical	18	1.98	-	39.02	8.90	31.65

802.11a\_Nss1,(6Mbps)\_2TX

05/05/2020

5825MHz\_TX



EUT\_Z\_2TX  
Setting 97  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6437G	54.51	74.00	-19.49	38.25	3	Horizontal	175	2.46	-	39.01	8.90	31.65
AV	11.64976G	41.40	54.00	-12.60	25.13	3	Horizontal	175	2.46	-	39.02	8.90	31.65




**For 2T2S  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	11.5696G	53.69	54.00	-0.31	3	Vertical	347	1.97	-

802.11ax HEW20\_Nss2,(MCS0)\_2TX

19/05/2020

5785MHz\_TX



EUT\_Z\_2TX  
Setting 116  
03-A-B-2-13


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	64.33	68.20	-3.87	57.88	3	Vertical	154	2.06	-	34.42	7.02	34.99
PK	5.79G	126.96	Inf	-Inf	120.55	3	Vertical	154	2.06	-	34.30	7.04	34.93
AV	5.779G	112.67	Inf	-Inf	106.26	3	Vertical	154	2.06	-	34.30	7.04	34.93
PK	5.931G	64.37	68.20	-3.83	57.62	3	Vertical	154	2.06	-	34.59	7.05	34.89



802.11ax HEW20\_Nss2,(MCS0)\_2TX

19/05/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 116  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5626G	65.42	74.00	-8.58	51.05	3	Vertical	347	1.97	-	38.89	10.17	34.69
AV	11.5696G	53.69	54.00	-0.31	39.31	3	Vertical	347	1.97	-	38.90	10.17	34.69

802.11ax HEW20\_Nss2,(MCS0)\_2TX

19/05/2020

5785MHz\_TX



EUT\_Z\_2TX  
Setting 116  
03-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5699G	58.55	74.00	-15.45	44.17	3	Horizontal	221	2.92	-	38.90	10.17	34.69
AV	11.5702G	44.97	54.00	-9.03	30.59	3	Horizontal	221	2.92	-	38.90	10.17	34.69




For 4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.65204G	53.96	54.00	-0.04	3	Vertical	11	1.62	-

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5180MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	73.73	74.00	-0.27	64.70	3	Vertical	86	2.08	-	33.44	5.97	30.38
AV	5.146G	51.66	54.00	-2.34	42.62	3	Vertical	86	2.08	-	33.45	5.97	30.38
PK	5.178G	122.91	Inf	-Inf	113.83	3	Vertical	86	2.08	-	33.48	5.99	30.39
AV	5.1788G	112.24	Inf	-Inf	103.16	3	Vertical	86	2.08	-	33.48	5.99	30.39

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5180MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5402G	56.56	74.00	-17.44	40.56	3	Vertical	335	1.79	-	38.73	9.25	31.98
AV	15.5401G	43.12	54.00	-10.88	27.12	3	Vertical	335	1.79	-	38.73	9.25	31.98

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5180MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.537G	55.64	74.00	-18.36	39.63	3	Horizontal	209	1.95	-	38.74	9.25	31.98
AV	15.5379G	41.89	54.00	-12.11	25.88	3	Horizontal	209	1.95	-	38.74	9.25	31.98

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5200MHz\_TX




EUT\_Z\_4TX  
Setting 98  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	70.86	74.00	-3.14	61.82	3	Vertical	193	2.00	-	33.45	5.97	30.38
AV	5.1492G	53.85	54.00	-0.15	44.81	3	Vertical	193	2.00	-	33.45	5.97	30.38
PK	5.1964G	125.70	Inf	-Inf	116.60	3	Vertical	193	2.00	-	33.50	6.00	30.40
AV	5.1968G	115.02	Inf	-Inf	105.92	3	Vertical	193	2.00	-	33.50	6.00	30.40

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5200MHz\_TX



EUT\_Z\_4TX  
Setting 98  
02-B-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5999G	60.01	74.00	-13.99	44.17	3	Vertical	335	1.83	-	38.56	9.27	31.99
AV	15.6002G	45.81	54.00	-8.19	29.97	3	Vertical	335	1.83	-	38.56	9.27	31.99



802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5200MHz\_TX




EUT\_Z\_4TX  
Setting 98  
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6043G	55.28	74.00	-18.72	39.45	3	Horizontal	257	1.98	-	38.55	9.27	31.99
AV	15.6035G	41.60	54.00	-12.40	25.77	3	Horizontal	257	1.98	-	38.55	9.27	31.99

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5240MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	64.63	74.00	-9.37	55.60	3	Vertical	90	2.18	-	33.44	5.97	30.38
AV	5.1446G	50.97	54.00	-3.03	41.94	3	Vertical	90	2.18	-	33.44	5.97	30.38
PK	5.2388G	128.56	Inf	-Inf	119.38	3	Vertical	90	2.18	-	33.58	6.02	30.42
AV	5.2388G	117.64	Inf	-Inf	108.46	3	Vertical	90	2.18	-	33.58	6.02	30.42
PK	5.3876G	65.15	74.00	-8.85	55.74	3	Vertical	90	2.18	-	33.79	6.09	30.47
AV	5.3852G	52.36	54.00	-1.64	42.95	3	Vertical	90	2.18	-	33.79	6.09	30.47

### 802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

### 5240MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4788G	58.42	68.20	-9.78	42.55	3	Vertical	191	1.80	-	38.81	8.55	31.49
PK	15.7213G	64.04	74.00	-9.96	48.54	3	Vertical	333	1.80	-	38.21	9.31	32.02
AV	15.7217G	50.23	54.00	-3.77	34.73	3	Vertical	333	1.80	-	38.21	9.31	32.02

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5240MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4868G	54.84	68.20	-13.36	38.97	3	Horizontal	176	1.80	-	38.81	8.55	31.49
PK	15.7315G	56.95	74.00	-17.05	41.48	3	Horizontal	206	2.10	-	38.18	9.31	32.02
AV	15.7161G	43.48	54.00	-10.52	27.97	3	Horizontal	206	2.10	-	38.22	9.31	32.02

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5260MHz\_TX




EUT\_Z\_4TX  
Setting 120  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	63.05	74.00	-10.95	54.05	3	Vertical	87	2.14	-	33.41	5.96	30.37
AV	5.1244G	49.91	54.00	-4.09	40.91	3	Vertical	87	2.14	-	33.42	5.96	30.38
PK	5.2594G	127.30	Inf	-Inf	118.07	3	Vertical	87	2.14	-	33.62	6.03	30.42
AV	5.2582G	116.71	Inf	-Inf	107.48	3	Vertical	87	2.14	-	33.62	6.03	30.42
PK	5.3962G	64.33	74.00	-9.67	54.90	3	Vertical	87	2.14	-	33.80	6.10	30.47
AV	5.3914G	50.90	54.00	-3.10	41.48	3	Vertical	87	2.14	-	33.79	6.10	30.47

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5260MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5219G	57.15	68.20	-11.05	41.28	3	Vertical	223	1.92	-	38.79	8.56	31.48
AV	15.7813G	48.54	54.00	-5.46	33.21	3	Vertical	334	1.82	-	38.03	9.33	32.03
PK	15.7887G	62.79	74.00	-11.21	47.48	3	Vertical	334	1.82	-	38.01	9.33	32.03

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5260MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.523G	54.03	68.20	-14.17	38.16	3	Horizontal	201	2.70	-	38.79	8.56	31.48
PK	15.7745G	57.13	74.00	-16.87	41.78	3	Horizontal	208	2.08	-	38.05	9.33	32.03
AV	15.778G	42.62	54.00	-11.38	27.28	3	Horizontal	208	2.08	-	38.04	9.33	32.03

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5300MHz\_TX



EUT Z\_4TX  
Setting 101  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	126.71	Inf	-Inf	117.40	3	Vertical	87	2.01	-	33.70	6.05	30.44
AV	5.2988G	116.03	Inf	-Inf	106.72	3	Vertical	87	2.01	-	33.70	6.05	30.44
PK	5.3652G	69.86	74.00	-4.14	60.47	3	Vertical	87	2.01	-	33.77	6.08	30.46
AV	5.3564G	53.73	54.00	-0.27	44.35	3	Vertical	87	2.01	-	33.76	6.08	30.46



802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5300MHz\_TX




EUT Z\_4TX  
Setting 101  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6022G	58.17	74.00	-15.83	42.32	3	Vertical	160	1.76	-	38.74	8.59	31.48
AV	10.602G	44.13	54.00	-9.87	28.28	3	Vertical	160	1.76	-	38.74	8.59	31.48
PK	15.8964G	60.48	74.00	-13.52	45.47	3	Vertical	347	1.78	-	37.70	9.37	32.06
AV	15.896G	46.03	54.00	-7.97	31.02	3	Vertical	347	1.78	-	37.70	9.37	32.06

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5300MHz\_TX




EUT Z\_4TX  
Setting 101  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6097G	54.61	74.00	-19.39	38.77	3	Horizontal	268	2.11	-	38.73	8.59	31.48
PK	15.9087G	56.86	74.00	-17.14	41.89	3	Horizontal	206	2.08	-	37.66	9.37	32.06
AV	15.8961G	42.72	54.00	-11.28	27.71	3	Horizontal	206	2.08	-	37.70	9.37	32.06

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5320MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	122.76	Inf	-Inf	113.43	3	Vertical	91	2.10	-	33.72	6.06	30.45
AV	5.3184G	112.13	Inf	-Inf	102.80	3	Vertical	91	2.10	-	33.72	6.06	30.45
PK	5.35G	71.39	74.00	-2.61	62.02	3	Vertical	91	2.10	-	33.75	6.07	30.45
AV	5.35G	53.36	54.00	-0.64	43.99	3	Vertical	91	2.10	-	33.75	6.07	30.45

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5320MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6411G	56.29	74.00	-17.71	40.45	3	Vertical	160	1.80	-	38.72	8.60	31.48
AV	10.6419G	42.41	54.00	-11.59	26.58	3	Vertical	160	1.80	-	38.71	8.60	31.48
PK	15.9557G	57.09	74.00	-16.91	42.24	3	Vertical	343	3.00	-	37.53	9.39	32.07
AV	15.9638G	43.19	54.00	-10.81	28.37	3	Vertical	343	3.00	-	37.50	9.39	32.07

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5320MHz\_TX




EUT\_Z\_4TX  
Setting 83  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6603G	54.71	74.00	-19.29	38.88	3	Horizontal	0	1.04	-	38.70	8.60	31.47
AV	10.6467G	40.68	54.00	-13.32	24.84	3	Horizontal	0	1.04	-	38.71	8.60	31.47
PK	15.9594G	53.70	74.00	-20.30	38.86	3	Horizontal	207	2.03	-	37.52	9.39	32.07
AV	15.9611G	40.14	54.00	-13.86	25.31	3	Horizontal	207	2.03	-	37.51	9.39	32.07

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.35	74.00	-7.65	56.81	3	Vertical	107	1.99	-	33.86	6.17	30.49
AV	5.46G	49.41	54.00	-4.59	39.87	3	Vertical	107	1.99	-	33.86	6.17	30.49
PK	5.47G	67.64	68.20	-0.56	58.09	3	Vertical	107	1.99	-	33.87	6.18	30.50
PK	5.498G	118.66	Inf	-Inf	109.06	3	Vertical	107	1.99	-	33.90	6.21	30.51
AV	5.4984G	107.61	Inf	-Inf	98.01	3	Vertical	107	1.99	-	33.90	6.21	30.51

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5500MHz\_TX




EUT\_Z\_4TX  
Setting 74  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0004G	58.78	74.00	-15.22	43.02	3	Vertical	195	1.98	-	38.50	8.71	31.45
AV	11G	44.68	54.00	-9.32	28.92	3	Vertical	195	1.98	-	38.50	8.71	31.45

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5500MHz\_TX



EUT\_Z\_4TX  
Setting 74  
02-B-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.001G	54.23	74.00	-19.77	38.47	3	Horizontal	309	1.80	-	38.50	8.71	31.45
AV	11.0126G	40.52	54.00	-13.48	24.75	3	Horizontal	309	1.80	-	38.51	8.71	31.45



802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5580MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.07	74.00	-8.93	55.53	3	Vertical	205	2.05	-	33.86	6.17	30.49
AV	5.46G	51.76	54.00	-2.24	42.22	3	Vertical	205	2.05	-	33.86	6.17	30.49
PK	5.4664G	65.67	68.20	-2.53	56.13	3	Vertical	205	2.05	-	33.87	6.17	30.50
PK	5.5784G	129.57	Inf	-Inf	119.92	3	Vertical	205	2.05	-	33.90	6.28	30.53
AV	5.5776G	118.82	Inf	-Inf	109.17	3	Vertical	205	2.05	-	33.90	6.28	30.53
PK	5.7448G	66.24	68.20	-1.96	56.64	3	Vertical	205	2.05	-	33.80	6.37	30.57

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1558G	63.71	74.00	-10.29	47.83	3	Vertical	138	1.80	-	38.62	8.76	31.50
AV	11.1562G	49.97	54.00	-4.03	34.09	3	Vertical	138	1.80	-	38.62	8.76	31.50
PK	16.7452G	60.54	68.20	-7.66	42.29	3	Vertical	324	1.91	-	40.23	9.85	31.83

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5580MHz\_TX




EUT\_Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	54.43	74.00	-19.57	38.54	3	Horizontal	324	2.43	-	38.63	8.76	31.50
AV	11.1595G	41.33	54.00	-12.67	25.44	3	Horizontal	324	2.43	-	38.63	8.76	31.50
PK	16.7407G	56.82	68.20	-11.38	38.59	3	Horizontal	68	1.30	-	40.21	9.85	31.83

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5700MHz\_TX




EUT Z\_4TX  
Setting 67  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	120.40	Inf	-Inf	110.81	3	Vertical	205	2.00	-	33.80	6.35	30.56
AV	5.6984G	109.77	Inf	-Inf	100.18	3	Vertical	205	2.00	-	33.80	6.35	30.56
PK	5.726G	68.06	68.20	-0.14	58.47	3	Vertical	205	2.00	-	33.80	6.36	30.57

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5700MHz\_TX




EUT Z\_4TX  
Setting 67  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.398G	56.99	74.00	-17.01	40.91	3	Vertical	260	2.66	-	38.82	8.83	31.57
AV	11.3912G	44.54	54.00	-9.46	28.48	3	Vertical	260	2.66	-	38.81	8.82	31.57
PK	17.186G	59.05	68.20	-9.15	38.52	3	Vertical	229	1.82	-	42.20	10.12	31.79

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5700MHz\_TX




EUT\_Z\_4TX  
Setting 67  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3877G	55.43	74.00	-18.57	39.37	3	Horizontal	294	2.15	-	38.81	8.82	31.57
AV	11.3876G	41.05	54.00	-12.95	24.99	3	Horizontal	294	2.15	-	38.81	8.82	31.57
PK	17.0797G	58.38	68.20	-9.82	38.45	3	Horizontal	138	1.95	-	41.63	10.06	31.76

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 120  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.416G	63.98	74.00	-10.02	54.52	3	Vertical	207	2.09	-	33.82	6.12	30.48
PK	5.4608G	63.45	68.20	-4.75	53.91	3	Vertical	207	2.09	-	33.86	6.17	30.49
AV	5.4592G	51.09	54.00	-2.91	41.55	3	Vertical	207	2.09	-	33.86	6.17	30.49
PK	5.7184G	129.66	Inf	-Inf	120.06	3	Vertical	207	2.09	-	33.80	6.36	30.56
AV	5.7184G	119.14	Inf	-Inf	109.54	3	Vertical	207	2.09	-	33.80	6.36	30.56
PK	5.928G	64.64	68.20	-3.56	54.79	3	Vertical	207	2.09	-	34.13	6.34	30.62

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4414G	64.60	74.00	-9.40	48.50	3	Vertical	191	1.80	-	38.85	8.84	31.59
AV	11.4402G	51.46	54.00	-2.54	35.36	3	Vertical	191	1.80	-	38.85	8.84	31.59
PK	17.1648G	60.30	68.20	-7.90	39.89	3	Vertical	355	2.55	-	42.09	10.11	31.79



802.11a\_Nss1,(6Mbps)\_4TX  
5720MHz Straddle 5.47-5.725GHz\_TX

28/05/2020




EUT\_Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4395G	58.25	74.00	-15.75	42.15	3	Horizontal	123	1.86	-	38.85	8.84	31.59
AV	11.4401G	44.87	54.00	-9.13	28.77	3	Horizontal	123	1.86	-	38.85	8.84	31.59
PK	17.1709G	59.01	68.20	-9.19	38.57	3	Horizontal	356	1.80	-	42.12	10.11	31.79

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5745MHz\_TX




EUT\_Z\_4TX  
Setting 120  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.83	68.20	-3.37	55.21	3	Vertical	203	1.80	-	33.85	6.32	30.55
PK	5.743G	128.61	Inf	-Inf	119.01	3	Vertical	203	1.80	-	33.80	6.37	30.57
AV	5.743G	117.98	Inf	-Inf	108.38	3	Vertical	203	1.80	-	33.80	6.37	30.57
PK	5.941G	63.57	68.20	-4.63	53.72	3	Vertical	203	1.80	-	34.14	6.33	30.62

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5745MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4918G	65.86	74.00	-8.14	49.72	3	Vertical	221	1.80	-	38.89	8.85	31.60
AV	11.49318G	52.17	54.00	-1.83	36.03	3	Vertical	221	1.80	-	38.89	8.85	31.60
PK	17.2479G	60.49	68.20	-7.71	39.60	3	Vertical	319	2.83	-	42.54	10.16	31.81

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5745MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49102G	57.93	74.00	-16.07	41.79	3	Horizontal	122	2.21	-	38.89	8.85	31.60
AV	11.49072G	43.76	54.00	-10.24	27.62	3	Horizontal	122	2.21	-	38.89	8.85	31.60
PK	17.2386G	60.26	68.20	-7.94	39.43	3	Horizontal	81	2.07	-	42.49	10.15	31.81

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5785MHz\_TX




EUT\_Z\_4TX  
Setting 120  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	64.86	68.20	-3.34	55.21	3	Vertical	202	1.80	-	33.88	6.31	30.54
PK	5.783G	127.22	Inf	-Inf	117.61	3	Vertical	202	1.80	-	33.80	6.39	30.58
AV	5.783G	116.64	Inf	-Inf	107.03	3	Vertical	202	1.80	-	33.80	6.39	30.58
PK	5.968G	63.30	68.20	-4.90	53.43	3	Vertical	202	1.80	-	34.17	6.32	30.62

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5785MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57156G	67.63	74.00	-6.37	51.42	3	Vertical	131	1.78	-	38.96	8.88	31.63
AV	11.57186G	53.07	54.00	-0.93	36.86	3	Vertical	131	1.78	-	38.96	8.88	31.63
PK	17.35512G	61.91	68.20	-6.29	40.41	3	Vertical	334	2.44	-	43.12	10.22	31.84

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5785MHz\_TX




EUT Z\_4TX  
Setting 120  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56646G	57.67	74.00	-16.33	41.48	3	Horizontal	155	1.14	-	38.95	8.87	31.63
AV	11.56688G	43.85	54.00	-10.15	27.66	3	Horizontal	155	1.14	-	38.95	8.87	31.63
PK	17.36772G	60.27	68.20	-7.93	38.69	3	Horizontal	285	2.43	-	43.19	10.23	31.84

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5825MHz\_TX



EUT\_Z\_4TX  
Setting 99  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	65.01	68.20	-3.19	55.35	3	Vertical	203	2.15	-	33.90	6.29	30.53
PK	5.823G	127.56	Inf	-Inf	117.89	3	Vertical	203	2.15	-	33.87	6.39	30.59
AV	5.823G	117.15	Inf	-Inf	107.48	3	Vertical	203	2.15	-	33.87	6.39	30.59
PK	5.929G	63.97	68.20	-4.23	54.12	3	Vertical	203	2.15	-	34.13	6.34	30.62



802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5825MHz\_TX




EUT Z\_4TX  
Setting 99  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65162G	68.02	74.00	-5.98	51.75	3	Vertical	11	1.62	-	39.02	8.90	31.65
AV	11.65204G	53.96	54.00	-0.04	37.69	3	Vertical	11	1.62	-	39.02	8.90	31.65
PK	17.47326G	61.75	68.20	-6.45	39.57	3	Vertical	328	2.53	-	43.76	10.29	31.87

802.11a\_Nss1,(6Mbps)\_4TX

28/05/2020

5825MHz\_TX



EUT\_Z\_4TX  
Setting 99  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65144G	58.30	74.00	-15.70	42.03	3	Horizontal	159	1.88	-	39.02	8.90	31.65
AV	11.65186G	43.80	54.00	-10.20	27.53	3	Horizontal	159	1.88	-	39.02	8.90	31.65
PK	17.47596G	61.08	68.20	-7.12	38.89	3	Horizontal	306	2.56	-	43.77	10.29	31.87




<SKU 5, Beamforming function>  
For 2T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Vertical	223	1.81	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 89  
06-E-5-5-13  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.31	74.00	-4.69	63.59	3	Vertical	219	1.80	-	31.75	5.60	31.63
AV	5.15G	53.94	54.00	-0.06	48.22	3	Vertical	219	1.80	-	31.75	5.60	31.63
PK	5.1876G	120.55	Inf	-Inf	115.04	3	Vertical	219	1.80	-	31.56	5.60	31.65
AV	5.1884G	108.95	Inf	-Inf	103.44	3	Vertical	219	1.80	-	31.56	5.60	31.65

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 89  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54156G	61.92	74.00	-12.08	46.21	3	Vertical	341	1.81	-	38.88	11.63	34.80
AV	15.53316G	48.54	54.00	-5.46	32.81	3	Vertical	341	1.81	-	38.90	11.62	34.79

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 89  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.51336G	61.07	74.00	-12.93	45.27	3	Horizontal	132	2.00	-	38.96	11.61	34.77
AV	15.54156G	47.82	54.00	-6.18	32.11	3	Horizontal	132	2.00	-	38.88	11.63	34.80

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5200MHz\_TX

05/05/2020




EUT\_Z\_2TX  
Setting 97  
06-E-S-5-13  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	70.23	74.00	-3.77	64.49	3	Vertical	223	1.81	-	31.77	5.60	31.63
AV	5.15G	53.98	54.00	-0.02	48.26	3	Vertical	223	1.81	-	31.75	5.60	31.63
PK	5.1916G	124.71	Inf	-Inf	119.23	3	Vertical	223	1.81	-	31.54	5.60	31.66
AV	5.1948G	111.66	Inf	-Inf	106.19	3	Vertical	223	1.81	-	31.53	5.60	31.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5200MHz\_TX



EUT\_Z\_2TX  
Setting 97  
03-A-W-3  
0x2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59964G	62.38	74.00	-11.62	46.88	3	Vertical	7	1.80	-	38.70	11.66	34.86
AV	15.60048G	48.76	54.00	-5.24	33.26	3	Vertical	7	1.80	-	38.70	11.66	34.86



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5200MHz\_TX




EUT\_Z\_2TX  
Setting 97  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5856G	61.09	74.00	-12.91	45.55	3	Horizontal	153	2.99	-	38.74	11.65	34.85
AV	15.59676G	47.57	54.00	-6.43	32.07	3	Horizontal	153	2.99	-	38.71	11.65	34.86

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5240MHz\_TX

05/05/2020




EUT\_Z\_2TX  
Setting 116  
06-E-5-5-13  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	68.81	74.00	-5.19	63.07	3	Vertical	218	1.80	-	31.77	5.60	31.63
AV	5.1494G	52.50	54.00	-1.50	46.78	3	Vertical	218	1.80	-	31.75	5.60	31.63
PK	5.2346G	125.87	Inf	-Inf	120.56	3	Vertical	218	1.80	-	31.36	5.63	31.68
AV	5.2322G	113.89	Inf	-Inf	108.57	3	Vertical	218	1.80	-	31.37	5.63	31.68
PK	5.3564G	64.23	74.00	-9.77	58.83	3	Vertical	218	1.80	-	31.38	5.76	31.74
AV	5.3576G	50.74	54.00	-3.26	45.33	3	Vertical	218	1.80	-	31.39	5.76	31.74

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 116  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49296G	57.65	68.20	-10.55	44.13	3	Vertical	218	1.80	-	38.40	10.02	34.90
PK	15.72708G	66.99	74.00	-7.01	51.95	3	Vertical	354	1.82	-	38.32	11.72	35.00
AV	15.72228G	52.91	54.00	-1.09	37.86	3	Vertical	354	1.82	-	38.33	11.72	35.00

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 116  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47952G	55.96	68.20	-12.24	42.45	3	Horizontal	352	1.07	-	38.40	10.02	34.91
PK	15.71412G	61.34	74.00	-12.66	46.26	3	Horizontal	150	1.88	-	38.36	11.71	34.99
AV	15.72G	48.33	54.00	-5.67	33.26	3	Horizontal	150	1.88	-	38.34	11.72	34.99

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 116  
06-E-5-5-13  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	63.81	74.00	-10.19	58.06	3	Vertical	215	2.24	-	31.78	5.60	31.63
AV	5.1496G	51.24	54.00	-2.76	45.52	3	Vertical	215	2.24	-	31.75	5.60	31.63
PK	5.2588G	128.07	Inf	-Inf	122.84	3	Vertical	215	2.24	-	31.26	5.66	31.69
AV	5.2582G	115.51	Inf	-Inf	110.27	3	Vertical	215	2.24	-	31.27	5.66	31.69
PK	5.3506G	66.84	74.00	-7.16	61.48	3	Vertical	215	2.24	-	31.35	5.75	31.74
AV	5.35G	52.92	54.00	-1.08	47.55	3	Vertical	215	2.24	-	31.35	5.75	31.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 116  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5288G	58.62	68.20	-9.58	45.07	3	Vertical	167	1.96	-	38.41	10.02	34.88
PK	15.778G	64.49	74.00	-9.51	49.63	3	Vertical	343	1.80	-	38.17	11.75	35.06
AV	15.7822G	51.43	54.00	-2.57	36.59	3	Vertical	343	1.80	-	38.15	11.75	35.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 116  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.518G	56.36	68.20	-11.84	42.82	3	Horizontal	290	1.78	-	38.40	10.02	34.88
PK	15.7822G	60.27	74.00	-13.73	45.43	3	Horizontal	150	1.00	-	38.15	11.75	35.06
AV	15.7803G	46.60	54.00	-7.40	31.75	3	Horizontal	150	1.00	-	38.16	11.75	35.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5300MHz\_TX



EUT\_Z\_2TX  
Setting 96  
06-E-S-5-13  
0x2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	124.22	Inf	-Inf	119.11	3	Vertical	209	2.00	-	31.12	5.70	31.71
AV	5.3032G	111.94	Inf	-Inf	106.83	3	Vertical	209	2.00	-	31.12	5.70	31.71
PK	5.35G	69.32	74.00	-4.68	63.95	3	Vertical	209	2.00	-	31.35	5.75	31.73
AV	5.3512G	53.31	54.00	-0.69	47.94	3	Vertical	209	2.00	-	31.36	5.75	31.74



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5300MHz\_TX




EUT\_Z\_2TX  
Setting 96  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60028G	56.22	74.00	-17.78	42.59	3	Vertical	164	1.80	-	38.42	10.04	34.83
AV	10.60024G	42.85	54.00	-11.15	29.22	3	Vertical	164	1.80	-	38.42	10.04	34.83
PK	15.90036G	65.87	74.00	-8.13	51.45	3	Vertical	350	2.76	-	37.80	11.81	35.19
AV	15.88212G	47.37	54.00	-6.63	32.89	3	Vertical	350	2.76	-	37.85	11.80	35.17

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5300MHz\_TX




EUT\_Z\_2TX  
Setting 96  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6204G	55.52	74.00	-18.48	41.88	3	Horizontal	313	2.88	-	38.42	10.04	34.82
AV	10.61536G	42.21	54.00	-11.79	28.57	3	Horizontal	313	2.88	-	38.42	10.04	34.82
PK	15.9084G	59.84	74.00	-14.16	45.46	3	Horizontal	240	2.92	-	37.77	11.81	35.20
AV	15.91416G	46.50	54.00	-7.50	32.13	3	Horizontal	240	2.92	-	37.76	11.82	35.21

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 80  
06-E-S-5-13  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	121.22	Inf	-Inf	116.06	3	Vertical	212	2.03	-	31.17	5.71	31.72
AV	5.321G	108.03	Inf	-Inf	102.82	3	Vertical	212	2.03	-	31.21	5.72	31.72
PK	5.35G	72.08	74.00	-1.92	66.71	3	Vertical	212	2.03	-	31.35	5.75	31.73
AV	5.3508G	53.77	54.00	-0.23	48.41	3	Vertical	212	2.03	-	31.35	5.75	31.74

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 80  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.97992G	60.83	74.00	-13.17	46.70	3	Vertical	353	1.80	-	37.56	11.85	35.28
AV	15.95736G	47.76	54.00	-6.24	33.54	3	Vertical	353	1.80	-	37.63	11.84	35.25

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 80  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9846G	59.88	74.00	-14.12	45.76	3	Horizontal	263	1.80	-	37.55	11.85	35.28
AV	15.97176G	46.39	54.00	-7.61	32.23	3	Horizontal	263	1.80	-	37.58	11.85	35.27

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 77  
06-E-5-5-13  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.76	74.00	-9.24	59.03	3	Vertical	152	2.14	-	31.72	5.80	31.79
AV	5.46G	50.68	54.00	-3.32	44.95	3	Vertical	152	2.14	-	31.72	5.80	31.79
PK	5.4696G	68.12	68.20	-0.08	62.37	3	Vertical	152	2.14	-	31.74	5.80	31.79
PK	5.4912G	120.75	Inf	-Inf	114.98	3	Vertical	152	2.14	-	31.78	5.80	31.81
AV	5.5088G	108.67	Inf	-Inf	102.90	3	Vertical	152	2.14	-	31.78	5.80	31.81

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 77  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00204G	54.66	74.00	-19.34	40.65	3	Vertical	16	1.92	-	38.50	10.10	34.59
AV	10.99868G	41.68	54.00	-12.32	27.67	3	Vertical	16	1.92	-	38.50	10.10	34.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/05/2020

5500MHz\_TX



EUT\_Z\_2TX  
Setting 77  
03-A-W-3  
0x2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0216G	55.21	74.00	-18.79	41.18	3	Horizontal	133	1.80	-	38.52	10.10	34.59
AV	11.02556G	40.99	54.00	-13.01	26.96	3	Horizontal	133	1.80	-	38.52	10.10	34.59