


802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 39
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	106.23	Inf	-Inf	98.24	3	Vertical	283	1.45	-	34.10	6.35	32.46
RMS	6.5602G	95.09	Inf	-Inf	87.10	3	Vertical	283	1.45	-	34.10	6.34	32.45
PK	7.1434G	61.95	88.20	-26.25	52.32	3	Vertical	283	1.45	-	35.89	6.82	33.08
RMS	7.1626G	51.16	68.20	-17.04	41.43	3	Vertical	283	1.45	-	35.98	6.84	33.09

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Z_4TX
Setting 39
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12424G	56.91	88.20	-31.29	42.82	3	Vertical	48	2.25	-	39.45	8.64	34.00
RMS	13.1297G	45.26	68.20	-22.94	31.16	3	Vertical	48	2.25	-	39.46	8.64	34.00

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 39
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13594G	56.79	88.20	-31.41	42.67	3	Horizontal	339	1.76	-	39.47	8.64	33.99
RMS	13.12982G	45.24	68.20	-22.96	31.14	3	Horizontal	339	1.76	-	39.46	8.64	34.00

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 39
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6947G	59.75	83.54	-23.79	57.73	1	Vertical	257	1.50	-	37.64	14.37	49.99
AV	19.69472G	48.32	63.54	-15.22	46.30	1	Vertical	257	1.50	-	37.64	14.37	49.99

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 39
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69742G	57.87	83.54	-25.67	55.85	1	Horizontal	358	1.50	-	37.64	14.37	49.99
AV	19.69468G	44.48	63.54	-19.06	42.46	1	Horizontal	358	1.50	-	37.64	14.37	49.99

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	107.81	Inf	-Inf	99.95	3	Vertical	281	1.52	-	34.10	6.36	32.60
RMS	6.691G	96.65	Inf	-Inf	88.81	3	Vertical	281	1.52	-	34.10	6.35	32.61
PK	7.179G	60.94	88.20	-27.26	51.10	3	Vertical	281	1.52	-	36.07	6.87	33.10
RMS	7.185G	51.55	68.20	-16.65	41.66	3	Vertical	281	1.52	-	36.11	6.88	33.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37864G	57.17	74.00	-16.83	42.07	3	Vertical	71	1.93	-	40.17	8.71	33.78
AV	13.36976G	43.79	54.00	-10.21	28.74	3	Vertical	71	1.93	-	40.12	8.71	33.78

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37732G	57.39	74.00	-16.61	42.30	3	Horizontal	90	2.60	-	40.16	8.71	33.78
AV	13.36994G	43.78	54.00	-10.22	28.73	3	Horizontal	90	2.60	-	40.12	8.71	33.78

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05468G	59.84	83.54	-23.70	57.89	1	Vertical	251	1.50	-	37.43	14.42	49.90
AV	20.05474G	50.05	63.54	-13.49	48.10	1	Vertical	251	1.50	-	37.43	14.42	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05644G	58.17	83.54	-25.37	56.21	1	Horizontal	190	1.50	-	37.43	14.43	49.90
AV	20.0547G	44.26	63.54	-19.28	42.31	1	Horizontal	190	1.50	-	37.43	14.42	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	105.94	Inf	-Inf	97.80	3	Vertical	314	1.40	-	34.58	6.37	32.81
RMS	6.8418G	97.31	Inf	-Inf	89.21	3	Vertical	314	1.40	-	34.55	6.36	32.81
PK	7.2258G	61.20	88.20	-27.00	51.16	3	Vertical	314	1.40	-	36.25	6.91	33.12
RMS	7.245G	51.86	68.20	-16.34	41.78	3	Vertical	314	1.40	-	36.29	6.92	33.13

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68034G	58.89	88.20	-29.31	43.60	3	Vertical	173	1.62	-	40.32	8.80	33.83
RMS	13.68988G	47.46	68.20	-20.74	32.18	3	Vertical	173	1.62	-	40.31	8.81	33.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Z_4TX
 Setting 42
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69252G	58.80	88.20	-29.40	43.52	3	Horizontal	77	1.82	-	40.31	8.81	33.84
RMS	13.68994G	47.48	68.20	-20.72	32.20	3	Horizontal	77	1.82	-	40.31	8.81	33.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53456G	59.44	83.54	-24.10	56.97	1	Vertical	280	1.50	-	37.73	14.64	49.90
AV	20.53472G	46.54	63.54	-17.00	44.07	1	Vertical	280	1.50	-	37.73	14.64	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX



EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5368G	58.14	83.54	-25.40	55.66	1	Horizontal	333	1.50	-	37.74	14.64	49.90
AV	20.53028G	44.05	63.54	-19.49	41.58	1	Horizontal	333	1.50	-	37.73	14.64	49.90


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 43
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.891G	106.34	Inf	-Inf	98.01	3	Vertical	12	1.80	-	34.76	6.44	32.87
RMS	6.891G	97.46	Inf	-Inf	89.13	3	Vertical	12	1.80	-	34.76	6.44	32.87
PK	7.1646G	61.33	88.20	-26.87	51.58	3	Vertical	12	1.80	-	35.99	6.85	33.09
RMS	7.185G	51.55	68.20	-16.65	41.66	3	Vertical	12	1.80	-	36.11	6.88	33.10

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 43
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75638G	59.74	88.20	-28.46	44.51	3	Vertical	91	1.56	-	40.30	8.83	33.90
RMS	13.76988G	47.97	68.20	-20.23	32.75	3	Vertical	91	1.56	-	40.30	8.83	33.91


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 43
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76466G	58.86	88.20	-29.34	43.64	3	Horizontal	199	2.32	-	40.30	8.83	33.91
RMS	13.76982G	47.96	68.20	-20.24	32.74	3	Horizontal	199	2.32	-	40.30	8.83	33.91


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 43
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65782G	57.77	83.54	-25.77	55.11	1	Vertical	288	1.50	-	37.86	14.70	49.90
AV	20.65474G	44.23	63.54	-19.31	41.59	1	Vertical	288	1.50	-	37.85	14.69	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




18/09/2020

EUT_Z_4TX
 Setting 43
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65908G	57.20	83.54	-26.34	54.54	1	Horizontal	167	1.50	-	37.86	14.70	49.90
AV	20.65732G	43.55	63.54	-19.99	40.89	1	Horizontal	167	1.50	-	37.86	14.70	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.916G	106.96	Inf	-Inf	98.56	3	Vertical	14	2.07	-	34.83	6.47	32.90
RMS	6.931G	98.00	Inf	-Inf	89.56	3	Vertical	14	2.07	-	34.86	6.50	32.92
PK	7.161G	62.33	88.20	-25.87	52.61	3	Vertical	14	2.07	-	35.97	6.84	33.09
RMS	7.173G	51.40	68.20	-16.80	41.59	3	Vertical	14	2.07	-	36.04	6.86	33.09

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.86008G	59.22	88.20	-28.98	43.93	3	Vertical	223	2.22	-	40.42	8.86	33.99
RMS	13.84982G	47.71	68.20	-20.49	32.44	3	Vertical	223	2.22	-	40.40	8.85	33.98

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8503G	59.25	88.20	-28.95	43.98	3	Horizontal	130	2.39	-	40.40	8.86	33.99
RMS	13.84976G	47.79	68.20	-20.41	32.52	3	Horizontal	130	2.39	-	40.40	8.85	33.98

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77452G	58.76	83.54	-24.78	55.94	1	Vertical	279	1.50	-	37.97	14.75	49.90
AV	20.77468G	44.55	63.54	-18.99	41.73	1	Vertical	279	1.50	-	37.97	14.75	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7794G	58.85	83.54	-24.69	56.02	1	Horizontal	66	1.50	-	37.98	14.75	49.90
AV	20.77868G	44.26	63.54	-19.28	41.43	1	Horizontal	66	1.50	-	37.98	14.75	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0122G	107.24	Inf	-Inf	98.44	3	Vertical	360	1.80	-	35.20	6.62	33.02
RMS	7.002G	97.89	Inf	-Inf	89.18	3	Vertical	360	1.80	-	35.12	6.60	33.01
PK	7.1538G	61.20	88.20	-27.00	51.53	3	Vertical	360	1.80	-	35.92	6.83	33.08
RMS	7.1544G	51.29	68.20	-16.91	41.61	3	Vertical	360	1.80	-	35.93	6.83	33.08

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




26/09/2020

EUT Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0097G	58.94	88.20	-29.26	43.54	3	Vertical	228	1.18	-	40.62	8.90	34.12
RMS	14.00988G	48.18	68.20	-20.02	32.78	3	Vertical	228	1.18	-	40.62	8.90	34.12

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02152G	59.00	88.20	-29.20	43.57	3	Horizontal	160	2.16	-	40.64	8.90	34.11
RMS	14.00982G	48.25	68.20	-19.95	32.85	3	Horizontal	160	2.16	-	40.62	8.90	34.12

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01056G	59.97	83.54	-23.57	56.82	1	Vertical	246	1.50	-	38.20	14.85	49.90
AV	21.01472G	46.43	63.54	-17.11	43.27	1	Vertical	246	1.50	-	38.19	14.86	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01132G	60.14	83.54	-23.40	56.98	1	Horizontal	335	1.50	-	38.20	14.86	49.90
AV	21.01466G	46.15	63.54	-17.39	42.99	1	Horizontal	335	1.50	-	38.19	14.86	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0818G	108.55	Inf	-Inf	99.19	3	Vertical	358	1.80	-	35.69	6.72	33.05
RMS	7.0766G	98.48	Inf	-Inf	89.16	3	Vertical	358	1.80	-	35.66	6.71	33.05
PK	7.1778G	61.89	88.20	-26.31	52.05	3	Vertical	358	1.80	-	36.07	6.87	33.10
RMS	7.127G	52.45	68.20	-15.75	42.88	3	Vertical	358	1.80	-	35.85	6.79	33.07

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17114G	59.78	88.20	-28.42	44.14	3	Vertical	183	2.24	-	40.80	8.88	34.04
RMS	14.16982G	48.52	68.20	-19.68	32.88	3	Vertical	183	2.24	-	40.80	8.88	34.04

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17678G	60.38	88.20	-27.82	44.74	3	Horizontal	136	2.30	-	40.80	8.88	34.04
RMS	14.16982G	48.50	68.20	-19.70	32.86	3	Horizontal	136	2.30	-	40.80	8.88	34.04

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25792G	59.27	83.54	-24.27	56.00	1	Vertical	293	1.50	-	38.10	14.97	49.80
AV	21.25474G	45.27	63.54	-18.27	42.01	1	Vertical	293	1.50	-	38.10	14.96	49.80

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25686G	58.56	83.54	-24.98	55.29	1	Horizontal	203	1.50	-	38.10	14.97	49.80
AV	21.25966G	44.58	63.54	-18.96	41.31	1	Horizontal	203	1.50	-	38.10	14.97	49.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 57
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	56.81	88.20	-31.39	50.24	3	Vertical	222	1.80	-	32.30	5.95	31.68
RMS	5.919G	47.31	68.20	-20.89	40.74	3	Vertical	222	1.80	-	32.30	5.94	31.67
PK	6.156G	107.68	Inf	-Inf	100.86	3	Vertical	222	1.80	-	32.62	6.06	31.86
RMS	6.116G	97.92	Inf	-Inf	91.30	3	Vertical	222	1.80	-	32.40	6.02	31.80

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 57
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.27956G	55.46	74.00	-18.54	42.30	3	Vertical	349	2.61	-	38.82	8.38	34.04
AV	12.30092G	42.19	54.00	-11.81	29.03	3	Vertical	349	2.61	-	38.80	8.39	34.03

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 57
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29978G	56.36	74.00	-17.64	43.20	3	Horizontal	172	1.57	-	38.80	8.39	34.03
AV	12.3017G	42.15	54.00	-11.85	29.00	3	Horizontal	172	1.57	-	38.79	8.39	34.03

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 57
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4345G	58.87	83.54	-24.67	57.18	1	Vertical	243	1.50	-	37.65	14.24	50.20
AV	18.43478G	46.71	63.54	-16.83	45.02	1	Vertical	243	1.50	-	37.65	14.24	50.20

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 57
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43408G	58.53	83.54	-25.01	56.84	1	Horizontal	7	1.50	-	37.65	14.24	50.20
AV	18.43476G	44.82	63.54	-18.72	43.13	1	Horizontal	7	1.50	-	37.65	14.24	50.20

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8346G	57.64	88.20	-30.56	51.23	3	Vertical	307	1.46	-	32.14	5.98	31.71
RMS	5.8538G	47.44	68.20	-20.76	40.96	3	Vertical	307	1.46	-	32.21	5.97	31.70
PK	6.201G	106.43	Inf	-Inf	99.46	3	Vertical	307	1.46	-	32.80	6.10	31.93
RMS	6.2154G	97.28	Inf	-Inf	90.30	3	Vertical	307	1.46	-	32.83	6.10	31.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43914G	55.00	74.00	-19.00	42.04	3	Vertical	205	1.31	-	38.50	8.43	33.97
AV	12.4578G	42.00	54.00	-12.00	29.02	3	Vertical	205	1.31	-	38.50	8.44	33.96

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44394G	55.61	74.00	-18.39	42.65	3	Horizontal	113	1.71	-	38.50	8.43	33.97
AV	12.45774G	42.00	54.00	-12.00	29.02	3	Horizontal	113	1.71	-	38.50	8.44	33.96

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67534G	59.23	83.54	-24.31	57.21	1	Vertical	357	1.50	-	37.95	14.27	50.20
AV	18.6748G	47.24	63.54	-16.30	45.23	1	Vertical	357	1.50	-	37.94	14.27	50.20

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67496G	58.24	83.54	-25.30	56.23	1	Horizontal	313	1.50	-	37.94	14.27	50.20
AV	18.67478G	45.11	63.54	-18.43	43.10	1	Horizontal	313	1.50	-	37.94	14.27	50.20

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	57.63	88.20	-30.57	51.07	3	Vertical	307	1.51	-	32.29	5.95	31.68
RMS	5.8498G	47.46	68.20	-20.74	40.98	3	Vertical	307	1.51	-	32.20	5.98	31.70
PK	6.4114G	108.24	Inf	-Inf	100.81	3	Vertical	307	1.51	-	33.55	6.12	32.24
RMS	6.3754G	98.10	Inf	-Inf	90.84	3	Vertical	307	1.51	-	33.35	6.10	32.19

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76406G	56.34	88.20	-31.86	42.66	3	Vertical	306	1.64	-	39.18	8.53	34.03
RMS	12.78458G	44.71	68.20	-23.49	30.90	3	Vertical	306	1.64	-	39.31	8.54	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76202G	55.81	88.20	-32.39	42.14	3	Horizontal	124	2.21	-	39.17	8.53	34.03
RMS	12.78494G	44.67	68.20	-23.53	30.86	3	Horizontal	124	2.21	-	39.31	8.54	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1548G	61.31	83.54	-22.23	58.93	1	Vertical	357	1.50	-	38.21	14.32	50.15
AV	19.15476G	49.34	63.54	-14.20	46.96	1	Vertical	357	1.50	-	38.21	14.32	50.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15362G	58.10	83.54	-25.44	55.71	1	Horizontal	7	1.50	-	38.22	14.32	50.15
AV	19.1548G	44.97	63.54	-18.57	42.59	1	Horizontal	7	1.50	-	38.21	14.32	50.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8238G	58.08	88.20	-30.12	51.70	3	Vertical	306	1.80	-	32.10	5.99	31.71
RMS	5.8546G	47.46	68.20	-20.74	40.98	3	Vertical	306	1.80	-	32.21	5.97	31.70
PK	6.4594G	107.85	Inf	-Inf	100.23	3	Vertical	306	1.80	-	33.74	6.19	32.31
RMS	6.4762G	96.90	Inf	-Inf	89.22	3	Vertical	306	1.80	-	33.80	6.21	32.33
PK	7.1538G	61.39	88.20	-26.81	51.72	3	Vertical	306	1.80	-	35.92	6.83	33.08
RMS	7.1622G	51.31	68.20	-16.89	41.59	3	Vertical	306	1.80	-	35.97	6.84	33.09

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94272G	56.44	88.20	-31.76	42.51	3	Vertical	68	1.66	-	39.44	8.58	34.09
RMS	12.93954G	44.80	68.20	-23.40	30.87	3	Vertical	68	1.66	-	39.44	8.58	34.09

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94248G	56.57	88.20	-31.63	42.64	3	Horizontal	274	2.05	-	39.44	8.58	34.09
RMS	12.92994G	44.74	68.20	-23.46	30.82	3	Horizontal	274	2.05	-	39.43	8.58	34.09

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39478G	59.15	83.54	-24.39	56.96	1	Vertical	249	1.50	-	37.93	14.34	50.08
AV	19.39476G	47.77	63.54	-15.77	45.58	1	Vertical	249	1.50	-	37.93	14.34	50.08

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39476G	57.65	83.54	-25.89	55.46	1	Horizontal	11	1.50	-	37.93	14.34	50.08
AV	19.39474G	44.84	63.54	-18.70	42.65	1	Horizontal	11	1.50	-	37.93	14.34	50.08


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 49
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	56.96	88.20	-31.24	50.47	3	Vertical	357	1.80	-	32.22	5.97	31.70
RMS	5.8562G	47.49	68.20	-20.71	41.01	3	Vertical	357	1.80	-	32.21	5.97	31.70
PK	6.5394G	105.88	Inf	-Inf	97.93	3	Vertical	357	1.80	-	34.06	6.31	32.42
RMS	6.5254G	94.28	Inf	-Inf	86.39	3	Vertical	357	1.80	-	34.00	6.29	32.40
PK	7.2086G	62.19	88.20	-26.01	52.18	3	Vertical	357	1.80	-	36.22	6.90	33.11
RMS	7.2338G	51.96	68.20	-16.24	41.89	3	Vertical	357	1.80	-	36.27	6.92	33.12


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 49
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.10356G	56.97	88.20	-31.23	42.95	3	Vertical	34	1.79	-	39.41	8.63	34.02
RMS	13.10332G	45.35	68.20	-22.85	31.33	3	Vertical	34	1.79	-	39.41	8.63	34.02


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 49
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09492G	56.93	88.20	-31.27	42.92	3	Horizontal	119	1.15	-	39.41	8.63	34.03
RMS	13.1026G	45.28	68.20	-22.92	31.26	3	Horizontal	119	1.15	-	39.41	8.63	34.02


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 49
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6349G	60.41	83.54	-23.13	58.37	1	Vertical	260	1.50	-	37.69	14.36	50.01
AV	19.63474G	50.40	63.54	-13.14	48.36	1	Vertical	260	1.50	-	37.69	14.36	50.01

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 49
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63834G	59.47	83.54	-24.07	57.43	1	Horizontal	293	1.50	-	37.69	14.36	50.01
AV	19.63486G	44.43	63.54	-19.11	42.39	1	Horizontal	293	1.50	-	37.69	14.36	50.01

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6058G	108.09	Inf	-Inf	100.10	3	Vertical	283	1.62	-	34.10	6.40	32.51
RMS	6.6562G	96.64	Inf	-Inf	88.74	3	Vertical	283	1.62	-	34.10	6.37	32.57
PK	7.1962G	61.11	88.20	-27.09	51.14	3	Vertical	283	1.62	-	36.18	6.89	33.10
RMS	7.2178G	51.93	68.20	-16.27	41.89	3	Vertical	283	1.62	-	36.24	6.91	33.11

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25048G	56.82	74.00	-17.18	42.38	3	Vertical	145	2.88	-	39.65	8.68	33.89
AV	13.25384G	43.43	54.00	-10.57	28.99	3	Vertical	145	2.88	-	39.65	8.68	33.89

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2611G	57.85	74.00	-16.15	43.39	3	Horizontal	250	2.61	-	39.66	8.68	33.88
AV	13.25012G	43.62	54.00	-10.38	29.18	3	Horizontal	250	2.61	-	39.65	8.68	33.89

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8747G	60.26	83.54	-23.28	58.31	1	Vertical	258	1.50	-	37.50	14.39	49.94
AV	19.87472G	51.00	63.54	-12.54	49.05	1	Vertical	258	1.50	-	37.50	14.39	49.94

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8745G	58.12	83.54	-25.42	56.17	1	Horizontal	154	1.50	-	37.50	14.39	49.94
AV	19.87462G	44.28	63.54	-19.26	42.33	1	Horizontal	154	1.50	-	37.50	14.39	49.94

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




26/09/2020

EUT_Z_4TX
Setting 51
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.675G	108.13	Inf	-Inf	100.26	3	Vertical	283	1.69	-	34.10	6.36	32.59
RMS	6.691G	96.70	Inf	-Inf	88.86	3	Vertical	283	1.69	-	34.10	6.35	32.61
PK	7.177G	61.39	88.20	-26.81	51.55	3	Vertical	283	1.69	-	36.06	6.87	33.09
RMS	7.203G	51.86	68.20	-16.34	41.86	3	Vertical	283	1.69	-	36.21	6.90	33.11

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 51
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4178G	58.63	88.20	-29.57	43.38	3	Vertical	254	1.20	-	40.26	8.73	33.74
RMS	13.41003G	46.39	68.20	-21.81	31.14	3	Vertical	254	1.20	-	40.28	8.72	33.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




26/09/2020

EUT Z_4TX
Setting 51
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4196G	58.06	88.20	-30.14	42.81	3	Horizontal	4	2.01	-	40.26	8.73	33.74
RMS	13.41012G	46.34	68.20	-21.86	31.09	3	Horizontal	4	2.01	-	40.28	8.72	33.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 51
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11474G	59.96	83.54	-23.58	57.94	1	Vertical	252	1.50	-	37.47	14.45	49.90
AV	20.1147G	49.20	63.54	-14.34	47.18	1	Vertical	252	1.50	-	37.47	14.45	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 51
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11554G	58.02	83.54	-25.52	56.00	1	Horizontal	271	1.50	-	37.47	14.45	49.90
AV	20.1147G	44.32	63.54	-19.22	42.30	1	Horizontal	271	1.50	-	37.47	14.45	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7914G	106.95	Inf	-Inf	99.12	3	Vertical	347	1.80	-	34.27	6.30	32.74
RMS	6.801G	97.30	Inf	-Inf	89.45	3	Vertical	347	1.80	-	34.31	6.30	32.76
PK	7.1418G	61.09	88.20	-27.11	51.48	3	Vertical	347	1.80	-	35.88	6.81	33.08
RMS	7.177G	51.67	68.20	-16.53	41.83	3	Vertical	347	1.80	-	36.06	6.87	33.09

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56088G	58.26	88.20	-29.94	42.93	3	Vertical	261	1.56	-	40.28	8.77	33.72
RMS	13.56982G	46.36	68.20	-21.84	31.01	3	Vertical	261	1.56	-	40.31	8.77	33.73

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.55788G	58.16	88.20	-30.04	42.84	3	Horizontal	266	1.79	-	40.27	8.77	33.72
RMS	13.56988G	46.32	68.20	-21.88	30.97	3	Horizontal	266	1.79	-	40.31	8.77	33.73

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 56
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35468G	59.89	83.54	-23.65	57.62	1	Vertical	280	1.50	-	37.61	14.56	49.90
AV	20.35472G	49.71	63.54	-13.83	47.44	1	Vertical	280	1.50	-	37.61	14.56	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



EUT_Z_4TX
Setting 56
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.354G	59.82	83.54	-23.72	57.55	1	Horizontal	284	1.50	-	37.61	14.56	49.90
AV	20.35472G	45.63	63.54	-17.91	43.36	1	Horizontal	284	1.50	-	37.61	14.56	49.90


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 57
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8362G	108.71	Inf	-Inf	100.64	3	Vertical	348	1.80	-	34.52	6.35	32.80
RMS	6.8758G	98.36	Inf	-Inf	90.10	3	Vertical	348	1.80	-	34.70	6.41	32.85
PK	7.1398G	63.11	88.20	-25.09	53.50	3	Vertical	348	1.80	-	35.88	6.81	33.08
RMS	7.1254G	51.30	68.20	-16.90	41.73	3	Vertical	348	1.80	-	35.85	6.79	33.07


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 57
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7231G	59.61	88.20	-28.59	44.36	3	Vertical	351	1.42	-	40.30	8.82	33.87
RMS	13.74488G	47.70	68.20	-20.50	32.47	3	Vertical	351	1.42	-	40.30	8.82	33.89


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT Z_4TX
 Setting 57
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74482G	59.51	88.20	-28.69	44.28	3	Horizontal	314	1.99	-	40.30	8.82	33.89
RMS	13.74452G	47.71	68.20	-20.49	32.48	3	Horizontal	314	1.99	-	40.30	8.82	33.89


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 57
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59508G	57.24	83.54	-26.30	54.67	1	Vertical	280	1.50	-	37.80	14.67	49.90
AV	20.59464G	44.13	63.54	-19.41	41.57	1	Vertical	280	1.50	-	37.79	14.67	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 57
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59498G	57.19	83.54	-26.35	54.63	1	Horizontal	351	1.50	-	37.79	14.67	49.90
AV	20.59468G	42.80	63.54	-20.74	40.24	1	Horizontal	351	1.50	-	37.79	14.67	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 55
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.952G	108.15	Inf	-Inf	99.66	3	Vertical	360	1.80	-	34.91	6.53	32.95
RMS	6.957G	98.58	Inf	-Inf	90.06	3	Vertical	360	1.80	-	34.93	6.54	32.95
PK	7.176G	62.83	88.20	-25.37	53.00	3	Vertical	360	1.80	-	36.06	6.86	33.09
RMS	7.195G	51.66	68.20	-16.54	41.70	3	Vertical	360	1.80	-	36.17	6.89	33.10

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




26/09/2020

EUT_Z_4TX
Setting 55
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89006G	59.73	88.20	-28.47	44.40	3	Vertical	94	1.17	-	40.48	8.87	34.02
RMS	13.88982G	47.76	68.20	-20.44	32.43	3	Vertical	94	1.17	-	40.48	8.87	34.02

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 55
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89492G	59.97	88.20	-28.23	44.64	3	Horizontal	308	1.99	-	40.49	8.87	34.03
RMS	13.88988G	47.71	68.20	-20.49	32.38	3	Horizontal	308	1.99	-	40.48	8.87	34.02

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 55
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83062G	58.49	83.54	-25.05	55.59	1	Vertical	278	1.50	-	38.03	14.77	49.90
AV	20.83018G	44.41	63.54	-19.13	41.51	1	Vertical	278	1.50	-	38.03	14.77	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 55
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83562G	58.79	83.54	-24.75	55.87	1	Horizontal	182	1.50	-	38.04	14.78	49.90
AV	20.83474G	44.86	63.54	-18.68	41.95	1	Horizontal	182	1.50	-	38.03	14.78	49.90

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Z_4TX
Setting 53
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9962G	106.99	Inf	-Inf	98.33	3	Vertical	16	1.80	-	35.08	6.59	33.01
RMS	7.041G	98.10	Inf	-Inf	89.04	3	Vertical	16	1.80	-	35.43	6.66	33.03
PK	7.1954G	62.31	88.20	-25.89	52.35	3	Vertical	16	1.80	-	36.17	6.89	33.10
RMS	7.2218G	51.81	68.20	-16.39	41.78	3	Vertical	16	1.80	-	36.24	6.91	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 53
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0614G	59.97	88.20	-28.23	44.45	3	Vertical	94	1.14	-	40.72	8.89	34.09
RMS	14.06134G	48.33	68.20	-19.87	32.81	3	Vertical	94	1.14	-	40.72	8.89	34.09

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




26/09/2020

EUT_Z_4TX
Setting 53
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05768G	59.78	88.20	-28.42	44.26	3	Horizontal	79	1.38	-	40.72	8.89	34.09
RMS	14.06356G	48.42	68.20	-19.78	32.89	3	Horizontal	79	1.38	-	40.73	8.89	34.09

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Z_4TX
Setting 53
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0704G	59.24	83.54	-24.30	56.06	1	Vertical	339	1.50	-	38.17	14.88	49.87
AV	21.07002G	45.19	63.54	-18.35	42.01	1	Vertical	339	1.50	-	38.17	14.88	49.87

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 53
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07236G	59.76	83.54	-23.78	56.58	1	Horizontal	357	1.50	-	38.17	14.88	49.87
AV	21.07004G	44.99	63.54	-18.55	41.81	1	Horizontal	357	1.50	-	38.17	14.88	49.87

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	58.04	88.20	-30.16	51.64	3	Vertical	303	1.56	-	32.12	5.99	31.71
RMS	5.8618G	47.49	68.20	-20.71	41.00	3	Vertical	303	1.56	-	32.22	5.97	31.70
PK	6.161G	105.72	Inf	-Inf	98.89	3	Vertical	303	1.56	-	32.64	6.06	31.87
RMS	6.1258G	96.61	Inf	-Inf	89.95	3	Vertical	303	1.56	-	32.45	6.03	31.82

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37042G	55.34	74.00	-18.66	42.34	3	Vertical	238	1.59	-	38.59	8.41	34.00
AV	12.36388G	41.51	54.00	-12.49	28.49	3	Vertical	238	1.59	-	38.61	8.41	34.00

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3685G	55.19	74.00	-18.81	42.19	3	Horizontal	244	2.48	-	38.59	8.41	34.00
AV	12.35614G	41.51	54.00	-12.49	28.48	3	Horizontal	244	2.48	-	38.63	8.41	34.01

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55434G	58.33	83.54	-25.21	56.49	1	Vertical	186	1.50	-	37.78	14.26	50.20
AV	18.55476G	47.26	63.54	-16.28	45.42	1	Vertical	186	1.50	-	37.78	14.26	50.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55178G	57.65	83.54	-25.89	55.82	1	Horizontal	9	1.50	-	37.77	14.26	50.20
AV	18.55472G	44.32	63.54	-19.22	42.48	1	Horizontal	9	1.50	-	37.78	14.26	50.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Z_4TX
Setting 63
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.861G	57.68	88.20	-30.52	51.19	3	Vertical	307	1.61	-	32.22	5.97	31.70
RMS	5.857G	47.48	68.20	-20.72	41.00	3	Vertical	307	1.61	-	32.21	5.97	31.70
PK	6.325G	106.91	Inf	-Inf	99.82	3	Vertical	307	1.61	-	33.10	6.10	32.11
RMS	6.355G	96.48	Inf	-Inf	89.31	3	Vertical	307	1.61	-	33.23	6.10	32.16

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 63
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67758G	55.36	74.00	-18.64	42.06	3	Vertical	189	2.28	-	38.80	8.50	34.00
AV	12.67998G	41.95	54.00	-12.05	28.65	3	Vertical	189	2.28	-	38.80	8.50	34.00

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 63
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68046G	55.05	74.00	-18.95	41.75	3	Horizontal	351	2.78	-	38.80	8.50	34.00
AV	12.68034G	41.93	54.00	-12.07	28.63	3	Horizontal	351	2.78	-	38.80	8.50	34.00

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 63
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03466G	59.48	83.54	-24.06	57.01	1	Vertical	354	1.50	-	38.36	14.30	50.19
AV	19.03474G	48.47	63.54	-15.07	46.00	1	Vertical	354	1.50	-	38.36	14.30	50.19

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



EUT Z_4TX
Setting 63
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03524G	58.84	83.54	-24.70	56.37	1	Horizontal	267	1.50	-	38.36	14.30	50.19
AV	19.03474G	45.58	63.54	-17.96	43.11	1	Horizontal	267	1.50	-	38.36	14.30	50.19


802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 64
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	58.21	88.20	-29.99	51.66	3	Vertical	283	1.78	-	32.27	5.96	31.68
RMS	5.8554G	47.44	68.20	-20.76	40.96	3	Vertical	283	1.78	-	32.21	5.97	31.70
PK	6.4966G	107.83	Inf	-Inf	100.06	3	Vertical	283	1.78	-	33.89	6.24	32.36
RMS	6.5162G	95.94	Inf	-Inf	88.10	3	Vertical	283	1.78	-	33.96	6.27	32.39
PK	7.1658G	62.33	88.20	-25.87	52.58	3	Vertical	283	1.78	-	35.99	6.85	33.09
RMS	7.1994G	51.78	68.20	-16.42	41.79	3	Vertical	283	1.78	-	36.20	6.90	33.11


802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 64
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00196G	56.25	88.20	-31.95	42.26	3	Vertical	174	1.08	-	39.50	8.60	34.11
RMS	12.99884G	44.57	68.20	-23.63	30.58	3	Vertical	174	1.08	-	39.50	8.60	34.11

802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 64
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00184G	56.49	88.20	-31.71	42.50	3	Horizontal	204	1.85	-	39.50	8.60	34.11
RMS	12.99638G	44.59	68.20	-23.61	30.60	3	Horizontal	204	1.85	-	39.50	8.60	34.11


802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 64
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5148G	58.56	83.54	-24.98	56.47	1	Vertical	182	1.50	-	37.79	14.35	50.05
AV	19.5147G	47.42	63.54	-16.12	45.33	1	Vertical	182	1.50	-	37.79	14.35	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 64
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51124G	58.02	83.54	-25.52	55.93	1	Horizontal	268	1.50	-	37.79	14.35	50.05
AV	19.51472G	45.19	63.54	-18.35	43.10	1	Horizontal	268	1.50	-	37.79	14.35	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6958G	105.87	Inf	-Inf	98.04	3	Vertical	281	1.39	-	34.10	6.35	32.62
RMS	6.6562G	96.38	Inf	-Inf	88.48	3	Vertical	281	1.39	-	34.10	6.37	32.57
PK	7.1974G	62.20	88.20	-26.00	52.22	3	Vertical	281	1.39	-	36.18	6.90	33.10
RMS	7.2084G	51.93	68.20	-16.27	41.92	3	Vertical	281	1.39	-	36.22	6.90	33.11

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33624G	57.36	74.00	-16.64	42.55	3	Vertical	9	1.13	-	39.92	8.70	33.81
AV	13.34086G	43.80	54.00	-10.20	28.96	3	Vertical	9	1.13	-	39.95	8.70	33.81

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33882G	57.51	74.00	-16.49	42.69	3	Horizontal	28	2.41	-	39.93	8.70	33.81
AV	13.3405G	43.78	54.00	-10.22	28.95	3	Horizontal	28	2.41	-	39.94	8.70	33.81

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 58
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99484G	60.98	83.54	-22.56	59.08	1	Vertical	257	1.50	-	37.40	14.40	49.90
AV	19.99472G	50.19	63.54	-13.35	48.29	1	Vertical	257	1.50	-	37.40	14.40	49.90

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



EUT_Z_4TX
Setting 58
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99466G	58.02	83.54	-25.52	56.12	1	Horizontal	168	1.50	-	37.40	14.40	49.90
AV	19.99464G	44.25	63.54	-19.29	42.35	1	Horizontal	168	1.50	-	37.40	14.40	49.90


802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 66
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8202G	107.78	Inf	-Inf	99.81	3	Vertical	50	2.63	-	34.42	6.33	32.78
RMS	6.8154G	97.62	Inf	-Inf	89.68	3	Vertical	50	2.63	-	34.39	6.32	32.77
PK	7.169G	62.14	88.20	-26.06	52.37	3	Vertical	50	2.63	-	36.01	6.85	33.09
RMS	7.225G	51.93	68.20	-16.27	41.89	3	Vertical	50	2.63	-	36.25	6.91	33.12


802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 66
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64652G	59.49	88.20	-28.71	44.15	3	Vertical	256	1.36	-	40.35	8.79	33.80
RMS	13.6365G	47.66	68.20	-20.54	32.30	3	Vertical	256	1.36	-	40.36	8.79	33.79

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 66
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64028G	59.56	88.20	-28.64	44.21	3	Horizontal	322	1.51	-	40.36	8.79	33.80
RMS	13.63638G	47.83	68.20	-20.37	32.47	3	Horizontal	322	1.51	-	40.36	8.79	33.79


802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 66
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47454G	60.08	83.54	-23.46	57.69	1	Vertical	280	1.50	-	37.68	14.61	49.90
AV	20.47472G	47.21	63.54	-16.33	44.82	1	Vertical	280	1.50	-	37.68	14.61	49.90

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 66
 06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47468G	58.52	83.54	-25.02	56.13	1	Horizontal	6	1.50	-	37.68	14.61	49.90
AV	20.47474G	45.38	63.54	-18.16	42.99	1	Horizontal	6	1.50	-	37.68	14.61	49.90

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.002G	107.73	Inf	-Inf	99.02	3	Vertical	360	1.77	-	35.12	6.60	33.01
RMS	6.972G	98.16	Inf	-Inf	89.58	3	Vertical	360	1.77	-	34.99	6.56	32.97
PK	7.21G	62.61	88.20	-25.59	52.59	3	Vertical	360	1.77	-	36.22	6.91	33.11
RMS	7.127G	52.33	68.20	-15.87	42.76	3	Vertical	360	1.77	-	35.85	6.79	33.07

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Z_4TX
Setting 63
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9604G	59.37	88.20	-28.83	44.00	3	Vertical	317	1.23	-	40.56	8.89	34.08
RMS	13.97978G	47.81	68.20	-20.39	32.44	3	Vertical	317	1.23	-	40.58	8.89	34.10

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Z_4TX
Setting 63
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97936G	60.16	88.20	-28.04	44.79	3	Horizontal	72	1.81	-	40.58	8.89	34.10
RMS	13.9787G	47.75	68.20	-20.45	32.38	3	Horizontal	72	1.81	-	40.58	8.89	34.10

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95596G	59.64	83.54	-23.90	56.55	1	Vertical	197	1.50	-	38.16	14.83	49.90
AV	20.9547G	46.03	63.54	-17.51	42.95	1	Vertical	197	1.50	-	38.15	14.83	49.90

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Z_4TX
Setting 63
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9512G	59.81	83.54	-23.73	56.73	1	Horizontal	310	1.50	-	38.15	14.83	49.90
AV	20.95332G	45.53	63.54	-18.01	42.45	1	Horizontal	310	1.50	-	38.15	14.83	49.90




For Radiated:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7.0G	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.12524G	67.79	68.20	-0.41	3	Vertical	176	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 30
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9G	58.67	88.20	-29.53	52.10	3	Vertical	153	2.14	-	32.30	5.95	31.68
RMS	5.874G	48.00	68.20	-20.20	41.48	3	Vertical	153	2.14	-	32.25	5.96	31.69
PK	6.118G	107.36	Inf	-Inf	100.73	3	Vertical	153	2.14	-	32.41	6.02	31.80
RMS	6.11G	97.30	Inf	-Inf	90.72	3	Vertical	153	2.14	-	32.36	6.01	31.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 30
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2216G	55.47	74.00	-18.53	42.29	3	Vertical	225	1.96	-	38.88	8.37	34.07
AV	12.22688G	42.84	54.00	-11.16	29.67	3	Vertical	225	1.96	-	38.87	8.37	34.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 30
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22192G	55.65	74.00	-18.35	42.47	3	Horizontal	71	2.99	-	38.88	8.37	34.07
AV	12.23932G	42.70	54.00	-11.30	29.53	3	Horizontal	71	2.99	-	38.86	8.37	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 30
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34462G	58.61	83.54	-24.93	57.00	1	Vertical	260	1.50	-	37.58	14.23	50.20
AV	18.34478G	47.24	63.54	-16.30	45.63	1	Vertical	260	1.50	-	37.58	14.23	50.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 30
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34444G	57.89	83.54	-25.65	56.28	1	Horizontal	353	1.50	-	37.58	14.23	50.20
AV	18.34478G	45.33	63.54	-18.21	43.72	1	Horizontal	353	1.50	-	37.58	14.23	50.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TX




26/09/2020

EUT_Z_4TX
Setting 31
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	58.32	88.20	-29.88	51.76	3	Vertical	179	1.56	-	32.28	5.96	31.68
RMS	5.8598G	47.79	68.20	-20.41	41.30	3	Vertical	179	1.56	-	32.22	5.97	31.70
PK	6.2646G	109.49	Inf	-Inf	102.48	3	Vertical	179	1.56	-	32.93	6.10	32.02
RMS	6.263G	99.58	Inf	-Inf	92.57	3	Vertical	179	1.56	-	32.93	6.10	32.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51448G	55.55	74.00	-18.45	42.50	3	Vertical	71	2.99	-	38.54	8.45	33.94
AV	12.51608G	42.60	54.00	-11.40	29.55	3	Vertical	71	2.99	-	38.55	8.45	33.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51788G	55.78	74.00	-18.22	42.72	3	Horizontal	101	2.78	-	38.55	8.46	33.95
AV	12.51556G	42.40	54.00	-11.60	29.35	3	Horizontal	101	2.78	-	38.55	8.45	33.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 31
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76456G	57.81	83.54	-25.73	55.66	1	Vertical	354	1.50	-	38.07	14.28	50.20
AV	18.76476G	47.42	63.54	-16.12	45.27	1	Vertical	354	1.50	-	38.07	14.28	50.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TX




EUT Z_4TX
Setting 31
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76892G	56.99	83.54	-26.55	54.83	1	Horizontal	313	1.50	-	38.08	14.28	50.20
AV	18.76492G	44.29	63.54	-19.25	42.14	1	Horizontal	313	1.50	-	38.07	14.28	50.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 35
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	58.16	88.20	-30.04	51.59	3	Vertical	360	2.00	-	32.30	5.95	31.68
RMS	5.8726G	47.63	68.20	-20.57	41.11	3	Vertical	360	2.00	-	32.25	5.96	31.69
PK	6.4198G	109.10	Inf	-Inf	101.64	3	Vertical	360	2.00	-	33.58	6.13	32.25
RMS	6.4102G	100.05	Inf	-Inf	92.63	3	Vertical	360	2.00	-	33.54	6.12	32.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83292G	56.54	88.20	-31.66	42.64	3	Vertical	71	2.99	-	39.40	8.55	34.05
RMS	12.83468G	44.91	68.20	-23.29	31.01	3	Vertical	71	2.99	-	39.40	8.55	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82976G	56.87	88.20	-31.33	42.97	3	Horizontal	67	2.82	-	39.40	8.55	34.05
RMS	12.83516G	44.86	68.20	-23.34	30.96	3	Horizontal	67	2.82	-	39.40	8.55	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 35
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2451G	59.18	83.54	-24.36	56.88	1	Vertical	357	1.50	-	38.11	14.32	50.13
AV	19.24476G	48.13	63.54	-15.41	45.83	1	Vertical	357	1.50	-	38.11	14.32	50.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 35
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24528G	58.25	83.54	-25.29	55.95	1	Horizontal	352	1.50	-	38.11	14.32	50.13
AV	19.24468G	44.83	63.54	-18.71	42.53	1	Horizontal	352	1.50	-	38.11	14.32	50.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 33
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8686G	57.46	88.20	-30.74	50.94	3	Vertical	183	2.13	-	32.24	5.97	31.69
RMS	5.8662G	47.60	68.20	-20.60	41.09	3	Vertical	183	2.13	-	32.23	5.97	31.69
PK	6.4398G	104.58	Inf	-Inf	97.04	3	Vertical	183	2.13	-	33.66	6.16	32.28
RMS	6.4326G	95.60	Inf	-Inf	88.09	3	Vertical	183	2.13	-	33.63	6.15	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87016G	57.27	88.20	-30.93	43.38	3	Vertical	64	2.73	-	39.40	8.56	34.07
RMS	12.8642G	44.79	68.20	-23.41	30.89	3	Vertical	64	2.73	-	39.40	8.56	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86912G	56.70	88.20	-31.50	42.81	3	Horizontal	66	2.67	-	39.40	8.56	34.07
RMS	12.862G	44.77	68.20	-23.43	30.87	3	Horizontal	66	2.67	-	39.40	8.56	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3047G	58.50	83.54	-25.04	56.25	1	Vertical	259	1.50	-	38.03	14.33	50.11
AV	19.3048G	47.39	63.54	-16.15	45.14	1	Vertical	259	1.50	-	38.03	14.33	50.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3034G	57.52	83.54	-26.02	55.26	1	Horizontal	240	1.50	-	38.04	14.33	50.11
AV	19.30546G	44.70	63.54	-18.84	42.45	1	Horizontal	240	1.50	-	38.03	14.33	50.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 33
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	57.67	88.20	-30.53	51.10	3	Vertical	0	1.97	-	32.30	5.94	31.67
RMS	5.8798G	47.49	68.20	-20.71	40.96	3	Vertical	0	1.97	-	32.26	5.96	31.69
PK	6.4726G	108.10	Inf	-Inf	100.43	3	Vertical	0	1.97	-	33.79	6.21	32.33
RMS	6.4774G	98.06	Inf	-Inf	90.37	3	Vertical	0	1.97	-	33.81	6.22	32.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9538G	56.58	88.20	-31.62	42.63	3	Vertical	66	2.49	-	39.45	8.59	34.09
RMS	12.94616G	44.99	68.20	-23.21	31.05	3	Vertical	66	2.49	-	39.45	8.58	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94564G	57.28	88.20	-30.92	43.34	3	Horizontal	68	2.64	-	39.45	8.58	34.09
RMS	12.95132G	44.98	68.20	-23.22	31.03	3	Horizontal	68	2.64	-	39.45	8.59	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42474G	57.60	83.54	-25.94	55.44	1	Vertical	183	1.50	-	37.89	14.34	50.07
AV	19.42474G	47.27	63.54	-16.27	45.11	1	Vertical	183	1.50	-	37.89	14.34	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4264G	57.34	83.54	-26.20	55.18	1	Horizontal	189	1.50	-	37.89	14.34	50.07
AV	19.4216G	43.95	63.54	-19.59	41.79	1	Horizontal	189	1.50	-	37.89	14.34	50.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 33
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	57.41	88.20	-30.79	50.89	3	Vertical	360	1.80	-	32.24	5.97	31.69
RMS	5.8542G	47.49	68.20	-20.71	41.01	3	Vertical	360	1.80	-	32.21	5.97	31.70
PK	6.5122G	109.56	Inf	-Inf	101.73	3	Vertical	360	1.80	-	33.95	6.27	32.39
RMS	6.5122G	99.08	Inf	-Inf	91.25	3	Vertical	360	1.80	-	33.95	6.27	32.39
PK	7.1814G	62.27	88.20	-25.93	52.41	3	Vertical	360	1.80	-	36.09	6.87	33.10
RMS	7.215G	51.94	68.20	-16.26	41.91	3	Vertical	360	1.80	-	36.23	6.91	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03528G	56.75	88.20	-31.45	42.76	3	Vertical	68	2.30	-	39.46	8.61	34.08
RMS	13.03036G	45.11	68.20	-23.09	31.11	3	Vertical	68	2.30	-	39.47	8.61	34.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03428G	56.61	88.20	-31.59	42.61	3	Horizontal	66	2.49	-	39.47	8.61	34.08
RMS	13.03796G	45.21	68.20	-22.99	31.22	3	Horizontal	66	2.49	-	39.46	8.61	34.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5448G	58.33	83.54	-25.21	56.26	1	Vertical	256	1.50	-	37.76	14.35	50.04
AV	19.54472G	47.55	63.54	-15.99	45.48	1	Vertical	256	1.50	-	37.76	14.35	50.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5477G	57.23	83.54	-26.31	55.16	1	Horizontal	179	1.50	-	37.76	14.35	50.04
AV	19.5413G	43.88	63.54	-19.66	41.80	1	Horizontal	179	1.50	-	37.77	14.35	50.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 35
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	57.38	88.20	-30.82	50.85	3	Vertical	193	1.80	-	32.26	5.96	31.69
RMS	5.849G	47.52	68.20	-20.68	41.04	3	Vertical	193	1.80	-	32.20	5.98	31.70
PK	6.5294G	104.53	Inf	-Inf	96.63	3	Vertical	193	1.80	-	34.02	6.29	32.41
RMS	6.5322G	95.45	Inf	-Inf	87.53	3	Vertical	193	1.80	-	34.03	6.30	32.41
PK	7.2042G	62.86	88.20	-25.34	52.86	3	Vertical	193	1.80	-	36.21	6.90	33.11
RMS	7.2126G	52.00	68.20	-16.20	41.97	3	Vertical	193	1.80	-	36.23	6.91	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06476G	56.65	88.20	-31.55	42.64	3	Vertical	72	2.22	-	39.44	8.62	34.05
RMS	13.07016G	45.28	68.20	-22.92	31.28	3	Vertical	72	2.22	-	39.43	8.62	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06704G	56.60	88.20	-31.60	42.60	3	Horizontal	75	2.17	-	39.43	8.62	34.05
RMS	13.07024G	45.20	68.20	-23.00	31.20	3	Horizontal	75	2.17	-	39.43	8.62	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 35
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60496G	58.99	83.54	-24.55	56.93	1	Vertical	255	1.50	-	37.72	14.36	50.02
AV	19.60478G	47.49	63.54	-16.05	45.43	1	Vertical	255	1.50	-	37.72	14.36	50.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 35
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60962G	57.78	83.54	-25.76	55.73	1	Horizontal	111	1.50	-	37.71	14.36	50.02
AV	19.60412G	44.78	63.54	-18.76	42.72	1	Horizontal	111	1.50	-	37.72	14.36	50.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	107.99	Inf	-Inf	100.14	3	Vertical	181	2.20	-	34.10	6.36	32.61
RMS	6.7016G	97.29	Inf	-Inf	89.47	3	Vertical	181	2.20	-	34.10	6.35	32.63
PK	7.245G	62.49	88.20	-25.71	52.41	3	Vertical	181	2.20	-	36.29	6.92	33.13
RMS	7.2208G	50.58	68.20	-17.62	40.55	3	Vertical	181	2.20	-	36.24	6.91	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39768G	57.94	74.00	-16.06	42.69	3	Vertical	75	2.17	-	40.29	8.72	33.76
AV	13.38008G	44.63	54.00	-9.37	29.52	3	Vertical	75	2.17	-	40.18	8.71	33.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3846G	58.36	74.00	-15.64	43.20	3	Horizontal	123	1.78	-	40.21	8.72	33.77
AV	13.38152G	44.78	54.00	-9.22	29.65	3	Horizontal	123	1.78	-	40.19	8.71	33.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08458G	58.66	83.54	-24.88	56.67	1	Vertical	250	1.50	-	37.45	14.44	49.90
AV	20.08472G	49.73	63.54	-13.81	47.74	1	Vertical	250	1.50	-	37.45	14.44	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 35
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0843G	56.74	83.54	-26.80	54.75	1	Horizontal	146	1.50	-	37.45	14.44	49.90
AV	20.08898G	43.80	63.54	-19.74	41.81	1	Horizontal	146	1.50	-	37.45	14.44	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Z_4TX
Setting 34
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	109.34	Inf	-Inf	101.16	3	Vertical	178	2.04	-	34.63	6.38	32.83
RMS	6.8522G	99.21	Inf	-Inf	91.04	3	Vertical	178	2.04	-	34.61	6.38	32.82
PK	7.1518G	61.73	88.20	-26.47	52.07	3	Vertical	178	2.04	-	35.91	6.83	33.08
RMS	7.2036G	51.78	68.20	-16.42	41.78	3	Vertical	178	2.04	-	36.21	6.90	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 34
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71076G	59.82	88.20	-28.38	44.57	3	Vertical	126	1.74	-	40.30	8.81	33.86
RMS	13.7166G	47.87	68.20	-20.33	32.62	3	Vertical	126	1.74	-	40.30	8.81	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 34
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70544G	59.26	88.20	-28.94	44.00	3	Horizontal	128	1.66	-	40.30	8.81	33.85
RMS	13.7162G	47.94	68.20	-20.26	32.69	3	Horizontal	128	1.66	-	40.30	8.81	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 34
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56734G	56.85	83.54	-26.69	54.32	1	Vertical	278	1.50	-	37.77	14.66	49.90
AV	20.56464G	45.08	63.54	-18.46	42.57	1	Vertical	278	1.50	-	37.76	14.65	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 34
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56092G	56.58	83.54	-26.96	54.07	1	Horizontal	52	1.50	-	37.76	14.65	49.90
AV	20.56G	43.36	63.54	-20.18	40.85	1	Horizontal	52	1.50	-	37.76	14.65	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 33
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8778G	106.55	Inf	-Inf	98.27	3	Vertical	0	1.86	-	34.71	6.42	32.85
RMS	6.8736G	96.71	Inf	-Inf	88.46	3	Vertical	0	1.86	-	34.69	6.41	32.85
PK	7.2124G	51.77	88.20	-36.43	41.75	3	Vertical	0	1.86	-	36.22	6.91	33.11
RMS	7.1578G	62.36	68.20	-5.84	52.66	3	Vertical	0	1.86	-	35.95	6.84	33.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75836G	59.44	88.20	-28.76	44.21	3	Vertical	128	1.66	-	40.30	8.83	33.90
RMS	13.7454G	48.14	68.20	-20.06	32.91	3	Vertical	128	1.66	-	40.30	8.82	33.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7552G	59.67	88.20	-28.53	44.44	3	Horizontal	131	1.62	-	40.30	8.83	33.90
RMS	13.74956G	48.17	68.20	-20.03	32.94	3	Horizontal	131	1.62	-	40.30	8.82	33.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62514G	56.99	83.54	-26.55	54.38	1	Vertical	278	1.50	-	37.83	14.68	49.90
AV	20.62472G	44.24	63.54	-19.30	41.64	1	Vertical	278	1.50	-	37.82	14.68	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




19/09/2020

EUT_Z_4TX
Setting 33
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62868G	56.21	83.54	-27.33	53.60	1	Horizontal	68	1.50	-	37.83	14.68	49.90
AV	20.62978G	43.41	63.54	-20.13	40.80	1	Horizontal	68	1.50	-	37.83	14.68	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT Z_4TX
Setting 32
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8964G	108.82	Inf	-Inf	100.47	3	Vertical	350	1.13	-	34.79	6.44	32.88
RMS	6.8936G	98.86	Inf	-Inf	90.52	3	Vertical	350	1.13	-	34.77	6.44	32.87
PK	7.1778G	62.29	88.20	-25.91	52.45	3	Vertical	350	1.13	-	36.07	6.87	33.10
RMS	7.2422G	51.86	68.20	-16.34	41.79	3	Vertical	350	1.13	-	36.28	6.92	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




26/09/2020

EUT_Z_4TX
Setting 32
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78836G	59.77	88.20	-28.43	44.56	3	Vertical	135	1.57	-	40.30	8.84	33.93
RMS	13.7936G	48.07	68.20	-20.13	32.86	3	Vertical	135	1.57	-	40.30	8.84	33.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7948G	59.31	88.20	-28.89	44.11	3	Horizontal	138	1.60	-	40.30	8.84	33.94
RMS	13.78292G	48.08	68.20	-20.12	32.87	3	Horizontal	138	1.60	-	40.30	8.83	33.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68432G	57.65	83.54	-25.89	54.96	1	Vertical	249	1.50	-	37.88	14.71	49.90
AV	20.68462G	45.23	63.54	-18.31	42.54	1	Vertical	249	1.50	-	37.88	14.71	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68548G	57.26	83.54	-26.28	54.56	1	Horizontal	78	1.50	-	37.89	14.71	49.90
AV	20.6862G	44.13	63.54	-19.41	41.43	1	Horizontal	78	1.50	-	37.89	14.71	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 31
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0118G	109.75	Inf	-Inf	100.96	3	Vertical	358	1.59	-	35.19	6.62	33.02
RMS	7.0102G	98.65	Inf	-Inf	89.86	3	Vertical	358	1.59	-	35.18	6.62	33.01
PK	7.1926G	62.60	88.20	-25.60	52.65	3	Vertical	358	1.59	-	36.16	6.89	33.10
RMS	7.2054G	51.75	68.20	-16.45	41.75	3	Vertical	358	1.59	-	36.21	6.90	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03268G	59.61	88.20	-28.59	44.14	3	Vertical	139	1.56	-	40.67	8.90	34.10
RMS	14.03776G	48.41	68.20	-19.79	32.93	3	Vertical	139	1.56	-	40.68	8.90	34.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7015MHz_TX




26/09/2020

EUT_Z_4TX
Setting 31
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02996G	59.73	88.20	-28.47	44.28	3	Horizontal	146	1.40	-	40.66	8.90	34.11
RMS	14.03768G	48.43	68.20	-19.77	32.95	3	Horizontal	146	1.40	-	40.68	8.90	34.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 31
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0403G	59.36	83.54	-24.18	56.19	1	Vertical	244	1.50	-	38.18	14.87	49.88
AV	21.04836G	46.02	63.54	-17.52	42.85	1	Vertical	244	1.50	-	38.18	14.87	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 31
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.04038G	59.14	83.54	-24.40	55.97	1	Horizontal	267	1.50	-	38.18	14.87	49.88
AV	21.04438G	46.09	63.54	-17.45	42.92	1	Horizontal	267	1.50	-	38.18	14.87	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Z_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
RMS	7.0872G	98.70	Inf	-Inf	89.30	3	Vertical	176	1.80	-	35.72	6.73	33.05
RMS	7.2282G	51.82	68.20	-16.38	41.77	3	Vertical	176	1.80	-	36.26	6.91	33.12
PK	7.086G	108.62	Inf	-Inf	99.22	3	Vertical	176	1.80	-	35.72	6.73	33.05
PK	7.152G	63.76	88.20	-24.44	54.10	3	Vertical	176	1.80	-	35.91	6.83	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
 Setting 33
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19152G	59.09	88.20	-29.11	43.44	3	Vertical	57	1.81	-	40.80	8.88	34.03
RMS	14.18332G	47.36	68.20	-20.84	31.71	3	Vertical	57	1.81	-	40.80	8.88	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




29/09/2020

EUT_Z_4TX
Setting 33
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19672G	58.85	88.20	-29.35	43.20	3	Horizontal	69	1.70	-	40.80	8.88	34.03
RMS	14.18264G	47.34	68.20	-20.86	31.69	3	Horizontal	69	1.70	-	40.80	8.88	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28036G	48.63	83.54	-34.91	45.35	1	Vertical	360	2.12	-	38.09	14.98	49.79
AV	21.27504G	36.64	63.54	-26.90	33.37	1	Vertical	360	2.12	-	38.09	14.97	49.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 33
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27848G	48.15	83.54	-35.39	44.87	1	Horizontal	228	1.12	-	38.09	14.98	49.79
AV	21.28996G	36.78	63.54	-26.76	33.50	1	Horizontal	228	1.12	-	38.08	14.98	49.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 41
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.886G	58.72	88.20	-29.48	52.17	3	Vertical	333	1.42	-	32.27	5.96	31.68
RMS	5.876G	47.69	68.20	-20.51	41.17	3	Vertical	333	1.42	-	32.25	5.96	31.69
PK	6.123G	109.81	Inf	-Inf	103.16	3	Vertical	333	1.42	-	32.44	6.02	31.81
RMS	6.115G	99.53	Inf	-Inf	92.93	3	Vertical	333	1.42	-	32.39	6.01	31.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25366G	55.67	74.00	-18.33	42.49	3	Vertical	100	2.96	-	38.85	8.38	34.05
AV	12.24668G	42.70	54.00	-11.30	29.54	3	Vertical	100	2.96	-	38.85	8.37	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24568G	56.07	74.00	-17.93	42.91	3	Horizontal	157	1.51	-	38.85	8.37	34.06
AV	12.25466G	42.64	54.00	-11.36	29.46	3	Horizontal	157	1.51	-	38.85	8.38	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37474G	57.94	83.54	-25.60	56.30	1	Vertical	243	1.50	-	37.60	14.24	50.20
AV	18.3747G	46.40	63.54	-17.14	44.76	1	Vertical	243	1.50	-	37.60	14.24	50.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37368G	57.32	83.54	-26.22	55.68	1	Horizontal	308	1.50	-	37.60	14.24	50.20
AV	18.37586G	43.14	63.54	-20.40	41.50	1	Horizontal	308	1.50	-	37.60	14.24	50.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 44
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9048G	57.77	88.20	-30.43	51.20	3	Vertical	8	1.41	-	32.30	5.95	31.68
RMS	5.9188G	47.35	68.20	-20.85	40.78	3	Vertical	8	1.41	-	32.30	5.94	31.67
PK	6.2492G	110.48	Inf	-Inf	103.48	3	Vertical	8	1.41	-	32.90	6.10	32.00
RMS	6.259G	100.56	Inf	-Inf	93.55	3	Vertical	8	1.41	-	32.92	6.10	32.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48978G	56.50	74.00	-17.50	43.49	3	Vertical	127	1.66	-	38.50	8.45	33.94
AV	12.48826G	42.44	54.00	-11.56	29.44	3	Vertical	127	1.66	-	38.50	8.45	33.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4884G	56.39	74.00	-17.61	43.39	3	Horizontal	149	1.19	-	38.50	8.45	33.95
AV	12.48636G	42.42	54.00	-11.58	29.42	3	Horizontal	149	1.19	-	38.50	8.45	33.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7348G	57.84	83.54	-25.70	55.74	1	Vertical	353	1.50	-	38.03	14.27	50.20
AV	18.7347G	46.13	63.54	-17.41	44.03	1	Vertical	353	1.50	-	38.03	14.27	50.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73888G	57.05	83.54	-26.49	54.95	1	Horizontal	163	1.50	-	38.03	14.27	50.20
AV	18.73482G	43.35	63.54	-20.19	41.25	1	Horizontal	163	1.50	-	38.03	14.27	50.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 44
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8968G	57.33	88.20	-30.87	50.77	3	Vertical	360	1.80	-	32.29	5.95	31.68
RMS	5.8748G	47.34	68.20	-20.86	40.82	3	Vertical	360	1.80	-	32.25	5.96	31.69
PK	6.3984G	109.16	Inf	-Inf	101.79	3	Vertical	360	1.80	-	33.49	6.10	32.22
RMS	6.4116G	99.29	Inf	-Inf	91.86	3	Vertical	360	1.80	-	33.55	6.12	32.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80508G	56.76	88.20	-31.44	42.86	3	Vertical	329	1.47	-	39.40	8.54	34.04
RMS	12.8036G	45.14	68.20	-23.06	31.24	3	Vertical	329	1.47	-	39.40	8.54	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8048G	56.88	88.20	-31.32	42.98	3	Horizontal	325	1.51	-	39.40	8.54	34.04
RMS	12.80208G	45.03	68.20	-23.17	31.13	3	Horizontal	325	1.51	-	39.40	8.54	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21486G	58.68	83.54	-24.86	56.36	1	Vertical	356	1.50	-	38.14	14.32	50.14
AV	19.21482G	47.83	63.54	-15.71	45.51	1	Vertical	356	1.50	-	38.14	14.32	50.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21788G	57.47	83.54	-26.07	55.14	1	Horizontal	235	1.50	-	38.14	14.32	50.13
AV	19.21966G	44.10	63.54	-19.44	41.77	1	Horizontal	235	1.50	-	38.14	14.32	50.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 44
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	57.89	88.20	-30.31	51.37	3	Vertical	360	1.48	-	32.25	5.96	31.69
RMS	5.8666G	47.30	68.20	-20.90	40.79	3	Vertical	360	1.48	-	32.23	5.97	31.69
PK	6.4642G	106.78	Inf	-Inf	99.14	3	Vertical	360	1.48	-	33.76	6.20	32.32
RMS	6.4546G	96.94	Inf	-Inf	89.34	3	Vertical	360	1.48	-	33.72	6.18	32.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89296G	56.31	88.20	-31.89	42.41	3	Vertical	325	1.51	-	39.40	8.57	34.07
RMS	12.89692G	44.67	68.20	-23.53	30.77	3	Vertical	325	1.51	-	39.40	8.57	34.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8946G	56.43	88.20	-31.77	42.53	3	Horizontal	319	1.55	-	39.40	8.57	34.07
RMS	12.89692G	44.72	68.20	-23.48	30.82	3	Horizontal	319	1.55	-	39.40	8.57	34.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3351G	58.91	83.54	-24.63	56.68	1	Vertical	260	1.50	-	38.00	14.33	50.10
AV	19.33476G	48.18	63.54	-15.36	45.95	1	Vertical	260	1.50	-	38.00	14.33	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33436G	58.17	83.54	-25.37	55.94	1	Horizontal	76	1.50	-	38.00	14.33	50.10
AV	19.33758G	44.19	63.54	-19.35	41.97	1	Horizontal	76	1.50	-	37.99	14.33	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 44
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	56.93	88.20	-31.27	50.37	3	Vertical	360	1.80	-	32.29	5.95	31.68
RMS	5.8898G	47.20	68.20	-21.00	40.64	3	Vertical	360	1.80	-	32.28	5.96	31.68
PK	6.4802G	108.81	Inf	-Inf	101.11	3	Vertical	360	1.80	-	33.82	6.22	32.34
RMS	6.4778G	98.29	Inf	-Inf	90.60	3	Vertical	360	1.80	-	33.81	6.22	32.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97608G	56.50	88.20	-31.70	42.53	3	Vertical	312	1.62	-	39.48	8.59	34.10
RMS	12.97816G	45.02	68.20	-23.18	31.05	3	Vertical	312	1.62	-	39.48	8.59	34.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9602G	56.86	88.20	-31.34	42.91	3	Horizontal	307	1.65	-	39.46	8.59	34.10
RMS	12.96856G	45.00	68.20	-23.20	31.04	3	Horizontal	307	1.65	-	39.47	8.59	34.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4554G	57.52	83.54	-26.02	55.38	1	Vertical	160	1.88	-	37.85	14.35	50.06
AV	19.4548G	46.18	63.54	-17.36	44.04	1	Vertical	160	1.88	-	37.85	14.35	50.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45076G	56.68	83.54	-26.86	54.53	1	Horizontal	141	1.50	-	37.86	14.35	50.06
AV	19.4549G	43.70	63.54	-19.84	41.56	1	Horizontal	141	1.50	-	37.85	14.35	50.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 37
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	58.04	88.20	-30.16	51.49	3	Vertical	356	1.80	-	32.27	5.96	31.68
RMS	5.8558G	47.21	68.20	-20.99	40.73	3	Vertical	356	1.80	-	32.21	5.97	31.70
PK	6.5082G	103.26	Inf	-Inf	95.45	3	Vertical	356	1.80	-	33.93	6.26	32.38
RMS	6.511G	93.46	Inf	-Inf	85.63	3	Vertical	356	1.80	-	33.94	6.27	32.38
PK	7.1802G	62.55	88.20	-25.65	52.70	3	Vertical	356	1.80	-	36.08	6.87	33.10
RMS	7.225G	51.70	68.20	-16.50	41.66	3	Vertical	356	1.80	-	36.25	6.91	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 37
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04284G	56.96	88.20	-31.24	42.96	3	Vertical	303	1.60	-	39.46	8.61	34.07
RMS	13.0598G	45.18	68.20	-23.02	31.18	3	Vertical	303	1.60	-	39.44	8.62	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




26/09/2020

EUT_Z_4TX
Setting 37
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05952G	56.92	88.20	-31.28	42.92	3	Horizontal	307	1.65	-	39.44	8.62	34.06
RMS	13.05776G	45.20	68.20	-23.00	31.20	3	Horizontal	307	1.65	-	39.44	8.62	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 37
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57494G	58.92	83.54	-24.62	56.85	1	Vertical	256	1.50	-	37.74	14.36	50.03
AV	19.57474G	48.31	63.54	-15.23	46.24	1	Vertical	256	1.50	-	37.74	14.36	50.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 37
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57304G	59.01	83.54	-24.53	56.94	1	Horizontal	174	1.50	-	37.74	14.36	50.03
AV	19.57476G	45.17	63.54	-18.37	43.10	1	Horizontal	174	1.50	-	37.74	14.36	50.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 43
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	108.91	Inf	-Inf	100.92	3	Vertical	181	1.80	-	34.10	6.33	32.44
RMS	6.5578G	97.45	Inf	-Inf	89.45	3	Vertical	181	1.80	-	34.10	6.34	32.44
PK	7.1434G	61.69	88.20	-26.51	52.06	3	Vertical	181	1.80	-	35.89	6.82	33.08
RMS	7.1626G	50.99	68.20	-17.21	41.26	3	Vertical	181	1.80	-	35.98	6.84	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12044G	56.50	88.20	-31.70	42.42	3	Vertical	298	1.66	-	39.44	8.64	34.00
RMS	13.13928G	45.68	68.20	-22.52	31.55	3	Vertical	298	1.66	-	39.48	8.64	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12868G	57.03	88.20	-31.17	42.93	3	Horizontal	304	1.70	-	39.46	8.64	34.00
RMS	13.13932G	45.58	68.20	-22.62	31.45	3	Horizontal	304	1.70	-	39.48	8.64	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 43
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69484G	59.25	83.54	-24.29	57.23	1	Vertical	257	1.50	-	37.64	14.37	49.99
AV	19.69476G	50.54	63.54	-13.00	48.52	1	Vertical	257	1.50	-	37.64	14.37	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 43
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69362G	58.94	83.54	-24.60	56.91	1	Horizontal	153	1.50	-	37.65	14.37	49.99
AV	19.69476G	45.03	63.54	-18.51	43.01	1	Horizontal	153	1.50	-	37.64	14.37	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 40
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	107.98	Inf	-Inf	100.12	3	Vertical	191	1.71	-	34.10	6.36	32.60
RMS	6.687G	96.74	Inf	-Inf	88.89	3	Vertical	191	1.71	-	34.10	6.36	32.61
PK	7.181G	61.75	88.20	-26.45	51.89	3	Vertical	191	1.71	-	36.09	6.87	33.10
RMS	7.185G	51.33	68.20	-16.87	41.44	3	Vertical	191	1.71	-	36.11	6.88	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37908G	58.00	74.00	-16.00	42.90	3	Vertical	33	1.96	-	40.17	8.71	33.78
AV	13.37952G	44.34	54.00	-9.66	29.23	3	Vertical	33	1.96	-	40.18	8.71	33.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37336G	57.73	74.00	-16.27	42.66	3	Horizontal	302	2.98	-	40.14	8.71	33.78
AV	13.37892G	44.26	54.00	-9.74	29.16	3	Horizontal	302	2.98	-	40.17	8.71	33.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0577G	59.60	83.54	-23.94	57.64	1	Vertical	256	1.50	-	37.43	14.43	49.90
AV	20.0548G	49.59	63.54	-13.95	47.64	1	Vertical	256	1.50	-	37.43	14.42	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05488G	57.53	83.54	-26.01	55.58	1	Horizontal	154	1.50	-	37.43	14.42	49.90
AV	20.05468G	44.58	63.54	-18.96	42.63	1	Horizontal	154	1.50	-	37.43	14.42	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 43
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	108.37	Inf	-Inf	100.20	3	Vertical	359	1.77	-	34.61	6.38	32.82
RMS	6.853G	98.32	Inf	-Inf	90.15	3	Vertical	359	1.77	-	34.61	6.38	32.82
PK	7.2018G	63.20	88.20	-25.00	53.21	3	Vertical	359	1.77	-	36.20	6.90	33.11
RMS	7.2418G	51.71	68.20	-16.49	41.64	3	Vertical	359	1.77	-	36.28	6.92	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68504G	59.43	88.20	-28.77	44.15	3	Vertical	303	1.59	-	40.31	8.81	33.84
RMS	13.68044G	47.79	68.20	-20.41	32.50	3	Vertical	303	1.59	-	40.32	8.80	33.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68684G	59.24	88.20	-28.96	43.96	3	Horizontal	303	1.59	-	40.31	8.81	33.84
RMS	13.68232G	47.82	68.20	-20.38	32.53	3	Horizontal	303	1.59	-	40.32	8.80	33.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 43
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.535G	57.69	83.54	-25.85	55.22	1	Vertical	280	1.50	-	37.73	14.64	49.90
AV	20.5347G	46.34	63.54	-17.20	43.87	1	Vertical	280	1.50	-	37.73	14.64	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 43
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53582G	58.85	83.54	-24.69	56.37	1	Horizontal	282	1.50	-	37.74	14.64	49.90
AV	20.53544G	44.14	63.54	-19.40	41.66	1	Horizontal	282	1.50	-	37.74	14.64	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 41
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.871G	107.60	Inf	-Inf	99.35	3	Vertical	360	1.80	-	34.68	6.41	32.84
RMS	6.871G	97.59	Inf	-Inf	89.34	3	Vertical	360	1.80	-	34.68	6.41	32.84
PK	7.1818G	62.29	88.20	-25.91	52.43	3	Vertical	360	1.80	-	36.09	6.87	33.10
RMS	7.2336G	51.72	68.20	-16.48	41.65	3	Vertical	360	1.80	-	36.27	6.92	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76852G	59.54	88.20	-28.66	44.32	3	Vertical	299	1.50	-	40.30	8.83	33.91
RMS	13.76068G	48.00	68.20	-20.20	32.77	3	Vertical	299	1.50	-	40.30	8.83	33.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 41
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77776G	59.53	88.20	-28.67	44.32	3	Horizontal	301	1.44	-	40.30	8.83	33.92
RMS	13.7602G	48.02	68.20	-20.18	32.79	3	Horizontal	301	1.44	-	40.30	8.83	33.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 41
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65232G	58.05	83.54	-25.49	55.41	1	Vertical	277	1.50	-	37.85	14.69	49.90
AV	20.6547G	44.47	63.54	-19.07	41.83	1	Vertical	277	1.50	-	37.85	14.69	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




19/09/2020

EUT_Z_4TX
Setting 41
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65644G	57.79	83.54	-25.75	55.13	1	Horizontal	4	1.50	-	37.86	14.70	49.90
AV	20.65738G	44.01	63.54	-19.53	41.35	1	Horizontal	4	1.50	-	37.86	14.70	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	108.38	Inf	-Inf	99.94	3	Vertical	188	1.80	-	34.86	6.50	32.92
RMS	6.931G	97.86	Inf	-Inf	89.42	3	Vertical	188	1.80	-	34.86	6.50	32.92
PK	7.149G	61.67	88.20	-26.53	52.03	3	Vertical	188	1.80	-	35.90	6.82	33.08
RMS	7.174G	51.25	68.20	-16.95	41.44	3	Vertical	188	1.80	-	36.04	6.86	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85548G	59.71	88.20	-28.49	44.43	3	Vertical	284	1.43	-	40.41	8.86	33.99
RMS	13.85992G	47.86	68.20	-20.34	32.57	3	Vertical	284	1.43	-	40.42	8.86	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85272G	59.31	88.20	-28.89	44.03	3	Horizontal	260	1.69	-	40.41	8.86	33.99
RMS	13.84G	47.83	68.20	-20.37	32.58	3	Horizontal	260	1.69	-	40.38	8.85	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77928G	58.19	83.54	-25.35	55.36	1	Vertical	280	1.50	-	37.98	14.75	49.90
AV	20.77482G	45.11	63.54	-18.43	42.29	1	Vertical	280	1.50	-	37.97	14.75	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77518G	58.93	83.54	-24.61	56.10	1	Horizontal	360	1.50	-	37.98	14.75	49.90
AV	20.77678G	44.80	63.54	-18.74	41.97	1	Horizontal	360	1.50	-	37.98	14.75	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Z_4TX
Setting 40
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	108.68	Inf	-Inf	100.03	3	Vertical	0	1.80	-	35.06	6.59	33.00
RMS	7.0086G	97.48	Inf	-Inf	88.71	3	Vertical	0	1.80	-	35.17	6.61	33.01
PK	7.1334G	61.62	88.20	-26.58	52.02	3	Vertical	0	1.80	-	35.87	6.80	33.07
RMS	7.1298G	51.00	68.20	-17.20	41.42	3	Vertical	0	1.80	-	35.86	6.79	33.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00772G	59.82	88.20	-28.38	44.42	3	Vertical	260	1.69	-	40.62	8.90	34.12
RMS	14.00756G	48.23	68.20	-19.97	32.83	3	Vertical	260	1.69	-	40.62	8.90	34.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01568G	59.47	88.20	-28.73	44.05	3	Horizontal	256	1.73	-	40.63	8.90	34.11
RMS	14.01528G	48.25	68.20	-19.95	32.83	3	Horizontal	256	1.73	-	40.63	8.90	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01568G	60.07	83.54	-23.47	56.91	1	Vertical	244	1.50	-	38.19	14.86	49.89
AV	21.01484G	46.34	63.54	-17.20	43.18	1	Vertical	244	1.50	-	38.19	14.86	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01278G	59.58	83.54	-23.96	56.42	1	Horizontal	205	1.50	-	38.19	14.86	49.89
AV	21.01428G	45.82	63.54	-17.72	42.66	1	Horizontal	205	1.50	-	38.19	14.86	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Z_4TX
Setting 39
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	106.77	Inf	-Inf	97.37	3	Vertical	173	1.99	-	35.72	6.73	33.05
RMS	7.0754G	96.91	Inf	-Inf	87.60	3	Vertical	173	1.99	-	35.65	6.71	33.05
PK	7.1498G	62.24	88.20	-25.96	52.60	3	Vertical	173	1.99	-	35.90	6.82	33.08
RMS	7.125G	51.71	68.20	-16.49	42.14	3	Vertical	173	1.99	-	35.85	6.79	33.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16924G	61.05	88.20	-27.15	45.41	3	Vertical	256	1.73	-	40.80	8.88	34.04
RMS	14.16008G	48.90	68.20	-19.30	33.26	3	Vertical	256	1.73	-	40.80	8.88	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 39
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16624G	60.20	88.20	-28.00	44.56	3	Horizontal	251	1.79	-	40.80	8.88	34.04
RMS	14.1602G	48.92	68.20	-19.28	33.28	3	Horizontal	251	1.79	-	40.80	8.88	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 39
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25326G	59.95	83.54	-23.59	56.69	1	Vertical	292	1.50	-	38.10	14.96	49.80
AV	21.25478G	46.09	63.54	-17.45	42.83	1	Vertical	292	1.50	-	38.10	14.96	49.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 39
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25406G	59.74	83.54	-23.80	56.48	1	Horizontal	322	1.50	-	38.10	14.96	49.80
AV	21.25808G	45.25	63.54	-18.29	41.98	1	Horizontal	322	1.50	-	38.10	14.97	49.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 58
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	57.59	88.20	-30.61	51.02	3	Vertical	360	2.00	-	32.30	5.94	31.67
RMS	5.896G	47.14	68.20	-21.06	40.58	3	Vertical	360	2.00	-	32.29	5.95	31.68
PK	6.131G	108.78	Inf	-Inf	102.08	3	Vertical	360	2.00	-	32.49	6.03	31.82
RMS	6.136G	97.85	Inf	-Inf	91.12	3	Vertical	360	2.00	-	32.52	6.04	31.83

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29204G	55.95	74.00	-18.05	42.79	3	Vertical	259	1.56	-	38.81	8.39	34.04
AV	12.28502G	42.63	54.00	-11.37	29.47	3	Vertical	259	1.56	-	38.81	8.39	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28502G	55.84	74.00	-18.16	42.68	3	Horizontal	67	2.00	-	38.81	8.39	34.04
AV	12.29182G	42.73	54.00	-11.27	29.57	3	Horizontal	67	2.00	-	38.81	8.39	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 58
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43532G	57.81	83.54	-25.73	56.12	1	Vertical	242	1.50	-	37.65	14.24	50.20
AV	18.43482G	46.59	63.54	-16.95	44.90	1	Vertical	242	1.50	-	37.65	14.24	50.20

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 58
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4322G	58.04	83.54	-25.50	56.35	1	Horizontal	7	1.50	-	37.65	14.24	50.20
AV	18.43474G	44.66	63.54	-18.88	42.97	1	Horizontal	7	1.50	-	37.65	14.24	50.20

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 56
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	58.04	88.20	-30.16	51.55	3	Vertical	358	2.21	-	32.22	5.97	31.70
RMS	5.8666G	47.27	68.20	-20.93	40.76	3	Vertical	358	2.21	-	32.23	5.97	31.69
PK	6.233G	110.41	Inf	-Inf	103.41	3	Vertical	358	2.21	-	32.87	6.10	31.97
RMS	6.241G	98.81	Inf	-Inf	91.82	3	Vertical	358	2.21	-	32.88	6.10	31.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44632G	55.47	74.00	-18.53	42.50	3	Vertical	110	2.00	-	38.50	8.43	33.96
AV	12.45382G	42.36	54.00	-11.64	29.38	3	Vertical	110	2.00	-	38.50	8.44	33.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44872G	56.31	74.00	-17.69	43.34	3	Horizontal	303	1.46	-	38.50	8.43	33.96
AV	12.4542G	42.23	54.00	-11.77	29.25	3	Horizontal	303	1.46	-	38.50	8.44	33.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 56
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67462G	58.91	83.54	-24.63	56.90	1	Vertical	186	1.50	-	37.94	14.27	50.20
AV	18.67468G	47.46	63.54	-16.08	45.45	1	Vertical	186	1.50	-	37.94	14.27	50.20

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 56
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67434G	58.62	83.54	-24.92	56.61	1	Horizontal	310	1.50	-	37.94	14.27	50.20
AV	18.67464G	44.89	63.54	-18.65	42.88	1	Horizontal	310	1.50	-	37.94	14.27	50.20

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 55
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	57.79	88.20	-30.41	51.27	3	Vertical	2	2.15	-	32.25	5.96	31.69
RMS	5.869G	47.26	68.20	-20.94	40.74	3	Vertical	2	2.15	-	32.24	5.97	31.69
PK	6.3466G	108.51	Inf	-Inf	101.36	3	Vertical	2	2.15	-	33.19	6.10	32.14
RMS	6.3946G	97.44	Inf	-Inf	90.08	3	Vertical	2	2.15	-	33.47	6.10	32.21

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 55
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77808G	55.81	88.20	-32.39	42.04	3	Vertical	257	1.46	-	39.27	8.53	34.03
RMS	12.77324G	44.68	68.20	-23.52	30.94	3	Vertical	257	1.46	-	39.24	8.53	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 55
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76188G	55.54	88.20	-32.66	41.87	3	Horizontal	255	1.49	-	39.17	8.53	34.03
RMS	12.77768G	44.67	68.20	-23.53	30.90	3	Horizontal	255	1.49	-	39.27	8.53	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 55
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15508G	58.85	83.54	-24.69	56.47	1	Vertical	353	1.50	-	38.21	14.32	50.15
AV	19.15476G	48.53	63.54	-15.01	46.15	1	Vertical	353	1.50	-	38.21	14.32	50.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 55
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15636G	57.68	83.54	-25.86	55.30	1	Horizontal	312	1.50	-	38.21	14.32	50.15
AV	19.15466G	45.33	63.54	-18.21	42.95	1	Horizontal	312	1.50	-	38.21	14.32	50.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 56
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8238G	57.50	88.20	-30.70	51.12	3	Vertical	359	2.12	-	32.10	5.99	31.71
RMS	5.8546G	47.22	68.20	-20.98	40.74	3	Vertical	359	2.12	-	32.21	5.97	31.70
PK	6.4734G	107.73	Inf	-Inf	100.06	3	Vertical	359	2.12	-	33.79	6.21	32.33
RMS	6.4762G	98.12	Inf	-Inf	90.44	3	Vertical	359	2.12	-	33.80	6.21	32.33
PK	7.1538G	61.13	88.20	-27.07	51.46	3	Vertical	359	2.12	-	35.92	6.83	33.08
RMS	7.1622G	51.08	68.20	-17.12	41.36	3	Vertical	359	2.12	-	35.97	6.84	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




26/09/2020

EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92428G	56.71	88.20	-31.49	42.79	3	Vertical	253	1.53	-	39.42	8.58	34.08
RMS	12.9264G	44.87	68.20	-23.33	30.94	3	Vertical	253	1.53	-	39.43	8.58	34.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92132G	56.91	88.20	-31.29	42.99	3	Horizontal	250	1.65	-	39.42	8.58	34.08
RMS	12.9384G	44.84	68.20	-23.36	30.91	3	Horizontal	250	1.65	-	39.44	8.58	34.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 56
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39444G	58.42	83.54	-25.12	56.23	1	Vertical	246	1.50	-	37.93	14.34	50.08
AV	19.3947G	47.62	63.54	-15.92	45.43	1	Vertical	246	1.50	-	37.93	14.34	50.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 56
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39004G	58.20	83.54	-25.34	56.01	1	Horizontal	265	1.50	-	37.93	14.34	50.08
AV	19.39478G	44.06	63.54	-19.48	41.87	1	Horizontal	265	1.50	-	37.93	14.34	50.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 51
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	57.44	88.20	-30.76	50.92	3	Vertical	193	1.92	-	32.25	5.96	31.69
RMS	5.8758G	47.23	68.20	-20.97	40.71	3	Vertical	193	1.92	-	32.25	5.96	31.69
PK	6.5226G	108.72	Inf	-Inf	100.85	3	Vertical	193	1.92	-	33.99	6.28	32.40
RMS	6.5562G	95.67	Inf	-Inf	87.68	3	Vertical	193	1.92	-	34.10	6.33	32.44
PK	7.1946G	61.94	88.20	-26.26	51.98	3	Vertical	193	1.92	-	36.17	6.89	33.10
RMS	7.2366G	51.75	68.20	-16.45	41.68	3	Vertical	193	1.92	-	36.27	6.92	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 51
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09264G	56.88	88.20	-31.32	42.87	3	Vertical	257	1.47	-	39.41	8.63	34.03
RMS	13.09984G	45.58	68.20	-22.62	31.57	3	Vertical	257	1.47	-	39.40	8.63	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 51
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09492G	56.81	88.20	-31.39	42.80	3	Horizontal	266	1.42	-	39.41	8.63	34.03
RMS	13.09956G	45.55	68.20	-22.65	31.54	3	Horizontal	266	1.42	-	39.40	8.63	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 51
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63478G	59.69	83.54	-23.85	57.65	1	Vertical	255	1.50	-	37.69	14.36	50.01
AV	19.63476G	48.73	63.54	-14.81	46.69	1	Vertical	255	1.50	-	37.69	14.36	50.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 51
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63546G	58.57	83.54	-24.97	56.53	1	Horizontal	174	1.50	-	37.69	14.36	50.01
AV	19.6347G	45.69	63.54	-17.85	43.65	1	Horizontal	174	1.50	-	37.69	14.36	50.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Z_4TX
Setting 52
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.625G	107.14	Inf	-Inf	99.18	3	Vertical	0	1.79	-	34.10	6.39	32.53
RMS	6.6226G	96.95	Inf	-Inf	88.99	3	Vertical	0	1.79	-	34.10	6.39	32.53
PK	7.2226G	62.37	88.20	-25.83	52.33	3	Vertical	0	1.79	-	36.25	6.91	33.12
RMS	7.2178G	51.66	68.20	-16.54	41.62	3	Vertical	0	1.79	-	36.24	6.91	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25156G	57.47	74.00	-16.53	43.03	3	Vertical	129	1.21	-	39.65	8.68	33.89
AV	13.25168G	43.90	54.00	-10.10	29.46	3	Vertical	129	1.21	-	39.65	8.68	33.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25328G	57.27	74.00	-16.73	42.83	3	Horizontal	35	2.51	-	39.65	8.68	33.89
AV	13.25252G	43.89	54.00	-10.11	29.45	3	Horizontal	35	2.51	-	39.65	8.68	33.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 52
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8749G	59.97	83.54	-23.57	58.02	1	Vertical	256	1.50	-	37.50	14.39	49.94
AV	19.87484G	50.55	63.54	-12.99	48.60	1	Vertical	256	1.50	-	37.50	14.39	49.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 52
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87922G	57.87	83.54	-25.67	55.92	1	Horizontal	154	1.50	-	37.50	14.39	49.94
AV	19.87484G	45.02	63.54	-18.52	43.07	1	Horizontal	154	1.50	-	37.50	14.39	49.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 53
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	108.41	Inf	-Inf	100.62	3	Vertical	360	1.92	-	34.10	6.34	32.65
RMS	6.711G	96.24	Inf	-Inf	88.44	3	Vertical	360	1.92	-	34.10	6.34	32.64
PK	7.199G	62.28	88.20	-25.92	52.30	3	Vertical	360	1.92	-	36.19	6.90	33.11
RMS	7.203G	51.63	68.20	-16.57	41.63	3	Vertical	360	1.92	-	36.21	6.90	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25151G	57.23	74.00	-16.77	42.79	3	Vertical	48	1.02	-	39.65	8.68	33.89
AV	13.25198G	43.73	54.00	-10.27	29.29	3	Vertical	48	1.02	-	39.65	8.68	33.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25346G	57.85	74.00	-16.15	43.41	3	Horizontal	182	1.28	-	39.65	8.68	33.89
AV	13.25388G	43.94	54.00	-10.06	29.50	3	Horizontal	182	1.28	-	39.65	8.68	33.89

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 53
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11484G	59.19	83.54	-24.35	57.17	1	Vertical	255	1.50	-	37.47	14.45	49.90
AV	20.1147G	49.35	63.54	-14.19	47.33	1	Vertical	255	1.50	-	37.47	14.45	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 53
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11048G	58.05	83.54	-25.49	56.03	1	Horizontal	155	1.50	-	37.47	14.45	49.90
AV	20.11472G	44.86	63.54	-18.68	42.84	1	Horizontal	155	1.50	-	37.47	14.45	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 54
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.793G	109.41	Inf	-Inf	101.59	3	Vertical	0	1.76	-	34.27	6.30	32.75
RMS	6.7946G	97.86	Inf	-Inf	90.03	3	Vertical	0	1.76	-	34.28	6.30	32.75
PK	7.1546G	61.30	88.20	-26.90	51.62	3	Vertical	0	1.76	-	35.93	6.83	33.08
RMS	7.185G	51.44	68.20	-16.76	41.55	3	Vertical	0	1.76	-	36.11	6.88	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56756G	58.53	88.20	-29.67	43.19	3	Vertical	263	1.38	-	40.30	8.77	33.73
RMS	13.56534G	47.02	68.20	-21.18	31.68	3	Vertical	263	1.38	-	40.30	8.77	33.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56642G	58.45	88.20	-29.75	43.11	3	Horizontal	262	1.35	-	40.30	8.77	33.73
RMS	13.56538G	47.03	68.20	-21.17	31.69	3	Horizontal	262	1.35	-	40.30	8.77	33.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3548G	60.36	83.54	-23.18	58.09	1	Vertical	280	1.50	-	37.61	14.56	49.90
AV	20.35472G	51.37	63.54	-12.17	49.10	1	Vertical	280	1.50	-	37.61	14.56	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.356G	60.00	83.54	-23.54	57.73	1	Horizontal	283	1.50	-	37.61	14.56	49.90
AV	20.35468G	46.08	63.54	-17.46	43.81	1	Horizontal	283	1.50	-	37.61	14.56	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Z_4TX
Setting 55
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8314G	111.55	Inf	-Inf	103.50	3	Vertical	360	1.84	-	34.49	6.35	32.79
RMS	6.8734G	97.88	Inf	-Inf	89.63	3	Vertical	360	1.84	-	34.69	6.41	32.85
PK	7.1542G	61.45	88.20	-26.75	51.77	3	Vertical	360	1.84	-	35.93	6.83	33.08
RMS	7.1638G	51.13	68.20	-17.07	41.39	3	Vertical	360	1.84	-	35.98	6.85	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 55
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72876G	59.72	88.20	-28.48	44.48	3	Vertical	323	1.79	-	40.30	8.82	33.88
RMS	13.72636G	48.37	68.20	-19.83	33.12	3	Vertical	323	1.79	-	40.30	8.82	33.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 55
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72962G	59.69	88.20	-28.51	44.45	3	Horizontal	353	1.96	-	40.30	8.82	33.88
RMS	13.73408G	48.38	68.20	-19.82	33.14	3	Horizontal	353	1.96	-	40.30	8.82	33.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




19/09/2020

EUT_Z_4TX
Setting 55
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59948G	57.01	83.54	-26.53	54.44	1	Vertical	237	1.50	-	37.80	14.67	49.90
AV	20.59474G	43.47	63.54	-20.07	40.91	1	Vertical	237	1.50	-	37.79	14.67	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 55
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59686G	56.46	83.54	-27.08	53.89	1	Horizontal	74	1.50	-	37.80	14.67	49.90
AV	20.59518G	42.80	63.54	-20.74	40.23	1	Horizontal	74	1.50	-	37.80	14.67	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Z_4TX
Setting 54
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.911G	111.95	Inf	-Inf	103.56	3	Vertical	360	1.85	-	34.82	6.47	32.90
RMS	6.976G	96.55	Inf	-Inf	87.97	3	Vertical	360	1.85	-	35.00	6.56	32.98
PK	7.187G	61.82	88.20	-26.38	51.92	3	Vertical	360	1.85	-	36.12	6.88	33.10
RMS	7.193G	51.56	68.20	-16.64	41.61	3	Vertical	360	1.85	-	36.16	6.89	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




26/09/2020

EUT_Z_4TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89262G	59.52	88.20	-28.68	44.18	3	Vertical	262	1.35	-	40.49	8.87	34.02
RMS	13.88758G	48.03	68.20	-20.17	32.70	3	Vertical	262	1.35	-	40.48	8.87	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.895G	59.21	88.20	-28.99	43.88	3	Horizontal	264	1.32	-	40.49	8.87	34.03
RMS	13.88824G	48.04	68.20	-20.16	32.71	3	Horizontal	264	1.32	-	40.48	8.87	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83838G	58.73	83.54	-24.81	55.81	1	Vertical	229	1.50	-	38.04	14.78	49.90
AV	20.83462G	45.01	63.54	-18.53	42.10	1	Vertical	229	1.50	-	38.03	14.78	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




19/09/2020

EUT_Z_4TX
Setting 54
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8347G	58.25	83.54	-25.29	55.34	1	Horizontal	179	1.50	-	38.03	14.78	49.90
AV	20.83106G	44.70	63.54	-18.84	41.80	1	Horizontal	179	1.50	-	38.03	14.77	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Z_4TX
Setting 50
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0346G	108.27	Inf	-Inf	99.27	3	Vertical	180	1.65	-	35.38	6.65	33.03
RMS	7.037G	96.66	Inf	-Inf	87.63	3	Vertical	180	1.65	-	35.40	6.66	33.03
PK	7.225G	62.16	88.20	-26.04	52.12	3	Vertical	180	1.65	-	36.25	6.91	33.12
RMS	7.217G	51.69	68.20	-16.51	41.66	3	Vertical	180	1.65	-	36.23	6.91	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




26/09/2020

EUT_Z_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04926G	59.73	88.20	-28.47	44.23	3	Vertical	264	1.32	-	40.70	8.90	34.10
RMS	14.05228G	48.65	68.20	-19.55	33.15	3	Vertical	264	1.32	-	40.70	8.89	34.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




26/09/2020

EUT_Z_4TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0545G	59.83	88.20	-28.37	44.32	3	Horizontal	272	1.22	-	40.71	8.89	34.09
RMS	14.05482G	48.64	68.20	-19.56	33.13	3	Horizontal	272	1.22	-	40.71	8.89	34.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 50
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07418G	59.62	83.54	-23.92	56.44	1	Vertical	246	1.50	-	38.17	14.88	49.87
AV	21.07468G	46.74	63.54	-16.80	43.56	1	Vertical	246	1.50	-	38.17	14.88	49.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 50
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07522G	60.49	83.54	-23.05	57.31	1	Horizontal	238	1.50	-	38.17	14.88	49.87
AV	21.07454G	45.81	63.54	-17.73	42.63	1	Horizontal	238	1.50	-	38.17	14.88	49.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 72
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	57.79	88.20	-30.41	51.22	3	Vertical	360	2.00	-	32.30	5.95	31.68
RMS	5.8602G	47.12	68.20	-21.08	40.63	3	Vertical	360	2.00	-	32.22	5.97	31.70
PK	6.1162G	113.77	Inf	-Inf	107.15	3	Vertical	360	2.00	-	32.40	6.02	31.80
RMS	6.1978G	96.21	Inf	-Inf	89.24	3	Vertical	360	2.00	-	32.79	6.10	31.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36636G	56.20	74.00	-17.80	43.19	3	Vertical	348	1.63	-	38.60	8.41	34.00
AV	12.36556G	42.41	54.00	-11.59	29.40	3	Vertical	348	1.63	-	38.60	8.41	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Z_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3689G	56.02	74.00	-17.98	43.02	3	Horizontal	194	1.77	-	38.59	8.41	34.00
AV	12.36854G	42.46	54.00	-11.54	29.46	3	Horizontal	194	1.77	-	38.59	8.41	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 72
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55454G	58.71	83.54	-24.83	56.87	1	Vertical	184	1.50	-	37.78	14.26	50.20
AV	18.55462G	47.30	63.54	-16.24	45.46	1	Vertical	184	1.50	-	37.78	14.26	50.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 72
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55474G	58.05	83.54	-25.49	56.21	1	Horizontal	6	1.50	-	37.78	14.26	50.20
AV	18.55492G	44.33	63.54	-19.21	42.49	1	Horizontal	6	1.50	-	37.78	14.26	50.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Z_4TX
Setting 73
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	58.39	88.20	-29.81	51.87	3	Vertical	360	2.04	-	32.25	5.96	31.69
RMS	5.869G	47.18	68.20	-21.02	40.66	3	Vertical	360	2.04	-	32.24	5.97	31.69
PK	6.277G	112.54	Inf	-Inf	105.53	3	Vertical	360	2.04	-	32.95	6.10	32.04
RMS	6.363G	96.35	Inf	-Inf	89.14	3	Vertical	360	2.04	-	33.28	6.10	32.17

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68582G	55.80	74.00	-18.20	42.49	3	Vertical	244	1.48	-	38.80	8.51	34.00
AV	12.68502G	42.59	54.00	-11.41	29.28	3	Vertical	244	1.48	-	38.80	8.51	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69142G	55.80	74.00	-18.20	42.50	3	Horizontal	261	2.38	-	38.80	8.51	34.01
AV	12.685G	42.70	54.00	-11.30	29.39	3	Horizontal	261	2.38	-	38.80	8.51	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 73
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03462G	59.67	83.54	-23.87	57.20	1	Vertical	354	1.50	-	38.36	14.30	50.19
AV	19.03472G	49.05	63.54	-14.49	46.58	1	Vertical	354	1.50	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 73
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0314G	59.31	83.54	-24.23	56.84	1	Horizontal	264	1.50	-	38.36	14.30	50.19
AV	19.03478G	45.13	63.54	-18.41	42.66	1	Horizontal	264	1.50	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 69
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8638G	58.56	88.20	-29.64	52.06	3	Vertical	360	1.70	-	32.23	5.97	31.70
RMS	5.8498G	47.17	68.20	-21.03	40.69	3	Vertical	360	1.70	-	32.20	5.98	31.70
PK	6.435G	112.96	Inf	-Inf	105.44	3	Vertical	360	1.70	-	33.64	6.15	32.27
RMS	6.5134G	99.20	Inf	-Inf	91.37	3	Vertical	360	1.70	-	33.95	6.27	32.39
PK	7.1574G	62.19	88.20	-26.01	52.50	3	Vertical	360	1.70	-	35.94	6.84	33.09
RMS	7.205G	51.53	68.20	-16.67	41.53	3	Vertical	360	1.70	-	36.21	6.90	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00956G	56.69	88.20	-31.51	42.70	3	Vertical	272	1.22	-	39.49	8.60	34.10
RMS	13.00534G	44.91	68.20	-23.29	30.93	3	Vertical	272	1.22	-	39.49	8.60	34.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0142G	56.21	88.20	-31.99	42.22	3	Horizontal	280	1.16	-	39.49	8.60	34.10
RMS	13.0054G	44.84	68.20	-23.36	30.86	3	Horizontal	280	1.16	-	39.49	8.60	34.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 69
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51462G	58.74	83.54	-24.80	56.65	1	Vertical	181	1.50	-	37.79	14.35	50.05
AV	19.51478G	48.33	63.54	-15.21	46.24	1	Vertical	181	1.50	-	37.79	14.35	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 69
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.513G	58.23	83.54	-25.31	56.14	1	Horizontal	152	1.50	-	37.79	14.35	50.05
AV	19.51456G	44.44	63.54	-19.10	42.35	1	Horizontal	152	1.50	-	37.79	14.35	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Z_4TX
Setting 71
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.654G	110.65	Inf	-Inf	102.75	3	Vertical	0	1.78	-	34.10	6.37	32.57
RMS	6.6496G	99.09	Inf	-Inf	91.17	3	Vertical	0	1.78	-	34.10	6.38	32.56
PK	7.2106G	61.95	88.20	-26.25	51.93	3	Vertical	0	1.78	-	36.22	6.91	33.11
RMS	7.2106G	51.66	68.20	-16.54	41.64	3	Vertical	0	1.78	-	36.22	6.91	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33094G	57.58	74.00	-16.42	42.81	3	Vertical	32	1.14	-	39.89	8.70	33.82
AV	13.3318G	44.13	54.00	-9.87	29.36	3	Vertical	32	1.14	-	39.89	8.70	33.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Z_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3325G	57.75	74.00	-16.25	42.98	3	Horizontal	213	2.43	-	39.89	8.70	33.82
AV	13.3284G	44.15	54.00	-9.85	29.40	3	Horizontal	213	2.43	-	39.87	8.70	33.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 71
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9945G	59.88	83.54	-23.66	57.98	1	Vertical	257	1.50	-	37.40	14.40	49.90
AV	19.99478G	50.12	63.54	-13.42	48.22	1	Vertical	257	1.50	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 71
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99982G	58.29	83.54	-25.25	56.39	1	Horizontal	169	1.50	-	37.40	14.40	49.90
AV	19.99988G	46.03	63.54	-17.51	44.13	1	Horizontal	169	1.50	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 72
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7594G	111.83	Inf	-Inf	104.07	3	Vertical	181	1.83	-	34.14	6.32	32.70
RMS	6.8426G	99.16	Inf	-Inf	91.05	3	Vertical	181	1.83	-	34.56	6.36	32.81
PK	7.1578G	63.17	88.20	-25.03	53.47	3	Vertical	181	1.83	-	35.95	6.84	33.09
RMS	7.2218G	51.65	68.20	-16.55	41.62	3	Vertical	181	1.83	-	36.24	6.91	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65136G	59.49	88.20	-28.71	44.15	3	Vertical	277	1.31	-	40.35	8.80	33.81
RMS	13.6462G	47.98	68.20	-20.22	32.64	3	Vertical	277	1.31	-	40.35	8.79	33.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6467G	59.54	88.20	-28.66	44.20	3	Horizontal	287	1.18	-	40.35	8.79	33.80
RMS	13.64516G	47.88	68.20	-20.32	32.54	3	Horizontal	287	1.18	-	40.35	8.79	33.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 72
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47454G	59.71	83.54	-23.83	57.32	1	Vertical	280	1.50	-	37.68	14.61	49.90
AV	20.47474G	48.20	63.54	-15.34	45.81	1	Vertical	280	1.50	-	37.68	14.61	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 72
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4774G	59.08	83.54	-24.46	56.68	1	Horizontal	4	1.50	-	37.69	14.61	49.90
AV	20.47492G	45.18	63.54	-18.36	42.79	1	Horizontal	4	1.50	-	37.68	14.61	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Z_4TX
Setting 68
06-F-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	111.73	Inf	-Inf	103.32	3	Vertical	178	1.89	-	34.84	6.48	32.91
RMS	6.977G	98.62	Inf	-Inf	90.02	3	Vertical	178	1.89	-	35.01	6.57	32.98
PK	7.221G	62.61	88.20	-25.59	52.58	3	Vertical	178	1.89	-	36.24	6.91	33.12
RMS	7.125G	52.03	68.20	-16.17	42.46	3	Vertical	178	1.89	-	35.85	6.79	33.07

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 68
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96666G	59.76	88.20	-28.44	44.39	3	Vertical	346	1.28	-	40.57	8.89	34.09
RMS	13.97338G	48.23	68.20	-19.97	32.87	3	Vertical	346	1.28	-	40.57	8.89	34.10

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 68
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96942G	59.63	88.20	-28.57	44.26	3	Horizontal	285	1.40	-	40.57	8.89	34.09
RMS	13.9724G	47.95	68.20	-20.25	32.59	3	Horizontal	285	1.40	-	40.57	8.89	34.10

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 68
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9507G	59.83	83.54	-23.71	56.75	1	Vertical	243	1.50	-	38.15	14.83	49.90
AV	20.9547G	46.03	63.54	-17.51	42.95	1	Vertical	243	1.50	-	38.15	14.83	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Z_4TX
Setting 68
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95066G	59.51	83.54	-24.03	56.43	1	Horizontal	189	1.50	-	38.15	14.83	49.90
AV	20.95794G	45.73	63.54	-17.81	42.64	1	Horizontal	189	1.50	-	38.16	14.83	49.90




For Radiated:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2(MCS0)_4TX	Pass	AV	13.36964G	43.95	54.00	-10.05	3	Horizontal	12	2.73	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 40
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	56.70	88.20	-31.50	50.17	3	Vertical	335	1.56	-	32.26	5.96	31.69
RMS	5.867G	43.69	68.20	-24.51	37.18	3	Vertical	335	1.56	-	32.23	5.97	31.69
PK	6.121G	108.87	Inf	-Inf	102.23	3	Vertical	335	1.56	-	32.43	6.02	31.81
RMS	6.118G	95.06	Inf	-Inf	88.43	3	Vertical	335	1.56	-	32.41	6.02	31.80

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22978G	54.54	74.00	-19.46	41.36	3	Vertical	198	1.31	-	38.87	8.37	34.06
AV	12.23286G	41.02	54.00	-12.98	27.84	3	Vertical	198	1.31	-	38.87	8.37	34.06

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22782G	54.59	74.00	-19.41	41.42	3	Horizontal	114	1.79	-	38.87	8.37	34.07
AV	12.23028G	41.04	54.00	-12.96	27.86	3	Horizontal	114	1.79	-	38.87	8.37	34.06

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34946G	57.98	83.54	-25.56	56.37	1	Vertical	258	1.50	-	37.58	14.23	50.20
AV	18.3448G	45.65	63.54	-17.89	44.04	1	Vertical	258	1.50	-	37.58	14.23	50.20

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34812G	58.52	83.54	-25.02	56.91	1	Horizontal	8	1.50	-	37.58	14.23	50.20
AV	18.34478G	44.92	63.54	-18.62	43.31	1	Horizontal	8	1.50	-	37.58	14.23	50.20

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 36
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8902G	57.36	88.20	-30.84	50.81	3	Vertical	224	1.80	-	32.28	5.95	31.68
RMS	5.8646G	43.68	68.20	-24.52	37.17	3	Vertical	224	1.80	-	32.23	5.97	31.69
PK	6.2518G	101.83	Inf	-Inf	94.83	3	Vertical	224	1.80	-	32.90	6.10	32.00
RMS	6.2502G	89.63	Inf	-Inf	82.63	3	Vertical	224	1.80	-	32.90	6.10	32.00

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 36
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5079G	54.40	74.00	-19.60	41.37	3	Vertical	65	2.04	-	38.52	8.45	33.94
AV	12.50532G	40.71	54.00	-13.29	27.68	3	Vertical	65	2.04	-	38.52	8.45	33.94

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 36
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50536G	54.97	74.00	-19.03	41.94	3	Horizontal	268	2.77	-	38.52	8.45	33.94
AV	12.50524G	40.70	54.00	-13.30	27.67	3	Horizontal	268	2.77	-	38.52	8.45	33.94

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 36
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76472G	58.03	83.54	-25.51	55.88	1	Vertical	188	1.50	-	38.07	14.28	50.20
AV	18.76476G	45.68	63.54	-17.86	43.53	1	Vertical	188	1.50	-	38.07	14.28	50.20

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 36
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76772G	57.92	83.54	-25.62	55.77	1	Horizontal	268	1.50	-	38.07	14.28	50.20
AV	18.7648G	44.23	63.54	-19.31	42.08	1	Horizontal	268	1.50	-	38.07	14.28	50.20

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	57.50	88.20	-30.70	50.93	3	Vertical	222	1.39	-	32.30	5.95	31.68
RMS	5.8678G	46.96	68.20	-21.24	40.44	3	Vertical	222	1.39	-	32.24	5.97	31.69
PK	6.4126G	107.79	Inf	-Inf	100.36	3	Vertical	222	1.39	-	33.55	6.12	32.24
RMS	6.4174G	97.90	Inf	-Inf	90.45	3	Vertical	222	1.39	-	33.57	6.13	32.25

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82654G	55.85	88.20	-32.35	41.95	3	Vertical	167	1.33	-	39.40	8.55	34.05
RMS	12.83058G	41.91	68.20	-26.29	28.01	3	Vertical	167	1.33	-	39.40	8.55	34.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8292G	55.43	88.20	-32.77	41.53	3	Horizontal	60	1.33	-	39.40	8.55	34.05
RMS	12.82538G	41.83	68.20	-26.37	27.93	3	Horizontal	60	1.33	-	39.40	8.55	34.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24358G	58.41	83.54	-25.13	56.11	1	Vertical	280	1.50	-	38.11	14.32	50.13
AV	19.24468G	46.66	63.54	-16.88	44.36	1	Vertical	280	1.50	-	38.11	14.32	50.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24188G	58.32	83.54	-25.22	56.02	1	Horizontal	267	1.50	-	38.11	14.32	50.13
AV	19.24468G	46.10	63.54	-17.44	43.80	1	Horizontal	267	1.50	-	38.11	14.32	50.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8662G	58.05	88.20	-30.15	51.54	3	Vertical	307	1.06	-	32.23	5.97	31.69
RMS	5.8662G	46.92	68.20	-21.28	40.41	3	Vertical	307	1.06	-	32.23	5.97	31.69
PK	6.4374G	108.04	Inf	-Inf	100.51	3	Vertical	307	1.06	-	33.65	6.16	32.28
RMS	6.4398G	98.32	Inf	-Inf	90.78	3	Vertical	307	1.06	-	33.66	6.16	32.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8736G	55.10	88.20	-33.10	41.21	3	Vertical	116	1.80	-	39.40	8.56	34.07
RMS	12.87112G	41.79	68.20	-26.41	27.90	3	Vertical	116	1.80	-	39.40	8.56	34.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87026G	55.66	88.20	-32.54	41.77	3	Horizontal	125	1.11	-	39.40	8.56	34.07
RMS	12.86554G	41.86	68.20	-26.34	27.96	3	Horizontal	125	1.11	-	39.40	8.56	34.06

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3042G	59.01	83.54	-24.53	56.76	1	Vertical	183	1.50	-	38.03	14.33	50.11
AV	19.30478G	45.79	63.54	-17.75	43.54	1	Vertical	183	1.50	-	38.03	14.33	50.11

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30484G	58.13	83.54	-25.41	55.88	1	Horizontal	268	1.50	-	38.03	14.33	50.11
AV	19.3048G	46.45	63.54	-17.09	44.20	1	Horizontal	268	1.50	-	38.03	14.33	50.11

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	57.05	88.20	-31.15	50.48	3	Vertical	360	1.59	-	32.30	5.94	31.67
RMS	5.875G	46.83	68.20	-21.37	40.31	3	Vertical	360	1.59	-	32.25	5.96	31.69
PK	6.4798G	108.04	Inf	-Inf	100.34	3	Vertical	360	1.59	-	33.82	6.22	32.34
RMS	6.4774G	98.53	Inf	-Inf	90.84	3	Vertical	360	1.59	-	33.81	6.22	32.34

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95482G	55.58	88.20	-32.62	41.63	3	Vertical	277	2.43	-	39.45	8.59	34.09
RMS	12.94682G	41.94	68.20	-26.26	28.00	3	Vertical	277	2.43	-	39.45	8.58	34.09

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94712G	55.25	88.20	-32.95	41.31	3	Horizontal	210	2.89	-	39.45	8.58	34.09
RMS	12.94556G	41.90	68.20	-26.30	27.96	3	Horizontal	210	2.89	-	39.45	8.58	34.09

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42466G	58.52	83.54	-25.02	56.36	1	Vertical	247	1.50	-	37.89	14.34	50.07
AV	19.4247G	46.76	63.54	-16.78	44.60	1	Vertical	247	1.50	-	37.89	14.34	50.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42898G	58.73	83.54	-24.81	56.57	1	Horizontal	267	1.50	-	37.89	14.34	50.07
AV	19.4247G	44.91	63.54	-18.63	42.75	1	Horizontal	267	1.50	-	37.89	14.34	50.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	57.18	88.20	-31.02	50.63	3	Vertical	360	1.50	-	32.28	5.95	31.68
RMS	5.8542G	46.91	68.20	-21.29	40.43	3	Vertical	360	1.76	-	32.21	5.97	31.70
PK	6.5206G	108.94	Inf	-Inf	101.08	3	Vertical	360	1.76	-	33.98	6.28	32.40
RMS	6.5122G	98.95	Inf	-Inf	91.12	3	Vertical	360	1.76	-	33.95	6.27	32.39
PK	7.1786G	61.69	88.20	-26.51	51.85	3	Vertical	360	1.76	-	36.07	6.87	33.10
RMS	7.2122G	51.36	68.20	-16.84	41.34	3	Vertical	360	1.76	-	36.22	6.91	33.11

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




24/09/2020

EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02564G	56.10	88.20	-32.10	42.11	3	Vertical	9	1.35	-	39.47	8.61	34.09
RMS	13.02982G	41.99	68.20	-26.21	27.99	3	Vertical	9	1.35	-	39.47	8.61	34.08

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02952G	55.47	88.20	-32.73	41.47	3	Horizontal	311	1.70	-	39.47	8.61	34.08
RMS	13.03222G	41.96	68.20	-26.24	27.96	3	Horizontal	311	1.70	-	39.47	8.61	34.08

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54696G	57.69	83.54	-25.85	55.62	1	Vertical	238	1.50	-	37.76	14.35	50.04
AV	19.5448G	44.88	63.54	-18.66	42.81	1	Vertical	238	1.50	-	37.76	14.35	50.04

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54692G	57.06	83.54	-26.48	54.99	1	Horizontal	266	1.50	-	37.76	14.35	50.04
AV	19.5445G	43.58	63.54	-19.96	41.51	1	Horizontal	266	1.50	-	37.76	14.35	50.04

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 38
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	57.67	88.20	-30.53	51.10	3	Vertical	318	1.80	-	32.30	5.95	31.68
RMS	5.849G	47.36	68.20	-20.84	40.88	3	Vertical	318	1.80	-	32.20	5.98	31.70
PK	6.5322G	106.92	Inf	-Inf	99.00	3	Vertical	318	1.80	-	34.03	6.30	32.41
RMS	6.5322G	97.24	Inf	-Inf	89.32	3	Vertical	318	1.80	-	34.03	6.30	32.41
PK	7.2098G	62.12	88.20	-26.08	52.11	3	Vertical	318	1.80	-	36.22	6.90	33.11
RMS	7.2322G	51.87	68.20	-16.33	41.81	3	Vertical	318	1.80	-	36.26	6.92	33.12

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0685G	56.06	88.20	-32.14	42.06	3	Vertical	182	1.92	-	39.43	8.62	34.05
RMS	13.06958G	42.31	68.20	-25.89	28.31	3	Vertical	182	1.92	-	39.43	8.62	34.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 38
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07372G	55.25	88.20	-32.95	41.25	3	Horizontal	8	1.93	-	39.43	8.62	34.05
RMS	13.0696G	42.33	68.20	-25.87	28.33	3	Horizontal	8	1.93	-	39.43	8.62	34.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 38
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6047G	58.39	83.54	-25.15	56.33	1	Vertical	258	1.50	-	37.72	14.36	50.02
AV	19.6047G	47.49	63.54	-16.05	45.43	1	Vertical	258	1.50	-	37.72	14.36	50.02

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 38
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60452G	58.31	83.54	-25.23	56.25	1	Horizontal	295	1.50	-	37.72	14.36	50.02
AV	19.6047G	44.38	63.54	-19.16	42.32	1	Horizontal	295	1.50	-	37.72	14.36	50.02

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	108.57	Inf	-Inf	100.74	3	Vertical	188	1.80	-	34.10	6.35	32.62
RMS	6.693G	98.18	Inf	-Inf	90.35	3	Vertical	188	1.80	-	34.10	6.35	32.62
PK	7.173G	62.86	88.20	-25.34	53.05	3	Vertical	188	1.80	-	36.04	6.86	33.09
RMS	7.195G	51.65	68.20	-16.55	41.69	3	Vertical	188	1.80	-	36.17	6.89	33.10

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38636G	58.04	74.00	-15.96	42.87	3	Vertical	145	2.42	-	40.22	8.72	33.77
AV	13.38944G	43.83	54.00	-10.17	28.64	3	Vertical	145	2.42	-	40.24	8.72	33.77

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38822G	57.04	74.00	-16.96	41.86	3	Horizontal	99	2.48	-	40.23	8.72	33.77
AV	13.3893G	43.84	54.00	-10.16	28.65	3	Horizontal	99	2.48	-	40.24	8.72	33.77

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0847G	59.21	83.54	-24.33	57.22	1	Vertical	258	1.50	-	37.45	14.44	49.90
AV	20.08476G	48.96	63.54	-14.58	46.97	1	Vertical	258	1.50	-	37.45	14.44	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08196G	58.25	83.54	-25.29	56.26	1	Horizontal	272	1.50	-	37.45	14.44	49.90
AV	20.08474G	44.81	63.54	-18.73	42.82	1	Horizontal	272	1.50	-	37.45	14.44	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	107.85	Inf	-Inf	99.69	3	Vertical	360	1.80	-	34.60	6.38	32.82
RMS	6.8508G	97.84	Inf	-Inf	89.68	3	Vertical	360	1.80	-	34.60	6.38	32.82
PK	7.1896G	61.90	88.20	-26.30	51.98	3	Vertical	360	1.80	-	36.14	6.88	33.10
RMS	7.1994G	51.67	68.20	-16.53	41.68	3	Vertical	360	1.80	-	36.20	6.90	33.11

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70824G	59.30	88.20	-28.90	44.05	3	Vertical	199	2.88	-	40.30	8.81	33.86
RMS	13.7092G	45.21	68.20	-22.99	29.96	3	Vertical	199	2.88	-	40.30	8.81	33.86

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71088G	58.51	88.20	-29.69	43.26	3	Horizontal	113	1.50	-	40.30	8.81	33.86
RMS	13.71484G	45.26	68.20	-22.94	30.01	3	Horizontal	113	1.50	-	40.30	8.81	33.86

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56092G	59.13	83.54	-24.41	56.62	1	Vertical	280	1.50	-	37.76	14.65	49.90
AV	20.5647G	46.17	63.54	-17.37	43.66	1	Vertical	280	1.50	-	37.76	14.65	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56616G	58.71	83.54	-24.83	56.19	1	Horizontal	284	1.50	-	37.77	14.65	49.90
AV	20.56464G	45.24	63.54	-18.30	42.73	1	Horizontal	284	1.50	-	37.76	14.65	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8762G	109.74	Inf	-Inf	101.48	3	Vertical	258	1.11	-	34.70	6.41	32.85
RMS	6.8762G	99.55	Inf	-Inf	91.29	3	Vertical	258	1.11	-	34.70	6.41	32.85
PK	7.1582G	61.60	88.20	-26.60	51.90	3	Vertical	258	1.11	-	35.95	6.84	33.09
RMS	7.175G	51.24	68.20	-16.96	41.42	3	Vertical	258	1.11	-	36.05	6.86	33.09

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74982G	59.25	88.20	-28.95	44.02	3	Vertical	337	2.11	-	40.30	8.82	33.89
RMS	13.74608G	45.58	68.20	-22.62	30.35	3	Vertical	337	2.11	-	40.30	8.82	33.89

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




24/09/2020

EUT Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74778G	59.03	88.20	-29.17	43.80	3	Horizontal	116	2.70	-	40.30	8.82	33.89
RMS	13.74524G	45.53	68.20	-22.67	30.30	3	Horizontal	116	2.70	-	40.30	8.82	33.89

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62686G	58.12	83.54	-25.42	55.51	1	Vertical	279	1.50	-	37.83	14.68	49.90
AV	20.6248G	44.42	63.54	-19.12	41.82	1	Vertical	279	1.50	-	37.82	14.68	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6245G	58.63	83.54	-24.91	56.03	1	Horizontal	183	1.50	-	37.82	14.68	49.90
AV	20.62466G	44.95	63.54	-18.59	42.35	1	Horizontal	183	1.50	-	37.82	14.68	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 42
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8926G	110.15	Inf	-Inf	101.81	3	Vertical	348	1.73	-	34.77	6.44	32.87
RMS	6.901G	99.61	Inf	-Inf	91.24	3	Vertical	348	1.73	-	34.80	6.45	32.88
PK	7.1902G	61.61	88.20	-26.59	51.68	3	Vertical	348	1.73	-	36.14	6.89	33.10
RMS	7.1866G	51.48	68.20	-16.72	41.58	3	Vertical	348	1.73	-	36.12	6.88	33.10

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7484G	58.96	88.20	-29.24	43.73	3	Vertical	75	2.35	-	40.30	8.82	33.89
RMS	13.75464G	45.64	68.20	-22.56	30.41	3	Vertical	75	2.35	-	40.30	8.83	33.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 42
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78678G	59.98	88.20	-28.22	44.77	3	Horizontal	114	2.00	-	40.30	8.84	33.93
RMS	13.79102G	45.36	68.20	-22.84	30.15	3	Horizontal	114	2.00	-	40.30	8.84	33.93

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 42
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68492G	58.56	83.54	-24.98	55.87	1	Vertical	280	1.50	-	37.88	14.71	49.90
AV	20.68476G	44.67	63.54	-18.87	41.98	1	Vertical	280	1.50	-	37.88	14.71	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 42
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68402G	57.85	83.54	-25.69	55.16	1	Horizontal	182	1.50	-	37.88	14.71	49.90
AV	20.68474G	44.61	63.54	-18.93	41.92	1	Horizontal	182	1.50	-	37.88	14.71	49.90

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0084G	110.08	Inf	-Inf	101.31	3	Vertical	263	2.01	-	35.17	6.61	33.01
RMS	7.0114G	99.98	Inf	-Inf	91.19	3	Vertical	263	2.01	-	35.19	6.62	33.02
PK	7.1464G	61.52	88.20	-26.68	51.89	3	Vertical	263	2.01	-	35.89	6.82	33.08
RMS	7.126G	51.09	68.20	-17.11	41.52	3	Vertical	263	2.01	-	35.85	6.79	33.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03302G	59.08	88.20	-29.12	43.61	3	Vertical	183	2.86	-	40.67	8.90	34.10
RMS	14.03236G	45.80	68.20	-22.40	30.34	3	Vertical	183	2.86	-	40.66	8.90	34.10

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7015MHz_TX



24/09/2020

EUT Z_4TX
Setting 40
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.028G	59.05	88.20	-29.15	43.60	3	Horizontal	26	2.58	-	40.66	8.90	34.11
RMS	14.03072G	45.84	68.20	-22.36	30.39	3	Horizontal	26	2.58	-	40.66	8.90	34.11