


802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.04374G	60.60	83.54	-22.94	57.43	1	Vertical	281	1.50	-	38.18	14.87	49.88
AV	21.04476G	47.75	63.54	-15.79	44.58	1	Vertical	281	1.50	-	38.18	14.87	49.88

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 40
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.04558G	60.65	83.54	-22.89	57.48	1	Horizontal	192	1.50	-	38.18	14.87	49.88
AV	21.04478G	46.68	63.54	-16.86	43.51	1	Horizontal	192	1.50	-	38.18	14.87	49.88

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
RMS	7.0866G	99.20	Inf	-Inf	89.80	3	Vertical	37	1.47	-	35.72	6.73	33.05
RMS	7.2444G	51.96	68.20	-16.24	41.88	3	Vertical	37	1.47	-	36.29	6.92	33.13
PK	7.2234G	62.10	88.20	-26.10	52.06	3	Vertical	37	1.47	-	36.25	6.91	33.12
PK	7.086G	108.58	Inf	-Inf	99.18	3	Vertical	37	1.47	-	35.72	6.73	33.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




29/09/2020

EUT_Z_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1824G	59.26	88.20	-28.94	43.61	3	Vertical	34	1.51	-	40.80	8.88	34.03
RMS	14.1822G	47.60	68.20	-20.60	31.95	3	Vertical	34	1.51	-	40.80	8.88	34.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18692G	59.12	88.20	-29.08	43.47	3	Horizontal	37	1.47	-	40.80	8.88	34.03
RMS	14.18244G	47.60	68.20	-20.60	31.95	3	Horizontal	37	1.47	-	40.80	8.88	34.03

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29252G	49.16	83.54	-34.38	45.88	1	Horizontal	283	2.46	-	38.08	14.98	49.78
AV	21.28268G	36.67	63.54	-26.87	33.39	1	Horizontal	283	2.46	-	38.09	14.98	49.79

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 40
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.281G	48.80	83.54	-34.74	45.52	1	Horizontal	287	1.14	-	38.09	14.98	49.79
AV	21.27796G	36.65	63.54	-26.89	33.37	1	Horizontal	287	1.14	-	38.09	14.98	49.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	58.46	88.20	-29.74	52.02	3	Vertical	332	1.78	-	32.17	5.98	31.71
RMS	5.873G	47.02	68.20	-21.18	40.50	3	Vertical	332	1.78	-	32.25	5.96	31.69
PK	6.1214G	113.38	Inf	-Inf	106.74	3	Vertical	332	1.78	-	32.43	6.02	31.81
RMS	6.119G	102.79	Inf	-Inf	96.17	3	Vertical	332	1.78	-	32.41	6.02	31.81

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25414G	55.49	74.00	-18.51	42.31	3	Vertical	306	1.82	-	38.85	8.38	34.05
AV	12.2527G	41.75	54.00	-12.25	28.57	3	Vertical	306	1.82	-	38.85	8.38	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25092G	55.89	74.00	-18.11	42.71	3	Horizontal	290	2.20	-	38.85	8.38	34.05
AV	12.25448G	41.76	54.00	-12.24	28.58	3	Horizontal	290	2.20	-	38.85	8.38	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37474G	58.61	83.54	-24.93	56.97	1	Vertical	227	1.50	-	37.60	14.24	50.20
AV	18.37476G	47.20	63.54	-16.34	45.56	1	Vertical	227	1.50	-	37.60	14.24	50.20

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.371G	58.45	83.54	-25.09	56.81	1	Horizontal	8	1.50	-	37.60	14.24	50.20
AV	18.37478G	45.29	63.54	-18.25	43.65	1	Horizontal	8	1.50	-	37.60	14.24	50.20

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TX




EUT Z_4TX
Setting 64
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	57.64	88.20	-30.56	51.12	3	Vertical	230	1.52	-	32.24	5.97	31.69
RMS	5.8562G	47.03	68.20	-21.17	40.55	3	Vertical	230	1.52	-	32.21	5.97	31.70
PK	6.2402G	111.98	Inf	-Inf	104.99	3	Vertical	230	1.52	-	32.88	6.10	31.99
RMS	6.253G	101.55	Inf	-Inf	94.54	3	Vertical	230	1.52	-	32.91	6.10	32.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48702G	55.99	74.00	-18.01	42.99	3	Vertical	21	2.28	-	38.50	8.45	33.95
AV	12.48584G	41.64	54.00	-12.36	28.64	3	Vertical	21	2.28	-	38.50	8.45	33.95

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.49164G	55.89	74.00	-18.11	42.88	3	Horizontal	155	1.42	-	38.50	8.45	33.94
AV	12.4857G	41.59	54.00	-12.41	28.59	3	Horizontal	155	1.42	-	38.50	8.45	33.95

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73458G	58.38	83.54	-25.16	56.28	1	Vertical	188	1.50	-	38.03	14.27	50.20
AV	18.73476G	47.53	63.54	-16.01	45.43	1	Vertical	188	1.50	-	38.03	14.27	50.20

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.74G	57.79	83.54	-25.75	55.68	1	Horizontal	269	1.50	-	38.04	14.27	50.20
AV	18.73476G	45.75	63.54	-17.79	43.65	1	Horizontal	269	1.50	-	38.03	14.27	50.20

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	57.67	88.20	-30.53	51.10	3	Vertical	159	2.32	-	32.30	5.94	31.67
RMS	5.8602G	47.00	68.20	-21.20	40.51	3	Vertical	159	2.32	-	32.22	5.97	31.70
PK	6.3906G	110.07	Inf	-Inf	102.74	3	Vertical	159	2.32	-	33.44	6.10	32.21
RMS	6.3954G	100.39	Inf	-Inf	93.04	3	Vertical	159	2.32	-	33.47	6.10	32.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80632G	56.39	88.20	-31.81	42.49	3	Vertical	205	1.98	-	39.40	8.54	34.04
RMS	12.80896G	42.48	68.20	-25.72	28.59	3	Vertical	205	1.98	-	39.40	8.54	34.05

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80624G	56.77	88.20	-31.43	42.87	3	Horizontal	247	1.45	-	39.40	8.54	34.04
RMS	12.8062G	42.49	68.20	-25.71	28.59	3	Horizontal	247	1.45	-	39.40	8.54	34.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21482G	59.32	83.54	-24.22	57.00	1	Vertical	281	1.50	-	38.14	14.32	50.14
AV	19.21472G	47.99	63.54	-15.55	45.67	1	Vertical	281	1.50	-	38.14	14.32	50.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21492G	58.99	83.54	-24.55	56.67	1	Horizontal	267	1.50	-	38.14	14.32	50.14
AV	19.21472G	46.45	63.54	-17.09	44.13	1	Horizontal	267	1.50	-	38.14	14.32	50.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	57.67	88.20	-30.53	51.15	3	Vertical	1	1.80	-	32.25	5.96	31.69
RMS	5.8618G	46.97	68.20	-21.23	40.48	3	Vertical	1	1.80	-	32.22	5.97	31.70
PK	6.433G	110.28	Inf	-Inf	102.77	3	Vertical	1	1.80	-	33.63	6.15	32.27
RMS	6.4378G	100.29	Inf	-Inf	92.76	3	Vertical	1	1.80	-	33.65	6.16	32.28

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89444G	56.48	88.20	-31.72	42.58	3	Vertical	332	2.63	-	39.40	8.57	34.07
RMS	12.88616G	42.11	68.20	-26.09	28.21	3	Vertical	332	2.63	-	39.40	8.57	34.07

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88714G	57.01	88.20	-31.19	43.11	3	Horizontal	251	1.30	-	39.40	8.57	34.07
RMS	12.886G	42.05	68.20	-26.15	28.15	3	Horizontal	251	1.30	-	39.40	8.57	34.07

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33486G	60.00	83.54	-23.54	57.77	1	Vertical	184	1.50	-	38.00	14.33	50.10
AV	19.33478G	48.72	63.54	-14.82	46.49	1	Vertical	184	1.50	-	38.00	14.33	50.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33482G	59.79	83.54	-23.75	57.56	1	Horizontal	267	1.50	-	38.00	14.33	50.10
AV	19.33476G	46.54	63.54	-17.00	44.31	1	Horizontal	267	1.50	-	38.00	14.33	50.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7906G	58.12	88.20	-30.08	51.88	3	Vertical	201	1.80	-	31.98	5.99	31.73
RMS	5.8606G	46.94	68.20	-21.26	40.45	3	Vertical	201	1.80	-	32.22	5.97	31.70
PK	6.4878G	110.61	Inf	-Inf	102.88	3	Vertical	201	1.80	-	33.85	6.23	32.35
RMS	6.471G	100.05	Inf	-Inf	92.39	3	Vertical	201	1.80	-	33.78	6.21	32.33
PK	7.185G	61.17	88.20	-27.03	51.28	3	Vertical	201	1.80	-	36.11	6.88	33.10
RMS	7.1822G	51.15	68.20	-17.05	41.29	3	Vertical	201	1.80	-	36.09	6.87	33.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97448G	55.70	88.20	-32.50	41.74	3	Vertical	314	1.46	-	39.47	8.59	34.10
RMS	12.97022G	42.34	68.20	-25.86	28.38	3	Vertical	314	1.46	-	39.47	8.59	34.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96546G	57.28	88.20	-30.92	43.32	3	Horizontal	316	2.17	-	39.47	8.59	34.10
RMS	12.96786G	42.36	68.20	-25.84	28.40	3	Horizontal	316	2.17	-	39.47	8.59	34.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45462G	60.89	83.54	-22.65	58.75	1	Vertical	248	1.50	-	37.85	14.35	50.06
AV	19.45472G	50.53	63.54	-13.01	48.39	1	Vertical	248	1.50	-	37.85	14.35	50.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45216G	59.27	83.54	-24.27	57.12	1	Horizontal	266	1.50	-	37.86	14.35	50.06
AV	19.45468G	45.38	63.54	-18.16	43.24	1	Horizontal	266	1.50	-	37.85	14.35	50.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	58.28	88.20	-29.92	51.80	3	Vertical	312	1.80	-	32.21	5.97	31.70
RMS	5.8558G	46.99	68.20	-21.21	40.51	3	Vertical	312	1.80	-	32.21	5.97	31.70
PK	6.5166G	111.17	Inf	-Inf	103.32	3	Vertical	312	1.80	-	33.97	6.27	32.39
RMS	6.5194G	101.45	Inf	-Inf	93.58	3	Vertical	312	1.80	-	33.98	6.28	32.39
PK	7.2222G	62.47	88.20	-25.73	52.44	3	Vertical	312	1.80	-	36.24	6.91	33.12
RMS	7.225G	51.48	68.20	-16.72	41.44	3	Vertical	312	1.80	-	36.25	6.91	33.12

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




24/09/2020

EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05338G	56.21	88.20	-31.99	42.20	3	Vertical	235	1.19	-	39.45	8.62	34.06
RMS	13.05178G	42.57	68.20	-25.63	28.56	3	Vertical	235	1.19	-	39.45	8.62	34.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05446G	56.32	88.20	-31.88	42.31	3	Horizontal	342	1.52	-	39.45	8.62	34.06
RMS	13.0546G	42.56	68.20	-25.64	28.55	3	Horizontal	342	1.52	-	39.45	8.62	34.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45038G	58.89	83.54	-24.65	56.74	1	Vertical	266	1.50	-	37.86	14.35	50.06
AV	19.45128G	44.78	63.54	-18.76	42.63	1	Vertical	266	1.50	-	37.86	14.35	50.06

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




25/09/2020

EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57922G	58.42	83.54	-25.12	56.35	1	Horizontal	251	1.50	-	37.74	14.36	50.03
AV	19.57472G	44.74	63.54	-18.80	42.67	1	Horizontal	251	1.50	-	37.74	14.36	50.03

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 60
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5506G	109.64	Inf	-Inf	101.64	3	Vertical	357	1.80	-	34.10	6.33	32.43
RMS	6.5506G	99.48	Inf	-Inf	91.48	3	Vertical	357	1.80	-	34.10	6.33	32.43
PK	7.1578G	61.40	88.20	-26.80	51.70	3	Vertical	357	1.80	-	35.95	6.84	33.09
RMS	7.1626G	50.94	68.20	-17.26	41.21	3	Vertical	357	1.80	-	35.98	6.84	33.09

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 60
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12528G	56.30	88.20	-31.90	42.21	3	Vertical	290	2.48	-	39.45	8.64	34.00
RMS	13.12868G	42.97	68.20	-25.23	28.87	3	Vertical	290	2.48	-	39.46	8.64	34.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 60
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13378G	57.52	88.20	-30.68	43.40	3	Horizontal	189	2.54	-	39.47	8.64	33.99
RMS	13.13356G	42.96	68.20	-25.24	28.84	3	Horizontal	189	2.54	-	39.47	8.64	33.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 60
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69452G	60.15	83.54	-23.39	58.13	1	Vertical	258	1.50	-	37.64	14.37	49.99
AV	19.69474G	50.65	63.54	-12.89	48.63	1	Vertical	258	1.50	-	37.64	14.37	49.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 60
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69764G	58.32	83.54	-25.22	56.30	1	Horizontal	295	1.50	-	37.64	14.37	49.99
AV	19.69472G	45.19	63.54	-18.35	43.17	1	Horizontal	295	1.50	-	37.64	14.37	49.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.685G	111.00	Inf	-Inf	103.15	3	Vertical	10	1.80	-	34.10	6.36	32.61
RMS	6.697G	100.68	Inf	-Inf	92.85	3	Vertical	10	1.80	-	34.10	6.35	32.62
PK	7.151G	62.27	88.20	-25.93	52.61	3	Vertical	10	1.80	-	35.91	6.83	33.08
RMS	7.185G	51.18	68.20	-17.02	41.29	3	Vertical	10	1.80	-	36.11	6.88	33.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36888G	57.42	74.00	-16.58	42.39	3	Vertical	179	1.63	-	40.11	8.71	33.79
AV	13.36948G	43.92	54.00	-10.08	28.87	3	Vertical	179	1.63	-	40.12	8.71	33.78

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36646G	57.83	74.00	-16.17	42.81	3	Horizontal	12	2.73	-	40.10	8.71	33.79
AV	13.36964G	43.95	54.00	-10.05	28.90	3	Horizontal	12	2.73	-	40.12	8.71	33.78

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05496G	60.21	83.54	-23.33	58.26	1	Vertical	257	1.50	-	37.43	14.42	49.90
AV	20.05472G	50.70	63.54	-12.84	48.75	1	Vertical	257	1.50	-	37.43	14.42	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05964G	58.64	83.54	-24.90	56.67	1	Horizontal	156	1.50	-	37.44	14.43	49.90
AV	20.0547G	45.37	63.54	-18.17	43.42	1	Horizontal	156	1.50	-	37.43	14.42	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 66
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.853G	111.70	Inf	-Inf	103.53	3	Vertical	0	1.56	-	34.61	6.38	32.82
RMS	6.8434G	101.45	Inf	-Inf	93.33	3	Vertical	0	1.56	-	34.56	6.37	32.81
PK	7.221G	62.12	88.20	-26.08	52.09	3	Vertical	0	1.56	-	36.24	6.91	33.12
RMS	7.2338G	51.53	68.20	-16.67	41.46	3	Vertical	0	1.56	-	36.27	6.92	33.12

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 66
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68574G	59.03	88.20	-29.17	43.75	3	Vertical	306	1.78	-	40.31	8.81	33.84
RMS	13.6898G	45.42	68.20	-22.78	30.14	3	Vertical	306	1.78	-	40.31	8.81	33.84

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 66
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68978G	58.67	88.20	-29.53	43.39	3	Horizontal	360	2.98	-	40.31	8.81	33.84
RMS	13.68994G	44.96	68.20	-23.24	29.68	3	Horizontal	360	2.98	-	40.31	8.81	33.84

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 66
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53422G	60.41	83.54	-23.13	57.94	1	Vertical	282	1.50	-	37.73	14.64	49.90
AV	20.5347G	48.60	63.54	-14.94	46.13	1	Vertical	282	1.50	-	37.73	14.64	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 66
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53492G	59.03	83.54	-24.51	56.56	1	Horizontal	7	1.50	-	37.73	14.64	49.90
AV	20.53456G	45.40	63.54	-18.14	42.93	1	Horizontal	7	1.50	-	37.73	14.64	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8982G	113.11	Inf	-Inf	104.75	3	Vertical	0	1.69	-	34.79	6.45	32.88
RMS	6.8814G	101.16	Inf	-Inf	92.87	3	Vertical	0	1.69	-	34.73	6.42	32.86
PK	7.1382G	62.10	88.20	-26.10	52.49	3	Vertical	0	1.69	-	35.88	6.81	33.08
RMS	7.185G	51.29	68.20	-16.91	41.40	3	Vertical	0	1.69	-	36.11	6.88	33.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77334G	59.12	88.20	-29.08	43.91	3	Vertical	281	1.37	-	40.30	8.83	33.92
RMS	13.7667G	45.53	68.20	-22.67	30.31	3	Vertical	281	1.37	-	40.30	8.83	33.91

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76888G	59.44	88.20	-28.76	44.22	3	Horizontal	88	1.37	-	40.30	8.83	33.91
RMS	13.76662G	45.55	68.20	-22.65	30.33	3	Horizontal	88	1.37	-	40.30	8.83	33.91

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65506G	58.29	83.54	-25.25	55.64	1	Vertical	282	1.50	-	37.86	14.69	49.90
AV	20.65472G	45.33	63.54	-18.21	42.69	1	Vertical	282	1.50	-	37.85	14.69	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65182G	57.93	83.54	-25.61	55.29	1	Horizontal	181	1.50	-	37.85	14.69	49.90
AV	20.65478G	43.57	63.54	-19.97	40.93	1	Horizontal	181	1.50	-	37.85	14.69	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9142G	110.60	Inf	-Inf	102.20	3	Vertical	0	1.80	-	34.83	6.47	32.90
RMS	6.9118G	100.22	Inf	-Inf	91.83	3	Vertical	0	1.80	-	34.82	6.47	32.90
PK	7.2166G	61.86	88.20	-26.34	51.83	3	Vertical	0	1.80	-	36.23	6.91	33.11
RMS	7.213G	51.50	68.20	-16.70	41.47	3	Vertical	0	1.80	-	36.23	6.91	33.11

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84808G	59.16	88.20	-29.04	43.89	3	Vertical	31	1.20	-	40.40	8.85	33.98
RMS	13.85364G	45.41	68.20	-22.79	30.13	3	Vertical	31	1.20	-	40.41	8.86	33.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85484G	59.75	88.20	-28.45	44.47	3	Horizontal	228	1.75	-	40.41	8.86	33.99
RMS	13.85086G	45.37	68.20	-22.83	30.10	3	Horizontal	228	1.75	-	40.40	8.86	33.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7746G	59.31	83.54	-24.23	56.49	1	Vertical	280	1.50	-	37.97	14.75	49.90
AV	20.77462G	45.87	63.54	-17.67	43.05	1	Vertical	280	1.50	-	37.97	14.75	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77544G	60.05	83.54	-23.49	57.22	1	Horizontal	181	1.50	-	37.98	14.75	49.90
AV	20.77462G	45.52	63.54	-18.02	42.70	1	Horizontal	181	1.50	-	37.97	14.75	49.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0202G	110.41	Inf	-Inf	101.54	3	Vertical	1	1.62	-	35.26	6.63	33.02
RMS	7.0194G	100.15	Inf	-Inf	91.28	3	Vertical	1	1.62	-	35.26	6.63	33.02
PK	7.197G	61.62	88.20	-26.58	51.64	3	Vertical	1	1.62	-	36.18	6.90	33.10
RMS	7.197G	51.43	68.20	-16.77	41.45	3	Vertical	1	1.62	-	36.18	6.90	33.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0084G	59.43	88.20	-28.77	44.03	3	Vertical	278	2.67	-	40.62	8.90	34.12
RMS	14.00604G	45.73	68.20	-22.47	30.34	3	Vertical	278	2.67	-	40.61	8.90	34.12

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




24/09/2020

EUT_Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00634G	59.51	88.20	-28.69	44.12	3	Horizontal	189	2.37	-	40.61	8.90	34.12
RMS	14.00558G	45.73	68.20	-22.47	30.34	3	Horizontal	189	2.37	-	40.61	8.90	34.12

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01742G	60.10	83.54	-23.44	56.94	1	Vertical	280	1.50	-	38.19	14.86	49.89
AV	21.0147G	46.25	63.54	-17.29	43.09	1	Vertical	280	1.50	-	38.19	14.86	49.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 59
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01476G	61.06	83.54	-22.48	57.90	1	Horizontal	246	1.50	-	38.19	14.86	49.89
AV	21.01466G	46.34	63.54	-17.20	43.18	1	Horizontal	246	1.50	-	38.19	14.86	49.89

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


24/09/2020

EUT_Z_4TX
Setting 63
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0746G	109.83	Inf	-Inf	100.52	3	Vertical	2	1.80	-	35.65	6.71	33.05
RMS	7.0738G	99.94	Inf	-Inf	90.64	3	Vertical	2	1.80	-	35.64	6.71	33.05
PK	7.1278G	64.81	88.20	-23.39	55.23	3	Vertical	2	1.80	-	35.86	6.79	33.07
RMS	7.125G	53.59	68.20	-14.61	44.02	3	Vertical	2	1.80	-	35.85	6.79	33.07

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 63
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17226G	60.80	88.20	-27.40	45.16	3	Vertical	45	1.90	-	40.80	8.88	34.04
RMS	14.17192G	46.32	68.20	-21.88	30.68	3	Vertical	45	1.90	-	40.80	8.88	34.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 63
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17128G	60.59	88.20	-27.61	44.95	3	Horizontal	327	1.03	-	40.80	8.88	34.04
RMS	14.17206G	46.37	68.20	-21.83	30.73	3	Horizontal	327	1.03	-	40.80	8.88	34.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 63
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25476G	58.16	83.54	-25.38	54.90	1	Vertical	295	1.50	-	38.10	14.96	49.80
AV	21.25472G	45.90	63.54	-17.64	42.64	1	Vertical	295	1.50	-	38.10	14.96	49.80

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 63
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25332G	58.23	83.54	-25.31	54.97	1	Horizontal	0	1.50	-	38.10	14.96	49.80
AV	21.25862G	44.14	63.54	-19.40	40.87	1	Horizontal	0	1.50	-	38.10	14.97	49.80

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 64
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	58.37	88.20	-29.83	51.80	3	Vertical	355	1.80	-	32.30	5.94	31.67
RMS	5.924G	43.90	68.20	-24.30	37.33	3	Vertical	355	1.80	-	32.30	5.94	31.67
PK	6.116G	112.66	Inf	-Inf	106.04	3	Vertical	355	1.80	-	32.40	6.02	31.80
RMS	6.133G	95.03	Inf	-Inf	88.33	3	Vertical	355	1.80	-	32.50	6.03	31.83

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29242G	55.28	74.00	-18.72	42.12	3	Vertical	290	1.43	-	38.81	8.39	34.04
AV	12.28884G	41.75	54.00	-12.25	28.59	3	Vertical	290	1.43	-	38.81	8.39	34.04

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28822G	54.75	74.00	-19.25	41.59	3	Horizontal	130	2.50	-	38.81	8.39	34.04
AV	12.2931G	41.74	54.00	-12.26	28.58	3	Horizontal	130	2.50	-	38.81	8.39	34.04

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43474G	58.00	83.54	-25.54	56.31	1	Vertical	254	1.50	-	37.65	14.24	50.20
AV	18.43484G	47.46	63.54	-16.08	45.77	1	Vertical	254	1.50	-	37.65	14.24	50.20

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4344G	58.51	83.54	-25.03	56.82	1	Horizontal	7	1.50	-	37.65	14.24	50.20
AV	18.43478G	45.64	63.54	-17.90	43.95	1	Horizontal	7	1.50	-	37.65	14.24	50.20

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 67
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	58.47	88.20	-29.73	51.95	3	Vertical	360	1.73	-	32.24	5.97	31.69
RMS	5.8682G	44.88	68.20	-23.32	38.36	3	Vertical	360	1.73	-	32.24	5.97	31.69
PK	6.2346G	110.14	Inf	-Inf	103.15	3	Vertical	360	1.73	-	32.87	6.10	31.98
RMS	6.233G	97.73	Inf	-Inf	90.73	3	Vertical	360	1.73	-	32.87	6.10	31.97

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 67
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45048G	54.62	74.00	-19.38	41.64	3	Vertical	338	2.57	-	38.50	8.44	33.96
AV	12.45386G	40.72	54.00	-13.28	27.74	3	Vertical	338	2.57	-	38.50	8.44	33.96

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 67
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44924G	54.37	74.00	-19.63	41.40	3	Horizontal	42	2.89	-	38.50	8.43	33.96
AV	12.45416G	40.72	54.00	-13.28	27.74	3	Horizontal	42	2.89	-	38.50	8.44	33.96

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 67
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67478G	59.59	83.54	-23.95	57.58	1	Vertical	187	1.50	-	37.94	14.27	50.20
AV	18.67474G	49.09	63.54	-14.45	47.08	1	Vertical	187	1.50	-	37.94	14.27	50.20

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 67
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6744G	58.91	83.54	-24.63	56.90	1	Horizontal	269	1.50	-	37.94	14.27	50.20
AV	18.67474G	45.98	63.54	-17.56	43.97	1	Horizontal	269	1.50	-	37.94	14.27	50.20

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	58.67	88.20	-29.53	52.18	3	Vertical	360	1.31	-	32.22	5.97	31.70
RMS	5.857G	44.74	68.20	-23.46	38.26	3	Vertical	360	1.31	-	32.21	5.97	31.70
PK	6.3922G	110.18	Inf	-Inf	102.84	3	Vertical	360	1.31	-	33.45	6.10	32.21
RMS	6.397G	95.14	Inf	-Inf	87.78	3	Vertical	360	1.31	-	33.48	6.10	32.22

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77068G	55.24	88.20	-32.96	41.52	3	Vertical	1	1.26	-	39.22	8.53	34.03
RMS	12.76584G	41.46	68.20	-26.74	27.76	3	Vertical	1	1.26	-	39.20	8.53	34.03

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77386G	54.99	88.20	-33.21	41.25	3	Horizontal	80	1.76	-	39.24	8.53	34.03
RMS	12.77396G	41.54	68.20	-26.66	27.80	3	Horizontal	80	1.76	-	39.24	8.53	34.03

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 70
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.159G	59.10	83.54	-24.44	56.72	1	Vertical	279	1.50	-	38.21	14.32	50.15
AV	19.15476G	45.47	63.54	-18.07	43.09	1	Vertical	279	1.50	-	38.21	14.32	50.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 70
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15468G	59.46	83.54	-24.08	57.08	1	Horizontal	267	1.50	-	38.21	14.32	50.15
AV	19.15472G	46.74	63.54	-16.80	44.36	1	Horizontal	267	1.50	-	38.21	14.32	50.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	58.34	88.20	-29.86	51.93	3	Vertical	310	1.75	-	32.14	5.98	31.71
RMS	5.8686G	44.63	68.20	-23.57	38.11	3	Vertical	310	1.75	-	32.24	5.97	31.69
PK	6.4538G	110.43	Inf	-Inf	102.83	3	Vertical	310	1.75	-	33.72	6.18	32.30
RMS	6.4538G	97.06	Inf	-Inf	89.46	3	Vertical	310	1.75	-	33.72	6.18	32.30
PK	7.1482G	61.42	88.20	-26.78	51.78	3	Vertical	310	1.75	-	35.90	6.82	33.08
RMS	7.165G	48.53	68.20	-19.67	38.78	3	Vertical	310	1.75	-	35.99	6.85	33.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9326G	55.15	88.20	-33.05	41.23	3	Vertical	301	1.37	-	39.43	8.58	34.09
RMS	12.92824G	41.76	68.20	-26.44	27.84	3	Vertical	301	1.37	-	39.43	8.58	34.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92694G	55.81	88.20	-32.39	41.89	3	Horizontal	352	2.10	-	39.43	8.58	34.09
RMS	12.92836G	41.64	68.20	-26.56	27.72	3	Horizontal	352	2.10	-	39.43	8.58	34.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 70
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39464G	59.42	83.54	-24.12	57.23	1	Vertical	247	1.50	-	37.93	14.34	50.08
AV	19.39472G	48.38	63.54	-15.16	46.19	1	Vertical	247	1.50	-	37.93	14.34	50.08

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 70
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39466G	59.55	83.54	-23.99	57.36	1	Horizontal	268	1.50	-	37.93	14.34	50.08
AV	19.39468G	46.61	63.54	-16.93	44.42	1	Horizontal	268	1.50	-	37.93	14.34	50.08

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 65
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	57.86	88.20	-30.34	51.29	3	Vertical	1	1.80	-	32.30	5.94	31.67
RMS	5.859G	44.45	68.20	-23.75	37.96	3	Vertical	1	1.80	-	32.22	5.97	31.70
PK	6.5366G	108.86	Inf	-Inf	100.93	3	Vertical	1	1.80	-	34.05	6.30	32.42
RMS	6.531G	96.13	Inf	-Inf	88.22	3	Vertical	1	1.80	-	34.02	6.30	32.41
PK	7.203G	61.94	88.20	-26.26	51.94	3	Vertical	1	1.80	-	36.21	6.90	33.11
RMS	7.2366G	48.99	68.20	-19.21	38.92	3	Vertical	1	1.80	-	36.27	6.92	33.12

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08598G	55.84	88.20	-32.36	41.83	3	Vertical	299	1.58	-	39.41	8.63	34.03
RMS	13.09182G	42.34	68.20	-25.86	28.33	3	Vertical	299	1.58	-	39.41	8.63	34.03

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0921G	56.25	88.20	-31.95	42.24	3	Horizontal	175	2.05	-	39.41	8.63	34.03
RMS	13.09416G	42.35	68.20	-25.85	28.34	3	Horizontal	175	2.05	-	39.41	8.63	34.03

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63476G	60.60	83.54	-22.94	58.56	1	Vertical	258	1.50	-	37.69	14.36	50.01
AV	19.63478G	50.69	63.54	-12.85	48.65	1	Vertical	258	1.50	-	37.69	14.36	50.01

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63482G	58.79	83.54	-24.75	56.75	1	Horizontal	295	1.50	-	37.69	14.36	50.01
AV	19.63468G	45.51	63.54	-18.03	43.47	1	Horizontal	295	1.50	-	37.69	14.36	50.01

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Z_4TX
Setting 64
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.625G	111.57	Inf	-Inf	103.61	3	Vertical	360	1.80	-	34.10	6.39	32.53
RMS	6.6274G	95.78	Inf	-Inf	87.82	3	Vertical	360	1.80	-	34.10	6.39	32.53
PK	7.2034G	61.95	88.20	-26.25	51.95	3	Vertical	360	1.80	-	36.21	6.90	33.11
RMS	7.2082G	48.80	68.20	-19.40	38.79	3	Vertical	360	1.80	-	36.22	6.90	33.11

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25044G	56.91	74.00	-17.09	42.47	3	Vertical	263	2.23	-	39.65	8.68	33.89
AV	13.25105G	43.05	54.00	-10.95	28.61	3	Vertical	263	2.23	-	39.65	8.68	33.89

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25012G	56.69	74.00	-17.31	42.25	3	Horizontal	282	2.48	-	39.65	8.68	33.89
AV	13.2511G	43.02	54.00	-10.98	28.58	3	Horizontal	282	2.48	-	39.65	8.68	33.89

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87468G	60.75	83.54	-22.79	58.80	1	Vertical	258	1.50	-	37.50	14.39	49.94
AV	19.87472G	51.45	63.54	-12.09	49.50	1	Vertical	258	1.50	-	37.50	14.39	49.94

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87642G	58.46	83.54	-25.08	56.51	1	Horizontal	266	1.50	-	37.50	14.39	49.94
AV	19.87474G	45.43	63.54	-18.11	43.48	1	Horizontal	266	1.50	-	37.50	14.39	49.94

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	112.13	Inf	-Inf	104.28	3	Vertical	360	1.80	-	34.10	6.36	32.61
RMS	6.717G	95.25	Inf	-Inf	87.46	3	Vertical	360	1.80	-	34.10	6.34	32.65
PK	7.201G	62.90	88.20	-25.30	52.91	3	Vertical	360	1.80	-	36.20	6.90	33.11
RMS	7.203G	48.59	68.20	-19.61	38.59	3	Vertical	360	1.80	-	36.21	6.90	33.11

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40854G	56.98	88.20	-31.22	41.73	3	Vertical	24	2.92	-	40.28	8.72	33.75
RMS	13.41488G	43.67	68.20	-24.53	28.42	3	Vertical	24	2.92	-	40.27	8.72	33.74

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41416G	56.96	88.20	-31.24	41.72	3	Horizontal	48	2.93	-	40.27	8.72	33.75
RMS	13.40812G	43.68	68.20	-24.52	28.43	3	Horizontal	48	2.93	-	40.28	8.72	33.75

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11516G	60.04	83.54	-23.50	58.02	1	Vertical	257	1.50	-	37.47	14.45	49.90
AV	20.11466G	49.76	63.54	-13.78	47.74	1	Vertical	257	1.50	-	37.47	14.45	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11486G	60.10	83.54	-23.44	58.08	1	Horizontal	284	1.50	-	37.47	14.45	49.90
AV	20.1146G	44.74	63.54	-18.80	42.72	1	Horizontal	284	1.50	-	37.47	14.45	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 65
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7738G	110.87	Inf	-Inf	103.08	3	Vertical	359	1.80	-	34.20	6.31	32.72
RMS	6.7978G	95.40	Inf	-Inf	87.56	3	Vertical	359	1.80	-	34.29	6.30	32.75
PK	7.1402G	62.25	88.20	-25.95	52.64	3	Vertical	359	1.80	-	35.88	6.81	33.08
RMS	7.185G	48.33	68.20	-19.87	38.44	3	Vertical	359	1.80	-	36.11	6.88	33.10

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56796G	57.38	88.20	-30.82	42.04	3	Vertical	172	1.22	-	40.30	8.77	33.73
RMS	13.55956G	44.05	68.20	-24.15	28.72	3	Vertical	172	1.22	-	40.28	8.77	33.72

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 65
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.585G	57.23	88.20	-30.97	41.85	3	Horizontal	18	1.87	-	40.35	8.78	33.75
RMS	13.56424G	44.08	68.20	-24.12	28.75	3	Horizontal	18	1.87	-	40.29	8.77	33.73

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3548G	60.86	83.54	-22.68	58.59	1	Vertical	281	1.50	-	37.61	14.56	49.90
AV	20.35472G	49.71	63.54	-13.83	47.44	1	Vertical	281	1.50	-	37.61	14.56	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 65
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35274G	59.03	83.54	-24.51	56.76	1	Horizontal	5	1.50	-	37.61	14.56	49.90
AV	20.35472G	46.53	63.54	-17.01	44.26	1	Horizontal	5	1.50	-	37.61	14.56	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 64
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.877G	112.82	Inf	-Inf	104.54	3	Vertical	349	1.80	-	34.71	6.42	32.85
RMS	6.8758G	95.86	Inf	-Inf	87.60	3	Vertical	349	1.80	-	34.70	6.41	32.85
PK	7.1446G	62.00	88.20	-26.20	52.37	3	Vertical	349	1.80	-	35.89	6.82	33.08
RMS	7.1638G	47.99	68.20	-20.21	38.25	3	Vertical	349	1.80	-	35.98	6.85	33.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




24/09/2020

EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73486G	59.12	88.20	-29.08	43.88	3	Vertical	272	1.38	-	40.30	8.82	33.88
RMS	13.73238G	45.23	68.20	-22.97	29.99	3	Vertical	272	1.38	-	40.30	8.82	33.88

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 64
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7249G	59.74	88.20	-28.46	44.49	3	Horizontal	270	2.03	-	40.30	8.82	33.87
RMS	13.7447G	45.42	68.20	-22.78	30.19	3	Horizontal	270	2.03	-	40.30	8.82	33.89

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59248G	58.76	83.54	-24.78	56.20	1	Vertical	283	1.50	-	37.79	14.67	49.90
AV	20.5947G	45.41	63.54	-18.13	42.85	1	Vertical	283	1.50	-	37.79	14.67	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 64
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59268G	58.45	83.54	-25.09	55.89	1	Horizontal	285	1.50	-	37.79	14.67	49.90
AV	20.59472G	45.01	63.54	-18.53	42.45	1	Horizontal	285	1.50	-	37.79	14.67	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 62
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.954G	108.05	Inf	-Inf	99.55	3	Vertical	288	1.80	-	34.92	6.53	32.95
RMS	6.957G	93.97	Inf	-Inf	85.45	3	Vertical	288	1.80	-	34.93	6.54	32.95
PK	7.195G	62.30	88.20	-25.90	52.34	3	Vertical	288	1.80	-	36.17	6.89	33.10
RMS	7.195G	48.32	68.20	-19.88	38.36	3	Vertical	288	1.80	-	36.17	6.89	33.10

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Z_4TX
Setting 62
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.87968G	60.15	88.20	-28.05	44.84	3	Vertical	263	1.47	-	40.46	8.86	34.01
RMS	13.89324G	45.53	68.20	-22.67	30.19	3	Vertical	263	1.47	-	40.49	8.87	34.02

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 62
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.87872G	59.14	88.20	-29.06	43.83	3	Horizontal	131	1.21	-	40.46	8.86	34.01
RMS	13.90266G	45.51	68.20	-22.69	30.17	3	Horizontal	131	1.21	-	40.50	8.87	34.03

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 62
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8344G	59.37	83.54	-24.17	56.46	1	Vertical	280	1.50	-	38.03	14.78	49.90
AV	20.83474G	46.03	63.54	-17.51	43.12	1	Vertical	280	1.50	-	38.03	14.78	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 62
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83478G	59.11	83.54	-24.43	56.20	1	Horizontal	305	1.50	-	38.03	14.78	49.90
AV	20.83464G	45.57	63.54	-17.97	42.66	1	Horizontal	305	1.50	-	38.03	14.78	49.90

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 61
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	107.36	Inf	-Inf	98.59	3	Vertical	0	1.72	-	35.17	6.61	33.01
RMS	7.0058G	93.81	Inf	-Inf	85.06	3	Vertical	0	1.72	-	35.15	6.61	33.01
PK	7.1434G	61.87	88.20	-26.33	52.24	3	Vertical	0	1.72	-	35.89	6.82	33.08
RMS	7.125G	48.53	68.20	-19.67	38.96	3	Vertical	0	1.72	-	35.85	6.79	33.07

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0599G	59.47	88.20	-28.73	43.95	3	Vertical	337	1.00	-	40.72	8.89	34.09
RMS	14.04982G	47.07	68.20	-21.13	31.57	3	Vertical	337	1.00	-	40.70	8.90	34.10

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04994G	59.62	88.20	-28.58	44.12	3	Horizontal	346	3.00	-	40.70	8.90	34.10
RMS	14.0629G	46.17	68.20	-22.03	30.64	3	Horizontal	346	3.00	-	40.73	8.89	34.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0735G	60.33	83.54	-23.21	57.15	1	Vertical	327	1.50	-	38.17	14.88	49.87
AV	21.07462G	47.35	63.54	-16.19	44.17	1	Vertical	327	1.50	-	38.17	14.88	49.87

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 61
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07432G	60.75	83.54	-22.79	57.57	1	Horizontal	169	1.50	-	38.17	14.88	49.87
AV	21.07476G	46.65	63.54	-16.89	43.47	1	Horizontal	169	1.50	-	38.17	14.88	49.87

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 78
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.787G	58.87	88.20	-29.33	52.64	3	Vertical	334	1.80	-	31.97	5.99	31.73
RMS	5.925G	43.73	68.20	-24.47	37.16	3	Vertical	334	1.80	-	32.30	5.94	31.67
PK	6.151G	107.03	Inf	-Inf	100.23	3	Vertical	334	1.80	-	32.60	6.05	31.85
RMS	6.123G	93.14	Inf	-Inf	86.49	3	Vertical	334	1.80	-	32.44	6.02	31.81

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 78
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37364G	55.44	74.00	-18.56	42.45	3	Vertical	191	1.80	-	38.58	8.41	34.00
AV	12.36754G	41.04	54.00	-12.96	28.03	3	Vertical	191	1.80	-	38.60	8.41	34.00

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Z_4TX
Setting 78
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3729G	55.36	74.00	-18.64	42.37	3	Horizontal	118	1.80	-	38.58	8.41	34.00
AV	12.36514G	40.97	54.00	-13.03	27.96	3	Horizontal	118	1.80	-	38.60	8.41	34.00

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55406G	57.76	83.54	-25.78	55.92	1	Vertical	115	1.50	-	37.78	14.26	50.20
AV	18.55022G	43.86	63.54	-19.68	42.03	1	Vertical	115	1.50	-	37.77	14.26	50.20

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55556G	57.57	83.54	-25.97	55.73	1	Horizontal	262	1.50	-	37.78	14.26	50.20
AV	18.5508G	43.85	63.54	-19.69	42.02	1	Horizontal	262	1.50	-	37.77	14.26	50.20

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	56.49	88.20	-31.71	50.01	3	Vertical	318	1.74	-	32.21	5.97	31.70
RMS	5.871G	43.71	68.20	-24.49	37.20	3	Vertical	318	1.74	-	32.24	5.96	31.69
PK	6.369G	108.26	Inf	-Inf	101.03	3	Vertical	318	1.74	-	33.31	6.10	32.18
RMS	6.361G	95.10	Inf	-Inf	87.89	3	Vertical	318	1.74	-	33.27	6.10	32.16

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68692G	55.61	74.00	-18.39	42.30	3	Vertical	91	1.42	-	38.80	8.51	34.00
AV	12.6851G	41.38	54.00	-12.62	28.07	3	Vertical	91	1.42	-	38.80	8.51	34.00

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68608G	54.58	74.00	-19.42	41.27	3	Horizontal	112	2.18	-	38.80	8.51	34.00
AV	12.69116G	41.35	54.00	-12.65	28.04	3	Horizontal	112	2.18	-	38.80	8.51	34.00

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0395G	58.52	83.54	-25.02	56.06	1	Vertical	96	1.50	-	38.35	14.30	50.19
AV	19.03176G	44.33	63.54	-19.21	41.86	1	Vertical	96	1.50	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03612G	58.86	83.54	-24.68	56.39	1	Horizontal	288	1.50	-	38.36	14.30	50.19
AV	19.03252G	44.32	63.54	-19.22	41.85	1	Horizontal	288	1.50	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 74
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8134G	57.62	88.20	-30.58	51.30	3	Vertical	360	1.96	-	32.05	5.99	31.72
RMS	5.8554G	43.65	68.20	-24.55	37.17	3	Vertical	360	1.96	-	32.21	5.97	31.70
PK	6.5218G	108.47	Inf	-Inf	100.60	3	Vertical	360	1.96	-	33.99	6.28	32.40
RMS	6.519G	94.52	Inf	-Inf	86.65	3	Vertical	360	1.96	-	33.98	6.28	32.39
PK	7.1434G	62.00	88.20	-26.20	52.37	3	Vertical	360	1.96	-	35.89	6.82	33.08
RMS	7.205G	48.08	68.20	-20.12	38.08	3	Vertical	360	1.96	-	36.21	6.90	33.11

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




25/09/2020

EUT_Z_4TX
Setting 74
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00752G	55.14	88.20	-33.06	41.15	3	Vertical	231	1.48	-	39.49	8.60	34.10
RMS	13.00966G	41.77	68.20	-26.43	27.78	3	Vertical	231	1.48	-	39.49	8.60	34.10

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




25/09/2020

EUT_Z_4TX
Setting 74
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01226G	55.41	88.20	-32.79	41.42	3	Horizontal	180	1.60	-	39.49	8.60	34.10
RMS	13.01214G	41.78	68.20	-26.42	27.79	3	Horizontal	180	1.60	-	39.49	8.60	34.10

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51766G	57.87	83.54	-25.67	55.77	1	Vertical	215	1.50	-	37.79	14.35	50.04
AV	19.51356G	43.76	63.54	-19.78	41.67	1	Vertical	215	1.50	-	37.79	14.35	50.05

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51464G	57.56	83.54	-25.98	55.47	1	Horizontal	174	1.50	-	37.79	14.35	50.05
AV	19.51712G	43.70	63.54	-19.84	41.60	1	Horizontal	174	1.50	-	37.79	14.35	50.04

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT Z_4TX
Setting 75
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6606G	105.95	Inf	-Inf	98.06	3	Vertical	257	2.35	-	34.10	6.37	32.58
RMS	6.6628G	93.20	Inf	-Inf	85.31	3	Vertical	257	2.35	-	34.10	6.37	32.58
PK	7.2128G	62.08	88.20	-26.12	52.05	3	Vertical	257	2.35	-	36.23	6.91	33.11
RMS	7.2062G	48.13	68.20	-20.07	38.13	3	Vertical	257	2.35	-	36.21	6.90	33.11

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 75
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32782G	57.32	74.00	-16.68	42.57	3	Vertical	56	1.79	-	39.87	8.70	33.82
AV	13.32702G	43.62	54.00	-10.38	28.88	3	Vertical	56	1.79	-	39.86	8.70	33.82

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 75
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32652G	56.99	74.00	-17.01	42.25	3	Horizontal	91	1.00	-	39.86	8.70	33.82
AV	13.32696G	43.57	54.00	-10.43	28.83	3	Horizontal	91	1.00	-	39.86	8.70	33.82

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99806G	59.02	83.54	-24.52	57.12	1	Vertical	51	1.50	-	37.40	14.40	49.90
AV	19.99996G	44.43	63.54	-19.11	42.53	1	Vertical	51	1.50	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 75
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99942G	58.15	83.54	-25.39	56.25	1	Horizontal	208	1.50	-	37.40	14.40	49.90
AV	19.99988G	44.38	63.54	-19.16	42.48	1	Horizontal	208	1.50	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 74
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8298G	107.66	Inf	-Inf	99.63	3	Vertical	187	1.80	-	34.48	6.34	32.79
RMS	6.8346G	93.92	Inf	-Inf	85.86	3	Vertical	187	1.80	-	34.51	6.35	32.80
PK	7.1834G	61.72	88.20	-26.48	51.84	3	Vertical	187	1.80	-	36.10	6.88	33.10
RMS	7.2186G	48.26	68.20	-19.94	38.22	3	Vertical	187	1.80	-	36.24	6.91	33.11

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 74
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64728G	59.13	88.20	-29.07	43.79	3	Vertical	316	2.65	-	40.35	8.79	33.80
RMS	13.64738G	45.25	68.20	-22.95	29.91	3	Vertical	316	2.65	-	40.35	8.79	33.80

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




25/09/2020

EUT_Z_4TX
Setting 74
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6523G	59.07	88.20	-29.13	43.73	3	Horizontal	78	2.36	-	40.35	8.80	33.81
RMS	13.64518G	45.20	68.20	-23.00	29.86	3	Horizontal	78	2.36	-	40.35	8.79	33.80

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47754G	59.34	83.54	-24.20	56.94	1	Vertical	272	1.50	-	37.69	14.61	49.90
AV	20.47486G	45.51	63.54	-18.03	43.12	1	Vertical	272	1.50	-	37.68	14.61	49.90

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 74
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47094G	60.27	83.54	-23.27	57.88	1	Horizontal	67	1.50	-	37.68	14.61	49.90
AV	20.47284G	45.46	63.54	-18.08	43.07	1	Horizontal	67	1.50	-	37.68	14.61	49.90

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.972G	108.36	Inf	-Inf	99.78	3	Vertical	0	1.79	-	34.99	6.56	32.97
RMS	6.913G	94.57	Inf	-Inf	86.17	3	Vertical	0	1.79	-	34.83	6.47	32.90
PK	7.13G	66.27	88.20	-21.93	56.69	3	Vertical	0	1.79	-	35.86	6.79	33.07
RMS	7.125G	50.06	68.20	-18.14	40.49	3	Vertical	0	1.79	-	35.85	6.79	33.07

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT Z_4TX
Setting 77
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97154G	60.08	88.20	-28.12	44.71	3	Vertical	33	2.27	-	40.57	8.89	34.09
RMS	13.96964G	45.62	68.20	-22.58	30.25	3	Vertical	33	2.27	-	40.57	8.89	34.09

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96952G	59.29	88.20	-28.91	43.92	3	Horizontal	21	2.99	-	40.57	8.89	34.09
RMS	13.9701G	45.55	68.20	-22.65	30.18	3	Horizontal	21	2.99	-	40.57	8.89	34.09

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95476G	60.17	83.54	-23.37	57.09	1	Vertical	241	1.50	-	38.15	14.83	49.90
AV	20.95472G	47.77	63.54	-15.77	44.69	1	Vertical	241	1.50	-	38.15	14.83	49.90

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

6985MHz_TX



EUT_Z_4TX
Setting 77
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95398G	59.68	83.54	-23.86	56.60	1	Horizontal	214	1.50	-	38.15	14.83	49.90
AV	20.9586G	45.70	63.54	-17.84	42.61	1	Horizontal	214	1.50	-	38.16	14.83	49.90




For Radiated:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	13.25248G	44.36	54.00	-9.64	3	Horizontal	172	2.01	-

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT_Z_4TX
Setting 47
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.872G	57.58	88.20	-30.62	51.07	3	Vertical	42	1.80	-	32.24	5.96	31.69
RMS	5.865G	46.95	68.20	-21.25	40.44	3	Vertical	42	1.80	-	32.23	5.97	31.69
PK	6.113G	107.90	Inf	-Inf	101.31	3	Vertical	42	1.80	-	32.38	6.01	31.80
RMS	6.113G	98.01	Inf	-Inf	91.42	3	Vertical	42	1.80	-	32.38	6.01	31.80

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 47
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22896G	54.44	74.00	-19.56	41.26	3	Vertical	315	1.80	-	38.87	8.37	34.06
AV	12.22848G	40.55	54.00	-13.45	27.37	3	Vertical	315	1.80	-	38.87	8.37	34.06

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 47
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2358G	54.70	74.00	-19.30	41.53	3	Horizontal	327	1.80	-	38.86	8.37	34.06
AV	12.23072G	40.42	54.00	-13.58	27.24	3	Horizontal	327	1.80	-	38.87	8.37	34.06

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 47
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3447G	57.86	83.54	-25.68	56.25	1	Vertical	244	1.50	-	37.58	14.23	50.20
AV	18.34462G	46.83	63.54	-16.71	45.22	1	Vertical	244	1.50	-	37.58	14.23	50.20

802.11ax HEW20_Nss4,(MCS0)_4TX

6115MHz_TX




EUT Z_4TX
Setting 47
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34484G	57.47	83.54	-26.07	55.86	1	Horizontal	353	1.50	-	37.58	14.23	50.20
AV	18.34464G	44.83	63.54	-18.71	43.22	1	Horizontal	353	1.50	-	37.58	14.23	50.20

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 47
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	56.97	88.20	-31.23	50.48	3	Vertical	317	1.80	-	32.22	5.97	31.70
RMS	5.8678G	46.96	68.20	-21.24	40.44	3	Vertical	317	1.80	-	32.24	5.97	31.69
PK	6.2598G	107.86	Inf	-Inf	100.85	3	Vertical	317	1.80	-	32.92	6.10	32.01
RMS	6.2614G	98.08	Inf	-Inf	91.08	3	Vertical	317	1.80	-	32.92	6.10	32.02

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Z_4TX
Setting 47
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51584G	54.91	74.00	-19.09	41.86	3	Vertical	262	1.80	-	38.55	8.45	33.95
AV	12.50988G	41.10	54.00	-12.90	28.06	3	Vertical	262	1.80	-	38.53	8.45	33.94

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Z_4TX
Setting 47
06-F-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5108G	55.11	74.00	-18.89	42.07	3	Horizontal	0	1.80	-	38.53	8.45	33.94
AV	12.5098G	41.10	54.00	-12.90	28.06	3	Horizontal	0	1.80	-	38.53	8.45	33.94

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT_Z_4TX
Setting 47
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76494G	57.97	83.54	-25.57	55.82	1	Vertical	352	1.50	-	38.07	14.28	50.20
AV	18.76472G	45.87	63.54	-17.67	43.72	1	Vertical	352	1.50	-	38.07	14.28	50.20

802.11ax HEW20_Nss4,(MCS0)_4TX

6255MHz_TX




EUT Z_4TX
Setting 47
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76432G	57.40	83.54	-26.14	55.25	1	Horizontal	267	1.50	-	38.07	14.28	50.20
AV	18.76468G	43.83	63.54	-19.71	41.68	1	Horizontal	267	1.50	-	38.07	14.28	50.20

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8462G	57.29	88.20	-30.91	50.83	3	Vertical	317	1.58	-	32.18	5.98	31.70
RMS	5.8486G	46.90	68.20	-21.30	40.43	3	Vertical	317	1.58	-	32.19	5.98	31.70
PK	6.4102G	107.82	Inf	-Inf	100.40	3	Vertical	317	1.58	-	33.54	6.12	32.24
RMS	6.4174G	98.04	Inf	-Inf	90.59	3	Vertical	317	1.58	-	33.57	6.13	32.25

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83816G	55.96	88.20	-32.24	42.06	3	Vertical	312	1.80	-	39.40	8.55	34.05
RMS	12.83492G	43.90	68.20	-24.30	30.00	3	Vertical	312	1.80	-	39.40	8.55	34.05

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




26/09/2020

EUT Z_4TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82348G	55.37	88.20	-32.83	41.47	3	Horizontal	310	1.80	-	39.40	8.55	34.05
RMS	12.83424G	43.89	68.20	-24.31	29.99	3	Horizontal	310	1.80	-	39.40	8.55	34.05

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24482G	58.73	83.54	-24.81	56.43	1	Vertical	259	1.50	-	38.11	14.32	50.13
AV	19.2447G	46.73	63.54	-16.81	44.43	1	Vertical	259	1.50	-	38.11	14.32	50.13

802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 44
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24518G	57.49	83.54	-26.05	55.19	1	Horizontal	275	1.50	-	38.11	14.32	50.13
AV	19.24462G	44.05	63.54	-19.49	41.75	1	Horizontal	275	1.50	-	38.11	14.32	50.13

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Z_4TX
Setting 48
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	57.38	88.20	-30.82	50.81	3	Vertical	316	1.56	-	32.30	5.94	31.67
RMS	5.8806G	47.27	68.20	-20.93	40.74	3	Vertical	316	1.56	-	32.26	5.96	31.69
PK	6.4302G	109.64	Inf	-Inf	102.14	3	Vertical	316	1.56	-	33.62	6.15	32.27
RMS	6.4302G	98.80	Inf	-Inf	91.30	3	Vertical	316	1.56	-	33.62	6.15	32.27

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86364G	55.05	88.20	-33.15	41.15	3	Vertical	184	1.80	-	39.40	8.56	34.06
RMS	12.87368G	43.46	68.20	-24.74	29.57	3	Vertical	184	1.80	-	39.40	8.56	34.07

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86428G	55.62	88.20	-32.58	41.72	3	Horizontal	357	1.80	-	39.40	8.56	34.06
RMS	12.87588G	43.42	68.20	-24.78	29.53	3	Horizontal	357	1.80	-	39.40	8.56	34.07

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30438G	58.74	83.54	-24.80	56.49	1	Vertical	260	1.50	-	38.03	14.33	50.11
AV	19.30474G	47.27	63.54	-16.27	45.02	1	Vertical	260	1.50	-	38.03	14.33	50.11

802.11ax HEW20_Nss4,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3033G	58.28	83.54	-25.26	56.02	1	Horizontal	7	1.50	-	38.04	14.33	50.11
AV	19.3047G	43.82	63.54	-19.72	41.57	1	Horizontal	7	1.50	-	38.03	14.33	50.11

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	58.26	88.20	-29.94	51.69	3	Vertical	316	1.50	-	32.30	5.94	31.67
RMS	5.875G	47.12	68.20	-21.08	40.60	3	Vertical	316	1.50	-	32.25	5.96	31.69
PK	6.475G	109.05	Inf	-Inf	101.37	3	Vertical	316	1.50	-	33.80	6.21	32.33
RMS	6.4726G	98.78	Inf	-Inf	91.11	3	Vertical	316	1.50	-	33.79	6.21	32.33

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95772G	54.93	88.20	-33.27	40.98	3	Vertical	272	1.78	-	39.46	8.59	34.10
RMS	12.94984G	44.36	68.20	-23.84	30.42	3	Vertical	272	1.78	-	39.45	8.58	34.09

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9572G	55.48	88.20	-32.72	41.53	3	Horizontal	130	1.80	-	39.46	8.59	34.10
RMS	12.94968G	43.70	68.20	-24.50	29.76	3	Horizontal	130	1.80	-	39.45	8.58	34.09

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42074G	57.73	83.54	-25.81	55.56	1	Vertical	247	1.50	-	37.90	14.34	50.07
AV	19.42474G	46.65	63.54	-16.89	44.49	1	Vertical	247	1.50	-	37.89	14.34	50.07

802.11ax HEW20_Nss4,(MCS0)_4TX

6475MHz_TX




EUT Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42574G	56.93	83.54	-26.61	54.77	1	Horizontal	266	1.50	-	37.89	14.34	50.07
AV	19.42476G	43.39	63.54	-20.15	41.23	1	Horizontal	266	1.50	-	37.89	14.34	50.07

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 46
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8514G	57.53	88.20	-30.67	51.06	3	Vertical	317	1.57	-	32.20	5.97	31.70
RMS	5.871G	47.13	68.20	-21.07	40.62	3	Vertical	317	1.57	-	32.24	5.96	31.69
PK	6.515G	108.71	Inf	-Inf	100.87	3	Vertical	317	1.57	-	33.96	6.27	32.39
RMS	6.5178G	98.71	Inf	-Inf	90.85	3	Vertical	317	1.57	-	33.97	6.28	32.39
PK	7.1898G	61.27	88.20	-26.93	51.35	3	Vertical	317	1.57	-	36.14	6.88	33.10
RMS	7.2122G	51.52	68.20	-16.68	41.50	3	Vertical	317	1.57	-	36.22	6.91	33.11

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




26/09/2020

EUT_Z_4TX
Setting 46
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02172G	56.19	88.20	-32.01	42.19	3	Vertical	270	1.80	-	39.48	8.61	34.09
RMS	13.02976G	43.86	68.20	-24.34	29.86	3	Vertical	270	1.80	-	39.47	8.61	34.08

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 46
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02624G	55.42	88.20	-32.78	41.43	3	Horizontal	0	1.80	-	39.47	8.61	34.09
RMS	13.02948G	43.57	68.20	-24.63	29.57	3	Horizontal	0	1.80	-	39.47	8.61	34.08

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 46
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54466G	58.32	83.54	-25.22	56.25	1	Vertical	256	1.50	-	37.76	14.35	50.04
AV	19.54476G	47.06	63.54	-16.48	44.99	1	Vertical	256	1.50	-	37.76	14.35	50.04

802.11ax HEW20_Nss4,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 46
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54582G	57.33	83.54	-26.21	55.26	1	Horizontal	173	1.50	-	37.76	14.35	50.04
AV	19.54474G	43.61	63.54	-19.93	41.54	1	Horizontal	173	1.50	-	37.76	14.35	50.04

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 43
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8546G	57.91	88.20	-30.29	51.43	3	Vertical	280	1.46	-	32.21	5.97	31.70
RMS	5.8742G	47.09	68.20	-21.11	40.57	3	Vertical	280	1.46	-	32.25	5.96	31.69
PK	6.535G	107.32	Inf	-Inf	99.39	3	Vertical	280	1.46	-	34.04	6.30	32.41
RMS	6.5322G	97.91	Inf	-Inf	89.99	3	Vertical	280	1.46	-	34.03	6.30	32.41
PK	7.1986G	61.90	88.20	-26.30	51.92	3	Vertical	280	1.46	-	36.19	6.90	33.11
RMS	7.2266G	51.55	68.20	-16.65	41.51	3	Vertical	280	1.46	-	36.25	6.91	33.12

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07328G	55.44	88.20	-32.76	41.44	3	Vertical	72	1.70	-	39.43	8.62	34.05
RMS	13.06652G	43.58	68.20	-24.62	29.58	3	Vertical	72	1.70	-	39.43	8.62	34.05

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Z_4TX
Setting 43
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06412G	55.36	88.20	-32.84	41.35	3	Horizontal	46	1.66	-	39.44	8.62	34.05
RMS	13.07084G	43.59	68.20	-24.61	29.59	3	Horizontal	46	1.66	-	39.43	8.62	34.05

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 43
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60488G	59.70	83.54	-23.84	57.64	1	Vertical	257	1.50	-	37.72	14.36	50.02
AV	19.60474G	49.61	63.54	-13.93	47.55	1	Vertical	257	1.50	-	37.72	14.36	50.02

802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Z_4TX
Setting 43
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6054G	58.09	83.54	-25.45	56.03	1	Horizontal	172	1.50	-	37.72	14.36	50.02
AV	19.6048G	43.88	63.54	-19.66	41.82	1	Horizontal	172	1.50	-	37.72	14.36	50.02

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	109.42	Inf	-Inf	101.57	3	Vertical	282	1.51	-	34.10	6.36	32.61
RMS	6.6906G	99.64	Inf	-Inf	91.80	3	Vertical	282	1.51	-	34.10	6.35	32.61
PK	7.2252G	62.12	88.20	-26.08	52.08	3	Vertical	282	1.51	-	36.25	6.91	33.12
RMS	7.2406G	51.60	68.20	-16.60	41.53	3	Vertical	282	1.51	-	36.28	6.92	33.13

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39836G	56.25	74.00	-17.75	41.00	3	Vertical	339	2.85	-	40.29	8.72	33.76
AV	13.39772G	42.64	54.00	-11.36	27.39	3	Vertical	339	2.85	-	40.29	8.72	33.76

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38056G	56.84	74.00	-17.16	41.73	3	Horizontal	29	1.80	-	40.18	8.71	33.78
AV	13.3982G	42.63	54.00	-11.37	27.38	3	Horizontal	29	1.80	-	40.29	8.72	33.76

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0846G	58.23	83.54	-25.31	56.24	1	Vertical	252	1.50	-	37.45	14.44	49.90
AV	20.08472G	47.88	63.54	-15.66	45.89	1	Vertical	252	1.50	-	37.45	14.44	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08404G	57.24	83.54	-26.30	55.25	1	Horizontal	153	1.50	-	37.45	14.44	49.90
AV	20.0847G	43.02	63.54	-20.52	41.03	1	Horizontal	153	1.50	-	37.45	14.44	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	109.52	Inf	-Inf	101.35	3	Vertical	45	1.69	-	34.61	6.38	32.82
RMS	6.862G	98.27	Inf	-Inf	90.06	3	Vertical	45	1.69	-	34.65	6.39	32.83
PK	7.1854G	61.68	88.20	-26.52	51.79	3	Vertical	45	1.69	-	36.11	6.88	33.10
RMS	7.205G	51.40	68.20	-16.80	41.40	3	Vertical	45	1.69	-	36.21	6.90	33.11

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7036G	57.89	88.20	-30.31	42.63	3	Vertical	301	1.00	-	40.30	8.81	33.85
RMS	13.70988G	47.01	68.20	-21.19	31.76	3	Vertical	301	1.00	-	40.30	8.81	33.86

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71068G	57.98	88.20	-30.22	42.73	3	Horizontal	1	1.16	-	40.30	8.81	33.86
RMS	13.7008G	46.09	68.20	-22.11	30.83	3	Horizontal	1	1.16	-	40.30	8.81	33.85

802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56716G	56.80	83.54	-26.74	54.27	1	Vertical	79	1.50	-	37.77	14.66	49.90
AV	20.56474G	43.98	63.54	-19.56	41.47	1	Vertical	79	1.50	-	37.76	14.65	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX


6855MHz_TX



EUT_Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5662G	56.04	83.54	-27.50	53.52	1	Horizontal	74	1.50	-	37.77	14.65	49.90
AV	20.565G	42.53	63.54	-21.01	40.01	1	Horizontal	74	1.50	-	37.77	14.65	49.90


802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 47
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	109.06	Inf	-Inf	100.82	3	Vertical	0	1.69	-	34.68	6.40	32.84
RMS	6.8722G	98.33	Inf	-Inf	90.08	3	Vertical	0	1.69	-	34.69	6.41	32.85
PK	7.2082G	61.56	88.20	-26.64	51.55	3	Vertical	0	1.69	-	36.22	6.90	33.11
RMS	7.2152G	51.45	68.20	-16.75	41.42	3	Vertical	0	1.69	-	36.23	6.91	33.11


802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 47
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75644G	57.30	88.20	-30.90	42.07	3	Vertical	164	1.15	-	40.30	8.83	33.90
RMS	13.74476G	46.23	68.20	-21.97	31.00	3	Vertical	164	1.15	-	40.30	8.82	33.89


802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 47
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75636G	57.90	88.20	-30.30	42.67	3	Horizontal	174	1.24	-	40.30	8.83	33.90
RMS	13.7426G	46.36	68.20	-21.84	31.13	3	Horizontal	174	1.24	-	40.30	8.82	33.89


802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 47
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62868G	57.19	83.54	-26.35	54.58	1	Vertical	286	1.50	-	37.83	14.68	49.90
AV	20.6247G	42.72	63.54	-20.82	40.12	1	Vertical	286	1.50	-	37.82	14.68	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX




18/09/2020

EUT Z_4TX
 Setting 47
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62838G	56.65	83.54	-26.89	54.04	1	Horizontal	260	1.50	-	37.83	14.68	49.90
AV	20.6296G	42.41	63.54	-21.13	39.80	1	Horizontal	260	1.50	-	37.83	14.68	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8978G	108.53	Inf	-Inf	100.17	3	Vertical	350	1.80	-	34.79	6.45	32.88
RMS	6.8978G	98.34	Inf	-Inf	89.98	3	Vertical	350	1.80	-	34.79	6.45	32.88
PK	7.2002G	61.78	88.20	-26.42	51.79	3	Vertical	350	1.80	-	36.20	6.90	33.11
RMS	7.2436G	51.44	68.20	-16.76	41.36	3	Vertical	350	1.80	-	36.29	6.92	33.13

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79924G	57.64	88.20	-30.56	42.44	3	Vertical	198	1.31	-	40.30	8.84	33.94
RMS	13.79608G	46.10	68.20	-22.10	30.90	3	Vertical	198	1.31	-	40.30	8.84	33.94

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78088G	57.79	88.20	-30.41	42.58	3	Horizontal	203	1.38	-	40.30	8.83	33.92
RMS	13.7888G	46.07	68.20	-22.13	30.86	3	Horizontal	203	1.38	-	40.30	8.84	33.93

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68884G	57.38	83.54	-26.16	54.68	1	Vertical	101	1.50	-	37.89	14.71	49.90
AV	20.68468G	43.78	63.54	-19.76	41.09	1	Vertical	101	1.50	-	37.88	14.71	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 48
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69G	57.26	83.54	-26.28	54.56	1	Horizontal	181	1.50	-	37.89	14.71	49.90
AV	20.68466G	43.58	63.54	-19.96	40.89	1	Horizontal	181	1.50	-	37.88	14.71	49.90

802.11ax HEW20_Nss4,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0216G	106.96	Inf	-Inf	98.08	3	Vertical	358	1.62	-	35.27	6.63	33.02
RMS	7.0168G	97.24	Inf	-Inf	88.40	3	Vertical	358	1.62	-	35.23	6.63	33.02
PK	7.1452G	61.65	88.20	-26.55	52.02	3	Vertical	358	1.62	-	35.89	6.82	33.08
RMS	7.162G	50.80	68.20	-17.40	41.08	3	Vertical	358	1.62	-	35.97	6.84	33.09

802.11ax HEW20_Nss4,(MCS0)_4TX

7015MHz_TX




EUT Z_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02032G	59.52	88.20	-28.68	44.09	3	Vertical	209	1.42	-	40.64	8.90	34.11
RMS	14.03924G	47.68	68.20	-20.52	32.20	3	Vertical	209	1.42	-	40.68	8.90	34.10

802.11ax HEW20_Nss4,(MCS0)_4TX

7015MHz_TX




EUT Z_4TX
Setting 41
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03916G	59.77	88.20	-28.43	44.29	3	Horizontal	206	3.00	-	40.68	8.90	34.10
RMS	14.02824G	47.63	68.20	-20.57	32.18	3	Horizontal	206	3.00	-	40.66	8.90	34.11

802.11ax HEW20_Nss4,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.04048G	59.24	83.54	-24.30	56.07	1	Vertical	307	1.50	-	38.18	14.87	49.88
AV	21.04044G	45.16	63.54	-18.38	41.99	1	Vertical	307	1.50	-	38.18	14.87	49.88

802.11ax HEW20_Nss4,(MCS0)_4TX

7015MHz_TX




EUT_Z_4TX
Setting 41
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.04364G	59.17	83.54	-24.37	56.00	1	Horizontal	359	1.50	-	38.18	14.87	49.88
AV	21.04056G	45.13	63.54	-18.41	41.96	1	Horizontal	359	1.50	-	38.18	14.87	49.88

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
RMS	7.0914G	98.76	Inf	-Inf	89.32	3	Vertical	2	1.80	-	35.75	6.74	33.05
RMS	7.2426G	52.22	68.20	-15.98	42.14	3	Vertical	2	1.80	-	36.29	6.92	33.13
PK	7.215G	62.65	88.20	-25.55	52.62	3	Vertical	2	1.80	-	36.23	6.91	33.11
PK	7.0908G	110.81	Inf	-Inf	101.38	3	Vertical	2	1.80	-	35.74	6.74	33.05

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19344G	59.19	88.20	-29.01	43.54	3	Vertical	36	1.48	-	40.80	8.88	34.03
RMS	14.18704G	47.71	68.20	-20.49	32.06	3	Vertical	36	1.48	-	40.80	8.88	34.03

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18972G	58.83	88.20	-29.37	43.18	3	Horizontal	40	1.54	-	40.80	8.88	34.03
RMS	14.18248G	47.67	68.20	-20.53	32.02	3	Horizontal	40	1.54	-	40.80	8.88	34.03

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29496G	48.43	83.54	-35.11	45.15	1	Vertical	204	1.33	-	38.08	14.98	49.78
AV	21.2934G	37.69	63.54	-25.85	34.41	1	Vertical	204	1.33	-	38.08	14.98	49.78

802.11ax HEW20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28616G	48.62	83.54	-34.92	45.34	1	Horizontal	339	1.15	-	38.09	14.98	49.79
AV	21.2812G	37.96	63.54	-25.58	34.68	1	Horizontal	339	1.15	-	38.09	14.98	49.79

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 61
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.904G	57.63	88.20	-30.57	51.06	3	Vertical	43	1.80	-	32.30	5.95	31.68
RMS	5.876G	46.95	68.20	-21.25	40.43	3	Vertical	43	1.80	-	32.25	5.96	31.69
PK	6.122G	109.36	Inf	-Inf	102.72	3	Vertical	43	1.80	-	32.43	6.02	31.81
RMS	6.122G	98.39	Inf	-Inf	91.75	3	Vertical	43	1.80	-	32.43	6.02	31.81

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24288G	56.13	74.00	-17.87	42.96	3	Vertical	189	2.80	-	38.86	8.37	34.06
AV	12.25636G	42.97	54.00	-11.03	29.80	3	Vertical	189	2.80	-	38.84	8.38	34.05

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2544G	54.52	74.00	-19.48	41.34	3	Horizontal	185	2.76	-	38.85	8.38	34.05
AV	12.25728G	42.97	54.00	-11.03	29.80	3	Horizontal	185	2.76	-	38.84	8.38	34.05

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37492G	57.68	83.54	-25.86	56.04	1	Vertical	244	1.50	-	37.60	14.24	50.20
AV	18.37476G	46.30	63.54	-17.24	44.66	1	Vertical	244	1.50	-	37.60	14.24	50.20

802.11ax HEW40_Nss4,(MCS0)_4TX

6125MHz_TX




EUT Z_4TX
Setting 61
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37786G	56.62	83.54	-26.92	54.98	1	Horizontal	7	1.50	-	37.60	14.24	50.20
AV	18.37484G	44.70	63.54	-18.84	43.06	1	Horizontal	7	1.50	-	37.60	14.24	50.20

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT_Z_4TX
Setting 59
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	57.15	88.20	-31.05	50.58	3	Vertical	315	1.50	-	32.30	5.95	31.68
RMS	5.895G	46.90	68.20	-21.30	40.34	3	Vertical	315	1.50	-	32.29	5.95	31.68
PK	6.259G	108.92	Inf	-Inf	101.91	3	Vertical	315	1.50	-	32.92	6.10	32.01
RMS	6.2422G	99.02	Inf	-Inf	92.03	3	Vertical	315	1.50	-	32.88	6.10	31.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Z_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48112G	54.90	74.00	-19.10	41.91	3	Vertical	185	2.76	-	38.50	8.44	33.95
AV	12.48412G	43.42	54.00	-10.58	30.42	3	Vertical	185	2.76	-	38.50	8.45	33.95

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Z_4TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48632G	54.66	74.00	-19.34	41.66	3	Horizontal	178	2.67	-	38.50	8.45	33.95
AV	12.49784G	43.39	54.00	-10.61	30.38	3	Horizontal	178	2.67	-	38.50	8.45	33.94

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7347G	58.01	83.54	-25.53	55.91	1	Vertical	354	1.50	-	38.03	14.27	50.20
AV	18.73472G	47.22	63.54	-16.32	45.12	1	Vertical	354	1.50	-	38.03	14.27	50.20

802.11ax HEW40_Nss4,(MCS0)_4TX

6245MHz_TX




EUT Z_4TX
Setting 59
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73114G	57.79	83.54	-25.75	55.70	1	Horizontal	350	1.50	-	38.02	14.27	50.20
AV	18.73904G	43.99	63.54	-19.55	41.89	1	Horizontal	350	1.50	-	38.03	14.27	50.20

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	57.55	88.20	-30.65	50.98	3	Vertical	317	1.58	-	32.30	5.94	31.67
RMS	5.8572G	47.02	68.20	-21.18	40.54	3	Vertical	317	1.58	-	32.21	5.97	31.70
PK	6.3984G	107.69	Inf	-Inf	100.32	3	Vertical	317	1.58	-	33.49	6.10	32.22
RMS	6.3984G	98.19	Inf	-Inf	90.82	3	Vertical	317	1.58	-	33.49	6.10	32.22

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.816G	55.51	88.20	-32.69	41.62	3	Vertical	178	2.67	-	39.40	8.54	34.05
RMS	12.81512G	43.77	68.20	-24.43	29.88	3	Vertical	178	2.67	-	39.40	8.54	34.05

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80908G	56.36	88.20	-31.84	42.47	3	Horizontal	178	2.67	-	39.40	8.54	34.05
RMS	12.8126G	43.75	68.20	-24.45	29.86	3	Horizontal	178	2.67	-	39.40	8.54	34.05

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21438G	58.94	83.54	-24.60	56.62	1	Vertical	261	1.50	-	38.14	14.32	50.14
AV	19.2147G	48.04	63.54	-15.50	45.72	1	Vertical	261	1.50	-	38.14	14.32	50.14

802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21724G	58.06	83.54	-25.48	55.73	1	Horizontal	47	1.50	-	38.14	14.32	50.13
AV	19.2138G	44.63	63.54	-18.91	42.31	1	Horizontal	47	1.50	-	38.14	14.32	50.14

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	58.20	88.20	-30.00	51.67	3	Vertical	315	1.51	-	32.26	5.96	31.69
RMS	5.869G	47.01	68.20	-21.19	40.49	3	Vertical	315	1.51	-	32.24	5.97	31.69
PK	6.4618G	107.75	Inf	-Inf	100.12	3	Vertical	315	1.51	-	33.75	6.19	32.31
RMS	6.4426G	97.96	Inf	-Inf	90.42	3	Vertical	315	1.51	-	33.67	6.16	32.29

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88592G	55.39	88.20	-32.81	41.49	3	Vertical	178	2.67	-	39.40	8.57	34.07
RMS	12.89512G	43.93	68.20	-24.27	30.03	3	Vertical	178	2.67	-	39.40	8.57	34.07

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89928G	55.65	88.20	-32.55	41.76	3	Horizontal	172	2.61	-	39.40	8.57	34.08
RMS	12.89512G	43.97	68.20	-24.23	30.07	3	Horizontal	172	2.61	-	39.40	8.57	34.07

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33878G	59.42	83.54	-24.12	57.20	1	Vertical	257	1.50	-	37.99	14.33	50.10
AV	19.33472G	46.16	63.54	-17.38	43.93	1	Vertical	257	1.50	-	38.00	14.33	50.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 58
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33092G	58.09	83.54	-25.45	55.86	1	Horizontal	332	1.50	-	38.00	14.33	50.10
AV	19.33462G	44.83	63.54	-18.71	42.60	1	Horizontal	332	1.50	-	38.00	14.33	50.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT Z_4TX
Setting 57
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	57.62	88.20	-30.58	51.06	3	Vertical	318	1.55	-	32.29	5.95	31.68
RMS	5.8874G	46.97	68.20	-21.23	40.42	3	Vertical	318	1.55	-	32.27	5.96	31.68
PK	6.4706G	107.56	Inf	-Inf	99.90	3	Vertical	318	1.55	-	33.78	6.21	32.33
RMS	6.4778G	97.97	Inf	-Inf	90.28	3	Vertical	318	1.55	-	33.81	6.22	32.34

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT Z_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96348G	55.51	88.20	-32.69	41.56	3	Vertical	172	2.61	-	39.46	8.59	34.10
RMS	12.96876G	44.06	68.20	-24.14	30.10	3	Vertical	172	2.61	-	39.47	8.59	34.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT Z_4TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9602G	56.72	88.20	-31.48	42.77	3	Horizontal	170	2.58	-	39.46	8.59	34.10
RMS	12.96904G	44.07	68.20	-24.13	30.11	3	Horizontal	170	2.58	-	39.47	8.59	34.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 57
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4549G	58.87	83.54	-24.67	56.73	1	Vertical	182	1.50	-	37.85	14.35	50.06
AV	19.45474G	48.39	63.54	-15.15	46.25	1	Vertical	182	1.50	-	37.85	14.35	50.06

802.11ax HEW40_Nss4,(MCS0)_4TX


6485MHz_TX



EUT_Z_4TX
Setting 57
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4558G	57.94	83.54	-25.60	55.80	1	Horizontal	209	1.50	-	37.85	14.35	50.06
AV	19.45972G	44.25	63.54	-19.29	42.11	1	Horizontal	209	1.50	-	37.85	14.35	50.06


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 58
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	57.32	88.20	-30.88	50.74	3	Vertical	282	1.46	-	32.30	5.95	31.67
RMS	5.8586G	47.00	68.20	-21.20	40.51	3	Vertical	282	1.46	-	32.22	5.97	31.70
PK	6.5222G	107.94	Inf	-Inf	100.07	3	Vertical	282	1.46	-	33.99	6.28	32.40
RMS	6.5306G	98.51	Inf	-Inf	90.60	3	Vertical	282	1.46	-	34.02	6.30	32.41
PK	7.1494G	60.97	88.20	-27.23	51.33	3	Vertical	282	1.46	-	35.90	6.82	33.08
RMS	7.2166G	51.43	68.20	-16.77	41.40	3	Vertical	282	1.46	-	36.23	6.91	33.11

802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX




26/09/2020

EUT Z_4TX
 Setting 58
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04152G	55.55	88.20	-32.65	41.55	3	Vertical	170	2.58	-	39.46	8.61	34.07
RMS	13.05132G	43.96	68.20	-24.24	29.95	3	Vertical	170	2.58	-	39.45	8.62	34.06

802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 58
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0502G	55.84	88.20	-32.36	41.84	3	Horizontal	166	2.53	-	39.45	8.62	34.07
RMS	13.05212G	44.02	68.20	-24.18	30.01	3	Horizontal	166	2.53	-	39.45	8.62	34.06


802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX



EUT_Z_4TX
 Setting 58
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57474G	58.78	83.54	-24.76	56.71	1	Vertical	256	1.50	-	37.74	14.36	50.03
AV	19.57478G	48.81	63.54	-14.73	46.74	1	Vertical	256	1.50	-	37.74	14.36	50.03

802.11ax HEW40_Nss4,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 58
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57238G	57.66	83.54	-25.88	55.59	1	Horizontal	154	1.50	-	37.74	14.36	50.03
AV	19.5787G	44.20	63.54	-19.34	42.13	1	Horizontal	154	1.50	-	37.74	14.36	50.03

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 53
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	107.36	Inf	-Inf	99.37	3	Vertical	281	1.39	-	34.10	6.35	32.46
RMS	6.577G	97.41	Inf	-Inf	89.41	3	Vertical	281	1.39	-	34.10	6.37	32.47
PK	7.1482G	61.19	88.20	-27.01	51.55	3	Vertical	281	1.39	-	35.90	6.82	33.08
RMS	7.165G	50.89	68.20	-17.31	41.14	3	Vertical	281	1.39	-	35.99	6.85	33.09

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




26/09/2020

EUT_Z_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1334G	56.01	88.20	-32.19	41.89	3	Vertical	166	2.53	-	39.47	8.64	33.99
RMS	13.13988G	44.18	68.20	-24.02	30.05	3	Vertical	166	2.53	-	39.48	8.64	33.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 53
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12744G	55.60	88.20	-32.60	41.51	3	Horizontal	166	2.53	-	39.45	8.64	34.00
RMS	13.13956G	44.19	68.20	-24.01	30.06	3	Horizontal	166	2.53	-	39.48	8.64	33.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 53
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69476G	59.26	83.54	-24.28	57.24	1	Vertical	256	1.50	-	37.64	14.37	49.99
AV	19.6948G	49.73	63.54	-13.81	47.71	1	Vertical	256	1.50	-	37.64	14.37	49.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 53
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69468G	58.31	83.54	-25.23	56.29	1	Horizontal	314	1.50	-	37.64	14.37	49.99
AV	19.69474G	44.64	63.54	-18.90	42.62	1	Horizontal	314	1.50	-	37.64	14.37	49.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.685G	108.63	Inf	-Inf	100.78	3	Vertical	283	1.71	-	34.10	6.36	32.61
RMS	6.677G	97.82	Inf	-Inf	89.96	3	Vertical	283	1.71	-	34.10	6.36	32.60
PK	7.167G	61.25	88.20	-26.95	51.49	3	Vertical	283	1.71	-	36.00	6.85	33.09
RMS	7.185G	51.19	68.20	-17.01	41.30	3	Vertical	283	1.71	-	36.11	6.88	33.10

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37368G	56.64	74.00	-17.36	41.57	3	Vertical	46	1.90	-	40.14	8.71	33.78
AV	13.37688G	43.55	54.00	-10.45	28.46	3	Vertical	46	1.90	-	40.16	8.71	33.78

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36472G	57.58	74.00	-16.42	42.57	3	Horizontal	307	1.84	-	40.09	8.71	33.79
AV	13.37336G	43.47	54.00	-10.53	28.40	3	Horizontal	307	1.84	-	40.14	8.71	33.78

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05498G	58.30	83.54	-25.24	56.35	1	Vertical	249	1.50	-	37.43	14.42	49.90
AV	20.05472G	48.89	63.54	-14.65	46.94	1	Vertical	249	1.50	-	37.43	14.42	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05118G	57.58	83.54	-25.96	55.63	1	Horizontal	16	1.50	-	37.43	14.42	49.90
AV	20.05292G	44.09	63.54	-19.45	42.14	1	Horizontal	16	1.50	-	37.43	14.42	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.861G	107.76	Inf	-Inf	99.56	3	Vertical	360	1.71	-	34.64	6.39	32.83
RMS	6.8402G	97.95	Inf	-Inf	89.86	3	Vertical	360	1.71	-	34.54	6.36	32.81
PK	7.229G	61.74	88.20	-26.46	51.69	3	Vertical	360	1.71	-	36.26	6.91	33.12
RMS	7.245G	51.48	68.20	-16.72	41.40	3	Vertical	360	1.71	-	36.29	6.92	33.13

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68988G	57.75	88.20	-30.45	42.47	3	Vertical	158	2.50	-	40.31	8.81	33.84
RMS	13.68424G	46.26	68.20	-21.94	30.97	3	Vertical	158	2.50	-	40.32	8.81	33.84

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68664G	57.59	88.20	-30.61	42.31	3	Horizontal	158	2.50	-	40.31	8.81	33.84
RMS	13.68332G	46.27	68.20	-21.93	30.98	3	Horizontal	158	2.50	-	40.32	8.80	33.83

802.11ax HEW40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5347G	58.11	83.54	-25.43	55.64	1	Vertical	279	1.50	-	37.73	14.64	49.90
AV	20.53478G	46.19	63.54	-17.35	43.72	1	Vertical	279	1.50	-	37.73	14.64	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX



EUT Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53188G	57.66	83.54	-25.88	55.19	1	Horizontal	178	1.50	-	37.73	14.64	49.90
AV	20.53104G	44.08	63.54	-19.46	41.61	1	Horizontal	178	1.50	-	37.73	14.64	49.90


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 56
 06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8802G	108.92	Inf	-Inf	100.64	3	Vertical	359	1.65	-	34.72	6.42	32.86
RMS	6.879G	98.35	Inf	-Inf	90.07	3	Vertical	359	1.65	-	34.72	6.42	32.86
PK	7.1406G	61.06	88.20	-27.14	51.45	3	Vertical	359	1.65	-	35.88	6.81	33.08
RMS	7.1838G	51.18	68.20	-17.02	41.30	3	Vertical	359	1.65	-	36.10	6.88	33.10

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 56
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76352G	57.99	88.20	-30.21	42.77	3	Vertical	158	2.50	-	40.30	8.83	33.91
RMS	13.76208G	46.19	68.20	-22.01	30.97	3	Vertical	158	2.50	-	40.30	8.83	33.91

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 56
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76128G	58.01	88.20	-30.19	42.79	3	Horizontal	158	2.50	-	40.30	8.83	33.91
RMS	13.76G	46.23	68.20	-21.97	31.00	3	Horizontal	158	2.50	-	40.30	8.83	33.90


802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 56
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.656G	58.51	83.54	-25.03	55.85	1	Vertical	101	1.50	-	37.86	14.70	49.90
AV	20.6548G	44.91	63.54	-18.63	42.27	1	Vertical	101	1.50	-	37.85	14.69	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 56
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65716G	56.98	83.54	-26.56	54.32	1	Horizontal	356	1.50	-	37.86	14.70	49.90
AV	20.65884G	44.11	63.54	-19.43	41.45	1	Horizontal	356	1.50	-	37.86	14.70	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.932G	107.37	Inf	-Inf	98.93	3	Vertical	358	1.71	-	34.86	6.50	32.92
RMS	6.919G	97.71	Inf	-Inf	89.30	3	Vertical	358	1.71	-	34.84	6.48	32.91
PK	7.133G	60.76	88.20	-27.44	51.16	3	Vertical	358	1.71	-	35.87	6.80	33.07
RMS	7.173G	51.13	68.20	-17.07	41.32	3	Vertical	358	1.71	-	36.04	6.86	33.09

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84776G	57.92	88.20	-30.28	42.65	3	Vertical	157	2.48	-	40.40	8.85	33.98
RMS	13.85764G	46.07	68.20	-22.13	30.78	3	Vertical	157	2.48	-	40.42	8.86	33.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85232G	58.03	88.20	-30.17	42.76	3	Horizontal	158	2.50	-	40.40	8.86	33.99
RMS	13.85252G	46.11	68.20	-22.09	30.83	3	Horizontal	158	2.50	-	40.41	8.86	33.99

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77332G	58.04	83.54	-25.50	55.22	1	Vertical	227	1.50	-	37.97	14.75	49.90
AV	20.77478G	45.34	63.54	-18.20	42.52	1	Vertical	227	1.50	-	37.97	14.75	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77836G	58.05	83.54	-25.49	55.22	1	Horizontal	177	1.50	-	37.98	14.75	49.90
AV	20.77364G	44.65	63.54	-18.89	41.83	1	Horizontal	177	1.50	-	37.97	14.75	49.90

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT Z_4TX
Setting 54
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0008G	108.62	Inf	-Inf	99.92	3	Vertical	360	1.68	-	35.11	6.60	33.01
RMS	7.0002G	97.79	Inf	-Inf	89.10	3	Vertical	360	1.68	-	35.10	6.60	33.01
PK	7.1538G	60.99	88.20	-27.21	51.32	3	Vertical	360	1.68	-	35.92	6.83	33.08
RMS	7.128G	51.00	68.20	-17.20	41.42	3	Vertical	360	1.68	-	35.86	6.79	33.07

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00408G	58.28	88.20	-29.92	42.89	3	Vertical	155	2.31	-	40.61	8.90	34.12
RMS	14.0166G	47.02	68.20	-21.18	31.60	3	Vertical	155	2.31	-	40.63	8.90	34.11

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01356G	60.10	88.20	-28.10	44.68	3	Horizontal	157	2.48	-	40.63	8.90	34.11
RMS	14.0016G	46.95	68.20	-21.25	31.57	3	Horizontal	157	2.48	-	40.60	8.90	34.12

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0116G	60.05	83.54	-23.49	56.89	1	Vertical	191	1.50	-	38.20	14.86	49.90
AV	21.01462G	46.49	63.54	-17.05	43.33	1	Vertical	191	1.50	-	38.19	14.86	49.89

802.11ax HEW40_Nss4,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 54
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01268G	59.13	83.54	-24.41	55.97	1	Horizontal	349	1.50	-	38.19	14.86	49.89
AV	21.01934G	45.95	63.54	-17.59	42.79	1	Horizontal	349	1.50	-	38.19	14.86	49.89

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.079G	107.97	Inf	-Inf	98.63	3	Vertical	360	1.64	-	35.67	6.72	33.05
RMS	7.0766G	97.50	Inf	-Inf	88.18	3	Vertical	360	1.64	-	35.66	6.71	33.05
PK	7.127G	63.90	88.20	-24.30	54.33	3	Vertical	360	1.64	-	35.85	6.79	33.07
RMS	7.1252G	52.93	68.20	-15.27	43.36	3	Vertical	360	1.64	-	35.85	6.79	33.07

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17084G	59.35	88.20	-28.85	43.71	3	Vertical	157	2.26	-	40.80	8.88	34.04
RMS	14.163G	47.47	68.20	-20.73	31.83	3	Vertical	157	2.26	-	40.80	8.88	34.04

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 56
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17364G	58.87	88.20	-29.33	43.23	3	Horizontal	160	2.31	-	40.80	8.88	34.04
RMS	14.1602G	47.50	68.20	-20.70	31.86	3	Horizontal	160	2.31	-	40.80	8.88	34.04

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2546G	58.32	83.54	-25.22	55.06	1	Vertical	293	1.50	-	38.10	14.96	49.80
AV	21.25458G	46.52	63.54	-17.02	43.26	1	Vertical	293	1.50	-	38.10	14.96	49.80

802.11ax HEW40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 56
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25298G	58.48	83.54	-25.06	55.22	1	Horizontal	173	1.50	-	38.10	14.96	49.80
AV	21.25762G	45.27	63.54	-18.27	42.00	1	Horizontal	173	1.50	-	38.10	14.97	49.80

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 72
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	57.88	88.20	-30.32	51.30	3	Vertical	41	1.80	-	32.30	5.95	31.67
RMS	5.921G	47.25	68.20	-20.95	40.68	3	Vertical	41	1.80	-	32.30	5.94	31.67
PK	6.123G	110.94	Inf	-Inf	104.29	3	Vertical	41	1.80	-	32.44	6.02	31.81
RMS	6.163G	98.42	Inf	-Inf	91.58	3	Vertical	41	1.80	-	32.65	6.06	31.87

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28172G	53.70	74.00	-20.30	40.54	3	Vertical	287	1.06	-	38.82	8.38	34.04
AV	12.28692G	41.75	54.00	-12.25	28.59	3	Vertical	287	1.06	-	38.81	8.39	34.04

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 72
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29316G	53.89	74.00	-20.11	40.73	3	Horizontal	88	1.42	-	38.81	8.39	34.04
AV	12.2814G	41.72	54.00	-12.28	28.56	3	Horizontal	88	1.42	-	38.82	8.38	34.04

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT Z_4TX
Setting 72
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43444G	58.01	83.54	-25.53	56.32	1	Vertical	184	1.50	-	37.65	14.24	50.20
AV	18.43472G	47.18	63.54	-16.36	45.49	1	Vertical	184	1.50	-	37.65	14.24	50.20

802.11ax HEW80_Nss4,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 72
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43074G	56.65	83.54	-26.89	54.97	1	Horizontal	5	1.50	-	37.64	14.24	50.20
AV	18.43488G	44.97	63.54	-18.57	43.28	1	Horizontal	5	1.50	-	37.65	14.24	50.20

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 69
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	58.07	88.20	-30.13	51.53	3	Vertical	314	1.58	-	32.27	5.96	31.69
RMS	5.8698G	47.17	68.20	-21.03	40.65	3	Vertical	314	1.58	-	32.24	5.97	31.69
PK	6.2026G	110.09	Inf	-Inf	103.11	3	Vertical	314	1.58	-	32.81	6.10	31.93
RMS	6.2426G	98.62	Inf	-Inf	91.62	3	Vertical	314	1.58	-	32.89	6.10	31.99

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44992G	54.30	74.00	-19.70	41.33	3	Vertical	268	2.47	-	38.50	8.43	33.96
AV	12.45392G	42.30	54.00	-11.70	29.32	3	Vertical	268	2.47	-	38.50	8.44	33.96

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45736G	54.60	74.00	-19.40	41.62	3	Horizontal	35	2.91	-	38.50	8.44	33.96
AV	12.44616G	42.12	54.00	-11.88	29.15	3	Horizontal	35	2.91	-	38.50	8.43	33.96

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 69
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67466G	58.43	83.54	-25.11	56.42	1	Vertical	185	1.50	-	37.94	14.27	50.20
AV	18.67468G	49.70	63.54	-13.84	47.69	1	Vertical	185	1.50	-	37.94	14.27	50.20

802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Z_4TX
Setting 69
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67504G	57.29	83.54	-26.25	55.27	1	Horizontal	29	1.50	-	37.95	14.27	50.20
AV	18.67482G	45.65	63.54	-17.89	43.64	1	Horizontal	29	1.50	-	37.94	14.27	50.20

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 67
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	58.02	88.20	-30.18	51.46	3	Vertical	317	1.61	-	32.28	5.96	31.68
RMS	5.8592G	47.17	68.20	-21.03	40.68	3	Vertical	317	1.61	-	32.22	5.97	31.70
PK	6.3674G	108.60	Inf	-Inf	101.37	3	Vertical	317	1.61	-	33.30	6.10	32.17
RMS	6.3762G	98.81	Inf	-Inf	91.54	3	Vertical	317	1.61	-	33.36	6.10	32.19

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Z_4TX
Setting 67
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76732G	55.28	88.20	-32.92	41.58	3	Vertical	160	2.31	-	39.20	8.53	34.03
RMS	12.7784G	43.31	68.20	-24.89	29.54	3	Vertical	160	2.31	-	39.27	8.53	34.03

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




26/09/2020

EUT Z_4TX
Setting 67
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77104G	54.62	88.20	-33.58	40.89	3	Horizontal	164	2.18	-	39.23	8.53	34.03
RMS	12.77912G	43.32	68.20	-24.88	29.55	3	Horizontal	164	2.18	-	39.27	8.53	34.03

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Z_4TX
Setting 67
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15492G	58.43	83.54	-25.11	56.05	1	Vertical	356	1.50	-	38.21	14.32	50.15
AV	19.1547G	49.22	63.54	-14.32	46.84	1	Vertical	356	1.50	-	38.21	14.32	50.15

802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 67
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15046G	57.39	83.54	-26.15	55.00	1	Horizontal	285	1.50	-	38.22	14.32	50.15
AV	19.15126G	44.99	63.54	-18.55	42.60	1	Horizontal	285	1.50	-	38.22	14.32	50.15

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 71
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	57.57	88.20	-30.63	51.00	3	Vertical	317	1.64	-	32.30	5.94	31.67
RMS	5.8794G	47.08	68.20	-21.12	40.55	3	Vertical	317	1.64	-	32.26	5.96	31.69
PK	6.4722G	108.50	Inf	-Inf	100.83	3	Vertical	317	1.64	-	33.79	6.21	32.33
RMS	6.4602G	97.99	Inf	-Inf	90.37	3	Vertical	317	1.64	-	33.74	6.19	32.31

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




26/09/2020

EUT_Z_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93492G	55.27	88.20	-32.93	41.35	3	Vertical	170	2.08	-	39.43	8.58	34.09
RMS	12.92544G	43.95	68.20	-24.25	30.02	3	Vertical	170	2.08	-	39.43	8.58	34.08

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 71
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93308G	55.41	88.20	-32.79	41.49	3	Horizontal	174	2.05	-	39.43	8.58	34.09
RMS	12.92764G	43.96	68.20	-24.24	30.04	3	Horizontal	174	2.05	-	39.43	8.58	34.09

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 71
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39492G	58.28	83.54	-25.26	56.09	1	Vertical	245	1.50	-	37.93	14.34	50.08
AV	19.39464G	48.48	63.54	-15.06	46.29	1	Vertical	245	1.50	-	37.93	14.34	50.08

802.11ax HEW80_Nss4,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 71
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39844G	57.48	83.54	-26.06	55.30	1	Horizontal	331	1.50	-	37.92	14.34	50.08
AV	19.39262G	44.66	63.54	-18.88	42.47	1	Horizontal	331	1.50	-	37.93	14.34	50.08

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz_TX




EUT_Z_4TX
Setting 67
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	57.47	88.20	-30.73	50.90	3	Vertical	319	1.48	-	32.30	5.95	31.68
RMS	5.8758G	47.09	68.20	-21.11	40.57	3	Vertical	319	1.48	-	32.25	5.96	31.69
PK	6.5562G	107.98	Inf	-Inf	99.99	3	Vertical	319	1.48	-	34.10	6.33	32.44
RMS	6.5366G	97.84	Inf	-Inf	89.91	3	Vertical	319	1.48	-	34.05	6.30	32.42
PK	7.2366G	61.89	88.20	-26.31	51.82	3	Vertical	319	1.48	-	36.27	6.92	33.12
RMS	7.2338G	51.57	68.20	-16.63	41.50	3	Vertical	319	1.48	-	36.27	6.92	33.12

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz_TX




EUT Z_4TX
Setting 67
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09144G	55.33	88.20	-32.87	41.32	3	Vertical	174	2.05	-	39.41	8.63	34.03
RMS	13.09352G	44.09	68.20	-24.11	30.08	3	Vertical	174	2.05	-	39.41	8.63	34.03

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz_TX




28/09/2020

EUT Z_4TX
Setting 67
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0904G	56.32	88.20	-31.88	42.31	3	Horizontal	172	2.02	-	39.41	8.63	34.03
RMS	13.0986G	44.11	68.20	-24.09	30.10	3	Horizontal	172	2.02	-	39.40	8.63	34.02

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz_TX




EUT_Z_4TX
Setting 67
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63466G	59.94	83.54	-23.60	57.90	1	Vertical	256	1.50	-	37.69	14.36	50.01
AV	19.63472G	51.52	63.54	-12.02	49.48	1	Vertical	256	1.50	-	37.69	14.36	50.01

802.11ax HEW80_Nss4,(MCS0)_4TX

6545MHz_TX




EUT_Z_4TX
Setting 67
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6308G	58.26	83.54	-25.28	56.21	1	Horizontal	249	1.50	-	37.70	14.36	50.01
AV	19.6345G	45.74	63.54	-17.80	43.70	1	Horizontal	249	1.50	-	37.69	14.36	50.01

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 73
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6394G	109.01	Inf	-Inf	101.08	3	Vertical	189	1.00	-	34.10	6.38	32.55
RMS	6.6322G	99.35	Inf	-Inf	91.41	3	Vertical	189	1.00	-	34.10	6.38	32.54
PK	7.1866G	61.66	88.20	-26.54	51.76	3	Vertical	189	1.00	-	36.12	6.88	33.10
RMS	7.2082G	51.49	68.20	-16.71	41.48	3	Vertical	189	1.00	-	36.22	6.90	33.11

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2501G	56.60	74.00	-17.40	42.16	3	Vertical	170	1.96	-	39.65	8.68	33.89
AV	13.25036G	44.33	54.00	-9.67	29.89	3	Vertical	170	1.96	-	39.65	8.68	33.89

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25332G	55.60	74.00	-18.40	41.16	3	Horizontal	172	2.01	-	39.65	8.68	33.89
AV	13.25248G	44.36	54.00	-9.64	29.92	3	Horizontal	172	2.01	-	39.65	8.68	33.89

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 73
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87484G	58.62	83.54	-24.92	56.67	1	Vertical	255	1.50	-	37.50	14.39	49.94
AV	19.87466G	49.72	63.54	-13.82	47.77	1	Vertical	255	1.50	-	37.50	14.39	49.94

802.11ax HEW80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 73
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87478G	57.66	83.54	-25.88	55.71	1	Horizontal	21	1.50	-	37.50	14.39	49.94
AV	19.87522G	45.18	63.54	-18.36	43.23	1	Horizontal	21	1.50	-	37.50	14.39	49.94

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 66
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	107.22	Inf	-Inf	99.39	3	Vertical	188	1.08	-	34.10	6.35	32.62
RMS	6.693G	97.14	Inf	-Inf	89.31	3	Vertical	188	1.08	-	34.10	6.35	32.62
PK	7.175G	61.83	88.20	-26.37	52.01	3	Vertical	188	1.08	-	36.05	6.86	33.09
RMS	7.201G	51.46	68.20	-16.74	41.47	3	Vertical	188	1.08	-	36.20	6.90	33.11

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 66
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40738G	57.35	88.20	-30.85	42.09	3	Vertical	171	1.92	-	40.29	8.72	33.75
RMS	13.40796G	45.37	68.20	-22.83	30.12	3	Vertical	171	1.92	-	40.28	8.72	33.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Z_4TX
Setting 66
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4121G	56.92	88.20	-31.28	41.67	3	Horizontal	165	1.85	-	40.28	8.72	33.75
RMS	13.40638G	45.36	68.20	-22.84	30.10	3	Horizontal	165	1.85	-	40.29	8.72	33.75

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Z_4TX
Setting 66
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11478G	58.75	83.54	-24.79	56.73	1	Vertical	252	1.50	-	37.47	14.45	49.90
AV	20.11472G	49.58	63.54	-13.96	47.56	1	Vertical	252	1.50	-	37.47	14.45	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 66
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11338G	57.04	83.54	-26.50	55.02	1	Horizontal	30	1.50	-	37.47	14.45	49.90
AV	20.11538G	45.03	63.54	-18.51	43.01	1	Horizontal	30	1.50	-	37.47	14.45	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Z_4TX
Setting 69
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7994G	108.78	Inf	-Inf	100.93	3	Vertical	349	1.63	-	34.30	6.30	32.75
RMS	6.7994G	97.74	Inf	-Inf	89.89	3	Vertical	349	1.63	-	34.30	6.30	32.75
PK	7.1834G	61.69	88.20	-26.51	51.81	3	Vertical	349	1.63	-	36.10	6.88	33.10
RMS	7.1834G	51.29	68.20	-16.91	41.41	3	Vertical	349	1.63	-	36.10	6.88	33.10

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57366G	56.75	88.20	-31.45	41.40	3	Vertical	162	1.81	-	40.32	8.77	33.74
RMS	13.56682G	45.42	68.20	-22.78	30.08	3	Vertical	162	1.81	-	40.30	8.77	33.73

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56608G	57.06	88.20	-31.14	41.72	3	Horizontal	166	1.73	-	40.30	8.77	33.73
RMS	13.566G	45.44	68.20	-22.76	30.10	3	Horizontal	166	1.73	-	40.30	8.77	33.73

802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 69
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3574G	59.26	83.54	-24.28	56.99	1	Vertical	279	1.50	-	37.61	14.56	49.90
AV	20.3547G	49.94	63.54	-13.60	47.67	1	Vertical	279	1.50	-	37.61	14.56	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX


6785MHz_TX



EUT_Z_4TX
Setting 69
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3583G	58.55	83.54	-24.99	56.28	1	Horizontal	23	1.50	-	37.61	14.56	49.90
AV	20.3547G	46.10	63.54	-17.44	43.83	1	Horizontal	23	1.50	-	37.61	14.56	49.90


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 69
 06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8794G	109.71	Inf	-Inf	101.43	3	Vertical	351	1.65	-	34.72	6.42	32.86
RMS	6.8794G	98.46	Inf	-Inf	90.18	3	Vertical	351	1.65	-	34.72	6.42	32.86
PK	7.1566G	61.59	88.20	-26.61	51.91	3	Vertical	351	1.65	-	35.94	6.83	33.09
RMS	7.165G	51.07	68.20	-17.13	41.32	3	Vertical	351	1.65	-	35.99	6.85	33.09

802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




26/09/2020

EUT_Z_4TX
 Setting 69
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72822G	57.56	88.20	-30.64	42.32	3	Vertical	168	1.70	-	40.30	8.82	33.88
RMS	13.7273G	46.44	68.20	-21.76	31.19	3	Vertical	168	1.70	-	40.30	8.82	33.87


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT Z_4TX
 Setting 69
 06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73188G	58.54	88.20	-29.66	43.30	3	Horizontal	173	1.65	-	40.30	8.82	33.88
RMS	13.72766G	46.43	68.20	-21.77	31.18	3	Horizontal	173	1.65	-	40.30	8.82	33.87


802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
 Setting 69
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59966G	56.35	83.54	-27.19	53.78	1	Vertical	101	1.50	-	37.80	14.67	49.90
AV	20.59464G	44.48	63.54	-19.06	41.92	1	Vertical	101	1.50	-	37.79	14.67	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX




EUT Z_4TX
 Setting 69
 06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59084G	55.64	83.54	-27.90	53.08	1	Horizontal	241	1.50	-	37.79	14.67	49.90
AV	20.59658G	43.31	63.54	-20.23	40.74	1	Horizontal	241	1.50	-	37.80	14.67	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Z_4TX
Setting 69
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.922G	109.66	Inf	-Inf	101.25	3	Vertical	48	1.64	-	34.84	6.48	32.91
RMS	6.943G	98.02	Inf	-Inf	89.56	3	Vertical	48	1.64	-	34.89	6.51	32.94
PK	7.182G	62.12	88.20	-26.08	52.26	3	Vertical	48	1.64	-	36.09	6.87	33.10
RMS	7.194G	51.49	68.20	-16.71	41.54	3	Vertical	48	1.64	-	36.16	6.89	33.10

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88946G	57.94	88.20	-30.26	42.61	3	Vertical	179	1.54	-	40.48	8.87	34.02
RMS	13.89432G	46.26	68.20	-21.94	30.92	3	Vertical	179	1.54	-	40.49	8.87	34.02

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT Z_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89484G	57.86	88.20	-30.34	42.53	3	Horizontal	183	1.46	-	40.49	8.87	34.03
RMS	13.8925G	46.28	68.20	-21.92	30.95	3	Horizontal	183	1.46	-	40.48	8.87	34.02

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 69
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83164G	57.95	83.54	-25.59	55.05	1	Vertical	212	1.50	-	38.03	14.77	49.90
AV	20.83714G	45.66	63.54	-17.88	42.74	1	Vertical	212	1.50	-	38.04	14.78	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 69
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83042G	58.06	83.54	-25.48	55.16	1	Horizontal	152	1.50	-	38.03	14.77	49.90
AV	20.83078G	45.63	63.54	-17.91	42.73	1	Horizontal	152	1.50	-	38.03	14.77	49.90

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 70
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0114G	108.43	Inf	-Inf	99.64	3	Vertical	351	1.80	-	35.19	6.62	33.02
RMS	7.0386G	98.42	Inf	-Inf	89.38	3	Vertical	351	1.80	-	35.41	6.66	33.03
PK	7.1266G	62.67	88.20	-25.53	53.10	3	Vertical	351	1.80	-	35.85	6.79	33.07
RMS	7.1258G	52.11	68.20	-16.09	42.54	3	Vertical	351	1.80	-	35.85	6.79	33.07

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0485G	58.90	88.20	-29.30	43.40	3	Vertical	183	1.46	-	40.70	8.90	34.10
RMS	14.05056G	47.46	68.20	-20.74	31.97	3	Vertical	183	1.46	-	40.70	8.89	34.10

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 70
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05358G	58.76	88.20	-29.44	43.25	3	Horizontal	188	1.41	-	40.71	8.89	34.09
RMS	14.04784G	47.45	68.20	-20.75	31.95	3	Horizontal	188	1.41	-	40.70	8.90	34.10

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07454G	59.53	83.54	-24.01	56.35	1	Vertical	189	1.50	-	38.17	14.88	49.87
AV	21.07432G	46.74	63.54	-16.80	43.56	1	Vertical	189	1.50	-	38.17	14.88	49.87

802.11ax HEW80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 70
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.072G	58.76	83.54	-24.78	55.58	1	Horizontal	58	1.50	-	38.17	14.88	49.87
AV	21.07742G	46.41	63.54	-17.13	43.23	1	Horizontal	58	1.50	-	38.17	14.88	49.87

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 79
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	58.06	88.20	-30.14	51.49	3	Vertical	336	1.42	-	32.30	5.94	31.67
RMS	5.9246G	47.31	68.20	-20.89	40.74	3	Vertical	336	1.42	-	32.30	5.94	31.67
PK	6.1538G	108.79	Inf	-Inf	101.98	3	Vertical	336	1.42	-	32.62	6.05	31.86
RMS	6.1922G	98.05	Inf	-Inf	91.10	3	Vertical	336	1.42	-	32.77	6.09	31.91

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 79
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36886G	53.94	74.00	-20.06	40.94	3	Vertical	202	2.63	-	38.59	8.41	34.00
AV	12.36732G	42.30	54.00	-11.70	29.29	3	Vertical	202	2.63	-	38.60	8.41	34.00

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 79
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3723G	54.47	74.00	-19.53	41.48	3	Horizontal	63	1.94	-	38.58	8.41	34.00
AV	12.37278G	42.30	54.00	-11.70	29.31	3	Horizontal	63	1.94	-	38.58	8.41	34.00

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Z_4TX
Setting 79
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55438G	58.34	83.54	-25.20	56.50	1	Vertical	184	1.50	-	37.78	14.26	50.20
AV	18.55476G	48.26	63.54	-15.28	46.42	1	Vertical	184	1.50	-	37.78	14.26	50.20

802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Z_4TX
Setting 79
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55548G	57.95	83.54	-25.59	56.11	1	Horizontal	311	1.50	-	37.78	14.26	50.20
AV	18.55482G	45.57	63.54	-17.97	43.73	1	Horizontal	311	1.50	-	37.78	14.26	50.20

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 77
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	58.18	88.20	-30.02	51.61	3	Vertical	316	1.63	-	32.30	5.95	31.68
RMS	5.873G	47.14	68.20	-21.06	40.62	3	Vertical	316	1.63	-	32.25	5.96	31.69
PK	6.329G	109.24	Inf	-Inf	102.14	3	Vertical	316	1.63	-	33.12	6.10	32.12
RMS	6.361G	98.01	Inf	-Inf	90.80	3	Vertical	316	1.63	-	33.27	6.10	32.16

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 77
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69G	54.99	74.00	-19.01	41.68	3	Vertical	319	1.83	-	38.80	8.51	34.00
AV	12.69478G	41.81	54.00	-12.19	28.51	3	Vertical	319	1.83	-	38.80	8.51	34.01

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 77
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68776G	54.88	74.00	-19.12	41.57	3	Horizontal	325	2.49	-	38.80	8.51	34.00
AV	12.69472G	41.80	54.00	-12.20	28.50	3	Horizontal	325	2.49	-	38.80	8.51	34.01

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 77
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03476G	59.27	83.54	-24.27	56.80	1	Vertical	355	1.50	-	38.36	14.30	50.19
AV	19.0347G	49.35	63.54	-14.19	46.88	1	Vertical	355	1.50	-	38.36	14.30	50.19

802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 77
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03186G	57.74	83.54	-25.80	55.27	1	Horizontal	242	1.50	-	38.36	14.30	50.19
AV	19.03344G	45.73	63.54	-17.81	43.26	1	Horizontal	242	1.50	-	38.36	14.30	50.19

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz_TX




26/09/2020

EUT_Z_4TX
Setting 78
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	58.02	88.20	-30.18	51.44	3	Vertical	315	1.47	-	32.30	5.95	31.67
RMS	5.8582G	47.08	68.20	-21.12	40.59	3	Vertical	315	1.47	-	32.22	5.97	31.70
PK	6.5218G	109.82	Inf	-Inf	101.95	3	Vertical	315	1.47	-	33.99	6.28	32.40
RMS	6.4994G	97.56	Inf	-Inf	89.78	3	Vertical	315	1.47	-	33.90	6.25	32.37
PK	7.1462G	62.12	88.20	-26.08	52.49	3	Vertical	315	1.47	-	35.89	6.82	33.08
RMS	7.1994G	51.40	68.20	-16.80	41.41	3	Vertical	315	1.47	-	36.20	6.90	33.11

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01436G	55.12	88.20	-33.08	41.13	3	Vertical	192	1.34	-	39.49	8.60	34.10
RMS	13.01108G	43.76	68.20	-24.44	29.77	3	Vertical	192	1.34	-	39.49	8.60	34.10

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00742G	55.82	88.20	-32.38	41.83	3	Horizontal	199	1.27	-	39.49	8.60	34.10
RMS	13.00878G	43.78	68.20	-24.42	29.79	3	Horizontal	199	1.27	-	39.49	8.60	34.10

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 78
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51474G	58.37	83.54	-25.17	56.28	1	Vertical	181	1.50	-	37.79	14.35	50.05
AV	19.51474G	49.27	63.54	-14.27	47.18	1	Vertical	181	1.50	-	37.79	14.35	50.05

802.11ax HEW160_Nss4,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 78
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51018G	57.02	83.54	-26.52	54.93	1	Horizontal	186	1.50	-	37.79	14.35	50.05
AV	19.51688G	44.61	63.54	-18.93	42.51	1	Horizontal	186	1.50	-	37.79	14.35	50.04

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 78
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6914G	108.97	Inf	-Inf	101.13	3	Vertical	282	1.52	-	34.10	6.35	32.61
RMS	6.676G	98.28	Inf	-Inf	90.42	3	Vertical	282	1.52	-	34.10	6.36	32.60
PK	7.1798G	62.73	88.20	-25.47	52.88	3	Vertical	282	1.52	-	36.08	6.87	33.10
RMS	7.2062G	51.54	68.20	-16.66	41.54	3	Vertical	282	1.52	-	36.21	6.90	33.11

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3252G	55.74	74.00	-18.26	41.01	3	Vertical	67	2.02	-	39.85	8.70	33.82
AV	13.32738G	43.77	54.00	-10.23	29.03	3	Vertical	67	2.02	-	39.86	8.70	33.82

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




17/09/2020

EUT_Z_4TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32792G	56.34	74.00	-17.66	41.59	3	Horizontal	199	1.27	-	39.87	8.70	33.82
AV	13.33066G	43.93	54.00	-10.07	29.17	3	Horizontal	199	1.27	-	39.88	8.70	33.82

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 78
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99462G	58.88	83.54	-24.66	56.98	1	Vertical	251	1.50	-	37.40	14.40	49.90
AV	19.99484G	49.62	63.54	-13.92	47.72	1	Vertical	251	1.50	-	37.40	14.40	49.90

802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 78
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99758G	58.12	83.54	-25.42	56.22	1	Horizontal	22	1.50	-	37.40	14.40	49.90
AV	19.995G	45.09	63.54	-18.45	43.19	1	Horizontal	22	1.50	-	37.40	14.40	49.90

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 81
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	109.51	Inf	-Inf	101.41	3	Vertical	351	1.69	-	34.55	6.36	32.81
RMS	6.841G	98.62	Inf	-Inf	90.52	3	Vertical	351	1.69	-	34.55	6.36	32.81
PK	7.145G	62.66	88.20	-25.54	53.03	3	Vertical	351	1.69	-	35.89	6.82	33.08
RMS	7.1258G	51.69	68.20	-16.51	42.12	3	Vertical	351	1.69	-	35.85	6.79	33.07

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 81
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65086G	57.99	88.20	-30.21	42.65	3	Vertical	199	1.30	-	40.35	8.80	33.81
RMS	13.64722G	46.57	68.20	-21.63	31.23	3	Vertical	199	1.30	-	40.35	8.79	33.80

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 81
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64942G	57.89	88.20	-30.31	42.55	3	Horizontal	201	1.30	-	40.35	8.79	33.80
RMS	13.64724G	46.53	68.20	-21.67	31.19	3	Horizontal	201	1.30	-	40.35	8.79	33.80

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 81
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4747G	57.76	83.54	-25.78	55.37	1	Vertical	280	1.50	-	37.68	14.61	49.90
AV	20.4747G	47.58	63.54	-15.96	45.19	1	Vertical	280	1.50	-	37.68	14.61	49.90

802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 81
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47806G	58.44	83.54	-25.10	56.03	1	Horizontal	13	1.50	-	37.69	14.62	49.90
AV	20.4791G	45.97	63.54	-17.57	43.56	1	Horizontal	13	1.50	-	37.69	14.62	49.90

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 80
06-F-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	110.58	Inf	-Inf	102.06	3	Vertical	360	1.73	-	34.94	6.54	32.96
RMS	6.981G	98.45	Inf	-Inf	89.85	3	Vertical	360	1.73	-	35.02	6.57	32.99
PK	7.139G	77.86	88.20	-10.34	68.25	3	Vertical	360	1.73	-	35.88	6.81	33.08
RMS	7.138G	57.50	68.20	-10.70	47.89	3	Vertical	360	1.73	-	35.88	6.81	33.08

802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX



EUT_Z_4TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96844G	58.36	88.20	-29.84	42.99	3	Vertical	201	1.30	-	40.57	8.89	34.09
RMS	13.96938G	46.77	68.20	-21.43	31.40	3	Vertical	201	1.30	-	40.57	8.89	34.09