


802.11ax HEW160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT\_Z\_4TX  
Setting 80  
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97136G	57.80	88.20	-30.40	42.43	3	Horizontal	203	1.23	-	40.57	8.89	34.09
RMS	13.97156G	46.78	68.20	-21.42	31.41	3	Horizontal	203	1.23	-	40.57	8.89	34.09

802.11ax HEW160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT\_Z\_4TX  
Setting 80  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95222G	59.22	83.54	-24.32	56.14	1	Vertical	191	1.50	-	38.15	14.83	49.90
AV	20.95478G	47.11	63.54	-16.43	44.03	1	Vertical	191	1.50	-	38.15	14.83	49.90

802.11ax HEW160\_Nss4,(MCS0)\_4TX



6985MHz\_TX



EUT\_Z\_4TX  
Setting 80  
06-F-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95394G	59.23	83.54	-24.31	56.15	1	Horizontal	49	1.50	-	38.15	14.83	49.90
AV	20.9582G	46.63	63.54	-16.91	43.54	1	Horizontal	49	1.50	-	38.16	14.83	49.90

For Conducted:



802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TnomVnom

26/09/2020

CF Freq  
6.415GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4138G	-6.53	6.3756G	-56.09	-46.53	-9.56	1
6.4136G	-6.91	6.3791G	-56.43	-46.91	-9.52	2
6.4139G	-6.54	6.3784G	-56.20	-46.54	-9.66	3
6.4158G	-6.31	6.3788G	-56.26	-46.31	-9.95	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TnomVnom

26/09/2020

CF Freq  
6.435GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42981G	-5.71	6.401G	-55.26	-45.71	-9.55	1
6.4335G	-5.78	6.4027G	-55.52	-45.77	-9.75	2
6.4394G	-6.04	6.3963G	-55.50	-46.04	-9.46	3
6.4307G	-5.37	6.4012G	-55.42	-45.37	-10.05	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TnomVnom

26/09/2020

CF Freq  
6.475GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46991G	-6.73	6.4254G	-55.53	-46.73	-8.80	1
6.4733G	-6.60	6.4418G	-55.88	-46.60	-9.28	2
6.4704G	-6.04	6.4302G	-55.67	-46.04	-9.63	3
6.4704G	-6.45	6.4259G	-55.65	-46.45	-9.20	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TnomVnom

26/09/2020

CF Freq  
6.515GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5157G	-7.22	6.5479G	-55.66	-47.22	-8.44	1
6.518G	-6.97	6.4777G	-55.99	-46.97	-9.02	2
6.5103G	-7.02	6.479G	-55.82	-47.02	-8.80	3
6.5137G	-7.36	6.4791G	-55.80	-47.36	-8.44	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TnomVnom

26/09/2020

CF Freq  
6.535GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5303G	-7.14	6.4967G	-55.55	-47.14	-8.41	1
6.5331G	-6.97	6.495G	-55.78	-46.97	-8.81	2
6.52971G	-6.84	6.4985G	-55.63	-46.84	-8.79	3
6.5335G	-7.50	6.5007G	-55.59	-47.50	-8.09	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TnomVnom

26/09/2020

CF Freq  
6.695GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6961G	-5.73	6.7377G	-52.67	-45.73	-6.94	1
6.6974G	-5.38	6.7306G	-52.86	-45.38	-7.48	2
6.6986G	-4.96	6.7383G	-52.72	-44.96	-7.76	3
6.6964G	-5.53	6.7274G	-52.76	-45.53	-7.23	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TnomVnom

26/09/2020

CF Freq  
6.855GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8562G	-4.40	6.8882G	-55.43	-44.40	-11.03	1
6.8573G	-4.12	6.8877G	-55.44	-44.12	-11.32	2
6.856G	-4.28	6.8886G	-55.58	-44.28	-11.30	3
6.856G	-3.91	6.8897G	-55.43	-43.91	-11.52	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020

CF Freq  
6.875GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8766G	-5.42	6.9152G	-55.51	-45.42	-10.09	1
6.8769G	-5.56	6.92G	-55.58	-45.56	-10.02	2
6.8761G	-5.13	6.9164G	-55.67	-45.13	-10.54	3
6.8707G	-5.22	6.9178G	-55.57	-45.22	-10.35	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TnomVnom

26/09/2020

CF Freq  
6.895GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8963G	-6.54	6.9444G	-55.38	-46.54	-8.84	1
6.8973G	-6.99	6.945G	-55.62	-46.99	-8.63	2
6.8959G	-6.33	6.9381G	-55.56	-46.33	-9.23	3
6.8988G	-6.93	6.9434G	-55.51	-46.93	-8.58	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

7015MHz\_TnomVnom

26/09/2020

CF Freq  
7.015GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0125G	-6.76	6.9805G	-55.08	-46.76	-8.32	1
7.0192G	-6.06	6.9734G	-55.01	-46.06	-8.95	2
7.0123G	-5.34	6.9778G	-55.02	-45.34	-9.68	3
7.0173G	-6.10	6.9824G	-55.03	-46.02	-9.01	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TnomVnom

29/09/2020

CF Freq  
7.095GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0921G	-5.89	7.1282G	-54.46	-45.89	-8.57	1
7.0938G	-5.56	7.0562G	-54.40	-45.56	-8.84	2
7.0906G	-5.66	7.1325G	-54.46	-45.66	-8.80	3
7.0938G	-6.08	7.1284G	-54.35	-46.08	-8.27	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6125MHz\_TnomVnom

26/09/2020

CF Freq  
6.125GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.121G	-6.09	6.2154G	-55.64	-46.09	-9.55	1
6.11981G	-5.85	6.204G	-55.89	-45.85	-10.04	2
6.11861G	-6.00	6.2236G	-56.01	-46.00	-10.01	3
6.11781G	-5.33	6.1868G	-56.06	-45.33	-10.73	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6245MHz\_TnomVnom

26/09/2020

CF Freq  
6.245GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.243G	-5.67	6.184G	-55.76	-45.67	-10.09	1
6.2486G	-5.86	6.1836G	-55.94	-45.86	-10.08	2
6.25239G	-5.82	6.1848G	-56.17	-45.82	-10.35	3
6.2418G	-5.04	6.1838G	-55.76	-45.04	-10.72	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TnomVnom

26/09/2020

CF Freq  
6.405GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4094G	-6.12	6.3432G	-55.25	-46.12	-9.13	1
6.41119G	-6.36	6.3434G	-55.52	-46.36	-9.16	2
6.39881G	-5.95	6.344G	-55.37	-45.95	-9.42	3
6.4012G	-5.49	6.3438G	-55.20	-45.49	-9.71	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TnomVnom

26/09/2020

CF Freq  
6.445GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43981G	-5.71	6.3836G	-54.90	-45.71	-9.19	1
6.43841G	-5.76	6.3844G	-55.16	-45.76	-9.40	2
6.43981G	-5.30	6.3836G	-54.90	-45.30	-9.60	3
6.4408G	-5.31	6.383G	-54.95	-45.31	-9.64	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TnomVnom

26/09/2020

CF Freq  
6.485GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47981G	-7.35	6.4004G	-55.11	-47.35	-7.76	1
6.47821G	-6.91	6.3928G	-55.30	-46.91	-8.39	2
6.4802G	-6.49	6.4148G	-55.25	-46.49	-8.76	3
6.48G	-6.66	6.4222G	-55.13	-46.66	-8.47	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

26/09/2020

CF Freq  
6.525GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5206G	-7.45	6.4278G	-55.14	-47.45	-7.69	1
6.5282G	-6.82	6.4268G	-55.33	-46.82	-8.51	2
6.52G	-6.44	6.4634G	-54.96	-46.44	-8.52	3
6.51861G	-6.95	6.4334G	-55.04	-46.95	-8.09	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TnomVnom

26/09/2020

CF Freq  
6.565GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5612G	-8.75	6.4754G	-55.30	-48.75	-6.55	1
6.55801G	-8.10	6.503G	-55.41	-48.10	-7.31	2
6.55841G	-8.04	6.5038G	-55.33	-48.04	-7.29	3
6.55821G	-8.57	6.505G	-55.34	-48.55	-6.79	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TnomVnom

26/09/2020

CF Freq  
6.685GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69139G	-7.90	6.776G	-52.42	-47.90	-4.52	1
6.69259G	-7.78	6.7816G	-52.58	-47.78	-4.80	2
6.67841G	-7.14	6.587G	-52.61	-47.14	-5.47	3
6.69139G	-7.76	6.781G	-52.45	-47.76	-4.69	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TnomVnom

26/09/2020

CF Freq  
6.845GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85099G	-6.83	6.9434G	-54.85	-46.83	-8.02	1
6.85219G	-6.49	6.9446G	-55.09	-46.49	-8.60	2
6.85079G	-6.50	6.9448G	-55.13	-46.50	-8.63	3
6.85059G	-6.18	6.9418G	-55.14	-46.18	-8.96	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020

CF Freq  
6.885GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89159G	-6.34	6.9818G	-54.38	-46.34	-8.04	1
6.89739G	-6.27	6.9834G	-54.50	-46.27	-8.23	2
6.89139G	-5.96	6.9788G	-54.61	-45.96	-8.65	3
6.8806G	-6.17	6.9818G	-54.49	-46.17	-8.32	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TnomVnom

26/09/2020

CF Freq  
6.925GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9214G	-6.43	6.9868G	-54.36	-46.43	-7.93	1
6.93219G	-6.82	6.9876G	-54.53	-46.82	-7.71	2
6.93159G	-5.58	6.9872G	-54.44	-45.58	-8.86	3
6.9286G	-6.57	6.9868G	-54.45	-46.57	-7.88	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TnomVnom

26/09/2020

CF Freq  
7.005GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0074G	-6.24	6.9442G	-55.20	-46.24	-8.96	1
7.0094G	-6.03	6.9452G	-55.04	-46.03	-9.01	2
7.002G	-5.42	6.9434G	-55.27	-45.42	-9.85	3
7.0076G	-6.21	6.9434G	-55.26	-46.21	-9.05	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TnomVnom

26/09/2020

CF Freq  
7.085GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07761G	-5.84	6.9872G	-55.12	-45.84	-9.28	1
7.0806G	-5.86	6.9852G	-55.05	-45.86	-9.19	2
7.07901G	-5.85	6.9852G	-55.00	-45.85	-9.15	3
7.07761G	-5.90	6.9856G	-55.34	-45.90	-9.44	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6145MHz\_TnomVnom

26/09/2020

CF Freq  
6.145GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15619G	-5.65	6.2674G	-54.46	-45.65	-8.81	1
6.15619G	-5.39	6.275G	-54.63	-45.39	-9.24	2
6.13381G	-5.44	6.2726G	-54.52	-45.44	-9.08	3
6.13261G	-4.92	6.2722G	-55.30	-44.92	-10.38	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TnomVnom

26/09/2020

CF Freq  
6.225GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23619G	-6.27	6.3642G	-54.71	-46.27	-8.44	1
6.21381G	-6.10	6.3502G	-54.79	-46.10	-8.69	2
6.23739G	-5.86	6.3554G	-55.17	-45.86	-9.31	3
6.21221G	-5.32	6.1018G	-54.74	-45.32	-9.42	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TnomVnom

26/09/2020

CF Freq  
6.385GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37381G	-3.95	6.2618G	-53.59	-43.95	-9.64	1
6.39859G	-4.19	6.2626G	-53.62	-44.19	-9.43	2
6.37301G	-3.73	6.2594G	-53.44	-43.73	-9.71	3
6.37621G	-3.61	6.2618G	-53.78	-43.61	-10.17	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TnomVnom

26/09/2020

CF Freq  
6.465GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45021G	-5.57	6.3334G	-54.03	-45.57	-8.46	1
6.45341G	-5.07	6.3286G	-54.04	-45.07	-8.97	2
6.45501G	-4.79	6.3426G	-53.55	-44.79	-8.76	3
6.45021G	-5.12	6.3414G	-53.82	-45.12	-8.70	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

26/09/2020

CF Freq  
6.545GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53061G	-7.85	6.4166G	-54.16	-47.85	-6.31	1
6.53301G	-7.17	6.4118G	-54.29	-47.17	-7.12	2
6.52982G	-7.52	6.4002G	-53.94	-47.52	-6.42	3
6.53341G	-7.63	6.4114G	-53.94	-47.63	-6.31	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TnomVnom

26/09/2020

CF Freq  
6.625GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61621G	-4.54	6.7634G	-51.20	-44.54	-6.66	1
6.61261G	-4.10	6.503G	-51.03	-44.10	-6.93	2
6.61341G	-3.64	6.503G	-50.83	-43.63	-7.20	3
6.61261G	-4.49	6.7626G	-51.25	-44.49	-6.76	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TnomVnom

26/09/2020

CF Freq  
6.705GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71859G	-5.71	6.8306G	-51.04	-45.71	-5.33	1
6.71619G	-5.46	6.8466G	-51.19	-45.46	-5.73	2
6.71379G	-5.58	6.581G	-51.26	-45.58	-5.68	3
6.71619G	-5.31	6.8458G	-51.28	-45.31	-5.97	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TnomVnom

26/09/2020

CF Freq  
6.785GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79099G	-6.23	6.909G	-53.18	-46.23	-6.95	1
6.79739G	-5.47	6.9082G	-52.89	-45.47	-7.42	2
6.79459G	-5.98	6.9214G	-53.54	-45.98	-7.56	3
6.79579G	-5.37	6.9294G	-53.39	-45.37	-8.02	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020

CF Freq  
6.865GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87619G	-5.44	6.9898G	-53.13	-45.44	-7.69	1
6.87739G	-5.14	6.9862G	-52.88	-45.05	-7.83	2
6.87619G	-5.12	6.9886G	-53.33	-45.12	-8.21	3
6.85541G	-5.43	6.9934G	-53.07	-45.43	-7.64	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TnomVnom

26/09/2020

CF Freq  
6.945GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95659G	-5.98	6.8218G	-54.61	-45.98	-8.63	1
6.95699G	-5.74	6.8218G	-54.68	-45.74	-8.94	2
6.95699G	-4.95	6.823G	-54.36	-44.95	-9.41	3
6.95339G	-5.84	6.8214G	-54.63	-45.84	-8.79	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TnomVnom

26/09/2020

CF Freq  
7.025GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01741G	-6.28	6.9018G	-54.47	-46.28	-8.19	1
7.03579G	-5.22	6.9034G	-53.99	-45.14	-8.85	2
7.01261G	-5.26	6.9014G	-54.30	-45.26	-9.04	3
7.03739G	-5.99	6.8998G	-54.60	-45.99	-8.61	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TnomVnom

26/09/2020

CF Freq  
6.185GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1826G	-6.30	6.437G	-54.40	-46.30	-8.10	1
6.1898G	-6.01	6.4346G	-54.61	-46.01	-8.60	2
6.20258G	-6.27	6.4458G	-54.93	-46.27	-8.66	3
6.16742G	-5.30	6.4418G	-55.15	-45.30	-9.85	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TnomVnom

26/09/2020

CF Freq  
6.345GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35619G	-6.05	6.6178G	-54.48	-46.05	-8.43	1
6.33861G	-6.16	6.0978G	-54.70	-46.16	-8.54	2
6.33861G	-5.81	6.0898G	-54.60	-45.81	-8.79	3
6.33861G	-5.71	6.0994G	-53.99	-45.71	-8.28	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

26/09/2020

CF Freq  
6.505GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52018G	-7.19	6.797G	-53.32	-47.19	-6.13	1
6.51299G	-6.48	6.2234G	-53.73	-46.48	-7.25	2
6.48982G	-6.09	6.2578G	-53.38	-46.09	-7.29	3
6.48022G	-6.62	6.205G	-53.37	-46.62	-6.75	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TnomVnom

26/09/2020

CF Freq  
6.665GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73853G	-6.96	6.9866G	-49.74	-46.96	-2.78	1
6.62824G	-6.24	6.977G	-50.09	-46.24	-3.85	2
6.63303G	-5.76	6.3986G	-50.15	-45.76	-4.39	3
6.63863G	-6.86	6.9906G	-50.22	-46.86	-3.36	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020

CF Freq  
6.825GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83139G	-6.12	7.0946G	-53.68	-46.12	-7.56	1
6.84738G	-5.41	6.5386G	-53.73	-45.41	-8.32	2
6.83059G	-5.77	6.5394G	-52.82	-45.77	-7.05	3
6.83619G	-5.74	7.101G	-53.74	-45.74	-8.00	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TnomVnom

26/09/2020



CF Freq  
6.985GHz

Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS

Port 1 



Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00258G	-6.95	6.7378G	-55.03	-46.95	-8.08	1
6.96182G	-6.33	6.7386G	-54.95	-46.33	-8.62	2
6.97621G	-5.90	6.7402G	-54.49	-45.85	-8.64	3
7.00258G	-6.55	6.7386G	-55.00	-46.52	-8.48	4

For Conducted:



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TnomVnom

26/09/2020

CF Freq  
6.415GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4141G	-5.31	6.3841G	-55.08	-45.31	-9.77	1
6.4136G	-5.51	6.384G	-55.30	-45.51	-9.79	2
6.4194G	-5.22	6.4049G	-17.11	-7.22	-9.89	3
6.4159G	-5.09	6.3843G	-55.32	-45.09	-10.23	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TnomVnom

26/09/2020

CF Freq  
6.435GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4398G	-6.67	6.4038G	-55.31	-46.67	-8.64	1
6.4336G	-6.62	6.4044G	-55.59	-46.62	-8.97	2
6.4398G	-6.62	6.4043G	-55.43	-46.62	-8.81	3
6.4307G	-6.18	6.4044G	-55.49	-46.18	-9.31	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TnomVnom

26/09/2020

CF Freq  
6.475GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46981G	-7.16	6.4253G	-55.66	-47.16	-8.50	1
6.4732G	-6.93	6.5057G	-55.83	-46.93	-8.90	2
6.4703G	-6.56	6.4444G	-55.71	-46.56	-9.15	3
6.4703G	-6.79	6.4443G	-55.76	-46.79	-8.97	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TnomVnom

26/09/2020

CF Freq  
6.515GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5156G	-7.18	6.5456G	-55.38	-47.18	-8.20	1
6.5133G	-6.84	6.5458G	-55.71	-46.84	-8.87	2
6.51G	-6.37	6.5457G	-55.43	-46.37	-9.06	3
6.50991G	-7.04	6.483G	-55.55	-47.04	-8.51	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TnomVnom

26/09/2020

CF Freq  
6.535GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5305G	-6.22	6.5038G	-55.27	-46.22	-9.05	1
6.5328G	-6.10	6.5043G	-55.52	-46.10	-9.42	2
6.5303G	-5.82	6.5041G	-55.26	-45.82	-9.44	3
6.5334G	-6.50	6.504G	-55.40	-46.50	-8.90	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TnomVnom

26/09/2020

CF Freq  
6.695GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6965G	-5.59	6.7262G	-52.58	-45.59	-6.99	1
6.6977G	-5.33	6.7364G	-52.75	-45.33	-7.42	2
6.6986G	-4.82	6.7251G	-52.71	-44.82	-7.89	3
6.6966G	-5.30	6.7256G	-52.64	-45.30	-7.34	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TnomVnom

26/09/2020

CF Freq  
6.855GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8569G	-6.47	6.8852G	-55.51	-46.47	-9.04	1
6.8574G	-6.41	6.8869G	-55.62	-46.41	-9.21	2
6.8559G	-6.13	6.8856G	-55.63	-46.13	-9.50	3
6.8558G	-6.42	6.8853G	-55.61	-46.42	-9.19	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020

CF Freq  
6.875GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8762G	-6.72	6.9054G	-55.54	-46.72	-8.82	1
6.8771G	-6.77	6.9053G	-55.72	-46.77	-8.95	2
6.8763G	-6.49	6.9058G	-55.66	-46.49	-9.17	3
6.8708G	-7.01	6.9061G	-55.55	-47.01	-8.54	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TnomVnom

26/09/2020

CF Freq  
6.895GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8964G	-6.70	6.942G	-55.38	-46.70	-8.68	1
6.897G	-6.58	6.9425G	-55.50	-46.58	-8.92	2
6.8959G	-6.38	6.941G	-55.49	-46.38	-9.11	3
6.8937G	-6.55	6.9444G	-55.41	-46.55	-8.86	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

7015MHz\_TnomVnom

26/09/2020

CF Freq  
7.015GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0175G	-7.32	6.9844G	-54.96	-47.32	-7.64	1
7.0194G	-6.65	6.9846G	-54.82	-46.65	-8.17	2
7.0122G	-5.56	6.9842G	-54.80	-45.56	-9.24	3
7.0175G	-6.68	6.9842G	-55.01	-46.68	-8.33	4

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TnomVnom

29/09/2020




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.097G	-5.56	7.1341G	-54.45	-45.56	-8.89	1
7.094G	-5.68	7.1318G	-54.35	-45.68	-8.67	2
7.0907G	-5.69	7.1277G	-54.51	-45.69	-8.82	3
7.0929G	-6.21	7.1288G	-54.32	-46.21	-8.11	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6125MHz\_TnomVnom

26/09/2020



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1274G	-6.76	6.203G	-55.83	-46.76	-9.07	1
6.11981G	-6.61	6.193G	-55.97	-46.61	-9.36	2
6.11901G	-6.52	6.2106G	-56.10	-46.52	-9.58	3
6.1226G	-5.94	6.2158G	-56.21	-45.94	-10.27	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6245MHz\_TnomVnom

26/09/2020

CF Freq  
6.245GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23821G	-5.79	6.1818G	-55.75	-45.79	-9.96	1
6.2486G	-5.76	6.1828G	-55.87	-45.76	-10.11	2
6.25259G	-5.66	6.1836G	-56.03	-45.66	-10.37	3
6.2418G	-4.97	6.1824G	-55.80	-44.97	-10.83	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TnomVnom

26/09/2020

CF Freq  
6.405GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39901G	-4.94	6.3434G	-54.97	-44.94	-10.03	1
6.4088G	-5.36	6.3424G	-55.17	-45.36	-9.81	2
6.39861G	-4.74	6.3434G	-55.02	-44.74	-10.28	3
6.401G	-4.47	6.3436G	-55.09	-44.47	-10.62	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TnomVnom

26/09/2020

CF Freq  
6.445GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43981G	-6.11	6.3834G	-54.88	-46.11	-8.77	1
6.4486G	-5.87	6.383G	-55.15	-45.87	-9.28	2
6.44G	-5.60	6.3828G	-54.98	-45.60	-9.38	3
6.4406G	-5.39	6.3828G	-55.02	-45.39	-9.63	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TnomVnom

26/09/2020

CF Freq  
6.485GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4802G	-6.59	6.3856G	-55.03	-46.59	-8.44	1
6.4886G	-6.08	6.4206G	-55.18	-46.08	-9.10	2
6.48G	-5.52	6.391G	-54.93	-45.52	-9.41	3
6.48G	-6.02	6.4222G	-55.06	-46.02	-9.04	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

26/09/2020




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53019G	-8.89	6.4266G	-55.34	-48.89	-6.45	1
6.5282G	-8.43	6.4354G	-55.52	-48.43	-7.09	2
6.52G	-8.11	6.425G	-55.24	-48.11	-7.13	3
6.52G	-8.49	6.4422G	-55.29	-48.49	-6.80	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TnomVnom

26/09/2020



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5606G	-6.63	6.5016G	-55.05	-46.63	-8.42	1
6.568G	-6.06	6.503G	-55.14	-46.06	-9.08	2
6.55881G	-5.97	6.4652G	-54.93	-45.97	-8.96	3
6.55841G	-6.31	6.5034G	-55.04	-46.31	-8.73	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TnomVnom

26/09/2020

CF Freq  
6.685GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69119G	-6.54	6.7556G	-52.25	-46.54	-5.71	1
6.69239G	-6.32	6.7776G	-52.44	-46.32	-6.12	2
6.6886G	-5.70	6.6224G	-52.39	-45.70	-6.69	3
6.69139G	-6.28	6.7514G	-52.43	-46.28	-6.15	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TnomVnom

26/09/2020

CF Freq  
6.845GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85119G	-5.99	6.937G	-54.54	-45.99	-8.55	1
6.85239G	-5.78	6.9448G	-54.56	-45.78	-8.78	2
6.85079G	-5.76	6.9444G	-54.68	-45.76	-8.92	3
6.85079G	-5.83	6.939G	-54.66	-45.83	-8.83	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89139G	-6.74	6.9848G	-54.41	-46.74	-7.67	1
6.89239G	-6.73	6.9834G	-54.59	-46.73	-7.86	2
6.89099G	-6.42	6.9826G	-54.64	-46.42	-8.22	3
6.8808G	-6.69	6.983G	-54.51	-46.69	-7.82	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TnomVnom

26/09/2020



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93159G	-5.87	6.9864G	-54.25	-45.87	-8.38	1
6.9224G	-6.39	6.9864G	-54.42	-46.39	-8.03	2
6.93119G	-5.10	6.9868G	-54.29	-45.10	-9.19	3
6.93059G	-6.03	6.9862G	-54.28	-46.03	-8.25	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TnomVnom

26/09/2020

CF Freq  
7.005GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0024G	-6.32	6.9426G	-55.07	-46.32	-8.75	1
7.01119G	-6.19	6.9438G	-55.03	-46.19	-8.84	2
7.0022G	-5.54	6.945G	-55.08	-45.54	-9.54	3
7.0076G	-5.94	6.9436G	-55.10	-45.94	-9.16	4

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TnomVnom

26/09/2020

CF Freq  
7.085GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07781G	-7.25	6.9854G	-55.38	-47.25	-8.13	1
7.0806G	-7.26	6.9856G	-55.23	-47.26	-7.97	2
7.07881G	-7.09	6.987G	-55.20	-47.09	-8.11	3
7.0822G	-7.55	6.9852G	-55.51	-47.55	-7.96	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6145MHz\_TnomVnom

26/09/2020

CF Freq  
6.145GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13301G	-5.38	6.273G	-54.33	-45.38	-8.95	1
6.12942G	-5.17	6.2674G	-54.38	-45.17	-9.21	2
6.13381G	-5.13	6.2662G	-54.31	-45.13	-9.18	3
6.13261G	-4.60	6.2666G	-55.13	-44.60	-10.53	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TnomVnom

26/09/2020

CF Freq  
6.225GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21341G	-5.53	6.3586G	-54.60	-45.53	-9.07	1
6.23859G	-5.53	6.347G	-54.52	-45.53	-8.99	2
6.23739G	-5.51	6.3482G	-54.74	-45.51	-9.23	3
6.21221G	-4.78	6.1022G	-54.37	-44.78	-9.59	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TnomVnom

26/09/2020

CF Freq  
6.385GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37381G	-5.17	6.2466G	-54.40	-45.17	-9.23	1
6.39619G	-5.54	6.2626G	-54.48	-45.54	-8.94	2
6.37341G	-4.93	6.2622G	-54.18	-44.93	-9.25	3
6.37621G	-5.11	6.259G	-54.59	-45.11	-9.48	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TnomVnom

26/09/2020

CF Freq  
6.465GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45501G	-6.09	6.3426G	-54.14	-46.09	-8.05	1
6.45341G	-5.91	6.3426G	-54.19	-45.91	-8.28	2
6.44982G	-5.41	6.341G	-53.96	-45.41	-8.55	3
6.45061G	-5.59	6.343G	-53.92	-45.59	-8.33	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

26/09/2020

CF Freq  
6.545GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53101G	-7.45	6.4094G	-54.10	-47.45	-6.65	1
6.53261G	-6.67	6.4134G	-54.14	-46.67	-7.47	2
6.53061G	-6.79	6.4214G	-53.52	-46.79	-6.73	3
6.53381G	-7.11	6.3978G	-53.68	-47.11	-6.57	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TnomVnom

26/09/2020

CF Freq  
6.625GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61101G	-5.12	6.7654G	-51.54	-45.12	-6.42	1
6.61261G	-4.52	6.4978G	-51.59	-44.52	-7.07	2
6.61341G	-4.42	6.503G	-51.41	-44.42	-6.99	3
6.61301G	-5.36	6.759G	-51.67	-45.36	-6.31	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TnomVnom

26/09/2020

CF Freq  
6.705GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71619G	-4.90	6.8286G	-50.86	-44.90	-5.96	1
6.71739G	-4.97	6.8406G	-51.03	-44.97	-6.06	2
6.71859G	-4.56	6.583G	-51.10	-44.56	-6.54	3
6.71619G	-4.86	6.8262G	-51.02	-44.86	-6.16	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TnomVnom

26/09/2020

CF Freq  
6.785GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79659G	-6.64	6.9062G	-53.26	-46.64	-6.62	1
6.79699G	-5.91	6.9242G	-53.21	-45.91	-7.30	2
6.77381G	-6.37	6.9818G	-53.62	-46.37	-7.25	3
6.79579G	-6.17	6.9306G	-53.50	-46.17	-7.33	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

26/09/2020

CF Freq  
6.865GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87659G	-5.45	6.9874G	-52.82	-45.45	-7.37	1
6.87739G	-5.25	6.9886G	-52.76	-45.25	-7.51	2
6.87619G	-5.26	6.9934G	-52.94	-45.26	-7.68	3
6.87539G	-5.60	6.9882G	-52.73	-45.60	-7.13	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TnomVnom

26/09/2020

CF Freq  
6.945GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93621G	-6.44	6.8222G	-54.74	-46.44	-8.30	1
6.95699G	-6.16	6.823G	-54.91	-46.16	-8.75	2
6.95619G	-5.13	6.8122G	-54.49	-45.13	-9.36	3
6.93341G	-6.09	6.8222G	-54.62	-46.09	-8.53	4

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TnomVnom

26/09/2020

CF Freq  
7.025GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03739G	-6.80	6.9022G	-54.70	-46.80	-7.90	1
7.03579G	-5.98	6.9018G	-54.44	-45.98	-8.46	2
7.01221G	-5.85	6.899G	-54.61	-45.85	-8.76	3
7.01221G	-6.68	6.9034G	-54.88	-46.68	-8.20	4

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TnomVnom

28/09/2020

CF Freq  
6.185GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1882G	-4.51	6.4282G	-53.59	-44.51	-9.08	1
6.189G	-4.42	6.4266G	-53.86	-44.42	-9.44	2
6.20178G	-4.69	6.4266G	-54.47	-44.69	-9.78	3
6.16742G	-3.76	6.4274G	-54.54	-43.76	-10.78	4

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TnomVnom

28/09/2020

CF Freq  
6.345GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.33621G	-3.51	6.5882G	-53.62	-43.51	-10.11	1
6.3418G	-3.96	6.101G	-53.59	-43.96	-9.63	2
6.32742G	-3.39	6.101G	-53.23	-43.39	-9.84	3
6.35139G	-3.33	6.1026G	-52.46	-43.33	-9.13	4

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

28/09/2020

CF Freq  
6.505GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52018G	-6.02	6.789G	-53.09	-46.02	-7.07	1
6.5002G	-5.39	6.2594G	-53.43	-45.39	-8.04	2
6.48022G	-4.91	6.2618G	-52.74	-44.91	-7.83	3
6.47543G	-5.44	6.245G	-52.90	-45.44	-7.46	4

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TnomVnom

28/09/2020

CF Freq  
6.665GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64102G	-3.93	6.909G	-48.78	-43.93	-4.85	1
6.63783G	-3.23	6.9594G	-49.22	-43.23	-5.99	2
6.63303G	-3.04	6.421G	-48.71	-43.04	-5.67	3
6.64262G	-3.89	6.3818G	-49.20	-43.89	-5.31	4

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

28/09/2020

CF Freq  
6.825GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84738G	-4.97	7.0658G	-53.27	-44.97	-8.30	1
6.84258G	-4.37	6.5394G	-53.22	-44.37	-8.85	2
6.84018G	-4.48	6.5266G	-52.18	-44.48	-7.70	3
6.83619G	-4.59	7.069G	-53.06	-44.59	-8.47	4

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TnomVnom

28/09/2020

CF Freq  
6.985GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 



Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9818G	-6.04	6.7426G	-54.87	-46.04	-8.83	1
7.00098G	-5.06	6.7378G	-54.72	-45.06	-9.66	2
6.97141G	-4.83	6.7426G	-54.10	-44.83	-9.27	3
7.00258G	-5.29	6.7402G	-54.60	-45.29	-9.31	4

For Conducted:



802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6415MHz\_TnomVnom

29/09/2020

CF Freq  
6.415GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42G	-3.51	6.3827G	-55.94	-43.51	-12.43	1
6.4165G	-3.61	6.3779G	-56.16	-43.61	-12.55	2
6.4149G	-3.70	6.3796G	-56.08	-43.70	-12.38	3
6.4163G	-3.76	6.3809G	-56.23	-43.76	-12.47	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6435MHz\_TnomVnom

28/09/2020

CF Freq  
6.435GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4376G	-3.13	6.397G	-55.76	-43.13	-12.63	1
6.4394G	-3.38	6.3992G	-55.80	-43.38	-12.42	2
6.4348G	-3.22	6.4003G	-55.80	-43.22	-12.58	3
6.4336G	-3.51	6.3966G	-56.00	-43.51	-12.49	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6475MHz\_TnomVnom

28/09/2020

CF Freq  
6.475GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4763G	-3.96	6.4306G	-56.03	-43.96	-12.07	1
6.4774G	-3.39	6.4274G	-56.09	-43.39	-12.70	2
6.4749G	-3.60	6.4272G	-56.12	-43.60	-12.52	3
6.4774G	-3.98	6.4262G	-56.12	-43.98	-12.14	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6515MHz\_TnomVnom

28/09/2020

CF Freq  
6.515GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5137G	-4.13	6.4805G	-56.30	-44.13	-12.17	1
6.5136G	-2.99	6.5487G	-56.17	-42.99	-13.18	2
6.5163G	-4.03	6.4817G	-56.17	-44.03	-12.14	3
6.5162G	-4.06	6.5489G	-56.17	-44.06	-12.11	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6535MHz\_TnomVnom

29/09/2020

CF Freq  
6.535GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5336G	-4.31	6.5025G	-56.25	-44.27	-11.98	1
6.5338G	-3.30	6.4988G	-56.15	-43.30	-12.85	2
6.5351G	-4.32	6.4913G	-56.20	-44.32	-11.88	3
6.5338G	-4.31	6.5713G	-56.18	-44.31	-11.87	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6695MHz\_TnomVnom

28/09/2020

CF Freq  
6.695GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6985G	-3.75	6.732G	-56.24	-43.75	-12.49	1
6.6911G	-3.78	6.6614G	-56.26	-43.78	-12.48	2
6.6962G	-3.55	6.6594G	-56.19	-43.55	-12.64	3
6.6937G	-3.74	6.728G	-56.18	-43.74	-12.44	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6855MHz\_TnomVnom

28/09/2020

CF Freq  
6.855GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8564G	-3.46	6.8888G	-55.83	-43.46	-12.37	1
6.8535G	-4.29	6.8895G	-56.03	-44.29	-11.74	2
6.8574G	-4.00	6.8881G	-55.73	-44.00	-11.73	3
6.8576G	-4.09	6.8886G	-55.91	-44.09	-11.82	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.875GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8764G	-3.73	6.9162G	-55.82	-43.73	-12.09	1
6.8737G	-4.40	6.9192G	-56.04	-44.40	-11.64	2
6.88119G	-4.50	6.9078G	-55.89	-44.50	-11.39	3
6.8774G	-4.28	6.9172G	-55.92	-44.28	-11.64	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

6895MHz\_TnomVnom

29/09/2020

CF Freq  
6.895GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8936G	-3.08	6.9426G	-55.64	-43.08	-12.56	1
6.8911G	-3.57	6.9433G	-55.58	-43.57	-12.01	2
6.8915G	-3.54	6.9423G	-55.39	-43.54	-11.85	3
6.8976G	-3.59	6.9385G	-55.42	-43.59	-11.83	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

7015MHz\_TnomVnom

29/09/2020

CF Freq  
7.015GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00881G	-3.37	6.9806G	-55.14	-43.37	-11.77	1
7.0187G	-2.69	6.9823G	-54.88	-42.69	-12.19	2
7.0136G	-3.05	6.9828G	-54.94	-43.05	-11.89	3
7.0139G	-4.35	6.9815G	-55.08	-44.35	-10.73	4

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

MASK

7095MHz\_TnomVnom

30/09/2020

CF Freq  
7.095GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0998G	-3.78	7.1313G	-47.80	-43.78	-4.02	1
7.0932G	-3.72	7.1305G	-47.83	-43.72	-4.11	2
7.0975G	-3.48	7.1312G	-47.91	-43.48	-4.43	3
7.0908G	-3.74	7.1285G	-47.87	-43.74	-4.13	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6125MHz\_TnomVnom

29/09/2020

CF Freq  
6.125GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1202G	-0.63	6.209G	-47.21	-40.63	-6.58	1
6.1212G	-0.72	6.211G	-47.27	-40.72	-6.55	2
6.1248G	-0.01	6.202G	-47.21	-40.01	-7.20	3
6.1292G	-1.63	6.2008G	-47.28	-41.63	-5.65	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6245MHz\_TnomVnom

29/09/2020

CF Freq  
6.245GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25G	-1.09	6.345G	-47.06	-41.09	-5.97	1
6.2492G	-1.23	6.337G	-47.19	-41.23	-5.96	2
6.245G	0.07	6.342G	-47.30	-39.93	-7.37	3
6.2496G	-1.11	6.3436G	-47.30	-41.11	-6.19	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6405MHz\_TnomVnom

29/09/2020

CF Freq  
6.405GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41G	-1.67	6.3446G	-47.10	-41.67	-5.43	1
6.41119G	-1.88	6.345G	-47.28	-41.86	-5.42	2
6.405G	-1.10	6.3378G	-47.38	-41.10	-6.28	3
6.4074G	-2.06	6.3436G	-47.28	-42.06	-5.22	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6445MHz\_TnomVnom

29/09/2020

CF Freq  
6.445GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43121G	-1.30	6.3848G	-46.80	-41.30	-5.50	1
6.449G	-0.90	6.3848G	-46.74	-40.90	-5.84	2
6.445G	-0.36	6.3842G	-46.84	-40.36	-6.48	3
6.4496G	-1.46	6.3816G	-47.00	-41.46	-5.54	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6485MHz\_TnomVnom

29/09/2020

CF Freq  
6.485GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4872G	-1.56	6.3912G	-46.81	-41.56	-5.25	1
6.4892G	-0.60	6.4076G	-46.88	-40.60	-6.28	2
6.485G	-0.28	6.3874G	-46.90	-40.28	-6.62	3
6.4874G	-1.11	6.3904G	-46.98	-41.11	-5.87	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

29/09/2020




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5222G	-1.51	6.5876G	-47.12	-41.51	-5.61	1
6.5212G	-0.44	6.5898G	-47.14	-40.44	-6.70	2
6.525G	-0.54	6.4266G	-47.14	-40.54	-6.60	3
6.5278G	-1.47	6.5912G	-47.17	-41.47	-5.70	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6565MHz\_TnomVnom

29/09/2020



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55881G	-2.33	6.5038G	-47.40	-42.33	-5.07	1
6.56G	-1.66	6.5048G	-47.29	-41.66	-5.63	2
6.565G	-0.88	6.5022G	-47.28	-40.88	-6.40	3
6.5698G	-2.14	6.5006G	-47.41	-42.14	-5.27	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6685MHz\_TnomVnom

29/09/2020

CF Freq  
6.685GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6896G	-0.64	6.7462G	-46.92	-40.64	-6.28	1
6.68G	-0.32	6.752G	-47.08	-40.32	-6.76	2
6.685G	0.38	6.7452G	-47.00	-39.62	-7.38	3
6.69159G	-0.87	6.746G	-46.98	-40.87	-6.11	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6845MHz\_TnomVnom

29/09/2020

CF Freq  
6.845GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8472G	-0.56	6.943G	-46.51	-40.56	-5.95	1
6.83981G	-0.63	6.9416G	-46.63	-40.63	-6.00	2
6.845G	0.12	6.9396G	-46.49	-39.88	-6.61	3
6.8496G	-0.77	6.9448G	-46.54	-40.77	-5.77	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.885GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882G	-1.60	6.9844G	-45.98	-41.60	-4.38	1
6.87881G	-2.04	6.9828G	-46.11	-42.04	-4.07	2
6.885G	-1.09	6.9836G	-45.99	-41.09	-4.90	3
6.8896G	-1.99	6.982G	-46.11	-41.99	-4.12	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

6925MHz\_TnomVnom

29/09/2020

CF Freq  
6.925GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9224G	-1.51	6.9872G	-45.90	-41.51	-4.39	1
6.93859G	-1.76	6.9858G	-45.68	-41.76	-3.92	2
6.9248G	-1.35	6.9966G	-45.72	-41.35	-4.37	3
6.93119G	-1.98	6.9854G	-45.82	-41.98	-3.84	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

7005MHz\_TnomVnom

29/09/2020

CF Freq  
7.005GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0004G	-1.64	6.9442G	-46.53	-41.64	-4.89	1
7.01239G	-1.09	6.9448G	-46.28	-41.09	-5.19	2
7.005G	-0.43	6.9428G	-46.30	-40.43	-5.87	3
7.01979G	-1.90	6.9448G	-46.41	-41.90	-4.51	4

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

MASK

7085MHz\_TnomVnom

29/09/2020

CF Freq  
7.085GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07861G	-1.03	6.9852G	-46.48	-41.03	-5.45	1
7.081G	-1.02	6.985G	-46.11	-41.02	-5.09	2
7.09G	-0.97	6.9852G	-46.10	-40.97	-5.13	3
7.08G	-0.60	6.9856G	-46.24	-40.60	-5.64	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6145MHz\_TnomVnom

29/09/2020

CF Freq  
6.145GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.145G	-6.65	6.3442G	-50.55	-46.65	-3.90	1
6.13741G	-7.34	6.3298G	-50.69	-47.34	-3.35	2
6.145G	-5.25	6.3402G	-50.65	-45.25	-5.40	3
6.15619G	-7.82	6.335G	-50.70	-47.82	-2.88	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6225MHz\_TnomVnom

29/09/2020

CF Freq  
6.225GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19863G	-6.63	6.375G	-50.12	-46.63	-3.49	1
6.23739G	-6.40	6.3474G	-50.26	-46.40	-3.86	2
6.225G	-4.61	6.3566G	-50.25	-44.61	-5.64	3
6.21101G	-6.62	6.3654G	-50.24	-46.62	-3.62	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6385MHz\_TnomVnom

29/09/2020

CF Freq  
6.385GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37101G	-5.01	6.2042G	-50.27	-45.01	-5.26	1
6.37101G	-5.39	6.2242G	-50.41	-45.39	-5.02	2
6.385G	-3.57	6.5242G	-50.40	-43.57	-6.83	3
6.39739G	-5.27	6.523G	-50.24	-45.27	-4.97	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6465MHz\_TnomVnom

29/09/2020

CF Freq  
6.465GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44902G	-6.36	6.3422G	-50.03	-46.36	-3.67	1
6.47379G	-5.97	6.339G	-49.92	-45.97	-3.95	2
6.465G	-4.41	6.3342G	-50.19	-44.41	-5.78	3
6.47379G	-6.23	6.3434G	-50.14	-46.23	-3.91	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

29/09/2020

CF Freq  
6.545GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53861G	-7.68	6.3946G	-49.94	-47.68	-2.26	1
6.53621G	-6.63	6.391G	-49.98	-46.63	-3.35	2
6.545G	-5.98	6.3966G	-50.04	-45.98	-4.06	3
6.55619G	-7.23	6.4038G	-50.16	-47.23	-2.93	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6625MHz\_TnomVnom

29/09/2020

CF Freq  
6.625GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63379G	-7.49	6.7546G	-50.21	-47.49	-2.72	1
6.61101G	-6.57	6.7606G	-50.36	-46.57	-3.79	2
6.625G	-5.34	6.7662G	-50.20	-45.34	-4.86	3
6.63619G	-7.37	6.7558G	-50.20	-47.37	-2.83	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6705MHz\_TnomVnom

29/09/2020

CF Freq  
6.705GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-7.11	6.8374G	-50.15	-47.11	-3.04	1
6.69101G	-6.30	6.5754G	-50.12	-46.30	-3.82	2
6.705G	-5.39	6.8282G	-50.11	-45.39	-4.72	3
6.71619G	-6.90	6.8302G	-50.08	-46.90	-3.18	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6785MHz\_TnomVnom

29/09/2020

CF Freq  
6.785GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77101G	-7.42	6.9794G	-49.30	-47.42	-1.88	1
6.77101G	-6.59	6.9826G	-49.23	-46.59	-2.64	2
6.785G	-5.78	6.9814G	-49.28	-45.78	-3.50	3
6.79739G	-7.19	6.981G	-49.27	-47.19	-2.08	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.865GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85581G	-6.72	6.9922G	-48.98	-46.72	-2.26	1
6.87619G	-6.53	6.9946G	-48.98	-46.53	-2.45	2
6.88218G	-6.64	6.9918G	-48.85	-46.64	-2.21	3
6.87619G	-7.13	6.9902G	-49.08	-47.13	-1.95	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

6945MHz\_TnomVnom

29/09/2020

CF Freq  
6.945GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95899G	-7.81	6.819G	-50.20	-47.81	-2.39	1
6.945G	-6.61	6.821G	-49.88	-46.61	-3.27	2
6.945G	-6.27	6.8202G	-50.15	-46.27	-3.88	3
6.95379G	-7.89	6.7966G	-50.18	-47.89	-2.29	4

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

MASK

7025MHz\_TnomVnom

29/09/2020

CF Freq  
7.025GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03859G	-8.06	6.889G	-50.31	-48.06	-2.25	1
7.025G	-7.10	6.8954G	-49.99	-47.10	-2.89	2
7.025G	-6.82	6.8982G	-50.02	-46.82	-3.20	3
7.00982G	-7.74	6.9014G	-50.17	-47.74	-2.43	4

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

MASK

6185MHz\_TnomVnom

29/09/2020

CF Freq  
6.185GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.185G	-3.58	6.4362G	-50.50	-43.58	-6.92	1
6.185G	-6.17	6.4314G	-50.47	-46.17	-4.30	2
6.185G	-3.51	6.4322G	-50.23	-43.51	-6.72	3
6.16902G	-6.92	6.4426G	-50.41	-46.92	-3.49	4

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

MASK

6345MHz\_TnomVnom

29/09/2020

CF Freq  
6.345GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.345G	-6.04	6.5986G	-50.48	-46.04	-4.44	1
6.345G	-6.10	6.5922G	-50.64	-46.10	-4.54	2
6.345G	-3.90	6.6114G	-50.56	-43.90	-6.66	3
6.33621G	-7.37	6.5962G	-50.51	-47.37	-3.14	4

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

29/09/2020

CF Freq  
6.505GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.505G	-7.85	6.1906G	-50.06	-47.85	-2.21	1
6.505G	-6.68	6.753G	-50.22	-46.68	-3.54	2
6.505G	-5.00	6.7514G	-50.13	-45.00	-5.13	3
6.509G	-8.02	6.809G	-50.06	-48.02	-2.04	4

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

MASK

6665MHz\_TnomVnom

29/09/2020

CF Freq  
6.665GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.665G	-6.39	6.9946G	-49.14	-46.39	-2.75	1
6.665G	-6.06	6.9794G	-49.25	-46.06	-3.19	2
6.665G	-4.48	6.9722G	-48.88	-44.48	-4.40	3
6.67619G	-7.41	6.9954G	-48.97	-47.41	-1.56	4

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.825GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.825G	-7.39	6.5778G	-50.18	-47.37	-2.81	1
6.825G	-6.85	6.5426G	-49.82	-46.85	-2.97	2
6.825G	-5.22	6.5498G	-50.13	-45.22	-4.91	3
6.83619G	-7.88	6.573G	-50.42	-47.88	-2.54	4

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

MASK

6985MHz\_TnomVnom

29/09/2020

CF Freq  
6.985GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.985G	-5.10	6.7194G	-50.00	-45.10	-4.90	1
6.985G	-4.08	6.7314G	-49.23	-44.08	-5.15	2
6.985G	-3.62	6.733G	-49.96	-43.62	-6.34	3
6.99779G	-6.98	6.7314G	-49.87	-46.98	-2.89	4

For Conducted:



802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6415MHz\_TnomVnom

29/09/2020

CF Freq  
6.415GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4107G	-2.88	6.3806G	-47.25	-42.88	-4.37	1
6.4126G	-2.66	6.3774G	-47.28	-42.66	-4.62	2
6.4174G	-2.84	6.3816G	-47.37	-42.84	-4.53	3
6.4167G	-2.91	6.3786G	-47.39	-42.91	-4.48	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6435MHz\_TnomVnom

29/09/2020

CF Freq  
6.435GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4337G	-2.54	6.387G	-47.08	-42.54	-4.54	1
6.4364G	-2.28	6.3922G	-47.17	-42.28	-4.89	2
6.4334G	-2.22	6.3862G	-47.16	-42.22	-4.94	3
6.4323G	-2.38	6.3945G	-47.21	-42.38	-4.83	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6475MHz\_TnomVnom

29/09/2020

CF Freq  
6.475GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4738G	-2.87	6.4254G	-47.42	-42.87	-4.55	1
6.476G	-2.24	6.4253G	-47.46	-42.24	-5.22	2
6.4735G	-2.34	6.431G	-47.46	-42.34	-5.12	3
6.4728G	-2.61	6.4318G	-47.54	-42.61	-4.93	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6515MHz\_TnomVnom

29/09/2020

CF Freq  
6.515GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5162G	-3.18	6.5475G	-47.34	-43.14	-4.20	1
6.5166G	-2.27	6.5514G	-47.39	-42.27	-5.12	2
6.5139G	-2.78	6.549G	-47.37	-42.78	-4.59	3
6.5165G	-2.87	6.5501G	-47.42	-42.87	-4.55	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6535MHz\_TnomVnom

29/09/2020

CF Freq  
6.535GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5333G	-3.88	6.5803G	-47.46	-43.88	-3.58	1
6.5322G	-3.00	6.5704G	-47.43	-43.00	-4.43	2
6.5338G	-3.46	6.5701G	-47.48	-43.46	-4.02	3
6.5322G	-3.79	6.572G	-47.45	-43.79	-3.66	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6695MHz\_TnomVnom

29/09/2020

CF Freq  
6.695GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6962G	-1.84	6.7287G	-47.35	-41.84	-5.51	1
6.6926G	-1.63	6.731G	-47.43	-41.63	-5.80	2
6.6939G	-1.43	6.745G	-47.35	-41.43	-5.92	3
6.6926G	-1.77	6.7291G	-47.43	-41.77	-5.66	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6855MHz\_TnomVnom

29/09/2020

CF Freq  
6.855GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8534G	-2.09	6.8188G	-47.25	-42.09	-5.16	1
6.8562G	-2.28	6.8091G	-47.34	-42.28	-5.06	2
6.8539G	-2.47	6.8167G	-47.30	-42.47	-4.83	3
6.8526G	-2.55	6.8204G	-47.25	-42.55	-4.70	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.875GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8736G	-2.37	6.9206G	-47.13	-42.37	-4.76	1
6.8761G	-2.47	6.925G	-47.15	-42.47	-4.68	2
6.8737G	-2.39	6.9222G	-47.11	-42.39	-4.72	3
6.8765G	-2.74	6.9233G	-47.15	-42.74	-4.41	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

6895MHz\_TnomVnom

29/09/2020

CF Freq  
6.895GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.894G	-2.01	6.9449G	-46.71	-42.01	-4.70	1
6.8968G	-2.05	6.9415G	-46.53	-42.05	-4.48	2
6.8936G	-2.01	6.945G	-46.63	-42.01	-4.62	3
6.893G	-2.20	6.9445G	-46.59	-42.20	-4.39	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

7015MHz\_TnomVnom

29/09/2020

CF Freq  
7.015GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0125G	-3.39	6.982G	-46.15	-43.39	-2.76	1
7.0122G	-2.62	6.9826G	-46.01	-42.62	-3.39	2
7.0114G	-3.07	6.982G	-46.02	-43.07	-2.95	3
7.0127G	-3.72	6.982G	-46.10	-43.72	-2.38	4

802.11ax HEW20\_Nss4,(MCS0)\_4TX

MASK

7095MHz\_TnomVnom

29/09/2020

CF Freq  
7.095GHz


Span  
100MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.094G	-1.64	7.134G	-47.96	-41.64	-6.32	1
7.0926G	-2.25	7.132G	-47.81	-42.25	-5.56	2
7.0939G	-1.82	7.1275G	-47.91	-41.82	-6.09	3
7.0935G	-1.89	7.128G	-47.85	-41.89	-5.96	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6125MHz\_TnomVnom

29/09/2020

CF Freq  
6.125GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13G	-1.49	6.198G	-47.22	-41.49	-5.73	1
6.11901G	-1.96	6.2062G	-47.38	-41.96	-5.42	2
6.1202G	-1.86	6.2032G	-47.36	-41.86	-5.50	3
6.13G	-2.34	6.1974G	-47.41	-42.34	-5.07	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6245MHz\_TnomVnom

29/09/2020

CF Freq  
6.245GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2422G	-2.17	6.1838G	-47.27	-42.17	-5.10	1
6.2498G	-2.15	6.3436G	-47.46	-42.15	-5.31	2
6.2484G	-2.24	6.3448G	-47.41	-42.24	-5.17	3
6.2496G	-2.27	6.3382G	-47.43	-42.27	-5.16	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6405MHz\_TnomVnom

29/09/2020

CF Freq  
6.405GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401G	-2.68	6.3418G	-47.28	-42.68	-4.60	1
6.39901G	-2.79	6.3436G	-47.40	-42.79	-4.61	2
6.41079G	-2.64	6.3418G	-47.50	-42.64	-4.86	3
6.41G	-2.78	6.3428G	-47.50	-42.78	-4.72	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6445MHz\_TnomVnom

29/09/2020

CF Freq  
6.445GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4412G	-2.87	6.3762G	-47.05	-42.87	-4.18	1
6.43861G	-2.65	6.3796G	-47.07	-42.65	-4.42	2
6.44G	-2.61	6.383G	-46.96	-42.61	-4.35	3
6.4412G	-2.85	6.382G	-47.20	-42.85	-4.35	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6485MHz\_TnomVnom

29/09/2020

CF Freq  
6.485GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4812G	-3.53	6.3862G	-46.91	-43.53	-3.38	1
6.47981G	-2.70	6.4026G	-47.09	-42.70	-4.39	2
6.48G	-3.08	6.3914G	-47.05	-43.08	-3.97	3
6.47941G	-3.32	6.3878G	-47.16	-43.32	-3.84	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

29/09/2020

CF Freq  
6.525GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5214G	-3.02	6.4254G	-47.32	-43.02	-4.30	1
6.5214G	-2.16	6.5868G	-47.33	-42.16	-5.17	2
6.5202G	-2.68	6.4314G	-47.26	-42.68	-4.58	3
6.52G	-2.92	6.586G	-47.36	-42.92	-4.44	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6565MHz\_TnomVnom

29/09/2020

CF Freq  
6.565GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57039G	-4.02	6.5044G	-47.50	-44.02	-3.48	1
6.57039G	-3.29	6.502G	-47.45	-43.29	-4.16	2
6.57099G	-3.69	6.5032G	-47.49	-43.69	-3.80	3
6.5698G	-4.14	6.5032G	-47.62	-44.14	-3.48	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6685MHz\_TnomVnom

29/09/2020

CF Freq  
6.685GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6898G	-2.89	6.7682G	-47.25	-42.89	-4.36	1
6.67881G	-2.44	6.7468G	-47.30	-42.44	-4.86	2
6.69099G	-2.35	6.7504G	-47.18	-42.35	-4.83	3
6.6898G	-2.83	6.7484G	-47.29	-42.83	-4.46	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6845MHz\_TnomVnom

29/09/2020

CF Freq  
6.845GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85099G	-3.04	6.9442G	-46.77	-43.04	-3.73	1
6.84G	-2.86	6.941G	-46.80	-42.86	-3.94	2
6.8424G	-3.18	6.9448G	-46.63	-43.18	-3.45	3
6.8484G	-3.29	6.9436G	-46.74	-43.29	-3.45	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.885GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8898G	-2.81	6.9808G	-46.06	-42.81	-3.25	1
6.87981G	-2.96	6.983G	-46.16	-42.96	-3.20	2
6.89119G	-2.86	6.9844G	-46.14	-42.86	-3.28	3
6.89019G	-3.27	6.9846G	-46.05	-43.27	-2.78	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

6925MHz\_TnomVnom

29/09/2020

CF Freq  
6.925GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.921G	-3.05	6.9852G	-46.05	-43.05	-3.00	1
6.9212G	-2.63	6.9954G	-45.84	-42.63	-3.21	2
6.92G	-3.33	6.9858G	-45.97	-43.33	-2.64	3
6.91981G	-3.18	6.9878G	-45.92	-43.18	-2.74	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

7005MHz\_TnomVnom

29/09/2020

CF Freq  
7.005GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0008G	-3.20	6.9428G	-46.72	-43.20	-3.52	1
7.002G	-2.48	6.9436G	-46.44	-42.48	-3.96	2
7.0008G	-2.68	6.9446G	-46.55	-42.68	-3.87	3
7.0018G	-2.72	6.9444G	-46.56	-42.72	-3.84	4

802.11ax HEW40\_Nss4,(MCS0)\_4TX

MASK

7085MHz\_TnomVnom

29/09/2020

CF Freq  
7.085GHz


Span  
200MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0812G	-2.71	6.9854G	-46.54	-42.71	-3.83	1
7.07101G	-2.93	6.9854G	-46.28	-42.93	-3.35	2
7.07841G	-2.92	6.985G	-46.43	-42.92	-3.51	3
7.07901G	-2.36	6.9856G	-46.41	-42.36	-4.05	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6145MHz\_TnomVnom

29/09/2020

CF Freq  
6.145GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13261G	-1.71	6.3446G	-47.25	-41.71	-5.54	1
6.13181G	-1.88	6.2682G	-47.11	-41.88	-5.23	2
6.15739G	-1.62	6.2702G	-46.97	-41.62	-5.35	3
6.15659G	-2.37	6.2706G	-47.22	-42.37	-4.85	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6225MHz\_TnomVnom

29/09/2020

CF Freq  
6.225GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21261G	-2.87	6.3678G	-46.75	-42.87	-3.88	1
6.23699G	-2.43	6.349G	-46.87	-42.43	-4.44	2
6.23739G	-2.37	6.3558G	-46.90	-42.37	-4.53	3
6.23739G	-2.58	6.3674G	-46.87	-42.58	-4.29	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6385MHz\_TnomVnom

29/09/2020

CF Freq  
6.385GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37621G	-2.74	6.2122G	-47.05	-42.74	-4.31	1
6.37141G	-2.73	6.1966G	-47.22	-42.73	-4.49	2
6.37381G	-2.68	6.5074G	-47.13	-42.68	-4.45	3
6.37381G	-2.71	6.5242G	-47.01	-42.71	-4.30	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6465MHz\_TnomVnom

29/09/2020

CF Freq  
6.465GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-2.76	6.343G	-46.65	-42.75	-3.90	1
6.45421G	-2.46	6.3406G	-46.56	-42.46	-4.10	2
6.45261G	-2.59	6.3322G	-46.89	-42.59	-4.30	3
6.47619G	-2.60	6.5874G	-46.84	-42.60	-4.24	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

29/09/2020

CF Freq  
6.545GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53261G	-3.89	6.3962G	-46.58	-43.89	-2.69	1
6.55979G	-3.07	6.3978G	-46.66	-43.07	-3.59	2
6.53261G	-3.27	6.3938G	-46.74	-43.27	-3.47	3
6.55739G	-4.01	6.3842G	-46.92	-44.01	-2.91	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6625MHz\_TnomVnom

29/09/2020

CF Freq  
6.625GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63739G	-1.66	6.7474G	-46.46	-41.66	-4.80	1
6.61581G	-1.07	6.5018G	-46.61	-41.07	-5.54	2
6.61261G	-1.26	6.7522G	-46.53	-41.26	-5.27	3
6.61381G	-1.95	6.7502G	-46.44	-41.95	-4.49	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6705MHz\_TnomVnom

29/09/2020

CF Freq  
6.705GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-3.29	6.8274G	-46.79	-43.29	-3.50	1
6.69141G	-2.86	6.5758G	-46.71	-42.86	-3.85	2
6.69381G	-2.79	6.829G	-46.75	-42.79	-3.96	3
6.71619G	-3.18	6.8406G	-46.79	-43.18	-3.61	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6785MHz\_TnomVnom

29/09/2020

CF Freq  
6.785GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77621G	-2.80	6.9794G	-45.85	-42.80	-3.05	1
6.77141G	-2.51	6.9834G	-46.03	-42.51	-3.52	2
6.79619G	-2.60	6.9838G	-45.86	-42.60	-3.26	3
6.79419G	-2.59	6.9802G	-45.89	-42.59	-3.30	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.865GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85341G	-2.50	6.9898G	-45.42	-42.50	-2.92	1
6.87979G	-2.29	6.9906G	-45.75	-42.29	-3.46	2
6.87739G	-2.24	6.9938G	-45.52	-42.24	-3.28	3
6.87859G	-2.74	6.9878G	-45.62	-42.74	-2.88	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

6945MHz\_TnomVnom

29/09/2020

CF Freq  
6.945GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-2.90	6.8214G	-46.76	-42.90	-3.86	1
6.93621G	-2.11	6.8202G	-46.26	-42.11	-4.15	2
6.93381G	-2.31	6.8206G	-46.67	-42.31	-4.36	3
6.95259G	-2.75	6.821G	-46.65	-42.75	-3.90	4

802.11ax HEW80\_Nss4,(MCS0)\_4TX

MASK

7025MHz\_TnomVnom

29/09/2020

CF Freq  
7.025GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01301G	-2.46	6.9034G	-46.66	-42.38	-4.28	1
6.99623G	-1.54	6.903G	-46.14	-41.54	-4.60	2
7.01381G	-1.67	6.895G	-46.45	-41.67	-4.78	3
7.03739G	-2.21	6.8866G	-46.61	-42.21	-4.40	4

802.11ax HEW160\_Nss4,(MCS0)\_4TX

MASK

6185MHz\_TnomVnom

29/09/2020

CF Freq  
6.185GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16262G	-2.39	6.433G	-47.10	-42.39	-4.71	1
6.20098G	-2.96	6.433G	-47.04	-42.96	-4.08	2
6.20658G	-2.53	6.433G	-46.87	-42.52	-4.35	3
6.19779G	-3.18	6.433G	-46.91	-43.18	-3.73	4

802.11ax HEW160\_Nss4,(MCS0)\_4TX

MASK

6345MHz\_TnomVnom

29/09/2020

CF Freq  
6.345GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3498G	-2.45	6.593G	-47.01	-42.45	-4.56	1
6.32982G	-2.73	6.5938G	-47.03	-42.73	-4.30	2
6.35379G	-2.97	6.601G	-47.02	-42.97	-4.05	3
6.3482G	-3.28	6.5962G	-47.05	-43.28	-3.77	4

802.11ax HEW160\_Nss4,(MCS0)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

29/09/2020

CF Freq  
6.505GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48022G	-3.79	6.2362G	-46.47	-43.79	-2.68	1
6.49861G	-3.08	6.2554G	-46.64	-43.08	-3.56	2
6.49621G	-3.56	6.7738G	-46.77	-43.56	-3.21	3
6.5098G	-3.61	6.761G	-46.54	-43.61	-2.93	4

802.11ax HEW160\_Nss4,(MCS0)\_4TX

MASK

6665MHz\_TnomVnom

29/09/2020

CF Freq  
6.665GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.669G	-2.65	6.9962G	-45.65	-42.65	-3.00	1
6.64822G	-2.29	6.9722G	-45.83	-42.29	-3.54	2
6.67059G	-2.54	6.9866G	-45.54	-42.54	-3.00	3
6.67859G	-2.74	6.9946G	-45.58	-42.74	-2.84	4

802.11ax HEW160\_Nss4,(MCS0)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

29/09/2020

CF Freq  
6.825GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83619G	-2.46	6.5762G	-46.41	-42.46	-3.95	1
6.83859G	-2.53	6.5802G	-45.51	-42.37	-3.14	2
6.84738G	-2.44	6.5762G	-46.19	-42.44	-3.75	3
6.81621G	-2.77	6.5762G	-46.68	-42.77	-3.91	4

802.11ax HEW160\_Nss4,(MCS0)\_4TX

MASK

6985MHz\_TnomVnom

29/09/2020

CF Freq  
6.985GHz


Span  
800MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99299G	-2.66	6.7354G	-46.46	-42.66	-3.80	1
6.97381G	-2.27	6.7378G	-45.76	-42.27	-3.49	2
6.9826G	-2.05	6.7258G	-46.25	-42.05	-4.20	3
6.99859G	-2.45	6.7322G	-46.16	-42.45	-3.71	4

20MHz: Traffic Loading Plot




20MHz: Traffic Loading Calculation

R&S | Agilent

VISA session GPIB0::20	Threshold (dBm) -40	Marker 1 (sec) 0	Space Time of Point 0.000003	No. of Pulse 30944
	Mean Level (dBm) -848.59m	Marker 2 (sec) 0.1	Mark 1 Point 1	Close TX Time(sec) 96.7m
	RMS Level (dBm) -744.82m	Total Trace of Points 32001	Mark 2 Point 32001	Duty (%) 96.7

160 MHz: Traffic Loading Plot





160 MHz: Traffic Loading Calculation


R&S | Agilent

VISA session GPIB0::20:	Threshold (dBm) -40	Marker 1 (sec) 0	Space Time of Point 0.000003	No. of Pulse 30104
	Mean Level (dBm) -6.31	Marker 2 (sec) 0.1	Mark 1 Point 1	Close TX Time(sec) 94.075m
	RMS Level (dBm) -6.23	Total Trace of Points 32001	Mark 2 Point 32001	Duty (%) 94.08


Incumbent signal (AWGN) Plot




Frequency (MHz): 6195 MHz




Frequency (MHz): 6260 MHz




Frequency (MHz): 6430 MHz




Frequency (MHz): 6475 MHz




Frequency (MHz): 6505 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6665 MHz




Frequency (MHz): 6695 MHz




Frequency (MHz): 6740 MHz




Frequency (MHz): 6910 MHz




Frequency (MHz): 6985 MHz




Frequency (MHz): 6995 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 49 ; Incumbent signal 6195 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 105 ; Incumbent signal 6475 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.


Test CH 111 ; Incumbent signal 6505 MHz



Date: 16.OCT.2020 10:37:43

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.


Test CH 111 ; Incumbent signal 6580 MHz



Date: 16.OCT.2020 10:36:37


Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143; Incumbent signal 6740 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.


Test CH 207 ; Incumbent signal 6910 MHz



Date: 16.OCT.2020 12:54:37

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.


Test CH 207 ; Incumbent signal 6985 MHz



Date: 16.OCT.2020 12:55:22

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.


Test CH 207 ; Incumbent signal 7060 MHz



Date: 16.OCT.2020 13:26:20

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 209 ; Incumbent signal 6995 MHz



Date: 14.SEP.2020 08:32:04

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Contention Based protocol 802.11ax HEW20										
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		Threshold level of AWGN interference (dBm)	Number of AWGN Detected (out of 10 times)	AWGN Detection Probability (%)	Limit Probability (%)	Test Result
5	49	20	6195	Center	6195	-62	10	100	90	Pass
6	105	20	6475	Center	6475	-62	10	100	90	Pass
7	149	20	6695	Center	6695	-62	10	100	90	Pass
8	209	20	6995	Center	6995	-62	10	100	90	Pass



Contention Based protocol 802.11ax HEW160										
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		Threshold level of AWGN interference (dBm)	Number of AWGN Detected (out of 10 times)	AWGN Detection Probability (%)	Limit Probability (%)	Test Result
5	47	160	6185	Low edge	6110	-62	10	100	90	Pass
				Center	6185	-62	10	100	90	Pass
				High edge	6260	-62	10	100	90	Pass
6	111	160	6505	Low edge	6430	-62	10	100	90	Pass
				Center	6505	-62	10	100	90	Pass
				High edge	6580	-62	10	100	90	Pass
7	143	160	6665	Low edge	6590	-62	10	100	90	Pass
				Center	6665	-62	10	100	90	Pass
				High edge	6740	-62	10	100	90	Pass
8	207	160	6985	Low edge	6910	-62	10	100	90	Pass
				Center	6985	-62	10	100	90	Pass
				High edge	7060	-62	10	100	90	Pass


Note: AWGN signal level used gain 0dBi(-62 dBm) will be more strict than EUT gain 1.98 dBi(-60.02 dBm).

Contention Based Protocol Threshold Level Verify							
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Intetference Frequency (MHz)		Threshold Level of AWGN Interference (dBm)	Situation of EUT
5	49	20	6195	Center	6195	-62	Stop transmission.
						-63	Stop transmission.
						-64	Start transmission.
5	47	160	6185	Low edge	6110	-62	Stop transmission.
						-63	Start transmission.
						-64	Start transmission.
				Center	6185	-62	Stop transmission.
						-63	Start transmission.
						-64	Start transmission.
				High edge	6260	-62	Stop transmission.
						-63	Minority beacon transmission.
						-64	Start transmission.

Contention Based Protocol Threshold Level Verify Plot


Bandwidth (MHz): 20

Frequency (MHz): 6195 MHz (Threshold Level: -62 dBm)




Date: 16.NOV.2020 16:09:31

Frequency (MHz): 6195 MHz (Threshold Level: -63 dBm)



Date: 16.NOV.2020 16:12:06


Frequency (MHz): 6195 MHz (Threshold Level: -64 dBm)



Date: 16.NOV.2020 16:11:52


Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -62 dBm)




Date: 16.NOV.2020 16:15:02

Frequency (MHz): 6110 MHz (Threshold Level: -63 dBm)




Date: 16.NOV.2020 16:14:49

Frequency (MHz): 6185 MHz (Threshold Level: -62 dBm)




Date: 16.NOV.2020 16:18:28

Frequency (MHz): 6185 MHz (Threshold Level: -63 dBm)




Date: 16.NOV.2020 16:18:42

Frequency (MHz): 6185 MHz (Threshold Level: -64 dBm)




Date: 16.NOV.2020 16:18:58

Frequency (MHz): 6260 MHz (Threshold Level: -62 dBm)



Date: 16.NOV.2020 16:30:33

Frequency (MHz): 6260 MHz (Threshold Level: -63 dBm)



Date: 16.NOV.2020 16:32:45

