


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9303G	57.14	74.00	-16.86	42.57	3	Horizontal	126	1.90	-	38.20	10.57	34.20
AV	15.93972G	43.65	54.00	-10.35	29.09	3	Horizontal	126	1.90	-	38.20	10.57	34.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	68.95	74.00	-5.05	64.11	3	Vertical	100	1.98	-	31.62	5.06	31.84
AV	5.4584G	49.22	54.00	-4.78	44.38	3	Vertical	100	1.98	-	31.62	5.06	31.84
PK	5.4644G	68.02	68.20	-0.18	63.18	3	Vertical	100	1.98	-	31.63	5.06	31.85
PK	5.5058G	118.37	Inf	-Inf	113.45	3	Vertical	100	1.98	-	31.68	5.11	31.87
AV	5.5058G	105.33	Inf	-Inf	100.41	3	Vertical	100	1.98	-	31.68	5.11	31.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	62.99	74.00	-11.01	58.18	3	Horizontal	165	2.83	-	31.59	5.05	31.83
PK	5.4662G	65.59	68.20	-2.61	60.74	3	Horizontal	165	2.83	-	31.63	5.07	31.85
AV	5.459G	47.97	54.00	-6.03	43.13	3	Horizontal	165	2.83	-	31.62	5.06	31.84
PK	5.4932G	115.51	Inf	-Inf	110.60	3	Horizontal	165	2.83	-	31.69	5.09	31.87
AV	5.4926G	102.19	Inf	-Inf	97.27	3	Horizontal	165	2.83	-	31.69	5.09	31.86

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00992G	55.85	74.00	-18.15	41.75	3	Vertical	97	2.95	-	40.16	8.10	34.16
AV	11.00566G	42.05	54.00	-11.95	27.93	3	Vertical	97	2.95	-	40.18	8.10	34.16

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01088G	55.39	74.00	-18.61	41.29	3	Horizontal	332	2.90	-	40.16	8.10	34.16
AV	11.00632G	42.02	54.00	-11.98	27.91	3	Horizontal	332	2.90	-	40.17	8.10	34.16

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	65.33	74.00	-8.67	60.49	3	Vertical	17	1.73	-	31.62	5.06	31.84
AV	5.4588G	49.78	54.00	-4.22	44.94	3	Vertical	17	1.73	-	31.62	5.06	31.84
PK	5.4672G	68.02	68.20	-0.18	63.17	3	Vertical	17	1.73	-	31.63	5.07	31.85
PK	5.559G	123.57	Inf	-Inf	118.75	3	Vertical	17	1.73	-	31.50	5.16	31.84
AV	5.5554G	110.33	Inf	-Inf	105.51	3	Vertical	17	1.73	-	31.50	5.16	31.84

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4522G	59.37	74.00	-14.63	54.56	3	Horizontal	239	1.80	-	31.60	5.05	31.84
AV	5.46G	46.17	54.00	-7.83	41.33	3	Horizontal	239	1.80	-	31.62	5.06	31.84
PK	5.4678G	59.11	68.20	-9.09	54.25	3	Horizontal	239	1.80	-	31.64	5.07	31.85
PK	5.538G	116.99	Inf	-Inf	112.15	3	Horizontal	239	1.80	-	31.55	5.14	31.85
AV	5.5374G	104.43	Inf	-Inf	99.59	3	Horizontal	239	1.80	-	31.55	5.14	31.85

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11446G	54.76	74.00	-19.24	41.01	3	Vertical	234	2.49	-	39.77	8.15	34.17
AV	11.10252G	41.42	54.00	-12.58	27.66	3	Vertical	234	2.49	-	39.79	8.14	34.17

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08518G	55.15	74.00	-18.85	41.33	3	Horizontal	206	1.84	-	39.86	8.13	34.17
AV	11.09418G	41.53	54.00	-12.47	27.74	3	Horizontal	206	1.84	-	39.82	8.14	34.17

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6796G	120.78	Inf	-Inf	115.70	3	Vertical	13	1.85	-	31.62	5.24	31.78
AV	5.6766G	107.86	Inf	-Inf	102.80	3	Vertical	13	1.85	-	31.61	5.24	31.79
PK	5.7264G	67.77	68.20	-0.43	62.46	3	Vertical	13	1.85	-	31.81	5.26	31.76

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6592G	114.08	Inf	-Inf	109.10	3	Horizontal	218	1.82	-	31.54	5.23	31.79
AV	5.6604G	101.94	Inf	-Inf	96.96	3	Horizontal	218	1.82	-	31.54	5.23	31.79
PK	5.7282G	59.37	68.20	-8.83	54.06	3	Horizontal	218	1.82	-	31.81	5.26	31.76

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32962G	56.04	74.00	-17.96	42.34	3	Vertical	168	1.69	-	39.66	8.23	34.19
AV	11.35158G	42.11	54.00	-11.89	28.37	3	Vertical	168	1.69	-	39.70	8.24	34.20

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34528G	55.48	74.00	-18.52	41.74	3	Horizontal	13	2.64	-	39.69	8.24	34.19
AV	11.35068G	42.16	54.00	-11.84	28.42	3	Horizontal	13	2.64	-	39.70	8.24	34.20

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 102  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	126.26	Inf	-Inf	121.11	3	Vertical	19	1.80	-	31.68	5.25	31.78
AV	5.6956G	113.84	Inf	-Inf	108.69	3	Vertical	19	1.80	-	31.68	5.25	31.78
PK	5.8596G	67.65	68.20	-0.55	61.77	3	Vertical	19	1.80	-	32.22	5.36	31.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 102  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	117.28	Inf	-Inf	112.00	3	Horizontal	242	1.82	-	31.78	5.26	31.76
AV	5.7164G	104.82	Inf	-Inf	99.56	3	Horizontal	242	1.82	-	31.77	5.26	31.77
PK	5.8636G	60.50	68.20	-7.70	54.61	3	Horizontal	242	1.82	-	32.23	5.36	31.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 102  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4317G	55.37	74.00	-18.63	41.44	3	Vertical	76	1.42	-	39.86	8.27	34.20
AV	11.42594G	42.26	54.00	-11.74	28.34	3	Vertical	76	1.42	-	39.85	8.27	34.20

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 102  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42342G	55.63	74.00	-18.37	41.71	3	Horizontal	340	1.17	-	39.85	8.27	34.20
AV	11.4059G	42.19	54.00	-11.81	28.32	3	Horizontal	340	1.17	-	39.81	8.26	34.20

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5755MHz\_TX



EUT Y\_4TX  
Setting 96  
06-D-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	66.76	68.20	-1.44	61.84	3	Vertical	13	2.60	-	31.50	5.22	31.80
PK	5.758G	125.56	Inf	-Inf	120.11	3	Vertical	13	2.60	-	31.92	5.28	31.75
AV	5.76G	112.96	Inf	-Inf	107.51	3	Vertical	13	2.60	-	31.92	5.28	31.75
PK	5.93G	63.10	68.20	-5.10	57.03	3	Vertical	13	2.60	-	32.30	5.43	31.66



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	66.49	68.20	-1.71	61.57	3	Horizontal	206	2.86	-	31.50	5.22	31.80
PK	5.737G	121.01	Inf	-Inf	115.65	3	Horizontal	206	2.86	-	31.85	5.27	31.76
AV	5.737G	109.93	Inf	-Inf	104.57	3	Horizontal	206	2.86	-	31.85	5.27	31.76
PK	5.928G	59.77	68.20	-8.43	53.70	3	Horizontal	206	2.86	-	32.30	5.43	31.66

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50334G	55.44	74.00	-18.56	41.36	3	Vertical	249	1.86	-	39.99	8.30	34.21
AV	11.50508G	42.27	54.00	-11.73	28.20	3	Vertical	249	1.86	-	39.98	8.30	34.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49836G	55.50	74.00	-18.50	41.41	3	Horizontal	39	1.06	-	40.00	8.30	34.21
AV	11.51024G	42.31	54.00	-11.69	28.26	3	Horizontal	39	1.06	-	39.96	8.30	34.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.86	68.20	-5.34	57.94	3	Vertical	93	1.66	-	31.50	5.22	31.80
PK	5.8G	125.34	Inf	-Inf	119.77	3	Vertical	93	1.66	-	32.00	5.30	31.73
AV	5.8G	113.11	Inf	-Inf	107.54	3	Vertical	93	1.66	-	32.00	5.30	31.73
PK	5.927G	67.84	68.20	-0.36	61.78	3	Vertical	93	1.66	-	32.30	5.43	31.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.32	68.20	-7.88	55.40	3	Horizontal	223	1.92	-	31.50	5.22	31.80
PK	5.78G	119.50	Inf	-Inf	113.99	3	Horizontal	223	1.92	-	31.96	5.29	31.74
AV	5.778G	107.69	Inf	-Inf	102.18	3	Horizontal	223	1.92	-	31.96	5.29	31.74
PK	5.934G	63.95	68.20	-4.25	57.88	3	Horizontal	223	1.92	-	32.30	5.43	31.66

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5759G	54.86	74.00	-19.14	41.03	3	Vertical	213	1.18	-	39.70	8.33	34.20
AV	11.58892G	41.83	54.00	-12.17	28.05	3	Vertical	213	1.18	-	39.64	8.34	34.20

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60062G	54.35	74.00	-19.65	40.61	3	Horizontal	198	1.58	-	39.60	8.34	34.20
AV	11.5762G	41.83	54.00	-12.17	28.00	3	Horizontal	198	1.58	-	39.70	8.33	34.20

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 79  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	73.24	74.00	-0.76	68.06	3	Vertical	55	1.80	-	31.80	5.00	31.62
AV	5.149G	53.84	54.00	-0.16	48.67	3	Vertical	55	1.80	-	31.80	5.00	31.63
PK	5.226G	116.33	Inf	-Inf	111.57	3	Vertical	55	1.80	-	31.44	5.00	31.68
AV	5.204G	103.47	Inf	-Inf	98.56	3	Vertical	55	1.80	-	31.58	5.00	31.67
PK	5.382G	60.92	74.00	-13.08	56.32	3	Vertical	55	1.80	-	31.39	5.00	31.79
AV	5.35G	48.72	54.00	-5.28	44.29	3	Vertical	55	1.80	-	31.20	5.00	31.77

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 79  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	68.34	74.00	-5.66	63.16	3	Horizontal	360	1.70	-	31.80	5.00	31.62
AV	5.15G	48.62	54.00	-5.38	43.45	3	Horizontal	360	1.70	-	31.80	5.00	31.63
PK	5.222G	112.01	Inf	-Inf	107.22	3	Horizontal	360	1.70	-	31.47	5.00	31.68
AV	5.222G	100.53	Inf	-Inf	95.74	3	Horizontal	360	1.70	-	31.47	5.00	31.68
PK	5.353G	58.70	74.00	-15.30	54.25	3	Horizontal	360	1.70	-	31.22	5.00	31.77
AV	5.35G	46.25	54.00	-7.75	41.82	3	Horizontal	360	1.70	-	31.20	5.00	31.77

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 79  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62772G	60.34	74.00	-13.66	45.08	3	Vertical	210	2.71	-	38.83	10.41	33.98
AV	15.62112G	46.44	54.00	-7.56	31.19	3	Vertical	210	2.71	-	38.82	10.41	33.98

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 79  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62502G	59.35	74.00	-14.65	44.09	3	Horizontal	324	2.44	-	38.83	10.41	33.98
AV	15.6171G	46.45	54.00	-7.55	31.19	3	Horizontal	324	2.44	-	38.82	10.41	33.97

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	61.02	74.00	-12.98	55.84	3	Vertical	21	1.99	-	31.80	5.00	31.62
AV	5.146G	47.89	54.00	-6.11	42.72	3	Vertical	21	1.99	-	31.80	5.00	31.63
PK	5.297G	114.95	Inf	-Inf	110.47	3	Vertical	21	1.99	-	31.21	5.00	31.73
AV	5.3G	102.82	Inf	-Inf	98.35	3	Vertical	21	1.99	-	31.20	5.00	31.73
PK	5.363G	73.07	74.00	-0.93	68.57	3	Vertical	21	1.99	-	31.28	5.00	31.78
AV	5.35G	51.05	54.00	-2.95	46.62	3	Vertical	21	1.99	-	31.20	5.00	31.77
PK	5.485G	59.78	68.20	-8.42	54.89	3	Vertical	21	1.99	-	31.67	5.08	31.86

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	58.72	74.00	-15.28	53.54	3	Horizontal	186	2.97	-	31.80	5.00	31.62
AV	5.148G	46.23	54.00	-7.77	41.06	3	Horizontal	186	2.97	-	31.80	5.00	31.63
PK	5.294G	109.97	Inf	-Inf	105.49	3	Horizontal	186	2.97	-	31.21	5.00	31.73
AV	5.296G	98.15	Inf	-Inf	93.67	3	Horizontal	186	2.97	-	31.21	5.00	31.73
PK	5.351G	70.74	74.00	-3.26	66.30	3	Horizontal	186	2.97	-	31.21	5.00	31.77
AV	5.35G	48.35	54.00	-5.65	43.92	3	Horizontal	186	2.97	-	31.20	5.00	31.77
PK	5.479G	57.68	68.20	-10.52	52.80	3	Horizontal	186	2.97	-	31.66	5.08	31.86

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86376G	57.45	74.00	-16.55	42.80	3	Vertical	0	1.59	-	38.27	10.53	34.15
AV	15.86064G	43.78	54.00	-10.22	29.12	3	Vertical	0	1.59	-	38.28	10.53	34.15

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86628G	57.50	74.00	-16.50	42.85	3	Horizontal	288	1.20	-	38.27	10.53	34.15
AV	15.87612G	43.75	54.00	-10.25	29.12	3	Horizontal	288	1.20	-	38.25	10.54	34.16

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	59.26	68.20	-8.94	54.82	3	Vertical	20	1.80	-	31.20	5.00	31.76
PK	5.456G	68.05	74.00	-5.95	63.22	3	Vertical	20	1.80	-	31.61	5.06	31.84
AV	5.46G	50.99	54.00	-3.01	46.15	3	Vertical	20	1.80	-	31.62	5.06	31.84
PK	5.47G	67.53	68.20	-0.67	62.67	3	Vertical	20	1.80	-	31.64	5.07	31.85
PK	5.562G	114.85	Inf	-Inf	110.03	3	Vertical	20	1.80	-	31.50	5.16	31.84
AV	5.557G	102.20	Inf	-Inf	97.38	3	Vertical	20	1.80	-	31.50	5.16	31.84
PK	5.728G	60.07	68.20	-8.13	54.76	3	Vertical	20	1.80	-	31.81	5.26	31.76

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	56.73	68.20	-11.47	52.28	3	Horizontal	178	1.80	-	31.20	5.00	31.75
PK	5.434G	60.23	74.00	-13.77	55.46	3	Horizontal	178	1.80	-	31.57	5.03	31.83
PK	5.462G	62.44	68.20	-5.76	57.60	3	Horizontal	178	1.80	-	31.62	5.06	31.84
AV	5.46G	46.34	54.00	-7.66	41.50	3	Horizontal	178	1.80	-	31.62	5.06	31.84
PK	5.514G	108.06	Inf	-Inf	103.17	3	Horizontal	178	1.80	-	31.64	5.11	31.86
AV	5.516G	94.61	Inf	-Inf	89.71	3	Horizontal	178	1.80	-	31.64	5.12	31.86
PK	5.761G	58.36	68.20	-9.84	52.90	3	Horizontal	178	1.80	-	31.92	5.28	31.74

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04884G	55.02	74.00	-18.98	41.06	3	Vertical	108	2.73	-	40.00	8.12	34.16
AV	11.0624G	41.65	54.00	-12.35	27.75	3	Vertical	108	2.73	-	39.95	8.12	34.17

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06402G	54.98	74.00	-19.02	41.08	3	Horizontal	6	2.35	-	39.94	8.13	34.17
AV	11.0684G	41.63	54.00	-12.37	27.74	3	Horizontal	6	2.35	-	39.93	8.13	34.17

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	63.96	74.00	-10.04	59.14	3	Vertical	95	2.17	-	31.61	5.05	31.84
AV	5.46G	49.74	54.00	-4.26	44.90	3	Vertical	95	2.17	-	31.62	5.06	31.84
PK	5.469G	64.43	68.20	-3.77	59.57	3	Vertical	95	2.17	-	31.64	5.07	31.85
PK	5.617G	118.71	Inf	-Inf	113.81	3	Vertical	95	2.17	-	31.50	5.21	31.81
AV	5.621G	105.61	Inf	-Inf	100.71	3	Vertical	95	2.17	-	31.50	5.21	31.81
PK	5.738G	68.16	68.20	-0.04	62.80	3	Vertical	95	2.17	-	31.85	5.27	31.76

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	61.43	74.00	-12.57	56.62	3	Horizontal	187	1.98	-	31.60	5.05	31.84
AV	5.458G	47.42	54.00	-6.58	42.58	3	Horizontal	187	1.98	-	31.62	5.06	31.84
PK	5.47G	63.85	68.20	-4.35	58.99	3	Horizontal	187	1.98	-	31.64	5.07	31.85
PK	5.585G	115.04	Inf	-Inf	110.18	3	Horizontal	187	1.98	-	31.50	5.19	31.83
AV	5.629G	99.34	Inf	-Inf	94.44	3	Horizontal	187	1.98	-	31.50	5.21	31.81
PK	5.728G	64.45	68.20	-3.75	59.14	3	Horizontal	187	1.98	-	31.81	5.26	31.76

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21442G	55.48	74.00	-18.52	41.87	3	Vertical	193	1.00	-	39.60	8.19	34.18
AV	11.22216G	41.70	54.00	-12.30	28.09	3	Vertical	193	1.00	-	39.60	8.19	34.18

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21802G	55.36	74.00	-18.64	41.75	3	Horizontal	164	2.57	-	39.60	8.19	34.18
AV	11.2221G	41.72	54.00	-12.28	28.11	3	Horizontal	164	2.57	-	39.60	8.19	34.18

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	60.39	74.00	-13.61	55.58	3	Vertical	16	1.79	-	31.60	5.05	31.84
AV	5.459G	47.84	54.00	-6.16	43.00	3	Vertical	16	1.79	-	31.62	5.06	31.84
PK	5.469G	60.37	68.20	-7.83	55.51	3	Vertical	16	1.79	-	31.64	5.07	31.85
PK	5.697G	120.26	Inf	-Inf	115.10	3	Vertical	16	1.79	-	31.69	5.25	31.78
AV	5.678G	107.71	Inf	-Inf	102.64	3	Vertical	16	1.79	-	31.61	5.24	31.78
PK	5.862G	67.79	68.20	-0.41	61.91	3	Vertical	16	1.79	-	32.22	5.36	31.70

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	57.84	74.00	-16.16	53.03	3	Horizontal	38	1.80	-	31.60	5.05	31.84
AV	5.454G	45.08	54.00	-8.92	40.26	3	Horizontal	38	1.80	-	31.61	5.05	31.84
PK	5.461G	57.85	68.20	-10.35	53.01	3	Horizontal	38	1.80	-	31.62	5.06	31.84
PK	5.719G	111.67	Inf	-Inf	106.39	3	Horizontal	38	1.80	-	31.78	5.26	31.76
AV	5.715G	99.41	Inf	-Inf	94.16	3	Horizontal	38	1.80	-	31.76	5.26	31.77
PK	5.858G	60.50	68.20	-7.70	54.62	3	Horizontal	38	1.80	-	32.22	5.36	31.70

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38036G	55.86	74.00	-18.14	42.05	3	Vertical	169	1.25	-	39.76	8.25	34.20
AV	11.37358G	42.25	54.00	-11.75	28.45	3	Vertical	169	1.25	-	39.75	8.25	34.20

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37646G	55.95	74.00	-18.05	42.15	3	Horizontal	252	2.12	-	39.75	8.25	34.20
AV	11.3791G	42.23	54.00	-11.77	28.42	3	Horizontal	252	2.12	-	39.76	8.25	34.20

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.30	68.20	-0.90	62.38	3	Vertical	14	1.80	-	31.50	5.22	31.80
PK	5.757G	119.68	Inf	-Inf	114.24	3	Vertical	14	1.80	-	31.91	5.28	31.75
AV	5.762G	107.01	Inf	-Inf	101.55	3	Vertical	14	1.80	-	31.92	5.28	31.74
PK	5.933G	67.45	68.20	-0.75	61.38	3	Vertical	14	1.80	-	32.30	5.43	31.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.13	68.20	-4.07	59.21	3	Horizontal	34	1.70	-	31.50	5.22	31.80
PK	5.745G	111.97	Inf	-Inf	106.57	3	Horizontal	34	1.70	-	31.88	5.27	31.75
AV	5.746G	99.92	Inf	-Inf	94.52	3	Horizontal	34	1.70	-	31.88	5.27	31.75
PK	5.932G	60.52	68.20	-7.68	54.45	3	Horizontal	34	1.70	-	32.30	5.43	31.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56254G	54.89	74.00	-19.11	41.01	3	Vertical	201	2.30	-	39.75	8.33	34.20
AV	11.54358G	41.71	54.00	-12.29	27.77	3	Vertical	201	2.30	-	39.83	8.32	34.21

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 87  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5557G	55.55	74.00	-18.45	41.66	3	Horizontal	253	1.05	-	39.78	8.32	34.21
AV	11.54106G	41.56	54.00	-12.44	27.61	3	Horizontal	253	1.05	-	39.84	8.32	34.21

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	73.91	74.00	-0.09	68.74	3	Vertical	244	1.61	-	31.80	5.00	31.63
AV	5.1492G	52.64	54.00	-1.36	47.47	3	Vertical	244	1.61	-	31.80	5.00	31.63
PK	5.2052G	111.72	Inf	-Inf	106.82	3	Vertical	244	1.61	-	31.57	5.00	31.67
AV	5.2724G	99.21	Inf	-Inf	94.67	3	Vertical	244	1.61	-	31.26	5.00	31.72
PK	5.4068G	73.17	74.00	-0.83	68.46	3	Vertical	244	1.61	-	31.51	5.01	31.81
AV	5.3764G	52.72	54.00	-1.28	48.15	3	Vertical	244	1.61	-	31.36	5.00	31.79
PK	5.46G	65.24	68.20	-2.96	60.40	3	Vertical	244	1.61	-	31.62	5.06	31.84

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	67.70	74.00	-6.30	62.53	3	Horizontal	316	1.97	-	31.80	5.00	31.63
AV	5.1188G	48.90	54.00	-5.10	43.71	3	Horizontal	316	1.97	-	31.80	5.00	31.61
PK	5.2948G	106.37	Inf	-Inf	101.89	3	Horizontal	316	1.97	-	31.21	5.00	31.73
AV	5.258G	94.29	Inf	-Inf	89.72	3	Horizontal	316	1.97	-	31.28	5.00	31.71
PK	5.362G	66.00	74.00	-8.00	61.51	3	Horizontal	316	1.97	-	31.27	5.00	31.78
AV	5.4276G	47.74	54.00	-6.26	42.97	3	Horizontal	316	1.97	-	31.56	5.03	31.82
PK	5.5044G	59.78	68.20	-8.42	54.87	3	Horizontal	316	1.97	-	31.68	5.10	31.87

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74064G	58.70	74.00	-15.30	43.59	3	Vertical	44	1.39	-	38.70	10.47	34.06
AV	15.73524G	45.06	54.00	-8.94	29.93	3	Vertical	44	1.39	-	38.72	10.47	34.06

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 75  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73524G	58.73	74.00	-15.27	43.60	3	Horizontal	313	2.72	-	38.72	10.47	34.06
AV	15.73506G	45.10	54.00	-8.90	29.97	3	Horizontal	313	2.72	-	38.72	10.47	34.06

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2676G	59.34	68.20	-8.86	54.79	3	Vertical	14	2.06	-	31.26	5.00	31.71
PK	5.45G	69.69	74.00	-4.31	64.88	3	Vertical	14	2.06	-	31.60	5.05	31.84
AV	5.418G	51.23	54.00	-2.77	46.48	3	Vertical	14	2.06	-	31.54	5.02	31.81
PK	5.4612G	68.02	68.20	-0.18	63.18	3	Vertical	14	2.06	-	31.62	5.06	31.84
PK	5.602G	111.72	Inf	-Inf	106.84	3	Vertical	14	2.06	-	31.50	5.20	31.82
AV	5.578G	98.77	Inf	-Inf	93.92	3	Vertical	14	2.06	-	31.50	5.18	31.83
PK	5.7652G	65.86	68.20	-2.34	60.39	3	Vertical	14	2.06	-	31.93	5.28	31.74

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1748G	57.45	68.20	-10.75	52.40	3	Horizontal	226	2.14	-	31.70	5.00	31.65
PK	5.4548G	60.94	74.00	-13.06	56.12	3	Horizontal	226	2.14	-	31.61	5.05	31.84
AV	5.4324G	47.91	54.00	-6.09	43.14	3	Horizontal	226	2.14	-	31.56	5.03	31.82
PK	5.4628G	59.01	68.20	-9.19	54.16	3	Horizontal	226	2.14	-	31.63	5.06	31.84
PK	5.5476G	108.04	Inf	-Inf	103.23	3	Horizontal	226	2.14	-	31.51	5.15	31.85
AV	5.546G	94.39	Inf	-Inf	89.57	3	Horizontal	226	2.14	-	31.52	5.15	31.85
PK	5.7652G	58.66	68.20	-9.54	53.19	3	Horizontal	226	2.14	-	31.93	5.28	31.74

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73632G	57.90	74.00	-16.10	42.77	3	Vertical	82	2.43	-	38.72	10.47	34.06
AV	15.73608G	45.00	54.00	-9.00	29.87	3	Vertical	82	2.43	-	38.72	10.47	34.06

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 71  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74874G	57.62	74.00	-16.38	42.56	3	Horizontal	334	2.64	-	38.66	10.47	34.07
AV	15.735G	44.93	54.00	-9.07	29.79	3	Horizontal	334	2.64	-	38.73	10.47	34.06

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	71.55	74.00	-2.45	66.38	3	Vertical	184	1.80	-	31.80	5.00	31.63
AV	5.149G	53.79	54.00	-0.21	48.62	3	Vertical	184	1.80	-	31.80	5.00	31.63
PK	5.178G	123.95	Inf	-Inf	118.91	3	Vertical	184	1.80	-	31.69	5.00	31.65
AV	5.173G	111.46	Inf	-Inf	106.40	3	Vertical	184	1.80	-	31.71	5.00	31.65

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.26	74.00	-6.74	62.09	3	Horizontal	354	1.80	-	31.80	5.00	31.63
AV	5.1494G	51.91	54.00	-2.09	46.74	3	Horizontal	354	1.80	-	31.80	5.00	31.63
PK	5.1866G	118.56	Inf	-Inf	113.57	3	Horizontal	354	1.80	-	31.65	5.00	31.66
AV	5.1822G	105.56	Inf	-Inf	100.54	3	Horizontal	354	1.80	-	31.67	5.00	31.65

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54612G	59.90	74.00	-14.10	44.27	3	Vertical	73	2.83	-	39.18	10.37	33.92
AV	15.54924G	46.16	54.00	-7.84	30.56	3	Vertical	73	2.83	-	39.16	10.37	33.93

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5180MHz\_TX




EUT Y\_4TX  
Setting 86  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55284G	59.44	74.00	-14.56	43.86	3	Horizontal	249	2.88	-	39.13	10.38	33.93
AV	15.55272G	46.17	54.00	-7.83	30.59	3	Horizontal	249	2.88	-	39.13	10.38	33.93

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 100  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.72	74.00	-3.28	65.55	3	Vertical	96	1.80	-	31.80	5.00	31.63
AV	5.1496G	53.39	54.00	-0.61	48.22	3	Vertical	96	1.80	-	31.80	5.00	31.63
PK	5.2036G	126.61	Inf	-Inf	121.70	3	Vertical	96	1.80	-	31.58	5.00	31.67
AV	5.2036G	113.41	Inf	-Inf	108.50	3	Vertical	96	1.80	-	31.58	5.00	31.67

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 100  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	71.14	74.00	-2.86	65.97	3	Horizontal	207	1.68	-	31.80	5.00	31.63
AV	5.1496G	51.63	54.00	-2.37	46.46	3	Horizontal	207	1.68	-	31.80	5.00	31.63
PK	5.2088G	121.84	Inf	-Inf	116.96	3	Horizontal	207	1.68	-	31.55	5.00	31.67
AV	5.2072G	109.52	Inf	-Inf	104.63	3	Horizontal	207	1.68	-	31.56	5.00	31.67

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 100  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59238G	59.16	74.00	-14.84	43.87	3	Vertical	181	1.86	-	38.85	10.40	33.96
AV	15.5874G	46.14	54.00	-7.86	30.81	3	Vertical	181	1.86	-	38.89	10.39	33.95

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5200MHz\_TX




EUT Y\_4TX  
Setting 100  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6138G	60.02	74.00	-13.98	44.77	3	Horizontal	297	2.94	-	38.81	10.41	33.97
AV	15.59754G	46.07	54.00	-7.93	30.81	3	Horizontal	297	2.94	-	38.82	10.40	33.96

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.53	74.00	-11.47	57.36	3	Vertical	7	1.78	-	31.80	5.00	31.63
AV	5.15G	49.75	54.00	-4.25	44.58	3	Vertical	7	1.78	-	31.80	5.00	31.63
PK	5.2352G	127.05	Inf	-Inf	122.35	3	Vertical	7	1.78	-	31.39	5.00	31.69
AV	5.237G	115.45	Inf	-Inf	110.76	3	Vertical	7	1.78	-	31.38	5.00	31.69
PK	5.3618G	63.39	74.00	-10.61	58.90	3	Vertical	7	1.78	-	31.27	5.00	31.78
AV	5.35G	50.40	54.00	-3.60	45.97	3	Vertical	7	1.78	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	60.47	74.00	-13.53	55.30	3	Horizontal	206	1.80	-	31.80	5.00	31.63
AV	5.15G	47.78	54.00	-6.22	42.61	3	Horizontal	206	1.80	-	31.80	5.00	31.63
PK	5.2442G	121.09	Inf	-Inf	116.46	3	Horizontal	206	1.80	-	31.33	5.00	31.70
AV	5.2466G	108.33	Inf	-Inf	103.71	3	Horizontal	206	1.80	-	31.32	5.00	31.70
PK	5.3576G	60.50	74.00	-13.50	56.02	3	Horizontal	206	1.80	-	31.25	5.00	31.77
AV	5.3522G	47.34	54.00	-6.66	42.90	3	Horizontal	206	1.80	-	31.21	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7101G	58.47	74.00	-15.53	43.20	3	Vertical	308	1.36	-	38.85	10.46	34.04
AV	15.71004G	45.51	54.00	-8.49	30.24	3	Vertical	308	1.36	-	38.85	10.46	34.04

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5240MHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70734G	58.31	74.00	-15.69	43.04	3	Horizontal	208	2.08	-	38.86	10.45	34.04
AV	15.70626G	45.47	54.00	-8.53	30.19	3	Horizontal	208	2.08	-	38.87	10.45	34.04

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	61.11	74.00	-12.89	55.93	3	Vertical	202	1.80	-	31.80	5.00	31.62
AV	5.1484G	48.05	54.00	-5.95	42.88	3	Vertical	202	1.80	-	31.80	5.00	31.63
PK	5.2672G	125.07	Inf	-Inf	120.51	3	Vertical	202	1.80	-	31.27	5.00	31.71
AV	5.2648G	113.48	Inf	-Inf	108.92	3	Vertical	202	1.80	-	31.27	5.00	31.71
PK	5.35G	63.00	74.00	-11.00	58.57	3	Vertical	202	1.80	-	31.20	5.00	31.77
AV	5.35G	49.14	54.00	-4.86	44.71	3	Vertical	202	1.80	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	59.32	74.00	-14.68	54.13	3	Horizontal	169	2.86	-	31.80	5.00	31.61
AV	5.1496G	46.88	54.00	-7.12	41.71	3	Horizontal	169	2.86	-	31.80	5.00	31.63
PK	5.2582G	122.95	Inf	-Inf	118.38	3	Horizontal	169	2.86	-	31.28	5.00	31.71
AV	5.2576G	110.23	Inf	-Inf	105.66	3	Horizontal	169	2.86	-	31.28	5.00	31.71
PK	5.3662G	60.76	74.00	-13.24	56.24	3	Horizontal	169	2.86	-	31.30	5.00	31.78
AV	5.35G	47.87	54.00	-6.13	43.44	3	Horizontal	169	2.86	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78084G	58.17	74.00	-15.83	43.27	3	Vertical	20	1.68	-	38.50	10.49	34.09
AV	15.76806G	44.50	54.00	-9.50	29.54	3	Vertical	20	1.68	-	38.56	10.48	34.08

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5260MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77934G	57.98	74.00	-16.02	43.08	3	Horizontal	238	1.19	-	38.50	10.49	34.09
AV	15.76848G	44.54	54.00	-9.46	29.58	3	Horizontal	238	1.19	-	38.56	10.48	34.08

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 94  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	123.40	Inf	-Inf	118.94	3	Vertical	196	1.96	-	31.20	5.00	31.74
AV	5.308G	111.67	Inf	-Inf	107.21	3	Vertical	196	1.96	-	31.20	5.00	31.74
PK	5.354G	73.17	74.00	-0.83	68.72	3	Vertical	196	1.96	-	31.22	5.00	31.77
AV	5.35G	52.74	54.00	-1.26	48.31	3	Vertical	196	1.96	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 94  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	119.54	Inf	-Inf	115.06	3	Horizontal	170	2.88	-	31.21	5.00	31.73
AV	5.2932G	106.94	Inf	-Inf	102.46	3	Horizontal	170	2.88	-	31.21	5.00	31.73
PK	5.35G	68.65	74.00	-5.35	64.22	3	Horizontal	170	2.88	-	31.20	5.00	31.77
AV	5.35G	49.90	54.00	-4.10	45.47	3	Horizontal	170	2.88	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 94  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89766G	57.70	74.00	-16.30	43.13	3	Vertical	59	2.51	-	38.20	10.55	34.18
AV	15.89562G	43.45	54.00	-10.55	28.86	3	Vertical	59	2.51	-	38.21	10.55	34.17

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5300MHz\_TX




EUT Y\_4TX  
Setting 94  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88662G	56.70	74.00	-17.30	42.10	3	Horizontal	243	2.08	-	38.23	10.54	34.17
AV	15.90498G	43.56	54.00	-10.44	28.99	3	Horizontal	243	2.08	-	38.20	10.55	34.18

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	120.40	Inf	-Inf	115.94	3	Vertical	19	1.79	-	31.20	5.00	31.74
AV	5.314G	107.89	Inf	-Inf	103.43	3	Vertical	19	1.79	-	31.20	5.00	31.74
PK	5.35G	73.08	74.00	-0.92	68.65	3	Vertical	19	1.79	-	31.20	5.00	31.77
AV	5.35G	53.02	54.00	-0.98	48.59	3	Vertical	19	1.79	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3272G	116.08	Inf	-Inf	111.63	3	Horizontal	198	1.80	-	31.20	5.00	31.75
AV	5.3272G	103.98	Inf	-Inf	99.53	3	Horizontal	198	1.80	-	31.20	5.00	31.75
PK	5.3516G	66.06	74.00	-7.94	61.62	3	Horizontal	198	1.80	-	31.21	5.00	31.77
AV	5.3508G	48.56	54.00	-5.44	44.13	3	Horizontal	198	1.80	-	31.20	5.00	31.77

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95856G	57.20	74.00	-16.80	42.64	3	Vertical	214	2.45	-	38.20	10.58	34.22
AV	15.97164G	43.83	54.00	-10.17	29.27	3	Vertical	214	2.45	-	38.20	10.59	34.23

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5320MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94758G	57.76	74.00	-16.24	43.20	3	Horizontal	184	2.13	-	38.20	10.57	34.21
AV	15.96966G	43.86	54.00	-10.14	29.31	3	Horizontal	184	2.13	-	38.20	10.58	34.23

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	63.33	74.00	-10.67	58.49	3	Vertical	339	1.80	-	31.62	5.06	31.84
AV	5.4588G	48.30	54.00	-5.70	43.46	3	Vertical	339	1.80	-	31.62	5.06	31.84
PK	5.4692G	67.71	68.20	-0.49	62.85	3	Vertical	339	1.80	-	31.64	5.07	31.85
PK	5.5076G	121.58	Inf	-Inf	116.67	3	Vertical	339	1.80	-	31.67	5.11	31.87
AV	5.5068G	106.92	Inf	-Inf	102.01	3	Vertical	339	1.80	-	31.67	5.11	31.87

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.28	74.00	-12.72	56.44	3	Horizontal	194	2.91	-	31.62	5.06	31.84
AV	5.4596G	47.04	54.00	-6.96	42.20	3	Horizontal	194	2.91	-	31.62	5.06	31.84
PK	5.47G	67.23	68.20	-0.97	62.37	3	Horizontal	194	2.91	-	31.64	5.07	31.85
PK	5.4928G	114.96	Inf	-Inf	110.05	3	Horizontal	194	2.91	-	31.69	5.09	31.87
AV	5.4954G	102.55	Inf	-Inf	97.63	3	Horizontal	194	2.91	-	31.69	5.10	31.87

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9949G	55.61	74.00	-18.39	41.46	3	Vertical	110	1.81	-	40.21	8.10	34.16
AV	10.99304G	42.19	54.00	-11.81	28.04	3	Vertical	110	1.81	-	40.21	8.10	34.16

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5500MHz\_TX




EUT Y\_4TX  
Setting 81  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99784G	55.20	74.00	-18.80	41.06	3	Horizontal	214	1.58	-	40.20	8.10	34.16
AV	10.98944G	42.16	54.00	-11.84	28.01	3	Horizontal	214	1.58	-	40.21	8.10	34.16

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4522G	61.68	74.00	-12.32	56.87	3	Vertical	18	1.80	-	31.60	5.05	31.84
AV	5.4588G	48.92	54.00	-5.08	44.08	3	Vertical	18	1.80	-	31.62	5.06	31.84
PK	5.4666G	62.80	68.20	-5.40	57.95	3	Vertical	18	1.80	-	31.63	5.07	31.85
PK	5.574G	125.85	Inf	-Inf	121.01	3	Vertical	18	1.80	-	31.50	5.17	31.83
AV	5.5716G	115.16	Inf	-Inf	110.33	3	Vertical	18	1.80	-	31.50	5.17	31.84
PK	5.7282G	61.31	68.20	-6.89	56.00	3	Vertical	18	1.80	-	31.81	5.26	31.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	60.19	74.00	-13.81	55.37	3	Horizontal	227	2.02	-	31.61	5.05	31.84
PK	5.4624G	59.80	68.20	-8.40	54.96	3	Horizontal	227	2.02	-	31.62	5.06	31.84
AV	5.46G	46.53	54.00	-7.47	41.69	3	Horizontal	227	2.02	-	31.62	5.06	31.84
PK	5.5872G	120.29	Inf	-Inf	115.43	3	Horizontal	227	2.02	-	31.50	5.19	31.83
AV	5.5866G	108.38	Inf	-Inf	103.52	3	Horizontal	227	2.02	-	31.50	5.19	31.83
PK	5.7282G	58.47	68.20	-9.73	53.16	3	Horizontal	227	2.02	-	31.81	5.26	31.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1711G	54.37	74.00	-19.63	40.72	3	Vertical	318	2.06	-	39.66	8.17	34.18
AV	11.16756G	41.34	54.00	-12.66	27.69	3	Vertical	318	2.06	-	39.66	8.17	34.18

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5580MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16582G	55.14	74.00	-18.86	41.48	3	Horizontal	83	2.12	-	39.67	8.17	34.18
AV	11.15532G	41.31	54.00	-12.69	27.64	3	Horizontal	83	2.12	-	39.69	8.16	34.18

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	120.03	Inf	-Inf	114.88	3	Vertical	3	1.78	-	31.68	5.25	31.78
AV	5.6948G	107.14	Inf	-Inf	101.99	3	Vertical	3	1.78	-	31.68	5.25	31.78
PK	5.7276G	67.55	68.20	-0.65	62.24	3	Vertical	3	1.78	-	31.81	5.26	31.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	114.69	Inf	-Inf	109.54	3	Horizontal	214	1.81	-	31.68	5.25	31.78
AV	5.6964G	102.01	Inf	-Inf	96.85	3	Horizontal	214	1.81	-	31.69	5.25	31.78
PK	5.7268G	65.09	68.20	-3.11	59.78	3	Horizontal	214	1.81	-	31.81	5.26	31.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3979G	55.22	74.00	-18.78	41.36	3	Vertical	277	1.29	-	39.80	8.26	34.20
AV	11.39766G	42.22	54.00	-11.78	28.36	3	Vertical	277	1.29	-	39.80	8.26	34.20

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5700MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39106G	56.04	74.00	-17.96	42.20	3	Horizontal	295	2.54	-	39.78	8.26	34.20
AV	11.3982G	42.13	54.00	-11.87	28.27	3	Horizontal	295	2.54	-	39.80	8.26	34.20

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.72G	126.04	Inf	-Inf	120.76	3	Vertical	7	1.80	-	31.78	5.26	31.76
AV	5.7168G	113.64	Inf	-Inf	108.38	3	Vertical	7	1.80	-	31.77	5.26	31.77
PK	5.8768G	62.41	68.20	-5.79	56.47	3	Vertical	7	1.80	-	32.25	5.38	31.69

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	120.32	Inf	-Inf	115.03	3	Horizontal	212	1.73	-	31.79	5.26	31.76
AV	5.724G	108.09	Inf	-Inf	102.79	3	Horizontal	212	1.73	-	31.80	5.26	31.76
PK	5.8872G	59.62	68.20	-8.58	53.64	3	Horizontal	212	1.73	-	32.27	5.39	31.68

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42776G	54.89	74.00	-19.11	40.96	3	Vertical	187	1.74	-	39.86	8.27	34.20
AV	11.4448G	42.10	54.00	-11.90	28.13	3	Vertical	187	1.74	-	39.89	8.28	34.20

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4409G	55.88	74.00	-18.12	41.92	3	Horizontal	81	2.41	-	39.88	8.28	34.20
AV	11.446G	42.16	54.00	-11.84	28.19	3	Horizontal	81	2.41	-	39.89	8.28	34.20

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.32	68.20	-6.88	56.41	3	Vertical	94	1.80	-	31.50	5.22	31.81
PK	5.751G	125.11	Inf	-Inf	119.68	3	Vertical	94	1.80	-	31.90	5.28	31.75
AV	5.747G	113.74	Inf	-Inf	108.33	3	Vertical	94	1.80	-	31.89	5.27	31.75
PK	5.939G	60.86	68.20	-7.34	54.78	3	Vertical	94	1.80	-	32.30	5.44	31.66

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	59.40	68.20	-8.80	54.54	3	Horizontal	223	1.92	-	31.50	5.19	31.83
PK	5.74G	120.05	Inf	-Inf	114.67	3	Horizontal	223	1.92	-	31.86	5.27	31.75
AV	5.741G	109.16	Inf	-Inf	103.78	3	Horizontal	223	1.92	-	31.86	5.27	31.75
PK	5.928G	58.98	68.20	-9.22	52.91	3	Horizontal	223	1.92	-	32.30	5.43	31.66

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48166G	55.28	74.00	-18.72	41.24	3	Vertical	328	1.61	-	39.96	8.29	34.21
AV	11.4924G	42.43	54.00	-11.57	28.36	3	Vertical	328	1.61	-	39.98	8.30	34.21

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5745MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.493G	55.07	74.00	-18.93	40.99	3	Horizontal	9	1.33	-	39.99	8.30	34.21
AV	11.48334G	42.37	54.00	-11.63	28.32	3	Horizontal	9	1.33	-	39.97	8.29	34.21

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	61.09	68.20	-7.11	56.19	3	Vertical	14	1.80	-	31.50	5.21	31.81
PK	5.779G	125.76	Inf	-Inf	120.25	3	Vertical	14	1.80	-	31.96	5.29	31.74
AV	5.78G	113.50	Inf	-Inf	107.99	3	Vertical	14	1.80	-	31.96	5.29	31.74
PK	5.927G	61.93	68.20	-6.27	55.87	3	Vertical	14	1.80	-	32.30	5.43	31.67

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.59	68.20	-9.61	53.67	3	Horizontal	200	2.84	-	31.50	5.22	31.80
PK	5.778G	121.22	Inf	-Inf	115.71	3	Horizontal	200	2.84	-	31.96	5.29	31.74
AV	5.776G	110.90	Inf	-Inf	105.40	3	Horizontal	200	2.84	-	31.95	5.29	31.74
PK	5.941G	60.11	68.20	-8.09	54.03	3	Horizontal	200	2.84	-	32.30	5.44	31.66

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55632G	54.53	74.00	-19.47	40.65	3	Vertical	308	1.40	-	39.77	8.32	34.21
AV	11.56976G	41.89	54.00	-12.11	28.04	3	Vertical	308	1.40	-	39.72	8.33	34.20

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5785MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56346G	54.87	74.00	-19.13	40.99	3	Horizontal	9	2.38	-	39.75	8.33	34.20
AV	11.555G	42.04	54.00	-11.96	28.15	3	Horizontal	9	2.38	-	39.78	8.32	34.21

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.82	68.20	-7.38	55.90	3	Vertical	12	1.79	-	31.50	5.22	31.80
PK	5.819G	124.82	Inf	-Inf	119.14	3	Vertical	12	1.79	-	32.08	5.32	31.72
AV	5.83G	113.31	Inf	-Inf	107.57	3	Vertical	12	1.79	-	32.12	5.33	31.71
PK	5.933G	62.41	68.20	-5.79	56.34	3	Vertical	12	1.79	-	32.30	5.43	31.66

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.49	68.20	-9.71	53.59	3	Horizontal	191	2.68	-	31.50	5.21	31.81
PK	5.833G	122.46	Inf	-Inf	116.71	3	Horizontal	191	2.68	-	32.13	5.33	31.71
AV	5.833G	110.07	Inf	-Inf	104.32	3	Horizontal	191	2.68	-	32.13	5.33	31.71
PK	5.96G	59.63	68.20	-8.57	53.52	3	Horizontal	191	2.68	-	32.30	5.46	31.65

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63614G	54.52	74.00	-19.48	40.99	3	Vertical	360	2.79	-	39.38	8.35	34.20
AV	11.63656G	41.33	54.00	-12.67	27.80	3	Vertical	360	2.79	-	39.38	8.35	34.20

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5825MHz\_TX




EUT Y\_4TX  
Setting 104  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64778G	54.03	74.00	-19.97	40.56	3	Horizontal	320	2.32	-	39.31	8.36	34.20
AV	11.63998G	41.29	54.00	-12.71	27.77	3	Horizontal	320	2.32	-	39.36	8.36	34.20

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5190MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	73.38	74.00	-0.62	68.21	3	Vertical	4	1.79	-	31.80	5.00	31.63
AV	5.15G	53.75	54.00	-0.25	48.58	3	Vertical	4	1.79	-	31.80	5.00	31.63
PK	5.1852G	118.51	Inf	-Inf	113.51	3	Vertical	4	1.79	-	31.66	5.00	31.66
AV	5.1876G	105.35	Inf	-Inf	100.36	3	Vertical	4	1.79	-	31.65	5.00	31.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5190MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	71.16	74.00	-2.84	65.99	3	Horizontal	355	1.80	-	31.80	5.00	31.63
AV	5.15G	51.92	54.00	-2.08	46.75	3	Horizontal	355	1.80	-	31.80	5.00	31.63
PK	5.1832G	113.06	Inf	-Inf	108.04	3	Horizontal	355	1.80	-	31.67	5.00	31.65
AV	5.1844G	99.78	Inf	-Inf	94.78	3	Horizontal	355	1.80	-	31.66	5.00	31.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5190MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55518G	59.31	74.00	-14.69	43.75	3	Vertical	10	1.25	-	39.11	10.38	33.93
AV	15.5721G	46.34	54.00	-7.66	30.89	3	Vertical	10	1.25	-	39.00	10.39	33.94

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5190MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55596G	59.65	74.00	-14.35	44.09	3	Horizontal	60	2.54	-	39.11	10.38	33.93
AV	15.555G	46.29	54.00	-7.71	30.73	3	Horizontal	60	2.54	-	39.11	10.38	33.93

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	70.43	74.00	-3.57	65.26	3	Vertical	6	2.01	-	31.80	5.00	31.63
AV	5.15G	53.32	54.00	-0.68	48.15	3	Vertical	6	2.01	-	31.80	5.00	31.63
PK	5.233G	124.17	Inf	-Inf	119.46	3	Vertical	6	2.01	-	31.40	5.00	31.69
AV	5.2348G	111.47	Inf	-Inf	106.77	3	Vertical	6	2.01	-	31.39	5.00	31.69
PK	5.3698G	64.68	74.00	-9.32	60.14	3	Vertical	6	2.01	-	31.32	5.00	31.78
AV	5.35G	50.69	54.00	-3.31	46.26	3	Vertical	6	2.01	-	31.20	5.00	31.77

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	65.96	74.00	-8.04	60.79	3	Horizontal	312	1.78	-	31.80	5.00	31.63
AV	5.149G	50.11	54.00	-3.89	44.94	3	Horizontal	312	1.78	-	31.80	5.00	31.63
PK	5.224G	116.26	Inf	-Inf	111.48	3	Horizontal	312	1.78	-	31.46	5.00	31.68
AV	5.2156G	103.39	Inf	-Inf	98.56	3	Horizontal	312	1.78	-	31.51	5.00	31.68
PK	5.356G	60.42	74.00	-13.58	55.95	3	Horizontal	312	1.78	-	31.24	5.00	31.77
AV	5.35G	47.02	54.00	-6.98	42.59	3	Horizontal	312	1.78	-	31.20	5.00	31.77

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.67524G	59.77	74.00	-14.23	44.47	3	Vertical	156	1.30	-	38.88	10.44	34.02
AV	15.68082G	45.94	54.00	-8.06	30.64	3	Vertical	156	1.30	-	38.88	10.44	34.02

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5230MHz\_TX




EUT Y\_4TX  
Setting 95  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69324G	59.12	74.00	-14.88	43.81	3	Horizontal	321	1.21	-	38.89	10.45	34.03
AV	15.67806G	45.98	54.00	-8.02	30.68	3	Horizontal	321	1.21	-	38.88	10.44	34.02

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5270MHz\_TX




EUT Y\_4TX  
Setting 91  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2744G	122.29	Inf	-Inf	117.76	3	Vertical	5	1.77	-	31.25	5.00	31.72
AV	5.2752G	109.94	Inf	-Inf	105.41	3	Vertical	5	1.77	-	31.25	5.00	31.72
PK	5.3616G	69.96	74.00	-4.04	65.47	3	Vertical	5	1.77	-	31.27	5.00	31.78
AV	5.35G	53.41	54.00	-0.59	48.98	3	Vertical	5	1.77	-	31.20	5.00	31.77

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5270MHz\_TX




EUT Y\_4TX  
Setting 91  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2884G	119.34	Inf	-Inf	114.85	3	Horizontal	176	2.74	-	31.22	5.00	31.73
AV	5.284G	106.07	Inf	-Inf	101.56	3	Horizontal	176	2.74	-	31.23	5.00	31.72
PK	5.3552G	69.28	74.00	-4.72	64.82	3	Horizontal	176	2.74	-	31.23	5.00	31.77
AV	5.35G	52.50	54.00	-1.50	48.07	3	Horizontal	176	2.74	-	31.20	5.00	31.77

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5270MHz\_TX




EUT Y\_4TX  
Setting 91  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8052G	56.84	74.00	-17.16	42.06	3	Vertical	242	1.40	-	38.39	10.50	34.11
AV	15.79518G	43.96	54.00	-10.04	29.14	3	Vertical	242	1.40	-	38.42	10.50	34.10

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5270MHz\_TX




EUT Y\_4TX  
Setting 91  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81444G	57.31	74.00	-16.69	42.55	3	Horizontal	308	1.98	-	38.37	10.51	34.12
AV	15.79716G	43.93	54.00	-10.07	29.12	3	Horizontal	308	1.98	-	38.41	10.50	34.10

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	115.93	Inf	-Inf	111.48	3	Vertical	326	1.80	-	31.20	5.00	31.75
AV	5.3168G	103.08	Inf	-Inf	98.63	3	Vertical	326	1.80	-	31.20	5.00	31.75
PK	5.354G	73.99	74.00	-0.01	69.54	3	Vertical	326	1.80	-	31.22	5.00	31.77
AV	5.3508G	52.73	54.00	-1.27	48.30	3	Vertical	326	1.80	-	31.20	5.00	31.77

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3164G	111.12	Inf	-Inf	106.67	3	Horizontal	313	1.80	-	31.20	5.00	31.75
AV	5.3144G	97.95	Inf	-Inf	93.49	3	Horizontal	313	1.80	-	31.20	5.00	31.74
PK	5.35G	69.61	74.00	-4.39	65.18	3	Horizontal	313	1.80	-	31.20	5.00	31.77
AV	5.3528G	48.98	54.00	-5.02	44.53	3	Horizontal	313	1.80	-	31.22	5.00	31.77

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92346G	57.79	74.00	-16.21	43.22	3	Vertical	322	1.79	-	38.20	10.56	34.19
AV	15.94476G	43.78	54.00	-10.22	29.22	3	Vertical	322	1.79	-	38.20	10.57	34.21

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5310MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93594G	57.26	74.00	-16.74	42.69	3	Horizontal	10	1.99	-	38.20	10.57	34.20
AV	15.9396G	43.78	54.00	-10.22	29.22	3	Horizontal	10	1.99	-	38.20	10.57	34.21

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	63.99	74.00	-10.01	59.20	3	Vertical	5	1.79	-	31.58	5.04	31.83
PK	5.468G	67.20	68.20	-1.00	62.34	3	Vertical	5	1.79	-	31.64	5.07	31.85
AV	5.4588G	50.50	54.00	-3.50	45.66	3	Vertical	5	1.79	-	31.62	5.06	31.84
PK	5.4948G	118.04	Inf	-Inf	113.13	3	Vertical	5	1.79	-	31.69	5.09	31.87
AV	5.4928G	104.54	Inf	-Inf	99.63	3	Vertical	5	1.79	-	31.69	5.09	31.87

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.61	74.00	-10.39	58.77	3	Horizontal	212	1.78	-	31.62	5.06	31.84
AV	5.4588G	47.78	54.00	-6.22	42.94	3	Horizontal	212	1.78	-	31.62	5.06	31.84
PK	5.4696G	65.31	68.20	-2.89	60.45	3	Horizontal	212	1.78	-	31.64	5.07	31.85
PK	5.5176G	112.30	Inf	-Inf	107.41	3	Horizontal	212	1.78	-	31.63	5.12	31.86
AV	5.5184G	99.49	Inf	-Inf	94.60	3	Horizontal	212	1.78	-	31.63	5.12	31.86

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0302G	55.63	74.00	-18.37	41.60	3	Vertical	90	1.23	-	40.08	8.11	34.16
AV	11.0209G	42.00	54.00	-12.00	27.93	3	Vertical	90	1.23	-	40.12	8.11	34.16

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03332G	55.59	74.00	-18.41	41.57	3	Horizontal	310	1.77	-	40.07	8.11	34.16
AV	11.01232G	42.00	54.00	-12.00	27.91	3	Horizontal	310	1.77	-	40.15	8.10	34.16

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.69	74.00	-9.31	59.85	3	Vertical	9	1.80	-	31.62	5.06	31.84
AV	5.46G	49.53	54.00	-4.47	44.69	3	Vertical	9	1.80	-	31.62	5.06	31.84
PK	5.4696G	66.98	68.20	-1.22	62.12	3	Vertical	9	1.80	-	31.64	5.07	31.85
PK	5.565G	121.50	Inf	-Inf	116.67	3	Vertical	9	1.80	-	31.50	5.17	31.84
AV	5.5638G	107.28	Inf	-Inf	102.46	3	Vertical	9	1.80	-	31.50	5.16	31.84

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.05	74.00	-12.95	56.21	3	Horizontal	205	1.96	-	31.62	5.06	31.84
AV	5.4582G	47.44	54.00	-6.56	42.60	3	Horizontal	205	1.96	-	31.62	5.06	31.84
PK	5.4666G	61.57	68.20	-6.63	56.72	3	Horizontal	205	1.96	-	31.63	5.07	31.85
PK	5.5554G	114.53	Inf	-Inf	109.71	3	Horizontal	205	1.96	-	31.50	5.16	31.84
AV	5.5554G	102.05	Inf	-Inf	97.23	3	Horizontal	205	1.96	-	31.50	5.16	31.84

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10006G	55.19	74.00	-18.81	41.42	3	Vertical	333	2.71	-	39.80	8.14	34.17
AV	11.0934G	41.53	54.00	-12.47	27.73	3	Vertical	333	2.71	-	39.83	8.14	34.17

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5550MHz\_TX




EUT Y\_4TX  
Setting 84  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09622G	54.81	74.00	-19.19	41.02	3	Horizontal	244	2.70	-	39.82	8.14	34.17
AV	11.08794G	41.52	54.00	-12.48	27.70	3	Horizontal	244	2.70	-	39.85	8.14	34.17

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	117.62	Inf	-Inf	112.67	3	Vertical	8	1.78	-	31.52	5.23	31.80
AV	5.6586G	105.01	Inf	-Inf	100.04	3	Vertical	8	1.78	-	31.53	5.23	31.79
PK	5.7306G	67.55	68.20	-0.65	62.22	3	Vertical	8	1.78	-	31.82	5.27	31.76

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6826G	110.72	Inf	-Inf	105.63	3	Horizontal	197	1.80	-	31.63	5.24	31.78
AV	5.6616G	98.32	Inf	-Inf	93.33	3	Horizontal	197	1.80	-	31.55	5.23	31.79
PK	5.7348G	61.56	68.20	-6.64	56.21	3	Horizontal	197	1.80	-	31.84	5.27	31.76

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35044G	55.78	74.00	-18.22	42.04	3	Vertical	6	1.33	-	39.70	8.24	34.20
AV	11.34792G	42.23	54.00	-11.77	28.48	3	Vertical	6	1.33	-	39.70	8.24	34.19

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5670MHz\_TX




EUT Y\_4TX  
Setting 75  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3505G	55.71	74.00	-18.29	41.97	3	Horizontal	308	1.35	-	39.70	8.24	34.20
AV	11.33652G	42.17	54.00	-11.83	28.46	3	Horizontal	308	1.35	-	39.67	8.23	34.19

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	123.79	Inf	-Inf	118.51	3	Vertical	3	1.80	-	31.78	5.26	31.76
AV	5.7196G	111.24	Inf	-Inf	105.96	3	Vertical	3	1.80	-	31.78	5.26	31.76
PK	5.85G	67.34	68.20	-0.86	61.49	3	Vertical	3	1.80	-	32.20	5.35	31.70

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	118.91	Inf	-Inf	113.63	3	Horizontal	214	1.78	-	31.78	5.26	31.76
AV	5.7044G	106.32	Inf	-Inf	101.12	3	Horizontal	214	1.78	-	31.72	5.25	31.77
PK	5.8532G	64.61	68.20	-3.59	58.75	3	Horizontal	214	1.78	-	32.21	5.35	31.70

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.405G	55.61	74.00	-18.39	41.74	3	Vertical	243	2.11	-	39.81	8.26	34.20
AV	11.41544G	42.21	54.00	-11.79	28.31	3	Vertical	243	2.11	-	39.83	8.27	34.20

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 104  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4326G	55.21	74.00	-18.79	41.27	3	Horizontal	186	1.30	-	39.87	8.27	34.20
AV	11.42198G	42.19	54.00	-11.81	28.28	3	Horizontal	186	1.30	-	39.84	8.27	34.20

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.03	68.20	-1.17	62.11	3	Vertical	12	1.80	-	31.50	5.22	31.80
PK	5.749G	121.71	Inf	-Inf	116.29	3	Vertical	12	1.80	-	31.90	5.27	31.75
AV	5.75G	109.71	Inf	-Inf	104.28	3	Vertical	12	1.80	-	31.90	5.28	31.75
PK	5.933G	61.98	68.20	-6.22	55.91	3	Vertical	12	1.80	-	32.30	5.43	31.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.72	68.20	-5.48	57.80	3	Horizontal	199	2.12	-	31.50	5.22	31.80
PK	5.77G	117.93	Inf	-Inf	112.44	3	Horizontal	199	2.12	-	31.94	5.29	31.74
AV	5.756G	103.95	Inf	-Inf	98.51	3	Horizontal	199	2.12	-	31.91	5.28	31.75
PK	5.934G	58.82	68.20	-9.38	52.75	3	Horizontal	199	2.12	-	32.30	5.43	31.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50922G	54.87	74.00	-19.13	40.82	3	Vertical	225	1.84	-	39.96	8.30	34.21
AV	11.51G	42.57	54.00	-11.43	28.52	3	Vertical	225	1.84	-	39.96	8.30	34.21

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5755MHz\_TX




EUT Y\_4TX  
Setting 96  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51198G	55.80	74.00	-18.20	41.76	3	Horizontal	87	1.64	-	39.95	8.30	34.21
AV	11.50052G	42.28	54.00	-11.72	28.19	3	Horizontal	87	1.64	-	40.00	8.30	34.21

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	62.68	68.20	-5.52	57.76	3	Vertical	95	1.80	-	31.50	5.22	31.80
PK	5.798G	121.90	Inf	-Inf	116.33	3	Vertical	95	1.80	-	32.00	5.30	31.73
AV	5.798G	109.57	Inf	-Inf	104.00	3	Vertical	95	1.80	-	32.00	5.30	31.73
PK	5.934G	67.66	68.20	-0.54	61.59	3	Vertical	95	1.80	-	32.30	5.43	31.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.23	68.20	-8.97	54.31	3	Horizontal	211	1.80	-	31.50	5.22	31.80
PK	5.794G	115.45	Inf	-Inf	109.89	3	Horizontal	211	1.80	-	31.99	5.30	31.73
AV	5.791G	102.94	Inf	-Inf	97.39	3	Horizontal	211	1.80	-	31.98	5.30	31.73
PK	5.931G	61.71	68.20	-6.49	55.64	3	Horizontal	211	1.80	-	32.30	5.43	31.66

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58394G	54.98	74.00	-19.02	41.19	3	Vertical	285	2.95	-	39.66	8.33	34.20
AV	11.57572G	41.84	54.00	-12.16	28.01	3	Vertical	285	2.95	-	39.70	8.33	34.20

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5795MHz\_TX




EUT Y\_4TX  
Setting 100  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57614G	54.84	74.00	-19.16	41.01	3	Horizontal	177	1.98	-	39.70	8.33	34.20
AV	11.58088G	41.65	54.00	-12.35	27.84	3	Horizontal	177	1.98	-	39.68	8.33	34.20

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	70.21	74.00	-3.79	65.04	3	Vertical	14	1.80	-	31.80	5.00	31.63
AV	5.149G	53.79	54.00	-0.21	48.62	3	Vertical	14	1.80	-	31.80	5.00	31.63
PK	5.212G	114.67	Inf	-Inf	109.81	3	Vertical	14	1.80	-	31.53	5.00	31.67
AV	5.215G	101.71	Inf	-Inf	96.88	3	Vertical	14	1.80	-	31.51	5.00	31.68
PK	5.368G	60.62	74.00	-13.38	56.09	3	Vertical	14	1.80	-	31.31	5.00	31.78
AV	5.35G	48.39	54.00	-5.61	43.96	3	Vertical	14	1.80	-	31.20	5.00	31.77

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	65.83	74.00	-8.17	60.66	3	Horizontal	169	1.80	-	31.80	5.00	31.63
AV	5.15G	50.19	54.00	-3.81	45.02	3	Horizontal	169	1.80	-	31.80	5.00	31.63
PK	5.197G	108.92	Inf	-Inf	103.97	3	Horizontal	169	1.80	-	31.61	5.00	31.66
AV	5.2G	95.97	Inf	-Inf	91.04	3	Horizontal	169	1.80	-	31.60	5.00	31.67
PK	5.357G	58.65	74.00	-15.35	54.18	3	Horizontal	169	1.80	-	31.24	5.00	31.77
AV	5.35G	45.88	54.00	-8.12	41.45	3	Horizontal	169	1.80	-	31.20	5.00	31.77

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6306G	59.28	74.00	-14.72	44.01	3	Vertical	39	1.29	-	38.83	10.42	33.98
AV	15.62358G	46.17	54.00	-7.83	30.92	3	Vertical	39	1.29	-	38.82	10.41	33.98

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5210MHz\_TX




EUT Y\_4TX  
Setting 77  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61782G	59.83	74.00	-14.17	44.57	3	Horizontal	133	1.47	-	38.82	10.41	33.97
AV	15.62082G	46.24	54.00	-7.76	30.99	3	Horizontal	133	1.47	-	38.82	10.41	33.98

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.64	74.00	-12.36	56.47	3	Vertical	71	1.85	-	31.80	5.00	31.63
AV	5.144G	48.28	54.00	-5.72	43.11	3	Vertical	71	1.85	-	31.80	5.00	31.63
PK	5.296G	113.55	Inf	-Inf	109.07	3	Vertical	71	1.85	-	31.21	5.00	31.73
AV	5.297G	101.20	Inf	-Inf	96.72	3	Vertical	71	1.85	-	31.21	5.00	31.73
PK	5.369G	73.68	74.00	-0.32	69.15	3	Vertical	71	1.85	-	31.31	5.00	31.78
AV	5.353G	53.92	54.00	-0.08	49.47	3	Vertical	71	1.85	-	31.22	5.00	31.77
PK	5.46G	59.41	68.20	-8.79	54.57	3	Vertical	71	1.85	-	31.62	5.06	31.84

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	59.65	74.00	-14.35	54.47	3	Horizontal	191	1.99	-	31.80	5.00	31.62
AV	5.147G	46.97	54.00	-7.03	41.80	3	Horizontal	191	1.99	-	31.80	5.00	31.63
PK	5.276G	108.70	Inf	-Inf	104.17	3	Horizontal	191	1.99	-	31.25	5.00	31.72
AV	5.278G	96.40	Inf	-Inf	91.88	3	Horizontal	191	1.99	-	31.24	5.00	31.72
PK	5.357G	68.41	74.00	-5.59	63.94	3	Horizontal	191	1.99	-	31.24	5.00	31.77
AV	5.35G	49.26	54.00	-4.74	44.83	3	Horizontal	191	1.99	-	31.20	5.00	31.77
PK	5.524G	59.25	68.20	-8.95	54.39	3	Horizontal	191	1.99	-	31.60	5.12	31.86

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8619G	56.86	74.00	-17.14	42.20	3	Vertical	79	2.03	-	38.28	10.53	34.15
AV	15.87054G	43.56	54.00	-10.44	28.92	3	Vertical	79	2.03	-	38.26	10.54	34.16

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5290MHz\_TX




EUT Y\_4TX  
Setting 78  
06-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87426G	56.89	74.00	-17.11	42.26	3	Horizontal	276	2.15	-	38.25	10.54	34.16
AV	15.8676G	43.54	54.00	-10.46	28.90	3	Horizontal	276	2.15	-	38.26	10.53	34.15

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	59.05	68.20	-9.15	54.61	3	Vertical	3	1.80	-	31.20	5.00	31.76
PK	5.442G	67.52	74.00	-6.48	62.73	3	Vertical	3	1.80	-	31.58	5.04	31.83
PK	5.47G	66.67	68.20	-1.53	61.81	3	Vertical	3	1.80	-	31.64	5.07	31.85
AV	5.46G	49.97	54.00	-4.03	45.13	3	Vertical	3	1.80	-	31.62	5.06	31.84
PK	5.568G	112.78	Inf	-Inf	107.95	3	Vertical	3	1.80	-	31.50	5.17	31.84
AV	5.567G	100.54	Inf	-Inf	95.71	3	Vertical	3	1.80	-	31.50	5.17	31.84
PK	5.749G	59.78	68.20	-8.42	54.36	3	Vertical	3	1.80	-	31.90	5.27	31.75

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	56.98	68.20	-11.22	52.54	3	Horizontal	214	1.80	-	31.20	5.00	31.76
PK	5.46G	62.11	74.00	-11.89	57.27	3	Horizontal	214	1.80	-	31.62	5.06	31.84
AV	5.458G	47.16	54.00	-6.84	42.32	3	Horizontal	214	1.80	-	31.62	5.06	31.84
PK	5.464G	60.54	68.20	-7.66	55.70	3	Horizontal	214	1.80	-	31.63	5.06	31.85
PK	5.523G	109.37	Inf	-Inf	104.50	3	Horizontal	214	1.80	-	31.61	5.12	31.86
AV	5.52G	96.11	Inf	-Inf	91.23	3	Horizontal	214	1.80	-	31.62	5.12	31.86
PK	5.73G	57.97	68.20	-10.23	52.65	3	Horizontal	214	1.80	-	31.82	5.26	31.76

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05094G	55.22	74.00	-18.78	41.27	3	Vertical	246	2.84	-	40.00	8.12	34.17
AV	11.04854G	41.61	54.00	-12.39	27.64	3	Vertical	246	2.84	-	40.01	8.12	34.16

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06348G	54.82	74.00	-19.18	40.91	3	Horizontal	149	1.18	-	39.95	8.13	34.17
AV	11.05262G	41.66	54.00	-12.34	27.72	3	Horizontal	149	1.18	-	39.99	8.12	34.17

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting B3  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.39	74.00	-9.61	59.57	3	Vertical	20	1.80	-	31.61	5.05	31.84
PK	5.462G	65.49	68.20	-2.71	60.65	3	Vertical	20	1.80	-	31.62	5.06	31.84
AV	5.459G	50.99	54.00	-3.01	46.15	3	Vertical	20	1.80	-	31.62	5.06	31.84
PK	5.593G	115.69	Inf	-Inf	110.83	3	Vertical	20	1.80	-	31.50	5.19	31.83
AV	5.625G	103.68	Inf	-Inf	98.78	3	Vertical	20	1.80	-	31.50	5.21	31.81
PK	5.728G	67.88	68.20	-0.32	62.57	3	Vertical	20	1.80	-	31.81	5.26	31.76

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.64	74.00	-12.36	56.82	3	Horizontal	205	1.80	-	31.61	5.05	31.84
PK	5.463G	61.89	68.20	-6.31	57.04	3	Horizontal	205	1.80	-	31.63	5.06	31.84
AV	5.46G	48.46	54.00	-5.54	43.62	3	Horizontal	205	1.80	-	31.62	5.06	31.84
PK	5.588G	110.74	Inf	-Inf	105.88	3	Horizontal	205	1.80	-	31.50	5.19	31.83
AV	5.591G	98.62	Inf	-Inf	93.76	3	Horizontal	205	1.80	-	31.50	5.19	31.83
PK	5.807G	66.53	68.20	-1.67	60.91	3	Horizontal	205	1.80	-	32.03	5.31	31.72

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20566G	54.95	74.00	-19.05	41.35	3	Vertical	316	1.49	-	39.60	8.18	34.18
AV	11.21886G	41.64	54.00	-12.36	28.03	3	Vertical	316	1.49	-	39.60	8.19	34.18

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5610MHz\_TX




EUT Y\_4TX  
Setting 83  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22594G	54.75	74.00	-19.25	41.14	3	Horizontal	314	1.46	-	39.60	8.19	34.18
AV	11.22558G	41.64	54.00	-12.36	28.03	3	Horizontal	314	1.46	-	39.60	8.19	34.18

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	60.56	74.00	-13.44	55.77	3	Vertical	271	1.81	-	31.58	5.04	31.83
PK	5.46G	60.38	68.20	-7.82	55.54	3	Vertical	271	1.81	-	31.62	5.06	31.84
AV	5.456G	48.07	54.00	-5.93	43.24	3	Vertical	271	1.81	-	31.61	5.06	31.84
PK	5.678G	116.70	Inf	-Inf	111.63	3	Vertical	271	1.81	-	31.61	5.24	31.78
AV	5.681G	104.23	Inf	-Inf	99.15	3	Vertical	271	1.81	-	31.62	5.24	31.78
PK	5.858G	67.29	68.20	-0.91	61.41	3	Vertical	271	1.81	-	32.22	5.36	31.70

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.30	74.00	-13.70	55.49	3	Horizontal	209	1.88	-	31.60	5.05	31.84
PK	5.461G	58.93	68.20	-9.27	54.09	3	Horizontal	209	1.88	-	31.62	5.06	31.84
AV	5.457G	46.73	54.00	-7.27	41.90	3	Horizontal	209	1.88	-	31.61	5.06	31.84
PK	5.685G	118.76	Inf	-Inf	113.66	3	Horizontal	209	1.88	-	31.64	5.24	31.78
AV	5.698G	99.72	Inf	-Inf	94.55	3	Horizontal	209	1.88	-	31.69	5.25	31.77
PK	5.859G	63.31	68.20	-4.89	57.43	3	Horizontal	209	1.88	-	32.22	5.36	31.70

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39272G	55.91	74.00	-18.09	42.06	3	Vertical	195	2.60	-	39.79	8.26	34.20
AV	11.37436G	42.24	54.00	-11.76	28.44	3	Vertical	195	2.60	-	39.75	8.25	34.20

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 90  
06-C-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3947G	55.72	74.00	-18.28	41.87	3	Horizontal	352	1.64	-	39.79	8.26	34.20
AV	11.3935G	42.15	54.00	-11.85	28.30	3	Horizontal	352	1.64	-	39.79	8.26	34.20

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.19	68.20	-0.01	63.27	3	Vertical	194	1.80	-	31.50	5.22	31.80
PK	5.744G	115.72	Inf	-Inf	110.32	3	Vertical	194	1.80	-	31.88	5.27	31.75
AV	5.764G	103.21	Inf	-Inf	97.74	3	Vertical	194	1.80	-	31.93	5.28	31.74
PK	5.949G	65.35	68.20	-2.85	59.25	3	Vertical	194	1.80	-	32.30	5.45	31.65

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	61.91	68.20	-6.29	57.01	3	Horizontal	220	1.80	-	31.50	5.21	31.81
PK	5.766G	110.30	Inf	-Inf	104.83	3	Horizontal	220	1.80	-	31.93	5.28	31.74
AV	5.763G	97.86	Inf	-Inf	92.39	3	Horizontal	220	1.80	-	31.93	5.28	31.74
PK	5.933G	59.74	68.20	-8.46	53.67	3	Horizontal	220	1.80	-	32.30	5.43	31.66

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54694G	54.79	74.00	-19.21	40.87	3	Vertical	139	2.69	-	39.81	8.32	34.21
AV	11.55336G	41.68	54.00	-12.32	27.78	3	Vertical	139	2.69	-	39.79	8.32	34.21

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5775MHz\_TX




EUT Y\_4TX  
Setting 89  
06-D-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55978G	54.78	74.00	-19.22	40.91	3	Horizontal	160	1.06	-	39.76	8.32	34.21
AV	11.54124G	41.73	54.00	-12.27	27.78	3	Horizontal	160	1.06	-	39.84	8.32	34.21

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 76  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	71.25	74.00	-2.75	66.08	3	Vertical	9	1.82	-	31.80	5.00	31.63
AV	5.1428G	53.08	54.00	-0.92	47.91	3	Vertical	9	1.82	-	31.80	5.00	31.63
PK	5.2676G	111.68	Inf	-Inf	107.13	3	Vertical	9	1.82	-	31.26	5.00	31.71
AV	5.266G	98.93	Inf	-Inf	94.37	3	Vertical	9	1.82	-	31.27	5.00	31.71
PK	5.3988G	73.31	74.00	-0.69	68.62	3	Vertical	9	1.82	-	31.49	5.00	31.80
AV	5.3556G	52.15	54.00	-1.85	47.69	3	Vertical	9	1.82	-	31.23	5.00	31.77
PK	5.4612G	62.41	68.20	-5.79	57.57	3	Vertical	9	1.82	-	31.62	5.06	31.84

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 76  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	71.12	74.00	-2.88	65.94	3	Horizontal	179	1.80	-	31.80	5.00	31.62
AV	5.146G	49.43	54.00	-4.57	44.26	3	Horizontal	179	1.80	-	31.80	5.00	31.63
PK	5.2052G	111.79	Inf	-Inf	106.89	3	Horizontal	179	1.80	-	31.57	5.00	31.67
AV	5.2404G	92.71	Inf	-Inf	88.04	3	Horizontal	179	1.80	-	31.36	5.00	31.69
PK	5.394G	66.85	74.00	-7.15	62.19	3	Horizontal	179	1.80	-	31.46	5.00	31.80
PK	5.4692G	60.86	68.20	-7.34	56.00	3	Horizontal	179	1.80	-	31.64	5.07	31.85
AV	5.4324G	48.28	54.00	-5.72	43.51	3	Horizontal	179	1.80	-	31.56	5.03	31.82

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 76  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76284G	58.06	74.00	-15.94	43.07	3	Vertical	189	2.27	-	38.59	10.48	34.08
AV	15.73632G	45.10	54.00	-8.90	29.97	3	Vertical	189	2.27	-	38.72	10.47	34.06

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 76  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7506G	58.67	74.00	-15.33	43.61	3	Horizontal	298	2.97	-	38.65	10.48	34.07
AV	15.73518G	45.05	54.00	-8.95	29.92	3	Horizontal	298	2.97	-	38.72	10.47	34.06

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2516G	58.71	68.20	-9.49	54.11	3	Vertical	335	1.78	-	31.30	5.00	31.70
PK	5.4484G	66.26	74.00	-7.74	61.44	3	Vertical	335	1.78	-	31.60	5.05	31.83
AV	5.4516G	53.11	54.00	-0.89	48.30	3	Vertical	335	1.78	-	31.60	5.05	31.84
PK	5.4628G	66.04	68.20	-2.16	61.19	3	Vertical	335	1.78	-	31.63	5.06	31.84
PK	5.5844G	108.34	Inf	-Inf	103.49	3	Vertical	335	1.78	-	31.50	5.18	31.83
AV	5.6148G	95.87	Inf	-Inf	90.97	3	Vertical	335	1.78	-	31.50	5.21	31.81
PK	5.7764G	62.44	68.20	-5.76	56.94	3	Vertical	335	1.78	-	31.95	5.29	31.74

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	57.81	68.20	-10.39	53.35	3	Horizontal	209	1.80	-	31.20	5.00	31.74
PK	5.4532G	64.59	74.00	-9.41	59.77	3	Horizontal	209	1.80	-	31.61	5.05	31.84
AV	5.4548G	48.07	54.00	-5.93	43.25	3	Horizontal	209	1.80	-	31.61	5.05	31.84
PK	5.4644G	62.72	68.20	-5.48	57.88	3	Horizontal	209	1.80	-	31.63	5.06	31.85
PK	5.5748G	105.04	Inf	-Inf	100.20	3	Horizontal	209	1.80	-	31.50	5.17	31.83
AV	5.5572G	91.83	Inf	-Inf	87.01	3	Horizontal	209	1.80	-	31.50	5.16	31.84
PK	5.7396G	59.15	68.20	-9.05	53.77	3	Horizontal	209	1.80	-	31.86	5.27	31.75

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5570MHz\_TX




EUT Y\_4TX  
Setting 72  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12926G	54.74	74.00	-19.26	41.02	3	Vertical	224	1.80	-	39.74	8.15	34.17
AV	11.13424G	41.45	54.00	-12.55	27.74	3	Vertical	224	1.80	-	39.73	8.15	34.17

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

25/12/2020

5570MHz\_TX



EUT Y\_4TX  
Setting 72  
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15044G	55.04	74.00	-18.96	41.36	3	Horizontal	80	2.49	-	39.70	8.16	34.18
AV	11.12932G	41.44	54.00	-12.56	27.72	3	Horizontal	80	2.49	-	39.74	8.15	34.17