


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50062G	59.13	74.00	-14.87	43.31	3	Horizontal	279	1.80	-	40.10	10.35	34.63
AV	11.50494G	44.88	54.00	-9.12	29.07	3	Horizontal	279	1.80	-	40.09	10.35	34.63
PK	17.23815G	64.05	68.20	-4.15	44.98	3	Horizontal	171	2.17	-	41.38	12.72	35.03

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	61.69	68.20	-6.51	55.09	3	Vertical	213	1.80	-	31.84	7.22	32.46
PK	5.7915G	126.28	Inf	-Inf	119.07	3	Vertical	213	1.80	-	32.28	7.34	32.41
AV	5.7915G	116.32	Inf	-Inf	109.11	3	Vertical	213	1.80	-	32.28	7.34	32.41
PK	6.011G	59.17	68.20	-9.03	51.60	3	Vertical	213	1.80	-	32.52	7.41	32.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.561G	56.31	74.00	-17.69	40.60	3	Vertical	257	1.85	-	39.98	10.37	34.64
AV	11.57678G	43.77	54.00	-10.23	28.09	3	Vertical	257	1.85	-	39.95	10.37	34.64
PK	17.3574G	64.54	68.20	-3.66	44.88	3	Vertical	213	1.80	-	42.07	12.77	35.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Z_4TX
 Setting 104
 06-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55905G	57.31	74.00	-16.69	41.60	3	Horizontal	213	1.80	-	39.98	10.37	34.64
AV	11.55599G	43.85	54.00	-10.15	28.13	3	Horizontal	213	1.80	-	39.99	10.37	34.64
PK	17.34936G	64.26	68.20	-3.94	44.67	3	Horizontal	179	1.32	-	41.99	12.77	35.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX



EUT_Z_4TX
 Setting 104
 06-F-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	60.15	68.20	-8.05	53.51	3	Vertical	286	1.68	-	31.90	7.21	32.47
PK	5.8175G	125.26	Inf	-Inf	118.01	3	Vertical	286	1.68	-	32.30	7.35	32.40
AV	5.818G	115.00	Inf	-Inf	107.75	3	Vertical	286	1.68	-	32.30	7.35	32.40
PK	6.0295G	59.28	68.20	-8.92	51.68	3	Vertical	286	1.68	-	32.56	7.42	32.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64853G	56.32	74.00	-17.68	40.96	3	Vertical	135	1.47	-	39.61	10.39	34.64
AV	11.64232G	43.59	54.00	-10.41	28.19	3	Vertical	135	1.47	-	39.65	10.39	34.64
PK	17.47731G	64.40	68.20	-3.80	43.64	3	Vertical	60	2.80	-	43.27	12.82	35.33

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6359G	56.66	74.00	-17.34	41.23	3	Horizontal	164	1.10	-	39.68	10.39	34.64
AV	11.63695G	43.60	54.00	-10.40	28.17	3	Horizontal	164	1.10	-	39.68	10.39	34.64
PK	17.48745G	64.44	68.20	-3.76	43.58	3	Horizontal	338	2.87	-	43.37	12.83	35.34

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
 Setting 88
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	69.26	74.00	-4.74	62.98	3	Vertical	235	1.80	-	33.10	5.97	32.79
AV	5.1498G	53.70	54.00	-0.30	47.42	3	Vertical	235	1.80	-	33.10	5.97	32.79
PK	5.1766G	127.74	Inf	-Inf	121.38	3	Vertical	235	1.80	-	33.15	5.99	32.78
AV	5.1742G	115.19	Inf	-Inf	108.83	3	Vertical	235	1.80	-	33.15	5.99	32.78

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Z_4TX
 Setting 88
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35036G	56.34	68.20	-11.86	41.00	3	Vertical	339	2.90	-	38.70	8.44	31.80
PK	15.53092G	61.67	74.00	-12.33	43.34	3	Vertical	360	2.90	-	38.54	10.51	30.72
AV	15.53304G	47.89	54.00	-6.11	29.57	3	Vertical	360	2.90	-	38.53	10.51	30.72

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Z_4TX
 Setting 88
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3976G	56.07	68.20	-12.13	40.56	3	Horizontal	276	1.80	-	38.80	8.46	31.75
PK	15.5088G	62.21	74.00	-11.79	43.86	3	Horizontal	328	1.80	-	38.58	10.50	30.73
AV	15.4484G	48.79	54.00	-5.21	30.35	3	Horizontal	328	1.80	-	38.65	10.48	30.69

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
 Setting 95
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	71.32	74.00	-2.68	65.04	3	Vertical	45	1.80	-	33.10	5.97	32.79
AV	5.15G	53.95	54.00	-0.05	47.67	3	Vertical	45	1.80	-	33.10	5.97	32.79
PK	5.202G	128.57	Inf	-Inf	122.14	3	Vertical	45	1.80	-	33.20	6.00	32.77
AV	5.2068G	117.02	Inf	-Inf	110.57	3	Vertical	45	1.80	-	33.21	6.00	32.76

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Z_4TX
 Setting 95
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40752G	56.40	68.20	-11.80	40.88	3	Vertical	218	1.80	-	38.80	8.46	31.74
PK	15.59856G	60.47	74.00	-13.53	42.23	3	Vertical	238	1.80	-	38.40	10.54	30.70
AV	15.59012G	47.72	54.00	-6.28	29.46	3	Vertical	238	1.80	-	38.42	10.54	30.70

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Z_4TX
 Setting 95
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40672G	55.35	68.20	-12.85	39.83	3	Horizontal	151	1.80	-	38.80	8.46	31.74
PK	15.60048G	61.28	74.00	-12.72	43.04	3	Horizontal	184	1.80	-	38.40	10.54	30.70
AV	15.59728G	47.47	54.00	-6.53	29.22	3	Horizontal	184	1.80	-	38.41	10.54	30.70

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 104
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.02	74.00	-7.98	59.74	3	Vertical	50	1.80	-	33.10	5.97	32.79
AV	5.1482G	50.82	54.00	-3.18	44.54	3	Vertical	50	1.80	-	33.10	5.97	32.79
PK	5.2484G	128.51	Inf	-Inf	121.94	3	Vertical	50	1.80	-	33.30	6.02	32.75
AV	5.2478G	120.15	Inf	-Inf	113.58	3	Vertical	50	1.80	-	33.30	6.02	32.75
PK	5.351G	63.59	74.00	-10.41	56.71	3	Vertical	50	1.80	-	33.50	6.08	32.70
AV	5.3522G	49.39	54.00	-4.61	42.50	3	Vertical	50	1.80	-	33.51	6.08	32.70

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4778G	57.09	68.20	-11.11	41.46	3	Vertical	181	1.80	-	38.80	8.49	31.66
PK	15.71588G	61.16	74.00	-12.84	42.89	3	Vertical	332	1.97	-	38.35	10.59	30.67
AV	15.7192G	47.31	54.00	-6.69	29.02	3	Vertical	332	1.97	-	38.36	10.59	30.66

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47444G	56.21	68.20	-11.99	40.59	3	Horizontal	0	2.23	-	38.80	8.49	31.67
PK	15.71576G	60.66	74.00	-13.34	42.39	3	Horizontal	83	1.80	-	38.35	10.59	30.67
AV	15.72288G	47.22	54.00	-6.78	28.92	3	Horizontal	83	1.80	-	38.37	10.59	30.66

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 106
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1214G	61.80	74.00	-12.20	55.54	3	Vertical	316	1.80	-	33.10	5.96	32.80
AV	5.1412G	49.12	54.00	-4.88	42.84	3	Vertical	316	1.80	-	33.10	5.97	32.79
PK	5.2534G	128.56	Inf	-Inf	121.96	3	Vertical	316	1.80	-	33.31	6.03	32.74
AV	5.2516G	120.58	Inf	-Inf	113.99	3	Vertical	316	1.80	-	33.30	6.03	32.74
PK	5.365G	64.03	74.00	-9.97	57.09	3	Vertical	316	1.80	-	33.56	6.08	32.70
AV	5.35G	49.90	54.00	-4.10	43.02	3	Vertical	316	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52916G	56.90	68.20	-11.30	41.25	3	Vertical	197	1.80	-	38.80	8.51	31.66
PK	15.77292G	61.90	74.00	-12.10	43.42	3	Vertical	244	1.80	-	38.52	10.61	30.65
AV	15.78936G	48.10	54.00	-5.90	29.55	3	Vertical	244	1.80	-	38.57	10.62	30.64

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5248G	56.37	68.20	-11.83	40.72	3	Horizontal	268	3.00	-	38.80	8.51	31.66
PK	15.78468G	61.85	74.00	-12.15	43.33	3	Horizontal	360	1.80	-	38.55	10.61	30.64
AV	15.78944G	48.11	54.00	-5.89	29.56	3	Horizontal	360	1.80	-	38.57	10.62	30.64

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
 Setting 89
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	128.08	Inf	-Inf	121.33	3	Vertical	115	1.80	-	33.42	6.05	32.72
AV	5.3092G	116.62	Inf	-Inf	109.87	3	Vertical	115	1.80	-	33.42	6.05	32.72
PK	5.35G	72.61	74.00	-1.39	65.73	3	Vertical	115	1.80	-	33.50	6.08	32.70
AV	5.35G	52.40	54.00	-1.60	45.52	3	Vertical	115	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Z_4TX
 Setting 89
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59432G	56.84	68.20	-11.36	41.22	3	Vertical	58	1.80	-	38.80	8.54	31.72
PK	15.899G	61.98	74.00	-12.02	43.13	3	Vertical	306	1.32	-	38.80	10.66	30.61
AV	15.9044G	49.13	54.00	-4.87	30.27	3	Vertical	306	1.32	-	38.81	10.66	30.61

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Z_4TX
 Setting 89
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5956G	56.66	68.20	-11.54	41.04	3	Horizontal	276	1.62	-	38.80	8.54	31.72
PK	15.89936G	62.65	74.00	-11.35	43.80	3	Horizontal	9	1.80	-	38.80	10.66	30.61
AV	15.90932G	48.98	54.00	-5.02	30.11	3	Horizontal	9	1.80	-	38.82	10.66	30.61

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 87
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	127.91	Inf	-Inf	121.15	3	Vertical	2	1.80	-	33.42	6.06	32.72
AV	5.3112G	115.71	Inf	-Inf	108.95	3	Vertical	2	1.80	-	33.42	6.06	32.72
PK	5.3606G	67.15	74.00	-6.85	60.23	3	Vertical	2	1.80	-	33.54	6.08	32.70
AV	5.3506G	53.82	54.00	-0.18	46.94	3	Vertical	2	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
 Setting 87
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63344G	56.07	74.00	-17.93	40.47	3	Vertical	285	2.60	-	38.80	8.55	31.75
AV	10.64232G	43.42	54.00	-10.58	27.81	3	Vertical	285	2.60	-	38.80	8.56	31.75
PK	15.95608G	62.22	74.00	-11.78	43.22	3	Vertical	256	1.01	-	38.91	10.68	30.59
AV	15.96952G	49.06	54.00	-4.94	30.02	3	Vertical	256	1.01	-	38.94	10.69	30.59

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 87
01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63304G	56.66	74.00	-17.34	41.06	3	Horizontal	359	1.80	-	38.80	8.55	31.75
AV	10.64276G	43.49	54.00	-10.51	27.88	3	Horizontal	359	1.80	-	38.80	8.56	31.75
PK	15.96548G	62.70	74.00	-11.30	43.67	3	Horizontal	145	1.14	-	38.93	10.69	30.59
AV	15.96896G	49.16	54.00	-4.84	30.12	3	Horizontal	145	1.14	-	38.94	10.69	30.59

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
 Setting 82
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	70.00	74.00	-4.00	62.59	3	Vertical	43	1.80	-	33.94	6.13	32.66
AV	5.4584G	52.79	54.00	-1.21	45.39	3	Vertical	43	1.80	-	33.93	6.13	32.66
PK	5.4602G	67.98	68.20	-0.22	60.57	3	Vertical	43	1.80	-	33.94	6.13	32.66
PK	5.5074G	126.60	Inf	-Inf	118.99	3	Vertical	43	1.80	-	34.10	6.15	32.64
AV	5.5084G	115.33	Inf	-Inf	107.72	3	Vertical	43	1.80	-	34.10	6.15	32.64

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Z_4TX
 Setting 82
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00184G	56.22	74.00	-17.78	40.86	3	Vertical	194	1.80	-	38.70	8.70	32.04
AV	11.00392G	43.25	54.00	-10.75	27.89	3	Vertical	194	1.80	-	38.70	8.70	32.04
PK	16.49492G	65.39	68.20	-2.81	42.98	3	Vertical	185	1.80	-	40.47	10.90	28.96

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Z_4TX
 Setting 82
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99268G	56.63	74.00	-17.37	41.26	3	Horizontal	219	1.83	-	38.70	8.70	32.03
AV	10.99076G	43.26	54.00	-10.74	27.89	3	Horizontal	219	1.83	-	38.70	8.70	32.03
PK	16.50272G	65.39	68.20	-2.81	42.94	3	Horizontal	39	1.80	-	40.49	10.90	28.94

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
 Setting 104
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	63.99	74.00	-10.01	56.74	3	Vertical	328	1.80	-	33.81	6.11	32.67
AV	5.4256G	51.83	54.00	-2.17	44.59	3	Vertical	328	1.80	-	33.80	6.11	32.67
PK	5.464G	61.57	68.20	-6.63	54.14	3	Vertical	328	1.80	-	33.96	6.13	32.66
PK	5.588G	129.69	Inf	-Inf	121.93	3	Vertical	328	1.80	-	34.25	6.19	32.68
AV	5.5856G	119.09	Inf	-Inf	111.33	3	Vertical	328	1.80	-	34.24	6.19	32.67
PK	5.7472G	63.31	68.20	-4.89	55.28	3	Vertical	328	1.80	-	34.50	6.27	32.74

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16668G	57.45	74.00	-16.55	41.99	3	Vertical	96	1.80	-	38.63	8.77	31.94
AV	11.15556G	43.76	54.00	-10.24	28.31	3	Vertical	96	1.80	-	38.64	8.76	31.95
PK	16.73548G	65.71	68.20	-2.49	43.33	3	Vertical	196	1.80	-	40.74	10.99	29.35

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 104
01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16976G	57.35	74.00	-16.65	41.89	3	Horizontal	165	1.80	-	38.63	8.77	31.94
AV	11.16464G	43.79	54.00	-10.21	28.32	3	Horizontal	165	1.80	-	38.64	8.77	31.94
PK	16.74788G	65.03	68.20	-3.17	42.61	3	Horizontal	340	1.80	-	40.79	11.00	29.37

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
 Setting 61
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6922G	123.83	Inf	-Inf	115.83	3	Vertical	55	1.59	-	34.47	6.25	32.72
AV	5.6918G	110.49	Inf	-Inf	102.49	3	Vertical	55	1.59	-	34.47	6.25	32.72
PK	5.7268G	65.63	68.20	-2.57	57.60	3	Vertical	55	1.59	-	34.50	6.26	32.73

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Z_4TX
 Setting 61
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4082G	57.04	74.00	-16.96	41.18	3	Vertical	85	1.54	-	38.80	8.86	31.80
AV	11.40284G	43.94	54.00	-10.06	28.08	3	Vertical	85	1.54	-	38.80	8.86	31.80
PK	17.09844G	65.35	68.20	-2.85	42.38	3	Vertical	265	1.80	-	41.79	11.14	29.96

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Z_4TX
 Setting 61
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39152G	57.13	74.00	-16.87	41.29	3	Horizontal	102	2.49	-	38.79	8.86	31.81
AV	11.39984G	43.89	54.00	-10.11	28.03	3	Horizontal	102	2.49	-	38.80	8.86	31.80
PK	17.10672G	65.20	68.20	-3.00	42.23	3	Horizontal	0	2.27	-	41.81	11.14	29.98

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 104
01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	130.06	Inf	-Inf	122.02	3	Vertical	56	1.68	-	34.50	6.26	32.72
AV	5.712G	120.37	Inf	-Inf	112.33	3	Vertical	56	1.68	-	34.50	6.26	32.72
PK	5.9128G	62.25	68.20	-5.95	53.35	3	Vertical	56	1.68	-	35.35	6.36	32.81

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44812G	57.02	74.00	-16.98	41.11	3	Vertical	210	1.41	-	38.80	8.88	31.77
AV	11.4364G	44.09	54.00	-9.91	28.20	3	Vertical	210	1.41	-	38.80	8.87	31.78
PK	17.15812G	64.41	68.20	-3.79	41.45	3	Vertical	97	2.15	-	41.86	11.16	30.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44132G	57.37	74.00	-16.63	41.47	3	Horizontal	0	2.04	-	38.80	8.88	31.78
AV	11.44136G	44.09	54.00	-9.91	28.19	3	Horizontal	0	2.04	-	38.80	8.88	31.78
PK	17.16944G	65.56	68.20	-2.64	42.59	3	Horizontal	5	2.28	-	41.87	11.17	30.07

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 101
 06-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	64.20	68.20	-4.00	57.61	3	Vertical	223	1.80	-	31.82	7.22	32.45
PK	5.7495G	128.76	Inf	-Inf	121.67	3	Vertical	223	1.80	-	32.20	7.31	32.42
AV	5.75G	117.41	Inf	-Inf	110.32	3	Vertical	223	1.80	-	32.20	7.31	32.42
PK	5.927G	59.77	68.20	-8.43	52.15	3	Vertical	223	1.80	-	32.60	7.38	32.36

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 101
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49657G	58.28	74.00	-15.72	42.46	3	Vertical	318	1.80	-	40.10	10.35	34.63
AV	11.50449G	44.81	54.00	-9.19	29.00	3	Vertical	318	1.80	-	40.09	10.35	34.63
PK	17.2467G	63.83	68.20	-4.37	44.75	3	Vertical	0	1.80	-	41.39	12.73	35.04

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Z_4TX
 Setting 101
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49489G	57.51	74.00	-16.49	41.69	3	Horizontal	200	2.03	-	40.10	10.35	34.63
AV	11.48259G	45.08	54.00	-8.92	29.26	3	Horizontal	200	2.03	-	40.10	10.35	34.63
PK	17.24445G	64.15	68.20	-4.05	45.07	3	Horizontal	290	1.84	-	41.39	12.73	35.04

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.553G	63.26	68.20	-4.94	56.56	3	Vertical	218	1.80	-	31.90	7.28	32.48
PK	5.792G	127.60	Inf	-Inf	120.39	3	Vertical	218	1.80	-	32.28	7.34	32.41
AV	5.779G	116.66	Inf	-Inf	109.48	3	Vertical	218	1.80	-	32.26	7.33	32.41
PK	5.976G	59.21	68.20	-8.99	51.62	3	Vertical	218	1.80	-	32.55	7.39	32.35

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58266G	57.27	74.00	-16.73	41.61	3	Vertical	187	2.29	-	39.93	10.37	34.64
AV	11.55959G	44.63	54.00	-9.37	28.92	3	Vertical	187	2.29	-	39.98	10.37	34.64
PK	17.35419G	63.95	68.20	-4.25	44.32	3	Vertical	88	1.80	-	42.04	12.77	35.18

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57294G	57.25	74.00	-16.75	41.57	3	Horizontal	33	1.73	-	39.95	10.37	34.64
AV	11.5712G	44.62	54.00	-9.38	28.93	3	Horizontal	33	1.73	-	39.96	10.37	34.64
PK	17.34813G	63.48	68.20	-4.72	43.90	3	Horizontal	98	3.00	-	41.98	12.77	35.17

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	61.69	68.20	-6.51	55.05	3	Vertical	225	1.79	-	31.90	7.21	32.47
PK	5.8225G	125.70	Inf	-Inf	118.44	3	Vertical	225	1.79	-	32.30	7.36	32.40
AV	5.8175G	114.72	Inf	-Inf	107.47	3	Vertical	225	1.79	-	32.30	7.35	32.40
PK	6.001G	59.35	68.20	-8.85	51.79	3	Vertical	225	1.79	-	32.50	7.40	32.34

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65702G	56.23	74.00	-17.77	40.93	3	Vertical	159	1.74	-	39.56	10.39	34.65
AV	11.65879G	44.00	54.00	-10.00	28.71	3	Vertical	159	1.74	-	39.55	10.39	34.65
PK	17.47041G	65.06	68.20	-3.14	44.36	3	Vertical	331	1.80	-	43.20	12.82	35.32

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64076G	57.18	74.00	-16.82	41.77	3	Horizontal	341	1.35	-	39.66	10.39	34.64
AV	11.63785G	44.18	54.00	-9.82	28.76	3	Horizontal	341	1.35	-	39.67	10.39	34.64
PK	17.47104G	64.83	68.20	-3.37	44.12	3	Horizontal	158	1.29	-	43.21	12.82	35.32

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
 Setting 79
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	69.54	74.00	-4.46	63.26	3	Vertical	53	1.80	-	33.10	5.97	32.79
AV	5.15G	53.67	54.00	-0.33	47.39	3	Vertical	53	1.80	-	33.10	5.97	32.79
PK	5.2056G	121.61	Inf	-Inf	115.16	3	Vertical	53	1.80	-	33.21	6.00	32.76
AV	5.1884G	109.13	Inf	-Inf	102.73	3	Vertical	53	1.80	-	33.18	5.99	32.77

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Z_4TX
 Setting 79
 01-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4108G	56.87	68.20	-11.33	41.35	3	Vertical	85	1.80	-	38.80	8.46	31.74
PK	15.494G	62.91	74.00	-11.09	44.53	3	Vertical	11	1.55	-	38.61	10.50	30.73
AV	15.4732G	48.58	54.00	-5.42	30.17	3	Vertical	11	1.55	-	38.63	10.49	30.71

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Z_4TX
 Setting 79
 01-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.462G	57.13	68.20	-11.07	41.53	3	Horizontal	51	1.80	-	38.80	8.48	31.68
PK	15.4772G	62.57	74.00	-11.43	44.17	3	Horizontal	39	1.75	-	38.62	10.49	30.71
AV	15.4956G	48.48	54.00	-5.52	30.11	3	Horizontal	39	1.75	-	38.60	10.50	30.73

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 93
01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	73.52	74.00	-0.48	67.24	3	Vertical	129	1.80	-	33.10	5.97	32.79
AV	5.15G	53.98	54.00	-0.02	47.70	3	Vertical	129	1.80	-	33.10	5.97	32.79
PK	5.2284G	122.47	Inf	-Inf	115.95	3	Vertical	129	1.80	-	33.26	6.01	32.75
AV	5.2288G	109.60	Inf	-Inf	103.08	3	Vertical	129	1.80	-	33.26	6.01	32.75

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Z_4TX
Setting 93
01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5496G	56.53	68.20	-11.67	40.89	3	Vertical	251	1.80	-	38.80	8.52	31.68
PK	15.772G	60.87	74.00	-13.13	42.39	3	Vertical	1	1.80	-	38.52	10.61	30.65
AV	15.784G	47.93	54.00	-6.07	29.41	3	Vertical	1	1.80	-	38.55	10.61	30.64

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Z_4TX
Setting 93
01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4608G	56.08	68.20	-12.12	40.48	3	Horizontal	258	3.00	-	38.80	8.48	31.68
PK	15.7844G	61.41	74.00	-12.59	42.89	3	Horizontal	177	2.44	-	38.55	10.61	30.64
AV	15.7896G	47.88	54.00	-6.12	29.33	3	Horizontal	177	2.44	-	38.57	10.62	30.64

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
 Setting 91
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2884G	124.10	Inf	-Inf	117.41	3	Vertical	169	1.80	-	33.38	6.04	32.73
AV	5.288G	111.49	Inf	-Inf	104.80	3	Vertical	169	1.80	-	33.38	6.04	32.73
PK	5.352G	72.79	74.00	-1.21	65.90	3	Vertical	169	1.80	-	33.51	6.08	32.70
AV	5.3504G	53.83	54.00	-0.17	46.95	3	Vertical	169	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Z_4TX
Setting 91
01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5476G	52.10	68.20	-16.10	47.39	3	Vertical	17	1.77	-	38.80	8.52	42.61
PK	15.80664G	55.77	74.00	-18.23	48.42	3	Vertical	141	1.42	-	38.61	10.62	41.88
AV	15.8052G	41.90	54.00	-12.10	34.55	3	Vertical	141	1.42	-	38.61	10.62	41.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Z_4TX
 Setting 91
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53124G	52.39	68.20	-15.81	47.69	3	Horizontal	316	2.21	-	38.80	8.51	42.61
PK	15.82G	55.86	74.00	-18.14	48.47	3	Horizontal	235	2.62	-	38.64	10.63	41.88
AV	15.80824G	41.85	54.00	-12.15	34.49	3	Horizontal	235	2.62	-	38.62	10.62	41.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 80
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	121.40	Inf	-Inf	114.68	3	Vertical	356	1.80	-	33.40	6.05	32.73
AV	5.294G	109.10	Inf	-Inf	102.39	3	Vertical	356	1.80	-	33.39	6.05	32.73
PK	5.3516G	68.06	74.00	-5.94	61.17	3	Vertical	356	1.80	-	33.51	6.08	32.70
AV	5.35G	53.96	54.00	-0.04	47.08	3	Vertical	356	1.80	-	33.50	6.08	32.70

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 80
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61336G	53.24	74.00	-20.76	48.51	3	Vertical	281	2.14	-	38.80	8.55	42.62
AV	10.62092G	39.51	54.00	-14.49	34.78	3	Vertical	281	2.14	-	38.80	8.55	42.62
PK	15.9336G	57.14	74.00	-16.86	49.44	3	Vertical	193	1.42	-	38.87	10.67	41.84
AV	15.939G	43.04	54.00	-10.96	35.32	3	Vertical	193	1.42	-	38.88	10.68	41.84

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
 Setting 80
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6152G	53.69	74.00	-20.31	48.96	3	Horizontal	82	1.73	-	38.80	8.55	42.62
AV	10.6152G	39.46	54.00	-14.54	34.74	3	Horizontal	82	1.73	-	38.80	8.54	42.62
PK	15.93256G	56.39	74.00	-17.61	48.69	3	Horizontal	134	2.19	-	38.87	10.67	41.84
AV	15.9306G	42.90	54.00	-11.10	35.21	3	Horizontal	134	2.19	-	38.86	10.67	41.84

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 80
01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.33	74.00	-9.67	56.92	3	Vertical	272	1.80	-	33.94	6.13	32.66
AV	5.4596G	51.18	54.00	-2.82	43.77	3	Vertical	272	1.80	-	33.94	6.13	32.66
PK	5.4692G	67.43	68.20	-0.77	59.97	3	Vertical	272	1.80	-	33.98	6.13	32.65
PK	5.508G	122.01	Inf	-Inf	114.40	3	Vertical	272	1.80	-	34.10	6.15	32.64
AV	5.506G	109.75	Inf	-Inf	102.14	3	Vertical	272	1.80	-	34.10	6.15	32.64

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
 Setting 80
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0274G	53.44	74.00	-20.56	48.69	3	Vertical	131	2.03	-	38.70	8.71	42.66
AV	11.01072G	39.69	54.00	-14.31	34.95	3	Vertical	131	2.03	-	38.70	8.70	42.66
PK	16.529G	58.49	68.20	-9.71	49.14	3	Vertical	2	2.06	-	40.38	10.91	41.94

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Z_4TX
 Setting 80
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02092G	53.88	74.00	-20.12	49.13	3	Horizontal	319	1.39	-	38.70	8.71	42.66
AV	11.02164G	39.81	54.00	-14.19	35.06	3	Horizontal	319	1.39	-	38.70	8.71	42.66
PK	16.53076G	57.60	68.20	-10.60	48.25	3	Horizontal	275	1.60	-	40.38	10.91	41.94

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
 Setting 83
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	66.19	74.00	-7.81	58.81	3	Vertical	31	1.80	-	33.91	6.13	32.66
PK	5.4652G	67.84	68.20	-0.36	60.40	3	Vertical	31	1.80	-	33.96	6.13	32.65
AV	5.4592G	49.27	54.00	-4.73	41.86	3	Vertical	31	1.80	-	33.94	6.13	32.66
PK	5.5416G	120.41	Inf	-Inf	112.80	3	Vertical	31	1.80	-	34.10	6.17	32.66
AV	5.5432G	107.52	Inf	-Inf	99.91	3	Vertical	31	1.80	-	34.10	6.17	32.66

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
 Setting 83
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09708G	54.45	74.00	-19.55	49.68	3	Vertical	57	1.19	-	38.70	8.74	42.67
AV	11.09012G	40.20	54.00	-13.80	35.43	3	Vertical	57	1.19	-	38.70	8.74	42.67
PK	16.65832G	56.96	68.20	-11.24	47.51	3	Vertical	268	2.18	-	40.39	10.96	41.90

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
 Setting 83
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10204G	54.12	74.00	-19.88	49.35	3	Horizontal	257	2.27	-	38.70	8.74	42.67
AV	11.09008G	40.07	54.00	-13.93	35.30	3	Horizontal	257	2.27	-	38.70	8.74	42.67
PK	16.6582G	56.87	68.20	-11.33	47.42	3	Horizontal	66	2.12	-	40.39	10.96	41.90

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
 Setting 67
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6556G	117.63	Inf	-Inf	109.78	3	Vertical	88	1.80	-	34.32	6.23	32.70
AV	5.6884G	104.11	Inf	-Inf	96.14	3	Vertical	88	1.80	-	34.45	6.24	32.72
PK	5.7288G	67.57	68.20	-0.63	59.54	3	Vertical	88	1.80	-	34.50	6.26	32.73

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Z_4TX
 Setting 67
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33652G	53.61	74.00	-20.39	48.75	3	Vertical	3	1.50	-	38.74	8.83	42.71
AV	11.34148G	39.45	54.00	-14.55	34.58	3	Vertical	3	1.50	-	38.74	8.84	42.71
PK	17.01648G	58.64	68.20	-9.56	47.94	3	Vertical	230	2.16	-	41.38	11.11	41.79

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Z_4TX
 Setting 67
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33124G	53.67	74.00	-20.33	48.82	3	Horizontal	106	2.51	-	38.73	8.83	42.71
AV	11.3412G	39.56	54.00	-14.44	34.69	3	Horizontal	106	2.51	-	38.74	8.84	42.71
PK	17.01492G	58.62	68.20	-9.58	47.93	3	Horizontal	280	1.41	-	41.37	11.11	41.79

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	126.07	Inf	-Inf	118.04	3	Vertical	308	1.80	-	34.50	6.26	32.73
AV	5.7252G	114.38	Inf	-Inf	106.35	3	Vertical	308	1.80	-	34.50	6.26	32.73
PK	5.8532G	65.87	68.20	-2.33	57.39	3	Vertical	308	1.80	-	34.93	6.33	32.78

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41208G	53.51	74.00	-20.49	48.57	3	Vertical	306	2.28	-	38.80	8.86	42.72
AV	11.41104G	40.08	54.00	-13.92	35.14	3	Vertical	306	2.28	-	38.80	8.86	42.72
PK	17.13196G	58.67	68.20	-9.53	47.51	3	Vertical	12	1.72	-	41.83	11.15	41.82

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 104
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41548G	53.46	74.00	-20.54	48.51	3	Horizontal	11	2.21	-	38.80	8.87	42.72
AV	11.41056G	40.06	54.00	-13.94	35.12	3	Horizontal	11	2.21	-	38.80	8.86	42.72
PK	17.12352G	58.68	68.20	-9.52	47.52	3	Horizontal	72	2.63	-	41.82	11.15	41.81

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 Setting 102
 06-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6515G	68.94	69.31	-0.37	62.35	3	Vertical	212	1.80	-	31.81	7.23	32.45
PK	5.7375G	123.20	Inf	-Inf	116.17	3	Vertical	212	1.80	-	32.15	7.30	32.42
AV	5.7375G	111.78	Inf	-Inf	104.75	3	Vertical	212	1.80	-	32.15	7.30	32.42
PK	5.9315G	60.74	68.20	-7.46	53.12	3	Vertical	212	1.80	-	32.60	7.38	32.36

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 Setting 102
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49917G	58.26	74.00	-15.74	42.44	3	Vertical	292	1.32	-	40.10	10.35	34.63
AV	11.50394G	44.23	54.00	-9.77	28.42	3	Vertical	292	1.32	-	40.09	10.35	34.63
PK	17.26245G	63.71	68.20	-4.49	44.62	3	Vertical	309	1.80	-	41.42	12.73	35.06

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
 Setting 102
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51645G	57.46	74.00	-16.54	41.66	3	Horizontal	227	1.68	-	40.07	10.36	34.63
AV	11.50538G	44.03	54.00	-9.97	28.22	3	Horizontal	227	1.68	-	40.09	10.35	34.63
PK	17.25954G	63.57	68.20	-4.63	44.48	3	Horizontal	127	1.96	-	41.42	12.73	35.06

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20/02/2023

EUT_Z_4TX
Setting 104
06-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.04	68.20	-4.16	57.46	3	Vertical	209	1.80	-	31.80	7.23	32.45
PK	5.782G	122.64	Inf	-Inf	115.45	3	Vertical	209	1.80	-	32.26	7.34	32.41
AV	5.777G	110.66	Inf	-Inf	103.49	3	Vertical	209	1.80	-	32.25	7.33	32.41
PK	6.005G	59.04	68.20	-9.16	51.48	3	Vertical	209	1.80	-	32.51	7.40	32.35

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57902G	57.71	74.00	-16.29	42.04	3	Vertical	68	2.01	-	39.94	10.37	34.64
AV	11.58865G	43.68	54.00	-10.32	28.02	3	Vertical	68	2.01	-	39.92	10.38	34.64
PK	17.38554G	64.85	68.20	-3.35	44.93	3	Vertical	1	1.97	-	42.36	12.78	35.22

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
 Setting 104
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57989G	56.94	74.00	-17.06	41.27	3	Horizontal	143	1.32	-	39.94	10.37	34.64
AV	11.58364G	43.62	54.00	-10.38	27.96	3	Horizontal	143	1.32	-	39.93	10.37	34.64
PK	17.38035G	63.94	68.20	-4.26	44.07	3	Horizontal	49	2.57	-	42.30	12.78	35.21

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
 Setting 82
 01-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.51	74.00	-7.49	60.23	3	Vertical	50	1.80	-	33.10	5.97	32.79
AV	5.15G	53.87	54.00	-0.13	47.59	3	Vertical	50	1.80	-	33.10	5.97	32.79
PK	5.231G	119.61	Inf	-Inf	113.08	3	Vertical	50	1.80	-	33.26	6.02	32.75
AV	5.225G	107.64	Inf	-Inf	101.14	3	Vertical	50	1.80	-	33.25	6.01	32.76
PK	5.375G	61.87	74.00	-12.13	54.87	3	Vertical	50	1.80	-	33.60	6.09	32.69
AV	5.365G	48.93	54.00	-5.07	41.99	3	Vertical	50	1.80	-	33.56	6.08	32.70

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Z_4TX
 Setting 82
 01-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42624G	56.68	68.20	-11.52	41.13	3	Vertical	16	1.80	-	38.80	8.47	31.72
PK	15.63984G	60.54	74.00	-13.46	42.31	3	Vertical	88	1.84	-	38.36	10.56	30.69
AV	15.62416G	46.95	54.00	-7.05	28.71	3	Vertical	88	1.84	-	38.38	10.55	30.69

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Z_4TX
 Setting 82
 01-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42408G	57.08	68.20	-11.12	41.53	3	Horizontal	125	1.77	-	38.80	8.47	31.72
PK	15.62056G	60.96	74.00	-13.04	42.72	3	Horizontal	238	1.80	-	38.38	10.55	30.69
AV	15.62012G	46.85	54.00	-7.15	28.61	3	Horizontal	238	1.80	-	38.38	10.55	30.69

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 78
01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	61.27	74.00	-12.73	55.01	3	Vertical	151	1.80	-	33.10	5.96	32.80
AV	5.1332G	48.41	54.00	-5.59	42.13	3	Vertical	151	1.80	-	33.10	5.97	32.79
PK	5.286G	117.26	Inf	-Inf	110.58	3	Vertical	151	1.80	-	33.37	6.04	32.73
AV	5.2876G	105.05	Inf	-Inf	98.36	3	Vertical	151	1.80	-	33.38	6.04	32.73
PK	5.35G	65.32	74.00	-8.68	58.44	3	Vertical	151	1.80	-	33.50	6.08	32.70
AV	5.3532G	53.31	54.00	-0.69	46.42	3	Vertical	151	1.80	-	33.51	6.08	32.70
PK	5.4604G	60.71	68.20	-7.49	53.30	3	Vertical	151	1.80	-	33.94	6.13	32.66

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Z_4TX
 Setting 78
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57752G	52.50	68.20	-15.70	47.79	3	Vertical	146	1.80	-	38.80	8.53	42.62
PK	15.86528G	56.76	74.00	-17.24	49.24	3	Vertical	358	1.80	-	38.73	10.65	41.86
AV	15.8702G	42.87	54.00	-11.13	35.34	3	Vertical	358	1.80	-	38.74	10.65	41.86

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Z_4TX
 Setting 78
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58892G	52.78	68.20	-15.42	48.06	3	Horizontal	150	1.01	-	38.80	8.54	42.62
PK	15.87832G	56.91	74.00	-17.09	49.36	3	Horizontal	328	1.80	-	38.76	10.65	41.86
AV	15.8752G	42.87	54.00	-11.13	35.33	3	Horizontal	328	1.80	-	38.75	10.65	41.86

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
 Setting 78
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	60.07	68.20	-8.13	53.23	3	Vertical	38	1.80	-	33.48	6.07	32.71
PK	5.4596G	67.00	74.00	-7.00	59.59	3	Vertical	38	1.80	-	33.94	6.13	32.66
AV	5.4596G	53.82	54.00	-0.18	46.41	3	Vertical	38	1.80	-	33.94	6.13	32.66
PK	5.4652G	67.52	68.20	-0.68	60.08	3	Vertical	38	1.80	-	33.96	6.13	32.65
PK	5.5028G	122.70	Inf	-Inf	115.09	3	Vertical	38	1.80	-	34.10	6.15	32.64
AV	5.5284G	106.99	Inf	-Inf	99.38	3	Vertical	38	1.80	-	34.10	6.16	32.65
PK	5.73G	60.72	68.20	-7.48	52.69	3	Vertical	38	1.80	-	34.50	6.26	32.73

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Z_4TX
 Setting 78
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0684G	54.38	74.00	-19.62	49.62	3	Vertical	0	1.80	-	38.70	8.73	42.67
AV	11.06836G	40.06	54.00	-13.94	35.30	3	Vertical	0	1.80	-	38.70	8.73	42.67
PK	16.58572G	57.62	68.20	-10.58	48.45	3	Vertical	30	1.80	-	40.16	10.93	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Z_4TX
 Setting 78
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05352G	54.47	74.00	-19.53	49.72	3	Horizontal	97	1.80	-	38.70	8.72	42.67
AV	11.06832G	40.04	54.00	-13.96	35.28	3	Horizontal	97	1.80	-	38.70	8.73	42.67
PK	16.58688G	57.00	68.20	-11.20	47.84	3	Horizontal	72	1.80	-	40.15	10.93	41.92

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
 Setting 81
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	66.64	74.00	-7.36	59.25	3	Vertical	26	1.80	-	33.92	6.13	32.66
AV	5.4588G	49.79	54.00	-4.21	42.38	3	Vertical	26	1.80	-	33.94	6.13	32.66
PK	5.4668G	64.30	68.20	-3.90	56.85	3	Vertical	26	1.80	-	33.97	6.13	32.65
PK	5.638G	119.31	Inf	-Inf	111.49	3	Vertical	26	1.80	-	34.30	6.22	32.70
AV	5.6412G	106.02	Inf	-Inf	98.20	3	Vertical	26	1.80	-	34.30	6.22	32.70
PK	5.7356G	67.63	68.20	-0.57	59.59	3	Vertical	26	1.80	-	34.50	6.27	32.73

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Z_4TX
Setting 81
01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21704G	54.03	74.00	-19.97	49.31	3	Vertical	123	1.80	-	38.62	8.79	42.69
AV	11.21044G	39.75	54.00	-14.25	35.05	3	Vertical	123	1.80	-	38.61	8.78	42.69
PK	16.82948G	58.19	68.20	-10.01	47.91	3	Vertical	360	1.53	-	41.09	11.03	41.84

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Z_4TX
 Setting 81
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21848G	53.34	74.00	-20.66	48.62	3	Horizontal	202	2.39	-	38.62	8.79	42.69
AV	11.2108G	39.74	54.00	-14.26	35.04	3	Horizontal	202	2.39	-	38.61	8.78	42.69
PK	16.83596G	58.34	68.20	-9.86	48.04	3	Horizontal	157	2.87	-	41.11	11.03	41.84

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 100
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	124.25	Inf	-Inf	116.22	3	Vertical	42	1.80	-	34.50	6.25	32.72
AV	5.7028G	111.79	Inf	-Inf	103.76	3	Vertical	42	1.80	-	34.50	6.25	32.72
PK	5.8524G	67.28	68.20	-0.92	58.81	3	Vertical	42	1.80	-	34.92	6.33	32.78

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 100
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37744G	53.17	74.00	-20.83	48.25	3	Vertical	205	1.80	-	38.78	8.85	42.71
AV	11.38944G	39.72	54.00	-14.28	34.78	3	Vertical	205	1.80	-	38.79	8.86	42.71
PK	17.07448G	59.19	68.20	-9.01	48.19	3	Vertical	219	1.88	-	41.67	11.13	41.80

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 100
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3874G	53.24	74.00	-20.76	48.31	3	Horizontal	298	1.80	-	38.79	8.85	42.71
AV	11.38988G	39.78	54.00	-14.22	34.84	3	Horizontal	298	1.80	-	38.79	8.86	42.71
PK	17.06128G	59.11	68.20	-9.09	48.18	3	Horizontal	328	1.80	-	41.61	11.12	41.80

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
 Setting 92
 06-F-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	68.22	68.57	-0.35	61.64	3	Vertical	221	1.80	-	31.80	7.23	32.45
PK	5.7605G	120.05	Inf	-Inf	112.93	3	Vertical	221	1.80	-	32.22	7.32	32.42
AV	5.761G	107.71	Inf	-Inf	100.59	3	Vertical	221	1.80	-	32.22	7.32	32.42
PK	5.95G	59.72	68.20	-8.48	52.09	3	Vertical	221	1.80	-	32.60	7.39	32.36

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Z_4TX
 Setting 92
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54736G	57.37	74.00	-16.63	41.63	3	Vertical	281	1.80	-	40.01	10.36	34.63
AV	11.54244G	43.68	54.00	-10.32	27.93	3	Vertical	281	1.80	-	40.02	10.36	34.63
PK	17.32791G	64.09	68.20	-4.11	44.69	3	Vertical	86	2.78	-	41.78	12.76	35.14

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Z_4TX
 Setting 92
 06-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55354G	56.53	74.00	-17.47	40.81	3	Horizontal	190	2.90	-	39.99	10.37	34.64
AV	11.54487G	43.61	54.00	-10.39	27.87	3	Horizontal	190	2.90	-	40.01	10.36	34.63
PK	17.32392G	64.52	68.20	-3.68	45.16	3	Horizontal	133	2.06	-	41.74	12.76	35.14

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz_TX




EUT_Z_4TX
 Setting 76
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	70.03	74.00	-3.97	63.75	3	Vertical	359	1.80	-	33.10	5.97	32.79
AV	5.1476G	51.99	54.00	-2.01	45.71	3	Vertical	359	1.80	-	33.10	5.97	32.79
PK	5.2948G	114.54	Inf	-Inf	107.83	3	Vertical	359	1.80	-	33.39	6.05	32.73
AV	5.2916G	100.58	Inf	-Inf	93.88	3	Vertical	359	1.80	-	33.38	6.05	32.73
PK	5.3732G	73.38	74.00	-0.62	66.39	3	Vertical	359	1.80	-	33.59	6.09	32.69
AV	5.3524G	52.65	54.00	-1.35	45.76	3	Vertical	359	1.80	-	33.51	6.08	32.70
PK	5.4772G	61.83	68.20	-6.37	54.33	3	Vertical	359	1.80	-	34.01	6.14	32.65

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz_TX




EUT Z_4TX
 Setting 76
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50428G	53.05	68.20	-15.15	48.36	3	Vertical	271	1.41	-	38.80	8.50	42.61
PK	15.742G	54.80	74.00	-19.20	47.67	3	Vertical	302	1.80	-	38.43	10.60	41.90
AV	15.7586G	40.88	54.00	-13.12	33.70	3	Vertical	302	1.80	-	38.48	10.60	41.90

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz_TX




EUT Z_4TX
 Setting 76
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49852G	52.50	68.20	-15.70	47.81	3	Horizontal	27	1.80	-	38.80	8.50	42.61
PK	15.75152G	54.64	74.00	-19.36	47.49	3	Horizontal	176	1.80	-	38.45	10.60	41.90
AV	15.75988G	40.91	54.00	-13.09	33.73	3	Horizontal	176	1.80	-	38.48	10.60	41.90

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
 Setting 71
 01-B-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	65.32	68.20	-2.88	58.45	3	Vertical	38	1.80	-	33.50	6.07	32.70
PK	5.4548G	68.65	74.00	-5.35	61.26	3	Vertical	38	1.80	-	33.92	6.13	32.66
AV	5.4596G	53.73	54.00	-0.27	46.32	3	Vertical	38	1.80	-	33.94	6.13	32.66
PK	5.4692G	67.30	68.20	-0.90	59.84	3	Vertical	38	1.80	-	33.98	6.13	32.65
PK	5.5332G	114.13	Inf	-Inf	106.51	3	Vertical	38	1.80	-	34.10	6.17	32.65
AV	5.5316G	101.91	Inf	-Inf	94.29	3	Vertical	38	1.80	-	34.10	6.17	32.65
PK	5.73G	63.45	68.20	-4.75	55.42	3	Vertical	38	1.80	-	34.50	6.26	32.73

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Z_4TX
 Setting 71
 01-B-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0872G	53.96	74.00	-20.04	49.20	3	Vertical	199	1.80	-	38.70	8.73	42.67
AV	11.0872G	39.81	54.00	-14.19	35.05	3	Vertical	199	1.80	-	38.70	8.73	42.67
PK	16.70916G	57.21	68.20	-10.99	47.47	3	Vertical	49	1.80	-	40.64	10.98	41.88

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



EUT Z_4TX
 Setting 71
 01-B-R-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14768G	53.77	74.00	-20.23	49.04	3	Horizontal	79	1.00	-	38.65	8.76	42.68
AV	11.14928G	39.48	54.00	-14.52	34.75	3	Horizontal	79	1.00	-	38.65	8.76	42.68
PK	16.70656G	57.22	68.20	-10.98	47.49	3	Horizontal	230	1.52	-	40.63	10.98	41.88



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.75451G	26.83	54.00	-27.17	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7547G	37.76	74.00	-36.24	-5.11	3	Vertical	150	1.75	-	42.87	25.41	4.24	34.76
AV	1.75451G	26.83	54.00	-27.17	-5.11	3	Vertical	150	1.75	"Worst"	31.94	25.41	4.24	34.76

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.75704G	37.99	74.00	-36.01	-5.10	3	Horizontal	211	1.30	-	43.09	25.41	4.25	34.76
AV	1.75468G	26.62	54.00	-27.38	-5.11	3	Horizontal	211	1.30	"Worst"	31.73	25.41	4.24	34.76