


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 50
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17102G	60.34	88.20	-27.86	42.30	3	Vertical	329	1.40	-	41.51	11.21	34.68
RMS	14.17094G	47.92	68.20	-20.28	29.88	3	Vertical	329	1.40	-	41.51	11.21	34.68

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 50
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1723G	60.31	88.20	-27.89	42.26	3	Horizontal	254	1.32	-	41.52	11.21	34.68
RMS	14.17226G	47.93	68.20	-20.27	29.88	3	Horizontal	254	1.32	-	41.52	11.21	34.68

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 50
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25496G	47.77	83.54	-35.77	43.96	1	Vertical	104	1.56	-	38.10	17.81	52.10
AV	21.25518G	35.38	63.54	-28.16	31.57	1	Vertical	104	1.56	-	38.10	17.81	52.10
PK	28.33788G	51.36	97.74	-46.38	39.45	1	Vertical	246	1.54	-	39.70	21.31	49.10
RMS	28.33542G	38.98	77.74	-38.76	27.07	1	Vertical	246	1.54	-	39.70	21.31	49.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
 Setting 50
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25528G	48.04	83.54	-35.50	44.23	1	Horizontal	280	1.50	-	38.10	17.81	52.10
AV	21.25134G	35.43	63.54	-28.11	31.63	1	Horizontal	280	1.50	-	38.10	17.80	52.10
PK	28.33666G	51.25	97.74	-46.49	39.34	1	Horizontal	253	1.55	-	39.70	21.31	49.10
RMS	28.33586G	39.09	77.74	-38.65	27.18	1	Horizontal	253	1.55	-	39.70	21.31	49.10

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	61.21	88.20	-26.99	53.60	3	Vertical	234	1.80	-	32.60	7.38	32.37
RMS	5.925G	50.11	68.20	-18.09	42.49	3	Vertical	234	1.80	-	32.60	7.38	32.36
PK	5.9802G	111.83	Inf	-Inf	104.24	3	Vertical	234	1.80	-	32.54	7.40	32.35
RMS	5.9778G	101.85	Inf	-Inf	94.27	3	Vertical	234	1.80	-	32.54	7.39	32.35

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97352G	56.98	74.00	-17.02	42.14	3	Vertical	201	2.66	-	39.05	10.47	34.68
AV	11.96914G	44.59	54.00	-9.41	29.76	3	Vertical	201	2.66	-	39.04	10.47	34.68

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97356G	57.65	74.00	-16.35	42.81	3	Horizontal	233	2.71	-	39.05	10.47	34.68
AV	11.96656G	44.58	54.00	-9.42	29.76	3	Horizontal	233	2.71	-	39.03	10.47	34.68

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93964G	52.32	83.54	-31.22	44.73	1	Vertical	39	1.53	-	38.80	19.01	50.22
AV	23.9397G	46.11	63.54	-17.43	38.52	1	Vertical	39	1.53	-	38.80	19.01	50.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9386G	49.58	83.54	-33.96	41.99	1	Horizontal	70	1.50	-	38.80	19.01	50.22
AV	23.93976G	38.96	63.54	-24.58	31.37	1	Horizontal	70	1.50	-	38.80	19.01	50.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.37	88.20	-27.83	52.78	3	Vertical	302.8	1.80	-	32.59	7.37	32.37
RMS	5.8978G	49.61	68.20	-18.59	42.02	3	Vertical	302.8	1.80	-	32.59	7.37	32.37
PK	6.133G	111.89	Inf	-Inf	104.26	3	Vertical	302.8	1.80	-	32.67	7.49	32.53
RMS	6.1318G	101.44	Inf	-Inf	93.82	3	Vertical	302.8	1.80	-	32.66	7.49	32.53

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2861G	56.24	74.00	-17.76	41.52	3	Vertical	238	1.95	-	38.84	10.57	34.69
AV	12.29044G	44.04	54.00	-9.96	29.33	3	Vertical	238	1.95	-	38.83	10.57	34.69

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29058G	56.43	74.00	-17.57	41.72	3	Horizontal	340	1.22	-	38.83	10.57	34.69
AV	12.28766G	43.87	54.00	-10.13	29.15	3	Horizontal	340	1.22	-	38.84	10.57	34.69

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4356G	47.32	83.54	-36.22	43.34	1	Vertical	129	1.51	-	37.57	16.62	50.21
AV	18.43122G	34.71	63.54	-28.83	30.72	1	Vertical	129	1.51	-	37.57	16.62	50.20
PK	24.57836G	48.81	97.74	-48.93	40.43	1	Vertical	174	1.58	-	38.90	19.25	49.77
RMS	24.58214G	36.38	77.74	-41.36	28.00	1	Vertical	174	1.58	-	38.90	19.25	49.77

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43046G	47.36	83.54	-36.18	43.37	1	Horizontal	310	1.52	-	37.57	16.62	50.20
AV	18.4319G	34.71	63.54	-28.83	30.72	1	Horizontal	310	1.52	-	37.57	16.62	50.20
PK	24.58236G	48.19	97.74	-49.55	39.81	1	Horizontal	325	1.50	-	38.90	19.25	49.77
RMS	24.58284G	36.37	77.74	-41.37	27.99	1	Horizontal	325	1.50	-	38.90	19.25	49.77

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	60.39	88.20	-27.81	53.03	3	Vertical	221.4	1.80	-	32.37	7.37	32.38
RMS	5.8858G	49.55	68.20	-18.65	42.05	3	Vertical	221.4	1.80	-	32.51	7.37	32.38
PK	6.3778G	111.47	Inf	-Inf	102.73	3	Vertical	221.4	1.80	-	33.67	7.95	32.88
RMS	6.3754G	100.41	Inf	-Inf	91.70	3	Vertical	221.4	1.80	-	33.65	7.94	32.88

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76888G	56.89	88.20	-31.31	41.66	3	Vertical	235	2.68	-	39.21	10.73	34.71
RMS	12.76854G	44.82	68.20	-23.38	29.59	3	Vertical	235	2.68	-	39.21	10.73	34.71

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7748G	57.38	88.20	-30.82	42.14	3	Horizontal	241	2.43	-	39.22	10.73	34.71
RMS	12.7714G	44.71	68.20	-23.49	29.48	3	Horizontal	241	2.43	-	39.21	10.73	34.71

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15646G	47.22	83.54	-36.32	43.74	1	Vertical	314	1.53	-	37.56	16.91	50.99
AV	19.15506G	35.12	63.54	-28.42	31.64	1	Vertical	314	1.53	-	37.56	16.91	50.99
PK	25.54038G	49.17	97.74	-48.57	39.98	1	Vertical	274	1.56	-	38.90	19.59	49.30
RMS	25.53724G	37.05	77.74	-40.69	27.86	1	Vertical	274	1.56	-	38.90	19.59	49.30

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15956G	47.42	83.54	-36.12	43.93	1	Horizontal	14	1.54	-	37.56	16.92	50.99
AV	19.15252G	35.08	63.54	-28.46	31.59	1	Horizontal	14	1.54	-	37.56	16.91	50.98
PK	25.53874G	49.76	97.74	-47.98	40.57	1	Horizontal	102	1.58	-	38.90	19.59	49.30
RMS	25.5406G	37.03	77.74	-40.71	27.84	1	Horizontal	102	1.58	-	38.90	19.59	49.30

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9216G	60.31	88.20	-27.89	52.70	3	Vertical	220	1.80	-	32.60	7.38	32.37
RMS	5.8956G	49.54	68.20	-18.66	41.97	3	Vertical	220	1.80	-	32.57	7.37	32.37
PK	6.4676G	113.18	Inf	-Inf	104.23	3	Vertical	220	1.80	-	33.97	7.99	33.01
RMS	6.4754G	102.09	Inf	-Inf	93.12	3	Vertical	220	1.80	-	34.00	7.99	33.02

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9311G	57.02	88.20	-31.18	41.45	3	Vertical	265	2.75	-	39.50	10.78	34.71
RMS	12.92582G	44.25	68.20	-23.95	28.68	3	Vertical	265	2.75	-	39.50	10.78	34.71

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93294G	56.63	88.20	-31.57	41.06	3	Horizontal	175	1.51	-	39.50	10.78	34.71
RMS	12.92748G	44.34	68.20	-23.86	28.77	3	Horizontal	175	1.51	-	39.50	10.78	34.71

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39G	46.98	83.54	-36.56	43.58	1	Vertical	125	1.51	-	37.66	17.01	51.27
AV	19.39052G	35.06	63.54	-28.48	31.66	1	Vertical	125	1.51	-	37.66	17.01	51.27
PK	25.86052G	48.89	97.74	-48.85	39.54	1	Vertical	46	1.50	-	38.94	19.71	49.30
RMS	25.86366G	37.00	77.74	-40.74	27.64	1	Vertical	46	1.50	-	38.95	19.71	49.30

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3924G	47.78	83.54	-35.76	44.38	1	Horizontal	88	1.50	-	37.66	17.01	51.27
AV	19.3931G	35.04	63.54	-28.50	31.64	1	Horizontal	88	1.50	-	37.66	17.01	51.27
PK	25.86098G	48.81	97.74	-48.93	39.46	1	Horizontal	182	1.55	-	38.94	19.71	49.30
RMS	25.86134G	37.10	77.74	-40.64	27.75	1	Horizontal	182	1.55	-	38.94	19.71	49.30

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 60
06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	60.79	88.20	-27.41	53.40	3	Vertical	235	1.80	-	32.40	7.37	32.38
RMS	5.9122G	49.53	68.20	-18.67	41.92	3	Vertical	235	1.80	-	32.60	7.38	32.37
PK	6.5786G	110.83	Inf	-Inf	101.50	3	Vertical	235	1.80	-	34.41	7.98	33.06
RMS	6.5562G	100.81	Inf	-Inf	91.57	3	Vertical	235	1.80	-	34.32	7.98	33.06
PK	7.1274G	62.32	88.20	-25.88	51.22	3	Vertical	235	1.80	-	36.01	8.29	33.20
RMS	7.2226G	51.57	68.20	-16.63	40.27	3	Vertical	235	1.80	-	36.44	8.18	33.32

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09142G	57.45	88.20	-30.75	42.00	3	Vertical	336	1.70	-	39.32	10.83	34.70
RMS	13.08968G	45.22	68.20	-22.98	29.77	3	Vertical	336	1.70	-	39.32	10.83	34.70

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0936G	57.99	88.20	-30.21	42.55	3	Horizontal	71	1.71	-	39.31	10.83	34.70
RMS	13.08966G	45.28	68.20	-22.92	29.83	3	Horizontal	71	1.71	-	39.32	10.83	34.70

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6382G	46.72	83.54	-36.82	43.51	1	Vertical	228	1.51	-	37.64	17.11	51.54
AV	19.63628G	34.57	63.54	-28.97	31.35	1	Vertical	228	1.51	-	37.65	17.11	51.54
PK	26.18368G	49.11	97.74	-48.63	39.44	1	Vertical	234	1.53	-	39.00	19.90	49.23
RMS	26.17852G	36.94	77.74	-40.80	27.27	1	Vertical	234	1.53	-	39.00	19.90	49.23

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63376G	46.88	83.54	-36.66	43.65	1	Horizontal	120	1.50	-	37.65	17.11	51.53
AV	19.63248G	34.61	63.54	-28.93	31.38	1	Horizontal	120	1.50	-	37.65	17.11	51.53
PK	26.17508G	49.28	97.74	-48.46	39.62	1	Horizontal	119	1.58	-	39.00	19.89	49.23
RMS	26.18012G	36.94	77.74	-40.80	27.27	1	Horizontal	119	1.58	-	39.00	19.90	49.23

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6562G	111.32	Inf	-Inf	101.89	3	Vertical	132	1.80	-	34.50	7.98	33.05
RMS	6.6562G	101.42	Inf	-Inf	91.99	3	Vertical	132	1.80	-	34.50	7.98	33.05
PK	7.2106G	63.11	88.20	-25.09	51.87	3	Vertical	132	1.80	-	36.36	8.19	33.31
RMS	7.213G	51.54	68.20	-16.66	40.28	3	Vertical	132	1.80	-	36.38	8.19	33.31

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25152G	58.14	74.00	-15.86	42.35	3	Vertical	308	2.71	-	39.60	10.88	34.69
AV	13.25158G	45.37	54.00	-8.63	29.58	3	Vertical	308	2.71	-	39.60	10.88	34.69

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25108G	57.75	74.00	-16.25	41.96	3	Horizontal	310	2.34	-	39.60	10.88	34.69
AV	13.25248G	45.45	54.00	-8.55	29.66	3	Horizontal	310	2.34	-	39.60	10.88	34.69

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8715G	46.52	83.54	-37.02	43.58	1	Vertical	49	1.52	-	37.50	17.21	51.77
AV	19.87062G	34.45	63.54	-29.09	31.51	1	Vertical	49	1.52	-	37.50	17.21	51.77
PK	26.49526G	50.44	97.74	-47.30	39.81	1	Vertical	175	1.55	-	39.59	20.14	49.10
RMS	26.4982G	37.95	77.74	-39.79	27.31	1	Vertical	175	1.55	-	39.60	20.14	49.10

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87932G	46.59	83.54	-36.95	43.66	1	Horizontal	129	1.51	-	37.50	17.21	51.78
AV	19.8731G	34.39	63.54	-29.15	31.45	1	Horizontal	129	1.51	-	37.50	17.21	51.77
PK	26.50132G	50.02	97.74	-47.72	39.37	1	Horizontal	237	1.53	-	39.60	20.15	49.10
RMS	26.4958G	37.92	77.74	-39.82	27.29	1	Horizontal	237	1.53	-	39.59	20.14	49.10

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	112.10	Inf	-Inf	102.67	3	Vertical	224	1.80	-	34.50	7.98	33.05
RMS	6.693G	100.30	Inf	-Inf	90.87	3	Vertical	224	1.80	-	34.50	7.98	33.05
PK	7.185G	62.66	88.20	-25.54	51.48	3	Vertical	224	1.80	-	36.24	8.22	33.28
RMS	7.201G	51.50	68.20	-16.70	40.29	3	Vertical	224	1.80	-	36.31	8.20	33.30

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41408G	58.49	88.20	-29.71	42.04	3	Vertical	291	1.01	-	40.20	10.93	34.68
RMS	13.41306G	45.71	68.20	-22.49	29.26	3	Vertical	291	1.01	-	40.20	10.93	34.68

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41082G	57.86	88.20	-30.34	41.41	3	Horizontal	11	1.30	-	40.20	10.93	34.68
RMS	13.41328G	45.71	68.20	-22.49	29.26	3	Horizontal	11	1.30	-	40.20	10.93	34.68

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11344G	46.26	83.54	-37.28	43.38	1	Vertical	264	1.54	-	37.49	17.31	51.92
AV	20.113G	34.20	63.54	-29.34	31.32	1	Vertical	264	1.54	-	37.49	17.31	51.92
PK	26.82176G	50.82	97.74	-46.92	40.02	1	Vertical	162	1.50	-	39.51	20.39	49.10
RMS	26.81502G	38.78	77.74	-38.96	27.97	1	Vertical	162	1.50	-	39.52	20.39	49.10

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11146G	46.12	83.54	-37.42	43.24	1	Horizontal	94	1.56	-	37.49	17.31	51.92
AV	20.1197G	34.10	63.54	-29.44	31.21	1	Horizontal	94	1.56	-	37.50	17.31	51.92
PK	26.825G	51.06	97.74	-46.68	40.25	1	Horizontal	301	1.55	-	39.51	20.40	49.10
RMS	26.81514G	38.67	77.74	-39.07	27.86	1	Horizontal	301	1.55	-	39.52	20.39	49.10

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7866G	111.14	Inf	-Inf	101.73	3	Vertical	131	1.80	-	34.47	7.99	33.05
RMS	6.7818G	100.97	Inf	-Inf	91.57	3	Vertical	131	1.80	-	34.46	7.99	33.05
PK	7.1322G	62.09	88.20	-26.11	50.99	3	Vertical	131	1.80	-	36.03	8.28	33.21
RMS	7.1802G	51.33	68.20	-16.87	40.16	3	Vertical	131	1.80	-	36.22	8.22	33.27

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5678G	58.97	88.20	-29.23	42.32	3	Vertical	198	1.75	-	40.34	10.98	34.67
RMS	13.56822G	45.91	68.20	-22.29	29.26	3	Vertical	198	1.75	-	40.34	10.98	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57112G	58.39	88.20	-29.81	41.74	3	Horizontal	99	2.99	-	40.34	10.98	34.67
RMS	13.5726G	45.97	68.20	-22.23	29.31	3	Horizontal	99	2.99	-	40.35	10.98	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35226G	47.39	83.54	-36.15	44.31	1	Vertical	323	1.56	-	37.64	17.41	51.97
AV	20.35978G	34.56	63.54	-28.98	31.47	1	Vertical	323	1.56	-	37.64	17.42	51.97
PK	27.14074G	51.20	97.74	-46.54	40.22	1	Vertical	268	1.53	-	39.41	20.64	49.07
RMS	27.135G	38.77	77.74	-38.97	27.80	1	Vertical	268	1.53	-	39.41	20.63	49.07

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




25/12/2022

EUT_Z_4TX
Setting 60
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35314G	46.72	83.54	-36.82	43.64	1	Horizontal	194	1.53	-	37.64	17.41	51.97
AV	20.35808G	34.55	63.54	-28.99	31.46	1	Horizontal	194	1.53	-	37.64	17.42	51.97
PK	27.1409G	51.45	97.74	-46.29	40.47	1	Horizontal	227	1.50	-	39.41	20.64	49.07
RMS	27.1388G	38.68	77.74	-39.06	27.70	1	Horizontal	227	1.50	-	39.41	20.64	49.07

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8566G	112.19	Inf	-Inf	102.48	3	Vertical	232	1.80	-	34.64	8.12	33.05
RMS	6.8566G	101.36	Inf	-Inf	91.65	3	Vertical	232	1.80	-	34.64	8.12	33.05
PK	7.1554G	62.52	88.20	-25.68	51.39	3	Vertical	232	1.80	-	36.12	8.25	33.24
RMS	7.153G	51.33	68.20	-16.87	40.20	3	Vertical	232	1.80	-	36.11	8.26	33.24

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72768G	58.47	88.20	-29.73	41.75	3	Vertical	23	2.11	-	40.36	11.03	34.67
RMS	13.73498G	46.49	68.20	-21.71	29.75	3	Vertical	23	2.11	-	40.37	11.04	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72988G	58.99	88.20	-29.21	42.27	3	Horizontal	285	1.44	-	40.36	11.03	34.67
RMS	13.73134G	46.51	68.20	-21.69	29.79	3	Horizontal	285	1.44	-	40.36	11.03	34.67

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59562G	47.78	83.54	-35.76	44.54	1	Vertical	91	1.57	-	37.74	17.52	52.02
AV	20.59436G	35.40	63.54	-28.14	32.16	1	Vertical	91	1.57	-	37.74	17.52	52.02
PK	27.4571G	50.64	97.74	-47.10	39.44	1	Vertical	145	1.50	-	39.33	20.88	49.01
RMS	27.45578G	38.36	77.74	-39.38	27.15	1	Vertical	145	1.50	-	39.34	20.88	49.01

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59304G	47.53	83.54	-36.01	44.29	1	Horizontal	301	1.56	-	37.74	17.52	52.02
AV	20.59732G	35.36	63.54	-28.18	32.12	1	Horizontal	301	1.56	-	37.74	17.52	52.02
PK	27.45642G	50.47	97.74	-47.27	39.27	1	Horizontal	12	1.50	-	39.33	20.88	49.01
RMS	27.46304G	38.29	77.74	-39.45	27.08	1	Horizontal	12	1.50	-	39.33	20.89	49.01

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9366G	114.86	Inf	-Inf	104.48	3	Vertical	137	1.80	-	35.12	8.30	33.04
RMS	6.9378G	103.14	Inf	-Inf	92.75	3	Vertical	137	1.80	-	35.13	8.30	33.04
PK	7.215G	62.91	88.20	-25.29	51.66	3	Vertical	137	1.80	-	36.39	8.18	33.32
RMS	7.2066G	51.63	68.20	-16.57	40.40	3	Vertical	137	1.80	-	36.34	8.19	33.30

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88632G	58.85	88.20	-29.35	41.68	3	Vertical	340	1.75	-	40.76	11.08	34.67
RMS	13.88606G	46.70	68.20	-21.50	29.53	3	Vertical	340	1.75	-	40.76	11.08	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88638G	58.85	88.20	-29.35	41.68	3	Horizontal	200	2.44	-	40.76	11.08	34.67
RMS	13.88624G	46.70	68.20	-21.50	29.53	3	Horizontal	200	2.44	-	40.76	11.08	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8321G	47.46	83.54	-36.08	43.95	1	Vertical	93	1.58	-	37.96	17.62	52.07
AV	20.8315G	35.11	63.54	-28.43	31.60	1	Vertical	93	1.58	-	37.96	17.62	52.07
PK	27.77746G	51.05	97.74	-46.69	39.47	1	Vertical	88	1.54	-	39.51	21.13	49.06
RMS	27.78356G	38.54	77.74	-39.20	26.96	1	Vertical	88	1.54	-	39.51	21.13	49.06

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83022G	46.96	83.54	-36.58	43.45	1	Horizontal	359	1.58	-	37.96	17.62	52.07
AV	20.83038G	34.98	63.54	-28.56	31.47	1	Horizontal	359	1.58	-	37.96	17.62	52.07
PK	27.77834G	51.23	97.74	-46.51	39.65	1	Horizontal	277	1.57	-	39.51	21.13	49.06
RMS	27.78234G	38.54	77.74	-39.20	26.96	1	Horizontal	277	1.57	-	39.51	21.13	49.06

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 60
06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0298G	111.09	Inf	-Inf	100.19	3	Vertical	136	1.80	-	35.58	8.40	33.08
RMS	7.0066G	101.11	Inf	-Inf	90.29	3	Vertical	136	1.80	-	35.44	8.43	33.05
PK	7.2082G	62.37	88.20	-25.83	51.14	3	Vertical	136	1.80	-	36.35	8.19	33.31
RMS	7.201G	51.75	68.20	-16.45	40.54	3	Vertical	136	1.80	-	36.31	8.20	33.30

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04856G	59.35	88.20	-28.85	41.72	3	Vertical	88	1.59	-	41.15	11.15	34.67
RMS	14.04856G	47.29	68.20	-20.91	29.66	3	Vertical	88	1.59	-	41.15	11.15	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04892G	59.42	88.20	-28.78	41.79	3	Horizontal	120	2.22	-	41.15	11.15	34.67
RMS	14.05342G	47.27	68.20	-20.93	29.63	3	Horizontal	120	2.22	-	41.16	11.15	34.67

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




25/12/2022

EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07836G	47.35	83.54	-36.19	43.48	1	Vertical	299	1.50	-	38.24	17.73	52.10
AV	21.0767G	35.11	63.54	-28.43	31.24	1	Vertical	299	1.50	-	38.24	17.73	52.10
PK	28.10056G	51.60	97.74	-46.14	39.76	1	Vertical	185	1.51	-	39.64	21.30	49.10
RMS	28.09852G	39.17	77.74	-38.57	27.33	1	Vertical	185	1.51	-	39.64	21.30	49.10

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
 Setting 60
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07076G	47.88	83.54	-35.66	44.01	1	Horizontal	345	1.57	-	38.24	17.73	52.10
AV	21.07702G	35.18	63.54	-28.36	31.31	1	Horizontal	345	1.57	-	38.24	17.73	52.10
PK	28.10038G	51.42	97.74	-46.32	39.58	1	Horizontal	245	1.55	-	39.64	21.30	49.10
RMS	28.10068G	39.07	77.74	-38.67	27.23	1	Horizontal	245	1.55	-	39.64	21.30	49.10

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	71.30	88.20	-16.90	63.68	3	Vertical	236.5	1.79	-	32.60	7.38	32.36
RMS	5.924G	53.56	68.20	-14.64	45.94	3	Vertical	236.5	1.79	-	32.60	7.38	32.36
PK	5.979G	112.54	Inf	-Inf	104.96	3	Vertical	236.5	1.79	-	32.54	7.39	32.35
RMS	6.05G	102.19	Inf	-Inf	94.57	3	Vertical	236.5	1.79	-	32.60	7.43	32.41

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0482G	56.75	74.00	-17.25	41.78	3	Vertical	131	2.04	-	39.15	10.50	34.68
AV	12.05332G	44.93	54.00	-9.07	29.96	3	Vertical	131	2.04	-	39.15	10.50	34.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04688G	57.09	74.00	-16.91	42.12	3	Horizontal	315	2.57	-	39.15	10.50	34.68
AV	12.04786G	45.04	54.00	-8.96	30.07	3	Horizontal	315	2.57	-	39.15	10.50	34.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0733G	46.97	83.54	-36.57	42.70	1	Vertical	287	1.56	-	37.50	16.47	49.70
AV	18.07038G	35.08	63.54	-28.46	30.81	1	Vertical	287	1.56	-	37.50	16.47	49.70
PK	24.09982G	54.06	97.74	-43.68	46.30	1	Vertical	60	1.54	-	38.80	19.08	50.12
RMS	24.0997G	47.92	77.74	-29.82	40.16	1	Vertical	60	1.54	-	38.80	19.08	50.12

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0717G	47.27	83.54	-36.27	43.00	1	Horizontal	235	1.54	-	37.50	16.47	49.70
AV	18.07228G	35.09	63.54	-28.45	30.82	1	Horizontal	235	1.54	-	37.50	16.47	49.70
PK	24.09964G	50.21	97.74	-47.53	42.45	1	Horizontal	4	1.52	-	38.80	19.08	50.12
RMS	24.0998G	41.18	77.74	-36.56	33.42	1	Horizontal	4	1.52	-	38.80	19.08	50.12

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	60.33	88.20	-27.87	52.72	3	Vertical	59.2	1.80	-	32.60	7.38	32.37
RMS	5.9242G	49.83	68.20	-18.37	42.21	3	Vertical	59.2	1.80	-	32.60	7.38	32.36
PK	6.1498G	111.75	Inf	-Inf	104.11	3	Vertical	59.2	1.80	-	32.70	7.50	32.56
RMS	6.1498G	100.43	Inf	-Inf	92.79	3	Vertical	59.2	1.80	-	32.70	7.50	32.56

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.372G	56.62	74.00	-17.38	41.98	3	Vertical	52	2.71	-	38.73	10.60	34.69
AV	12.37496G	44.48	54.00	-9.52	29.84	3	Vertical	52	2.71	-	38.73	10.60	34.69

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37216G	57.49	74.00	-16.51	42.85	3	Horizontal	326	1.02	-	38.73	10.60	34.69
AV	12.37246G	44.57	54.00	-9.43	29.93	3	Horizontal	326	1.02	-	38.73	10.60	34.69

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55114G	47.16	83.54	-36.38	43.22	1	Vertical	241	1.51	-	37.62	16.67	50.35
AV	18.55528G	35.39	63.54	-28.15	31.46	1	Vertical	241	1.51	-	37.62	16.67	50.36
PK	24.73844G	49.24	97.74	-48.50	40.73	1	Vertical	283	1.57	-	38.90	19.31	49.70
RMS	24.73854G	37.19	77.74	-40.55	28.68	1	Vertical	283	1.57	-	38.90	19.31	49.70

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55574G	47.37	83.54	-36.17	43.44	1	Horizontal	36	1.52	-	37.62	16.67	50.36
AV	18.55098G	35.41	63.54	-28.13	31.47	1	Horizontal	36	1.52	-	37.62	16.67	50.35
PK	24.74082G	49.15	97.74	-48.59	40.64	1	Horizontal	189	1.56	-	38.90	19.31	49.70
RMS	24.7383G	37.19	77.74	-40.55	28.68	1	Horizontal	189	1.56	-	38.90	19.31	49.70

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	61.64	88.20	-26.56	54.25	3	Vertical	236	2.27	-	32.40	7.37	32.38
RMS	5.913G	49.66	68.20	-18.54	42.05	3	Vertical	236	2.27	-	32.60	7.38	32.37
PK	6.367G	112.82	Inf	-Inf	104.17	3	Vertical	236	2.27	-	33.60	7.92	32.87
RMS	6.365G	102.51	Inf	-Inf	93.87	3	Vertical	236	2.27	-	33.59	7.92	32.87

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68992G	57.17	74.00	-16.83	42.19	3	Vertical	46	1.64	-	38.98	10.70	34.70
AV	12.6854G	44.21	54.00	-9.79	29.24	3	Vertical	46	1.64	-	38.97	10.70	34.70

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68942G	56.83	74.00	-17.17	41.85	3	Horizontal	327	1.76	-	38.98	10.70	34.70
AV	12.68546G	44.21	54.00	-9.79	29.24	3	Horizontal	327	1.76	-	38.97	10.70	34.70

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




25/12/2022

EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03846G	46.97	83.54	-36.57	43.43	1	Vertical	249	1.51	-	37.52	16.87	50.85
AV	19.03036G	35.17	63.54	-28.37	31.64	1	Vertical	249	1.51	-	37.51	16.86	50.84
PK	25.37896G	49.54	97.74	-48.20	40.37	1	Vertical	73	1.50	-	39.00	19.54	49.37
RMS	25.3782G	37.90	77.74	-39.84	28.73	1	Vertical	73	1.50	-	39.00	19.54	49.37

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03972G	46.67	83.54	-36.87	43.13	1	Horizontal	182	1.52	-	37.52	16.87	50.85
AV	19.03098G	35.23	63.54	-28.31	31.70	1	Horizontal	182	1.52	-	37.51	16.86	50.84
PK	25.3776G	49.53	97.74	-48.21	40.36	1	Horizontal	235	1.50	-	39.00	19.54	49.37
RMS	25.38194G	37.93	77.74	-39.81	28.77	1	Horizontal	235	1.50	-	38.99	19.54	49.37

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	59.92	88.20	-28.28	52.43	3	Vertical	219	1.80	-	32.50	7.37	32.38
RMS	5.8946G	49.67	68.20	-18.53	42.10	3	Vertical	219	1.80	-	32.57	7.37	32.37
PK	6.4714G	111.87	Inf	-Inf	102.91	3	Vertical	219	1.80	-	33.99	7.99	33.02
RMS	6.4798G	101.88	Inf	-Inf	92.90	3	Vertical	219	1.80	-	34.02	7.99	33.03
PK	7.1518G	62.50	88.20	-25.70	51.36	3	Vertical	219	1.80	-	36.11	8.26	33.23
RMS	7.1406G	51.35	68.20	-16.85	40.24	3	Vertical	219	1.80	-	36.06	8.27	33.22

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00708G	56.90	88.20	-31.30	41.32	3	Vertical	305	2.44	-	39.49	10.80	34.71
RMS	13.00766G	45.21	68.20	-22.99	29.64	3	Vertical	305	2.44	-	39.48	10.80	34.71

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00924G	56.70	88.20	-31.50	41.13	3	Horizontal	101	1.56	-	39.48	10.80	34.71
RMS	13.0092G	45.08	68.20	-23.12	29.51	3	Horizontal	101	1.56	-	39.48	10.80	34.71

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51724G	47.87	83.54	-35.67	44.54	1	Vertical	241	1.57	-	37.69	17.06	51.42
AV	19.51338G	36.02	63.54	-27.52	32.68	1	Vertical	241	1.57	-	37.69	17.06	51.41
PK	26.0201G	49.36	97.74	-48.38	39.87	1	Vertical	298	1.55	-	39.00	19.78	49.29
RMS	26.01514G	37.76	77.74	-39.98	28.28	1	Vertical	298	1.55	-	39.00	19.77	49.29

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51826G	47.55	83.54	-35.99	44.22	1	Horizontal	334	1.56	-	37.69	17.06	51.42
AV	19.51942G	35.83	63.54	-27.71	32.50	1	Horizontal	334	1.56	-	37.69	17.06	51.42
PK	26.01658G	49.33	97.74	-48.41	39.85	1	Horizontal	342	1.56	-	39.00	19.77	49.29
RMS	26.01612G	37.76	77.74	-39.98	28.28	1	Horizontal	342	1.56	-	39.00	19.77	49.29

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6606G	112.03	Inf	-Inf	102.60	3	Vertical	132.7	1.80	-	34.50	7.98	33.05
RMS	6.6584G	101.58	Inf	-Inf	92.15	3	Vertical	132.7	1.80	-	34.50	7.98	33.05
PK	7.1358G	62.60	88.20	-25.60	51.49	3	Vertical	132.7	1.80	-	36.04	8.28	33.21
RMS	7.1996G	51.68	68.20	-16.52	40.48	3	Vertical	132.7	1.80	-	36.30	8.20	33.30

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33736G	57.36	74.00	-16.64	41.24	3	Vertical	32	1.80	-	39.89	10.91	34.68
AV	13.31184G	45.01	54.00	-8.99	29.04	3	Vertical	32	1.80	-	39.76	10.90	34.69

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.31384G	57.06	74.00	-16.94	41.07	3	Horizontal	235	1.39	-	39.77	10.90	34.68
AV	13.31368G	45.20	54.00	-8.80	29.21	3	Horizontal	235	1.39	-	39.77	10.90	34.68

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99804G	46.64	83.54	-36.90	43.88	1	Vertical	304	1.56	-	37.40	17.26	51.90
AV	19.99096G	35.00	63.54	-28.54	32.22	1	Vertical	304	1.56	-	37.41	17.26	51.89
PK	26.65708G	50.41	97.74	-47.33	39.64	1	Vertical	303	1.55	-	39.60	20.27	49.10
RMS	26.6642G	38.40	77.74	-39.34	27.63	1	Vertical	303	1.55	-	39.60	20.27	49.10

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9971G	46.97	83.54	-36.57	44.21	1	Horizontal	93	1.53	-	37.40	17.26	51.90
AV	19.99008G	34.95	63.54	-28.59	32.17	1	Horizontal	93	1.53	-	37.41	17.26	51.89
PK	26.66084G	50.56	97.74	-47.18	39.79	1	Horizontal	168	1.50	-	39.60	20.27	49.10
RMS	26.66122G	38.38	77.74	-39.36	27.61	1	Horizontal	168	1.50	-	39.60	20.27	49.10

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8426G	110.68	Inf	-Inf	101.05	3	Vertical	253.2	1.80	-	34.59	8.09	33.05
RMS	6.8474G	100.31	Inf	-Inf	90.67	3	Vertical	253.2	1.80	-	34.59	8.10	33.05
PK	7.1306G	62.65	88.20	-25.55	51.56	3	Vertical	253.2	1.80	-	36.02	8.28	33.21
RMS	7.217G	51.77	68.20	-16.43	40.51	3	Vertical	253.2	1.80	-	36.40	8.18	33.32

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65106G	58.14	88.20	-30.06	41.45	3	Vertical	122	1.19	-	40.35	11.01	34.67
RMS	13.64826G	46.28	68.20	-21.92	29.59	3	Vertical	122	1.19	-	40.35	11.01	34.67

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.653G	58.27	88.20	-29.93	41.58	3	Horizontal	69	1.32	-	40.35	11.01	34.67
RMS	13.65376G	46.32	68.20	-21.88	29.63	3	Horizontal	69	1.32	-	40.35	11.01	34.67

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47282G	47.07	83.54	-36.47	43.90	1	Vertical	5	1.51	-	37.69	17.47	51.99
AV	20.47062G	35.30	63.54	-28.24	32.14	1	Vertical	5	1.51	-	37.69	17.46	51.99
PK	27.29806G	50.56	97.74	-47.18	39.38	1	Vertical	284	1.52	-	39.46	20.76	49.04
RMS	27.29698G	38.51	77.74	-39.23	27.33	1	Vertical	284	1.52	-	39.46	20.76	49.04

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47026G	47.26	83.54	-36.28	44.10	1	Horizontal	159	1.55	-	37.69	17.46	51.99
AV	20.47258G	35.31	63.54	-28.23	32.14	1	Horizontal	159	1.55	-	37.69	17.47	51.99
PK	27.29554G	50.02	97.74	-47.72	38.84	1	Horizontal	86	1.52	-	39.46	20.76	49.04
RMS	27.29666G	38.51	77.74	-39.23	27.33	1	Horizontal	86	1.52	-	39.46	20.76	49.04

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.958G	113.19	Inf	-Inf	102.65	3	Vertical	220.4	1.80	-	35.23	8.35	33.04
RMS	6.963G	102.40	Inf	-Inf	91.83	3	Vertical	220.4	1.80	-	35.25	8.36	33.04
PK	7.132G	65.28	88.20	-22.92	54.18	3	Vertical	220.4	1.80	-	36.03	8.28	33.21
RMS	7.137G	53.00	68.20	-15.20	41.89	3	Vertical	220.4	1.80	-	36.05	8.28	33.22

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96632G	58.91	88.20	-29.29	41.54	3	Vertical	89	1.73	-	40.93	11.11	34.67
RMS	13.96542G	47.11	68.20	-21.09	29.74	3	Vertical	89	1.73	-	40.93	11.11	34.67

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96818G	59.74	88.20	-28.46	42.36	3	Horizontal	342	1.17	-	40.94	11.11	34.67
RMS	13.96862G	47.26	68.20	-20.94	29.88	3	Horizontal	342	1.17	-	40.94	11.11	34.67

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
 Setting 75
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9576G	47.64	83.54	-35.90	43.83	1	Vertical	218	1.58	-	38.22	17.68	52.09
AV	20.95884G	36.15	63.54	-27.39	32.34	1	Vertical	218	1.58	-	38.22	17.68	52.09
PK	27.93536G	50.82	97.74	-46.92	39.09	1	Vertical	300	1.58	-	39.57	21.25	49.09
RMS	27.94348G	38.84	77.74	-38.90	27.09	1	Vertical	300	1.58	-	39.58	21.26	49.09

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 75
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9517G	47.84	83.54	-35.70	44.06	1	Horizontal	193	1.57	-	38.20	17.67	52.09
AV	20.95906G	36.09	63.54	-27.45	32.28	1	Horizontal	193	1.57	-	38.22	17.68	52.09
PK	27.94334G	50.58	97.74	-47.16	38.83	1	Horizontal	91	1.50	-	39.58	21.26	49.09
RMS	27.94268G	39.04	77.74	-38.70	27.29	1	Horizontal	91	1.50	-	39.58	21.26	49.09

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	76.14	88.20	-12.06	68.53	3	Vertical	234.7	1.79	-	32.60	7.38	32.37
RMS	5.925G	62.98	68.20	-5.22	55.36	3	Vertical	234.7	1.79	-	32.60	7.38	32.36
PK	6.141G	112.25	Inf	-Inf	104.62	3	Vertical	234.7	1.79	-	32.68	7.49	32.54
RMS	6.055G	101.32	Inf	-Inf	93.70	3	Vertical	234.7	1.79	-	32.60	7.44	32.42

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20888G	56.54	74.00	-17.46	41.61	3	Vertical	276	1.22	-	39.07	10.55	34.69
AV	12.20842G	44.69	54.00	-9.31	29.76	3	Vertical	276	1.22	-	39.07	10.55	34.69

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21074G	56.68	74.00	-17.32	41.75	3	Horizontal	51	2.01	-	39.07	10.55	34.69
AV	12.20906G	44.69	54.00	-9.31	29.76	3	Horizontal	51	2.01	-	39.07	10.55	34.69

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31062G	46.80	83.54	-36.74	42.74	1	Vertical	309	1.57	-	37.52	16.57	50.03
AV	18.3167G	35.26	63.54	-28.28	31.20	1	Vertical	309	1.57	-	37.53	16.57	50.04
PK	24.42228G	49.23	97.74	-48.51	41.03	1	Vertical	59	1.54	-	38.87	19.19	49.86
RMS	24.42392G	37.55	77.74	-40.19	29.35	1	Vertical	59	1.54	-	38.87	19.19	49.86

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31248G	46.56	83.54	-36.98	42.51	1	Horizontal	145	1.53	-	37.52	16.57	50.04
AV	18.3128G	35.08	63.54	-28.46	31.02	1	Horizontal	145	1.53	-	37.53	16.57	50.04
PK	24.42424G	49.23	97.74	-48.51	41.03	1	Horizontal	279	1.55	-	38.87	19.19	49.86
RMS	24.42356G	37.37	77.74	-40.37	29.17	1	Horizontal	279	1.55	-	38.87	19.19	49.86

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9076G	62.01	88.20	-26.19	54.40	3	Vertical	222.4	1.80	-	32.60	7.38	32.37
RMS	5.925G	51.02	68.20	-17.18	43.40	3	Vertical	222.4	1.80	-	32.60	7.38	32.36
PK	6.4692G	114.27	Inf	-Inf	105.32	3	Vertical	222.4	1.80	-	33.98	7.99	33.02
RMS	6.4718G	101.78	Inf	-Inf	92.82	3	Vertical	222.4	1.80	-	33.99	7.99	33.02

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8476G	57.56	88.20	-30.64	42.12	3	Vertical	337	1.43	-	39.40	10.75	34.71
RMS	12.84604G	45.46	68.20	-22.74	30.03	3	Vertical	337	1.43	-	39.39	10.75	34.71

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85348G	57.03	88.20	-31.17	41.58	3	Horizontal	148	2.42	-	39.41	10.75	34.71
RMS	12.84834G	45.41	68.20	-22.79	29.97	3	Horizontal	148	2.42	-	39.40	10.75	34.71

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27974G	46.84	83.54	-36.70	43.41	1	Vertical	141	1.50	-	37.61	16.96	51.14
AV	19.27052G	35.15	63.54	-28.39	31.70	1	Vertical	141	1.50	-	37.61	16.96	51.12
PK	25.69596G	48.92	97.74	-48.82	39.67	1	Vertical	297	1.54	-	38.90	19.65	49.30
RMS	25.70376G	36.78	77.74	-40.96	27.53	1	Vertical	297	1.54	-	38.90	19.65	49.30

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27998G	46.77	83.54	-36.77	43.34	1	Horizontal	291	1.58	-	37.61	16.96	51.14
AV	19.27478G	35.13	63.54	-28.41	31.69	1	Horizontal	291	1.58	-	37.61	16.96	51.13
PK	25.70274G	49.30	97.74	-48.44	40.05	1	Horizontal	24	1.50	-	38.90	19.65	49.30
RMS	25.70032G	36.85	77.74	-40.89	27.60	1	Horizontal	24	1.50	-	38.90	19.65	49.30

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.659G	112.23	Inf	-Inf	102.80	3	Vertical	132	1.80	-	34.50	7.98	33.05
RMS	6.781G	101.42	Inf	-Inf	92.02	3	Vertical	132	1.80	-	34.46	7.99	33.05
PK	7.163G	67.21	88.20	-20.99	56.07	3	Vertical	132	1.80	-	36.15	8.24	33.25
RMS	7.131G	54.69	68.20	-13.51	43.60	3	Vertical	132	1.80	-	36.02	8.28	33.21

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49004G	58.40	88.20	-29.80	41.91	3	Vertical	233	2.57	-	40.20	10.96	34.67
RMS	13.49368G	46.45	68.20	-21.75	29.96	3	Vertical	233	2.57	-	40.20	10.96	34.67

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49316G	58.15	88.20	-30.05	41.66	3	Horizontal	304	2.00	-	40.20	10.96	34.67
RMS	13.49232G	46.45	68.20	-21.75	29.96	3	Horizontal	304	2.00	-	40.20	10.96	34.67

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_Z_4TX
 Setting 85
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.2359G	47.94	83.54	-35.60	44.94	1	Vertical	250	1.51	-	37.59	17.36	51.95
AV	20.23248G	35.35	63.54	-28.19	32.35	1	Vertical	250	1.51	-	37.59	17.36	51.95
PK	26.9797G	49.97	97.74	-47.77	39.24	1	Vertical	237	1.50	-	39.32	20.51	49.10
RMS	26.97966G	38.33	77.74	-39.41	27.60	1	Vertical	237	1.50	-	39.32	20.51	49.10



6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX



EUT_Z_4TX
Setting 85
06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23246G	46.95	83.54	-36.59	43.95	1	Horizontal	305	1.58	-	37.59	17.36	51.95
AV	20.23214G	35.35	63.54	-28.19	32.35	1	Horizontal	305	1.58	-	37.59	17.36	51.95
PK	26.97514G	50.63	97.74	-47.11	39.89	1	Horizontal	18	1.53	-	39.33	20.51	49.10
RMS	26.97954G	38.33	77.74	-39.41	27.60	1	Horizontal	18	1.53	-	39.32	20.51	49.10




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6415MHz_TX

MASK

26/12/2022

CF Freq
6.415GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4135G	-10.06	6.4456G	-64.10	-47.69	-16.41	1
6.4197G	-9.70	6.3842G	-64.52	-47.55	-16.97	2
6.4187G	-9.94	6.3843G	-64.80	-48.10	-16.70	3
6.4174G	-9.78	6.3843G	-64.14	-47.89	-16.25	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6435MHz_TX

MASK

26/12/2022

CF Freq
6.435GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4336G	-10.86	6.48G	-64.48	-50.86	-13.62	1
6.42991G	-11.08	6.48G	-66.97	-51.08	-15.89	2
6.4337G	-10.27	6.4042G	-65.40	-48.54	-16.86	3
6.4324G	-11.21	6.48G	-62.46	-51.21	-11.25	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6475MHz_TX

MASK

26/12/2022

CF Freq
6.475GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4784G	-10.13	6.5084G	-66.50	-50.13	-16.37	1
6.4798G	-10.00	6.4442G	-64.74	-48.22	-16.52	2
6.4738G	-9.51	6.4443G	-64.18	-47.48	-16.70	3
6.4737G	-10.27	6.4422G	-66.73	-50.27	-16.46	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6515MHz_TX

MASK

26/12/2022

CF Freq
6.515GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5158G	-9.79	6.4799G	-64.23	-49.79	-14.44	1
6.5101G	-9.73	6.4843G	-64.36	-47.89	-16.47	2
6.5186G	-8.90	6.4842G	-63.93	-47.07	-16.86	3
6.5174G	-9.79	6.4799G	-62.68	-49.79	-12.89	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6535MHz_TX

MASK

26/12/2022

CF Freq
6.535GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5361G	-10.33	6.5678G	-66.58	-50.33	-16.25	1
6.52981G	-10.03	6.5043G	-64.56	-47.91	-16.65	2
6.5387G	-9.17	6.5042G	-64.25	-47.20	-17.05	3
6.5374G	-10.25	6.5044G	-64.52	-48.06	-16.46	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6695MHz_TX

MASK

26/12/2022

CF Freq
6.695GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6937G	-10.88	6.7289G	-66.27	-50.88	-15.39	1
6.68991G	-10.85	6.6643G	-64.88	-49.01	-15.87	2
6.6936G	-10.24	6.732G	-66.60	-50.24	-16.36	3
6.6928G	-10.26	6.7279G	-66.17	-50.26	-15.91	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6855MHz_TX

MASK

26/12/2022

CF Freq
6.855GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8562G	-10.64	6.8133G	-66.14	-50.64	-15.50	1
6.84961G	-11.05	6.8133G	-66.32	-51.05	-15.27	2
6.8537G	-10.57	6.8132G	-66.36	-50.57	-15.79	3
6.8575G	-10.43	6.8243G	-64.09	-48.68	-15.41	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX

MASK

26/12/2022

CF Freq
6.875GHz
Span
100MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8709G	-9.93	6.8397G	-65.09	-49.93	-15.16	1
6.8745G	-10.41	6.8443G	-63.79	-48.47	-15.32	2
6.8737G	-9.64	6.8443G	-63.42	-47.52	-15.90	3
6.8723G	-9.68	6.8422G	-65.13	-49.68	-15.45	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

26/12/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8936G	-11.67	6.8616G	-66.54	-51.67	-14.87	1
6.8945G	-11.70	6.8643G	-64.84	-49.67	-15.17	2
6.894G	-11.20	6.8643G	-64.42	-48.94	-15.48	3
6.8924G	-11.51	6.8618G	-66.31	-51.51	-14.80	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

26/12/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00109G	-11.17	6.9599G	-66.41	-51.17	-15.24	1
6.98951G	-12.18	6.9599G	-67.26	-52.18	-15.08	2
6.994G	-10.57	6.9642G	-64.93	-48.70	-16.23	3
7.00019G	-11.18	6.9599G	-59.86	-51.18	-8.68	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

26/12/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0913G	-10.33	7.0643G	-64.38	-48.02	-16.36	1
7.0945G	-11.24	7.0643G	-65.48	-49.07	-16.41	2
7.09G	-10.50	7.0643G	-64.78	-48.38	-16.40	3
7.08711G	-10.44	7.0643G	-64.43	-48.32	-16.11	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

26/12/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97019G	-9.73	6.0262G	-63.06	-49.73	-13.33	1
5.97019G	-9.02	6.0262G	-63.83	-49.02	-14.81	2
5.9688G	-9.42	6.0264G	-63.49	-49.42	-14.07	3
5.9688G	-9.23	6.0262G	-62.93	-49.23	-13.70	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6165MHz_TX

MASK

26/12/2022

CF Freq
6.165GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17039G	-6.55	6.1036G	-61.28	-46.55	-14.73	1
6.1602G	-6.72	6.1036G	-62.02	-46.72	-15.30	2
6.1688G	-6.76	6.1038G	-61.99	-46.76	-15.23	3
6.17239G	-6.79	6.1038G	-61.21	-46.79	-14.42	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6405MHz_TX

MASK

26/12/2022

CF Freq
6.405GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4086G	-8.89	6.3198G	-62.90	-48.89	-14.01	1
6.4G	-8.91	6.3434G	-64.12	-48.91	-15.21	2
6.4088G	-8.99	6.4662G	-63.47	-48.99	-14.48	3
6.4074G	-9.25	6.3198G	-62.09	-49.25	-12.84	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

26/12/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441G	-8.06	6.3836G	-62.33	-48.06	-14.27	1
6.44G	-7.69	6.3834G	-63.32	-47.69	-15.63	2
6.4486G	-7.88	6.3836G	-63.12	-47.88	-15.24	3
6.4424G	-8.33	6.3838G	-62.70	-48.33	-14.37	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

26/12/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4808G	-8.79	6.4238G	-62.71	-48.79	-13.92	1
6.49G	-8.60	6.4236G	-63.59	-48.60	-14.99	2
6.489G	-8.67	6.4238G	-63.19	-48.67	-14.52	3
6.4824G	-8.94	6.4236G	-62.76	-48.94	-13.82	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TX

MASK

26/12/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5286G	-8.67	6.5862G	-62.54	-48.67	-13.87	1
6.53G	-8.66	6.5862G	-63.80	-48.66	-15.14	2
6.5288G	-8.31	6.4636G	-63.07	-48.31	-14.76	3
6.527G	-8.81	6.4638G	-62.79	-48.81	-13.98	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6565MHz_TX

MASK

26/12/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561G	-8.61	6.6266G	-62.55	-48.61	-13.94	1
6.56G	-7.87	6.5036G	-62.96	-47.87	-15.09	2
6.55901G	-7.99	6.5034G	-62.83	-47.99	-14.84	3
6.5624G	-8.78	6.64G	-60.39	-48.78	-11.61	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6685MHz_TX

MASK

26/12/2022

CF Freq
6.685GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6886G	-8.61	6.7462G	-62.13	-48.61	-13.52	1
6.68G	-8.46	6.7462G	-63.09	-48.46	-14.63	2
6.67881G	-7.96	6.7462G	-62.85	-47.96	-14.89	3
6.6898G	-8.36	6.6236G	-62.46	-48.36	-14.10	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6845MHz_TX

MASK

26/12/2022

CF Freq
6.845GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8486G	-9.07	6.7836G	-62.43	-49.07	-13.36	1
6.84G	-8.85	6.7838G	-63.12	-48.85	-14.27	2
6.84G	-8.53	6.7836G	-62.54	-48.53	-14.01	3
6.85G	-9.42	6.7832G	-62.73	-49.42	-13.31	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TX

MASK

26/12/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8808G	-8.80	6.8236G	-62.23	-48.80	-13.43	1
6.88G	-8.49	6.8238G	-62.51	-48.49	-14.02	2
6.87901G	-8.54	6.8236G	-62.14	-48.54	-13.60	3
6.8812G	-9.08	6.96G	-59.54	-49.08	-10.46	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
6925MHz_TX

MASK

26/12/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93099G	-9.82	6.9862G	-62.96	-49.82	-13.14	1
6.92G	-9.68	6.8638G	-63.34	-49.68	-13.66	2
6.929G	-9.23	6.8634G	-63.04	-49.23	-13.81	3
6.9274G	-9.25	6.8634G	-62.76	-49.25	-13.51	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
7005MHz_TX

MASK

26/12/2022

CF Freq
7.005GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001G	-8.61	6.9436G	-62.79	-48.61	-14.18	1
7.0002G	-9.36	6.9436G	-63.29	-49.36	-13.93	2
7G	-8.77	6.9436G	-63.18	-48.77	-14.41	3
7.0076G	-8.23	6.9436G	-62.28	-48.23	-14.05	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
7085MHz_TX

MASK

26/12/2022

CF Freq
7.085GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0812G	-8.93	7.0236G	-63.21	-48.93	-14.28	1
7.08G	-8.79	7.0238G	-63.97	-48.79	-15.18	2
7.07961G	-8.65	7.0236G	-63.66	-48.65	-15.01	3
7.0802G	-8.44	7.0238G	-62.53	-48.44	-14.09	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

26/12/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99019G	-5.97	6.1602G	-57.77	-45.97	-11.80	1
5.9802G	-5.75	6.1146G	-59.12	-45.75	-13.37	2
5.97221G	-6.11	6.1078G	-58.95	-46.07	-12.88	3
5.99219G	-5.53	6.113G	-58.24	-45.53	-12.71	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

26/12/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15579G	-4.68	6.2674G	-57.99	-44.57	-13.42	1
6.13061G	-5.04	6.0226G	-59.34	-44.88	-14.46	2
6.13381G	-4.84	6.2678G	-59.35	-44.84	-14.51	3
6.15299G	-5.01	6.2682G	-58.39	-45.01	-13.38	4





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6385MHz_TX

MASK

26/12/2022

CF Freq
6.385GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37341G	-6.52	6.2622G	-59.69	-46.52	-13.17	1
6.36982G	-6.37	6.2622G	-60.16	-46.37	-13.79	2
6.37341G	-6.29	6.2626G	-60.33	-46.29	-14.04	3
6.37861G	-6.40	6.5362G	-59.70	-46.40	-13.30	4





6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6465MHz_TX

MASK

26/12/2022

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 
Port 2 
Port 3 
Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45621G	-5.47	6.5882G	-58.69	-45.44	-13.25	1
6.45541G	-5.71	6.3422G	-59.38	-45.67	-13.71	2
6.45861G	-5.79	6.587G	-59.46	-45.67	-13.79	3
6.47619G	-5.74	6.6402G	-57.88	-45.74	-12.14	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX

MASK

26/12/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53381G	-5.27	6.689G	-57.71	-45.27	-12.44	1
6.53461G	-5.09	6.4226G	-58.98	-45.04	-13.94	2
6.53381G	-4.89	6.6674G	-59.12	-44.78	-14.34	3
6.53821G	-5.13	6.4226G	-58.02	-45.08	-12.94	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6625MHz_TX

MASK

26/12/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61341G	-6.12	6.7478G	-58.04	-46.12	-11.92	1
6.61501G	-5.46	6.5022G	-58.88	-45.31	-13.57	2
6.61381G	-5.73	6.5022G	-59.30	-45.73	-13.57	3
6.61341G	-5.63	6.8002G	-57.61	-45.63	-11.98	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6705MHz_TX

MASK

26/12/2022

CF Freq
6.705GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71619G	-5.02	6.827G	-57.51	-44.80	-12.71	1
6.71539G	-4.78	6.8282G	-58.86	-44.78	-14.08	2
6.69381G	-4.53	6.5826G	-58.79	-44.37	-14.42	3
6.69581G	-4.39	6.8274G	-57.43	-44.13	-13.30	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6785MHz_TX

MASK

26/12/2022

CF Freq
6.785GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79579G	-5.62	6.9082G	-58.86	-45.62	-13.24	1
6.77461G	-5.31	6.6622G	-59.15	-45.27	-13.88	2
6.77861G	-5.25	6.6626G	-58.85	-45.25	-13.60	3
6.77341G	-5.57	6.6398G	-57.41	-45.57	-11.84	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TX

MASK

26/12/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85341G	-5.98	6.743G	-58.51	-45.97	-12.54	1
6.85381G	-5.95	6.7422G	-58.90	-45.95	-12.95	2
6.85381G	-5.78	6.743G	-58.77	-45.72	-13.05	3
6.85741G	-5.91	6.7426G	-58.53	-45.91	-12.62	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
6945MHz_TX

MASK

26/12/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93621G	-6.75	6.813G	-58.89	-46.75	-12.14	1
6.93981G	-6.76	6.8222G	-59.02	-46.76	-12.26	2
6.93381G	-6.63	6.823G	-58.70	-46.51	-12.19	3
6.93261G	-6.16	6.7998G	-58.32	-46.16	-12.16	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
7025MHz_TX

MASK

26/12/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01581G	-6.15	6.9026G	-59.10	-46.15	-12.95	1
7.01421G	-6.20	6.849G	-59.19	-46.20	-12.99	2
7.01341G	-5.75	6.9026G	-58.54	-45.64	-12.90	3
7.01701G	-5.62	6.9026G	-57.78	-45.62	-12.16	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6025MHz_TX

MASK

26/12/2022

CF Freq
6.025GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	1.53	6.2698G	-48.41	-37.85	-10.56	1
6.05137G	1.80	6.2682G	-48.72	-37.34	-11.38	2
6.05137G	1.83	6.2754G	-49.37	-38.17	-11.20	3
6.05217G	1.52	6.2682G	-48.29	-37.68	-10.61	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6185MHz_TX

MASK

26/12/2022

CF Freq
6.185GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20818G	1.02	6.4346G	-49.25	-38.98	-10.27	1
6.16182G	0.50	6.5826G	-50.06	-39.50	-10.56	2
6.20898G	0.69	6.4338G	-49.83	-39.31	-10.52	3
6.21137G	0.77	6.4346G	-49.44	-39.23	-10.21	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6345MHz_TX

MASK

26/12/2022

CF Freq
6.345GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37137G	-0.31	6.7442G	-48.99	-40.31	-8.68	1
6.31943G	-0.11	6.0626G	-49.60	-40.11	-9.49	2
6.36978G	-0.51	6.593G	-49.41	-40.50	-8.91	3
6.36978G	-0.21	6.6402G	-49.16	-40.21	-8.95	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX

MASK

26/12/2022

CF Freq
6.505GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47783G	0.36	6.793G	-48.27	-39.64	-8.63	1
6.47783G	0.27	6.753G	-48.94	-39.67	-9.27	2
6.52818G	0.56	6.7538G	-48.90	-39.44	-9.46	3
6.48022G	0.71	6.7538G	-48.69	-39.24	-9.45	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6665MHz_TX

MASK

26/12/2022

CF Freq
6.665GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68978G	-0.17	6.9962G	-48.66	-40.17	-8.49	1
6.63463G	0.04	6.9962G	-49.09	-39.96	-9.13	2
6.68898G	0.02	6.9986G	-49.19	-39.98	-9.21	3
6.64182G	-0.27	6.9602G	-49.05	-40.27	-8.78	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX

MASK

27/12/2022

CF Freq
6.825GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80102G	0.37	6.5746G	-49.21	-39.61	-9.60	1
6.80182G	0.66	6.5746G	-48.90	-39.34	-9.56	2
6.79943G	0.57	6.5786G	-48.67	-39.09	-9.58	3
6.79863G	0.52	6.5762G	-48.99	-39.48	-9.51	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
6985MHz_TX

MASK

27/12/2022

CF Freq
6.985GHz


Span
800MHz


RBW
3MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00738G	-1.18	6.7354G	-48.60	-41.18	-7.42	1
6.95943G	-0.91	6.7362G	-48.47	-40.91	-7.56	2
6.90988G	-0.98	6.7346G	-48.55	-40.98	-7.57	3
6.95943G	-0.26	6.737G	-48.33	-40.20	-8.13	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
6105MHz_TX

MASK

27/12/2022

CF Freq
6.105GHz


Span
1.6GHz


RBW
5MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0714G	4.13	6.601G	-44.31	-35.87	-8.44	1
6.0794G	3.82	6.6042G	-45.15	-36.18	-8.97	2
6.0746G	3.84	6.5978G	-44.61	-36.03	-8.58	3
6.0746G	3.65	6.6042G	-44.40	-36.35	-8.05	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
6425MHz_TX

MASK

27/12/2022

CF Freq
6.425GHz


Span
1.6GHz


RBW
5MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4554G	2.13	6.9978G	-44.97	-37.87	-7.10	1
6.3802G	2.10	6.9978G	-45.79	-37.90	-7.89	2
6.4586G	2.37	6.9882G	-45.78	-37.63	-8.15	3
6.3898G	1.84	6.9994G	-45.53	-38.16	-7.37	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
6745MHz_TX

MASK

27/12/2022

CF Freq
6.745GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7802G	2.64	6.193G	-45.88	-37.36	-8.52	1
6.7114G	2.28	6.1978G	-45.62	-37.72	-7.90	2
6.713G	2.53	6.1978G	-45.84	-37.47	-8.37	3
6.7098G	1.91	6.1962G	-45.91	-38.09	-7.82	4



Contention-Based Protocol Result

Appendix F

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-70.61	2.39	-73.03	≤ -62
						Minimal	-71.61	2.39	-74.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-69.61	2.39	-72.05	≤ -62
						Minimal	-70.61	2.39	-73.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-69.61	2.39	-72.07	≤ -62
						Minimal	-70.61	2.39	-73.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-68.61	2.39	-71.04	≤ -62
						Minimal	-69.61	2.39	-72.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-71.61	2.39	-74.07	≤ -62
						Minimal	-72.61	2.39	-75.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
				Center	6105	OFF	-64.61	2.39	-67.01	≤ -62
						Minimal	-65.61	2.39	-68.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
				High edge	6260	OFF	-72.61	2.39	-75.08	≤ -62
						Minimal	-73.61	2.39	-76.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-69.61	2.39	-72.06	≤ -62
						Minimal	-70.61	2.39	-73.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
				Center	6425	OFF	-63.61	2.39	-66.07	≤ -62
						Minimal	-64.61	2.39	-67.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
				High edge	6580	OFF	-68.61	2.39	-71.08	≤ -62
						Minimal	-69.61	2.39	-72.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-69.61	2.39	-72.05	≤ -62
						Minimal	-70.61	2.39	-73.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
				Center	6745	OFF	-61.61	2.39	-64.03	≤ -62
						Minimal	-62.61	2.39	-65.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62
				High edge	6900	OFF	-67.61	2.39	-70.02	≤ -62
						Minimal	-68.61	2.39	-71.00	≤ -62
						ON	-79.61	2.39	-82.00	≤ -62



Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.03	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-72.05	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-72.07	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.04	OFF	9	90	90	PASS



Contention-Based Protocol Result


Appendix F

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-74.07	OFF	9	90	90	PASS
				Center	6105	-67.01	OFF	9	90	90	PASS
				High edge	6260	-75.08	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-72.06	OFF	9	90	90	PASS
				Center	6425	-66.07	OFF	9	90	90	PASS
				High edge	6580	-71.08	OFF	10	100	90	PASS
7/8	159	320	6745	Low edge	6590	-72.05	OFF	9	90	90	PASS
				Center	6745	-64.03	OFF	9	90	90	PASS
				High edge	6900	-70.02	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz





Date: 17 DEC 2022 05:26:07


Frequency (MHz): 7015 MHz



Date: 17 DEC 2022 05:27:28




Frequency (MHz): 6260 MHz




Date: 17 DEC 2022 05:30:35

Frequency (MHz): 6270 MHz




Date: 17 DEC 2022 05:31:25

Frequency (MHz): 6425 MHz




Date: 17 DEC 2022 05:32:12

Frequency (MHz): 6580 MHz




Date: 17 DEC 2022 05:33:01

Frequency (MHz): 6590 MHz





Date: 17 DEC 2022 05:36:08

Frequency (MHz): 6745 MHz




Date: 17 DEC 2022 05:37:00







Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal

